

802.11a - Channel 117


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13073.43	60.84 PK	88.2	-27.36	-47.45	-44.3	8.17	-34.42
2	#13079.68	39.33 AV	68.2	-28.87	-67.1	-67.12	8.17	-55.93
3	19602.18	53.22 PK	74	-20.78	-52.55	-54.01	8.17	-42.04
4	19602.18	42.47 AV	54	-11.53	-63.82	-64.12	8.17	-52.79


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 149


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13382.81	59.54 PK	74	-14.46	-47.31	-46.53	8.17	-35.72
2	13385.93	38.59 AV	54	-15.41	-67.68	-68.02	8.17	-56.67
3	20078	52.18 PK	74	-21.82	-54.05	-54.48	8.17	-43.08
4	20076.56	41.23 AV	54	-12.77	-65.38	-65.05	8.17	-54.03


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11a - Channel 181


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13701.25	50.86 PK	88.2	-37.34	-54.58	-56.88	8.17	-44.40
2	#13708.43	39.48 AV	68.2	-28.72	-67.04	-66.88	8.17	-55.78
3	20571.06	51.97 PK	74	-22.03	-55.23	-53.83	8.17	-43.29
4	20571.06	40.93 AV	54	-13.07	-65.54	-65.49	8.17	-54.33


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 185


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13758.75	50.6 PK	88.2	-37.6	-55.94	-55.74	8.17	-44.66
2	#13755.87	39.57 AV	68.2	-28.63	-66.94	-66.81	8.17	-55.69
3	20627.12	52.55 PK	74	-21.45	-55.3	-52.83	8.17	-42.71
4	20619.93	41.64 AV	54	-12.36	-64.73	-64.87	8.17	-53.62


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 209


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13991.62	50.47 PK	88.2	-37.73	-56.78	-55.29	8.17	-44.79
2	#13980.12	39.41 AV	68.2	-28.79	-67.01	-67.06	8.17	-55.85
3	20976.43	51.91 PK	74	-22.09	-55.19	-53.95	8.17	-43.35
4	20979.31	40.88 AV	54	-13.12	-65.66	-65.47	8.17	-54.38


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 229


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14198.62	51.58 PK	88.2	-36.62	-54.14	-55.72	8.17	-43.68
2	#14198.62	40.44 AV	68.2	-27.76	-66.15	-65.86	8.17	-54.82
3	21275.43	52.49 PK	74	-21.51	-54.38	-53.56	8.17	-42.77
4	21286.93	41.29 AV	54	-12.71	-65.1	-65.21	8.17	-53.97


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7148.07	51.51 PK	88.2	-36.69	-55.58	-54.3	8.13	-43.75
2	#7127.02	37.68 AV	68.2	-30.52	-68.78	-68.67	8.13	-57.58


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11a - Channel 233


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14234.56	50.9 PK	88.2	-37.3	-54.85	-56.37	8.17	-44.36
2	#14224.5	40.21 AV	68.2	-27.99	-66.41	-66.06	8.17	-55.05
3	21344.43	52.76 PK	74	-21.24	-55.52	-52.39	8.17	-42.50
4	21345.87	41.27 AV	54	-12.73	-65.13	-65.21	8.17	-53.99


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125.06	78.17 PK	88.2	-10.03	-29.12	-27.5	8.13	-17.09
2	#7125	59.25 AV	68.2	-8.95	-47.31	-47	8.13	-36.01


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE20) - Channel 2


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11868.75	59.73 PK	74	-14.27	-48.37	-45.51	8.17	-35.53
2	11873.43	38.63 AV	54	-15.37	-67.88	-67.75	8.17	-56.63
3	17812.5	53.24 PK	74	-20.76	-52.92	-53.49	8.17	-42.02
4	17813.93	42.34 AV	54	-11.66	-64.21	-64	8.17	-52.92


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5924.97	84.46 PK	88.2	-3.74	-21.45	-22.53	8.15	-10.80
2	#5925	72.58 AV	68.2	! 4.38	-33.64	-34.06	8.15	-22.68


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



802.11ax (HE20) - Channel 1

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11909.37	60.14 PK	74	-13.86	-45.82	-46.85	8.17	-35.12
2	11907.81	38.94 AV	54	-15.06	-67.57	-67.43	8.17	-56.32
3	17862.81	54.51 PK	74	-19.49	-53.56	-50.75	8.17	-40.75
4	17855.62	43.11 AV	54	-10.89	-63.51	-63.16	8.17	-52.15

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5922.36	52.26 PK	88.2	-35.94	-54.2	-54.12	8.15	-43.00
2	#5924.61	38.44 AV	68.2	-29.76	-67.93	-68.04	8.15	-56.82


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE20) - Channel 45


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12350	60.23 PK	74	-13.77	-46.44	-45.99	8.17	-35.03
2	12340.62	39.23 AV	54	-14.77	-67.17	-67.26	8.17	-56.03
3	18515.43	53.75 PK	74	-20.25	-52.48	-52.91	8.17	-41.51
4	18531.25	42.35 AV	54	-11.65	-63.98	-64.2	8.17	-52.91


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE20) – Channel 93


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12820.31	61.7 PK	88.2	-26.5	-46.15	-43.68	8.17	-33.56
2	#12839.06	39.78 AV	68.2	-28.42	-66.55	-66.78	8.17	-55.48
3	19239.93	54.3 PK	74	-19.7	-51.87	-52.42	8.17	-40.96
4	19252.87	43.75 AV	54	-10.25	-62.8	-62.59	8.17	-51.51


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE20) - Channel 97


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12867.18	60.42 PK	88.2	-27.78	-46	-46.04	8.17	-34.84
2	#12870.31	39.97 AV	68.2	-28.23	-66.35	-66.6	8.17	-55.29
3	19298.87	54.19 PK	74	-19.81	-51.35	-53.4	8.17	-41.07
4	19306.06	43.27 AV	54	-10.73	-63.12	-63.22	8.17	-51.99


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE20) - Channel 105


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12945.31	59.95 PK	88.2	-28.25	-47.32	-45.79	8.17	-35.31
2	#12946.87	38.98 AV	68.2	-29.22	-67.4	-67.52	8.17	-56.28
3	19434	53.86 PK	74	-20.14	-53.96	-51.54	8.17	-41.40
4	19425.37	42.83 AV	54	-11.17	-63.57	-63.66	8.17	-52.43


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE20) - Channel 113


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13023.43	59.79 PK	88.2	-28.41	-47.07	-46.26	8.17	-35.47
2	#13037.5	39.11 AV	68.2	-29.09	-67.27	-67.4	8.17	-56.15
3	19544.68	54.25 PK	74	-19.75	-53.82	-51.01	8.17	-41.01
4	19538.93	43.71 AV	54	-10.29	-62.94	-62.53	8.17	-51.55


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE20) - Channel 117


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13076.56	60.67 PK	88.2	-27.53	-45.58	-45.97	8.17	-34.59
2	#13079.68	39.43 AV	68.2	-28.77	-66.94	-67.08	8.17	-55.83
3	19606.5	53.58 PK	74	-20.42	-52.28	-53.54	8.17	-41.68
4	19596.43	42.41 AV	54	-11.59	-64.37	-63.71	8.17	-52.85


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE20) - Channel 149


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13389.06	60.12 PK	74	-13.88	-46.21	-46.44	8.17	-35.14
2	13393.75	38.57 AV	54	-15.43	-67.95	-67.8	8.17	-56.69
3	20076.56	52.47 PK	74	-21.53	-54.03	-53.91	8.17	-42.79
4	20080.87	41.17 AV	54	-12.83	-65.42	-65.13	8.17	-54.09


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE20) - Channel 181


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13714.18	50.99 PK	88.2	-37.21	-54.09	-57.43	8.17	-44.27
2	#13704.12	39.44 AV	68.2	-28.76	-67.13	-66.87	8.17	-55.82
3	20572.5	51.71 PK	74	-22.29	-54.74	-54.72	8.17	-43.55
4	20562.43	41 AV	54	-13	-65.35	-65.54	8.17	-54.26


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE20) - Channel 185


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13758.75	51.19 PK	88.2	-37.01	-54.52	-56.12	8.17	-44.07
2	#13741.5	39.46 AV	68.2	-28.74	-67.08	-66.88	8.17	-55.80
3	20628.56	52.26 PK	74	-21.74	-54.53	-53.86	8.17	-43.00
4	20619.93	41.82 AV	54	-12.18	-64.49	-64.76	8.17	-53.44


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE20) - Channel 209


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13990.18	50.46 PK	88.2	-37.74	-56.13	-55.84	8.17	-44.80
2	#13997.37	39.58 AV	68.2	-28.62	-66.94	-66.79	8.17	-55.68
3	20980.75	52.11 PK	74	-21.89	-54.27	-54.39	8.17	-43.15
4	20989.37	40.87 AV	54	-13.13	-65.55	-65.59	8.17	-54.39


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE20) - Channel 229


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14184.25	52.37 PK	88.2	-35.83	-53.6	-54.6	8.17	-42.89
2	#14198.62	40.42 AV	68.2	-27.78	-66.24	-65.82	8.17	-54.84
3	21291.25	51.53 PK	74	-22.47	-55.18	-54.66	8.17	-43.73
4	21291.25	41.24 AV	54	-12.76	-65.09	-65.32	8.17	-54.02


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7129.36	51.02 PK	88.2	-37.18	-54.51	-56.46	8.13	-44.24
2	#7127.36	37.79 AV	68.2	-30.41	-68.56	-68.66	8.13	-57.47


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE20) - Channel 233


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14221.62	51.35 PK	88.2	-36.85	-53.97	-56.6	8.17	-43.91
2	#14211.56	40.25 AV	68.2	-27.95	-66.24	-66.14	8.17	-55.01
3	21361.68	52.31 PK	74	-21.69	-54.2	-54.07	8.17	-42.95
4	21353.06	41.44 AV	54	-12.56	-65.07	-64.94	8.17	-53.82


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125	83.54 PK	88.2	-4.66	-22.91	-22.82	8.13	-11.72
2	#7125	70.78 AV	68.2	! 2.58	-36.06	-35.23	8.13	-24.48


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



802.11ax (HE40) - Channel 3


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11934.37	60.07 PK	74	-13.93	-46.72	-46.05	8.17	-35.19
2	11931.25	39.15 AV	54	-14.85	-67.36	-67.23	8.17	-56.11
3	17894.43	55.41 PK	74	-18.59	-49.85	-52.67	8.17	-39.85
4	17897.31	43.06 AV	54	-10.94	-63.44	-63.32	8.17	-52.20


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5901.5	52.64 PK	88.2	-35.56	-54.82	-52.95	8.15	-42.62
2	#5922.05	38.98 AV	68.2	-29.22	-67.35	-67.53	8.15	-56.28


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE40) - Channel 43


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12332.81	60.94 PK	74	-13.06	-44.96	-46.11	8.17	-34.32
2	12334.37	39.24 AV	54	-14.76	-67.18	-67.22	8.17	-56.02
3	18501.06	53.81 PK	74	-20.19	-51.83	-53.62	8.17	-41.45
4	18502.5	42.07 AV	54	-11.93	-64.38	-64.36	8.17	-53.19


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE40) - Channel 91


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12818.75	60.77 PK	88.2	-27.43	-47.34	-44.47	8.17	-34.49
2	#12817.18	39.67 AV	68.2	-28.53	-66.59	-66.96	8.17	-55.59
3	19211.18	54.09 PK	74	-19.91	-52.5	-52.21	8.17	-41.17
4	19218.37	43.88 AV	54	-10.12	-62.55	-62.57	8.17	-51.38


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE40) - Channel 99


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12896.87	61.12 PK	88.2	-27.08	-47.05	-44.09	8.17	-34.14
2	#12895.31	39.99 AV	68.2	-28.21	-66.57	-66.33	8.17	-55.27
3	19336.25	54.2 PK	74	-19.8	-52.9	-51.66	8.17	-41.06
4	19336.25	43.4 AV	54	-10.6	-63.05	-63.04	8.17	-51.86


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE40) - Channel 107


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12971.87	59.36 PK	88.2	-28.84	-47.21	-46.96	8.17	-35.90
2	#12965.62	38.71 AV	68.2	-29.49	-67.87	-67.59	8.17	-56.55
3	19448.37	54.3 PK	74	-19.7	-53.06	-51.38	8.17	-40.96
4	19461.31	43.54 AV	54	-10.46	-63.1	-62.71	8.17	-51.72


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE40) - Channel 115


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13042.18	60.25 PK	88.2	-27.95	-47.06	-45.47	8.17	-35.01
2	#13059.37	39.28 AV	68.2	-28.92	-67.28	-67.05	8.17	-55.98
3	19569.12	53.72 PK	74	-20.28	-53.13	-52.34	8.17	-41.54
4	19566.25	43.15 AV	54	-10.85	-63.4	-63.19	8.17	-52.11


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE40) - Channel 123


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13134.37	60.33 PK	88.2	-27.87	-47.97	-44.81	8.17	-34.93
2	#13123.43	39.35 AV	68.2	-28.85	-67.06	-67.13	8.17	-55.91
3	19685.56	52.39 PK	74	-21.61	-53.3	-54.96	8.17	-42.87
4	19685.56	41.32 AV	54	-12.68	-65.23	-65.02	8.17	-53.94


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE40) - Channel 155


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13450	60.3 PK	88.2	-27.9	-46.19	-46.1	8.17	-34.96
2	#13453.12	39.33 AV	68.2	-28.87	-67.27	-66.95	8.17	-55.93
3	20182.93	52.07 PK	74	-21.93	-53.64	-55.24	8.17	-43.19
4	20181.5	41.69 AV	54	-12.31	-64.64	-64.86	8.17	-53.57


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE40) - Channel 179


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13698.37	50.41 PK	88.2	-37.79	-55.65	-56.44	8.17	-44.85
2	#13682.56	39.51 AV	68.2	-28.69	-66.79	-67.07	8.17	-55.75
3	20536.56	52.05 PK	74	-21.95	-53.87	-54.99	8.17	-43.21
4	20543.75	40.9 AV	54	-13.1	-65.85	-65.26	8.17	-54.36


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE40) - Channel 187


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13771.68	50.62 PK	88.2	-37.58	-57.26	-54.74	8.17	-44.64
2	#13774.56	39.65 AV	68.2	-28.55	-66.9	-66.68	8.17	-55.61
3	20657.31	52.5 PK	74	-21.5	-53.95	-53.93	8.17	-42.76
4	20648.68	41.67 AV	54	-12.33	-64.54	-65.02	8.17	-53.59


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE40) - Channel 211


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14013.18	49.92 PK	88.2	-38.28	-55.88	-57.26	8.17	-45.34
2	#14018.93	39.56 AV	68.2	-28.64	-67.05	-66.71	8.17	-55.70
3	21015.25	52.34 PK	74	-21.66	-55.08	-53.3	8.17	-42.92
4	21015.25	41.09 AV	54	-12.91	-65.21	-65.49	8.17	-54.17


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE40) - Channel 227


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14165.56	51.16 PK	88.2	-37.04	-56.87	-54.12	8.17	-44.10
2	#14177.06	40.29 AV	68.2	-27.91	-66.16	-66.15	8.17	-54.97
3	21255.31	51.52 PK	74	-22.48	-54.4	-55.51	8.17	-43.74
4	21262.5	41.24 AV	54	-12.76	-65.15	-65.25	8.17	-54.02


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7167.32	51.35 PK	88.2	-36.85	-55.06	-55.04	8.13	-43.91
2	#7125	38.58 AV	68.2	-29.62	-67.72	-67.92	8.13	-56.68


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE80) - Channel 7


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	11967.18	60.78 PK	74	-13.22	-45.38	-45.97	8.17	-34.48
2	11978.12	39.5 AV	54	-14.5	-66.95	-66.94	8.17	-55.76
3	17959.12	52.77 PK	74	-21.23	-53.7	-53.64	8.17	-42.49
4	17951.93	41.96 AV	54	-12.04	-64.68	-64.28	8.17	-53.30


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5921.57	54.36 PK	88.2	-33.84	-51.28	-53.02	8.15	-40.90
2	#5919.47	40.9 AV	68.2	-27.3	-65.59	-65.46	8.15	-54.36


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE80) - Channel 39


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12289.06	60.67 PK	74	-13.33	-46.7	-45	8.17	-34.59
2	12292.18	39.13 AV	54	-14.87	-67.32	-67.3	8.17	-56.13
3	18433.5	52.72 PK	74	-21.28	-54.37	-53.15	8.17	-42.54
4	18443.56	41.78 AV	54	-12.22	-64.91	-64.42	8.17	-53.48


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE80) - Channel 87


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12762.5	60.59 PK	88.2	-27.61	-45.52	-46.2	8.17	-34.67
2	#12778.12	39.32 AV	68.2	-28.88	-67.19	-67.06	8.17	-55.94
3	19160.87	54.33 PK	74	-19.67	-51.85	-52.39	8.17	-40.93
4	19162.31	43.26 AV	54	-10.74	-62.99	-63.38	8.17	-52.00


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE80) - Channel 103


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#12929.68	60.34 PK	88.2	-27.86	-45.39	-46.96	8.17	-34.92
2	#12920.31	39.34 AV	68.2	-28.86	-67.17	-67.03	8.17	-55.92
3	19392.31	53.6 PK	74	-20.4	-53.6	-52.19	8.17	-41.66
4	19385.12	42.92 AV	54	-11.08	-63.45	-63.6	8.17	-52.34


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE80) - Channel 119


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13087.5	60.65 PK	88.2	-27.55	-46.63	-45.08	8.17	-34.61
2	#13087.5	39.77 AV	68.2	-28.43	-66.65	-66.7	8.17	-55.49
3	19635.25	52.94 PK	74	-21.06	-54	-53.05	8.17	-42.32
4	19625.18	42.19 AV	54	-11.81	-64.42	-64.09	8.17	-53.07


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE80) - Channel 151


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13417.18	59.74 PK	88.2	-28.46	-46.68	-46.72	8.17	-35.52
2	#13418.75	38.69 AV	68.2	-29.51	-67.7	-67.8	8.17	-56.57
3	20122.56	52.85 PK	74	-21.15	-53.62	-53.57	8.17	-42.41
4	20124	41.47 AV	54	-12.53	-64.96	-64.99	8.17	-53.79


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE80) - Channel 183


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13731.43	50.73 PK	88.2	-37.47	-55.78	-55.65	8.17	-44.53
2	#13731.43	39.6 AV	68.2	-28.6	-66.65	-67.03	8.17	-55.66
3	20589.75	52.17 PK	74	-21.83	-55.27	-53.45	8.17	-43.09
4	20599.81	41.47 AV	54	-12.53	-64.87	-65.07	8.17	-53.79


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE80) - Channel 199


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13892.43	50.78 PK	88.2	-37.42	-56.52	-54.95	8.17	-44.48
2	#13896.75	39.69 AV	68.2	-28.51	-66.85	-66.66	8.17	-55.57
3	20832.68	52.14 PK	74	-21.86	-54.07	-54.54	8.17	-43.12
4	20839.87	40.68 AV	54	-13.32	-65.82	-65.7	8.17	-54.58


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE80) - Channel 215


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#14044.81	50.09 PK	88.2	-38.11	-56.08	-56.64	8.17	-45.17
2	#14056.31	39.55 AV	68.2	-28.65	-66.96	-66.83	8.17	-55.71
3	21065.56	51.65 PK	74	-22.35	-55.18	-54.43	8.17	-43.61
4	21071.31	41.15 AV	54	-12.85	-65.48	-65.1	8.17	-54.11


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7184.57	51.59 PK	88.2	-36.61	-54.74	-54.89	8.13	-43.67
2	#7199.97	38.29 AV	68.2	-29.91	-68.56	-67.7	8.13	-56.97


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE160) - Channel 15


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12051.56	59.97 PK	74	-14.03	-47.03	-45.97	8.17	-35.29
2	12043.75	39.16 AV	54	-14.84	-67.54	-67.04	8.17	-56.10
3	18081.31	52.24 PK	74	-21.76	-53.93	-54.49	8.17	-43.02
4	18082.75	41.18 AV	54	-12.82	-65.35	-65.17	8.17	-54.08


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.

Chain 0



Chain 1





Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5919.56	65.78 PK	88.2	-22.42	-37.97	-48.86	8.15	-29.48
2	#5923.8	51.19 AV	68.2	-17.01	-52.78	-61.36	8.15	-44.07

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1

