

802.11ax (HE160) - Channel 47


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12365.62	60.84 PK	74	-13.16	-44.46	-47.16	8.17	-34.42
2	12370.31	39.24 AV	54	-14.76	-67.18	-67.23	8.17	-56.02
3	18561.43	53.62 PK	74	-20.38	-52.67	-52.98	8.17	-41.64
4	18554.25	42.39 AV	54	-11.61	-64.22	-63.88	8.17	-52.87


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE160) - Channel 79


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	12698.43	60.83 PK	74	-13.17	-46.25	-45.05	8.17	-34.43
2	12681.25	39.28 AV	54	-14.72	-67.1	-67.23	8.17	-55.98
3	19038.68	52.52 PK	74	-21.48	-55.41	-52.81	8.17	-42.74
4	19027.18	41.82 AV	54	-12.18	-64.55	-64.69	8.17	-53.44


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE160) - Channel 111


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13003.12	60.39 PK	88.2	-27.81	-46.26	-45.85	8.17	-34.87
2	#13017.18	39.05 AV	68.2	-29.15	-67.3	-67.48	8.17	-56.21
3	19507.31	54.59 PK	74	-19.41	-52.85	-51.03	8.17	-40.67
4	19505.87	44.03 AV	54	-9.97	-62.43	-62.39	8.17	-51.23


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE160) - Channel 143


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	13332.81	59.28 PK	74	-14.72	-46.76	-47.6	8.17	-35.98
2	13326.56	38.79 AV	54	-15.21	-67.69	-67.61	8.17	-56.47
3	20000.37	53.21 PK	74	-20.79	-53.05	-53.42	8.17	-42.05
4	19990.31	42.43 AV	54	-11.57	-64.16	-63.86	8.17	-52.83


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11ax (HE160) - Channel 175


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13648.06	50.89 PK	88.2	-37.31	-56.78	-54.59	8.17	-44.37
2	#13640.87	39.72 AV	68.2	-28.48	-66.65	-66.8	8.17	-55.54
3	20470.43	51.94 PK	74	-22.06	-54.08	-54.96	8.17	-43.32
4	20476.18	40.71 AV	54	-13.29	-65.77	-65.7	8.17	-54.55


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



802.11ax (HE160) - Channel 207

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#13978.68	49.8 PK	88.2	-38.4	-56.01	-57.37	8.17	-45.46
2	#13975.81	39.5 AV	68.2	-28.7	-66.96	-66.92	8.17	-55.76
3	20957.75	51.41 PK	74	-22.59	-56	-54.23	8.17	-43.85
4	20963.5	40.91 AV	54	-13.09	-65.6	-65.47	8.17	-54.35

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7129.08	57.41 PK	88.2	-30.79	-49.98	-48.18	8.13	-37.85
2	#7127.7	42.92 AV	68.2	-25.28	-64.47	-62.68	8.13	-52.34


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



20MHz Preamble

RU26

Channel 2


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3939.06	50.28 PK	74	-23.72	-56.2	-56.12	8.17	-44.98
2	3964.06	38.79 AV	54	-15.21	-67.81	-67.49	8.17	-56.47
3	#7918.75	51.82 PK	88.2	-36.38	-53.83	-55.58	8.17	-43.44
4	#7914.06	40.98 AV	68.2	-27.22	-64.69	-66.4	8.17	-54.28
5	11865.62	52.45 PK	74	-21.55	-55.04	-53.14	8.17	-42.81
6	11885.93	40.92 AV	54	-13.08	-65.47	-65.57	8.17	-54.34
7	17805.31	55.96 PK	74	-18.04	-52.01	-49.35	8.17	-39.30
8	17824	44.65 AV	54	-9.35	-61.9	-61.68	8.17	-50.61


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5924.97	83.58 PK	88.2	-4.62	-22.94	-22.74	8.15	-11.68
2	#5925	69.96 AV	68.2	! 1.76	-37.04	-35.95	8.15	-25.30


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 1


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3957.81	51 PK	74	-23	-56.86	-54.37	8.17	-44.26
2	3989.06	38.94 AV	54	-15.06	-67.7	-67.3	8.17	-56.32
3	#7940.62	52.67 PK	88.2	-35.53	-53.57	-53.99	8.17	-42.59
4	#7940.62	42.03 AV	68.2	-26.17	-65.22	-63.73	8.17	-53.23
5	11906.25	52.63 PK	74	-21.37	-53.19	-54.54	8.17	-42.63
6	11921.87	41.06 AV	54	-12.94	-65.31	-65.45	8.17	-54.20
7	17867.12	56.44 PK	74	-17.56	-50.53	-49.53	8.17	-38.82
8	17847	45.11 AV	54	-8.89	-61.34	-61.33	8.17	-50.15


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 45


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4129.68	50.6 PK	74	-23.4	-55.16	-56.64	8.17	-44.66
2	4135.93	38.94 AV	54	-15.06	-67.73	-67.29	8.17	-56.32
3	8232.81	51.98 PK	74	-22.02	-56.08	-53.28	8.17	-43.28
4	8232.81	42.71 AV	54	-11.29	-64.63	-62.99	8.17	-52.55
5	12346.87	52.43 PK	74	-21.57	-53.48	-54.61	8.17	-42.83
6	12340.62	41.47 AV	54	-12.53	-65.15	-64.79	8.17	-53.79
7	18524.06	55.47 PK	74	-18.53	-49.63	-52.91	8.17	-39.79
8	18537	44.37 AV	54	-9.63	-62.16	-61.98	8.17	-50.89


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



Channel 93


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4275	50.66 PK	74	-23.34	-56.05	-55.52	8.17	-44.60
2	4284.37	38.87 AV	54	-15.13	-67.48	-67.67	8.17	-56.39
3	#8540.62	51.47 PK	88.2	-36.73	-54.36	-55.69	8.17	-43.79
4	#8553.12	43.5 AV	68.2	-24.7	-63.64	-62.33	8.17	-51.76
5	#12845.31	53.94 PK	88.2	-34.26	-52.76	-52.26	8.17	-41.32
6	#12850	41.98 AV	68.2	-26.22	-64.32	-64.61	8.17	-53.28
7	19254.31	57.11 PK	74	-16.89	-48.75	-50	8.17	-38.15
8	19231.31	45.98 AV	54	-8.02	-60.42	-60.51	8.17	-49.28


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 97


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4298.43	50.54 PK	74	-23.46	-56.02	-55.79	8.17	-44.72
2	4306.25	38.83 AV	54	-15.17	-67.61	-67.62	8.17	-56.43
3	#8579.68	52.31 PK	88.2	-35.89	-54.3	-53.97	8.17	-42.95
4	#8579.68	43.71 AV	68.2	-24.49	-63.3	-62.23	8.17	-51.55
5	#12864.06	53.98 PK	88.2	-34.22	-51.66	-53.44	8.17	-41.28
6	#12856.25	41.99 AV	68.2	-26.21	-64.47	-64.44	8.17	-53.27
7	19290.25	57.3 PK	74	-16.7	-48.66	-49.67	8.17	-37.96
8	19323.31	45.43 AV	54	-8.57	-60.97	-61.06	8.17	-49.83


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 105


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4325	50.32 PK	74	-23.68	-55.74	-56.54	8.17	-44.94
2	4304.68	38.88 AV	54	-15.12	-67.65	-67.47	8.17	-56.38
3	#8634.37	52.09 PK	88.2	-36.11	-54.25	-54.46	8.17	-43.17
4	#8632.81	44.42 AV	68.2	-23.78	-62.75	-61.39	8.17	-50.84
5	#12956.25	52.46 PK	88.2	-35.74	-54.28	-53.7	8.17	-42.80
6	#12932.81	41.25 AV	68.2	-26.95	-65.39	-64.99	8.17	-54.01
7	19419.62	56.29 PK	74	-17.71	-51.01	-49.43	8.17	-38.97
8	19442.62	45.21 AV	54	-8.79	-61.01	-61.46	8.17	-50.05


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 113


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4334.37	50.37 PK	74	-23.63	-55.64	-56.54	8.17	-44.89
2	4346.87	38.96 AV	54	-15.04	-67.51	-67.45	8.17	-56.30
3	#8687.5	52.43 PK	88.2	-35.77	-54.9	-53.27	8.17	-42.83
4	#8687.5	45.24 AV	68.2	-22.96	-62.09	-60.46	8.17	-50.02
5	#13025	52.64 PK	88.2	-35.56	-53.56	-54.05	8.17	-42.62
6	#13031.25	41.1 AV	68.2	-27.1	-65.36	-65.32	8.17	-54.16
7	19560.5	57.24 PK	74	-16.76	-49.88	-48.61	8.17	-38.02
8	19538.93	45.79 AV	54	-8.21	-60.54	-60.76	8.17	-49.47


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 117


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4359.37	51.35 PK	74	-22.65	-56.37	-54.1	8.17	-43.91
2	4365.62	38.92 AV	54	-15.08	-67.63	-67.41	8.17	-56.34
3	#8714.06	53.98 PK	88.2	-34.22	-53.56	-51.59	8.17	-41.28
4	#8714.06	44.82 AV	68.2	-23.38	-62.7	-60.75	8.17	-50.44
5	#13081.25	53.28 PK	88.2	-34.92	-53.42	-52.91	8.17	-41.98
6	#13079.68	41.52 AV	68.2	-26.68	-64.95	-64.89	8.17	-53.74
7	19606.5	56.03 PK	74	-17.97	-51.48	-49.55	8.17	-39.23
8	19586.37	44.66 AV	54	-9.34	-61.98	-61.58	8.17	-50.60


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 149


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#4450	50.19 PK	88.2	-38.01	-55.3	-57.47	8.17	-45.07
2	#4448.43	38.81 AV	68.2	-29.39	-67.53	-67.74	8.17	-56.45
3	#8926.56	53.31 PK	88.2	-34.89	-53.99	-52.41	8.17	-41.95
4	#8926.56	44.51 AV	68.2	-23.69	-63.59	-60.74	8.17	-50.75
5	13378.12	51.84 PK	74	-22.16	-54.23	-55.01	8.17	-43.42
6	13396.87	40.75 AV	54	-13.25	-65.72	-65.67	8.17	-54.51
7	20067.93	55.04 PK	74	-18.96	-51.87	-50.98	8.17	-40.22
8	20099.56	43.42 AV	54	-10.58	-63.18	-62.86	8.17	-51.84


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 181


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4568.75	50.55 PK	74	-23.45	-55.14	-56.8	8.17	-44.71
2	4576.56	39.12 AV	54	-14.88	-67.45	-67.2	8.17	-56.14
3	9125	52.66 PK	74	-21.34	-54.91	-52.88	8.17	-42.60
4	9150	40.91 AV	54	-13.09	-65.57	-65.5	8.17	-54.35
5	#13719.93	53.37 PK	88.2	-34.83	-52.58	-53.62	8.17	-41.89
6	#13730	41.57 AV	68.2	-26.63	-64.71	-65.04	8.17	-53.69
7	20576.81	54.55 PK	74	-19.45	-50.95	-53.08	8.17	-40.71
8	20579.68	43.16 AV	54	-10.84	-63.48	-63.08	8.17	-52.10


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 185


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4565.62	50.54 PK	74	-23.46	-56.13	-55.68	8.17	-44.72
2	4596.87	39.4 AV	54	-14.6	-67.08	-67.01	8.17	-55.86
3	9167.18	52.51 PK	74	-21.49	-54.46	-53.46	8.17	-42.75
4	9167.18	43.49 AV	54	-10.51	-64.82	-61.65	8.17	-51.77
5	#13735.75	52.85 PK	88.2	-35.35	-54.23	-53.03	8.17	-42.41
6	#13741.5	41.59 AV	68.2	-26.61	-64.94	-64.76	8.17	-53.67
7	20644.37	55.18 PK	74	-18.82	-51.25	-51.28	8.17	-40.08
8	20640.06	43.83 AV	54	-10.17	-62.63	-62.6	8.17	-51.43


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 209


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4646.87	50.69 PK	74	-23.31	-54.75	-57.04	8.17	-44.57
2	4645.31	39.24 AV	54	-14.76	-67.15	-67.26	8.17	-56.02
3	9326.56	52.18 PK	74	-21.82	-53.88	-54.68	8.17	-43.08
4	9326.56	42.51 AV	54	-11.49	-64.53	-63.41	8.17	-52.75
5	#13988.75	54.44 PK	88.2	-33.76	-53.02	-51.18	8.17	-40.82
6	#13997.37	41.61 AV	68.2	-26.59	-64.8	-64.87	8.17	-53.65
7	20983.62	54.1 PK	74	-19.9	-51.64	-53.18	8.17	-41.16
8	20967.81	43.07 AV	54	-10.93	-63.46	-63.28	8.17	-52.19


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 229


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4746.87	50.51 PK	74	-23.49	-55.31	-56.65	8.17	-44.75
2	4748.43	39.62 AV	54	-14.38	-66.89	-66.75	8.17	-55.64
3	9479.68	51.91 PK	74	-22.09	-55.27	-53.89	8.17	-43.35
4	9460.93	41.64 AV	54	-12.36	-65.14	-64.48	8.17	-53.62
5	#14207.25	54.3 PK	88.2	-33.9	-52.12	-52.17	8.17	-40.96
6	#14198.62	42.47 AV	68.2	-25.73	-63.99	-63.96	8.17	-52.79
7	21289.81	55.06 PK	74	-18.94	-52.07	-50.79	8.17	-40.20
8	21301.31	43.44 AV	54	-10.56	-63.09	-62.91	8.17	-51.82


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 233


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4737.5	51.03 PK	74	-22.97	-55.72	-55.13	8.17	-44.23
2	4760.93	39.73 AV	54	-14.27	-66.58	-66.85	8.17	-55.53
3	9487.5	52.01 PK	74	-21.99	-54.77	-54.12	8.17	-43.25
4	9487.5	41.69 AV	54	-12.31	-65.16	-64.38	8.17	-53.57
5	#14217.31	53.45 PK	88.2	-34.75	-52.67	-53.34	8.17	-41.81
6	#14214.43	42.45 AV	68.2	-25.75	-63.83	-64.16	8.17	-52.81
7	21358.81	54.67 PK	74	-19.33	-51.86	-51.69	8.17	-40.59
8	21338.68	43.58 AV	54	-10.42	-62.87	-62.86	8.17	-51.68


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125	84.22 PK	88.2	-3.98	-23.34	-21.26	8.13	-11.04
2	#7125	68.32 AV	68.2	! 0.12	-38.84	-37.43	8.13	-26.94


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



RU52

Channel 2


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5924.97	83.14 PK	88.2	-5.06	-23.96	-22.69	8.15	-12.12
2	#5925	69.35 AV	68.2	! 1.15	-37.72	-36.51	8.15	-25.91


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 233


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125	86.65 PK	88.2	-1.55	-20.67	-18.99	8.13	-8.61
2	#7125	70.33 AV	68.2	! 2.13	-36.78	-35.46	8.13	-24.93


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



RU106

Chanel 2


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5925	81.93 PK	88.2	-6.27	-25.17	-23.9	8.15	-13.33
2	#5925	69.72 AV	68.2	! 1.52	-36.77	-36.64	8.15	-25.54


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 1


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5906.82	54.31 PK	88.2	-33.89	-51.63	-52.64	8.15	-40.95
2	#5910.97	40.23 AV	68.2	-27.97	-66.11	-66.27	8.15	-55.03


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 229

Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7207.5	53.42 PK	88.2	-34.78	-52.08	-54.12	8.13	-41.84
2	#7125.02	39.54 AV	68.2	-28.66	-66.94	-66.78	8.13	-55.72

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 233


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125	84.31 PK	88.2	-3.89	-20.93	-23.67	8.13	-10.95
2	#7125	70.13 AV	68.2	! 1.93	-36.4	-36.15	8.13	-25.13


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



RU242

Channel 2


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3937.5	50.53 PK	74	-23.47	-55.69	-56.15	8.17	-44.73
2	3973.43	38.87 AV	54	-15.13	-67.62	-67.52	8.17	-56.39
3	#7928.12	51.58 PK	88.2	-36.62	-54.66	-55.06	8.17	-43.68
4	#7914.06	41.03 AV	68.2	-27.17	-64.5	-66.56	8.17	-54.23
5	11865.62	52.52 PK	74	-21.48	-53.5	-54.38	8.17	-42.74
6	11881.25	40.92 AV	54	-13.08	-65.66	-65.38	8.17	-54.34
7	17815.37	55.83 PK	74	-18.17	-50.22	-51.04	8.17	-39.43
8	17822.56	44.68 AV	54	-9.32	-61.71	-61.81	8.17	-50.58


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5924.95	82.18 PK	88.2	-6.02	-26.13	-22.93	8.15	-13.08
2	#5925	70.38 AV	68.2	! 2.18	-36.72	-35.46	8.15	-24.88


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 1


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3975	50.72 PK	74	-23.28	-56.81	-54.85	8.17	-44.54
2	3981.25	38.88 AV	54	-15.12	-67.56	-67.56	8.17	-56.38
3	#7946.87	52.66 PK	88.2	-35.54	-53.4	-54.19	8.17	-42.60
4	#7940.62	41.63 AV	68.2	-26.57	-64.76	-64.86	8.17	-53.63
5	11895.31	52.29 PK	74	-21.71	-55.6	-53.06	8.17	-42.97
6	11906.25	41.07 AV	54	-12.93	-65.36	-65.39	8.17	-54.19
7	17857.06	56.52 PK	74	-17.48	-50.3	-49.57	8.17	-38.74
8	17854.18	45.04 AV	54	-8.96	-61.34	-61.46	8.17	-50.22


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5924.67	55.11 PK	88.2	-33.09	-50.59	-52.17	8.15	-40.15
2	#5924.3	41.08 AV	68.2	-27.12	-65.75	-64.96	8.15	-54.18


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 45


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4106.25	50.11 PK	74	-23.89	-55.76	-56.99	8.17	-45.15
2	4132.81	39.01 AV	54	-14.99	-67.29	-67.58	8.17	-56.25
3	8234.37	51.88 PK	74	-22.12	-55.16	-54.03	8.17	-43.38
4	8232.81	43.58 AV	54	-10.42	-62.15	-63.71	8.17	-51.68
5	12365.62	52.82 PK	74	-21.18	-52.68	-54.81	8.17	-42.44
6	12357.81	41.31 AV	54	-12.69	-64.83	-65.45	8.17	-53.95
7	18519.75	55.75 PK	74	-18.25	-50.33	-51.09	8.17	-39.51
8	18544.18	44.38 AV	54	-9.62	-62.2	-61.92	8.17	-50.88


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



Channel 93


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4290.62	50.93 PK	74	-23.07	-55.92	-55.13	8.17	-44.33
2	4290.62	38.64 AV	54	-15.36	-67.76	-67.85	8.17	-56.62
3	#8553.12	53.29 PK	88.2	-34.91	-52.29	-54.23	8.17	-41.97
4	#8553.12	47.08 AV	68.2	-21.12	-57.39	-63.09	8.17	-48.18
5	#12821.87	53.42 PK	88.2	-34.78	-52.95	-53.09	8.17	-41.84
6	#12845.31	41.81 AV	68.2	-26.39	-64.59	-64.68	8.17	-53.45
7	19228.43	57.34 PK	74	-16.66	-48.9	-49.31	8.17	-37.92
8	19231.31	45.84 AV	54	-8.16	-60.44	-60.77	8.17	-49.42


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 97


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4276.56	51.13 PK	74	-22.87	-54.29	-56.66	8.17	-44.13
2	4298.43	38.87 AV	54	-15.13	-67.65	-67.49	8.17	-56.39
3	#8579.68	53.47 PK	88.2	-34.73	-51.66	-54.86	8.17	-41.79
4	#8579.68	48.1 AV	68.2	-20.1	-56.11	-63.2	8.17	-47.16
5	#12889.06	53.85 PK	88.2	-34.35	-51.7	-53.7	8.17	-41.41
6	#12889.06	42.03 AV	68.2	-26.17	-64.35	-64.47	8.17	-53.23
7	19306.06	56.47 PK	74	-17.53	-49.89	-50.06	8.17	-38.79
8	19303.18	45.48 AV	54	-8.52	-61.02	-60.9	8.17	-49.78


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 105


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4329.68	50.35 PK	74	-23.65	-55.75	-56.45	8.17	-44.91
2	4331.25	38.89 AV	54	-15.11	-67.38	-67.73	8.17	-56.37
3	#8632.81	53.22 PK	88.2	-34.98	-52.69	-53.83	8.17	-42.04
4	#8632.81	47.47 AV	68.2	-20.73	-57.05	-62.5	8.17	-47.79
5	#12962.5	52.46 PK	88.2	-35.74	-56.26	-52.5	8.17	-42.80
6	#12935.93	41.2 AV	68.2	-27	-65.22	-65.26	8.17	-54.06
7	19441.18	56.9 PK	74	-17.1	-49.71	-49.38	8.17	-38.36
8	19439.75	45.14 AV	54	-8.86	-61.3	-61.31	8.17	-50.12


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 113


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4360.93	51.1 PK	74	-22.9	-54.98	-55.74	8.17	-44.16
2	4362.5	38.91 AV	54	-15.09	-67.61	-67.45	8.17	-56.35
3	#8687.5	54.4 PK	88.2	-33.8	-51.27	-52.98	8.17	-40.86
4	#8687.5	48.25 AV	68.2	-19.95	-56.4	-61.29	8.17	-47.01
5	#13037.5	53.07 PK	88.2	-35.13	-54.85	-52.27	8.17	-42.19
6	#13039.06	41.14 AV	68.2	-27.06	-65.13	-65.48	8.17	-54.12
7	19536.06	56.8 PK	74	-17.2	-48.4	-51.38	8.17	-38.46
8	19530.31	45.59 AV	54	-8.41	-60.9	-60.8	8.17	-49.67


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 117


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4368.75	50.65 PK	74	-23.35	-55.07	-56.65	8.17	-44.61
2	4348.43	38.92 AV	54	-15.08	-67.65	-67.4	8.17	-56.34
3	#8714.06	54.03 PK	88.2	-34.17	-51.41	-53.72	8.17	-41.23
4	#8714.06	48.56 AV	68.2	-19.64	-55.93	-61.52	8.17	-46.70
5	#13067.18	52.83 PK	88.2	-35.37	-53.19	-54.07	8.17	-42.43
6	#13084.37	41.76 AV	68.2	-26.44	-64.66	-64.71	8.17	-53.50
7	19602.18	55.7 PK	74	-18.3	-51.22	-50.31	8.17	-39.56
8	19587.81	44.6 AV	54	-9.4	-61.95	-61.73	8.17	-50.66


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 149


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#4476.56	50.32 PK	88.2	-37.88	-55.65	-56.64	8.17	-44.94
2	#4451.56	38.8 AV	68.2	-29.4	-67.56	-67.73	8.17	-56.46
3	#8926.56	53.81 PK	88.2	-34.39	-51.85	-53.58	8.17	-41.45
4	#8926.56	46.2 AV	68.2	-22	-59.4	-61.29	8.17	-49.06
5	13381.25	51.96 PK	74	-22.04	-54.37	-54.59	8.17	-43.30
6	13389.06	40.59 AV	54	-13.41	-65.82	-65.89	8.17	-54.67
7	20067.93	54.51 PK	74	-19.49	-52.1	-51.77	8.17	-40.75
8	20080.87	43.43 AV	54	-10.57	-63.24	-62.79	8.17	-51.83


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 181


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4551.56	50.71 PK	74	-23.29	-54.73	-57.04	8.17	-44.55
2	4582.81	39.12 AV	54	-14.88	-67.26	-67.38	8.17	-56.14
3	9125	52.92 PK	74	-21.08	-54.21	-52.93	8.17	-42.34
4	9143.75	40.8 AV	54	-13.2	-65.61	-65.67	8.17	-54.46
5	#13718.5	52.78 PK	88.2	-35.42	-52.77	-54.79	8.17	-42.48
6	#13694.06	41.6 AV	68.2	-26.6	-64.86	-64.82	8.17	-53.66
7	20566.75	55.57 PK	74	-18.43	-52.36	-49.76	8.17	-39.69
8	20584	43.23 AV	54	-10.77	-63.15	-63.28	8.17	-52.03


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 185


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4576.56	50.74 PK	74	-23.26	-55.08	-56.42	8.17	-44.52
2	4582.81	39.24 AV	54	-14.76	-67.03	-67.38	8.17	-56.02
3	9167.18	53.1 PK	74	-20.9	-53.13	-53.57	8.17	-42.16
4	9167.18	44.72 AV	54	-9.28	-61.57	-61.87	8.17	-50.54
5	#13751.56	53.3 PK	88.2	-34.9	-54.54	-52.08	8.17	-41.96
6	#13753	41.66 AV	68.2	-26.54	-64.9	-64.66	8.17	-53.60
7	20640.06	54.87 PK	74	-19.13	-53.32	-50.32	8.17	-40.39
8	20628.56	43.79 AV	54	-10.21	-62.66	-62.65	8.17	-51.47


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 209


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4681.25	50.71 PK	74	-23.29	-54.97	-56.65	8.17	-44.55
2	4662.5	39.28 AV	54	-14.72	-66.94	-67.4	8.17	-55.98
3	9315.62	52.42 PK	74	-21.58	-55.35	-53.01	8.17	-42.84
4	9326.56	44.04 AV	54	-9.96	-62.31	-62.49	8.17	-51.22
5	#13971.5	53.57 PK	88.2	-34.63	-53.06	-52.69	8.17	-41.69
6	#14001.68	41.52 AV	68.2	-26.68	-64.86	-64.99	8.17	-53.74
7	20990.81	54.37 PK	74	-19.63	-52.12	-52.03	8.17	-40.89
8	20976.43	42.88 AV	54	-11.12	-63.47	-63.65	8.17	-52.38


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 229


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4746.87	51.36 PK	74	-22.64	-55.13	-55.03	8.17	-43.90
2	4729.68	40.27 AV	54	-13.73	-65.64	-66.78	8.17	-54.99
3	9460.93	52.4 PK	74	-21.6	-54.92	-53.31	8.17	-42.86
4	9460.93	43.11 AV	54	-10.89	-63.01	-63.68	8.17	-52.15
5	#14202.93	53.57 PK	88.2	-34.63	-53.39	-52.41	8.17	-41.69
6	#14201.5	42.52 AV	68.2	-25.68	-63.98	-63.86	8.17	-52.74
7	21285.5	54.62 PK	74	-19.38	-51.34	-52.37	8.17	-40.64
8	21301.31	43.4 AV	54	-10.6	-62.9	-63.19	8.17	-51.86


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125.55	53.26 PK	88.2	-34.94	-51.86	-54.96	8.13	-42.00
2	#7125.07	40.19 AV	68.2	-28.01	-66.38	-66.04	8.13	-55.07


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 233


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4746.87	51.2 PK	74	-22.8	-54.55	-56.06	8.17	-44.06
2	4743.75	39.67 AV	54	-14.33	-66.64	-66.9	8.17	-55.59
3	9496.87	52.06 PK	74	-21.94	-54.48	-54.28	8.17	-43.20
4	9487.5	41.62 AV	54	-12.38	-64.83	-64.81	8.17	-53.64
5	#14213	53.55 PK	88.2	-34.65	-52.46	-53.37	8.17	-41.71
6	#14215.87	42.49 AV	68.2	-25.71	-63.97	-63.93	8.17	-52.77
7	21325.75	55.04 PK	74	-18.96	-51.2	-51.61	8.17	-40.22
8	21360.25	43.61 AV	54	-10.39	-62.91	-62.75	8.17	-51.65


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#7125.05	83.37 PK	88.2	-4.83	-22.89	-23.17	8.13	-11.89
2	#7125	68.36 AV	68.2	! 0.16	-38.28	-37.81	8.13	-26.90


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



40MHz Preamble

RU26

Channel 3


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3960.93	50.28 PK	74	-23.72	-54.89	-57.95	8.17	-44.98
2	3976.56	38.93 AV	54	-15.07	-67.48	-67.55	8.17	-56.33
3	#7953.12	52.59 PK	88.2	-35.61	-53.68	-54.02	8.17	-42.67
4	#7953.12	42.12 AV	68.2	-26.08	-65.03	-63.71	8.17	-53.14
5	11914.06	53.06 PK	74	-20.94	-53.21	-53.56	8.17	-42.20
6	11950	41.29 AV	54	-12.71	-65.25	-65.06	8.17	-53.97
7	17895.87	55.9 PK	74	-18.1	-51.83	-49.55	8.17	-39.36
8	17898.75	45.12 AV	54	-8.88	-61.35	-61.29	8.17	-50.14


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 43


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4106.25	50.21 PK	74	-23.79	-56.51	-55.96	8.17	-45.05
2	4128.12	38.96 AV	54	-15.04	-67.47	-67.5	8.17	-56.30
3	8220.31	52.75 PK	74	-21.25	-54.41	-53.08	8.17	-42.51
4	8220.31	42.59 AV	54	-11.41	-64.67	-63.16	8.17	-52.67
5	12331.25	53.07 PK	74	-20.93	-52.86	-53.95	8.17	-42.19
6	12340.62	41.42 AV	54	-12.58	-65.13	-64.92	8.17	-53.84
7	18512.56	55.51 PK	74	-18.49	-50.04	-52.05	8.17	-39.75
8	18508.25	44.31 AV	54	-9.69	-62.12	-62.14	8.17	-50.95


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



Channel 91


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4273.43	49.9 PK	74	-24.1	-55.93	-57.24	8.17	-45.36
2	4273.43	38.78 AV	54	-15.22	-67.63	-67.7	8.17	-56.48
3	#8540.62	52.1 PK	88.2	-36.1	-55.19	-53.63	8.17	-43.16
4	#8540.62	43.11 AV	68.2	-25.09	-63.69	-63	8.17	-52.15
5	#12821.87	52.95 PK	88.2	-35.25	-52.99	-54.05	8.17	-42.31
6	#12829.68	41.65 AV	68.2	-26.55	-64.89	-64.7	8.17	-53.61
7	19231.31	57.15 PK	74	-16.85	-50.12	-48.59	8.17	-38.11
8	19216.93	45.97 AV	54	-8.03	-60.43	-60.52	8.17	-49.29


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 99


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4303.12	50.89 PK	74	-23.11	-54.38	-57.16	8.17	-44.37
2	4312.5	38.87 AV	54	-15.13	-67.63	-67.52	8.17	-56.39
3	#8592.18	51.75 PK	88.2	-36.45	-54.34	-55.08	8.17	-43.51
4	#8593.75	43.54 AV	68.2	-24.66	-62.94	-62.86	8.17	-51.72
5	#12893.75	53.68 PK	88.2	-34.52	-53.18	-52.38	8.17	-41.58
6	#12887.5	42.03 AV	68.2	-26.17	-64.32	-64.5	8.17	-53.23
7	19354.93	56.31 PK	74	-17.69	-52.04	-48.81	8.17	-38.95
8	19323.31	45.51 AV	54	-8.49	-60.86	-61.01	8.17	-49.75


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 107


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4321.87	50.22 PK	74	-23.78	-56.6	-55.88	8.17	-45.04
2	4334.37	39.04 AV	54	-14.96	-67.51	-67.3	8.17	-56.22
3	#8646.87	51.86 PK	88.2	-36.34	-54.03	-55.2	8.17	-43.40
4	#8646.87	44.59 AV	68.2	-23.61	-61.85	-61.86	8.17	-50.67
5	#12954.68	53.43 PK	88.2	-34.77	-54.81	-51.74	8.17	-41.83
6	#12964.06	40.9 AV	68.2	-27.3	-65.51	-65.57	8.17	-54.36
7	19454.12	56.83 PK	74	-17.17	-49.72	-49.5	8.17	-38.43
8	19471.37	45.78 AV	54	-8.22	-60.64	-60.68	8.17	-49.48


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 115


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4346.87	51.25 PK	74	-22.75	-54.79	-55.64	8.17	-44.01
2	4362.5	39 AV	54	-15	-67.3	-67.59	8.17	-56.26
3	#8700	52.51 PK	88.2	-35.69	-54.97	-53.1	8.17	-42.75
4	#8700	44.74 AV	68.2	-23.46	-61.96	-61.46	8.17	-50.52
5	#13035.93	52.88 PK	88.2	-35.32	-53.07	-54.11	8.17	-42.38
6	#13065.62	41.22 AV	68.2	-26.98	-65.24	-65.2	8.17	-54.04
7	19574.87	56.99 PK	74	-17.01	-48.5	-50.67	8.17	-38.27
8	19561.93	45.24 AV	54	-8.76	-61.08	-61.32	8.17	-50.02


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 123


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4385.93	50.43 PK	74	-23.57	-55.53	-56.55	8.17	-44.83
2	4360.93	38.94 AV	54	-15.06	-67.47	-67.53	8.17	-56.32
3	#8753.12	52.81 PK	88.2	-35.39	-53.77	-53.5	8.17	-42.45
4	#8753.12	44.87 AV	68.2	-23.33	-62.57	-60.75	8.17	-50.39
5	#13112.5	53.52 PK	88.2	-34.68	-51.64	-54.73	8.17	-41.74
6	#13120.31	41.62 AV	68.2	-26.58	-64.85	-64.8	8.17	-53.64
7	19710	54.7 PK	74	-19.3	-51.49	-52	8.17	-40.56
8	19679.81	43.6 AV	54	-10.4	-62.58	-63.12	8.17	-51.66

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1

