

Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_2TX	Pass	5.11G	5.15G	PK	5.14912G	7.01	-40.36	-29.58	-29.23	-22.22	-21.2	-1.02
11a40_Nss1,(6Mbps)_2TX	Pass	5.07G	5.15G	AV	5.14968G	7.01	-52.71	-51.32	-48.95	-41.94	-41.2	-0.74
11a80_Nss1,(6Mbps)_2TX	Pass	4.99G	5.15G	AV	5.15G	7.01	-54.59	-50.75	-49.25	-42.24	-41.2	-1.04
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.11G	5.15G	AV	5.14976G	7.01	-54.91	-51.12	-49.6	-42.59	-41.2	-1.39
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.15G	5.35G	AV	5.15G	7.01	-53.93	-51.29	-49.4	-42.39	-41.2	-1.19
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	4.99G	5.15G	AV	5.14808G	7.01	-52.58	-50.98	-48.7	-41.69	-41.2	-0.49
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_2TX	Pass	5.35G	5.39G	AV	5.35096G	7.01	-55.06	-52.12	-50.34	-43.33	-41.2	-2.13
11a40_Nss1,(6Mbps)_2TX	Pass	5.35G	5.43G	AV	5.35G	7.01	-52.01	-51.72	-48.85	-41.84	-41.2	-0.64
11a80_Nss1,(6Mbps)_2TX	Pass	5.35G	5.51G	AV	5.3532G	7.01	-54.1	-51.8	-49.79	-42.78	-41.2	-1.58
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.35G	5.39G	AV	5.35072G	7.01	-52.19	-50.79	-48.42	-41.41	-41.2	-0.21
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.35G	5.43G	AV	5.35224G	7.01	-51.8	-51.76	-48.77	-41.76	-41.2	-0.56
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	5.35G	5.51G	AV	5.35224G	7.01	-52.39	-51.21	-48.75	-41.74	-41.2	-0.54
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_2TX	Pass	5.43G	5.47G	AV	5.45336G	7.01	-55.61	-54.3	-51.9	-44.89	-41.2	-3.69
11a40_Nss1,(6Mbps)_2TX	Pass	5.725G	5.805G	PK	5.72628G	7.01	-34.6	-43.22	-34.04	-27.03	-27	-0.03
11a80_Nss1,(6Mbps)_2TX	Pass	5.31G	5.47G	PK	5.46936G	7.01	-47.47	-34.97	-34.73	-27.72	-27	-0.72
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.43G	5.47G	PK	5.46872G	7.01	-40.04	-36.93	-35.2	-28.19	-27	-1.19
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.47G	5.725G	PK	5.47G	7.01	-42.91	-35.53	-34.8	-27.79	-27	-0.79
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	5.31G	5.47G	PK	5.46392G	7.01	-43.38	-34.94	-34.36	-27.35	-27	-0.35
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
11a20_Nss1,(6Mbps)_2TX	Pass	5.85G	5.89G	PK	5.89G	7.01	-45.9	-45.63	-42.75	-35.74	-1.1	-34.64
11a40_Nss1,(6Mbps)_2TX	Pass	5.645G	5.725G	PK	5.6474G	7.01	-43.93	-46.87	-42.15	-35.14	-27	-8.14
11a80_Nss1,(6Mbps)_2TX	Pass	5.85G	6.01G	PK	5.92584G	7.01	-45.23	-40.12	-38.95	-31.94	-27	-4.94
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.85G	5.89G	PK	5.88992G	7.01	-45.85	-43.94	-41.78	-34.77	-1.04	-33.73
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.645G	5.725G	PK	5.64692G	7.01	-44.03	-47.64	-42.46	-35.45	-27	-8.45
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	5.85G	6.01G	PK	5.9316G	7.01	-45.3	-41.2	-39.77	-32.76	-27	-5.76

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
11a20_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	5.11G	5.15G	AV	5.14984G	7.01	-54.68	-51.71	-49.94	-42.93	-41.2	-1.73
5180MHz	Pass	5.15G	5.35G	AV	5.15G	7.01	-54.96	-52.19	-50.35	-43.34	-41.2	-2.14
5180MHz	Pass	5.35G	5.39G	AV	5.38936G	7.01	-56.45	-56.94	-53.68	-46.67	-41.2	-5.47
5180MHz	Pass	5.11G	5.15G	PK	5.14912G	7.01	-40.36	-29.58	-29.23	-22.22	-21.2	-1.02
5180MHz	Pass	5.15G	5.35G	PK	5.15G	7.01	-38.87	-32.46	-31.57	-24.56	-21.2	-3.36
5180MHz	Pass	5.35G	5.39G	PK	5.388G	7.01	-47.19	-46.37	-43.75	-36.74	-21.2	-15.54
5200MHz	Pass	5.11G	5.15G	AV	5.14592G	7.01	-57.19	-54.57	-52.68	-45.67	-41.2	-4.47
5200MHz	Pass	5.15G	5.35G	AV	5.15G	7.01	-57.17	-56.08	-53.58	-46.57	-41.2	-5.37
5200MHz	Pass	5.35G	5.39G	AV	5.3808G	7.01	-55.97	-57.37	-53.6	-46.59	-41.2	-5.39
5200MHz	Pass	5.11G	5.15G	PK	5.14952G	7.01	-45.58	-45.96	-42.76	-35.75	-21.2	-14.55
5200MHz	Pass	5.15G	5.35G	PK	5.15G	7.01	-47.97	-46.01	-43.87	-36.86	-21.2	-15.66
5200MHz	Pass	5.35G	5.39G	PK	5.38056G	7.01	-47.37	-45.96	-43.6	-36.59	-21.2	-15.39
5240MHz	Pass	5.11G	5.15G	AV	5.13528G	7.01	-58.04	-55.59	-53.63	-46.62	-41.2	-5.42
5240MHz	Pass	5.15G	5.35G	AV	5.35G	7.01	-56.68	-57.67	-54.14	-47.13	-41.2	-5.93
5240MHz	Pass	5.35G	5.39G	AV	5.37168G	7.01	-55.89	-57.49	-53.61	-46.60	-41.2	-5.40
5240MHz	Pass	5.11G	5.15G	PK	5.14648G	7.01	-47.5	-45.52	-43.39	-36.38	-21.2	-15.18
5240MHz	Pass	5.15G	5.35G	PK	5.15G	7.01	-48.56	-48.1	-45.31	-38.30	-21.2	-17.10
5240MHz	Pass	5.35G	5.39G	PK	5.36592G	7.01	-47.07	-46.02	-43.5	-36.49	-21.2	-15.29
5260MHz	Pass	5.11G	5.15G	AV	5.14664G	7.01	-58.2	-56.65	-54.35	-47.34	-41.2	-6.14
5260MHz	Pass	5.15G	5.35G	AV	5.35G	7.01	-57.67	-57.55	-54.6	-47.59	-41.2	-6.39
5260MHz	Pass	5.35G	5.39G	AV	5.3568G	7.01	-55.45	-55.8	-52.61	-45.60	-41.2	-4.40
5260MHz	Pass	5.11G	5.15G	PK	5.14728G	7.01	-47.68	-47.58	-44.62	-37.61	-21.2	-16.41
5260MHz	Pass	5.15G	5.35G	PK	5.35G	7.01	-47.7	-47.16	-44.41	-37.40	-21.2	-16.20
5260MHz	Pass	5.35G	5.39G	PK	5.36728G	7.01	-47.55	-43.56	-42.1	-35.09	-21.2	-13.89
5300MHz	Pass	5.11G	5.15G	AV	5.13616G	7.01	-59.47	-57.26	-55.22	-48.21	-41.2	-7.01
5300MHz	Pass	5.15G	5.35G	AV	5.35G	7.01	-56.71	-56.02	-53.34	-46.33	-41.2	-5.13
5300MHz	Pass	5.35G	5.39G	AV	5.38624G	7.01	-56.64	-55.19	-52.84	-45.83	-41.2	-4.63
5300MHz	Pass	5.11G	5.15G	PK	5.1336G	7.01	-48.41	-47.72	-45.04	-38.03	-21.2	-16.83
5300MHz	Pass	5.15G	5.35G	PK	5.35G	7.01	-48.1	-46.44	-44.18	-37.17	-21.2	-15.97
5300MHz	Pass	5.35G	5.39G	PK	5.38872G	7.01	-46.78	-44.17	-42.27	-35.26	-21.2	-14.06
5320MHz	Pass	5.11G	5.15G	AV	5.1224G	7.01	-59.64	-57.4	-55.37	-48.36	-41.2	-7.16
5320MHz	Pass	5.15G	5.35G	AV	5.35G	7.01	-54.43	-52.72	-50.48	-43.47	-41.2	-2.27
5320MHz	Pass	5.35G	5.39G	AV	5.35096G	7.01	-55.06	-52.12	-50.34	-43.33	-41.2	-2.13
5320MHz	Pass	5.11G	5.15G	PK	5.12392G	7.01	-49.15	-47.32	-45.13	-38.12	-21.2	-16.92
5320MHz	Pass	5.15G	5.35G	PK	5.35G	7.01	-44.5	-34.67	-34.24	-27.23	-21.2	-6.03
5320MHz	Pass	5.35G	5.39G	PK	5.35008G	7.01	-41.67	-33.21	-32.63	-25.62	-21.2	-4.42
5500MHz	Pass	5.43G	5.47G	AV	5.45336G	7.01	-55.61	-54.3	-51.9	-44.89	-41.2	-3.69
5500MHz	Pass	5.43G	5.47G	PK	5.46984G	7.01	-46.26	-38.6	-37.91	-30.90	-27	-3.90
5500MHz	Pass	5.47G	5.725G	PK	5.47G	7.01	-46.39	-41.84	-40.53	-33.52	-27	-6.52
5500MHz	Pass	5.725G	5.765G	PK	5.73444G	7.01	-50.26	-45.17	-44	-36.99	-27	-9.99
5580MHz	Pass	5.43G	5.47G	AV	5.4472G	7.01	-58.63	-57.4	-54.96	-47.95	-41.2	-6.75
5580MHz	Pass	5.43G	5.47G	PK	5.46968G	7.01	-46.79	-49.8	-45.03	-38.02	-27	-11.02
5580MHz	Pass	5.47G	5.725G	PK	5.725G	7.01	-48.76	-46.46	-44.45	-37.44	-27	-10.44
5580MHz	Pass	5.725G	5.765G	PK	5.76268G	7.01	-48.86	-44.44	-43.1	-36.09	-27	-9.09
5700MHz	Pass	5.43G	5.47G	AV	5.4564G	7.01	-56.86	-59.46	-54.96	-47.95	-41.2	-6.75
5700MHz	Pass	5.43G	5.47G	PK	5.46608G	7.01	-50.19	-47.87	-45.87	-38.86	-27	-11.86
5700MHz	Pass	5.47G	5.725G	PK	5.725G	7.01	-52.5	-40.89	-40.6	-33.59	-27	-6.59
5700MHz	Pass	5.725G	5.765G	PK	5.72566G	7.01	-51.82	-39.02	-38.8	-31.79	-27	-4.79
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.47G	AV	5.45976G	7.01	-57.56	-58.83	-55.14	-48.13	-41.2	-6.93
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.47G	PK	5.4644G	7.01	-48.56	-47.33	-44.89	-37.88	-27	-10.88
5720MHz Straddle 5.47-5.725GHz	Pass	5.47G	5.85G	PK	5.85G	7.01	-48.54	-47.77	-45.13	-38.12	-27	-11.12
5720MHz Straddle 5.47-5.725GHz	Pass	5.85G	5.89G	PK	5.8552G	7.01	-46.14	-48.11	-44	-36.99	-27	-9.99
5745MHz	Pass	5.685G	5.725G	PK	5.68508G	7.01	-45.18	-46.45	-42.76	-35.75	-1.04	-34.71
5745MHz	Pass	5.725G	5.85G	PK	5.85G	7.01	-45.5	-46.5	-42.96	-35.95	27	-62.95
5745MHz	Pass	5.85G	5.89G	PK	5.89G	7.01	-47.82	-47.46	-44.63	-37.62	-1.1	-36.52
5785MHz	Pass	5.685G	5.725G	PK	5.68516G	7.01	-45.2	-48.4	-43.5	-36.49	-0.98	-35.51
5785MHz	Pass	5.725G	5.85G	PK	5.85G	7.01	-47.1	-47.74	-44.4	-37.39	27	-64.39
5785MHz	Pass	5.85G	5.89G	PK	5.89G	7.01	-45.9	-45.63	-42.75	-35.74	-1.1	-34.64
5825MHz	Pass	5.685G	5.725G	PK	5.68612G	7.01	-47.41	-48.14	-44.75	-37.74	-0.27	-37.47
5825MHz	Pass	5.725G	5.85G	PK	5.85G	7.01	-31.93	-32.53	-29.21	-22.20	27	-49.20
5825MHz	Pass	5.85G	5.89G	PK	5.88864G	7.01	-44.87	-47.23	-42.88	-35.87	-0.09	-35.78
11a40_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	5.07G	5.15G	AV	5.14968G	7.01	-52.71	-51.32	-48.95	-41.94	-41.2	-0.74
5190MHz	Pass	5.15G	5.35G	AV	5.15G	7.01	-53.52	-52.09	-49.74	-42.73	-41.2	-1.53
5190MHz	Pass	5.35G	5.43G	AV	5.35048G	7.01	-57.21	-57.46	-54.32	-47.31	-41.2	-6.11
5190MHz	Pass	5.07G	5.15G	PK	5.14968G	7.01	-43.4	-33.87	-33.41	-26.40	-21.2	-5.20
5190MHz	Pass	5.15G	5.35G	PK	5.15G	7.01	-41.99	-40.13	-37.95	-30.94	-21.2	-9.74
5190MHz	Pass	5.35G	5.43G	PK	5.37016G	7.01	-47.71	-46.6	-44.11	-37.10	-21.2	-15.90

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5230MHz	Pass	5.07G	5.15G	AV	5.146G	7.01	-55.19	-55	-52.08	-45.07	-41.2	-3.87
5230MHz	Pass	5.15G	5.35G	AV	5.15G	7.01	-55.75	-55.55	-52.64	-45.63	-41.2	-4.43
5230MHz	Pass	5.35G	5.43G	AV	5.3588G	7.01	-56.18	-54.87	-52.47	-45.46	-41.2	-4.26
5230MHz	Pass	5.07G	5.15G	PK	5.13496G	7.01	-45.48	-44.88	-42.16	-35.15	-21.2	-13.95
5230MHz	Pass	5.15G	5.35G	PK	5.15G	7.01	-46.57	-45.9	-43.21	-36.20	-21.2	-15.00
5230MHz	Pass	5.35G	5.43G	PK	5.37G	7.01	-44.69	-45.69	-42.15	-35.14	-21.2	-13.94
5270MHz	Pass	5.07G	5.15G	AV	5.146G	7.01	-57.23	-56.17	-53.66	-46.65	-41.2	-5.45
5270MHz	Pass	5.15G	5.35G	AV	5.35G	7.01	-55.75	-54.54	-52.09	-45.08	-41.2	-3.88
5270MHz	Pass	5.35G	5.43G	AV	5.35544G	7.01	-54.49	-54.12	-51.29	-44.28	-41.2	-3.08
5270MHz	Pass	5.07G	5.15G	PK	5.146G	7.01	-48.26	-45.49	-43.65	-36.64	-21.2	-15.44
5270MHz	Pass	5.15G	5.35G	PK	5.35G	7.01	-45.47	-46.54	-42.96	-35.95	-21.2	-14.75
5270MHz	Pass	5.35G	5.43G	PK	5.354G	7.01	-42.36	-45.4	-40.61	-33.60	-21.2	-12.40
5310MHz	Pass	5.07G	5.15G	AV	5.10792G	7.01	-59.75	-57.36	-55.38	-48.37	-41.2	-7.17
5310MHz	Pass	5.15G	5.35G	AV	5.35G	7.01	-52.49	-51.78	-49.11	-42.10	-41.2	-0.90
5310MHz	Pass	5.35G	5.43G	AV	5.35G	7.01	-52.01	-51.72	-48.85	-41.84	-41.2	-0.64
5310MHz	Pass	5.07G	5.15G	PK	5.14168G	7.01	-47.12	-48.84	-44.89	-37.88	-21.2	-16.68
5310MHz	Pass	5.15G	5.35G	PK	5.35G	7.01	-40.79	-30.83	-30.41	-23.40	-21.2	-2.20
5310MHz	Pass	5.35G	5.43G	PK	5.35G	7.01	-42.83	-31.36	-31.06	-24.05	-21.2	-2.85
5510MHz	Pass	5.39G	5.47G	AV	5.45736G	7.01	-54.55	-54.73	-51.63	-44.62	-41.2	-3.42
5510MHz	Pass	5.39G	5.47G	PK	5.46936G	7.01	-45.12	-34.49	-34.13	-27.12	-27	-0.12
5510MHz	Pass	5.47G	5.725G	PK	5.47G	7.01	-43.71	-42.53	-40.07	-33.06	-27	-6.06
5510MHz	Pass	5.725G	5.805G	PK	5.74756G	7.01	-49.59	-46.01	-44.43	-37.42	-27	-10.42
5550MHz	Pass	5.39G	5.47G	AV	5.45992G	7.01	-55.52	-55.82	-52.66	-45.65	-41.2	-4.45
5550MHz	Pass	5.39G	5.47G	PK	5.46728G	7.01	-45.98	-44.96	-42.43	-35.42	-27	-8.42
5550MHz	Pass	5.47G	5.725G	PK	5.47G	7.01	-48.29	-46.52	-44.31	-37.30	-27	-10.30
5550MHz	Pass	5.725G	5.805G	PK	5.77204G	7.01	-49.66	-43.96	-42.92	-35.91	-27	-8.91
5670MHz	Pass	5.39G	5.47G	AV	5.45416G	7.01	-57.24	-57.91	-54.55	-47.54	-41.2	-6.34
5670MHz	Pass	5.39G	5.47G	PK	5.46168G	7.01	-45.84	-48	-43.78	-36.77	-27	-9.77
5670MHz	Pass	5.47G	5.725G	PK	5.725G	7.01	-37.02	-44.57	-36.32	-29.31	-27	-2.31
5670MHz	Pass	5.725G	5.805G	PK	5.72628G	7.01	-34.6	-43.22	-34.04	-27.03	-27	-0.03
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.47G	AV	5.39544G	7.01	-56.03	-58.89	-54.22	-47.21	-41.2	-6.01
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.47G	PK	5.46184G	7.01	-46.5	-49.98	-44.89	-37.88	-27	-10.88
5710MHz Straddle 5.47-5.725GHz	Pass	5.47G	5.85G	PK	5.85G	7.01	-46.18	-47.09	-43.6	-36.59	-27	-9.59
5710MHz Straddle 5.47-5.725GHz	Pass	5.85G	5.93G	PK	5.85544G	7.01	-44.12	-46.23	-42.04	-35.03	-27	-8.03
5755MHz	Pass	5.645G	5.725G	PK	5.6474G	7.01	-43.93	-46.87	-42.15	-35.14	-27	-8.14
5755MHz	Pass	5.725G	5.85G	PK	5.85G	7.01	-45.06	-46.66	-42.78	-35.77	27	-62.77
5755MHz	Pass	5.85G	5.93G	PK	5.92744G	7.01	-46.61	-47.62	-44.08	-37.07	-27	-10.07
5795MHz	Pass	5.645G	5.725G	PK	5.64852G	7.01	-46.85	-46.65	-43.74	-36.73	-27	-9.73
5795MHz	Pass	5.725G	5.85G	PK	5.85G	7.01	-38.71	-42.6	-37.22	-30.21	27	-57.21
5795MHz	Pass	5.85G	5.93G	PK	5.9252G	7.01	-47.85	-45.61	-43.58	-36.57	-27	-9.57
11a80_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.99G	5.15G	AV	5.15G	7.01	-54.59	-50.75	-49.25	-42.24	-41.2	-1.04
5210MHz	Pass	5.15G	5.35G	AV	5.15G	7.01	-55.22	-51.72	-50.12	-43.11	-41.2	-1.91
5210MHz	Pass	5.35G	5.51G	AV	5.3564G	7.01	-54.87	-54.63	-51.74	-44.73	-41.2	-3.53
5210MHz	Pass	4.99G	5.15G	PK	5.14968G	7.01	-38.37	-32.72	-31.67	-24.66	-21.2	-3.46
5210MHz	Pass	5.15G	5.35G	PK	5.15G	7.01	-43.5	-39.73	-38.21	-31.20	-21.2	-10.00
5210MHz	Pass	5.35G	5.51G	PK	5.47416G	7.01	-47.34	-47.79	-44.55	-37.54	-27	-10.54
5290MHz	Pass	4.99G	5.15G	AV	5.14648G	7.01	-55.96	-54.39	-52.09	-45.08	-41.2	-3.88
5290MHz	Pass	5.15G	5.35G	AV	5.35G	7.01	-55.92	-51.49	-50.15	-43.14	-41.2	-1.94
5290MHz	Pass	5.35G	5.51G	AV	5.3532G	7.01	-54.1	-51.8	-49.79	-42.78	-41.2	-1.58
5290MHz	Pass	4.99G	5.15G	PK	5.1452G	7.01	-45.95	-44.83	-42.34	-35.33	-21.2	-14.13
5290MHz	Pass	5.15G	5.35G	PK	5.35G	7.01	-46.45	-34.31	-34.05	-27.04	-21.2	-5.84
5290MHz	Pass	5.35G	5.51G	PK	5.35096G	7.01	-45.4	-30.83	-30.68	-23.67	-21.2	-2.47
5530MHz	Pass	5.31G	5.47G	AV	5.45848G	7.01	-57.18	-54.58	-52.68	-45.67	-41.2	-4.47
5530MHz	Pass	5.31G	5.47G	PK	5.46936G	7.01	-47.47	-34.97	-34.73	-27.72	-27	-0.72
5530MHz	Pass	5.47G	5.725G	PK	5.47G	7.01	-47.04	-36.57	-36.2	-29.19	-27	-2.19
5530MHz	Pass	5.725G	5.885G	PK	5.73876G	7.01	-48.52	-45.93	-44.02	-37.01	-27	-10.01
5610MHz	Pass	5.31G	5.47G	AV	5.45752G	7.01	-53.84	-52.72	-50.23	-43.22	-41.2	-2.02
5610MHz	Pass	5.31G	5.47G	PK	5.46488G	7.01	-40.08	-39.6	-36.82	-29.81	-27	-2.81
5610MHz	Pass	5.47G	5.725G	PK	5.725G	7.01	-40.22	-39.28	-36.71	-29.70	-27	-2.70
5610MHz	Pass	5.725G	5.885G	PK	5.73172G	7.01	-41.16	-36.4	-35.15	-28.14	-27	-1.14
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	5.47G	AV	5.45848G	7.01	-56.11	-58.28	-54.05	-47.04	-41.2	-5.84
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	5.47G	PK	5.46232G	7.01	-46.11	-48.08	-43.97	-36.96	-27	-9.96
5690MHz Straddle 5.47-5.725GHz	Pass	5.47G	5.85G	PK	5.85G	7.01	-40.89	-43.67	-39.05	-32.04	-27	-5.04
5690MHz Straddle 5.47-5.725GHz	Pass	5.85G	6.01G	PK	5.8548G	7.01	-38.41	-43.34	-37.2	-30.19	-27	-3.19
5775MHz	Pass	5.565G	5.725G	PK	5.6242G	7.01	-43.39	-41.42	-39.28	-32.27	-27	-5.27
5775MHz	Pass	5.725G	5.85G	PK	5.85G	7.01	-30.08	-30.16	-27.11	-20.10	27	-47.10
5775MHz	Pass	5.85G	6.01G	PK	5.92584G	7.01	-45.23	-40.12	-38.95	-31.94	-27	-4.94
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	5.11G	5.15G	AV	5.14976G	7.01	-54.91	-51.12	-49.6	-42.59	-41.2	-1.39

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5180MHz	Pass	5.15G	5.35G	AV	5.15G	7.01	-55.9	-53.64	-51.61	-44.60	-41.2	-3.40
5180MHz	Pass	5.35G	5.39G	AV	5.38666G	7.01	-57.23	-57.05	-54.13	-47.12	-41.2	-5.92
5180MHz	Pass	5.11G	5.15G	PK	5.1476G	7.01	-41.44	-34.4	-33.62	-26.61	-21.2	-5.41
5180MHz	Pass	5.15G	5.35G	PK	5.15G	7.01	-41.29	-36.34	-35.13	-28.12	-21.2	-6.92
5180MHz	Pass	5.35G	5.39G	PK	5.38664G	7.01	-48.08	-45.55	-43.62	-36.61	-21.2	-15.41
5200MHz	Pass	5.11G	5.15G	AV	5.14992G	7.01	-56.82	-55.09	-52.86	-45.85	-41.2	-4.65
5200MHz	Pass	5.15G	5.35G	AV	5.15G	7.01	-57.45	-56.47	-53.92	-46.91	-41.2	-5.71
5200MHz	Pass	5.35G	5.39G	AV	5.36272G	7.01	-57.18	-56.83	-53.99	-46.98	-41.2	-5.78
5200MHz	Pass	5.11G	5.15G	PK	5.14888G	7.01	-47.7	-42.87	-41.64	-34.63	-21.2	-13.43
5200MHz	Pass	5.15G	5.35G	PK	5.15G	7.01	-46.66	-46.49	-43.56	-36.55	-21.2	-15.35
5200MHz	Pass	5.35G	5.39G	PK	5.35424G	7.01	-45.77	-46.72	-43.21	-36.20	-21.2	-15.00
5240MHz	Pass	5.11G	5.15G	AV	5.14824G	7.01	-57.7	-56.14	-53.84	-46.83	-41.2	-5.63
5240MHz	Pass	5.15G	5.35G	AV	5.35G	7.01	-57.06	-57.63	-54.33	-47.32	-41.2	-6.12
5240MHz	Pass	5.35G	5.39G	AV	5.3508G	7.01	-56.86	-57.11	-53.97	-46.96	-41.2	-5.76
5240MHz	Pass	5.11G	5.15G	PK	5.14328G	7.01	-46.51	-46.58	-43.53	-36.52	-21.2	-15.32
5240MHz	Pass	5.15G	5.35G	PK	5.35G	7.01	-48.79	-47.38	-45.02	-38.01	-21.2	-16.81
5240MHz	Pass	5.35G	5.39G	PK	5.35088G	7.01	-44.59	-48.41	-43.08	-36.07	-21.2	-14.87
5260MHz	Pass	5.11G	5.15G	AV	5.14944G	7.01	-58.91	-57.58	-55.18	-48.17	-41.2	-6.97
5260MHz	Pass	5.15G	5.35G	AV	5.35G	7.01	-57.89	-56.82	-54.31	-47.30	-41.2	-6.10
5260MHz	Pass	5.35G	5.39G	AV	5.35704G	7.01	-56.33	-55.27	-52.76	-45.75	-41.2	-4.55
5260MHz	Pass	5.11G	5.15G	PK	5.14184G	7.01	-50.04	-46.68	-45.03	-38.02	-21.2	-16.82
5260MHz	Pass	5.15G	5.35G	PK	5.35G	7.01	-48.48	-48.07	-45.26	-38.25	-21.2	-17.05
5260MHz	Pass	5.35G	5.39G	PK	5.35376G	7.01	-45.31	-45.81	-42.54	-35.53	-21.2	-14.33
5300MHz	Pass	5.11G	5.15G	AV	5.14984G	7.01	-58.55	-58.57	-55.55	-48.54	-41.2	-7.34
5300MHz	Pass	5.15G	5.35G	AV	5.35G	7.01	-57.51	-56.33	-53.87	-46.86	-41.2	-5.66
5300MHz	Pass	5.35G	5.39G	AV	5.35488G	7.01	-56.48	-55.31	-52.85	-45.84	-41.2	-4.64
5300MHz	Pass	5.11G	5.15G	PK	5.14656G	7.01	-48.92	-47.68	-45.25	-38.24	-21.2	-17.04
5300MHz	Pass	5.15G	5.35G	PK	5.35G	7.01	-46.94	-46.65	-43.78	-36.77	-21.2	-15.57
5300MHz	Pass	5.35G	5.39G	PK	5.37208G	7.01	-47.45	-44.65	-42.82	-35.81	-21.2	-14.61
5320MHz	Pass	5.11G	5.15G	AV	5.11752G	7.01	-59.13	-57.9	-55.46	-48.45	-41.2	-7.25
5320MHz	Pass	5.15G	5.35G	AV	5.35G	7.01	-53.44	-52.26	-49.8	-42.79	-41.2	-1.59
5320MHz	Pass	5.35G	5.39G	AV	5.35072G	7.01	-52.19	-50.79	-48.42	-41.41	-41.2	-0.21
5320MHz	Pass	5.11G	5.15G	PK	5.13872G	7.01	-48.56	-48.08	-45.3	-38.29	-21.2	-17.09
5320MHz	Pass	5.15G	5.35G	PK	5.35G	7.01	-39.74	-34.87	-33.65	-26.64	-21.2	-5.44
5320MHz	Pass	5.35G	5.39G	PK	5.35008G	7.01	-38.32	-33.91	-32.57	-25.56	-21.2	-4.36
5500MHz	Pass	5.43G	5.47G	AV	5.45952G	7.01	-55.95	-55.47	-52.69	-45.68	-41.2	-4.48
5500MHz	Pass	5.43G	5.47G	PK	5.46872G	7.01	-40.04	-36.93	-35.2	-28.19	-27	-1.19
5500MHz	Pass	5.47G	5.725G	PK	5.47G	7.01	-42.5	-37.77	-36.51	-29.50	-27	-2.50
5500MHz	Pass	5.725G	5.765G	PK	5.74908G	7.01	-48.4	-46.23	-44.17	-37.16	-27	-10.16
5580MHz	Pass	5.43G	5.47G	AV	5.43488G	7.01	-58.09	-58.27	-55.17	-48.16	-41.2	-6.96
5580MHz	Pass	5.43G	5.47G	PK	5.46928G	7.01	-49.06	-47.41	-45.15	-38.14	-27	-11.14
5580MHz	Pass	5.47G	5.725G	PK	5.725G	7.01	-49.91	-47.76	-45.69	-38.68	-27	-11.68
5580MHz	Pass	5.725G	5.765G	PK	5.73892G	7.01	-48.67	-45.62	-43.87	-36.86	-27	-9.86
5700MHz	Pass	5.43G	5.47G	AV	5.45416G	7.01	-57.73	-59.82	-55.64	-48.63	-41.2	-7.43
5700MHz	Pass	5.43G	5.47G	PK	5.4692G	7.01	-47.44	-50.53	-45.71	-38.70	-27	-11.70
5700MHz	Pass	5.47G	5.725G	PK	5.725G	7.01	-39.88	-44.94	-38.7	-31.69	-27	-4.69
5700MHz	Pass	5.725G	5.765G	PK	5.72796G	7.01	-37.87	-45.93	-37.24	-30.23	-27	-3.23
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.47G	AV	5.45544G	7.01	-56.83	-59.88	-55.08	-48.07	-41.2	-6.87
5720MHz Straddle 5.47-5.725GHz	Pass	5.43G	5.47G	PK	5.46128G	7.01	-46.88	-49.94	-45.14	-38.13	-27	-11.13
5720MHz Straddle 5.47-5.725GHz	Pass	5.47G	5.85G	PK	5.85G	7.01	-49.08	-49.2	-46.13	-39.12	-27	-12.12
5720MHz Straddle 5.47-5.725GHz	Pass	5.85G	5.89G	PK	5.88688G	7.01	-47.02	-46.81	-43.9	-36.89	-27	-9.89
5745MHz	Pass	5.685G	5.725G	PK	5.72028G	7.01	-26.96	-31.05	-25.53	-18.52	16.24	-34.76
5745MHz	Pass	5.725G	5.85G	PK	5.85G	7.01	-45.42	-47.65	-43.38	-36.37	27	-63.37
5745MHz	Pass	5.85G	5.89G	PK	5.88984G	7.01	-48.14	-46.32	-44.13	-37.12	-0.98	-36.14
5785MHz	Pass	5.685G	5.725G	PK	5.68564G	7.01	-45.4	-47.45	-43.29	-36.28	-0.63	-35.65
5785MHz	Pass	5.725G	5.85G	PK	5.85G	7.01	-46.23	-45.8	-43	-35.99	27	-62.99
5785MHz	Pass	5.85G	5.89G	PK	5.88992G	7.01	-45.85	-43.94	-41.78	-34.77	-1.04	-33.73
5825MHz	Pass	5.685G	5.725G	PK	5.68628G	7.01	-47.31	-47.66	-44.47	-37.46	-0.15	-37.31
5825MHz	Pass	5.725G	5.85G	PK	5.85G	7.01	-30.23	-28.28	-26.14	-19.13	27	-46.13
5825MHz	Pass	5.85G	5.89G	PK	5.8892G	7.01	-46.92	-43.08	-41.58	-34.57	-0.51	-34.06
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	5.07G	5.15G	AV	5.15G	7.01	-53.85	-51.83	-49.71	-42.70	-41.2	-1.50
5190MHz	Pass	5.15G	5.35G	AV	5.15G	7.01	-53.93	-51.29	-49.4	-42.39	-41.2	-1.19
5190MHz	Pass	5.35G	5.43G	AV	5.38056G	7.01	-58.66	-57.19	-54.85	-47.84	-41.2	-6.64
5190MHz	Pass	5.07G	5.15G	PK	5.15G	7.01	-43.37	-40.4	-38.63	-31.62	-21.2	-10.42
5190MHz	Pass	5.15G	5.35G	PK	5.15G	7.01	-43.09	-40.8	-38.79	-31.78	-21.2	-10.58
5190MHz	Pass	5.35G	5.43G	PK	5.40392G	7.01	-47.35	-47.92	-44.62	-37.61	-21.2	-16.41
5230MHz	Pass	5.07G	5.15G	AV	5.14888G	7.01	-56.52	-55.14	-52.77	-45.76	-41.2	-4.56
5230MHz	Pass	5.15G	5.35G	AV	5.35G	7.01	-55.62	-56.35	-52.96	-45.95	-41.2	-4.75
5230MHz	Pass	5.35G	5.43G	AV	5.35048G	7.01	-55.71	-55.89	-52.79	-45.78	-41.2	-4.58

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5230MHz	Pass	5.07G	5.15G	PK	5.14792G	7.01	-45.19	-44.8	-41.98	-34.97	-21.2	-13.77
5230MHz	Pass	5.15G	5.35G	PK	5.15G	7.01	-47.07	-46.35	-43.68	-36.67	-21.2	-15.47
5230MHz	Pass	5.35G	5.43G	PK	5.37048G	7.01	-45.39	-45.49	-42.43	-35.42	-21.2	-14.22
5270MHz	Pass	5.07G	5.15G	AV	5.13256G	7.01	-57.75	-56.7	-54.18	-47.17	-41.2	-5.97
5270MHz	Pass	5.15G	5.35G	AV	5.35G	7.01	-55.73	-55.76	-52.73	-45.72	-41.2	-4.52
5270MHz	Pass	5.35G	5.43G	AV	5.36312G	7.01	-54.76	-55.12	-51.93	-44.92	-41.2	-3.72
5270MHz	Pass	5.07G	5.15G	PK	5.14408G	7.01	-47.61	-46.32	-43.91	-36.90	-21.2	-15.70
5270MHz	Pass	5.15G	5.35G	PK	5.35G	7.01	-47.47	-46.42	-43.9	-36.89	-21.2	-15.69
5270MHz	Pass	5.35G	5.43G	PK	5.36488G	7.01	-43.81	-45.18	-41.43	-34.42	-21.2	-13.22
5310MHz	Pass	5.07G	5.15G	AV	5.11416G	7.01	-59.68	-58.01	-55.75	-48.74	-41.2	-7.54
5310MHz	Pass	5.15G	5.35G	AV	5.35G	7.01	-52.9	-52.3	-49.58	-42.57	-41.2	-1.37
5310MHz	Pass	5.35G	5.43G	AV	5.35224G	7.01	-51.8	-51.76	-48.77	-41.76	-41.2	-0.56
5310MHz	Pass	5.07G	5.15G	PK	5.13208G	7.01	-49.03	-47.8	-45.36	-38.35	-21.2	-17.15
5310MHz	Pass	5.15G	5.35G	PK	5.35G	7.01	-43.97	-38.79	-37.64	-30.63	-21.2	-9.43
5310MHz	Pass	5.35G	5.43G	PK	5.35192G	7.01	-43.05	-37.33	-36.3	-29.29	-21.2	-8.09
5510MHz	Pass	5.39G	5.47G	AV	5.45896G	7.01	-54.53	-53.24	-50.83	-43.82	-41.2	-2.62
5510MHz	Pass	5.39G	5.47G	PK	5.46888G	7.01	-43.36	-36.31	-35.53	-28.52	-27	-1.52
5510MHz	Pass	5.47G	5.725G	PK	5.47G	7.01	-42.91	-35.53	-34.8	-27.79	-27	-0.79
5510MHz	Pass	5.725G	5.805G	PK	5.77556G	7.01	-49.25	-45.44	-43.93	-36.92	-27	-9.92
5550MHz	Pass	5.39G	5.47G	AV	5.44904G	7.01	-56.15	-55.84	-52.98	-45.97	-41.2	-4.77
5550MHz	Pass	5.39G	5.47G	PK	5.46648G	7.01	-46.07	-45.88	-42.96	-35.95	-27	-8.95
5550MHz	Pass	5.47G	5.725G	PK	5.47G	7.01	-46.7	-45.27	-42.92	-35.91	-27	-8.91
5550MHz	Pass	5.725G	5.805G	PK	5.78964G	7.01	-47.81	-44.32	-42.71	-35.70	-27	-8.70
5670MHz	Pass	5.39G	5.47G	AV	5.39272G	7.01	-57.03	-59.03	-54.91	-47.90	-41.2	-6.70
5670MHz	Pass	5.39G	5.47G	PK	5.46312G	7.01	-47.37	-48.39	-44.84	-37.83	-27	-10.83
5670MHz	Pass	5.47G	5.725G	PK	5.725G	7.01	-37.47	-44.55	-36.69	-29.68	-27	-2.68
5670MHz	Pass	5.725G	5.805G	PK	5.73188G	7.01	-37.6	-43.4	-36.59	-29.58	-27	-2.58
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.47G	AV	5.4092G	7.01	-55.77	-59.03	-54.09	-47.08	-41.2	-5.88
5710MHz Straddle 5.47-5.725GHz	Pass	5.39G	5.47G	PK	5.46952G	7.01	-47.61	-47.94	-44.76	-37.75	-27	-10.75
5710MHz Straddle 5.47-5.725GHz	Pass	5.47G	5.85G	PK	5.85G	7.01	-46.67	-47.67	-44.13	-37.12	-27	-10.12
5710MHz Straddle 5.47-5.725GHz	Pass	5.85G	5.93G	PK	5.86344G	7.01	-45.38	-45.08	-42.22	-35.21	-27	-8.21
5755MHz	Pass	5.645G	5.725G	PK	5.64692G	7.01	-44.03	-47.64	-42.46	-35.45	-27	-8.45
5755MHz	Pass	5.725G	5.85G	PK	5.85G	7.01	-45.84	-46.39	-43.1	-36.09	27	-63.09
5755MHz	Pass	5.85G	5.93G	PK	5.92872G	7.01	-46.82	-47.34	-44.06	-37.05	-27	-10.05
5795MHz	Pass	5.645G	5.725G	PK	5.64868G	7.01	-46.17	-49.74	-44.59	-37.58	-27	-10.58
5795MHz	Pass	5.725G	5.85G	PK	5.85G	7.01	-42.88	-41.3	-39.01	-32.00	27	-59.00
5795MHz	Pass	5.85G	5.93G	PK	5.92936G	7.01	-48.6	-45.91	-44.04	-37.03	-27	-10.03
802.11ax HEW80_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.99G	5.15G	AV	5.14808G	7.01	-52.58	-50.98	-48.7	-41.69	-41.2	-0.49
5210MHz	Pass	5.15G	5.35G	AV	5.15G	7.01	-52.63	-51.79	-49.18	-42.17	-41.2	-0.97
5210MHz	Pass	5.35G	5.51G	AV	5.35544G	7.01	-54.09	-54.86	-51.45	-44.44	-41.2	-3.24
5210MHz	Pass	4.99G	5.15G	PK	5.1468G	7.01	-44.1	-38.57	-37.5	-30.49	-21.2	-9.29
5210MHz	Pass	5.15G	5.35G	PK	5.15G	7.01	-43.4	-39.61	-38.09	-31.08	-21.2	-9.88
5210MHz	Pass	5.35G	5.51G	PK	5.48152G	7.01	-49.08	-46.35	-44.49	-37.48	-27	-10.48
5290MHz	Pass	4.99G	5.15G	AV	5.14136G	7.01	-57.01	-54.68	-52.68	-45.67	-41.2	-4.47
5290MHz	Pass	5.15G	5.35G	AV	5.35G	7.01	-52.51	-51.16	-48.77	-41.76	-41.2	-0.56
5290MHz	Pass	5.35G	5.51G	AV	5.35224G	7.01	-52.39	-51.21	-48.75	-41.74	-41.2	-0.54
5290MHz	Pass	4.99G	5.15G	PK	5.1484G	7.01	-47.1	-43.85	-42.17	-35.16	-21.2	-13.96
5290MHz	Pass	5.15G	5.35G	PK	5.35G	7.01	-42.13	-40.07	-37.97	-30.96	-21.2	-9.76
5290MHz	Pass	5.35G	5.51G	PK	5.46712G	7.01	-46.38	-45.54	-42.93	-35.92	-27	-8.92
5530MHz	Pass	5.31G	5.47G	AV	5.45912G	7.01	-54.24	-50.51	-48.98	-41.97	-41.2	-0.77
5530MHz	Pass	5.31G	5.47G	PK	5.46392G	7.01	-43.38	-34.94	-34.36	-27.35	-27	-0.35
5530MHz	Pass	5.47G	5.725G	PK	5.47G	7.01	-44.02	-38.29	-37.26	-30.25	-27	-3.25
5530MHz	Pass	5.725G	5.885G	PK	5.72788G	7.01	-48.03	-43.72	-42.35	-35.34	-27	-8.34
5610MHz	Pass	5.31G	5.47G	AV	5.45944G	7.01	-53.38	-53.98	-50.66	-43.65	-41.2	-2.45
5610MHz	Pass	5.31G	5.47G	PK	5.46936G	7.01	-43.26	-43.01	-40.12	-33.11	-27	-6.11
5610MHz	Pass	5.47G	5.725G	PK	5.725G	7.01	-40.56	-39.22	-36.83	-29.82	-27	-2.82
5610MHz	Pass	5.725G	5.885G	PK	5.73012G	7.01	-40.31	-39.33	-36.78	-29.77	-27	-2.77
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	5.47G	AV	5.44568G	7.01	-55.7	-58.73	-53.95	-46.94	-41.2	-5.74
5690MHz Straddle 5.47-5.725GHz	Pass	5.31G	5.47G	PK	5.4636G	7.01	-45.55	-48.91	-43.9	-36.89	-27	-9.89
5690MHz Straddle 5.47-5.725GHz	Pass	5.47G	5.85G	PK	5.85G	7.01	-42.86	-42.89	-39.86	-32.85	-27	-5.85
5690MHz Straddle 5.47-5.725GHz	Pass	5.85G	6.01G	PK	5.85352G	7.01	-41.95	-43.45	-39.63	-32.62	-27	-5.62
5775MHz	Pass	5.665G	5.725G	PK	5.64276G	7.01	-41.89	-45.45	-40.3	-33.29	-27	-6.29
5775MHz	Pass	5.725G	5.85G	PK	5.85G	7.01	-40.27	-37.07	-35.37	-28.36	27	-55.36
5775MHz	Pass	5.85G	6.01G	PK	5.9316G	7.01	-45.3	-41.2	-39.77	-32.76	-27	-5.76


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

11a20_Nss1,(6Mbps)_2TX

5180MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.15G	1M	PK	5.14912G	-22.22	-21.20	-1.02	7.01	0.00	-29.23	-40.36	-29.58
5.15G	5.35G	1M	PK	5.15G	-24.56	-21.20	-3.36	7.01	0.00	-31.57	-38.87	-32.46
5.35G	5.39G	1M	PK	5.388G	-36.74	-21.20	-15.54	7.01	0.00	-43.75	-47.19	-46.37

11a20_Nss1,(6Mbps)_2TX

5180MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.15G	1M	AV	5.14904G	-42.93	-41.20	-1.73	7.01	0.00	-49.94	-54.68	-51.71
5.15G	5.35G	1M	AV	5.15G	-43.34	-41.20	-2.14	7.01	0.00	-50.35	-54.96	-52.19
5.35G	5.39G	1M	AV	5.38936G	-46.67	-41.20	-5.47	7.01	0.00	-53.68	-56.45	-56.94

11a20_Nss1,(6Mbps)_2TX

5200MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.15G	1M	PK	5.14952G	-35.75	-21.20	-14.55	7.01	0.00	-42.76	-45.58	-45.96
5.15G	5.35G	1M	PK	5.15G	-36.86	-21.20	-15.66	7.01	0.00	-43.87	-47.97	-46.01
5.35G	5.39G	1M	PK	5.38056G	-36.59	-21.20	-15.39	7.01	0.00	-43.60	-47.37	-45.96

11a20_Nss1,(6Mbps)_2TX

5200MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.15G	1M	AV	5.14992G	-45.67	-41.20	-4.47	7.01	0.00	-52.68	-57.19	-54.57
5.15G	5.35G	1M	AV	5.15G	-46.57	-41.20	-5.37	7.01	0.00	-53.58	-57.17	-56.08
5.35G	5.39G	1M	AV	5.3808G	-46.59	-41.20	-5.39	7.01	0.00	-53.60	-55.97	-57.37

11a20_Nss1,(6Mbps)_2TX

5240MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.15G	1M	PK	5.14648G	-36.38	-21.20	-15.18	7.01	0.00	-43.39	-47.50	-45.52
5.15G	5.35G	1M	PK	5.15G	-38.30	-21.20	-17.10	7.01	0.00	-45.31	-48.56	-48.10
5.35G	5.39G	1M	PK	5.36592G	-36.49	-21.20	-15.29	7.01	0.00	-43.50	-47.07	-46.02

11a20_Nss1,(6Mbps)_2TX

5240MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.15G	1M	AV	5.13528G	-46.62	-41.20	-5.42	7.01	0.00	-53.63	-58.04	-55.59
5.15G	5.35G	1M	AV	5.35G	-47.13	-41.20	-5.93	7.01	0.00	-54.14	-56.68	-57.67
5.35G	5.39G	1M	AV	5.37168G	-46.60	-41.20	-5.40	7.01	0.00	-53.61	-55.89	-57.49

11a20_Nss1,(6Mbps)_2TX

5260MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.15G	1M	PK	5.14728G	-37.61	-21.20	-16.41	7.01	0.00	-44.62	-47.68	-47.58
5.15G	5.35G	1M	PK	5.35G	-37.40	-21.20	-16.20	7.01	0.00	-44.41	-47.70	-47.16
5.35G	5.39G	1M	PK	5.36728G	-35.09	-21.20	-13.89	7.01	0.00	-42.10	-47.55	-43.56

11a20_Nss1,(6Mbps)_2TX

5260MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.15G	1M	AV	5.14664G	-47.34	-41.20	-6.14	7.01	0.00	-54.35	-58.20	-56.65
5.15G	5.35G	1M	AV	5.35G	-47.59	-41.20	-6.39	7.01	0.00	-54.60	-57.67	-57.55
5.35G	5.39G	1M	AV	5.3568G	-45.60	-41.20	-4.40	7.01	0.00	-52.61	-55.45	-55.80

11a20_Nss1,(6Mbps)_2TX

5300MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.15G	1M	PK	5.1396G	-38.03	-21.20	-16.83	7.01	0.00	-45.04	-48.41	-47.72
5.15G	5.35G	1M	PK	5.35G	-37.17	-21.20	-15.97	7.01	0.00	-44.18	-48.10	-46.44
5.35G	5.39G	1M	PK	5.38872G	-35.26	-21.20	-14.06	7.01	0.00	-42.27	-46.78	-44.17

11a20_Nss1,(6Mbps)_2TX

5300MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.15G	1M	AV	5.13616G	-48.21	-41.20	-7.01	7.01	0.00	-55.22	-59.47	-57.26
5.15G	5.35G	1M	AV	5.35G	-46.33	-41.20	-5.13	7.01	0.00	-53.34	-56.71	-56.02
5.35G	5.39G	1M	AV	5.38624G	-45.83	-41.20	-4.63	7.01	0.00	-52.84	-56.64	-55.19

11a20_Nss1,(6Mbps)_2TX

5320MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.15G	1M	PK	5.12392G	-38.12	-21.20	-16.92	7.01	0.00	-45.13	-49.15	-47.32
5.15G	5.35G	1M	PK	5.35G	-27.23	-21.20	-6.03	7.01	0.00	-34.24	-44.50	-34.67
5.35G	5.39G	1M	PK	5.35008G	-25.62	-21.20	-4.42	7.01	0.00	-32.63	-41.67	-33.21

11a20_Nss1,(6Mbps)_2TX

5320MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.15G	1M	AV	5.1224G	-48.36	-41.20	-7.16	7.01	0.00	-55.37	-59.64	-57.40
5.15G	5.35G	1M	AV	5.35G	-43.47	-41.20	-2.27	7.01	0.00	-50.48	-54.43	-52.72
5.35G	5.39G	1M	AV	5.35096G	-43.33	-41.20	-2.13	7.01	0.00	-50.34	-55.06	-52.12

11a20_Nss1,(6Mbps)_2TX

5500MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.47G	1M	PK	5.46994G	-30.90	-27.00	-3.90	7.01	0.00	-37.91	-46.26	-38.60
5.47G	5.725G	1M	PK	5.47G	-33.52	-27.00	-6.52	7.01	0.00	-40.53	-46.39	-41.84
5.725G	5.765G	1M	PK	5.73444G	-36.99	-27.00	-9.99	7.01	0.00	-44.00	-50.26	-45.17

11a20_Nss1,(6Mbps)_2TX

5500MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.47G	1M	AV	5.45336G	-44.89	-41.20	-3.69	7.01	0.00	-51.90	-55.61	-54.30

11a20_Nss1,(6Mbps)_2TX

5580MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.47G	1M	PK	5.46968G	-38.02	-27.00	-11.02	7.01	0.00	-45.03	-46.79	-49.80
5.47G	5.725G	1M	PK	5.725G	-37.44	-27.00	-10.44	7.01	0.00	-44.45	-48.76	-46.46
5.725G	5.765G	1M	PK	5.76268G	-36.09	-27.00	-9.09	7.01	0.00	-43.10	-48.86	-44.44

11a20_Nss1,(6Mbps)_2TX

5580MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.47G	1M	AV	5.4472G	-47.95	-41.20	-6.75	7.01	0.00	-54.96	-58.63	-57.40

11a20_Nss1,(6Mbps)_2TX

5700MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.47G	1M	PK	5.46608G	-38.86	-27.00	-11.86	7.01	0.00	-45.87	-50.19	-47.87
5.47G	5.725G	1M	PK	5.725G	-33.59	-27.00	-6.59	7.01	0.00	-40.60	-52.50	-40.89
5.725G	5.765G	1M	PK	5.72556G	-31.79	-27.00	-4.79	7.01	0.00	-38.80	-51.82	-39.02

11a20_Nss1,(6Mbps)_2TX

5700MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.47G	1M	AV	5.4564G	-47.95	-41.20	-6.75	7.01	0.00	-54.96	-56.86	-59.46

11a20_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.47G	1M	PK	5.464G	-37.88	-27.00	-10.88	7.01	0.00	-44.89	-48.56	-47.33
5.47G	5.85G	1M	PK	5.85G	-38.12	-27.00	-11.12	7.01	0.00	-45.13	-48.54	-47.77
5.85G	5.89G	1M	PK	5.8532G	-36.99	-27.00	-9.99	7.01	0.00	-44.00	-46.14	-48.11

11a20_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.47G	1M	AV	5.45976G	-48.13	-41.20	-6.93	7.01	0.00	-55.14	-57.56	-58.83

11a20_Nss1,(6Mbps)_2TX

5745MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.725G	1M	PK	5.68508G	-35.75	-1.04	-34.71	7.01	0.00	-42.76	-45.18	-46.45
5.725G	5.85G	1M	PK	5.85G	-35.95	27.00	-62.95	7.01	0.00	-42.96	-45.50	-46.50
5.85G	5.89G	1M	PK	5.89G	-37.62	-1.10	-36.52	7.01	0.00	-44.63	-47.82	-47.46

11a20_Nss1,(6Mbps)_2TX

5785MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.725G	1M	PK	5.68516G	-36.49	-0.98	-35.51	7.01	0.00	-43.50	-45.20	-48.40
5.725G	5.85G	1M	PK	5.85G	-37.39	27.00	-64.39	7.01	0.00	-44.40	-47.10	-47.74
5.85G	5.89G	1M	PK	5.89G	-35.74	-1.10	-34.64	7.01	0.00	-42.75	-45.90	-45.63

11a20_Nss1,(6Mbps)_2TX

5825MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.725G	1M	PK	5.68612G	-37.74	-0.27	-37.47	7.01	0.00	-44.75	-47.41	-48.14
5.725G	5.85G	1M	PK	5.85G	-22.20	27.00	-49.20	7.01	0.00	-29.21	-31.93	-32.53
5.85G	5.89G	1M	PK	5.88864G	-35.87	-0.09	-35.78	7.01	0.00	-42.88	-44.87	-47.23

11a40_Nss1,(6Mbps)_2TX

5190MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.15G	1M	PK	5.14968G	-26.40	-21.20	-5.20	7.01	0.00	-33.41	-43.40	-33.87
5.15G	5.35G	1M	PK	5.15G	-30.94	-21.20	-9.74	7.01	0.00	-37.95	-41.99	-40.13
5.35G	5.43G	1M	PK	5.37016G	-37.10	-21.20	-15.90	7.01	0.00	-44.11	-47.71	-46.60

11a40_Nss1,(6Mbps)_2TX

5190MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.15G	1M	AV	5.1496G	-41.94	-41.20	-0.74	7.01	0.00	-48.95	-52.71	-51.32
5.15G	5.35G	1M	AV	5.15G	-42.73	-41.20	-1.53	7.01	0.00	-49.74	-53.52	-52.09
5.35G	5.43G	1M	AV	5.3504G	-47.31	-41.20	-6.11	7.01	0.00	-54.32	-57.21	-57.46

11a40_Nss1,(6Mbps)_2TX

5230MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.15G	1M	PK	5.13496G	-35.15	-21.20	-13.95	7.01	0.00	-42.16	-45.48	-44.88
5.15G	5.35G	1M	PK	5.15G	-36.20	-21.20	-15.00	7.01	0.00	-43.21	-46.57	-45.90
5.35G	5.43G	1M	PK	5.37G	-35.14	-21.20	-13.94	7.01	0.00	-42.15	-44.69	-45.69

11a40_Nss1,(6Mbps)_2TX

5230MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.15G	1M	AV	5.146G	-45.07	-41.20	-3.87	7.01	0.00	-52.08	-55.19	-55.00
5.15G	5.35G	1M	AV	5.15G	-45.63	-41.20	-4.43	7.01	0.00	-52.64	-55.75	-55.55
5.35G	5.43G	1M	AV	5.3588G	-45.46	-41.20	-4.26	7.01	0.00	-52.47	-56.18	-54.87

11a40_Nss1,(6Mbps)_2TX

5270MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.15G	1M	PK	5.146G	-36.64	-21.20	-15.44	7.01	0.00	-43.65	-48.26	-45.49
5.15G	5.35G	1M	PK	5.35G	-35.95	-21.20	-14.75	7.01	0.00	-42.96	-45.47	-46.54
5.35G	5.43G	1M	PK	5.354G	-33.60	-21.20	-12.40	7.01	0.00	-40.61	-42.36	-45.40

11a40_Nss1,(6Mbps)_2TX

5270MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DC(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.15G	1M	AV	5.146G	-46.65	-41.20	-5.45	7.01	0.00	-53.66	-57.23	-56.17
5.15G	5.35G	1M	AV	5.35G	-45.08	-41.20	-3.88	7.01	0.00	-52.09	-55.75	-54.54
5.35G	5.43G	1M	AV	5.35344G	-44.28	-41.20	-3.08	7.01	0.00	-51.29	-54.49	-54.12

11a40_Nss1,(6Mbps)_2TX

5310MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DC(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.15G	1M	PK	5.14168G	-37.88	-21.20	-16.68	7.01	0.00	-44.89	-47.12	-48.84
5.15G	5.35G	1M	PK	5.35G	-23.40	-21.20	-2.20	7.01	0.00	-30.41	-40.79	-30.83
5.35G	5.43G	1M	PK	5.35G	-24.05	-21.20	-2.85	7.01	0.00	-31.06	-42.83	-31.36

11a40_Nss1,(6Mbps)_2TX

5310MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.070G	5.150G	1M	AV	5.10792G	-48.37	-41.20	-7.17	7.01	0.00	-55.38	-59.75	-57.36
5.150G	5.350G	1M	AV	5.350G	-42.10	-41.20	-0.90	7.01	0.00	-49.11	-52.49	-51.78
5.350G	5.430G	1M	AV	5.350G	-41.84	-41.20	-0.64	7.01	0.00	-48.85	-52.01	-51.72

11a40_Nss1,(6Mbps)_2TX

5510MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.390G	5.470G	1M	PK	5.46936G	-27.12	-27.00	-0.12	7.01	0.00	-34.13	-45.12	-34.49
5.470G	5.725G	1M	PK	5.470G	-33.06	-27.00	-6.06	7.01	0.00	-40.07	-43.71	-42.53
5.725G	5.805G	1M	PK	5.74756G	-37.42	-27.00	-10.42	7.01	0.00	-44.43	-49.59	-46.01

11a40_Nss1,(6Mbps)_2TX
5510MHz

CSE [AV]


28/07/2021



11a40_Nss1,(6Mbps)_2TX
5550MHz

CSE [PK]


28/07/2021



11a40_Nss1,(6Mbps)_2TX 5550MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.47G	1M	AV	5.45992G	-45.65	-41.20	-4.45	7.01	0.00	-52.66	-55.52	-55.82

11a40_Nss1,(6Mbps)_2TX 5670MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.47G	1M	PK	5.46168G	-36.77	-27.00	-9.77	7.01	0.00	-43.78	-45.84	-48.00
5.47G	5.725G	1M	PK	5.725G	-29.31	-27.00	-2.31	7.01	0.00	-36.32	-37.02	-44.57
5.725G	5.805G	1M	PK	5.72628G	-27.03	-27.00	-0.03	7.01	0.00	-34.04	-34.60	-43.22

11a40_Nss1,(6Mbps)_2TX
5670MHz

CSE [AV]


28/07/2021



11a40_Nss1,(6Mbps)_2TX
5710MHz Straddle 5.47-5.725GHz

CSE [PK]

28/07/2021




11a40_Nss1,(6Mbps)_2TX

5710MHz Straddle 5.47-5.725GHz

CSE [AV]

28/07/2021




11a40_Nss1,(6Mbps)_2TX

5755MHz

CSE [PK]

28/07/2021




11a40_Nss1,(6Mbps)_2TX

5795MHz

CSE [PK]

28/07/2021




11a80_Nss1,(6Mbps)_2TX

5210MHz

CSE [PK]

28/07/2021




11a80_Nss1,(6Mbps)_2TX

5210MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.15G	1M	AV	5.15G	-42.24	-41.20	-1.04	7.01	0.00	-49.25	-54.59	-50.75
5.15G	5.35G	1M	AV	5.15G	-43.11	-41.20	-1.91	7.01	0.00	-50.12	-55.22	-51.72
5.35G	5.51G	1M	AV	5.3564G	-44.73	-41.20	-3.53	7.01	0.00	-51.74	-54.87	-54.63

11a80_Nss1,(6Mbps)_2TX

5290MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.15G	1M	PK	5.1452G	-35.33	-21.20	-14.13	7.01	0.00	-42.34	-45.95	-44.83
5.15G	5.35G	1M	PK	5.35G	-27.04	-21.20	-5.84	7.01	0.00	-34.05	-46.45	-34.31
5.35G	5.51G	1M	PK	5.35096G	-23.67	-21.20	-2.47	7.01	0.00	-30.68	-45.40	-30.83

11a80_Nss1,(6Mbps)_2TX

5290MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.15G	1M	AV	5.14648G	-45.08	-41.20	-3.88	7.01	0.00	-52.09	-55.96	-54.39
5.15G	5.35G	1M	AV	5.35G	-43.14	-41.20	-1.94	7.01	0.00	-50.15	-55.92	-51.49
5.35G	5.51G	1M	AV	5.3532G	-42.78	-41.20	-1.58	7.01	0.00	-49.79	-54.10	-51.80

11a80_Nss1,(6Mbps)_2TX

5530MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.47G	1M	PK	5.46936G	-27.72	-27.00	-0.72	7.01	0.00	-34.73	-47.47	-34.97
5.47G	5.725G	1M	PK	5.47G	-29.19	-27.00	-2.19	7.01	0.00	-36.20	-47.04	-36.57
5.725G	5.885G	1M	PK	5.73876G	-37.01	-27.00	-10.01	7.01	0.00	-44.02	-48.52	-45.93

11a80_Nss1,(6Mbps)_2TX
5530MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.47G	1M	AV	5.45848G	-45.67	-41.20	-4.47	7.01	0.00	-52.68	-57.18	-54.58

11a80_Nss1,(6Mbps)_2TX
5610MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.47G	1M	PK	5.46488G	-29.81	-27.00	-2.81	7.01	0.00	-36.82	-40.88	-39.60
5.47G	5.725G	1M	PK	5.725G	-29.70	-27.00	-2.70	7.01	0.00	-36.71	-40.22	-39.28
5.725G	5.885G	1M	PK	5.73172G	-28.14	-27.00	-1.14	7.01	0.00	-35.15	-41.16	-36.40

11a80_Nss1,(6Mbps)_2TX 5610MHz

CSE [AV]


28/07/2021



11a80_Nss1,(6Mbps)_2TX 5690MHz Straddle 5.47-5.725GHz

CSE [PK]

28/07/2021




11a80_Nss1,(6Mbps)_2TX

5690MHz Straddle 5.47-5.725GHz

CSE [AV]

28/07/2021




11a80_Nss1,(6Mbps)_2TX

5775MHz

CSE [PK]

28/07/2021




802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.15G	1M	PK	5.1476G	-26.61	-21.20	-5.41	7.01	0.00	-33.62	-41.44	-34.40
5.15G	5.35G	1M	PK	5.15G	-28.12	-21.20	-6.92	7.01	0.00	-35.13	-41.29	-36.34
5.35G	5.39G	1M	PK	5.3864G	-36.61	-21.20	-15.41	7.01	0.00	-43.62	-48.08	-45.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.15G	1M	AV	5.14976G	-42.59	-41.20	-1.39	7.01	0.00	-49.60	-54.91	-51.12
5.15G	5.35G	1M	AV	5.15G	-44.60	-41.20	-3.40	7.01	0.00	-51.61	-55.90	-53.64
5.35G	5.39G	1M	AV	5.38656G	-47.12	-41.20	-5.92	7.01	0.00	-54.13	-57.23	-57.05

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz

CSE [PK]

28/07/2021




802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz

CSE [AV]

28/07/2021




802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz

CSE [PK]

28/07/2021




802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz

CSE [AV]

28/07/2021




802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz

CSE [PK]

28/07/2021




802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz

CSE [AV]

28/07/2021




802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz

CSE [PK]

28/07/2021




802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz

CSE [AV]

28/07/2021




802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz

CSE [PK]

28/07/2021




802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz

CSE [AV]

28/07/2021




802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.47G	1M	PK	5.46872G	-28.19	-27.00	-1.19	7.01	0.00	-35.20	-40.04	-36.93
5.47G	5.725G	1M	PK	5.47G	-29.50	-27.00	-2.50	7.01	0.00	-36.51	-42.50	-37.77
5.725G	5.765G	1M	PK	5.74908G	-37.16	-27.00	-10.16	7.01	0.00	-44.17	-48.40	-46.23

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.47G	1M	AV	5.45952G	-45.68	-41.20	-4.48	7.01	0.00	-52.69	-55.95	-55.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.47G	1M	PK	5.46928G	-38.14	-27.00	-11.14	7.01	0.00	-45.15	-49.06	-47.41
5.47G	5.725G	1M	PK	5.725G	-38.68	-27.00	-11.68	7.01	0.00	-45.69	-49.91	-47.76
5.725G	5.765G	1M	PK	5.73892G	-36.86	-27.00	-9.86	7.01	0.00	-43.87	-48.67	-45.62

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.47G	1M	AV	5.43488G	-48.16	-41.20	-6.96	7.01	0.00	-55.17	-58.09	-58.27

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.47G	1M	PK	5.4692G	-38.70	-27.00	-11.70	7.01	0.00	-45.71	-47.44	-50.53
5.47G	5.725G	1M	PK	5.725G	-31.69	-27.00	-4.69	7.01	0.00	-38.70	-39.88	-44.94
5.725G	5.765G	1M	PK	5.72796G	-30.23	-27.00	-3.23	7.01	0.00	-37.24	-37.87	-45.93

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.47G	1M	AV	5.45416G	-48.63	-41.20	-7.43	7.01	0.00	-55.64	-57.73	-59.82

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz

CSE [PK]

28/07/2021




802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz

CSE [AV]

28/07/2021




802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DC(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.725G	1M	PK	5.72020G	-18.52	16.24	-34.76	7.01	0.00	-25.53	-26.96	-31.05
5.725G	5.85G	1M	PK	5.85G	-36.37	27.00	-63.37	7.01	0.00	-43.38	-45.42	-47.65
5.85G	5.89G	1M	PK	5.88984G	-37.12	-0.98	-36.14	7.01	0.00	-44.13	-48.14	-46.32

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.725G	1M	PK	5.6854G	-36.28	-0.63	-35.65	7.01	0.00	-43.29	-45.40	-47.45
5.725G	5.85G	1M	PK	5.85G	-35.99	27.00	-62.99	7.01	0.00	-43.00	-46.23	-45.80
5.85G	5.89G	1M	PK	5.8892G	-34.77	-1.04	-33.73	7.01	0.00	-41.78	-45.85	-43.94

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.685G	5.725G	1M	PK	5.6862G	-37.46	-0.15	-37.31	7.01	0.00	-44.47	-47.31	-47.66
5.725G	5.85G	1M	PK	5.85G	-19.13	27.00	-46.13	7.01	0.00	-26.14	-30.23	-28.28
5.85G	5.89G	1M	PK	5.8892G	-34.57	-0.51	-34.06	7.01	0.00	-41.58	-46.92	-43.08

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.15G	1M	PK	5.15G	-31.62	-21.20	-10.42	7.01	0.00	-38.63	-43.37	-40.40
5.15G	5.35G	1M	PK	5.15G	-31.78	-21.20	-10.58	7.01	0.00	-38.79	-43.09	-40.80
5.35G	5.43G	1M	PK	5.40392G	-37.61	-21.20	-16.41	7.01	0.00	-44.62	-47.35	-47.92

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.15G	1M	AV	5.15G	-42.70	-41.20	-1.50	7.01	0.00	-49.71	-53.85	-51.83
5.15G	5.35G	1M	AV	5.15G	-42.39	-41.20	-1.19	7.01	0.00	-49.40	-53.93	-51.29
5.35G	5.43G	1M	AV	5.38056G	-47.84	-41.20	-6.64	7.01	0.00	-54.85	-58.66	-57.19

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.15G	1M	PK	5.14792G	-34.97	-21.20	-13.77	7.01	0.00	-41.98	-45.19	-44.80
5.15G	5.35G	1M	PK	5.15G	-36.67	-21.20	-15.47	7.01	0.00	-43.68	-47.07	-46.35
5.35G	5.43G	1M	PK	5.37048G	-35.42	-21.20	-14.22	7.01	0.00	-42.43	-45.39	-45.49

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.15G	1M	AV	5.14888G	-45.76	-41.20	-4.56	7.01	0.00	-52.77	-56.52	-55.14
5.15G	5.35G	1M	AV	5.35G	-45.95	-41.20	-4.75	7.01	0.00	-52.96	-55.62	-56.35
5.35G	5.43G	1M	AV	5.35048G	-45.78	-41.20	-4.58	7.01	0.00	-52.79	-55.71	-55.89

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.15G	1M	PK	5.14408G	-36.90	-21.20	-15.70	7.01	0.00	-43.91	-47.61	-46.32
5.15G	5.35G	1M	PK	5.35G	-36.89	-21.20	-15.69	7.01	0.00	-43.90	-47.47	-46.42
5.35G	5.43G	1M	PK	5.36488G	-34.42	-21.20	-13.22	7.01	0.00	-41.43	-43.81	-45.18

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.15G	1M	AV	5.13256G	-47.17	-41.20	-5.97	7.01	0.00	-54.18	-57.75	-56.70
5.15G	5.35G	1M	AV	5.35G	-45.72	-41.20	-4.52	7.01	0.00	-52.73	-55.73	-55.76
5.35G	5.43G	1M	AV	5.36312G	-44.92	-41.20	-3.72	7.01	0.00	-51.93	-54.76	-55.12

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.15G	1M	PK	5.13208G	-38.35	-21.20	-17.15	7.01	0.00	-45.36	-49.03	-47.80
5.15G	5.35G	1M	PK	5.35G	-30.63	-21.20	-9.43	7.01	0.00	-37.64	-43.97	-38.79
5.35G	5.43G	1M	PK	5.35192G	-29.29	-21.20	-8.09	7.01	0.00	-36.30	-43.05	-37.33

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.15G	1M	AV	5.11416G	-48.74	-41.20	-7.54	7.01	0.00	-55.75	-59.68	-58.01
5.15G	5.35G	1M	AV	5.35G	-42.57	-41.20	-1.37	7.01	0.00	-49.58	-52.90	-52.30
5.35G	5.43G	1M	AV	5.35224G	-41.76	-41.20	-0.56	7.01	0.00	-48.77	-51.80	-51.76

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.47G	1M	PK	5.46888G	-28.52	-27.00	+1.52	7.01	0.00	-35.53	-43.36	-36.31
5.47G	5.725G	1M	PK	5.47G	-27.79	-27.00	-0.79	7.01	0.00	-34.80	-42.91	-35.53
5.725G	5.805G	1M	PK	5.77556G	-36.92	-27.00	-9.92	7.01	0.00	-43.93	-49.25	-45.44

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.47G	1M	AV	5.45896G	-43.82	-41.20	-2.62	7.01	0.00	-50.83	-54.53	-53.24

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.47G	1M	PK	5.46648G	-35.95	-27.00	+8.95	7.01	0.00	-42.96	-46.07	-45.88
5.47G	5.725G	1M	PK	5.47G	-35.91	-27.00	+8.91	7.01	0.00	-42.92	-46.70	-45.27
5.725G	5.805G	1M	PK	5.78964G	-35.70	-27.00	+8.70	7.01	0.00	-42.71	-47.81	-44.32

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.47G	1M	AV	5.44904G	-45.97	-41.20	-4.77	7.01	0.00	-52.98	-56.15	-55.84

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.47G	1M	PK	5.46312G	-37.83	-27.00	-10.83	7.01	0.00	-44.84	-47.37	-48.39
5.47G	5.725G	1M	PK	5.725G	-29.68	-27.00	-2.68	7.01	0.00	-36.69	-37.47	-44.55
5.725G	5.805G	1M	PK	5.73188G	-29.58	-27.00	-2.58	7.01	0.00	-36.59	-37.60	-43.40

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.47G	1M	AV	5.39272G	-47.90	-41.20	-6.70	7.01	0.00	-54.91	-57.03	-59.03

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.47G	1M	PK	5.46952G	-37.75	-27.00	-10.75	7.01	0.00	-44.76	-47.61	-47.94
5.47G	5.85G	1M	PK	5.85G	-37.12	-27.00	-10.12	7.01	0.00	-44.13	-46.67	-47.67
5.85G	5.93G	1M	PK	5.86344G	-35.21	-27.00	-8.21	7.01	0.00	-42.22	-45.38	-45.08

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.47G	1M	AV	5.4092G	-47.08	-41.20	-5.88	7.01	0.00	-54.09	-55.77	-59.03

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.645G	5.725G	1M	PK	5.64692G	-35.45	-27.00	-8.45	7.01	0.00	-42.46	-44.03	-47.54
5.725G	5.85G	1M	PK	5.85G	-36.09	27.00	-63.09	7.01	0.00	-43.10	-45.84	-46.39
5.85G	5.93G	1M	PK	5.92872G	-37.05	-27.00	-10.05	7.01	0.00	-44.06	-46.82	-47.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.645G	5.725G	1M	PK	5.64686G	-37.58	-27.00	-10.58	7.01	0.00	-44.59	-46.17	-49.74
5.725G	5.85G	1M	PK	5.85G	-32.00	27.00	-59.00	7.01	0.00	-39.01	-42.88	-41.30
5.85G	5.93G	1M	PK	5.92936G	-37.03	-27.00	-10.03	7.01	0.00	-44.04	-46.60	-45.91

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz

CSE [PK]

28/07/2021




802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz

CSE [AV]

28/07/2021




802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz

CSE [PK]

28/07/2021




802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz

CSE [AV]

28/07/2021




802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.47G	1M	PK	5.46392G	-27.35	-27.00	-0.35	7.01	0.00	-34.36	-43.38	-34.94
5.47G	5.725G	1M	PK	5.47G	-30.25	-27.00	-3.25	7.01	0.00	-37.26	-44.02	-38.29
5.725G	5.885G	1M	PK	5.72788G	-35.34	-27.00	-8.34	7.01	0.00	-42.35	-48.03	-43.72

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.47G	1M	AV	5.45912G	-41.97	-41.20	-0.77	7.01	0.00	-48.98	-54.24	-50.51

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.47G	1M	PK	5.46936G	-33.11	-27.00	-6.11	7.01	0.00	-40.12	-43.26	-43.01
5.47G	5.725G	1M	PK	5.725G	-29.82	-27.00	-2.82	7.01	0.00	-36.83	-40.56	-39.22
5.725G	5.885G	1M	PK	5.73012G	-29.77	-27.00	-2.77	7.01	0.00	-36.78	-40.31	-39.33

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.47G	1M	AV	5.45944G	-43.65	-41.20	-2.45	7.01	0.00	-50.66	-53.38	-53.98

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz

CSE [PK]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.47G	1M	PK	5.4636G	-36.89	-27.00	-9.89	7.01	0.00	-43.90	-45.55	-46.91
5.47G	5.85G	1M	PK	5.85G	-32.85	-27.00	-5.85	7.01	0.00	-39.86	-42.86	-42.89
5.85G	6.01G	1M	PK	5.8532G	-32.62	-27.00	-5.62	7.01	0.00	-39.63	-41.95	-43.45

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz

CSE [AV]

28/07/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.47G	1M	AV	5.4456G	-46.94	-41.20	-5.74	7.01	0.00	-53.95	-55.70	-58.73

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz

CSE [PK]

28/07/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.565G	5.725G	1M	PK	5.64276G	-33.29	-27.00	-6.29	7.01	0.00	-40.30	-41.89	-45.45
5.725G	5.85G	1M	PK	5.85G	-28.36	27.00	-55.36	7.01	0.00	-35.37	-40.27	-37.07
5.85G	6.01G	1M	PK	5.9316G	-32.76	-27.00	-5.76	7.01	0.00	-39.77	-45.30	-41.20



Summary

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	5.11G	5.15G	AV	5.1496G	4.00	-54.09	-49.53	-48.23	-44.23	-41.20	-3.03
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	5.07G	5.15G	AV	5.14968G	4.00	-51.72	-46.87	-45.64	-41.64	-41.20	-0.44
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	5.15G	5.35G	AV	5.15G	4.00	-50.17	-49.05	-46.56	-42.56	-41.20	-1.36
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	5.15G	5.35G	AV	5.35G	4.00	-51.76	-46.56	-45.41	-41.41	-41.20	-0.21
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	5.35G	5.51G	AV	5.35256G	4.00	-53.09	-46.26	-45.44	-41.44	-41.20	-0.24
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	5.47G	5.725G	PK	5.725G	4.00	-31.62	-45.05	-31.43	-27.43	-27.00	-0.43
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	5.47G	5.725G	PK	5.47G	4.00	-40.43	-34.28	-33.34	-29.34	-27.00	-2.34
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	5.31G	5.47G	PK	5.46296G	4.00	-43.06	-32.69	-32.31	-28.31	-27.00	-1.31

DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX



Result

Mode	Result	F-Start (Hz)	F-Stop (Hz)	Type	Freq (Hz)	DG (dBi)	P1 (dBm)	P2 (dBm)	Psum (dBm)	EIRP (dBm)	Limit (dBm)	Margin (dB)
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	5.11G	5.15G	AV	5.1496G	4.00	-54.09	-49.53	-48.23	-44.23	-41.20	-3.03
5180MHz	Pass	5.15G	5.35G	AV	5.15G	4.00	-54.61	-51.43	-49.72	-45.72	-41.20	-4.52
5180MHz	Pass	5.35G	5.39G	AV	5.38816G	4.00	-57.12	-57.27	-54.18	-50.18	-41.20	-8.98
5180MHz	Pass	5.11G	5.15G	PK	5.14992G	4.00	-39.16	-35.16	-33.70	-29.70	-21.20	-8.50
5180MHz	Pass	5.15G	5.35G	PK	5.15G	4.00	-40.21	-35.67	-34.36	-30.36	-21.20	-9.16
5180MHz	Pass	5.35G	5.39G	PK	5.38648G	4.00	-48.18	-46.42	-44.20	-40.20	-21.20	-19.00
5700MHz	Pass	5.43G	5.47G	AV	5.44416G	4.00	-58.18	-59.37	-55.72	-51.72	-41.20	-10.52
5700MHz	Pass	5.43G	5.47G	PK	5.46912G	4.00	-47.87	-49.92	-45.76	-41.76	-27.00	-14.76
5700MHz	Pass	5.47G	5.725G	PK	5.725G	4.00	-31.62	-45.05	-31.43	-27.43	-27.00	-0.43
5700MHz	Pass	5.725G	5.765G	PK	5.725G	4.00	-31.79	-44.52	-31.56	-27.56	-27.00	-0.56
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	5.07G	5.15G	AV	5.14968G	4.00	-51.72	-46.87	-45.64	-41.64	-41.20	-0.44
5190MHz	Pass	5.15G	5.35G	AV	5.15G	4.00	-51.63	-47.14	-45.82	-41.82	-41.20	-0.62
5190MHz	Pass	5.35G	5.43G	AV	5.35144G	4.00	-57.33	-56.92	-54.11	-50.11	-41.20	-8.91
5190MHz	Pass	5.07G	5.15G	PK	5.1484G	4.00	-38.89	-29.79	-29.29	-25.29	-21.20	-4.09
5190MHz	Pass	5.15G	5.35G	PK	5.15G	4.00	-39.94	-31.93	-31.29	-27.29	-21.20	-6.09
5190MHz	Pass	5.35G	5.43G	PK	5.35672G	4.00	-46.62	-47.48	-44.02	-40.02	-21.20	-18.82
5310MHz	Pass	5.07G	5.15G	AV	5.1444G	4.00	-58.09	-57.49	-54.77	-50.77	-41.20	-9.57
5310MHz	Pass	5.15G	5.35G	AV	5.35G	4.00	-51.76	-46.56	-45.41	-41.41	-41.20	-0.21
5310MHz	Pass	5.35G	5.43G	AV	5.35256G	4.00	-52.32	-46.54	-45.52	-41.52	-41.20	-0.32
5310MHz	Pass	5.07G	5.15G	PK	5.12904G	4.00	-48.39	-47.31	-44.81	-40.81	-21.20	-19.61
5310MHz	Pass	5.15G	5.35G	PK	5.35G	4.00	-38.98	-31.50	-30.79	-26.79	-21.20	-5.59
5310MHz	Pass	5.35G	5.43G	PK	5.35288G	4.00	-42.41	-28.80	-28.61	-24.61	-21.20	-3.41
5510MHz	Pass	5.39G	5.47G	AV	5.45944G	4.00	-53.33	-52.33	-49.79	-45.79	-41.20	-4.59
5510MHz	Pass	5.39G	5.47G	PK	5.4692G	4.00	-40.13	-34.47	-33.43	-29.43	-27.00	-2.43
5510MHz	Pass	5.47G	5.725G	PK	5.47G	4.00	-40.43	-34.28	-33.34	-29.34	-27.00	-2.34
5510MHz	Pass	5.725G	5.805G	PK	5.74468G	4.00	-47.43	-46.35	-43.85	-39.85	-27.00	-12.85
5670MHz	Pass	5.39G	5.47G	AV	5.3948G	4.00	-57.32	-58.77	-54.97	-50.97	-41.20	-9.77
5670MHz	Pass	5.39G	5.47G	PK	5.46328G	4.00	-46.17	-49.72	-44.58	-40.58	-27.00	-13.58
5670MHz	Pass	5.47G	5.725G	PK	5.725G	4.00	-37.05	-44.41	-36.32	-32.32	-27.00	-5.32
5670MHz	Pass	5.725G	5.805G	PK	5.73444G	4.00	-36.30	-45.75	-35.83	-31.83	-27.00	-4.83
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	4.99G	5.15G	AV	5.14904G	4.00	-50.22	-49.38	-46.77	-42.77	-41.20	-1.57
5210MHz	Pass	5.15G	5.35G	AV	5.15G	4.00	-50.17	-49.05	-46.56	-42.56	-41.20	-1.36
5210MHz	Pass	5.35G	5.51G	AV	5.35224G	4.00	-53.67	-54.03	-50.84	-46.84	-41.20	-5.64
5210MHz	Pass	4.99G	5.15G	PK	5.15G	4.00	-38.68	-33.19	-32.11	-28.11	-21.20	-6.91
5210MHz	Pass	5.15G	5.35G	PK	5.15G	4.00	-39.05	-36.93	-34.85	-30.85	-21.20	-9.65
5210MHz	Pass	5.35G	5.51G	PK	5.50136G	4.00	-46.73	-48.89	-44.67	-40.67	-27.00	-13.67
5290MHz	Pass	4.99G	5.15G	AV	5.15G	4.00	-56.61	-53.55	-51.81	-47.81	-41.20	-6.61
5290MHz	Pass	5.15G	5.35G	AV	5.35G	4.00	-53.02	-47.79	-46.65	-42.65	-41.20	-1.45
5290MHz	Pass	5.35G	5.51G	AV	5.35256G	4.00	-53.09	-46.26	-45.44	-41.44	-41.20	-0.24
5290MHz	Pass	4.99G	5.15G	PK	5.14008G	4.00	-45.39	-44.34	-41.82	-37.82	-21.20	-16.62
5290MHz	Pass	5.15G	5.35G	PK	5.35G	4.00	-42.49	-36.05	-35.16	-31.16	-21.20	-9.96
5290MHz	Pass	5.35G	5.51G	PK	5.3692G	4.00	-44.49	-32.70	-32.42	-28.42	-21.20	-7.22
5530MHz	Pass	5.31G	5.47G	AV	5.45976G	4.00	-53.37	-49.56	-48.05	-44.05	-41.20	-2.85
5530MHz	Pass	5.31G	5.47G	PK	5.46296G	4.00	-43.06	-32.69	-32.31	-28.31	-27.00	-1.31
5530MHz	Pass	5.47G	5.725G	PK	5.47G	4.00	-39.88	-36.25	-34.69	-30.69	-27.00	-3.69
5530MHz	Pass	5.725G	5.885G	PK	5.7266G	4.00	-49.44	-44.36	-43.19	-39.19	-27.00	-12.19


DG = Directional Gain ; PX=Port X; Psum=P1+P2+...PX

802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz

CSE [PK]

02/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.15G	1M	PK	5.14992G	-29.70	-21.20	-8.50	4.00	0.00	-33.70	-39.16	-35.16
5.15G	5.35G	1M	PK	5.15G	-30.36	-21.20	-9.16	4.00	0.00	-34.36	-40.21	-35.67
5.35G	5.39G	1M	PK	5.38648G	-40.20	-21.20	-19.00	4.00	0.00	-44.20	-48.18	-46.42

802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz

CSE [AV]

02/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	ERP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.11G	5.15G	1M	AV	5.1496G	-44.23	-41.20	-3.03	4.00	0.00	-48.23	-54.09	-49.53
5.15G	5.35G	1M	AV	5.15G	-45.72	-41.20	-4.52	4.00	0.00	-49.72	-54.61	-51.43
5.35G	5.39G	1M	AV	5.38816G	-50.18	-41.20	-8.98	4.00	0.00	-54.18	-57.12	-57.27

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz

CSE [PK]

02/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.47G	1M	PK	5.46912G	-41.76	-27.00	-14.76	4.00	0.00	-45.76	-47.87	-49.92
5.47G	5.725G	1M	PK	5.725G	-27.43	-27.00	-0.43	4.00	0.00	-31.43	-31.62	-45.05
5.725G	5.765G	1M	PK	5.725G	-27.56	-27.00	-0.56	4.00	0.00	-31.56	-31.79	-44.52

802.11ax HEW20_Nss2,(MCS0)_2TX

5700MHz

CSE [AV]

02/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.43G	5.47G	1M	AV	5.44416G	-51.72	-41.20	-10.52	4.00	0.00	-55.72	-58.18	-59.37

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz

CSE [PK]

02/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.15G	1M	PK	5.1484G	-25.29	-21.20	-4.09	4.00	0.00	-29.29	-38.89	-29.79
5.15G	5.35G	1M	PK	5.15G	-27.29	-21.20	-6.09	4.00	0.00	-31.29	-39.94	-31.93
5.35G	5.43G	1M	PK	5.35672G	-40.02	-21.20	-18.82	4.00	0.00	-44.02	-46.62	-47.48

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz

CSE [AV]

02/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.15G	1M	AV	5.14968G	-41.64	-41.20	-0.44	4.00	0.00	-45.64	-51.72	-46.87
5.15G	5.35G	1M	AV	5.15G	-41.82	-41.20	-0.62	4.00	0.00	-45.82	-51.63	-47.14
5.35G	5.43G	1M	AV	5.35144G	-50.11	-41.20	-8.91	4.00	0.00	-54.11	-57.33	-56.92

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz

CSE [PK]

02/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.15G	1M	PK	5.12904G	-40.81	-21.20	-19.61	4.00	0.00	-44.81	-48.39	-47.31
5.15G	5.35G	1M	PK	5.35G	-26.79	-21.20	-5.59	4.00	0.00	-30.79	-38.98	-31.50
5.35G	5.43G	1M	PK	5.35288G	-24.61	-21.20	-3.41	4.00	0.00	-28.61	-42.41	-28.80

802.11ax HEW40_Nss2,(MCS0)_2TX

5310MHz

CSE [AV]

02/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.07G	5.15G	1M	AV	5.1444G	-50.77	-41.20	-9.57	4.00	0.00	-54.77	-58.09	-57.49
5.15G	5.35G	1M	AV	5.35G	-41.41	-41.20	-0.21	4.00	0.00	-45.41	-51.76	-46.56
5.35G	5.43G	1M	AV	5.35256G	-41.52	-41.20	-0.32	4.00	0.00	-45.52	-52.32	-46.54

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz

CSE [PK]

02/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.47G	1M	PK	5.4692G	-29.43	-27.00	-2.43	4.00	0.00	-33.43	-40.13	-34.47
5.47G	5.725G	1M	PK	5.47G	-29.34	-27.00	-2.34	4.00	0.00	-33.34	-40.43	-34.28
5.725G	5.805G	1M	PK	5.74468G	-39.85	-27.00	-12.85	4.00	0.00	-43.85	-47.43	-46.35

802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz

CSE [AV]

02/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.47G	1M	AV	5.45944G	-45.79	-41.20	-4.59	4.00	0.00	-49.79	-53.33	-52.33

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz

CSE [PK]

02/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.47G	1M	PK	5.46328G	-40.58	-27.00	-13.58	4.00	0.00	-44.58	-46.17	-49.72
5.47G	5.725G	1M	PK	5.725G	-32.32	-27.00	-5.32	4.00	0.00	-36.32	-37.05	-44.41
5.725G	5.805G	1M	PK	5.73444G	-31.83	-27.00	-4.83	4.00	0.00	-35.83	-36.30	-45.75

802.11ax HEW40_Nss2,(MCS0)_2TX

5670MHz

CSE [AV]

02/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.39G	5.47G	1M	AV	5.3948G	-50.97	-41.20	-9.77	4.00	0.00	-54.97	-57.32	-58.77

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz

CSE [PK]

02/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.15G	1M	PK	5.15G	-28.11	-21.20	-6.91	4.00	0.00	-32.11	-38.68	-33.19
5.15G	5.35G	1M	PK	5.15G	-30.85	-21.20	-9.65	4.00	0.00	-34.85	-39.05	-36.93
5.35G	5.51G	1M	PK	5.50136G	-40.67	-27.00	-13.67	4.00	0.00	-44.67	-46.73	-48.89

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz

CSE [AV]

02/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.15G	1M	AV	5.14904G	-42.77	-41.20	-1.57	4.00	0.00	-46.77	-50.22	-49.38
5.15G	5.35G	1M	AV	5.15G	-42.56	-41.20	-1.36	4.00	0.00	-46.56	-50.17	-49.05
5.35G	5.51G	1M	AV	5.35224G	-46.84	-41.20	-5.64	4.00	0.00	-50.84	-53.67	-54.03

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz

CSE [PK]

02/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.15G	1M	PK	5.14008G	-37.82	-21.20	-16.62	4.00	0.00	-41.82	-45.39	-44.34
5.15G	5.35G	1M	PK	5.35G	-31.16	-21.20	-9.96	4.00	0.00	-35.16	-42.49	-36.05
5.35G	5.51G	1M	PK	5.3692G	-28.42	-21.20	-7.22	4.00	0.00	-32.42	-44.49	-32.70

802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz

CSE [AV]

02/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dBi)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
4.99G	5.15G	1M	AV	5.15G	-47.81	-41.20	-6.61	4.00	0.00	-51.81	-56.61	-53.55
5.15G	5.35G	1M	AV	5.35G	-42.65	-41.20	-1.45	4.00	0.00	-46.65	-53.02	-47.79
5.35G	5.51G	1M	AV	5.35256G	-41.44	-41.20	-0.24	4.00	0.00	-45.44	-53.09	-46.26

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz

CSE [PK]

02/08/2021




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.47G	1M	PK	5.46296G	-28.31	-27.00	-1.31	4.00	0.00	-32.31	-43.06	-32.69
5.47G	5.725G	1M	PK	5.47G	-30.69	-27.00	-3.69	4.00	0.00	-34.69	-39.88	-36.25
5.725G	5.885G	1M	PK	5.7266G	-39.19	-27.00	-12.19	4.00	0.00	-43.19	-49.44	-44.36

802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz

CSE [AV]

02/08/2021



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Ref(dB)	Psum(dBm)	P1(dBm)	P2(dBm)
5.31G	5.47G	1M	AV	5.45976G	-44.05	-41.20	-2.85	4.00	0.00	-48.05	-53.37	-49.56