


## 14. LTE\_Band26(part22)


14.1. LTE Band Edge(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -53         | -13         | Pass    | 401         |
| 823                   | 824                  | 0.02      | RMS      | 823.998         | -31.29      | -13         | Pass    | 401         |
| 824                   | 826                  | 0.1       | RMS      | 824.25          | 21.54       | 30          | Pass    | 401         |




## 14.2. LTE Band Edge(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.32          | -33.01      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.02      | RMS      | 823.833         | -38.12      | -13         | Pass    | 401         |
| 824                   | 826                  | 0.1       | RMS      | 824.28          | 13.06       | 30          | Pass    | 401         |




### 14.3. LTE Band Edge(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.94          | -53.9       | -13         | Pass    | 401         |
| 823                   | 824                  | 0.02      | RMS      | 824             | -30.6       | -13         | Pass    | 401         |
| 824                   | 826                  | 0.1       | RMS      | 824.25          | 20.46       | 30          | Pass    | 401         |




#### 14.4. LTE Band Edge(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.98          | -32.22      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.02      | RMS      | 823.97          | -34.34      | -13         | Pass    | 401         |
| 824                   | 826                  | 0.1       | RMS      | 825.11          | 12.15       | 30          | Pass    | 401         |




#### 14.5. LTE Band Edge(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 847                   | 849                  | 0.1       | RMS      | 848.755         | 21.32       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.02      | RMS      | 849.003         | -32.66      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -52.65      | -13         | Pass    | 401         |




#### 14.6. LTE Band Edge(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 847                   | 849                  | 0.1       | RMS      | 848.45          | 13.01       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.02      | RMS      | 849.06          | -34.08      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.05          | -32.21      | -13         | Pass    | 401         |




#### 14.7. LTE Band Edge(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 847                   | 849                  | 0.1       | RMS      | 848.76          | 20.32       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.02      | RMS      | 849.003         | -27.17      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -51.47      | -13         | Pass    | 401         |




#### 14.8. LTE Band Edge(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 847                   | 849                  | 0.1       | RMS      | 848.345         | 12          | 30          | Pass    | 401         |
| 849                   | 850                  | 0.02      | RMS      | 849.27          | -34.88      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.125         | -33.42      | -13         | Pass    | 401         |




#### 14.9. LTE Band Edge(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.98          | -53.15      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.01      | RMS      | 823.998         | -24.57      | -13         | Pass    | 401         |
| 824                   | 827                  | 0.1       | RMS      | 824.24          | 21.51       | 30          | Pass    | 401         |




**14.10. LTE Band Edge(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -37.59      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.01      | RMS      | 824             | -31.2       | -13         | Pass    | 401         |
| 824                   | 827                  | 0.1       | RMS      | 825.793         | 9.43        | 30          | Pass    | 401         |




#### 14.11. LTE Band Edge(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -53.35      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.01      | RMS      | 824             | -26.04      | -13         | Pass    | 401         |
| 824                   | 827                  | 0.1       | RMS      | 824.24          | 20.72       | 30          | Pass    | 401         |




#### 14.12. LTE Band Edge(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.98          | -34.04      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.01      | RMS      | 823.998         | -32.7       | -13         | Pass    | 401         |
| 824                   | 827                  | 0.1       | RMS      | 826.385         | 8.41        | 30          | Pass    | 401         |




#### 14.13. LTE Band Edge(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 846                   | 849                  | 0.1       | RMS      | 848.768         | 21.47       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.01      | RMS      | 849             | -23.6       | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 851.475         | -51.44      | -13         | Pass    | 401         |




#### 14.14. LTE Band Edge(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 846                   | 849                  | 0.1       | RMS      | 847.11          | 9.3         | 30          | Pass    | 401         |
| 849                   | 850                  | 0.01      | RMS      | 849.003         | -33.66      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.025         | -33.34      | -13         | Pass    | 401         |



**14.15. LTE Band Edge(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 846                   | 849                  | 0.1       | RMS      | 848.775         | 20.58       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.01      | RMS      | 849.003         | -25.87      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.025         | -53.04      | -13         | Pass    | 401         |




#### 14.16. LTE Band Edge(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 846                   | 849                  | 0.1       | RMS      | 846.66          | 8.21        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.01      | RMS      | 849             | -33.22      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.1           | -34.13      | -13         | Pass    | 401         |




**14.17. LTE Band Edge(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -50.47      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.01      | RMS      | 824             | -29.79      | -13         | Pass    | 401         |
| 824                   | 829                  | 0.1       | RMS      | 824.338         | 21.4        | 30          | Pass    | 401         |




**14.18. LTE Band Edge(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.9           | -35.04      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.01      | RMS      | 824             | -37.27      | -13         | Pass    | 401         |
| 824                   | 829                  | 0.1       | RMS      | 825.688         | 7.38        | 30          | Pass    | 401         |




**14.19. LTE Band Edge(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -51.24      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.01      | RMS      | 824             | -30.32      | -13         | Pass    | 401         |
| 824                   | 829                  | 0.1       | RMS      | 824.338         | 20.62       | 30          | Pass    | 401         |




**14.20. LTE Band Edge(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.94          | -34.49      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.01      | RMS      | 824             | -37.31      | -13         | Pass    | 401         |
| 824                   | 829                  | 0.1       | RMS      | 825.713         | 6.34        | 30          | Pass    | 401         |



**14.21. LTE Band Edge(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 844                   | 849                  | 0.1       | RMS      | 848.663         | 21.37       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.01      | RMS      | 849             | -29.98      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -51.69      | -13         | Pass    | 401         |




#### 14.22. LTE Band Edge(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 844                   | 849                  | 0.1       | RMS      | 845.713         | 7.06        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.01      | RMS      | 849.003         | -38.28      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.175         | -38.44      | -13         | Pass    | 401         |



**14.23. LTE Band Edge(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 844                   | 849                  | 0.1       | RMS      | 848.65          | 20.6        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.01      | RMS      | 849             | -30.57      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.025         | -50.93      | -13         | Pass    | 401         |




#### 14.24. LTE Band Edge(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 844                   | 849                  | 0.1       | RMS      | 846.15          | 6.05        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.01      | RMS      | 849             | -37.88      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.125         | -35.53      | -13         | Pass    | 401         |



**14.25. LTE Band Edge(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -51.97      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.01      | RMS      | 823.995         | -39.49      | -13         | Pass    | 401         |
| 824                   | 834                  | 0.1       | RMS      | 824.575         | 21.79       | 30          | Pass    | 401         |




**14.26. LTE Band Edge(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.94          | -35.41      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.01      | RMS      | 823.95          | -42.03      | -13         | Pass    | 401         |
| 824                   | 834                  | 0.1       | RMS      | 828.25          | 4.51        | 30          | Pass    | 401         |




**14.27. LTE Band Edge(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.94          | -50.37      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.01      | RMS      | 823.998         | -40.62      | -13         | Pass    | 401         |
| 824                   | 834                  | 0.1       | RMS      | 824.6           | 20.82       | 30          | Pass    | 401         |




**14.28. LTE Band Edge(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.78          | -37.21      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.01      | RMS      | 823.983         | -43.7       | -13         | Pass    | 401         |
| 824                   | 834                  | 0.1       | RMS      | 827.375         | 3.42        | 30          | Pass    | 401         |



#### 14.29. LTE Band Edge(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 839                   | 849                  | 0.1       | RMS      | 848.425         | 21.34       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.01      | RMS      | 849.003         | -39.67      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -51.41      | -13         | Pass    | 401         |




**14.30. LTE Band Edge(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 839                   | 849                  | 0.1       | RMS      | 842.825         | 4.46        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.01      | RMS      | 849.01          | -41.35      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.05          | -33.91      | -13         | Pass    | 401         |



**14.31. LTE Band Edge(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 839                   | 849                  | 0.1       | RMS      | 848.4           | 20.49       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.01      | RMS      | 849             | -42.45      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -52.32      | -13         | Pass    | 401         |




**14.32. LTE Band Edge(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 839                   | 849                  | 0.1       | RMS      | 842.475         | 3.43        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.01      | RMS      | 849             | -42.45      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.175         | -34.91      | -13         | Pass    | 401         |




### 14.33. LTE Band Edge(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.9           | -50.96      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.01      | RMS      | 823.998         | -44.71      | -13         | Pass    | 401         |
| 824                   | 839                  | 0.1       | RMS      | 824.825         | 21.5        | 30          | Pass    | 401         |




#### 14.34. LTE Band Edge(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 821.68          | -32.65      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.01      | RMS      | 823.16          | -41.93      | -13         | Pass    | 401         |
| 824                   | 839                  | 0.1       | RMS      | 826.063         | 2.89        | 30          | Pass    | 401         |




# 14.35. LTE Band Edge(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 823             | -48.65      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.01      | RMS      | 824             | -45.32      | -13         | Pass    | 401         |
| 824                   | 839                  | 0.1       | RMS      | 824.863         | 20.82       | 30          | Pass    | 401         |




**14.36. LTE Band Edge(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 815                   | 823                  | 0.1       | RMS      | 822.7           | -34.41      | -13         | Pass    | 401         |
| 823                   | 824                  | 0.01      | RMS      | 823.133         | -43.45      | -13         | Pass    | 401         |
| 824                   | 839                  | 0.1       | RMS      | 826.063         | 1.89        | 30          | Pass    | 401         |



**14.37. LTE Band Edge(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 834                   | 849                  | 0.1       | RMS      | 848.175         | 21.43       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.01      | RMS      | 849.003         | -44.32      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.025         | -51.06      | -13         | Pass    | 401         |




**14.38. LTE Band Edge(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 834                   | 849                  | 0.1       | RMS      | 842.55          | 2.86        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.01      | RMS      | 849.623         | -42.31      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.2           | -34.52      | -13         | Pass    | 401         |



# 14.39. LTE Band Edge(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 834                   | 849                  | 0.1       | RMS      | 848.138         | 20.56       | 30          | Pass    | 401         |
| 849                   | 850                  | 0.01      | RMS      | 849.005         | -45.18      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850             | -50.08      | -13         | Pass    | 401         |




**14.40. LTE Band Edge(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 834                   | 849                  | 0.1       | RMS      | 841.238         | 1.86        | 30          | Pass    | 401         |
| 849                   | 850                  | 0.01      | RMS      | 849.02          | -43.83      | -13         | Pass    | 401         |
| 850                   | 860                  | 0.1       | RMS      | 850.2           | -34.8       | -13         | Pass    | 401         |




## 15. LTE\_Band26(part90)


15.1. LTE Band Edge in-band(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**15.2. LTE Band Edge\_in-band(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**




### 15.3. LTE Band Edge\_in-band(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)




**15.4. LTE Band Edge\_in-band(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**




**15.5. LTE Band Edge\_in-band(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**




**15.6. LTE Band Edge\_in-band(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**




**15.7. LTE Band Edge\_in-band(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**




**15.8. LTE Band Edge\_in-band(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**




**15.9. LTE Band Edge\_in-band(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**15.10. LTE Band Edge\_in-band(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**




**15.11. LTE Band Edge\_in-band(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**15.12. LTE Band Edge\_in-band(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**




**15.13. LTE Band Edge\_in-band(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**




**15.14. LTE Band Edge\_in-band(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**




**15.15. LTE Band Edge\_in-band(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**




**15.16. LTE Band Edge\_in-band(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**




**15.17. LTE Band Edge\_in-band(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**15.18. LTE Band Edge\_in-band(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**




**15.19. LTE Band Edge\_in-band(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**15.20. LTE Band Edge\_in-band(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**




**15.21. LTE Band Edge\_in-band(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**




**15.22. LTE Band Edge\_in-band(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**




**15.23. LTE Band Edge\_in-band(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**




**15.24. LTE Band Edge\_in-band(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**




**15.25. LTE Band Edge\_in-band(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**15.26. LTE Band Edge\_in-band(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**




**15.27. LTE Band Edge\_in-band(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**15.28. LTE Band Edge\_in-band(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**




**15.29. LTE Band Edge\_in-band(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**




**15.30. LTE Band Edge\_in-band(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**




**15.31. LTE Band Edge\_in-band(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**




**15.32. LTE Band Edge\_in-band(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**




**15.33. LTE Band Edge\_in-band(NTNV)(Subtest:33, Channel:26765, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**15.34. LTE Band Edge\_in-band(NTNV)(Subtest:34, Channel:26765, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**



**15.35. LTE Band Edge\_in-band(NTNV)(Subtest:35, Channel:26765, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**15.36. LTE Band Edge\_in-band(NTNV)(Subtest:36, Channel:26765, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**




## 16. LTE\_Band26(part90)


16.1. LTE Band Edge\_out-of-band(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**16.2. LTE Band Edge\_out-of-band(NTNV)(Subtest:2, Channel:26697,  
Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**




**16.3. LTE Band Edge\_out-of-band(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**16.4. LTE Band Edge\_out-of-band(NTNV)(Subtest:4, Channel:26697,  
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**




**16.5. LTE Band Edge\_out-of-band(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**




**16.6. LTE Band Edge\_out-of-band(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**




**16.7. LTE Band Edge\_out-of-band(NTNV)(Subtest:7, Channel:26783,  
Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**




**16.8. LTE Band Edge\_out-of-band(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**




**16.9. LTE Band Edge\_out-of-band(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**16.10. LTE Band Edge\_out-of-band(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**




**16.11. LTE Band Edge\_out-of-band(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**16.12. LTE Band Edge\_out-of-band(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**




**16.13. LTE Band Edge\_out-of-band(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**




**16.14. LTE Band Edge\_out-of-band(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**




**16.15. LTE Band Edge\_out-of-band(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**




**16.16. LTE Band Edge\_out-of-band(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**




**16.17. LTE Band Edge\_out-of-band(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**16.18. LTE Band Edge\_out-of-band(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**




**16.19. LTE Band Edge\_out-of-band(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**16.20. LTE Band Edge\_out-of-band(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**




**16.21. LTE Band Edge\_out-of-band(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**




**16.22. LTE Band Edge\_out-of-band(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**




**16.23. LTE Band Edge\_out-of-band(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**




**16.24. LTE Band Edge\_out-of-band(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**




**16.25. LTE Band Edge\_out-of-band(NTNV)(Subtest:25, Channel:26740,  
Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**16.26. LTE Band Edge\_out-of-band(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**




**16.27. LTE Band Edge\_out-of-band(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**16.28. LTE Band Edge\_out-of-band(NTNV)(Subtest:28, Channel:26740,  
Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**




**16.29. LTE Band Edge\_out-of-band(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**




**16.30. LTE Band Edge\_out-of-band(NTNV)(Subtest:1, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**




**16.31. LTE Band Edge\_out-of-band(NTNV)(Subtest:2, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**




**16.32. LTE Band Edge\_out-of-band(NTNV)(Subtest:3, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**




**16.33. LTE Band Edge\_out-of-band(NTNV)(Subtest:4, Channel:26765, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**




**16.34. LTE Band Edge\_out-of-band(NTNV)(Subtest:5, Channel:26765, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**



**16.35. LTE Band Edge\_out-of-band(NTNV)(Subtest:6, Channel:26765, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**




**16.36. LTE Band Edge\_out-of-band(NTNV)(Subtest:7, Channel:26765, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**



## 17. LTE\_Band38


### 17.1. LTE Band Edge(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2564                 | 1         | RMS      | 2562.718        | -42.54      | -25         | Pass    | 401         |
| 2564                  | 2565                 | 1         | RMS      | 2564.995        | -43.19      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2568.5          | -29.01      | -10         | Pass    | 41          |
| 2569                  | 2570                 | 0.02      | RMS      | 2570            | -27.44      | -10         | Pass    | 401         |
| 2570                  | 2575                 | 0.1       | RMS      | 2570.35         | 18.85       | 30          | Pass    | 401         |




## 17.2. LTE Band Edge(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2564                 | 1         | RMS      | 2564            | -35.71      | -25         | Pass    | 401         |
| 2564                  | 2565                 | 1         | RMS      | 2564.705        | -33.66      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -26.15      | -10         | Pass    | 41          |
| 2569                  | 2570                 | 0.02      | RMS      | 2569.993        | -34.78      | -10         | Pass    | 401         |
| 2570                  | 2575                 | 0.1       | RMS      | 2571.7          | 5.36        | 30          | Pass    | 401         |




### 17.3. LTE Band Edge(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2564                 | 1         | RMS      | 2562.718        | -42.95      | -25         | Pass    | 401         |
| 2564                  | 2565                 | 1         | RMS      | 2564.968        | -43.01      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2568            | -29.86      | -10         | Pass    | 41          |
| 2569                  | 2570                 | 0.02      | RMS      | 2569.998        | -27.03      | -10         | Pass    | 401         |
| 2570                  | 2575                 | 0.1       | RMS      | 2570.338        | 19.4        | 30          | Pass    | 401         |




#### 17.4. LTE Band Edge(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2564                 | 1         | RMS      | 2564            | -36.78      | -25         | Pass    | 401         |
| 2564                  | 2565                 | 1         | RMS      | 2564.993        | -35.9       | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -27.66      | -10         | Pass    | 41          |
| 2569                  | 2570                 | 0.02      | RMS      | 2569.998        | -35.05      | -10         | Pass    | 401         |
| 2570                  | 2575                 | 0.1       | RMS      | 2573.325        | 5.5         | 30          | Pass    | 401         |




# 17.5. LTE Band Edge(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2615                  | 2620                 | 0.1       | RMS      | 2619.663        | 19.33       | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.02      | RMS      | 2620            | -27.6       | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621.6          | -29.13      | -10         | Pass    | 41          |
| 2625                  | 2626                 | 1         | RMS      | 2625.013        | -42.04      | -13         | Pass    | 401         |
| 2626                  | 2645                 | 1         | RMS      | 2627.235        | -41.64      | -25         | Pass    | 401         |




# 17.6. LTE Band Edge(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2615                  | 2620                 | 0.1       | RMS      | 2617.538        | 5.88        | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.02      | RMS      | 2620            | -35.48      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -31.36      | -10         | Pass    | 41          |
| 2625                  | 2626                 | 1         | RMS      | 2625.838        | -36.48      | -13         | Pass    | 401         |
| 2626                  | 2645                 | 1         | RMS      | 2626.333        | -36.67      | -25         | Pass    | 401         |



### 17.7. LTE Band Edge(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2615                  | 2620                 | 0.1       | RMS      | 2619.675        | 19.41       | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.02      | RMS      | 2620.003        | -27.97      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621.6          | -28.84      | -10         | Pass    | 41          |
| 2625                  | 2626                 | 1         | RMS      | 2625.003        | -42.01      | -13         | Pass    | 401         |
| 2626                  | 2645                 | 1         | RMS      | 2627.235        | -42.22      | -25         | Pass    | 401         |




# 17.8. LTE Band Edge(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2615                  | 2620                 | 0.1       | RMS      | 2619            | 5.95        | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.02      | RMS      | 2620.005        | -35.55      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621.7          | -28.71      | -10         | Pass    | 41          |
| 2625                  | 2626                 | 1         | RMS      | 2625.003        | -35.58      | -13         | Pass    | 401         |
| 2626                  | 2645                 | 1         | RMS      | 2626            | -37.02      | -25         | Pass    | 401         |




### 17.9. LTE Band Edge(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2560                 | 1         | RMS      | 2559.288        | -46.24      | -25         | Pass    | 401         |
| 2560                  | 2565                 | 1         | RMS      | 2561.813        | -32.99      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2566.3          | -30.34      | -10         | Pass    | 41          |
| 2569                  | 2570                 | 0.02      | RMS      | 2570            | -39.09      | -10         | Pass    | 401         |
| 2570                  | 2580                 | 0.1       | RMS      | 2570.575        | 19.2        | 30          | Pass    | 401         |




# 17.10. LTE Band Edge(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2560                 | 1         | RMS      | 2560            | -35.9       | -25         | Pass    | 401         |
| 2560                  | 2565                 | 1         | RMS      | 2564.563        | -30.08      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2568.9          | -29.51      | -10         | Pass    | 41          |
| 2569                  | 2570                 | 0.02      | RMS      | 2569.97         | -39.5       | -10         | Pass    | 401         |
| 2570                  | 2580                 | 0.1       | RMS      | 2574.275        | 2.42        | 30          | Pass    | 401         |




# 17.11. LTE Band Edge(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2560                 | 1         | RMS      | 2559.738        | -45.71      | -25         | Pass    | 401         |
| 2560                  | 2565                 | 1         | RMS      | 2561.788        | -32.19      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2566.5          | -30.03      | -10         | Pass    | 41          |
| 2569                  | 2570                 | 0.02      | RMS      | 2570            | -36.4       | -10         | Pass    | 401         |
| 2570                  | 2580                 | 0.1       | RMS      | 2570.575        | 18.94       | 30          | Pass    | 401         |




**17.12. LTE Band Edge(NTNV)(Subtest:12, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2560                 | 1         | RMS      | 2559.775        | -39.63      | -25         | Pass    | 401         |
| 2560                  | 2565                 | 1         | RMS      | 2564.963        | -31.37      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2568.9          | -30.22      | -10         | Pass    | 41          |
| 2569                  | 2570                 | 0.02      | RMS      | 2570            | -42.04      | -10         | Pass    | 401         |
| 2570                  | 2580                 | 0.1       | RMS      | 2573.35         | 2.63        | 30          | Pass    | 401         |




### 17.13. LTE Band Edge(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2610                  | 2620                 | 0.1       | RMS      | 2619.425        | 18.6        | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.02      | RMS      | 2620.003        | -37.06      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -38.44      | -10         | Pass    | 41          |
| 2625                  | 2630                 | 1         | RMS      | 2626.95         | -39.27      | -13         | Pass    | 401         |
| 2630                  | 2645                 | 1         | RMS      | 2630.3          | -46.99      | -25         | Pass    | 401         |




**17.14. LTE Band Edge(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2610                  | 2620                 | 0.1       | RMS      | 2617.525        | 2.94        | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.02      | RMS      | 2620            | -42.66      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621.7          | -35.48      | -10         | Pass    | 41          |
| 2625                  | 2630                 | 1         | RMS      | 2625.013        | -36.04      | -13         | Pass    | 401         |
| 2630                  | 2645                 | 1         | RMS      | 2634.613        | -37.9       | -25         | Pass    | 401         |




**17.15. LTE Band Edge(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2610                  | 2620                 | 0.1       | RMS      | 2619.4          | 18.31       | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.02      | RMS      | 2620            | -37.93      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -39.24      | -10         | Pass    | 41          |
| 2625                  | 2630                 | 1         | RMS      | 2626.963        | -40.92      | -13         | Pass    | 401         |
| 2630                  | 2645                 | 1         | RMS      | 2631.313        | -46.85      | -25         | Pass    | 401         |




**17.16. LTE Band Edge(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2610                  | 2620                 | 0.1       | RMS      | 2613.35         | 2.9         | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.02      | RMS      | 2620.003        | -41.72      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -31.79      | -10         | Pass    | 41          |
| 2625                  | 2630                 | 1         | RMS      | 2625.338        | -32.34      | -13         | Pass    | 401         |
| 2630                  | 2645                 | 1         | RMS      | 2630.038        | -38.13      | -25         | Pass    | 401         |




# 17.17. LTE Band Edge(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2555                 | 1         | RMS      | 2554.9          | -47.32      | -25         | Pass    | 401         |
| 2555                  | 2565                 | 1         | RMS      | 2564.05         | -40.67      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -38.49      | -10         | Pass    | 41          |
| 2569                  | 2570                 | 0.02      | RMS      | 2569.998        | -39.54      | -10         | Pass    | 401         |
| 2570                  | 2585                 | 0.1       | RMS      | 2570.863        | 18.87       | 30          | Pass    | 401         |




**17.18. LTE Band Edge(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2555                 | 1         | RMS      | 2554.9          | -34.61      | -25         | Pass    | 401         |
| 2555                  | 2565                 | 1         | RMS      | 2559.45         | -31.47      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2565.1          | -30.27      | -10         | Pass    | 41          |
| 2569                  | 2570                 | 0.02      | RMS      | 2569.988        | -43.15      | -10         | Pass    | 401         |
| 2570                  | 2585                 | 0.1       | RMS      | 2573.6          | 1.46        | 30          | Pass    | 401         |




**17.19. LTE Band Edge(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2555                 | 1         | RMS      | 2554.975        | -47.07      | -25         | Pass    | 401         |
| 2555                  | 2565                 | 1         | RMS      | 2564.225        | -40.13      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -36.08      | -10         | Pass    | 41          |
| 2569                  | 2570                 | 0.02      | RMS      | 2570            | -38.4       | -10         | Pass    | 401         |
| 2570                  | 2585                 | 0.1       | RMS      | 2570.825        | 19.16       | 30          | Pass    | 401         |




**17.20. LTE Band Edge(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2555                 | 1         | RMS      | 2554.925        | -40.57      | -25         | Pass    | 401         |
| 2555                  | 2565                 | 1         | RMS      | 2564.375        | -32.02      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -30.68      | -10         | Pass    | 41          |
| 2569                  | 2570                 | 0.02      | RMS      | 2569.945        | -44.07      | -10         | Pass    | 401         |
| 2570                  | 2585                 | 0.1       | RMS      | 2574.95         | 1.63        | 30          | Pass    | 401         |




**17.21. LTE Band Edge(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2605                  | 2620                 | 0.1       | RMS      | 2619.175        | 19.06       | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.02      | RMS      | 2620            | -39.27      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -38.46      | -10         | Pass    | 41          |
| 2625                  | 2635                 | 1         | RMS      | 2625.85         | -39.94      | -13         | Pass    | 401         |
| 2635                  | 2645                 | 1         | RMS      | 2635.05         | -47.6       | -25         | Pass    | 401         |




**17.22. LTE Band Edge(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2605                  | 2620                 | 0.1       | RMS      | 2618.763        | 0.82        | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.02      | RMS      | 2620.028        | -44.31      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621.7          | -36.31      | -10         | Pass    | 41          |
| 2625                  | 2635                 | 1         | RMS      | 2625.05         | -35.63      | -13         | Pass    | 401         |
| 2635                  | 2645                 | 1         | RMS      | 2639.3          | -39.43      | -25         | Pass    | 401         |




**17.23. LTE Band Edge(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2605                  | 2620                 | 0.1       | RMS      | 2619.138        | 19.38       | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.02      | RMS      | 2620.008        | -40.83      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -39.78      | -10         | Pass    | 41          |
| 2625                  | 2635                 | 1         | RMS      | 2625.775        | -41.45      | -13         | Pass    | 401         |
| 2635                  | 2645                 | 1         | RMS      | 2635.1          | -47.32      | -25         | Pass    | 401         |




# 17.24. LTE Band Edge(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2605                  | 2620                 | 0.1       | RMS      | 2610.363        | 1.54        | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.02      | RMS      | 2620.005        | -44.19      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621.4          | -33.48      | -10         | Pass    | 41          |
| 2625                  | 2635                 | 1         | RMS      | 2626.9          | -33.53      | -13         | Pass    | 401         |
| 2635                  | 2645                 | 1         | RMS      | 2635.45         | -38.39      | -25         | Pass    | 401         |




# 17.25. LTE Band Edge(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2550                 | 1         | RMS      | 2549.575        | -48.03      | -25         | Pass    | 401         |
| 2550                  | 2565                 | 1         | RMS      | 2564.363        | -39.97      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -38.26      | -10         | Pass    | 41          |
| 2569                  | 2570                 | 0.02      | RMS      | 2570            | -41.91      | -10         | Pass    | 401         |
| 2570                  | 2590                 | 0.1       | RMS      | 2571.1          | 19.11       | 30          | Pass    | 401         |




**17.26. LTE Band Edge(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2550                 | 1         | RMS      | 2549.95         | -42.25      | -25         | Pass    | 401         |
| 2550                  | 2565                 | 1         | RMS      | 2565            | -34.52      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -33.47      | -10         | Pass    | 41          |
| 2569                  | 2570                 | 0.02      | RMS      | 2569.968        | -45.76      | -10         | Pass    | 401         |
| 2570                  | 2590                 | 0.1       | RMS      | 2578.95         | 0.38        | 30          | Pass    | 401         |




**17.27. LTE Band Edge(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2550                 | 1         | RMS      | 2549.988        | -47.95      | -25         | Pass    | 401         |
| 2550                  | 2565                 | 1         | RMS      | 2564.438        | -39.59      | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -35.92      | -10         | Pass    | 41          |
| 2569                  | 2570                 | 0.02      | RMS      | 2570            | -39.35      | -10         | Pass    | 401         |
| 2570                  | 2590                 | 0.1       | RMS      | 2571.1          | 19.57       | 30          | Pass    | 401         |




**17.28. LTE Band Edge(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2545                  | 2550                 | 1         | RMS      | 2549.963        | -41.73      | -25         | Pass    | 401         |
| 2550                  | 2565                 | 1         | RMS      | 2564.7          | -33.6       | -13         | Pass    | 401         |
| 2565                  | 2569                 | 1         | RMS      | 2569            | -33.23      | -10         | Pass    | 41          |
| 2569                  | 2570                 | 0.02      | RMS      | 2569.998        | -45.15      | -10         | Pass    | 401         |
| 2570                  | 2590                 | 0.1       | RMS      | 2579.2          | 0.34        | 30          | Pass    | 401         |




# 17.29. LTE Band Edge(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2600                  | 2620                 | 0.1       | RMS      | 2618.9          | 18.27       | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.02      | RMS      | 2620.003        | -42.87      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -39.31      | -10         | Pass    | 41          |
| 2625                  | 2640                 | 1         | RMS      | 2625.525        | -39.72      | -13         | Pass    | 401         |
| 2640                  | 2645                 | 1         | RMS      | 2640.15         | -47.92      | -25         | Pass    | 401         |




**17.30. LTE Band Edge(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2600                  | 2620                 | 0.1       | RMS      | 2606.25         | 0.34        | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.02      | RMS      | 2620.045        | -46.5       | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -35.15      | -10         | Pass    | 41          |
| 2625                  | 2640                 | 1         | RMS      | 2625.263        | -36.37      | -13         | Pass    | 401         |
| 2640                  | 2645                 | 1         | RMS      | 2644.763        | -39.77      | -25         | Pass    | 401         |




**17.31. LTE Band Edge(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2600                  | 2620                 | 0.1       | RMS      | 2618.95         | 19.12       | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.02      | RMS      | 2620.003        | -40.3       | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621            | -37.48      | -10         | Pass    | 41          |
| 2625                  | 2640                 | 1         | RMS      | 2625.338        | -39.92      | -13         | Pass    | 401         |
| 2640                  | 2645                 | 1         | RMS      | 2640.2          | -47.87      | -25         | Pass    | 401         |



# 17.32. LTE Band Edge(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2600                  | 2620                 | 0.1       | RMS      | 2608.3          | 0.34        | 30          | Pass    | 401         |
| 2620                  | 2621                 | 0.02      | RMS      | 2620.003        | -44.69      | -10         | Pass    | 401         |
| 2621                  | 2625                 | 1         | RMS      | 2621.1          | -33.1       | -10         | Pass    | 41          |
| 2625                  | 2640                 | 1         | RMS      | 2625.525        | -33.6       | -13         | Pass    | 401         |
| 2640                  | 2645                 | 1         | RMS      | 2641.463        | -39.31      | -25         | Pass    | 401         |



## 18. LTE\_Band41(2545-2655)


### 18.1. LTE Band Edge(NTNV)(Subtest:1, Channel:40165, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2539                 | 1         | RMS      | 2539            | -42.85      | -25         | Pass    | 401         |
| 2539                  | 2540                 | 1         | RMS      | 2539.99         | -40.19      | -13         | Pass    | 401         |
| 2540                  | 2544                 | 1         | RMS      | 2543.3          | -27.67      | -10         | Pass    | 41          |
| 2544                  | 2545                 | 0.02      | RMS      | 2544.998        | -23.91      | -10         | Pass    | 401         |
| 2545                  | 2550                 | 0.1       | RMS      | 2545.35         | 22.32       | 30          | Pass    | 401         |




## 18.2. LTE Band Edge(NTNV)(Subtest:2, Channel:40165, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2539                 | 1         | RMS      | 2538.905        | -30.81      | -25         | Pass    | 401         |
| 2539                  | 2540                 | 1         | RMS      | 2539.96         | -30.1       | -13         | Pass    | 401         |
| 2540                  | 2544                 | 1         | RMS      | 2544            | -21.43      | -10         | Pass    | 41          |
| 2544                  | 2545                 | 0.02      | RMS      | 2544.998        | -31.61      | -10         | Pass    | 401         |
| 2545                  | 2550                 | 0.1       | RMS      | 2546.675        | 8.07        | 30          | Pass    | 401         |




### 18.3. LTE Band Edge(NTNV)(Subtest:3, Channel:40165, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2539                 | 1         | RMS      | 2538.715        | -43.7       | -25         | Pass    | 401         |
| 2539                  | 2540                 | 1         | RMS      | 2539.99         | -40.99      | -13         | Pass    | 401         |
| 2540                  | 2544                 | 1         | RMS      | 2543.1          | -27.84      | -10         | Pass    | 41          |
| 2544                  | 2545                 | 0.02      | RMS      | 2545            | -25.25      | -10         | Pass    | 401         |
| 2545                  | 2550                 | 0.1       | RMS      | 2545.338        | 21.4        | 30          | Pass    | 401         |




#### 18.4. LTE Band Edge(NTNV)(Subtest:4, Channel:40165, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2539                 | 1         | RMS      | 2539            | -32.34      | -25         | Pass    | 401         |
| 2539                  | 2540                 | 1         | RMS      | 2539.975        | -30.98      | -13         | Pass    | 401         |
| 2540                  | 2544                 | 1         | RMS      | 2544            | -25.09      | -10         | Pass    | 41          |
| 2544                  | 2545                 | 0.02      | RMS      | 2545            | -32.86      | -10         | Pass    | 401         |
| 2545                  | 2550                 | 0.1       | RMS      | 2548.3          | 7.67        | 30          | Pass    | 401         |




# 18.5. LTE Band Edge(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2650                  | 2655                 | 0.1       | RMS      | 2654.663        | 22.56       | 30          | Pass    | 401         |
| 2655                  | 2656                 | 0.02      | RMS      | 2655            | -25.36      | -10         | Pass    | 401         |
| 2656                  | 2660                 | 1         | RMS      | 2656.8          | -25.85      | -10         | Pass    | 41          |
| 2660                  | 2661                 | 1         | RMS      | 2660.003        | -38.28      | -13         | Pass    | 401         |
| 2661                  | 2680                 | 1         | RMS      | 2661.143        | -42.35      | -25         | Pass    | 401         |




## 18.6. LTE Band Edge(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2650                  | 2655                 | 0.1       | RMS      | 2653.3          | 8.51        | 30          | Pass    | 401         |
| 2655                  | 2656                 | 0.02      | RMS      | 2655.005        | -33.41      | -10         | Pass    | 401         |
| 2656                  | 2660                 | 1         | RMS      | 2656            | -25.4       | -10         | Pass    | 41          |
| 2660                  | 2661                 | 1         | RMS      | 2660.865        | -31.05      | -13         | Pass    | 401         |
| 2661                  | 2680                 | 1         | RMS      | 2661.808        | -30.37      | -25         | Pass    | 401         |




### 18.7. LTE Band Edge(NTNV)(Subtest:7, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2650                  | 2655                 | 0.1       | RMS      | 2654.675        | 21.75       | 30          | Pass    | 401         |
| 2655                  | 2656                 | 0.02      | RMS      | 2655            | -25.55      | -10         | Pass    | 401         |
| 2656                  | 2660                 | 1         | RMS      | 2657            | -26.63      | -10         | Pass    | 41          |
| 2660                  | 2661                 | 1         | RMS      | 2660            | -38.69      | -13         | Pass    | 401         |
| 2661                  | 2680                 | 1         | RMS      | 2661.333        | -42.55      | -25         | Pass    | 401         |




# 18.8. LTE Band Edge(NTNV)(Subtest:8, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2650                  | 2655                 | 0.1       | RMS      | 2653.975        | 6.99        | 30          | Pass    | 401         |
| 2655                  | 2656                 | 0.02      | RMS      | 2655.003        | -35.04      | -10         | Pass    | 401         |
| 2656                  | 2660                 | 1         | RMS      | 2656            | -25.6       | -10         | Pass    | 41          |
| 2660                  | 2661                 | 1         | RMS      | 2660.01         | -30.41      | -13         | Pass    | 401         |
| 2661                  | 2680                 | 1         | RMS      | 2661            | -30.95      | -25         | Pass    | 401         |




### 18.9. LTE Band Edge(NTNV)(Subtest:9, Channel:40190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2535                 | 1         | RMS      | 2534.513        | -44.29      | -25         | Pass    | 401         |
| 2535                  | 2540                 | 1         | RMS      | 2536.7          | -30.01      | -13         | Pass    | 401         |
| 2540                  | 2544                 | 1         | RMS      | 2541.1          | -27.34      | -10         | Pass    | 41          |
| 2544                  | 2545                 | 0.02      | RMS      | 2545            | -34.98      | -10         | Pass    | 401         |
| 2545                  | 2555                 | 0.1       | RMS      | 2545.6          | 22.71       | 30          | Pass    | 401         |




# 18.10. LTE Band Edge(NTNV)(Subtest:10, Channel:40190, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2535                 | 1         | RMS      | 2530.838        | -36.19      | -25         | Pass    | 401         |
| 2535                  | 2540                 | 1         | RMS      | 2539.988        | -31.2       | -13         | Pass    | 401         |
| 2540                  | 2544                 | 1         | RMS      | 2544            | -28.41      | -10         | Pass    | 41          |
| 2544                  | 2545                 | 0.02      | RMS      | 2544.975        | -38.89      | -10         | Pass    | 401         |
| 2545                  | 2555                 | 0.1       | RMS      | 2548.35         | 5.61        | 30          | Pass    | 401         |




# 18.11. LTE Band Edge(NTNV)(Subtest:11, Channel:40190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2535                 | 1         | RMS      | 2534.85         | -44.59      | -25         | Pass    | 401         |
| 2535                  | 2540                 | 1         | RMS      | 2536.775        | -31.37      | -13         | Pass    | 401         |
| 2540                  | 2544                 | 1         | RMS      | 2541.2          | -28.55      | -10         | Pass    | 41          |
| 2544                  | 2545                 | 0.02      | RMS      | 2544.998        | -37.11      | -10         | Pass    | 401         |
| 2545                  | 2555                 | 0.1       | RMS      | 2545.575        | 21.78       | 30          | Pass    | 401         |




**18.12. LTE Band Edge(NTNV)(Subtest:12, Channel:40190, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2535                 | 1         | RMS      | 2535            | -35.36      | -25         | Pass    | 401         |
| 2535                  | 2540                 | 1         | RMS      | 2540            | -30.12      | -13         | Pass    | 401         |
| 2540                  | 2544                 | 1         | RMS      | 2544            | -27.96      | -10         | Pass    | 41          |
| 2544                  | 2545                 | 0.02      | RMS      | 2545            | -40.25      | -10         | Pass    | 401         |
| 2545                  | 2555                 | 0.1       | RMS      | 2551.55         | 4           | 30          | Pass    | 401         |




### 18.13. LTE Band Edge(NTNV)(Subtest:13, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2645                  | 2655                 | 0.1       | RMS      | 2654.425        | 22.05       | 30          | Pass    | 401         |
| 2655                  | 2656                 | 0.02      | RMS      | 2655.003        | -35.14      | -10         | Pass    | 401         |
| 2656                  | 2660                 | 1         | RMS      | 2659.1          | -25.95      | -10         | Pass    | 41          |
| 2660                  | 2665                 | 1         | RMS      | 2663.213        | -27.29      | -13         | Pass    | 401         |
| 2665                  | 2680                 | 1         | RMS      | 2666.238        | -45.16      | -25         | Pass    | 401         |




# 18.14. LTE Band Edge(NTNV)(Subtest:14, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2645                  | 2655                 | 0.1       | RMS      | 2652.575        | 4.94        | 30          | Pass    | 401         |
| 2655                  | 2656                 | 0.02      | RMS      | 2655.008        | -40.78      | -10         | Pass    | 401         |
| 2656                  | 2660                 | 1         | RMS      | 2656.8          | -30.55      | -10         | Pass    | 41          |
| 2660                  | 2665                 | 1         | RMS      | 2660.175        | -30.63      | -13         | Pass    | 401         |
| 2665                  | 2680                 | 1         | RMS      | 2669.35         | -33.1       | -25         | Pass    | 401         |



# 18.15. LTE Band Edge(NTNV)(Subtest:15, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2645                  | 2655                 | 0.1       | RMS      | 2654.4          | 21.33       | 30          | Pass    | 401         |
| 2655                  | 2656                 | 0.02      | RMS      | 2655.005        | -37.78      | -10         | Pass    | 401         |
| 2656                  | 2660                 | 1         | RMS      | 2658.7          | -27.25      | -10         | Pass    | 41          |
| 2660                  | 2665                 | 1         | RMS      | 2663.213        | -28.41      | -13         | Pass    | 401         |
| 2665                  | 2680                 | 1         | RMS      | 2665.6          | -45.3       | -25         | Pass    | 401         |




**18.16. LTE Band Edge(NTNV)(Subtest:16, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2645                  | 2655                 | 0.1       | RMS      | 2650.4          | 4.48        | 30          | Pass    | 401         |
| 2655                  | 2656                 | 0.02      | RMS      | 2655.018        | -40.25      | -10         | Pass    | 401         |
| 2656                  | 2660                 | 1         | RMS      | 2656.9          | -28.21      | -10         | Pass    | 41          |
| 2660                  | 2665                 | 1         | RMS      | 2660.025        | -28.7       | -13         | Pass    | 401         |
| 2665                  | 2680                 | 1         | RMS      | 2665.038        | -33.98      | -25         | Pass    | 401         |




# 18.17. LTE Band Edge(NTNV)(Subtest:17, Channel:40215, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2530                 | 1         | RMS      | 2529.325        | -46.19      | -25         | Pass    | 401         |
| 2530                  | 2540                 | 1         | RMS      | 2539.2          | -26.65      | -13         | Pass    | 401         |
| 2540                  | 2544                 | 1         | RMS      | 2544            | -36.56      | -10         | Pass    | 41          |
| 2544                  | 2545                 | 0.02      | RMS      | 2544.998        | -37.76      | -10         | Pass    | 401         |
| 2545                  | 2560                 | 0.1       | RMS      | 2545.825        | 22.36       | 30          | Pass    | 401         |




**18.18. LTE Band Edge(NTNV)(Subtest:18, Channel:40215, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2530                 | 1         | RMS      | 2528.9          | -37.59      | -25         | Pass    | 401         |
| 2530                  | 2540                 | 1         | RMS      | 2540            | -31.07      | -13         | Pass    | 401         |
| 2540                  | 2544                 | 1         | RMS      | 2544            | -28.04      | -10         | Pass    | 41          |
| 2544                  | 2545                 | 0.02      | RMS      | 2544.988        | -40.12      | -10         | Pass    | 401         |
| 2545                  | 2560                 | 0.1       | RMS      | 2551.375        | 3.47        | 30          | Pass    | 401         |




**18.19. LTE Band Edge(NTNV)(Subtest:19, Channel:40215, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2530                 | 1         | RMS      | 2529.975        | -46.61      | -25         | Pass    | 401         |
| 2530                  | 2540                 | 1         | RMS      | 2539.1          | -28.69      | -13         | Pass    | 401         |
| 2540                  | 2544                 | 1         | RMS      | 2544            | -37.51      | -10         | Pass    | 41          |
| 2544                  | 2545                 | 0.02      | RMS      | 2545            | -38.17      | -10         | Pass    | 401         |
| 2545                  | 2560                 | 0.1       | RMS      | 2545.825        | 22.01       | 30          | Pass    | 401         |




**18.20. LTE Band Edge(NTNV)(Subtest:20, Channel:40215, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2530                 | 1         | RMS      | 2529.95         | -37.53      | -25         | Pass    | 401         |
| 2530                  | 2540                 | 1         | RMS      | 2540            | -31.42      | -13         | Pass    | 401         |
| 2540                  | 2544                 | 1         | RMS      | 2544            | -28.23      | -10         | Pass    | 41          |
| 2544                  | 2545                 | 0.02      | RMS      | 2545            | -41.53      | -10         | Pass    | 401         |
| 2545                  | 2560                 | 0.1       | RMS      | 2558.2          | 2.81        | 30          | Pass    | 401         |



# 18.21. LTE Band Edge(NTNV)(Subtest:21, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2640                  | 2655                 | 0.1       | RMS      | 2654.175        | 22.71       | 30          | Pass    | 401         |
| 2655                  | 2656                 | 0.02      | RMS      | 2655            | -37.25      | -10         | Pass    | 401         |
| 2656                  | 2660                 | 1         | RMS      | 2656            | -36.59      | -10         | Pass    | 41          |
| 2660                  | 2670                 | 1         | RMS      | 2660.9          | -25.94      | -13         | Pass    | 401         |
| 2670                  | 2680                 | 1         | RMS      | 2670.125        | -45.69      | -25         | Pass    | 401         |




## 18.22. LTE Band Edge(NTNV)(Subtest:22, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2640                  | 2655                 | 0.1       | RMS      | 2652.638        | 3.37        | 30          | Pass    | 401         |
| 2655                  | 2656                 | 0.02      | RMS      | 2655.02         | -39.98      | -10         | Pass    | 401         |
| 2656                  | 2660                 | 1         | RMS      | 2656.1          | -29.19      | -10         | Pass    | 41          |
| 2660                  | 2670                 | 1         | RMS      | 2660.45         | -30.62      | -13         | Pass    | 401         |
| 2670                  | 2680                 | 1         | RMS      | 2674.1          | -34.64      | -25         | Pass    | 401         |




### 18.23. LTE Band Edge(NTNV)(Subtest:23, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2640                  | 2655                 | 0.1       | RMS      | 2654.175        | 21.42       | 30          | Pass    | 401         |
| 2655                  | 2656                 | 0.02      | RMS      | 2655.003        | -40         | -10         | Pass    | 401         |
| 2656                  | 2660                 | 1         | RMS      | 2656            | -37.49      | -10         | Pass    | 41          |
| 2660                  | 2670                 | 1         | RMS      | 2660.8          | -26.71      | -13         | Pass    | 401         |
| 2670                  | 2680                 | 1         | RMS      | 2670.75         | -46.18      | -25         | Pass    | 401         |




# 18.24. LTE Band Edge(NTNV)(Subtest:24, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2640                  | 2655                 | 0.1       | RMS      | 2645.4          | 3.01        | 30          | Pass    | 401         |
| 2655                  | 2656                 | 0.02      | RMS      | 2655            | -41.4       | -10         | Pass    | 401         |
| 2656                  | 2660                 | 1         | RMS      | 2656            | -29.25      | -10         | Pass    | 41          |
| 2660                  | 2670                 | 1         | RMS      | 2660.275        | -30.04      | -13         | Pass    | 401         |
| 2670                  | 2680                 | 1         | RMS      | 2670.375        | -33.85      | -25         | Pass    | 401         |




**18.25. LTE Band Edge(NTNV)(Subtest:25, Channel:40240, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2525                 | 1         | RMS      | 2524.963        | -47.28      | -25         | Pass    | 401         |
| 2525                  | 2540                 | 1         | RMS      | 2538.875        | -38.2       | -13         | Pass    | 401         |
| 2540                  | 2544                 | 1         | RMS      | 2544            | -35.03      | -10         | Pass    | 41          |
| 2544                  | 2545                 | 0.02      | RMS      | 2545            | -37.91      | -10         | Pass    | 401         |
| 2545                  | 2565                 | 0.1       | RMS      | 2546.05         | 22.38       | 30          | Pass    | 401         |




**18.26. LTE Band Edge(NTNV)(Subtest:26, Channel:40240, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2525                 | 1         | RMS      | 2524.925        | -39.6       | -25         | Pass    | 401         |
| 2525                  | 2540                 | 1         | RMS      | 2540            | -31.39      | -13         | Pass    | 401         |
| 2540                  | 2544                 | 1         | RMS      | 2544            | -29.48      | -10         | Pass    | 41          |
| 2544                  | 2545                 | 0.02      | RMS      | 2544.995        | -42.62      | -10         | Pass    | 401         |
| 2545                  | 2565                 | 0.1       | RMS      | 2553.9          | 3.02        | 30          | Pass    | 401         |




# 18.27. LTE Band Edge(NTNV)(Subtest:27, Channel:40240, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2525                 | 1         | RMS      | 2524.825        | -47.27      | -25         | Pass    | 401         |
| 2525                  | 2540                 | 1         | RMS      | 2539.025        | -39.93      | -13         | Pass    | 401         |
| 2540                  | 2544                 | 1         | RMS      | 2544            | -34.81      | -10         | Pass    | 41          |
| 2544                  | 2545                 | 0.02      | RMS      | 2545            | -37.68      | -10         | Pass    | 401         |
| 2545                  | 2565                 | 0.1       | RMS      | 2546.1          | 21.97       | 30          | Pass    | 401         |




**18.28. LTE Band Edge(NTNV)(Subtest:28, Channel:40240, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2520                  | 2525                 | 1         | RMS      | 2524.925        | -39.91      | -25         | Pass    | 401         |
| 2525                  | 2540                 | 1         | RMS      | 2538.8          | -31.23      | -13         | Pass    | 401         |
| 2540                  | 2544                 | 1         | RMS      | 2544            | -30.06      | -10         | Pass    | 41          |
| 2544                  | 2545                 | 0.02      | RMS      | 2545            | -43.04      | -10         | Pass    | 401         |
| 2545                  | 2565                 | 0.1       | RMS      | 2554.25         | 2.09        | 30          | Pass    | 401         |




# 18.29. LTE Band Edge(NTNV)(Subtest:29, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2635                  | 2655                 | 0.1       | RMS      | 2653.95         | 22.55       | 30          | Pass    | 401         |
| 2655                  | 2656                 | 0.02      | RMS      | 2655            | -41.15      | -10         | Pass    | 401         |
| 2656                  | 2660                 | 1         | RMS      | 2656            | -38.53      | -10         | Pass    | 41          |
| 2660                  | 2675                 | 1         | RMS      | 2662.663        | -24.76      | -13         | Pass    | 401         |
| 2675                  | 2680                 | 1         | RMS      | 2675            | -47.06      | -25         | Pass    | 401         |




### 18.30. LTE Band Edge(NTNV)(Subtest:30, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2635                  | 2655                 | 0.1       | RMS      | 2647.95         | 2.06        | 30          | Pass    | 401         |
| 2655                  | 2656                 | 0.02      | RMS      | 2655            | -42.35      | -10         | Pass    | 401         |
| 2656                  | 2660                 | 1         | RMS      | 2656            | -30.89      | -10         | Pass    | 41          |
| 2660                  | 2675                 | 1         | RMS      | 2661.163        | -31.17      | -13         | Pass    | 401         |
| 2675                  | 2680                 | 1         | RMS      | 2679.988        | -35.83      | -25         | Pass    | 401         |




### 18.31. LTE Band Edge(NTNV)(Subtest:31, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2635                  | 2655                 | 0.1       | RMS      | 2653.9          | 21.93       | 30          | Pass    | 401         |
| 2655                  | 2656                 | 0.02      | RMS      | 2655.005        | -41.13      | -10         | Pass    | 401         |
| 2656                  | 2660                 | 1         | RMS      | 2656            | -38.51      | -10         | Pass    | 41          |
| 2660                  | 2675                 | 1         | RMS      | 2662.85         | -26.91      | -13         | Pass    | 401         |
| 2675                  | 2680                 | 1         | RMS      | 2675.288        | -47.12      | -25         | Pass    | 401         |



# 18.32. LTE Band Edge(NTNV)(Subtest:32, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2635                  | 2655                 | 0.1       | RMS      | 2647.9          | 1.22        | 30          | Pass    | 401         |
| 2655                  | 2656                 | 0.02      | RMS      | 2655            | -43.2       | -10         | Pass    | 401         |
| 2656                  | 2660                 | 1         | RMS      | 2656            | -30.56      | -10         | Pass    | 41          |
| 2660                  | 2675                 | 1         | RMS      | 2660.638        | -30.64      | -13         | Pass    | 401         |
| 2675                  | 2680                 | 1         | RMS      | 2675.538        | -36.03      | -25         | Pass    | 401         |




## CA

### 19. CA\_7C


**19.1. CA Band Edge(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB Position:Low+Low)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2489.925        | -50.76      | -25         | Pass    | 401         |
| 2490                  | 2496                 | 1         | RMS      | 2495.955        | -47.94      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -45.92      | -10         | Pass    | 401         |
| 2499                  | 2500                 | 1         | RMS      | 2500            | -27.33      | -10         | Pass    | 11          |
| 2500                  | 2530                 | 0.1       | RMS      | 2501.125        | 9.44        | 30          | Pass    | 401         |




**19.2. CA Band Edge(NTNV)(Subtest:2, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2487.3          | -50.6       | -25         | Pass    | 401         |
| 2490                  | 2496                 | 1         | RMS      | 2495.985        | -49.84      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -45.75      | -10         | Pass    | 401         |
| 2499                  | 2500                 | 1         | RMS      | 2500            | -27.29      | -10         | Pass    | 11          |
| 2500                  | 2530                 | 0.1       | RMS      | 2501.125        | 9.44        | 30          | Pass    | 401         |




**19.3. CA Band Edge(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:2+1, RB Position:Low+Low)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2489.963        | -50.76      | -25         | Pass    | 401         |
| 2490                  | 2496                 | 1         | RMS      | 2495.985        | -47.87      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -46.7       | -10         | Pass    | 401         |
| 2499                  | 2500                 | 1         | RMS      | 2500            | -29.25      | -10         | Pass    | 11          |
| 2500                  | 2530                 | 0.1       | RMS      | 2520.025        | 9.7         | 30          | Pass    | 401         |




**19.4. CA Band Edge(NTNV)(Subtest:2, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:2+1, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2487.3          | -50.57      | -25         | Pass    | 401         |
| 2490                  | 2496                 | 1         | RMS      | 2495.925        | -50.03      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -46.61      | -10         | Pass    | 401         |
| 2499                  | 2500                 | 1         | RMS      | 2500            | -29.16      | -10         | Pass    | 11          |
| 2500                  | 2530                 | 0.1       | RMS      | 2528.8          | 10.21       | 30          | Pass    | 401         |




**19.5. CA Band Edge(NTNV)(Subtest:3, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2489.888        | -34.86      | -25         | Pass    | 401         |
| 2490                  | 2496                 | 1         | RMS      | 2495.94         | -30.67      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2498.88         | -29.79      | -10         | Pass    | 401         |
| 2499                  | 2500                 | 1         | RMS      | 2500            | -28.25      | -10         | Pass    | 11          |
| 2500                  | 2530                 | 0.1       | RMS      | 2520.925        | 0.3         | 30          | Pass    | 401         |




**19.6. CA Band Edge(NTNV)(Subtest:4, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB Position:Low+Low)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2489.963        | -50.76      | -25         | Pass    | 401         |
| 2490                  | 2496                 | 1         | RMS      | 2495.985        | -48.04      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -45.56      | -10         | Pass    | 401         |
| 2499                  | 2500                 | 1         | RMS      | 2500            | -26.74      | -10         | Pass    | 11          |
| 2500                  | 2530                 | 0.1       | RMS      | 2501.125        | 9.68        | 30          | Pass    | 401         |




**19.7. CA Band Edge(NTNV)(Subtest:5, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2487.15         | -50.5       | -25         | Pass    | 401         |
| 2490                  | 2496                 | 1         | RMS      | 2495.82         | -49.81      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -45.42      | -10         | Pass    | 401         |
| 2499                  | 2500                 | 1         | RMS      | 2500            | -26.68      | -10         | Pass    | 11          |
| 2500                  | 2530                 | 0.1       | RMS      | 2501.125        | 9.68        | 30          | Pass    | 401         |




**19.8. CA Band Edge(NTNV)(Subtest:4, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:2+1, RB Position:Low+Low)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2482.538        | -50.75      | -25         | Pass    | 401         |
| 2490                  | 2496                 | 1         | RMS      | 2496            | -48.08      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -46.85      | -10         | Pass    | 401         |
| 2499                  | 2500                 | 1         | RMS      | 2500            | -29.33      | -10         | Pass    | 11          |
| 2500                  | 2530                 | 0.1       | RMS      | 2520.025        | 9.54        | 30          | Pass    | 401         |




**19.9. CA Band Edge(NTNV)(Subtest:5, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:2+1, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2487.338        | -50.51      | -25         | Pass    | 401         |
| 2490                  | 2496                 | 1         | RMS      | 2495.94         | -50.01      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2498.993        | -46.73      | -10         | Pass    | 401         |
| 2499                  | 2500                 | 1         | RMS      | 2500            | -29.19      | -10         | Pass    | 11          |
| 2500                  | 2530                 | 0.1       | RMS      | 2528.8          | 10.04       | 30          | Pass    | 401         |




**19.10. CA Band Edge(NTNV)(Subtest:6, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2489.963        | -35.81      | -25         | Pass    | 401         |
| 2490                  | 2496                 | 1         | RMS      | 2495.985        | -31.34      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -30.16      | -10         | Pass    | 401         |
| 2499                  | 2500                 | 1         | RMS      | 2500            | -28.89      | -10         | Pass    | 11          |
| 2500                  | 2530                 | 0.1       | RMS      | 2521.75         | -0.69       | 30          | Pass    | 401         |




**19.11. CA Band Edge(NTNV)(Subtest:7, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2540                  | 2570                 | 0.1       | RMS      | 2541.2          | 9.85        | 30          | Pass    | 401         |
| 2570                  | 2571                 | 1         | RMS      | 2570            | -41.85      | -10         | Pass    | 11          |
| 2571                  | 2575                 | 1         | RMS      | 2571.06         | -48.21      | -10         | Pass    | 401         |
| 2575                  | 2600                 | 1         | RMS      | 2596.438        | -37.99      | -13         | Pass    | 401         |
| 2600                  | 2615                 | 1         | RMS      | 2600.675        | -50.32      | -25         | Pass    | 401         |




**19.12. CA Band Edge(NTNV)(Subtest:8, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2540                  | 2570                 | 0.1       | RMS      | 2558.975        | 13.35       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 1         | RMS      | 2570            | -37.28      | -10         | Pass    | 11          |
| 2571                  | 2575                 | 1         | RMS      | 2571.01         | -45.71      | -10         | Pass    | 401         |
| 2575                  | 2600                 | 1         | RMS      | 2578.625        | -21.49      | -13         | Pass    | 401         |
| 2600                  | 2615                 | 1         | RMS      | 2600.75         | -50.46      | -25         | Pass    | 401         |




**19.13. CA Band Edge(NTNV)(Subtest:7, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:2+1, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2540                  | 2570                 | 0.1       | RMS      | 2568.875        | 9.5         | 30          | Pass    | 401         |
| 2570                  | 2571                 | 1         | RMS      | 2570            | -42.24      | -10         | Pass    | 11          |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -48.08      | -10         | Pass    | 401         |
| 2575                  | 2600                 | 1         | RMS      | 2596.563        | -38.21      | -13         | Pass    | 401         |
| 2600                  | 2615                 | 1         | RMS      | 2600.038        | -50.53      | -25         | Pass    | 401         |




**19.14. CA Band Edge(NTNV)(Subtest:8, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:2+1, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2540                  | 2570                 | 0.1       | RMS      | 2568.875        | 13.59       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 1         | RMS      | 2570            | -37.59      | -10         | Pass    | 11          |
| 2571                  | 2575                 | 1         | RMS      | 2571.01         | -45.59      | -10         | Pass    | 401         |
| 2575                  | 2600                 | 1         | RMS      | 2578.875        | -21.15      | -13         | Pass    | 401         |
| 2600                  | 2615                 | 1         | RMS      | 2600            | -50.16      | -25         | Pass    | 401         |




**19.15. CA Band Edge(NTNV)(Subtest:9, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2540                  | 2570                 | 0.1       | RMS      | 2564.975        | -0.01       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 1         | RMS      | 2570            | -27.69      | -10         | Pass    | 11          |
| 2571                  | 2575                 | 1         | RMS      | 2571.12         | -27.7       | -10         | Pass    | 401         |
| 2575                  | 2600                 | 1         | RMS      | 2575.25         | -28.61      | -13         | Pass    | 401         |
| 2600                  | 2615                 | 1         | RMS      | 2600            | -48.25      | -25         | Pass    | 401         |




**19.16. CA Band Edge(NTNV)(Subtest:10, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2540                  | 2570                 | 0.1       | RMS      | 2541.2          | 9.85        | 30          | Pass    | 401         |
| 2570                  | 2571                 | 1         | RMS      | 2570            | -43.24      | -10         | Pass    | 11          |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -48.28      | -10         | Pass    | 401         |
| 2575                  | 2600                 | 1         | RMS      | 2596.438        | -38.44      | -13         | Pass    | 401         |
| 2600                  | 2615                 | 1         | RMS      | 2600.038        | -50.5       | -25         | Pass    | 401         |




**19.17. CA Band Edge(NTNV)(Subtest:11, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2540                  | 2570                 | 0.1       | RMS      | 2559.05         | 13.26       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 1         | RMS      | 2570            | -39.02      | -10         | Pass    | 11          |
| 2571                  | 2575                 | 1         | RMS      | 2571.02         | -45.7       | -10         | Pass    | 401         |
| 2575                  | 2600                 | 1         | RMS      | 2578.625        | -21.96      | -13         | Pass    | 401         |
| 2600                  | 2615                 | 1         | RMS      | 2600            | -50.47      | -25         | Pass    | 401         |




**19.18. CA Band Edge(NTNV)(Subtest:10, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:2+1, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2540                  | 2570                 | 0.1       | RMS      | 2568.875        | 9.58        | 30          | Pass    | 401         |
| 2570                  | 2571                 | 1         | RMS      | 2570            | -42.49      | -10         | Pass    | 11          |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -48.21      | -10         | Pass    | 401         |
| 2575                  | 2600                 | 1         | RMS      | 2596.438        | -38.49      | -13         | Pass    | 401         |
| 2600                  | 2615                 | 1         | RMS      | 2603.338        | -50.56      | -25         | Pass    | 401         |




**19.19. CA Band Edge(NTNV)(Subtest:11, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:2+1, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2540                  | 2570                 | 0.1       | RMS      | 2568.875        | 13.55       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 1         | RMS      | 2570            | -37.83      | -10         | Pass    | 11          |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -45.21      | -10         | Pass    | 401         |
| 2575                  | 2600                 | 1         | RMS      | 2578.875        | -21.62      | -13         | Pass    | 401         |
| 2600                  | 2615                 | 1         | RMS      | 2600            | -50.21      | -25         | Pass    | 401         |




**19.20. CA Band Edge(NTNV)(Subtest:12, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2540                  | 2570                 | 0.1       | RMS      | 2563.7          | -0.97       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 1         | RMS      | 2570            | -28.72      | -10         | Pass    | 11          |
| 2571                  | 2575                 | 1         | RMS      | 2571.17         | -28.88      | -10         | Pass    | 401         |
| 2575                  | 2600                 | 1         | RMS      | 2575            | -29.9       | -13         | Pass    | 401         |
| 2600                  | 2615                 | 1         | RMS      | 2600            | -48.86      | -25         | Pass    | 401         |




**19.21. CA Band Edge(NTNV)(Subtest:13, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB Position:Low+Low)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2489.888        | -50.64      | -25         | Pass    | 401         |
| 2490                  | 2496                 | 1         | RMS      | 2494.77         | -48.87      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -44.26      | -10         | Pass    | 401         |
| 2499                  | 2500                 | 1         | RMS      | 2500            | -25.42      | -10         | Pass    | 11          |
| 2500                  | 2540                 | 0.1       | RMS      | 2501.1          | 12.35       | 30          | Pass    | 401         |




**19.22. CA Band Edge(NTNV)(Subtest:14, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2490            | -50.82      | -25         | Pass    | 401         |
| 2490                  | 2496                 | 1         | RMS      | 2494.65         | -49.68      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -45.72      | -10         | Pass    | 401         |
| 2499                  | 2500                 | 1         | RMS      | 2500            | -27.63      | -10         | Pass    | 11          |
| 2500                  | 2540                 | 0.1       | RMS      | 2501.1          | 9.73        | 30          | Pass    | 401         |




**19.23. CA Band Edge(NTNV)(Subtest:13, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:2+1, RB Position:Low+Low)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2481.413        | -50.26      | -25         | Pass    | 401         |
| 2490                  | 2496                 | 1         | RMS      | 2494.98         | -48.61      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -44.9       | -10         | Pass    | 401         |
| 2499                  | 2500                 | 1         | RMS      | 2500            | -26.36      | -10         | Pass    | 11          |
| 2500                  | 2540                 | 0.1       | RMS      | 2520.9          | 12.41       | 30          | Pass    | 401         |




**19.24. CA Band Edge(NTNV)(Subtest:14, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:2+1, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2489.888        | -50.84      | -25         | Pass    | 401         |
| 2490                  | 2496                 | 1         | RMS      | 2494.65         | -49.5       | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -46.5       | -10         | Pass    | 401         |
| 2499                  | 2500                 | 1         | RMS      | 2500            | -28.66      | -10         | Pass    | 11          |
| 2500                  | 2540                 | 0.1       | RMS      | 2538.7          | 10.06       | 30          | Pass    | 401         |




**19.25. CA Band Edge(NTNV)(Subtest:15, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2490            | -34.18      | -25         | Pass    | 401         |
| 2490                  | 2496                 | 1         | RMS      | 2495.985        | -30.51      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -29.87      | -10         | Pass    | 401         |
| 2499                  | 2500                 | 1         | RMS      | 2500            | -28.48      | -10         | Pass    | 11          |
| 2500                  | 2540                 | 0.1       | RMS      | 2514.8          | -2.21       | 30          | Pass    | 401         |




**19.26. CA Band Edge(NTNV)(Subtest:16, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB Position:Low+Low)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2489.625        | -50.66      | -25         | Pass    | 401         |
| 2490                  | 2496                 | 1         | RMS      | 2494.71         | -48.93      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -43.67      | -10         | Pass    | 401         |
| 2499                  | 2500                 | 1         | RMS      | 2500            | -24.77      | -10         | Pass    | 11          |
| 2500                  | 2540                 | 0.1       | RMS      | 2501.1          | 12.28       | 30          | Pass    | 401         |




**19.27. CA Band Edge(NTNV)(Subtest:17, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2488.613        | -50.75      | -25         | Pass    | 401         |
| 2490                  | 2496                 | 1         | RMS      | 2494.635        | -50.11      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -45.79      | -10         | Pass    | 401         |
| 2499                  | 2500                 | 1         | RMS      | 2500            | -27.21      | -10         | Pass    | 11          |
| 2500                  | 2540                 | 0.1       | RMS      | 2501.1          | 9.7         | 30          | Pass    | 401         |




**19.28. CA Band Edge(NTNV)(Subtest:16, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:2+1, RB Position:Low+Low)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2481.525        | -50.24      | -25         | Pass    | 401         |
| 2490                  | 2496                 | 1         | RMS      | 2494.74         | -48.34      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -45.02      | -10         | Pass    | 401         |
| 2499                  | 2500                 | 1         | RMS      | 2500            | -27.02      | -10         | Pass    | 11          |
| 2500                  | 2540                 | 0.1       | RMS      | 2520.9          | 12.33       | 30          | Pass    | 401         |




**19.29. CA Band Edge(NTNV)(Subtest:17, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:2+1, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2489.663        | -50.79      | -25         | Pass    | 401         |
| 2490                  | 2496                 | 1         | RMS      | 2494.875        | -49.46      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2499            | -46.77      | -10         | Pass    | 401         |
| 2499                  | 2500                 | 1         | RMS      | 2500            | -29.37      | -10         | Pass    | 11          |
| 2500                  | 2540                 | 0.1       | RMS      | 2538.7          | 10.01       | 30          | Pass    | 401         |




**19.30. CA Band Edge(NTNV)(Subtest:18, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2475                  | 2490                 | 1         | RMS      | 2490            | -35.37      | -25         | Pass    | 401         |
| 2490                  | 2496                 | 1         | RMS      | 2495.985        | -31.48      | -13         | Pass    | 401         |
| 2496                  | 2499                 | 1         | RMS      | 2498.948        | -30.64      | -10         | Pass    | 401         |
| 2499                  | 2500                 | 1         | RMS      | 2500            | -29.35      | -10         | Pass    | 11          |
| 2500                  | 2540                 | 0.1       | RMS      | 2517.3          | -3.23       | 30          | Pass    | 401         |




**19.31. CA Band Edge(NTNV)(Subtest:19, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2530                  | 2570                 | 0.1       | RMS      | 2531.3          | 9.92        | 30          | Pass    | 401         |
| 2570                  | 2571                 | 1         | RMS      | 2570            | -29.15      | -10         | Pass    | 11          |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -46.72      | -10         | Pass    | 401         |
| 2575                  | 2610                 | 1         | RMS      | 2575.175        | -49.98      | -13         | Pass    | 401         |
| 2610                  | 2615                 | 1         | RMS      | 2612.2          | -50.53      | -25         | Pass    | 401         |




**19.32. CA Band Edge(NTNV)(Subtest:20, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2530                  | 2570                 | 0.1       | RMS      | 2549.1          | 12.14       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 1         | RMS      | 2570            | -26.72      | -10         | Pass    | 11          |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -45.04      | -10         | Pass    | 401         |
| 2575                  | 2610                 | 1         | RMS      | 2588.475        | -31.18      | -13         | Pass    | 401         |
| 2610                  | 2615                 | 1         | RMS      | 2610.813        | -50.52      | -25         | Pass    | 401         |




**19.33. CA Band Edge(NTNV)(Subtest:19, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:2+1, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2530                  | 2570                 | 0.1       | RMS      | 2568.9          | 9.74        | 30          | Pass    | 401         |
| 2570                  | 2571                 | 1         | RMS      | 2570            | -27.63      | -10         | Pass    | 11          |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -46.27      | -10         | Pass    | 401         |
| 2575                  | 2610                 | 1         | RMS      | 2575.263        | -49.79      | -13         | Pass    | 401         |
| 2610                  | 2615                 | 1         | RMS      | 2612.25         | -50.56      | -25         | Pass    | 401         |




**19.34. CA Band Edge(NTNV)(Subtest:20, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:2+1, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2530                  | 2570                 | 0.1       | RMS      | 2568.9          | 12.18       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 1         | RMS      | 2570            | -25.15      | -10         | Pass    | 11          |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -44.26      | -10         | Pass    | 401         |
| 2575                  | 2610                 | 1         | RMS      | 2588.738        | -32.19      | -13         | Pass    | 401         |
| 2610                  | 2615                 | 1         | RMS      | 2612.575        | -50.55      | -25         | Pass    | 401         |




**19.35. CA Band Edge(NTNV)(Subtest:21, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2530                  | 2570                 | 0.1       | RMS      | 2551.5          | -2.48       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 1         | RMS      | 2570            | -26.98      | -10         | Pass    | 11          |
| 2571                  | 2575                 | 1         | RMS      | 2571.26         | -28.39      | -10         | Pass    | 401         |
| 2575                  | 2610                 | 1         | RMS      | 2575.263        | -29.68      | -13         | Pass    | 401         |
| 2610                  | 2615                 | 1         | RMS      | 2612.4          | -50.42      | -25         | Pass    | 401         |




**19.36. CA Band Edge(NTNV)(Subtest:22, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2530                  | 2570                 | 0.1       | RMS      | 2531.3          | 10.11       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 1         | RMS      | 2570            | -29.41      | -10         | Pass    | 11          |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -46.9       | -10         | Pass    | 401         |
| 2575                  | 2610                 | 1         | RMS      | 2575            | -49.95      | -13         | Pass    | 401         |
| 2610                  | 2615                 | 1         | RMS      | 2612.313        | -50.55      | -25         | Pass    | 401         |




**19.37. CA Band Edge(NTNV)(Subtest:23, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2530                  | 2570                 | 0.1       | RMS      | 2549.1          | 12.35       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 1         | RMS      | 2570            | -26.99      | -10         | Pass    | 11          |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -45.27      | -10         | Pass    | 401         |
| 2575                  | 2610                 | 1         | RMS      | 2588.475        | -31.92      | -13         | Pass    | 401         |
| 2610                  | 2615                 | 1         | RMS      | 2613.213        | -50.54      | -25         | Pass    | 401         |




**19.38. CA Band Edge(NTNV)(Subtest:22, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:2+1, RB Position:Low+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2530                  | 2570                 | 0.1       | RMS      | 2568.9          | 9.53        | 30          | Pass    | 401         |
| 2570                  | 2571                 | 1         | RMS      | 2570            | -27.47      | -10         | Pass    | 11          |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -46.15      | -10         | Pass    | 401         |
| 2575                  | 2610                 | 1         | RMS      | 2575.263        | -49.91      | -13         | Pass    | 401         |
| 2610                  | 2615                 | 1         | RMS      | 2610.613        | -50.55      | -25         | Pass    | 401         |




**19.39. CA Band Edge(NTNV)(Subtest:23, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:2+1, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2530                  | 2570                 | 0.1       | RMS      | 2568.9          | 12.09       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 1         | RMS      | 2570            | -25.03      | -10         | Pass    | 11          |
| 2571                  | 2575                 | 1         | RMS      | 2571            | -44.35      | -10         | Pass    | 401         |
| 2575                  | 2610                 | 1         | RMS      | 2588.738        | -32.95      | -13         | Pass    | 401         |
| 2610                  | 2615                 | 1         | RMS      | 2610.775        | -50.54      | -25         | Pass    | 401         |



**19.40. CA Band Edge(NTNV)(Subtest:24, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 2530                  | 2570                 | 0.1       | RMS      | 2543.5          | -3.39       | 30          | Pass    | 401         |
| 2570                  | 2571                 | 1         | RMS      | 2570            | -28.92      | -10         | Pass    | 11          |
| 2571                  | 2575                 | 1         | RMS      | 2571.03         | -30.31      | -10         | Pass    | 401         |
| 2575                  | 2610                 | 1         | RMS      | 2575            | -31.65      | -13         | Pass    | 401         |
| 2610                  | 2615                 | 1         | RMS      | 2611.388        | -50.45      | -25         | Pass    | 401         |



---

END