


Annex A.5 Spurious Emission at Antenna Terminals

GSM

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.04	-13	Pass	401
0.15	30	0.01	Peak	0.25	-53.78	-13	Pass	2986
30	500	0.1	Peak	375.5	-43.09	-13	Pass	4701
500	1000	0.1	Peak	824.2	32.06	-13	N/A	5001
1000	10000	1	Peak	7941.847	-22.88	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.35	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.71	-13	Pass	2986
30	500	0.1	Peak	477.9	-44.3	-13	Pass	4701
500	1000	0.1	Peak	836.5	31.93	-13	N/A	5001
1000	10000	1	Peak	9533	-22.97	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.81	-13	Pass	401
0.15	30	0.01	Peak	0.23	-54.17	-13	Pass	2986
30	500	0.1	Peak	381.8	-43.8	-13	Pass	4701
500	1000	0.1	Peak	848.7	31.85	-13	N/A	5001
1000	10000	1	Peak	8794.952	-22.6	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-62.41	-13	Pass	401
0.15	30	0.01	Peak	0.27	-59.52	-13	Pass	2986
30	1000	0.1	Peak	765.49	-49.14	-13	Pass	9700
1000	3000	1	Peak	1850	29.02	-13	N/A	2001
3000	20000	1	Peak	19953	-20.83	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.16	-13	Pass	401
0.15	30	0.01	Peak	0.16	-58.71	-13	Pass	2986
30	1000	0.1	Peak	856.905	-49.01	-13	Pass	9700
1000	3000	1	Peak	1880	26.9	-13	N/A	2001
3000	20000	1	Peak	19817	-20.72	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-59.95	-13	Pass	401
0.15	30	0.01	Peak	0.17	-59.75	-13	Pass	2986
30	1000	0.1	Peak	643.275	-48.72	-13	Pass	9700
1000	3000	1	Peak	1910	29.15	-13	N/A	2001
3000	20000	1	Peak	19356.997	-21.07	-13	Pass	17001




EGPRS

3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.17	-13	Pass	401
0.15	30	0.01	Peak	0.18	-54.02	-13	Pass	2986
30	500	0.1	Peak	460.4	-42.78	-13	Pass	4701
500	1000	0.1	Peak	824.2	28.31	-13	N/A	5001
1000	10000	1	Peak	7909.843	-22.62	-13	Pass	9001




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-54.84	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.76	-13	Pass	2986
30	500	0.1	Peak	425.6	-43.91	-13	Pass	4701
500	1000	0.1	Peak	836.6	28.7	-13	N/A	5001
1000	10000	1	Peak	7992.854	-22.65	-13	Pass	9001



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-56.36	-13	Pass	401
0.15	30	0.01	Peak	0.17	-54.51	-13	Pass	2986
30	500	0.1	Peak	396.8	-43.96	-13	Pass	4701
500	1000	0.1	Peak	848.8	28.87	-13	N/A	5001
1000	10000	1	Peak	9497	-22.63	-13	Pass	9001



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-60.13	-13	Pass	401
0.15	30	0.01	Peak	0.18	-59.18	-13	Pass	2986
30	1000	0.1	Peak	902.836	-48.77	-13	Pass	9700
1000	3000	1	Peak	1850	28.42	-13	N/A	2001
3000	20000	1	Peak	19780	-21.52	-13	Pass	17001




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-62.34	-13	Pass	401
0.15	30	0.01	Peak	0.34	-60.5	-13	Pass	2986
30	1000	0.1	Peak	852.502	-48.42	-13	Pass	9700
1000	3000	1	Peak	1880	28.33	-13	N/A	2001
3000	20000	1	Peak	19777	-21.43	-13	Pass	17001



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-61.24	-13	Pass	401
0.15	30	0.01	Peak	0.29	-60.32	-13	Pass	2986
30	1000	0.1	Peak	722.585	-49.22	-13	Pass	9700
1000	3000	1	Peak	1910	27.39	-13	N/A	2001
3000	20000	1	Peak	19792	-21.08	-13	Pass	17001




WCDMA

5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.35	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.22	-13	Pass	2985
30	1000	0.1	Peak	830.498	-53.98	-13	Pass	9699
1000	3000	1	Peak	1853.427	22.77	-13	N/A	2000
3000	20000	1	Peak	19830.725	-25.94	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.64	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.85	-13	Pass	2985
30	1000	0.1	Peak	976.469	-51.72	-13	Pass	9699
1000	3000	1	Peak	1881.441	22.73	-13	N/A	2000
3000	20000	1	Peak	19711.532	-25.81	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.68	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.22	-13	Pass	2985
30	1000	0.1	Peak	889.854	-52.66	-13	Pass	9699
1000	3000	1	Peak	1906.453	22.64	-13	N/A	2000
3000	20000	1	Peak	19805.685	-25.42	-13	Pass	17000



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.11	-13	Pass	401
0.15	30	0.01	Peak	0.2	-63.99	-13	Pass	2985
30	1000	0.1	Peak	917.691	-53.6	-13	Pass	9699
1000	3000	1	Peak	1713.357	22.65	-13	N/A	2000
3000	20000	1	Peak	19395.018	-25.62	-13	Pass	17000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.78	-13	Pass	401
0.15	30	0.01	Peak	0.25	-65.24	-13	Pass	2985
30	1000	0.1	Peak	971.863	-53.37	-13	Pass	9699
1000	3000	1	Peak	1731.366	22.61	-13	N/A	2000
3000	20000	1	Peak	19756.605	-25.61	-13	Pass	17000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.01	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64	-13	Pass	2985
30	1000	0.1	Peak	471.054	-53.56	-13	Pass	9699
1000	3000	1	Peak	1753.377	22.64	-13	N/A	2000
3000	20000	1	Peak	19797.672	-25.28	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.25	-13	Pass	401
0.15	30	0.01	Peak	0.23	-63.31	-13	Pass	2985
30	500	0.1	Peak	480.496	-54.27	-13	Pass	4700
500	1000	0.1	Peak	826.165	17.79	-13	N/A	5000
1000	10000	1	Peak	9990.989	-32.73	-13	Pass	9000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.68	-13	Pass	401
0.15	30	0.01	Peak	0.26	-65.32	-13	Pass	2985
30	500	0.1	Peak	481.396	-54.06	-13	Pass	4700
500	1000	0.1	Peak	837.668	17.84	-13	N/A	5000
1000	10000	1	Peak	8517.918	-32.96	-13	Pass	9000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.28	-13	Pass	401
0.15	30	0.01	Peak	0.25	-64.2	-13	Pass	2985
30	500	0.1	Peak	374.973	-54.12	-13	Pass	4700
500	1000	0.1	Peak	845.069	17.47	-13	N/A	5000
1000	10000	1	Peak	7771.827	-32.48	-13	Pass	9000




LTE

8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.65	-13	Pass	2985
30	1000	0.1	RMS	986.983	-65.27	-13	Pass	9699
1000	1840	1	RMS	1840	-49.24	-13	Pass	840
1840	1920	1	RMS	1850.2	22.14	60	Pass	401
1920	3000	1	RMS	2948.953	-50.55	-13	Pass	1080
3000	12000	1	RMS	11120.991	-44.37	-13	Pass	9000
12000	20000	1	RMS	19800.975	-37.16	-13	Pass	8000




**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-13	Pass	2985
30	1000	0.1	RMS	495.657	-63.73	-13	Pass	9699
1000	1840	1	RMS	1840	-50	-13	Pass	840
1840	1920	1	RMS	1850.2	21.16	60	Pass	401
1920	3000	1	RMS	2950.955	-50.61	-13	Pass	1080
3000	12000	1	RMS	11016.979	-44.38	-13	Pass	9000
12000	20000	1	RMS	19791.974	-37.18	-13	Pass	8000




**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	Pass	2985
30	1000	0.1	RMS	853.005	-65.21	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.7	-13	Pass	840
1840	1920	1	RMS	1879.4	21.98	60	Pass	401
1920	3000	1	RMS	2947.952	-50.78	-13	Pass	1080
3000	12000	1	RMS	11009.978	-44.43	-13	Pass	9000
12000	20000	1	RMS	19794.974	-37.18	-13	Pass	8000




8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.7	-13	Pass	2985
30	1000	0.1	RMS	865.622	-65.2	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.63	-13	Pass	840
1840	1920	1	RMS	1879.4	21.23	60	Pass	401
1920	3000	1	RMS	2942.947	-50.79	-13	Pass	1080
3000	12000	1	RMS	11009.978	-44.33	-13	Pass	9000
12000	20000	1	RMS	19809.976	-37.17	-13	Pass	8000




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.82	-13	Pass	2985
30	1000	0.1	RMS	882.845	-65.25	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.63	-13	Pass	840
1840	1920	1	RMS	1908.8	21.56	60	Pass	401
1920	3000	1	RMS	2952.956	-50.68	-13	Pass	1080
3000	12000	1	RMS	11125.992	-44.33	-13	Pass	9000
12000	20000	1	RMS	19802.975	-37.11	-13	Pass	8000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.35	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.28	-13	Pass	2985
30	1000	0.1	RMS	988.885	-63.74	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.65	-13	Pass	840
1840	1920	1	RMS	1908.8	20.74	60	Pass	401
1920	3000	1	RMS	2952.956	-50.68	-13	Pass	1080
3000	12000	1	RMS	11123.992	-44.48	-13	Pass	9000
12000	20000	1	RMS	19800.975	-37.21	-13	Pass	8000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2985
30	1000	0.1	RMS	871.73	-65.23	-13	Pass	9699
1000	1840	1	RMS	1840	-49.74	-13	Pass	840
1840	1920	1	RMS	1850.2	22.27	60	Pass	401
1920	3000	1	RMS	2950.955	-50.67	-13	Pass	1080
3000	12000	1	RMS	11015.979	-44.34	-13	Pass	9000
12000	20000	1	RMS	19796.975	-37.1	-13	Pass	8000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.83	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.02	-13	Pass	2985
30	1000	0.1	RMS	848.8	-65.23	-13	Pass	9699
1000	1840	1	RMS	1840	-50.81	-13	Pass	840
1840	1920	1	RMS	1850.2	21.47	60	Pass	401
1920	3000	1	RMS	2952.956	-50.75	-13	Pass	1080
3000	12000	1	RMS	11128.992	-44.43	-13	Pass	9000
12000	20000	1	RMS	19802.975	-37.19	-13	Pass	8000




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.59	-13	Pass	401
0.15	30	0.01	RMS	0.62	-73.02	-13	Pass	2985
30	1000	0.1	RMS	986.282	-63.38	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.34	-13	Pass	840
1840	1920	1	RMS	1878.6	22.14	60	Pass	401
1920	3000	1	RMS	2949.954	-50.31	-13	Pass	1080
3000	12000	1	RMS	11130.993	-44.11	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.25	-13	Pass	8000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.45	-72.22	-13	Pass	2985
30	1000	0.1	RMS	870.128	-63.39	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.35	-13	Pass	840
1840	1920	1	RMS	1878.6	21.32	60	Pass	401
1920	3000	1	RMS	2945.95	-50.34	-13	Pass	1080
3000	12000	1	RMS	11126.992	-44.07	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.3	-13	Pass	8000




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.6	-13	Pass	2985
30	1000	0.1	RMS	910.882	-65.2	-13	Pass	9699
1000	1840	1	RMS	1804.958	-53.71	-13	Pass	840
1840	1920	1	RMS	1907.2	21.81	60	Pass	401
1920	3000	1	RMS	2948.953	-50.68	-13	Pass	1080
3000	12000	1	RMS	11639.554	-44.32	-13	Pass	9000
12000	20000	1	RMS	19793.974	-37.13	-13	Pass	8000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.52	-13	Pass	2985
30	1000	0.1	RMS	976.969	-63.84	-13	Pass	9699
1000	1840	1	RMS	1807.962	-53.57	-13	Pass	840
1840	1920	1	RMS	1907.2	20.91	60	Pass	401
1920	3000	1	RMS	2954.958	-50.67	-13	Pass	1080
3000	12000	1	RMS	11130.993	-44.44	-13	Pass	9000
12000	20000	1	RMS	19801.975	-37.12	-13	Pass	8000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.99	-13	Pass	2985
30	1000	0.1	RMS	389.544	-64.4	-13	Pass	9699
1000	1840	1	RMS	1838.999	-49.4	-13	Pass	840
1840	1920	1	RMS	1850.2	22.17	60	Pass	401
1920	3000	1	RMS	2953.957	-50.8	-13	Pass	1080
3000	12000	1	RMS	11122.992	-44.48	-13	Pass	9000
12000	20000	1	RMS	19799.975	-37.14	-13	Pass	8000




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.58	-13	Pass	2985
30	1000	0.1	RMS	894.961	-65.16	-13	Pass	9699
1000	1840	1	RMS	1840	-49.88	-13	Pass	840
1840	1920	1	RMS	1850.2	21.38	60	Pass	401
1920	3000	1	RMS	2949.954	-50.79	-13	Pass	1080
3000	12000	1	RMS	11015.979	-44.53	-13	Pass	9000
12000	20000	1	RMS	19799.975	-37.11	-13	Pass	8000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.31	-13	Pass	2985
30	1000	0.1	RMS	997.296	-63.82	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.54	-13	Pass	840
1840	1920	1	RMS	1877.8	22.1	60	Pass	401
1920	3000	1	RMS	2948.953	-50.66	-13	Pass	1080
3000	12000	1	RMS	11019.979	-44.45	-13	Pass	9000
12000	20000	1	RMS	19809.976	-37.25	-13	Pass	8000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.1	-13	Pass	2985
30	1000	0.1	RMS	883.646	-65.13	-13	Pass	9699
1000	1840	1	RMS	1840	-53.57	-13	Pass	840
1840	1920	1	RMS	1877.8	21.33	60	Pass	401
1920	3000	1	RMS	2954.958	-50.77	-13	Pass	1080
3000	12000	1	RMS	11341.185	-44.49	-13	Pass	9000
12000	20000	1	RMS	19798.975	-37.14	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.89	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.04	-13	Pass	2985
30	1000	0.1	RMS	880.942	-65.16	-13	Pass	9699
1000	1840	1	RMS	1840	-53.68	-13	Pass	840
1840	1920	1	RMS	1905.2	21.77	60	Pass	401
1920	3000	1	RMS	2957.961	-50.75	-13	Pass	1080
3000	12000	1	RMS	11011.978	-44.52	-13	Pass	9000
12000	20000	1	RMS	19796.975	-37.16	-13	Pass	8000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.57	-13	Pass	2985
30	1000	0.1	RMS	851.002	-64.01	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.54	-13	Pass	840
1840	1920	1	RMS	1905.2	20.92	60	Pass	401
1920	3000	1	RMS	2841.854	-50.69	-13	Pass	1080
3000	12000	1	RMS	11013.978	-44.36	-13	Pass	9000
12000	20000	1	RMS	19801.975	-37.15	-13	Pass	8000




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.57	-13	Pass	2985
30	1000	0.1	RMS	943.425	-64.06	-13	Pass	9699
1000	1840	1	RMS	1840	-49.36	-13	Pass	840
1840	1920	1	RMS	1850.4	22.03	60	Pass	401
1920	3000	1	RMS	2960.964	-50.68	-13	Pass	1080
3000	12000	1	RMS	11126.992	-44.39	-13	Pass	9000
12000	20000	1	RMS	19794.974	-37.16	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	Pass	2985
30	1000	0.1	RMS	886.049	-65.29	-13	Pass	9699
1000	1840	1	RMS	1840	-50.29	-13	Pass	840
1840	1920	1	RMS	1850.4	21.66	60	Pass	401
1920	3000	1	RMS	2849.861	-50.77	-13	Pass	1080
3000	12000	1	RMS	11012.978	-44.47	-13	Pass	9000
12000	20000	1	RMS	19800.975	-37.19	-13	Pass	8000




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.91	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.55	-13	Pass	2985
30	1000	0.1	RMS	891.556	-65.21	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.54	-13	Pass	840
1840	1920	1	RMS	1875.4	21.98	60	Pass	401
1920	3000	1	RMS	2954.958	-50.78	-13	Pass	1080
3000	12000	1	RMS	11129.992	-44.55	-13	Pass	9000
12000	20000	1	RMS	19802.975	-37.18	-13	Pass	8000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	Pass	2985
30	1000	0.1	RMS	991.088	-65.31	-13	Pass	9699
1000	1840	1	RMS	1840	-53.59	-13	Pass	840
1840	1920	1	RMS	1875.6	21.15	60	Pass	401
1920	3000	1	RMS	2952.956	-50.79	-13	Pass	1080
3000	12000	1	RMS	11014.978	-44.51	-13	Pass	9000
12000	20000	1	RMS	19805.976	-37.21	-13	Pass	8000




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.16	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.35	-13	Pass	2985
30	1000	0.1	RMS	990.087	-65.22	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.6	-13	Pass	840
1840	1920	1	RMS	1900.4	21.54	60	Pass	401
1920	3000	1	RMS	2949.954	-50.6	-13	Pass	1080
3000	12000	1	RMS	11124.992	-44.3	-13	Pass	9000
12000	20000	1	RMS	19798.975	-37.12	-13	Pass	8000




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	Pass	2985
30	1000	0.1	RMS	897.264	-63.47	-13	Pass	9699
1000	1840	1	RMS	1838.999	-53.56	-13	Pass	840
1840	1920	1	RMS	1900.4	20.72	60	Pass	401
1920	3000	1	RMS	2949.954	-50.7	-13	Pass	1080
3000	12000	1	RMS	11123.992	-44.3	-13	Pass	9000
12000	20000	1	RMS	19799.975	-37.15	-13	Pass	8000




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.73	-13	Pass	2985
30	1000	0.1	RMS	999.399	-63.63	-13	Pass	9699
1000	1840	1	RMS	1838.999	-36.48	-13	Pass	840
1840	1920	1	RMS	1850.8	21.95	60	Pass	401
1920	3000	1	RMS	2948.953	-50.69	-13	Pass	1080
3000	12000	1	RMS	11009.978	-44.23	-13	Pass	9000
12000	20000	1	RMS	19801.975	-37.15	-13	Pass	8000




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.23	-13	Pass	2985
30	1000	0.1	RMS	868.325	-65.22	-13	Pass	9699
1000	1840	1	RMS	1838.999	-36.87	-13	Pass	840
1840	1920	1	RMS	1850.8	21.4	60	Pass	401
1920	3000	1	RMS	2956.96	-50.69	-13	Pass	1080
3000	12000	1	RMS	11003.977	-44.35	-13	Pass	9000
12000	20000	1	RMS	19794.974	-37.12	-13	Pass	8000




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.28	-13	Pass	2985
30	1000	0.1	RMS	863.92	-65.11	-13	Pass	9699
1000	1840	1	RMS	1840	-53.33	-13	Pass	840
1840	1920	1	RMS	1873.2	21.93	60	Pass	401
1920	3000	1	RMS	2957.961	-50.82	-13	Pass	1080
3000	12000	1	RMS	11010.978	-44.4	-13	Pass	9000
12000	20000	1	RMS	19805.976	-37.1	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.13	-13	Pass	2985
30	1000	0.1	RMS	412.747	-64.67	-13	Pass	9699
1000	1840	1	RMS	1840	-53.13	-13	Pass	840
1840	1920	1	RMS	1873.2	21.29	60	Pass	401
1920	3000	1	RMS	2949.954	-50.75	-13	Pass	1080
3000	12000	1	RMS	11009.978	-44.44	-13	Pass	9000
12000	20000	1	RMS	19800.975	-37.13	-13	Pass	8000




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	Pass	2985
30	1000	0.1	RMS	474.954	-63.93	-13	Pass	9699
1000	1840	1	RMS	1840	-53.54	-13	Pass	840
1840	1920	1	RMS	1895.8	21.77	60	Pass	401
1920	3000	1	RMS	2950.955	-50.6	-13	Pass	1080
3000	12000	1	RMS	11008.978	-44.35	-13	Pass	9000
12000	20000	1	RMS	19805.976	-37.13	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2985
30	1000	0.1	RMS	382.543	-64.35	-13	Pass	9699
1000	1840	1	RMS	1836.996	-53.53	-13	Pass	840
1840	1920	1	RMS	1895.8	21.01	60	Pass	401
1920	3000	1	RMS	2954.958	-50.71	-13	Pass	1080
3000	12000	1	RMS	11016.979	-44.46	-13	Pass	9000
12000	20000	1	RMS	19799.975	-37.13	-13	Pass	8000




**8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.56	-13	Pass	2985
30	1000	0.1	RMS	982.877	-65.22	-13	Pass	9699
1000	1840	1	RMS	1838.999	-35.4	-13	Pass	840
1840	1920	1	RMS	1851	22.02	60	Pass	401
1920	3000	1	RMS	2951.956	-50.67	-13	Pass	1080
3000	12000	1	RMS	11130.993	-44.35	-13	Pass	9000
12000	20000	1	RMS	19805.976	-37.1	-13	Pass	8000




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	Pass	2985
30	1000	0.1	RMS	847.3	-65.22	-13	Pass	9699
1000	1840	1	RMS	1838.999	-36.8	-13	Pass	840
1840	1920	1	RMS	1851	21.63	60	Pass	401
1920	3000	1	RMS	2846.858	-50.66	-13	Pass	1080
3000	12000	1	RMS	11341.185	-44.32	-13	Pass	9000
12000	20000	1	RMS	19795.974	-37.09	-13	Pass	8000




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.44	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.52	-13	Pass	2985
30	1000	0.1	RMS	709.683	-63.92	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.04	-13	Pass	840
1840	1920	1	RMS	1871	22.13	60	Pass	401
1920	3000	1	RMS	2950.955	-50.61	-13	Pass	1080
3000	12000	1	RMS	11876.848	-44.35	-13	Pass	9000
12000	20000	1	RMS	19802.975	-37.14	-13	Pass	8000




**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.66	-13	Pass	2985
30	1000	0.1	RMS	890.254	-65.09	-13	Pass	9699
1000	1840	1	RMS	1835.995	-53.15	-13	Pass	840
1840	1920	1	RMS	1871	21.21	60	Pass	401
1920	3000	1	RMS	2954.958	-50.69	-13	Pass	1080
3000	12000	1	RMS	11131.993	-44.53	-13	Pass	9000
12000	20000	1	RMS	19792.974	-37.1	-13	Pass	8000




**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	Pass	2985
30	1000	0.1	RMS	865.221	-65.05	-13	Pass	9699
1000	1840	1	RMS	1837.998	-53.42	-13	Pass	840
1840	1920	1	RMS	1891	21.96	60	Pass	401
1920	3000	1	RMS	2924.93	-50.77	-13	Pass	1080
3000	12000	1	RMS	11009.978	-44.32	-13	Pass	9000
12000	20000	1	RMS	19798.975	-37.03	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.47	-72.83	-13	Pass	2985
30	1000	0.1	RMS	864.62	-63.38	-13	Pass	9699
1000	1840	1	RMS	1834.994	-53.19	-13	Pass	840
1840	1920	1	RMS	1891	20.96	60	Pass	401
1920	3000	1	RMS	2841.854	-50.3	-13	Pass	1080
3000	12000	1	RMS	11401.259	-44.08	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.28	-13	Pass	8000



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	Pass	2985
30	1000	0.1	RMS	866.523	-65.18	-13	Pass	9699
1000	1700	1	RMS	1700	-50.73	-13	Pass	700
1700	1765	1	RMS	1710.238	22.42	60	Pass	401
1765	3000	1	RMS	2945.956	-50.69	-13	Pass	1235
3000	12000	1	RMS	11013.978	-44.42	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.94	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.59	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.43	-13	Pass	2985
30	1000	0.1	RMS	906.876	-63.89	-13	Pass	9699
1000	1700	1	RMS	1700	-51.14	-13	Pass	700
1700	1765	1	RMS	1710.238	21.56	60	Pass	401
1765	3000	1	RMS	2951.961	-50.57	-13	Pass	1235
3000	12000	1	RMS	11129.992	-44.3	-13	Pass	9000
12000	20000	1	RMS	19797.975	-37.14	-13	Pass	8000




**9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.4	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.47	-13	Pass	2985
30	1000	0.1	RMS	889.353	-65	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.83	-13	Pass	700
1700	1765	1	RMS	1732.013	22.34	60	Pass	401
1765	3000	1	RMS	2955.964	-50.73	-13	Pass	1235
3000	12000	1	RMS	11878.85	-44.46	-13	Pass	9000
12000	20000	1	RMS	19798.975	-37.1	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.46	-13	Pass	2985
30	1000	0.1	RMS	889.353	-65.25	-13	Pass	9699
1000	1700	1	RMS	1700	-53.76	-13	Pass	700
1700	1765	1	RMS	1732.013	21.53	60	Pass	401
1765	3000	1	RMS	2949.959	-50.62	-13	Pass	1235
3000	12000	1	RMS	11123.992	-44.41	-13	Pass	9000
12000	20000	1	RMS	19802.975	-37.18	-13	Pass	8000




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2985
30	1000	0.1	RMS	882.244	-65.14	-13	Pass	9699
1000	1700	1	RMS	1688.984	-53.94	-13	Pass	700
1700	1765	1	RMS	1753.788	22.42	60	Pass	401
1765	3000	1	RMS	1765	-50.43	-13	Pass	1235
3000	12000	1	RMS	11009.978	-44.45	-13	Pass	9000
12000	20000	1	RMS	19804.976	-37.16	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.91	-13	Pass	2985
30	1000	0.1	RMS	985.28	-65.14	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.86	-13	Pass	700
1700	1765	1	RMS	1753.788	21.51	60	Pass	401
1765	3000	1	RMS	2949.959	-50.65	-13	Pass	1235
3000	12000	1	RMS	11015.979	-44.49	-13	Pass	9000
12000	20000	1	RMS	19796.975	-37.16	-13	Pass	8000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	Pass	2985
30	1000	0.1	RMS	875.635	-65.15	-13	Pass	9699
1000	1700	1	RMS	1700	-50.59	-13	Pass	700
1700	1765	1	RMS	1710.238	22.53	60	Pass	401
1765	3000	1	RMS	2945.956	-50.67	-13	Pass	1235
3000	12000	1	RMS	11880.853	-44.45	-13	Pass	9000
12000	20000	1	RMS	19798.975	-37.09	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	Pass	2985
30	1000	0.1	RMS	869.627	-65.11	-13	Pass	9699
1000	1700	1	RMS	1700	-51.26	-13	Pass	700
1700	1765	1	RMS	1710.238	21.72	60	Pass	401
1765	3000	1	RMS	2947.958	-50.69	-13	Pass	1235
3000	12000	1	RMS	11873.844	-44.44	-13	Pass	9000
12000	20000	1	RMS	19801.975	-37.15	-13	Pass	8000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	Pass	2985
30	1000	0.1	RMS	874.634	-65.14	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.79	-13	Pass	700
1700	1765	1	RMS	1731.2	22.48	60	Pass	401
1765	3000	1	RMS	2956.965	-50.74	-13	Pass	1235
3000	12000	1	RMS	11006.977	-44.41	-13	Pass	9000
12000	20000	1	RMS	19808.976	-37.13	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.69	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.71	-13	Pass	2985
30	1000	0.1	RMS	871.83	-65.1	-13	Pass	9699
1000	1700	1	RMS	1700	-53.69	-13	Pass	700
1700	1765	1	RMS	1731.2	21.66	60	Pass	401
1765	3000	1	RMS	2946.957	-50.66	-13	Pass	1235
3000	12000	1	RMS	11124.992	-44.45	-13	Pass	9000
12000	20000	1	RMS	19800.975	-37.09	-13	Pass	8000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-13	Pass	2985
30	1000	0.1	RMS	891.857	-65.05	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.93	-13	Pass	700
1700	1765	1	RMS	1752.163	22.51	60	Pass	401
1765	3000	1	RMS	2949.959	-50.76	-13	Pass	1235
3000	12000	1	RMS	11128.992	-44.43	-13	Pass	9000
12000	20000	1	RMS	19794.974	-37.19	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2985
30	1000	0.1	RMS	875.134	-65.11	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.95	-13	Pass	700
1700	1765	1	RMS	1752.163	21.78	60	Pass	401
1765	3000	1	RMS	2949.959	-50.68	-13	Pass	1235
3000	12000	1	RMS	11639.554	-44.32	-13	Pass	9000
12000	20000	1	RMS	19801.975	-37.1	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.18	-13	Pass	2985
30	1000	0.1	RMS	994.793	-65.15	-13	Pass	9699
1000	1700	1	RMS	1700	-50.82	-13	Pass	700
1700	1765	1	RMS	1710.238	22.64	60	Pass	401
1765	3000	1	RMS	2951.961	-50.73	-13	Pass	1235
3000	12000	1	RMS	11008.978	-44.36	-13	Pass	9000
12000	20000	1	RMS	19803.975	-37.04	-13	Pass	8000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.04	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.05	-13	Pass	2985
30	1000	0.1	RMS	847.8	-63.87	-13	Pass	9699
1000	1700	1	RMS	1700	-51.23	-13	Pass	700
1700	1765	1	RMS	1710.238	21.72	60	Pass	401
1765	3000	1	RMS	2949.959	-50.66	-13	Pass	1235
3000	12000	1	RMS	11009.978	-44.34	-13	Pass	9000
12000	20000	1	RMS	19802.975	-37.13	-13	Pass	8000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.53	-13	Pass	2985
30	1000	0.1	RMS	875.635	-65.21	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.87	-13	Pass	700
1700	1765	1	RMS	1730.225	22.48	60	Pass	401
1765	3000	1	RMS	2951.961	-50.65	-13	Pass	1235
3000	12000	1	RMS	11017.979	-44.41	-13	Pass	9000
12000	20000	1	RMS	19796.975	-37.13	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.45	-13	Pass	2985
30	1000	0.1	RMS	480.155	-65.11	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.83	-13	Pass	700
1700	1765	1	RMS	1730.225	21.81	60	Pass	401
1765	3000	1	RMS	2947.958	-50.69	-13	Pass	1235
3000	12000	1	RMS	11023.979	-44.48	-13	Pass	9000
12000	20000	1	RMS	19805.976	-37.02	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2985
30	1000	0.1	RMS	989.486	-65.05	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.94	-13	Pass	700
1700	1765	1	RMS	1750.213	22.49	60	Pass	401
1765	3000	1	RMS	2954.964	-50.63	-13	Pass	1235
3000	12000	1	RMS	11126.992	-44.46	-13	Pass	9000
12000	20000	1	RMS	19798.975	-37.14	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.82	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.34	-13	Pass	2985
30	1000	0.1	RMS	726.385	-65.15	-13	Pass	9699
1000	1700	1	RMS	1691.989	-53.94	-13	Pass	700
1700	1765	1	RMS	1750.213	21.67	60	Pass	401
1765	3000	1	RMS	2850.879	-50.74	-13	Pass	1235
3000	12000	1	RMS	11012.978	-44.46	-13	Pass	9000
12000	20000	1	RMS	19787.973	-37.16	-13	Pass	8000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.71	-13	Pass	2985
30	1000	0.1	RMS	849.901	-65.08	-13	Pass	9699
1000	1700	1	RMS	1700	-49.86	-13	Pass	700
1700	1765	1	RMS	1710.563	22.57	60	Pass	401
1765	3000	1	RMS	2951.961	-50.63	-13	Pass	1235
3000	12000	1	RMS	11010.978	-44.43	-13	Pass	9000
12000	20000	1	RMS	19800.975	-37.13	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.79	-13	Pass	2985
30	1000	0.1	RMS	856.209	-65.06	-13	Pass	9699
1000	1700	1	RMS	1700	-50.8	-13	Pass	700
1700	1765	1	RMS	1710.563	21.75	60	Pass	401
1765	3000	1	RMS	2946.957	-50.64	-13	Pass	1235
3000	12000	1	RMS	11011.978	-44.38	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.98	-13	Pass	8000




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.38	-13	Pass	2985
30	1000	0.1	RMS	876.436	-65.21	-13	Pass	9699
1000	1700	1	RMS	1700	-53.67	-13	Pass	700
1700	1765	1	RMS	1727.95	22.41	60	Pass	401
1765	3000	1	RMS	2845.875	-50.74	-13	Pass	1235
3000	12000	1	RMS	11130.993	-44.43	-13	Pass	9000
12000	20000	1	RMS	19799.975	-37.16	-13	Pass	8000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.52	-13	Pass	401
0.15	30	0.01	RMS	0.27	-72.78	-13	Pass	2985
30	1000	0.1	RMS	882.845	-65.11	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.7	-13	Pass	700
1700	1765	1	RMS	1727.95	21.61	60	Pass	401
1765	3000	1	RMS	2950.96	-50.69	-13	Pass	1235
3000	12000	1	RMS	11021.979	-44.48	-13	Pass	9000
12000	20000	1	RMS	19802.975	-37.1	-13	Pass	8000




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.51	-13	Pass	2985
30	1000	0.1	RMS	880.341	-65.12	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.89	-13	Pass	700
1700	1765	1	RMS	1745.5	22.54	60	Pass	401
1765	3000	1	RMS	2954.964	-50.75	-13	Pass	1235
3000	12000	1	RMS	11019.979	-44.38	-13	Pass	9000
12000	20000	1	RMS	19798.975	-37.01	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.61	-13	Pass	2985
30	1000	0.1	RMS	893.359	-65.27	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.91	-13	Pass	700
1700	1765	1	RMS	1745.5	21.85	60	Pass	401
1765	3000	1	RMS	2951.961	-50.71	-13	Pass	1235
3000	12000	1	RMS	11127.992	-44.43	-13	Pass	9000
12000	20000	1	RMS	19802.975	-37.13	-13	Pass	8000




**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.99	-13	Pass	2985
30	1000	0.1	RMS	992.69	-65.17	-13	Pass	9699
1000	1700	1	RMS	1697.997	-46.49	-13	Pass	700
1700	1765	1	RMS	1710.725	22.43	60	Pass	401
1765	3000	1	RMS	2948.959	-50.62	-13	Pass	1235
3000	12000	1	RMS	11015.979	-44.44	-13	Pass	9000
12000	20000	1	RMS	19800.975	-37.07	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	Pass	2985
30	1000	0.1	RMS	975.267	-65.14	-13	Pass	9699
1000	1700	1	RMS	1697.997	-46.96	-13	Pass	700
1700	1765	1	RMS	1710.725	21.76	60	Pass	401
1765	3000	1	RMS	2949.959	-50.65	-13	Pass	1235
3000	12000	1	RMS	11009.978	-44.38	-13	Pass	9000
12000	20000	1	RMS	19803.975	-37.1	-13	Pass	8000




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	Pass	2985
30	1000	0.1	RMS	998.298	-65.26	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.55	-13	Pass	700
1700	1765	1	RMS	1725.838	22.19	60	Pass	401
1765	3000	1	RMS	2945.956	-50.7	-13	Pass	1235
3000	12000	1	RMS	11869.839	-44.44	-13	Pass	9000
12000	20000	1	RMS	19804.976	-37.13	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	Pass	2985
30	1000	0.1	RMS	875.735	-65.26	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.63	-13	Pass	700
1700	1765	1	RMS	1725.838	21.6	60	Pass	401
1765	3000	1	RMS	2950.96	-50.68	-13	Pass	1235
3000	12000	1	RMS	11013.978	-44.4	-13	Pass	9000
12000	20000	1	RMS	19801.975	-37.04	-13	Pass	8000




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.57	-13	Pass	2985
30	1000	0.1	RMS	870.829	-65.09	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.86	-13	Pass	700
1700	1765	1	RMS	1740.788	22.31	60	Pass	401
1765	3000	1	RMS	2951.961	-50.7	-13	Pass	1235
3000	12000	1	RMS	11130.993	-44.45	-13	Pass	9000
12000	20000	1	RMS	19800.975	-37.02	-13	Pass	8000




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	Pass	2985
30	1000	0.1	RMS	920.194	-65.2	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.84	-13	Pass	700
1700	1765	1	RMS	1740.95	21.47	60	Pass	401
1765	3000	1	RMS	2957.966	-50.66	-13	Pass	1235
3000	12000	1	RMS	11016.979	-44.29	-13	Pass	9000
12000	20000	1	RMS	19802.975	-37.11	-13	Pass	8000




**9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.76	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.69	-13	Pass	2985
30	1000	0.1	RMS	907.577	-65.2	-13	Pass	9699
1000	1700	1	RMS	1700	-45.11	-13	Pass	700
1700	1765	1	RMS	1711.05	22.48	60	Pass	401
1765	3000	1	RMS	2959.968	-50.71	-13	Pass	1235
3000	12000	1	RMS	11875.846	-44.42	-13	Pass	9000
12000	20000	1	RMS	19787.973	-37.07	-13	Pass	8000




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.84	-13	Pass	2985
30	1000	0.1	RMS	856.209	-65.11	-13	Pass	9699
1000	1700	1	RMS	1692.99	-46.58	-13	Pass	700
1700	1765	1	RMS	1711.05	21.63	60	Pass	401
1765	3000	1	RMS	2957.966	-50.62	-13	Pass	1235
3000	12000	1	RMS	11121.991	-44.29	-13	Pass	9000
12000	20000	1	RMS	19791.974	-37.1	-13	Pass	8000




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.11	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.67	-13	Pass	2985
30	1000	0.1	RMS	866.423	-65.12	-13	Pass	9699
1000	1700	1	RMS	1700	-53.5	-13	Pass	700
1700	1765	1	RMS	1723.563	22.31	60	Pass	401
1765	3000	1	RMS	2948.959	-50.65	-13	Pass	1235
3000	12000	1	RMS	11876.848	-44.34	-13	Pass	9000
12000	20000	1	RMS	19802.975	-37.15	-13	Pass	8000




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.38	-13	Pass	2985
30	1000	0.1	RMS	829.498	-65.2	-13	Pass	9699
1000	1700	1	RMS	1700	-53.54	-13	Pass	700
1700	1765	1	RMS	1723.563	21.49	60	Pass	401
1765	3000	1	RMS	2956.965	-50.7	-13	Pass	1235
3000	12000	1	RMS	11011.978	-44.46	-13	Pass	9000
12000	20000	1	RMS	19798.975	-37.12	-13	Pass	8000




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	Pass	2985
30	1000	0.1	RMS	859.013	-65.13	-13	Pass	9699
1000	1700	1	RMS	1700	-53.88	-13	Pass	700
1700	1765	1	RMS	1735.913	22.27	60	Pass	401
1765	3000	1	RMS	2952.962	-50.74	-13	Pass	1235
3000	12000	1	RMS	11870.84	-44.29	-13	Pass	9000
12000	20000	1	RMS	19801.975	-37.04	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.89	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.19	-13	Pass	2985
30	1000	0.1	RMS	991.689	-65.08	-13	Pass	9699
1000	1700	1	RMS	1700	-53.74	-13	Pass	700
1700	1765	1	RMS	1736.075	21.36	60	Pass	401
1765	3000	1	RMS	2949.959	-50.7	-13	Pass	1235
3000	12000	1	RMS	11126.992	-44.29	-13	Pass	9000
12000	20000	1	RMS	19802.975	-37.08	-13	Pass	8000



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.03	-13	Pass	7840
814	860	0.1	RMS	824.222	20.13	60	Pass	460
860	1000	0.1	RMS	878.013	-65.2	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.94	-13	Pass	2000
3000	10000	1	RMS	9992.999	-45.17	-13	Pass	7000




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.52	-13	Pass	7840
814	860	0.1	RMS	824.222	19.76	60	Pass	460
860	1000	0.1	RMS	985.39	-65.24	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.89	-13	Pass	2000
3000	10000	1	RMS	9987.998	-45.18	-13	Pass	7000




**10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.08	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.11	-13	Pass	2985
30	814	0.1	RMS	813	-65.33	-13	Pass	7840
814	860	0.1	RMS	836.048	20.34	60	Pass	460
860	1000	0.1	RMS	874.51	-65.12	-13	Pass	1400
1000	3000	1	RMS	1671.336	-49.53	-13	Pass	2000
3000	10000	1	RMS	7110.587	-45.21	-13	Pass	7000




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	Pass	2985
30	814	0.1	RMS	811.3	-65.2	-13	Pass	7840
814	860	0.1	RMS	836.048	19.97	60	Pass	460
860	1000	0.1	RMS	884.518	-65.07	-13	Pass	1400
1000	3000	1	RMS	1671.336	-49.37	-13	Pass	2000
3000	10000	1	RMS	7110.587	-45.09	-13	Pass	7000




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.7	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.21	-13	Pass	2985
30	814	0.1	RMS	811.2	-65.19	-13	Pass	7840
814	860	0.1	RMS	847.874	20.18	60	Pass	460
860	1000	0.1	RMS	872.509	-65.14	-13	Pass	1400
1000	3000	1	RMS	1695.348	-49.33	-13	Pass	2000
3000	10000	1	RMS	7109.587	-45.07	-13	Pass	7000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.99	-13	Pass	2985
30	814	0.1	RMS	750.192	-65.45	-13	Pass	7840
814	860	0.1	RMS	847.874	19.74	60	Pass	460
860	1000	0.1	RMS	903.431	-65.17	-13	Pass	1400
1000	3000	1	RMS	1695.348	-49.3	-13	Pass	2000
3000	10000	1	RMS	7107.587	-45.2	-13	Pass	7000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.98	-13	Pass	7840
814	860	0.1	RMS	824.222	20.39	60	Pass	460
860	1000	0.1	RMS	883.417	-65.1	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.98	-13	Pass	2000
3000	10000	1	RMS	7111.587	-45.15	-13	Pass	7000




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.83	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.46	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.14	-13	Pass	7840
814	860	0.1	RMS	824.222	20.15	60	Pass	460
860	1000	0.1	RMS	868.506	-65.14	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.63	-13	Pass	2000
3000	10000	1	RMS	9990.999	-45.16	-13	Pass	7000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.1	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.44	-13	Pass	2985
30	814	0.1	RMS	813.4	-65.26	-13	Pass	7840
814	860	0.1	RMS	835.246	20.49	60	Pass	460
860	1000	0.1	RMS	882.816	-65.11	-13	Pass	1400
1000	3000	1	RMS	1670.335	-49.39	-13	Pass	2000
3000	10000	1	RMS	7111.587	-45.2	-13	Pass	7000




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.47	-72.78	-13	Pass	2985
30	814	0.1	RMS	813	-63.55	-13	Pass	7840
814	860	0.1	RMS	835.246	19.65	60	Pass	460
860	1000	0.1	RMS	881.115	-63.29	-13	Pass	1400
1000	3000	1	RMS	1670.335	-49.97	-13	Pass	2000
3000	10000	1	RMS	8787.827	-44.7	-13	Pass	7000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.97	-13	Pass	2985
30	814	0.1	RMS	808.399	-65.32	-13	Pass	7840
814	860	0.1	RMS	846.27	20.1	60	Pass	460
860	1000	0.1	RMS	997.398	-65.11	-13	Pass	1400
1000	3000	1	RMS	1692.346	-49.82	-13	Pass	2000
3000	10000	1	RMS	9987.998	-45.19	-13	Pass	7000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.68	-13	Pass	2985
30	814	0.1	RMS	809.499	-65.42	-13	Pass	7840
814	860	0.1	RMS	846.27	19.87	60	Pass	460
860	1000	0.1	RMS	884.317	-65.23	-13	Pass	1400
1000	3000	1	RMS	1692.346	-49.78	-13	Pass	2000
3000	10000	1	RMS	8799.829	-45.17	-13	Pass	7000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.1	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.35	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.98	-13	Pass	7840
814	860	0.1	RMS	824.322	20.32	60	Pass	460
860	1000	0.1	RMS	880.114	-65.1	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.46	-13	Pass	2000
3000	10000	1	RMS	7110.587	-45.23	-13	Pass	7000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.05	-13	Pass	7840
814	860	0.1	RMS	824.322	20.08	60	Pass	460
860	1000	0.1	RMS	860.5	-65.2	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.38	-13	Pass	2000
3000	10000	1	RMS	7111.587	-45.16	-13	Pass	7000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.58	-13	Pass	401
0.15	30	0.01	RMS	0.33	-72.53	-13	Pass	2985
30	814	0.1	RMS	813.9	-65.24	-13	Pass	7840
814	860	0.1	RMS	834.344	20.39	60	Pass	460
860	1000	0.1	RMS	893.924	-65.21	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.98	-13	Pass	2000
3000	10000	1	RMS	9990.999	-45.16	-13	Pass	7000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	Pass	2985
30	814	0.1	RMS	810.1	-65.23	-13	Pass	7840
814	860	0.1	RMS	834.344	20.25	60	Pass	460
860	1000	0.1	RMS	979.485	-65.21	-13	Pass	1400
1000	3000	1	RMS	1668.334	-49.06	-13	Pass	2000
3000	10000	1	RMS	7108.587	-45.17	-13	Pass	7000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	Pass	2985
30	814	0.1	RMS	812.4	-65.41	-13	Pass	7840
814	860	0.1	RMS	844.366	19.9	60	Pass	460
860	1000	0.1	RMS	878.013	-64.99	-13	Pass	1400
1000	3000	1	RMS	1688.344	-49.35	-13	Pass	2000
3000	10000	1	RMS	9991.999	-45.17	-13	Pass	7000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2985
30	814	0.1	RMS	811.7	-65.12	-13	Pass	7840
814	860	0.1	RMS	844.366	19.85	60	Pass	460
860	1000	0.1	RMS	881.916	-65.29	-13	Pass	1400
1000	3000	1	RMS	1688.344	-49.17	-13	Pass	2000
3000	10000	1	RMS	7106.587	-45.16	-13	Pass	7000




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.76	-13	Pass	2985
30	814	0.1	RMS	813.9	-63.19	-13	Pass	7840
814	860	0.1	RMS	824.623	20.32	60	Pass	460
860	1000	0.1	RMS	886.719	-65.07	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.89	-13	Pass	2000
3000	10000	1	RMS	7110.587	-45.19	-13	Pass	7000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.35	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.59	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.89	-13	Pass	7840
814	860	0.1	RMS	824.623	19.93	60	Pass	460
860	1000	0.1	RMS	863.002	-65.19	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.99	-13	Pass	2000
3000	10000	1	RMS	7109.587	-45.04	-13	Pass	7000




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.74	-13	Pass	2985
30	814	0.1	RMS	812.3	-64.93	-13	Pass	7840
814	860	0.1	RMS	832.139	19.7	60	Pass	460
860	1000	0.1	RMS	994.796	-65.26	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.82	-13	Pass	2000
3000	10000	1	RMS	7109.587	-45.2	-13	Pass	7000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	Pass	2985
30	814	0.1	RMS	811.7	-65.18	-13	Pass	7840
814	860	0.1	RMS	832.139	19.36	60	Pass	460
860	1000	0.1	RMS	876.312	-65.2	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.83	-13	Pass	2000
3000	10000	1	RMS	7109.587	-45.21	-13	Pass	7000




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	Pass	2985
30	814	0.1	RMS	813	-65.35	-13	Pass	7840
814	860	0.1	RMS	839.556	20.15	60	Pass	460
860	1000	0.1	RMS	903.631	-65.2	-13	Pass	1400
1000	3000	1	RMS	1678.339	-49.56	-13	Pass	2000
3000	10000	1	RMS	7108.587	-45.12	-13	Pass	7000



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-13	Pass	2985
30	814	0.1	RMS	810.6	-65.39	-13	Pass	7840
814	860	0.1	RMS	839.556	19.68	60	Pass	460
860	1000	0.1	RMS	869.107	-65.18	-13	Pass	1400
1000	3000	1	RMS	1678.339	-49.51	-13	Pass	2000
3000	10000	1	RMS	8002.715	-45.16	-13	Pass	7000



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.67	-25	Pass	2985
30	1000	0.1	RMS	539.662	-64.61	-25	Pass	9699
1000	2480	1	RMS	2480	-51.79	-25	Pass	1480
2480	2590	1	RMS	2500.075	22.45	60	Pass	401
2590	3000	1	RMS	2953.888	-50.73	-25	Pass	410
3000	12000	1	RMS	11579.48	-54.08	-25	Pass	9000
12000	26000	1	RMS	25900.983	-41.03	-25	Pass	14000




**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-25	Pass	2985
30	1000	0.1	RMS	864.02	-65.17	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.8	-25	Pass	1480
2480	2590	1	RMS	2500.075	21.63	60	Pass	401
2590	3000	1	RMS	2951.883	-50.77	-25	Pass	410
3000	12000	1	RMS	11582.483	-54.2	-25	Pass	9000
12000	26000	1	RMS	25903.983	-40.99	-25	Pass	14000




11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.83	-25	Pass	401
0.15	30	0.01	RMS	0.24	-72.37	-25	Pass	2985
30	1000	0.1	RMS	994.092	-65.18	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.92	-25	Pass	1480
2480	2590	1	RMS	2532.8	22.75	60	Pass	401
2590	3000	1	RMS	2950.88	-50.75	-25	Pass	410
3000	12000	1	RMS	11579.48	-54.2	-25	Pass	9000
12000	26000	1	RMS	25902.983	-40.94	-25	Pass	14000




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.98	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.94	-25	Pass	2985
30	1000	0.1	RMS	999.499	-65.18	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.91	-25	Pass	1480
2480	2590	1	RMS	2532.8	22.14	60	Pass	401
2590	3000	1	RMS	2949.878	-50.76	-25	Pass	410
3000	12000	1	RMS	11592.496	-54.17	-25	Pass	9000
12000	26000	1	RMS	25903.983	-41.01	-25	Pass	14000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.57	-25	Pass	401
0.15	30	0.01	RMS	0.17	-73.05	-25	Pass	2985
30	1000	0.1	RMS	983.378	-65.09	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.88	-25	Pass	1480
2480	2590	1	RMS	2565.25	22.48	60	Pass	401
2590	3000	1	RMS	2849.633	-50.78	-25	Pass	410
3000	12000	1	RMS	11583.485	-54.17	-25	Pass	9000
12000	26000	1	RMS	25894.982	-40.93	-25	Pass	14000




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.85	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.52	-25	Pass	2985
30	1000	0.1	RMS	884.447	-65.09	-25	Pass	9699
1000	2480	1	RMS	2480	-51.78	-25	Pass	1480
2480	2590	1	RMS	2565.25	21.08	60	Pass	401
2590	3000	1	RMS	2948.875	-50.7	-25	Pass	410
3000	12000	1	RMS	11582.483	-54.14	-25	Pass	9000
12000	26000	1	RMS	25900.983	-41.01	-25	Pass	14000




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-25	Pass	2985
30	1000	0.1	RMS	896.563	-65.26	-25	Pass	9699
1000	2480	1	RMS	2480	-51.88	-25	Pass	1480
2480	2590	1	RMS	2500.35	21.73	60	Pass	401
2590	3000	1	RMS	2950.88	-50.77	-25	Pass	410
3000	12000	1	RMS	11579.48	-54.3	-25	Pass	9000
12000	26000	1	RMS	25897.982	-41.02	-25	Pass	14000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.51	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-25	Pass	2985
30	1000	0.1	RMS	359.84	-64.17	-25	Pass	9699
1000	2480	1	RMS	2476.998	-51.79	-25	Pass	1480
2480	2590	1	RMS	2500.35	21.12	60	Pass	401
2590	3000	1	RMS	2947.873	-50.74	-25	Pass	410
3000	12000	1	RMS	11582.483	-54.23	-25	Pass	9000
12000	26000	1	RMS	25899.983	-41.04	-25	Pass	14000



**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.85	-25	Pass	2985
30	1000	0.1	RMS	872.831	-65.26	-25	Pass	9699
1000	2480	1	RMS	2475.997	-51.8	-25	Pass	1480
2480	2590	1	RMS	2530.325	22	60	Pass	401
2590	3000	1	RMS	2949.878	-50.74	-25	Pass	410
3000	12000	1	RMS	11582.483	-54.14	-25	Pass	9000
12000	26000	1	RMS	25887.981	-41.04	-25	Pass	14000




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.33	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.77	-25	Pass	2985
30	1000	0.1	RMS	878.038	-65.16	-25	Pass	9699
1000	2480	1	RMS	2474.997	-51.81	-25	Pass	1480
2480	2590	1	RMS	2530.325	21.14	60	Pass	401
2590	3000	1	RMS	2952.885	-50.66	-25	Pass	410
3000	12000	1	RMS	11587.489	-54.12	-25	Pass	9000
12000	26000	1	RMS	25900.983	-41.04	-25	Pass	14000




**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.47	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.44	-25	Pass	2985
30	1000	0.1	RMS	376.442	-64.18	-25	Pass	9699
1000	2480	1	RMS	2480	-51.76	-25	Pass	1480
2480	2590	1	RMS	2560.575	21.73	60	Pass	401
2590	3000	1	RMS	2949.878	-50.61	-25	Pass	410
3000	12000	1	RMS	11574.473	-54.06	-25	Pass	9000
12000	26000	1	RMS	25902.983	-41.01	-25	Pass	14000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.02	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.46	-25	Pass	2985
30	1000	0.1	RMS	958.645	-63.81	-25	Pass	9699
1000	2480	1	RMS	2476.998	-51.77	-25	Pass	1480
2480	2590	1	RMS	2560.575	20.95	60	Pass	401
2590	3000	1	RMS	2952.885	-50.62	-25	Pass	410
3000	12000	1	RMS	11579.48	-54.1	-25	Pass	9000
12000	26000	1	RMS	25902.983	-41.05	-25	Pass	14000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.48	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.06	-25	Pass	2985
30	1000	0.1	RMS	882.744	-65.11	-25	Pass	9699
1000	2480	1	RMS	2480	-51.86	-25	Pass	1480
2480	2590	1	RMS	2500.625	21.7	60	Pass	401
2590	3000	1	RMS	2950.88	-50.79	-25	Pass	410
3000	12000	1	RMS	11582.483	-54.14	-25	Pass	9000
12000	26000	1	RMS	25899.983	-41	-25	Pass	14000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.57	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.6	-25	Pass	2985
30	1000	0.1	RMS	863.819	-65.03	-25	Pass	9699
1000	2480	1	RMS	2480	-51.71	-25	Pass	1480
2480	2590	1	RMS	2500.625	20.94	60	Pass	401
2590	3000	1	RMS	2850.636	-50.86	-25	Pass	410
3000	12000	1	RMS	11578.478	-54.24	-25	Pass	9000
12000	26000	1	RMS	25903.983	-40.96	-25	Pass	14000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.56	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.77	-25	Pass	2985
30	1000	0.1	RMS	920.394	-65.24	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.71	-25	Pass	1480
2480	2590	1	RMS	2528.125	21.86	60	Pass	401
2590	3000	1	RMS	2949.878	-50.68	-25	Pass	410
3000	12000	1	RMS	11581.482	-54.08	-25	Pass	9000
12000	26000	1	RMS	25891.981	-41.01	-25	Pass	14000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.85	-25	Pass	2985
30	1000	0.1	RMS	848.7	-65.1	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.8	-25	Pass	1480
2480	2590	1	RMS	2528.125	21.14	60	Pass	401
2590	3000	1	RMS	2953.888	-50.71	-25	Pass	410
3000	12000	1	RMS	11584.486	-54.18	-25	Pass	9000
12000	26000	1	RMS	25904.984	-41.03	-25	Pass	14000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-25	Pass	2985
30	1000	0.1	RMS	870.328	-65.08	-25	Pass	9699
1000	2480	1	RMS	2477.999	-51.71	-25	Pass	1480
2480	2590	1	RMS	2555.625	21.74	60	Pass	401
2590	3000	1	RMS	2953.888	-50.68	-25	Pass	410
3000	12000	1	RMS	11584.486	-54.09	-25	Pass	9000
12000	26000	1	RMS	25901.983	-40.9	-25	Pass	14000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.63	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-25	Pass	2985
30	1000	0.1	RMS	872.13	-65.16	-25	Pass	9699
1000	2480	1	RMS	2469.993	-51.83	-25	Pass	1480
2480	2590	1	RMS	2555.625	21.01	60	Pass	401
2590	3000	1	RMS	2949.878	-50.7	-25	Pass	410
3000	12000	1	RMS	11573.472	-54.14	-25	Pass	9000
12000	26000	1	RMS	25899.983	-40.96	-25	Pass	14000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.47	-25	Pass	401
0.15	30	0.01	RMS	0.24	-71.99	-25	Pass	2985
30	1000	0.1	RMS	999.099	-63.57	-25	Pass	9699
1000	2480	1	RMS	2480	-51.58	-25	Pass	1480
2480	2590	1	RMS	2500.9	21.7	60	Pass	401
2590	3000	1	RMS	2949.878	-50.64	-25	Pass	410
3000	12000	1	RMS	11586.488	-54.12	-25	Pass	9000
12000	26000	1	RMS	25876.979	-40.96	-25	Pass	14000



**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.14	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.12	-25	Pass	2985
30	1000	0.1	RMS	485.656	-63.93	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.66	-25	Pass	1480
2480	2590	1	RMS	2500.9	20.92	60	Pass	401
2590	3000	1	RMS	2948.875	-50.7	-25	Pass	410
3000	12000	1	RMS	11585.487	-54.14	-25	Pass	9000
12000	26000	1	RMS	25897.982	-40.99	-25	Pass	14000




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.28	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.63	-25	Pass	2985
30	1000	0.1	RMS	724.485	-63.7	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.76	-25	Pass	1480
2480	2590	1	RMS	2525.925	22.06	60	Pass	401
2590	3000	1	RMS	2949.878	-50.71	-25	Pass	410
3000	12000	1	RMS	11584.486	-54.17	-25	Pass	9000
12000	26000	1	RMS	25894.982	-41.02	-25	Pass	14000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.48	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.63	-25	Pass	2985
30	1000	0.1	RMS	902.471	-65.23	-25	Pass	9699
1000	2480	1	RMS	2476.998	-51.67	-25	Pass	1480
2480	2590	1	RMS	2525.925	21.09	60	Pass	401
2590	3000	1	RMS	2843.619	-50.69	-25	Pass	410
3000	12000	1	RMS	11580.481	-54.06	-25	Pass	9000
12000	26000	1	RMS	25898.983	-40.91	-25	Pass	14000




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.71	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.58	-25	Pass	2985
30	1000	0.1	RMS	887.951	-63.69	-25	Pass	9699
1000	2480	1	RMS	2475.997	-51.64	-25	Pass	1480
2480	2590	1	RMS	2550.95	21.86	60	Pass	401
2590	3000	1	RMS	2952.885	-50.7	-25	Pass	410
3000	12000	1	RMS	11585.487	-54.08	-25	Pass	9000
12000	26000	1	RMS	25900.983	-40.96	-25	Pass	14000



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.4	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.41	-25	Pass	2985
30	1000	0.1	RMS	854.607	-65.09	-25	Pass	9699
1000	2480	1	RMS	2480	-51.83	-25	Pass	1480
2480	2590	1	RMS	2550.95	21.16	60	Pass	401
2590	3000	1	RMS	2952.885	-50.74	-25	Pass	410
3000	12000	1	RMS	11580.481	-54.2	-25	Pass	9000
12000	26000	1	RMS	25909.985	-41.03	-25	Pass	14000



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	Pass	2985
30	689	0.1	RMS	688.6	-65.27	-13	Pass	6590
689	726	0.1	RMS	699.268	20.03	60	Pass	401
726	1000	0.1	RMS	868.152	-64.94	-13	Pass	2740
1000	3000	1	RMS	2948.974	-50.83	-13	Pass	2000
3000	10000	1	RMS	8795.828	-45.28	-13	Pass	7000




**12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.22	-13	Pass	2985
30	689	0.1	RMS	688.6	-65.23	-13	Pass	6590
689	726	0.1	RMS	699.268	18.97	60	Pass	401
726	1000	0.1	RMS	870.653	-64.83	-13	Pass	2740
1000	3000	1	RMS	2949.975	-50.74	-13	Pass	2000
3000	10000	1	RMS	9991.999	-45.25	-13	Pass	7000




**12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.47	-13	Pass	2985
30	689	0.1	RMS	484.169	-65.64	-13	Pass	6590
689	726	0.1	RMS	707.038	20.02	60	Pass	401
726	1000	0.1	RMS	859.749	-65.05	-13	Pass	2740
1000	3000	1	RMS	2840.92	-50.81	-13	Pass	2000
3000	10000	1	RMS	8003.715	-45.29	-13	Pass	7000




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.1	-13	Pass	2985
30	689	0.1	RMS	469.467	-65.62	-13	Pass	6590
689	726	0.1	RMS	707.038	19.1	60	Pass	401
726	1000	0.1	RMS	976.792	-64.88	-13	Pass	2740
1000	3000	1	RMS	2944.972	-50.75	-13	Pass	2000
3000	10000	1	RMS	9990.999	-45.26	-13	Pass	7000




**12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	Pass	2985
30	689	0.1	RMS	470.467	-65.64	-13	Pass	6590
689	726	0.1	RMS	714.808	19.55	60	Pass	401
726	1000	0.1	RMS	912.868	-65.05	-13	Pass	2740
1000	3000	1	RMS	2953.977	-50.76	-13	Pass	2000
3000	10000	1	RMS	8798.828	-45.27	-13	Pass	7000




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.56	-13	Pass	2985
30	689	0.1	RMS	476.168	-65.75	-13	Pass	6590
689	726	0.1	RMS	714.808	18.7	60	Pass	401
726	1000	0.1	RMS	867.652	-65.04	-13	Pass	2740
1000	3000	1	RMS	2947.974	-50.78	-13	Pass	2000
3000	10000	1	RMS	9989.999	-45.21	-13	Pass	7000




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	Pass	2985
30	689	0.1	RMS	688.5	-65.12	-13	Pass	6590
689	726	0.1	RMS	699.268	19.93	60	Pass	401
726	1000	0.1	RMS	981.493	-65.07	-13	Pass	2740
1000	3000	1	RMS	2950.975	-50.84	-13	Pass	2000
3000	10000	1	RMS	9988.998	-45.21	-13	Pass	7000




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.55	-13	Pass	2985
30	689	0.1	RMS	688.5	-65.07	-13	Pass	6590
689	726	0.1	RMS	699.268	19.29	60	Pass	401
726	1000	0.1	RMS	875.955	-65.25	-13	Pass	2740
1000	3000	1	RMS	2944.972	-50.77	-13	Pass	2000
3000	10000	1	RMS	9990.999	-45.31	-13	Pass	7000




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2985
30	689	0.1	RMS	473.067	-65.66	-13	Pass	6590
689	726	0.1	RMS	706.205	19.79	60	Pass	401
726	1000	0.1	RMS	879.556	-64.96	-13	Pass	2740
1000	3000	1	RMS	2950.975	-50.76	-13	Pass	2000
3000	10000	1	RMS	7111.587	-45.1	-13	Pass	7000




**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.91	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.7	-13	Pass	2985
30	689	0.1	RMS	475.468	-65.74	-13	Pass	6590
689	726	0.1	RMS	706.205	18.93	60	Pass	401
726	1000	0.1	RMS	883.858	-64.92	-13	Pass	2740
1000	3000	1	RMS	2950.975	-50.68	-13	Pass	2000
3000	10000	1	RMS	7109.587	-45.17	-13	Pass	7000




**12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.83	-13	Pass	2985
30	689	0.1	RMS	481.469	-64.14	-13	Pass	6590
689	726	0.1	RMS	713.235	20.13	60	Pass	401
726	1000	0.1	RMS	782.621	-63.94	-13	Pass	2740
1000	3000	1	RMS	2949.975	-50.7	-13	Pass	2000
3000	10000	1	RMS	9989.999	-45.14	-13	Pass	7000




**12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.95	-13	Pass	2985
30	689	0.1	RMS	466.266	-65.67	-13	Pass	6590
689	726	0.1	RMS	713.235	19.27	60	Pass	401
726	1000	0.1	RMS	897.363	-65.16	-13	Pass	2740
1000	3000	1	RMS	2947.974	-50.71	-13	Pass	2000
3000	10000	1	RMS	9989.999	-45.25	-13	Pass	7000




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.52	-13	Pass	2985
30	689	0.1	RMS	688.6	-64.98	-13	Pass	6590
689	726	0.1	RMS	699.36	19.8	60	Pass	401
726	1000	0.1	RMS	816.133	-65.04	-13	Pass	2740
1000	3000	1	RMS	2949.975	-50.79	-13	Pass	2000
3000	10000	1	RMS	9987.998	-45.21	-13	Pass	7000




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.72	-13	Pass	2985
30	689	0.1	RMS	688.6	-65.01	-13	Pass	6590
689	726	0.1	RMS	699.36	19.25	60	Pass	401
726	1000	0.1	RMS	984.594	-65.06	-13	Pass	2740
1000	3000	1	RMS	2949.975	-50.74	-13	Pass	2000
3000	10000	1	RMS	8797.828	-45.22	-13	Pass	7000




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.51	-13	Pass	2985
30	689	0.1	RMS	484.469	-65.58	-13	Pass	6590
689	726	0.1	RMS	705.373	19.71	60	Pass	401
726	1000	0.1	RMS	857.248	-65.17	-13	Pass	2740
1000	3000	1	RMS	2948.974	-50.79	-13	Pass	2000
3000	10000	1	RMS	9990.999	-45.21	-13	Pass	7000




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73	-13	Pass	401
0.15	30	0.01	RMS	0.34	-71.7	-13	Pass	2985
30	689	0.1	RMS	487.569	-65.65	-13	Pass	6590
689	726	0.1	RMS	705.373	19.01	60	Pass	401
726	1000	0.1	RMS	983.594	-64.91	-13	Pass	2740
1000	3000	1	RMS	2948.974	-50.72	-13	Pass	2000
3000	10000	1	RMS	7110.587	-45.27	-13	Pass	7000




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.28	-72.52	-13	Pass	2985
30	689	0.1	RMS	480.668	-65.59	-13	Pass	6590
689	726	0.1	RMS	711.293	19.43	60	Pass	401
726	1000	0.1	RMS	982.594	-64.96	-13	Pass	2740
1000	3000	1	RMS	2948.974	-50.62	-13	Pass	2000
3000	10000	1	RMS	7108.587	-45.09	-13	Pass	7000




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.4	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.31	-13	Pass	2985
30	689	0.1	RMS	474.467	-65.45	-13	Pass	6590
689	726	0.1	RMS	711.385	18.85	60	Pass	401
726	1000	0.1	RMS	908.767	-65.15	-13	Pass	2740
1000	3000	1	RMS	2949.975	-50.78	-13	Pass	2000
3000	10000	1	RMS	9987.998	-45.27	-13	Pass	7000




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.83	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.66	-13	Pass	2985
30	689	0.1	RMS	688.9	-64.99	-13	Pass	6590
689	726	0.1	RMS	699.638	19.54	60	Pass	401
726	1000	0.1	RMS	890.16	-65.11	-13	Pass	2740
1000	3000	1	RMS	2950.975	-50.67	-13	Pass	2000
3000	10000	1	RMS	8795.828	-45.14	-13	Pass	7000




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.87	-13	Pass	2985
30	689	0.1	RMS	688.9	-64.85	-13	Pass	6590
689	726	0.1	RMS	699.545	18.93	60	Pass	401
726	1000	0.1	RMS	875.455	-63.67	-13	Pass	2740
1000	3000	1	RMS	2951.976	-50.66	-13	Pass	2000
3000	10000	1	RMS	9989.999	-45.06	-13	Pass	7000




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.51	-13	Pass	2985
30	689	0.1	RMS	458.865	-64.36	-13	Pass	6590
689	726	0.1	RMS	703.06	19.8	60	Pass	401
726	1000	0.1	RMS	986.995	-64.91	-13	Pass	2740
1000	3000	1	RMS	2954.977	-50.65	-13	Pass	2000
3000	10000	1	RMS	7109.587	-45	-13	Pass	7000




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.34	-13	Pass	401
0.15	30	0.01	RMS	0.33	-71.82	-13	Pass	2985
30	689	0.1	RMS	461.065	-64.26	-13	Pass	6590
689	726	0.1	RMS	703.06	19.15	60	Pass	401
726	1000	0.1	RMS	840.542	-63.49	-13	Pass	2740
1000	3000	1	RMS	2949.975	-50.66	-13	Pass	2000
3000	10000	1	RMS	9989.999	-45.1	-13	Pass	7000




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.39	-72.13	-13	Pass	2985
30	689	0.1	RMS	235.531	-65.56	-13	Pass	6590
689	726	0.1	RMS	706.575	20.13	60	Pass	401
726	1000	0.1	RMS	994.098	-64.91	-13	Pass	2740
1000	3000	1	RMS	2949.975	-50.78	-13	Pass	2000
3000	10000	1	RMS	8011.716	-45.23	-13	Pass	7000



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.01	-13	Pass	2985
30	689	0.1	RMS	490.17	-65.78	-13	Pass	6590
689	726	0.1	RMS	706.575	19.47	60	Pass	401
726	1000	0.1	RMS	870.953	-64.93	-13	Pass	2740
1000	3000	1	RMS	2950.975	-50.73	-13	Pass	2000
3000	10000	1	RMS	9992.999	-45.18	-13	Pass	7000



13. LTE_Band17


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	Pass	2985
30	694	0.1	RMS	693.6	-61.82	-13	Pass	6640
694	726	0.1	RMS	704.32	20.13	60	Pass	401
726	1000	0.1	RMS	988.996	-65.11	-13	Pass	2740
1000	3000	1	RMS	2948.974	-50.73	-13	Pass	2000
3000	10000	1	RMS	9990.999	-45.3	-13	Pass	7000




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.39	-13	Pass	2985
30	694	0.1	RMS	691.8	-64	-13	Pass	6640
694	726	0.1	RMS	704.32	19.25	60	Pass	401
726	1000	0.1	RMS	899.863	-64.95	-13	Pass	2740
1000	3000	1	RMS	2951.976	-50.78	-13	Pass	2000
3000	10000	1	RMS	9990.999	-45.29	-13	Pass	7000




**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.1	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.65	-13	Pass	2985
30	694	0.1	RMS	690.599	-64.75	-13	Pass	6640
694	726	0.1	RMS	707.84	20.25	60	Pass	401
726	1000	0.1	RMS	891.46	-64.95	-13	Pass	2740
1000	3000	1	RMS	2947.974	-50.77	-13	Pass	2000
3000	10000	1	RMS	7111.587	-45.13	-13	Pass	7000




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	Pass	2985
30	694	0.1	RMS	690.499	-65.21	-13	Pass	6640
694	726	0.1	RMS	707.84	19.54	60	Pass	401
726	1000	0.1	RMS	862.05	-65.04	-13	Pass	2740
1000	3000	1	RMS	2949.975	-50.79	-13	Pass	2000
3000	10000	1	RMS	8001.715	-45.15	-13	Pass	7000




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.09	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.48	-13	Pass	2985
30	694	0.1	RMS	693.9	-65.38	-13	Pass	6640
694	726	0.1	RMS	711.36	20.03	60	Pass	401
726	1000	0.1	RMS	863.35	-64.76	-13	Pass	2740
1000	3000	1	RMS	2948.974	-50.76	-13	Pass	2000
3000	10000	1	RMS	8795.828	-45.27	-13	Pass	7000




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.54	-13	Pass	2985
30	694	0.1	RMS	692.3	-65.55	-13	Pass	6640
694	726	0.1	RMS	711.36	19.19	60	Pass	401
726	1000	0.1	RMS	876.155	-64.73	-13	Pass	2740
1000	3000	1	RMS	2949.975	-50.78	-13	Pass	2000
3000	10000	1	RMS	8010.716	-45.22	-13	Pass	7000




**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2985
30	694	0.1	RMS	693.9	-62.14	-13	Pass	6640
694	726	0.1	RMS	704.56	20.12	60	Pass	401
726	1000	0.1	RMS	888.759	-64.99	-13	Pass	2740
1000	3000	1	RMS	2950.975	-50.81	-13	Pass	2000
3000	10000	1	RMS	7109.587	-45.21	-13	Pass	7000




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.81	-13	Pass	2985
30	694	0.1	RMS	691.9	-63.43	-13	Pass	6640
694	726	0.1	RMS	704.56	19.2	60	Pass	401
726	1000	0.1	RMS	840.842	-65.11	-13	Pass	2740
1000	3000	1	RMS	2947.974	-50.73	-13	Pass	2000
3000	10000	1	RMS	7109.587	-45.26	-13	Pass	7000




**13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	Pass	2985
30	694	0.1	RMS	693	-61.72	-13	Pass	6640
694	726	0.1	RMS	705.6	20.16	60	Pass	401
726	1000	0.1	RMS	891.861	-65	-13	Pass	2740
1000	3000	1	RMS	2948.974	-50.79	-13	Pass	2000
3000	10000	1	RMS	9987.998	-45.19	-13	Pass	7000




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.77	-13	Pass	2985
30	694	0.1	RMS	692.3	-61.97	-13	Pass	6640
694	726	0.1	RMS	705.6	19.29	60	Pass	401
726	1000	0.1	RMS	840.842	-65.02	-13	Pass	2740
1000	3000	1	RMS	2951.976	-50.81	-13	Pass	2000
3000	10000	1	RMS	7107.587	-45.21	-13	Pass	7000




**13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.28	-72.76	-13	Pass	2985
30	694	0.1	RMS	693.3	-62.1	-13	Pass	6640
694	726	0.1	RMS	706.56	19.97	60	Pass	401
726	1000	0.1	RMS	882.157	-65.07	-13	Pass	2740
1000	3000	1	RMS	2956.978	-50.81	-13	Pass	2000
3000	10000	1	RMS	9989.999	-45.26	-13	Pass	7000



**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.67	-13	Pass	2985
30	694	0.1	RMS	693.5	-62.95	-13	Pass	6640
694	726	0.1	RMS	706.56	19.42	60	Pass	401
726	1000	0.1	RMS	849.645	-64.93	-13	Pass	2740
1000	3000	1	RMS	2955.978	-50.74	-13	Pass	2000
3000	10000	1	RMS	7112.588	-45.28	-13	Pass	7000



14. LTE_Band26(part22)


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	Pass	2985
30	814	0.1	RMS	811.2	-62.56	-13	Pass	7840
814	860	0.1	RMS	824.222	20.19	60	Pass	460
860	1000	0.1	RMS	891.723	-65.34	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.71	-13	Pass	2000
3000	10000	1	RMS	9989.999	-45.24	-13	Pass	7000




**14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.86	-13	Pass	2985
30	814	0.1	RMS	812.6	-63.06	-13	Pass	7840
814	860	0.1	RMS	824.222	19.15	60	Pass	460
860	1000	0.1	RMS	991.994	-65.33	-13	Pass	1400
1000	3000	1	RMS	1648.324	-50.53	-13	Pass	2000
3000	10000	1	RMS	9988.998	-45.24	-13	Pass	7000




**14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	Pass	2985
30	814	0.1	RMS	810.2	-65.09	-13	Pass	7840
814	860	0.1	RMS	836.048	20.33	60	Pass	460
860	1000	0.1	RMS	875.411	-65.39	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.96	-13	Pass	2000
3000	10000	1	RMS	7111.587	-45.25	-13	Pass	7000




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.48	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.75	-13	Pass	2985
30	814	0.1	RMS	811	-65.25	-13	Pass	7840
814	860	0.1	RMS	836.048	19.38	60	Pass	460
860	1000	0.1	RMS	881.415	-65.21	-13	Pass	1400
1000	3000	1	RMS	1671.336	-49.98	-13	Pass	2000
3000	10000	1	RMS	9988.998	-45.25	-13	Pass	7000




14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.78	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.5	-13	Pass	2985
30	814	0.1	RMS	810.7	-64.98	-13	Pass	7840
814	860	0.1	RMS	847.874	20.08	60	Pass	460
860	1000	0.1	RMS	861.901	-65.34	-13	Pass	1400
1000	3000	1	RMS	1695.348	-49.17	-13	Pass	2000
3000	10000	1	RMS	9988.998	-45.26	-13	Pass	7000




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	Pass	2985
30	814	0.1	RMS	805.599	-65.15	-13	Pass	7840
814	860	0.1	RMS	847.874	19.17	60	Pass	460
860	1000	0.1	RMS	982.788	-65.35	-13	Pass	1400
1000	3000	1	RMS	1695.348	-49.99	-13	Pass	2000
3000	10000	1	RMS	9992.999	-45.25	-13	Pass	7000




**14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.09	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.95	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.45	-13	Pass	7840
814	860	0.1	RMS	824.222	20.28	60	Pass	460
860	1000	0.1	RMS	890.822	-65.25	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.63	-13	Pass	2000
3000	10000	1	RMS	8009.716	-45.3	-13	Pass	7000




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.16	-13	Pass	2985
30	814	0.1	RMS	812.3	-62.87	-13	Pass	7840
814	860	0.1	RMS	824.222	19.47	60	Pass	460
860	1000	0.1	RMS	903.031	-65.32	-13	Pass	1400
1000	3000	1	RMS	1648.324	-50.12	-13	Pass	2000
3000	10000	1	RMS	9989.999	-45.24	-13	Pass	7000




**14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.85	-13	Pass	2985
30	814	0.1	RMS	808.199	-65.12	-13	Pass	7840
814	860	0.1	RMS	835.246	20.41	60	Pass	460
860	1000	0.1	RMS	880.415	-65.33	-13	Pass	1400
1000	3000	1	RMS	1670.335	-49.44	-13	Pass	2000
3000	10000	1	RMS	7109.587	-45.21	-13	Pass	7000




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.26	-13	Pass	2985
30	814	0.1	RMS	810.4	-65.25	-13	Pass	7840
814	860	0.1	RMS	835.246	19.69	60	Pass	460
860	1000	0.1	RMS	895.926	-65.32	-13	Pass	1400
1000	3000	1	RMS	1670.335	-50.14	-13	Pass	2000
3000	10000	1	RMS	9992.999	-45.29	-13	Pass	7000




**14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.82	-13	Pass	2985
30	814	0.1	RMS	807.599	-64.95	-13	Pass	7840
814	860	0.1	RMS	846.27	20.16	60	Pass	460
860	1000	0.1	RMS	880.114	-65.15	-13	Pass	1400
1000	3000	1	RMS	1692.346	-49.49	-13	Pass	2000
3000	10000	1	RMS	9988.998	-45.17	-13	Pass	7000




**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-13	Pass	2985
30	814	0.1	RMS	813.1	-65.12	-13	Pass	7840
814	860	0.1	RMS	846.27	19.46	60	Pass	460
860	1000	0.1	RMS	885.418	-65.32	-13	Pass	1400
1000	3000	1	RMS	1692.346	-50.15	-13	Pass	2000
3000	10000	1	RMS	8000.714	-45.3	-13	Pass	7000




**14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.42	-13	Pass	2985
30	814	0.1	RMS	811.3	-62.84	-13	Pass	7840
814	860	0.1	RMS	824.322	20.23	60	Pass	460
860	1000	0.1	RMS	895.826	-65.3	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.26	-13	Pass	2000
3000	10000	1	RMS	7110.587	-45.19	-13	Pass	7000




**14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.24	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.5	-13	Pass	2985
30	814	0.1	RMS	812.3	-62.96	-13	Pass	7840
814	860	0.1	RMS	824.322	19.45	60	Pass	460
860	1000	0.1	RMS	871.909	-65.21	-13	Pass	1400
1000	3000	1	RMS	1648.324	-50.01	-13	Pass	2000
3000	10000	1	RMS	8794.828	-45.29	-13	Pass	7000




**14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	Pass	2985
30	814	0.1	RMS	813.8	-65.33	-13	Pass	7840
814	860	0.1	RMS	834.344	20.34	60	Pass	460
860	1000	0.1	RMS	900.529	-65.24	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.63	-13	Pass	2000
3000	10000	1	RMS	7990.713	-45.21	-13	Pass	7000




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-13	Pass	2985
30	814	0.1	RMS	813.9	-65.04	-13	Pass	7840
814	860	0.1	RMS	834.344	19.61	60	Pass	460
860	1000	0.1	RMS	918.842	-63.98	-13	Pass	1400
1000	3000	1	RMS	1668.334	-49.58	-13	Pass	2000
3000	10000	1	RMS	9989.999	-45.17	-13	Pass	7000




**14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.49	-13	Pass	2985
30	814	0.1	RMS	726.889	-65.25	-13	Pass	7840
814	860	0.1	RMS	844.366	20.03	60	Pass	460
860	1000	0.1	RMS	874.51	-65.4	-13	Pass	1400
1000	3000	1	RMS	1688.344	-48.89	-13	Pass	2000
3000	10000	1	RMS	7107.587	-45.27	-13	Pass	7000




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.8	-13	Pass	2985
30	814	0.1	RMS	810.9	-65.16	-13	Pass	7840
814	860	0.1	RMS	844.366	19.5	60	Pass	460
860	1000	0.1	RMS	875.711	-65.25	-13	Pass	1400
1000	3000	1	RMS	1688.344	-49.55	-13	Pass	2000
3000	10000	1	RMS	8004.715	-45.27	-13	Pass	7000




**14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.69	-13	Pass	7840
814	860	0.1	RMS	824.623	20.26	60	Pass	460
860	1000	0.1	RMS	892.423	-65.34	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.58	-13	Pass	2000
3000	10000	1	RMS	7107.587	-45.28	-13	Pass	7000




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	Pass	2985
30	814	0.1	RMS	813.1	-62.88	-13	Pass	7840
814	860	0.1	RMS	824.623	19.68	60	Pass	460
860	1000	0.1	RMS	872.009	-65.36	-13	Pass	1400
1000	3000	1	RMS	1648.324	-50.14	-13	Pass	2000
3000	10000	1	RMS	8801.829	-45.29	-13	Pass	7000




**14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.25	-13	Pass	401
0.15	30	0.01	RMS	0.42	-72.91	-13	Pass	2985
30	814	0.1	RMS	811.8	-64.9	-13	Pass	7840
814	860	0.1	RMS	832.139	19.79	60	Pass	460
860	1000	0.1	RMS	986.791	-65.27	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.54	-13	Pass	2000
3000	10000	1	RMS	8792.828	-45.26	-13	Pass	7000




**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2985
30	814	0.1	RMS	811.4	-64.88	-13	Pass	7840
814	860	0.1	RMS	832.139	19.01	60	Pass	460
860	1000	0.1	RMS	880.415	-65.22	-13	Pass	1400
1000	3000	1	RMS	1663.332	-50.06	-13	Pass	2000
3000	10000	1	RMS	9990.999	-45.28	-13	Pass	7000




**14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.49	-13	Pass	2985
30	814	0.1	RMS	813	-64.85	-13	Pass	7840
814	860	0.1	RMS	839.556	20.16	60	Pass	460
860	1000	0.1	RMS	885.718	-65.25	-13	Pass	1400
1000	3000	1	RMS	1678.339	-49.08	-13	Pass	2000
3000	10000	1	RMS	9990.999	-45.13	-13	Pass	7000




**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2985
30	814	0.1	RMS	813.3	-65.16	-13	Pass	7840
814	860	0.1	RMS	839.556	19.28	60	Pass	460
860	1000	0.1	RMS	870.708	-65.33	-13	Pass	1400
1000	3000	1	RMS	1678.339	-49.84	-13	Pass	2000
3000	10000	1	RMS	9992.999	-45.3	-13	Pass	7000




**14.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	Pass	2985
30	814	0.1	RMS	811.7	-55.19	-13	Pass	7840
814	860	0.1	RMS	824.824	20.06	60	Pass	460
860	1000	0.1	RMS	987.091	-65.25	-13	Pass	1400
1000	3000	1	RMS	1649.325	-49.23	-13	Pass	2000
3000	10000	1	RMS	7111.587	-45.25	-13	Pass	7000




**14.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.29	-72.48	-13	Pass	2985
30	814	0.1	RMS	811.9	-57.35	-13	Pass	7840
814	860	0.1	RMS	824.824	19.47	60	Pass	460
860	1000	0.1	RMS	884.518	-65.18	-13	Pass	1400
1000	3000	1	RMS	1649.325	-49.78	-13	Pass	2000
3000	10000	1	RMS	9988.998	-45.24	-13	Pass	7000




**14.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.57	-13	Pass	2985
30	814	0.1	RMS	814	-63.91	-13	Pass	7840
814	860	0.1	RMS	829.834	20.2	60	Pass	460
860	1000	0.1	RMS	886.819	-65.33	-13	Pass	1400
1000	3000	1	RMS	1659.33	-49.26	-13	Pass	2000
3000	10000	1	RMS	7109.587	-45.22	-13	Pass	7000




**14.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.91	-13	Pass	2985
30	814	0.1	RMS	809.699	-64.23	-13	Pass	7840
814	860	0.1	RMS	829.834	19.39	60	Pass	460
860	1000	0.1	RMS	900.729	-65.26	-13	Pass	1400
1000	3000	1	RMS	1659.33	-49.69	-13	Pass	2000
3000	10000	1	RMS	9988.998	-45.3	-13	Pass	7000




**14.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	Pass	2985
30	814	0.1	RMS	814	-64.58	-13	Pass	7840
814	860	0.1	RMS	834.845	20.21	60	Pass	460
860	1000	0.1	RMS	872.409	-65.4	-13	Pass	1400
1000	3000	1	RMS	1669.335	-49.12	-13	Pass	2000
3000	10000	1	RMS	9992.999	-45.17	-13	Pass	7000



**14.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	Pass	2985
30	814	0.1	RMS	814	-64.81	-13	Pass	7840
814	860	0.1	RMS	834.845	19.32	60	Pass	460
860	1000	0.1	RMS	900.529	-65.42	-13	Pass	1400
1000	3000	1	RMS	1669.335	-49.81	-13	Pass	2000
3000	10000	1	RMS	8000.714	-45.25	-13	Pass	7000



15. LTE_Band26(part90)


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-59.43	-13	Pass	401
0.15	30	0.01	Peak	0.15	-58.72	-13	Pass	2985
30	809	0.1	Peak	808.7	-44.21	-13	Pass	7790
809	829	0.1	Peak	814.2	31.39	60	Pass	401
829	1000	0.1	Peak	838.706	-47.52	-13	Pass	1710
1000	3000	1	Peak	2675.838	-31.75	-13	Pass	2000
3000	10000	1	Peak	7436.634	-26.8	-13	Pass	7000




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-60.14	-13	Pass	401
0.15	30	0.01	Peak	0.17	-58.81	-13	Pass	2985
30	809	0.1	Peak	808.2	-46.04	-13	Pass	7790
809	829	0.1	Peak	814.2	32.25	60	Pass	401
829	1000	0.1	Peak	832.502	-47.33	-13	Pass	1710
1000	3000	1	Peak	2953.977	-32.37	-13	Pass	2000
3000	10000	1	Peak	8805.829	-26.66	-13	Pass	7000




15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-60	-13	Pass	401
0.15	30	0.01	Peak	0.22	-57.68	-13	Pass	2985
30	809	0.1	Peak	806.5	-46.2	-13	Pass	7790
809	829	0.1	Peak	818.5	31.24	60	Pass	401
829	1000	0.1	Peak	830.001	-45.3	-13	Pass	1710
1000	3000	1	Peak	2793.897	-32.29	-13	Pass	2000
3000	10000	1	Peak	8974.854	-26.38	-13	Pass	7000




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-59.53	-13	Pass	401
0.15	30	0.01	Peak	0.21	-59.13	-13	Pass	2985
30	809	0.1	Peak	808.1	-45.43	-13	Pass	7790
809	829	0.1	Peak	818.55	31.77	60	Pass	401
829	1000	0.1	Peak	829.1	-46.04	-13	Pass	1710
1000	3000	1	Peak	2953.977	-32.08	-13	Pass	2000
3000	10000	1	Peak	8785.827	-26.33	-13	Pass	7000




15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-60.55	-13	Pass	401
0.15	30	0.01	Peak	0.33	-58.79	-13	Pass	2985
30	809	0.1	Peak	465.256	-47.1	-13	Pass	7790
809	829	0.1	Peak	822.9	31.3	60	Pass	401
829	1000	0.1	Peak	829.2	-42.94	-13	Pass	1710
1000	3000	1	Peak	2818.909	-31.93	-13	Pass	2000
3000	10000	1	Peak	7281.612	-27.11	-13	Pass	7000




**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-59.46	-13	Pass	401
0.15	30	0.01	Peak	0.15	-58.25	-13	Pass	2985
30	809	0.1	Peak	721.689	-46.42	-13	Pass	7790
809	829	0.1	Peak	822.8	32.19	60	Pass	401
829	1000	0.1	Peak	829.2	-43.84	-13	Pass	1710
1000	3000	1	Peak	2584.792	-32.41	-13	Pass	2000
3000	10000	1	Peak	7120.589	-26.63	-13	Pass	7000




**15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-59.81	-13	Pass	401
0.15	30	0.01	Peak	0.4	-58.29	-13	Pass	2985
30	809	0.1	Peak	809	-44.09	-13	Pass	7790
809	829	0.1	Peak	814.3	31.35	60	Pass	401
829	1000	0.1	Peak	851.113	-47.19	-13	Pass	1710
1000	3000	1	Peak	2941.971	-32.68	-13	Pass	2000
3000	10000	1	Peak	7125.589	-26.91	-13	Pass	7000




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-59.83	-13	Pass	401
0.15	30	0.01	Peak	0.16	-59.06	-13	Pass	2985
30	809	0.1	Peak	808.9	-44.09	-13	Pass	7790
809	829	0.1	Peak	814.2	32.35	60	Pass	401
829	1000	0.1	Peak	864.221	-47.62	-13	Pass	1710
1000	3000	1	Peak	2783.892	-32.56	-13	Pass	2000
3000	10000	1	Peak	7102.586	-27.14	-13	Pass	7000




**15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-59.95	-13	Pass	401
0.15	30	0.01	Peak	0.29	-58.35	-13	Pass	2985
30	809	0.1	Peak	807	-46.27	-13	Pass	7790
809	829	0.1	Peak	817.75	31.39	60	Pass	401
829	1000	0.1	Peak	833.202	-45.67	-13	Pass	1710
1000	3000	1	Peak	2535.768	-32.3	-13	Pass	2000
3000	10000	1	Peak	8041.72	-26.92	-13	Pass	7000




**15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-59.91	-13	Pass	401
0.15	30	0.01	Peak	0.19	-59.51	-13	Pass	2985
30	809	0.1	Peak	807.1	-46.52	-13	Pass	7790
809	829	0.1	Peak	817.75	31.88	60	Pass	401
829	1000	0.1	Peak	832.002	-46.83	-13	Pass	1710
1000	3000	1	Peak	1635.318	-32.29	-13	Pass	2000
3000	10000	1	Peak	7103.586	-26.42	-13	Pass	7000




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-60.18	-13	Pass	401
0.15	30	0.01	Peak	0.15	-58.72	-13	Pass	2985
30	809	0.1	Peak	809	-46.71	-13	Pass	7790
809	829	0.1	Peak	821.3	31.12	60	Pass	401
829	1000	0.1	Peak	833.002	-45.42	-13	Pass	1710
1000	3000	1	Peak	2799.9	-32.36	-13	Pass	2000
3000	10000	1	Peak	9001.857	-26.82	-13	Pass	7000




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-58.75	-13	Pass	401
0.15	30	0.01	Peak	0.15	-58.45	-13	Pass	2985
30	809	0.1	Peak	612.475	-47.55	-13	Pass	7790
809	829	0.1	Peak	821.2	32.22	60	Pass	401
829	1000	0.1	Peak	831.001	-46.02	-13	Pass	1710
1000	3000	1	Peak	1642.321	-32.12	-13	Pass	2000
3000	10000	1	Peak	8824.832	-26.36	-13	Pass	7000




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-59.58	-13	Pass	401
0.15	30	0.01	Peak	0.22	-58.17	-13	Pass	2985
30	809	0.1	Peak	807.7	-43.21	-13	Pass	7790
809	829	0.1	Peak	814.3	31.59	60	Pass	401
829	1000	0.1	Peak	831.902	-44.46	-13	Pass	1710
1000	3000	1	Peak	2704.852	-31.95	-13	Pass	2000
3000	10000	1	Peak	7459.637	-26.73	-13	Pass	7000




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-60.11	-13	Pass	401
0.15	30	0.01	Peak	0.17	-58.39	-13	Pass	2985
30	809	0.1	Peak	807.8	-42.95	-13	Pass	7790
809	829	0.1	Peak	814.3	32.45	60	Pass	401
829	1000	0.1	Peak	831.501	-44.46	-13	Pass	1710
1000	3000	1	Peak	2851.926	-32.84	-13	Pass	2000
3000	10000	1	Peak	7107.587	-26.75	-13	Pass	7000




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-59.14	-13	Pass	401
0.15	30	0.01	Peak	0.29	-57.97	-13	Pass	2985
30	809	0.1	Peak	490.459	-47.19	-13	Pass	7790
809	829	0.1	Peak	816.9	31.37	60	Pass	401
829	1000	0.1	Peak	894.939	-47.23	-13	Pass	1710
1000	3000	1	Peak	2815.908	-31.98	-13	Pass	2000
3000	10000	1	Peak	7172.596	-26.82	-13	Pass	7000




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-58.59	-13	Pass	401
0.15	30	0.01	Peak	0.29	-58.61	-13	Pass	2985
30	809	0.1	Peak	805.2	-47.45	-13	Pass	7790
809	829	0.1	Peak	816.8	32.17	60	Pass	401
829	1000	0.1	Peak	980.789	-47.84	-13	Pass	1710
1000	3000	1	Peak	1634.317	-32.92	-13	Pass	2000
3000	10000	1	Peak	9984.998	-26.25	-13	Pass	7000




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-60.36	-13	Pass	401
0.15	30	0.01	Peak	0.77	-58.56	-13	Pass	2985
30	809	0.1	Peak	498.76	-46.08	-13	Pass	7790
809	829	0.1	Peak	819.3	31.55	60	Pass	401
829	1000	0.1	Peak	830.401	-45.87	-13	Pass	1710
1000	3000	1	Peak	2963.982	-32.39	-13	Pass	2000
3000	10000	1	Peak	9299.9	-26.18	-13	Pass	7000




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-59.78	-13	Pass	401
0.15	30	0.01	Peak	0.21	-59.12	-13	Pass	2985
30	809	0.1	Peak	707.687	-46.56	-13	Pass	7790
809	829	0.1	Peak	819.3	32.41	60	Pass	401
829	1000	0.1	Peak	831.301	-47.15	-13	Pass	1710
1000	3000	1	Peak	1638.319	-32.11	-13	Pass	2000
3000	10000	1	Peak	7103.586	-25.91	-13	Pass	7000




**15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-59.92	-13	Pass	401
0.15	30	0.01	Peak	0.65	-58.5	-13	Pass	2985
30	809	0.1	Peak	808.8	-40.01	-13	Pass	7790
809	829	0.1	Peak	814.6	31.51	60	Pass	401
829	1000	0.1	Peak	857.016	-47.12	-13	Pass	1710
1000	3000	1	Peak	2894.947	-32.17	-13	Pass	2000
3000	10000	1	Peak	7468.638	-27.12	-13	Pass	7000




**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-59.44	-13	Pass	401
0.15	30	0.01	Peak	0.21	-57.15	-13	Pass	2985
30	809	0.1	Peak	808.6	-29.25	-13	Pass	7790
809	829	0.1	Peak	814.55	32.37	60	Pass	401
829	1000	0.1	Peak	864.821	-47.03	-13	Pass	1710
1000	3000	1	Peak	2524.762	-32.14	-13	Pass	2000
3000	10000	1	Peak	8249.75	-26.78	-13	Pass	7000




15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:26765, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-59.84	-13	Pass	401
0.15	30	0.01	Peak	0.15	-58.09	-13	Pass	2985
30	809	0.1	Peak	806.2	-37.32	-13	Pass	7790
809	829	0.1	Peak	814.9	31.36	60	Pass	401
829	1000	0.1	Peak	829	-31.27	-13	Pass	1710
1000	3000	1	Peak	2804.902	-32.49	-13	Pass	2000
3000	10000	1	Peak	7532.648	-26.45	-13	Pass	7000



**15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26765, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-60.38	-13	Pass	401
0.15	30	0.01	Peak	0.21	-58.99	-13	Pass	2985
30	809	0.1	Peak	806.1	-30.28	-13	Pass	7790
809	829	0.1	Peak	814.8	32.27	60	Pass	401
829	1000	0.1	Peak	829	-34.85	-13	Pass	1710
1000	3000	1	Peak	1629.315	-31.77	-13	Pass	2000
3000	10000	1	Peak	8995.857	-26.75	-13	Pass	7000



16. LTE_Band38


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.49	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.28	-25	Pass	2985
30	1000	0.1	RMS	857.311	-64.21	-25	Pass	9699
1000	2550	1	RMS	2548.999	-49.42	-25	Pass	1550
2550	2640	1	RMS	2570.25	18.3	60	Pass	401
2640	3000	1	RMS	2845.2	-50.62	-25	Pass	401
3000	12000	1	RMS	11577.477	-54.28	-25	Pass	9000
12000	26500	1	RMS	25899.905	-40.9	-25	Pass	14500




**16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.77	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.75	-25	Pass	2985
30	1000	0.1	RMS	873.232	-65.28	-25	Pass	9699
1000	2550	1	RMS	2550	-49.63	-25	Pass	1550
2550	2640	1	RMS	2570.25	18.07	60	Pass	401
2640	3000	1	RMS	2951.4	-50.76	-25	Pass	401
3000	12000	1	RMS	11576.476	-54.16	-25	Pass	9000
12000	26500	1	RMS	25898.905	-40.95	-25	Pass	14500




**16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-25	Pass	2985
30	1000	0.1	RMS	874.934	-65.21	-25	Pass	9699
1000	2550	1	RMS	2548.999	-50.87	-25	Pass	1550
2550	2640	1	RMS	2592.75	18.07	60	Pass	401
2640	3000	1	RMS	2955	-50.71	-25	Pass	401
3000	12000	1	RMS	11583.485	-54.12	-25	Pass	9000
12000	26500	1	RMS	25900.905	-40.94	-25	Pass	14500




**16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.77	-25	Pass	2985
30	1000	0.1	RMS	842.199	-64.01	-25	Pass	9699
1000	2550	1	RMS	2548.999	-50.95	-25	Pass	1550
2550	2640	1	RMS	2592.75	17.76	60	Pass	401
2640	3000	1	RMS	2849.7	-50.7	-25	Pass	401
3000	12000	1	RMS	11577.477	-54.07	-25	Pass	9000
12000	26500	1	RMS	25902.905	-40.99	-25	Pass	14500




**16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-25	Pass	2985
30	1000	0.1	RMS	888.853	-63.6	-25	Pass	9699
1000	2550	1	RMS	2514.977	-51.11	-25	Pass	1550
2550	2640	1	RMS	2615.25	18.85	60	Pass	401
2640	3000	1	RMS	2949.6	-50.67	-25	Pass	401
3000	12000	1	RMS	11584.486	-54.13	-25	Pass	9000
12000	26500	1	RMS	25893.904	-40.69	-25	Pass	14500




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.75	-25	Pass	2985
30	1000	0.1	RMS	883.445	-65.17	-25	Pass	9699
1000	2550	1	RMS	2510.975	-51.12	-25	Pass	1550
2550	2640	1	RMS	2615.25	18.13	60	Pass	401
2640	3000	1	RMS	2640	-50.72	-25	Pass	401
3000	12000	1	RMS	11581.482	-54.18	-25	Pass	9000
12000	26500	1	RMS	25901.905	-40.99	-25	Pass	14500




**16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.18	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.32	-25	Pass	2985
30	1000	0.1	RMS	857.811	-65.27	-25	Pass	9699
1000	2550	1	RMS	2539.994	-51.36	-25	Pass	1550
2550	2640	1	RMS	2578.125	-15.58	60	Pass	401
2640	3000	1	RMS	2956.8	-50.8	-25	Pass	401
3000	12000	1	RMS	11579.48	-54.15	-25	Pass	9000
12000	26500	1	RMS	25888.903	-40.9	-25	Pass	14500




**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.18	-25	Pass	401
0.15	30	0.01	RMS	0.31	-72.65	-25	Pass	2985
30	1000	0.1	RMS	852.805	-65.3	-25	Pass	9699
1000	2550	1	RMS	2550	-49.18	-25	Pass	1550
2550	2640	1	RMS	2570.7	17.41	60	Pass	401
2640	3000	1	RMS	2950.5	-50.78	-25	Pass	401
3000	12000	1	RMS	11587.489	-54.19	-25	Pass	9000
12000	26500	1	RMS	25898.905	-41.02	-25	Pass	14500




**16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.34	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.27	-25	Pass	2985
30	1000	0.1	RMS	870.729	-65.23	-25	Pass	9699
1000	2550	1	RMS	2550	-50.75	-25	Pass	1550
2550	2640	1	RMS	2590.5	18.86	60	Pass	401
2640	3000	1	RMS	2953.2	-50.79	-25	Pass	401
3000	12000	1	RMS	11579.48	-54.24	-25	Pass	9000
12000	26500	1	RMS	25902.905	-40.87	-25	Pass	14500




**16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.8	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.34	-25	Pass	2985
30	1000	0.1	RMS	857.311	-65.26	-25	Pass	9699
1000	2550	1	RMS	2547.999	-50.62	-25	Pass	1550
2550	2640	1	RMS	2590.5	-24.3	60	Pass	401
2640	3000	1	RMS	2950.5	-50.72	-25	Pass	401
3000	12000	1	RMS	11580.481	-54.06	-25	Pass	9000
12000	26500	1	RMS	25870.9	-40.89	-25	Pass	14500




**16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.9	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.74	-25	Pass	2985
30	1000	0.1	RMS	442.65	-64.44	-25	Pass	9699
1000	2550	1	RMS	2525.985	-51.24	-25	Pass	1550
2550	2640	1	RMS	2610.525	18.09	60	Pass	401
2640	3000	1	RMS	2949.6	-50.72	-25	Pass	401
3000	12000	1	RMS	11580.481	-54.2	-25	Pass	9000
12000	26500	1	RMS	25889.903	-40.97	-25	Pass	14500




**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.57	-25	Pass	2985
30	1000	0.1	RMS	389.044	-64.36	-25	Pass	9699
1000	2550	1	RMS	2547.999	-50.97	-25	Pass	1550
2550	2640	1	RMS	2610.3	17.94	60	Pass	401
2640	3000	1	RMS	2950.5	-50.71	-25	Pass	401
3000	12000	1	RMS	11579.48	-54.05	-25	Pass	9000
12000	26500	1	RMS	25897.905	-40.93	-25	Pass	14500




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.44	-25	Pass	401
0.15	30	0.01	RMS	0.26	-70.94	-25	Pass	2985
30	1000	0.1	RMS	888.352	-65.27	-25	Pass	9699
1000	2550	1	RMS	2550	-49.15	-25	Pass	1550
2550	2640	1	RMS	2570.7	18.5	60	Pass	401
2640	3000	1	RMS	2952.3	-50.7	-25	Pass	401
3000	12000	1	RMS	11579.48	-54.12	-25	Pass	9000
12000	26500	1	RMS	25891.904	-41.06	-25	Pass	14500




**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.34	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.46	-25	Pass	2985
30	1000	0.1	RMS	994.793	-65.23	-25	Pass	9699
1000	2550	1	RMS	2548.999	-48.29	-25	Pass	1550
2550	2640	1	RMS	2570.925	17.05	60	Pass	401
2640	3000	1	RMS	2950.5	-50.68	-25	Pass	401
3000	12000	1	RMS	11577.477	-54.09	-25	Pass	9000
12000	26500	1	RMS	25893.904	-40.86	-25	Pass	14500




16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.43	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.47	-25	Pass	2985
30	1000	0.1	RMS	990.988	-63.79	-25	Pass	9699
1000	2550	1	RMS	2550	-50.31	-25	Pass	1550
2550	2640	1	RMS	2588.25	18.81	60	Pass	401
2640	3000	1	RMS	2958.6	-50.65	-25	Pass	401
3000	12000	1	RMS	11580.481	-53.97	-25	Pass	9000
12000	26500	1	RMS	25903.906	-40.98	-25	Pass	14500




**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.81	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.29	-25	Pass	2985
30	1000	0.1	RMS	717.884	-65.25	-25	Pass	9699
1000	2550	1	RMS	2547.999	-50.71	-25	Pass	1550
2550	2640	1	RMS	2588.25	18.02	60	Pass	401
2640	3000	1	RMS	2950.5	-50.75	-25	Pass	401
3000	12000	1	RMS	11579.48	-54.24	-25	Pass	9000
12000	26500	1	RMS	25896.904	-40.9	-25	Pass	14500




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.89	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.65	-25	Pass	2985
30	1000	0.1	RMS	852.605	-65.19	-25	Pass	9699
1000	2550	1	RMS	2536.992	-50.99	-25	Pass	1550
2550	2640	1	RMS	2605.8	18.32	60	Pass	401
2640	3000	1	RMS	2952.3	-50.64	-25	Pass	401
3000	12000	1	RMS	11582.483	-54.07	-25	Pass	9000
12000	26500	1	RMS	25895.904	-40.95	-25	Pass	14500




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.24	-72.71	-25	Pass	2985
30	1000	0.1	RMS	389.444	-64.39	-25	Pass	9699
1000	2550	1	RMS	2547.999	-50.92	-25	Pass	1550
2550	2640	1	RMS	2605.8	17.8	60	Pass	401
2640	3000	1	RMS	2952.3	-50.66	-25	Pass	401
3000	12000	1	RMS	11583.485	-54.13	-25	Pass	9000
12000	26500	1	RMS	25901.905	-41	-25	Pass	14500




**16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.73	-25	Pass	2985
30	1000	0.1	RMS	865.622	-65.14	-25	Pass	9699
1000	2550	1	RMS	2550	-48.77	-25	Pass	1550
2550	2640	1	RMS	2570.925	18.8	60	Pass	401
2640	3000	1	RMS	2951.4	-50.78	-25	Pass	401
3000	12000	1	RMS	11584.486	-54.12	-25	Pass	9000
12000	26500	1	RMS	25896.904	-41	-25	Pass	14500




**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.69	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.66	-25	Pass	2985
30	1000	0.1	RMS	854.006	-65.13	-25	Pass	9699
1000	2550	1	RMS	2547.999	-49.52	-25	Pass	1550
2550	2640	1	RMS	2570.925	17.96	60	Pass	401
2640	3000	1	RMS	2946.9	-50.78	-25	Pass	401
3000	12000	1	RMS	11578.478	-54.25	-25	Pass	9000
12000	26500	1	RMS	25888.903	-41.02	-25	Pass	14500




**16.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.13	-25	Pass	401
0.15	30	0.01	RMS	0.29	-72.79	-25	Pass	2985
30	1000	0.1	RMS	902.871	-65.28	-25	Pass	9699
1000	2550	1	RMS	2550	-50.24	-25	Pass	1550
2550	2640	1	RMS	2585.775	18.36	60	Pass	401
2640	3000	1	RMS	2950.5	-50.8	-25	Pass	401
3000	12000	1	RMS	11579.48	-54.27	-25	Pass	9000
12000	26500	1	RMS	25883.902	-41.04	-25	Pass	14500




**16.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.94	-25	Pass	2985
30	1000	0.1	RMS	873.833	-65.29	-25	Pass	9699
1000	2550	1	RMS	2548.999	-50.2	-25	Pass	1550
2550	2640	1	RMS	2586	17.51	60	Pass	401
2640	3000	1	RMS	2948.7	-50.74	-25	Pass	401
3000	12000	1	RMS	11580.481	-54.08	-25	Pass	9000
12000	26500	1	RMS	25902.905	-40.88	-25	Pass	14500




**16.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.84	-25	Pass	401
0.15	30	0.01	RMS	0.25	-72.78	-25	Pass	2985
30	1000	0.1	RMS	730.285	-63.74	-25	Pass	9699
1000	2550	1	RMS	2548.999	-51.03	-25	Pass	1550
2550	2640	1	RMS	2601.075	18.34	60	Pass	401
2640	3000	1	RMS	2949.6	-50.67	-25	Pass	401
3000	12000	1	RMS	11580.481	-54.07	-25	Pass	9000
12000	26500	1	RMS	25894.904	-40.92	-25	Pass	14500



**16.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.87	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.5	-25	Pass	2985
30	1000	0.1	RMS	876.837	-65.07	-25	Pass	9699
1000	2550	1	RMS	2548.999	-51.15	-25	Pass	1550
2550	2640	1	RMS	2600.85	17.24	60	Pass	401
2640	3000	1	RMS	2950.5	-50.82	-25	Pass	401
3000	12000	1	RMS	11575.475	-54.3	-25	Pass	9000
12000	26500	1	RMS	25894.904	-41.01	-25	Pass	14500



17. LTE_Band41 full


17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.35	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.41	-25	Pass	2985
30	1000	0.1	RMS	905.675	-64.88	-25	Pass	9699
1000	2476	1	RMS	2473.999	-51.74	-25	Pass	1476
2476	2710	1	RMS	2495.89	18.43	60	Pass	401
2710	3000	1	RMS	2948.525	-50.72	-25	Pass	401
3000	12000	1	RMS	11578.478	-54.14	-25	Pass	9000
12000	27000	1	RMS	25896.838	-40.91	-25	Pass	15000




**17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.83	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.86	-25	Pass	2985
30	1000	0.1	RMS	857.511	-65.01	-25	Pass	9699
1000	2476	1	RMS	2476	-51.19	-25	Pass	1476
2476	2710	1	RMS	2495.89	18.24	60	Pass	401
2710	3000	1	RMS	2848.475	-50.73	-25	Pass	401
3000	12000	1	RMS	11573.472	-54.05	-25	Pass	9000
12000	27000	1	RMS	25877.835	-40.96	-25	Pass	15000




**17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-25	Pass	2985
30	1000	0.1	RMS	859.213	-65	-25	Pass	9699
1000	2476	1	RMS	2474.999	-51.87	-25	Pass	1476
2476	2710	1	RMS	2590.66	18.46	60	Pass	401
2710	3000	1	RMS	2949.25	-50.69	-25	Pass	401
3000	12000	1	RMS	11584.486	-54.02	-25	Pass	9000
12000	27000	1	RMS	25889.837	-40.97	-25	Pass	15000




**17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-25	Pass	2985
30	1000	0.1	RMS	901.569	-65.03	-25	Pass	9699
1000	2476	1	RMS	2474.999	-51.85	-25	Pass	1476
2476	2710	1	RMS	2590.66	17.44	60	Pass	401
2710	3000	1	RMS	2952.875	-50.69	-25	Pass	401
3000	12000	1	RMS	11580.481	-54.11	-25	Pass	9000
12000	27000	1	RMS	25891.837	-40.92	-25	Pass	15000




**17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-25	Pass	2985
30	1000	0.1	RMS	844.299	-65.01	-25	Pass	9699
1000	2476	1	RMS	2476	-51.92	-25	Pass	1476
2476	2710	1	RMS	2684.845	18.06	60	Pass	401
2710	3000	1	RMS	2944.9	-50.73	-25	Pass	401
3000	12000	1	RMS	11579.48	-54.1	-25	Pass	9000
12000	27000	1	RMS	25895.838	-40.98	-25	Pass	15000




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-25	Pass	2985
30	1000	0.1	RMS	852.605	-64.88	-25	Pass	9699
1000	2476	1	RMS	2476	-51.85	-25	Pass	1476
2476	2710	1	RMS	2684.845	17.2	60	Pass	401
2710	3000	1	RMS	2949.25	-50.69	-25	Pass	401
3000	12000	1	RMS	11586.488	-54.05	-25	Pass	9000
12000	27000	1	RMS	25874.835	-40.96	-25	Pass	15000




**17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.49	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.37	-25	Pass	2985
30	1000	0.1	RMS	865.522	-64.91	-25	Pass	9699
1000	2476	1	RMS	2476	-51.39	-25	Pass	1476
2476	2710	1	RMS	2496.475	18.54	60	Pass	401
2710	3000	1	RMS	2952.15	-50.69	-25	Pass	401
3000	12000	1	RMS	11594.498	-54.25	-25	Pass	9000
12000	27000	1	RMS	25891.837	-40.98	-25	Pass	15000




**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-25	Pass	2985
30	1000	0.1	RMS	862.818	-64.83	-25	Pass	9699
1000	2476	1	RMS	2476	-51.33	-25	Pass	1476
2476	2710	1	RMS	2496.475	17.34	60	Pass	401
2710	3000	1	RMS	2949.975	-50.72	-25	Pass	401
3000	12000	1	RMS	11580.481	-54.14	-25	Pass	9000
12000	27000	1	RMS	25894.838	-41.01	-25	Pass	15000




**17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.35	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.99	-25	Pass	2985
30	1000	0.1	RMS	993.892	-65.03	-25	Pass	9699
1000	2476	1	RMS	2476	-51.84	-25	Pass	1476
2476	2710	1	RMS	2588.32	17.59	60	Pass	401
2710	3000	1	RMS	2949.975	-50.73	-25	Pass	401
3000	12000	1	RMS	11581.482	-54.07	-25	Pass	9000
12000	27000	1	RMS	25904.839	-40.98	-25	Pass	15000




**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.07	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.27	-25	Pass	2985
30	1000	0.1	RMS	847.3	-65.04	-25	Pass	9699
1000	2476	1	RMS	2471.997	-51.89	-25	Pass	1476
2476	2710	1	RMS	2588.32	18.14	60	Pass	401
2710	3000	1	RMS	2948.525	-50.7	-25	Pass	401
3000	12000	1	RMS	11577.477	-54.13	-25	Pass	9000
12000	27000	1	RMS	25897.838	-41.01	-25	Pass	15000




**17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.74	-25	Pass	2985
30	1000	0.1	RMS	849.3	-65.04	-25	Pass	9699
1000	2476	1	RMS	2473.999	-51.86	-25	Pass	1476
2476	2710	1	RMS	2680.165	17.96	60	Pass	401
2710	3000	1	RMS	2954.325	-50.69	-25	Pass	401
3000	12000	1	RMS	11579.48	-54.17	-25	Pass	9000
12000	27000	1	RMS	25892.837	-40.92	-25	Pass	15000




**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.71	-25	Pass	2985
30	1000	0.1	RMS	879.14	-65.05	-25	Pass	9699
1000	2476	1	RMS	2467.995	-51.89	-25	Pass	1476
2476	2710	1	RMS	2680.165	17.44	60	Pass	401
2710	3000	1	RMS	2949.25	-50.71	-25	Pass	401
3000	12000	1	RMS	8041.615	-53.92	-25	Pass	9000
12000	27000	1	RMS	25881.836	-41.03	-25	Pass	15000




**17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.82	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.05	-25	Pass	2985
30	1000	0.1	RMS	891.156	-64.93	-25	Pass	9699
1000	2476	1	RMS	2476	-51.09	-25	Pass	1476
2476	2710	1	RMS	2496.475	17.13	60	Pass	401
2710	3000	1	RMS	2951.425	-50.67	-25	Pass	401
3000	12000	1	RMS	11580.481	-54.2	-25	Pass	9000
12000	27000	1	RMS	25904.839	-41	-25	Pass	15000




**17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.13	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.76	-25	Pass	2985
30	1000	0.1	RMS	883.445	-64.88	-25	Pass	9699
1000	2476	1	RMS	2473.999	-51.67	-25	Pass	1476
2476	2710	1	RMS	2496.475	17.4	60	Pass	401
2710	3000	1	RMS	2955.775	-50.74	-25	Pass	401
3000	12000	1	RMS	11587.489	-54.22	-25	Pass	9000
12000	27000	1	RMS	25887.837	-41.02	-25	Pass	15000




**17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.5	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.75	-25	Pass	2985
30	1000	0.1	RMS	861.717	-64.83	-25	Pass	9699
1000	2476	1	RMS	2476	-51.91	-25	Pass	1476
2476	2710	1	RMS	2585.98	18.3	60	Pass	401
2710	3000	1	RMS	2949.25	-50.68	-25	Pass	401
3000	12000	1	RMS	11577.477	-54.04	-25	Pass	9000
12000	27000	1	RMS	25900.839	-40.91	-25	Pass	15000




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.56	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.87	-25	Pass	2985
30	1000	0.1	RMS	865.722	-64.83	-25	Pass	9699
1000	2476	1	RMS	2476	-51.78	-25	Pass	1476
2476	2710	1	RMS	2585.98	17.91	60	Pass	401
2710	3000	1	RMS	2952.875	-50.71	-25	Pass	401
3000	12000	1	RMS	11575.475	-54.07	-25	Pass	9000
12000	27000	1	RMS	25905.839	-40.98	-25	Pass	15000




**17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.07	-25	Pass	401
0.15	30	0.01	RMS	0.26	-73.11	-25	Pass	2985
30	1000	0.1	RMS	996.495	-64.94	-25	Pass	9699
1000	2476	1	RMS	2473.999	-51.89	-25	Pass	1476
2476	2710	1	RMS	2675.485	17.46	60	Pass	401
2710	3000	1	RMS	2949.25	-50.67	-25	Pass	401
3000	12000	1	RMS	11574.473	-54.16	-25	Pass	9000
12000	27000	1	RMS	25883.836	-40.93	-25	Pass	15000




**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-25	Pass	2985
30	1000	0.1	RMS	845.2	-64.69	-25	Pass	9699
1000	2476	1	RMS	2476	-51.85	-25	Pass	1476
2476	2710	1	RMS	2675.485	17.88	60	Pass	401
2710	3000	1	RMS	2948.525	-50.68	-25	Pass	401
3000	12000	1	RMS	11579.48	-54.03	-25	Pass	9000
12000	27000	1	RMS	25893.838	-40.9	-25	Pass	15000




**17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.17	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.82	-25	Pass	2985
30	1000	0.1	RMS	882.845	-65.05	-25	Pass	9699
1000	2476	1	RMS	2476	-50.89	-25	Pass	1476
2476	2710	1	RMS	2497.06	17.7	60	Pass	401
2710	3000	1	RMS	2952.15	-50.67	-25	Pass	401
3000	12000	1	RMS	11585.487	-54.24	-25	Pass	9000
12000	27000	1	RMS	25904.839	-40.96	-25	Pass	15000




**17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.65	-25	Pass	2985
30	1000	0.1	RMS	999.499	-64.78	-25	Pass	9699
1000	2476	1	RMS	2474.999	-51.28	-25	Pass	1476
2476	2710	1	RMS	2497.06	17.62	60	Pass	401
2710	3000	1	RMS	2951.425	-50.71	-25	Pass	401
3000	12000	1	RMS	11584.486	-54.12	-25	Pass	9000
12000	27000	1	RMS	25875.835	-41.05	-25	Pass	15000




**17.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.29	-25	Pass	401
0.15	30	0.01	RMS	0.21	-73.02	-25	Pass	2985
30	1000	0.1	RMS	976.369	-65.07	-25	Pass	9699
1000	2476	1	RMS	2476	-51.93	-25	Pass	1476
2476	2710	1	RMS	2583.64	17.8	60	Pass	401
2710	3000	1	RMS	2949.25	-50.7	-25	Pass	401
3000	12000	1	RMS	11576.476	-54.18	-25	Pass	9000
12000	27000	1	RMS	25900.839	-41	-25	Pass	15000




**17.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.58	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.36	-25	Pass	2985
30	1000	0.1	RMS	875.435	-64.81	-25	Pass	9699
1000	2476	1	RMS	2470.997	-51.82	-25	Pass	1476
2476	2710	1	RMS	2583.64	17.03	60	Pass	401
2710	3000	1	RMS	2950.7	-50.71	-25	Pass	401
3000	12000	1	RMS	11577.477	-54.13	-25	Pass	9000
12000	27000	1	RMS	25900.839	-40.99	-25	Pass	15000




**17.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.88	-25	Pass	401
0.15	30	0.01	RMS	0.36	-73.04	-25	Pass	2985
30	1000	0.1	RMS	852.805	-63.17	-25	Pass	9699
1000	2476	1	RMS	2469.996	-51.94	-25	Pass	1476
2476	2710	1	RMS	2670.805	17.2	60	Pass	401
2710	3000	1	RMS	2710	-50.06	-25	Pass	401
3000	12000	1	RMS	11607.514	-53.82	-25	Pass	9000
12000	27000	1	RMS	25901.839	-41.26	-25	Pass	15000



**17.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.57	-25	Pass	401
0.15	30	0.01	RMS	0.83	-73.15	-25	Pass	2985
30	1000	0.1	RMS	882.544	-63.23	-25	Pass	9699
1000	2476	1	RMS	2471.997	-51.9	-25	Pass	1476
2476	2710	1	RMS	2670.805	16.44	60	Pass	401
2710	3000	1	RMS	2710.725	-50.15	-25	Pass	401
3000	12000	1	RMS	11598.503	-53.83	-25	Pass	9000
12000	27000	1	RMS	25898.838	-41.25	-25	Pass	15000



18. LTE_Band66


18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-13	Pass	2985
30	1000	0.1	RMS	837.399	-63.6	-13	Pass	9699
1000	1700	1	RMS	1698.999	-50.11	-13	Pass	700
1700	1790	1	RMS	1710.125	22.25	60	Pass	401
1790	3000	1	RMS	2948.958	-50.59	-13	Pass	1210
3000	12000	1	RMS	11870.84	-44.3	-13	Pass	9000
12000	20000	1	RMS	19800.975	-37.07	-13	Pass	8000




**18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.5	-13	Pass	2985
30	1000	0.1	RMS	897.564	-65.31	-13	Pass	9699
1000	1700	1	RMS	1700	-51.08	-13	Pass	700
1700	1790	1	RMS	1710.125	21.36	60	Pass	401
1790	3000	1	RMS	2947.957	-50.66	-13	Pass	1210
3000	12000	1	RMS	11124.992	-44.37	-13	Pass	9000
12000	20000	1	RMS	19796.975	-37.18	-13	Pass	8000




**18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-13	Pass	2985
30	1000	0.1	RMS	446.151	-64.52	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.71	-13	Pass	700
1700	1790	1	RMS	1744.55	22.05	60	Pass	401
1790	3000	1	RMS	2946.956	-50.53	-13	Pass	1210
3000	12000	1	RMS	11017.979	-44.29	-13	Pass	9000
12000	20000	1	RMS	19795.974	-37.1	-13	Pass	8000




**18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	Pass	2985
30	1000	0.1	RMS	909.38	-65.3	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.96	-13	Pass	700
1700	1790	1	RMS	1744.325	21.26	60	Pass	401
1790	3000	1	RMS	2952.961	-50.74	-13	Pass	1210
3000	12000	1	RMS	11008.978	-44.45	-13	Pass	9000
12000	20000	1	RMS	19791.974	-37.17	-13	Pass	8000




18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2985
30	1000	0.1	RMS	886.65	-65.22	-13	Pass	9699
1000	1700	1	RMS	1683.977	-54.04	-13	Pass	700
1700	1790	1	RMS	1778.75	22.09	60	Pass	401
1790	3000	1	RMS	1790	-50.74	-13	Pass	1210
3000	12000	1	RMS	11010.978	-44.38	-13	Pass	9000
12000	20000	1	RMS	19791.974	-37.25	-13	Pass	8000




**18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.22	-13	Pass	401
0.15	30	0.01	RMS	0.3	-72.84	-13	Pass	2985
30	1000	0.1	RMS	877.437	-65.18	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.93	-13	Pass	700
1700	1790	1	RMS	1778.75	21.25	60	Pass	401
1790	3000	1	RMS	2949.959	-50.69	-13	Pass	1210
3000	12000	1	RMS	11125.992	-44.31	-13	Pass	9000
12000	20000	1	RMS	19808.976	-37.08	-13	Pass	8000




**18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-13	Pass	2985
30	1000	0.1	RMS	846.6	-63.87	-13	Pass	9699
1000	1700	1	RMS	1700	-50.97	-13	Pass	700
1700	1790	1	RMS	1710.125	22.23	60	Pass	401
1790	3000	1	RMS	2950.959	-50.53	-13	Pass	1210
3000	12000	1	RMS	11871.841	-44.29	-13	Pass	9000
12000	20000	1	RMS	19803.975	-37.11	-13	Pass	8000




**18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.22	-13	Pass	2985
30	1000	0.1	RMS	873.332	-63.63	-13	Pass	9699
1000	1700	1	RMS	1700	-51.82	-13	Pass	700
1700	1790	1	RMS	1710.125	21.31	60	Pass	401
1790	3000	1	RMS	2954.963	-50.61	-13	Pass	1210
3000	12000	1	RMS	11128.992	-44.35	-13	Pass	9000
12000	20000	1	RMS	19799.975	-37.18	-13	Pass	8000




**18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.18	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.44	-13	Pass	2985
30	1000	0.1	RMS	902.371	-65.2	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.82	-13	Pass	700
1700	1790	1	RMS	1743.65	22.22	60	Pass	401
1790	3000	1	RMS	2951.96	-50.62	-13	Pass	1210
3000	12000	1	RMS	11009.978	-44.25	-13	Pass	9000
12000	20000	1	RMS	19802.975	-37.09	-13	Pass	8000




**18.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.26	-13	Pass	2985
30	1000	0.1	RMS	864.32	-63.65	-13	Pass	9699
1000	1700	1	RMS	1700	-53.68	-13	Pass	700
1700	1790	1	RMS	1743.65	21.44	60	Pass	401
1790	3000	1	RMS	2945.955	-50.54	-13	Pass	1210
3000	12000	1	RMS	11129.992	-44.27	-13	Pass	9000
12000	20000	1	RMS	19799.975	-37.11	-13	Pass	8000




**18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.83	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.66	-13	Pass	2985
30	1000	0.1	RMS	894.059	-65.22	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.92	-13	Pass	700
1700	1790	1	RMS	1777.175	22.14	60	Pass	401
1790	3000	1	RMS	2947.957	-50.75	-13	Pass	1210
3000	12000	1	RMS	11638.553	-44.43	-13	Pass	9000
12000	20000	1	RMS	19802.975	-37.13	-13	Pass	8000




**18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.72	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.3	-13	Pass	2985
30	1000	0.1	RMS	888.152	-65.19	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.95	-13	Pass	700
1700	1790	1	RMS	1777.175	21.4	60	Pass	401
1790	3000	1	RMS	2949.959	-50.74	-13	Pass	1210
3000	12000	1	RMS	11343.187	-44.51	-13	Pass	9000
12000	20000	1	RMS	19800.975	-37.13	-13	Pass	8000




**18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.66	-13	Pass	2985
30	1000	0.1	RMS	996.896	-65.22	-13	Pass	9699
1000	1700	1	RMS	1700	-50.39	-13	Pass	700
1700	1790	1	RMS	1710.125	22.15	60	Pass	401
1790	3000	1	RMS	2949.959	-50.77	-13	Pass	1210
3000	12000	1	RMS	11009.978	-44.47	-13	Pass	9000
12000	20000	1	RMS	19797.975	-37.24	-13	Pass	8000




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.92	-13	Pass	2985
30	1000	0.1	RMS	711.183	-64.05	-13	Pass	9699
1000	1700	1	RMS	1700	-51.14	-13	Pass	700
1700	1790	1	RMS	1710.35	21.36	60	Pass	401
1790	3000	1	RMS	2944.955	-50.65	-13	Pass	1210
3000	12000	1	RMS	11130.993	-44.37	-13	Pass	9000
12000	20000	1	RMS	19789.974	-37.12	-13	Pass	8000




**18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.79	-13	Pass	2985
30	1000	0.1	RMS	864.821	-65.05	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.79	-13	Pass	700
1700	1790	1	RMS	1742.75	22.3	60	Pass	401
1790	3000	1	RMS	2947.957	-50.55	-13	Pass	1210
3000	12000	1	RMS	11126.992	-44.28	-13	Pass	9000
12000	20000	1	RMS	19798.975	-37.16	-13	Pass	8000




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.83	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.58	-13	Pass	2985
30	1000	0.1	RMS	768.99	-63.71	-13	Pass	9699
1000	1700	1	RMS	1700	-53.79	-13	Pass	700
1700	1790	1	RMS	1742.75	21.66	60	Pass	401
1790	3000	1	RMS	2842.87	-50.61	-13	Pass	1210
3000	12000	1	RMS	11346.191	-44.39	-13	Pass	9000
12000	20000	1	RMS	19804.976	-37.11	-13	Pass	8000




**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.44	-13	Pass	2985
30	1000	0.1	RMS	725.485	-63.76	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.74	-13	Pass	700
1700	1790	1	RMS	1775.15	22.05	60	Pass	401
1790	3000	1	RMS	2952.961	-50.59	-13	Pass	1210
3000	12000	1	RMS	11015.979	-44.36	-13	Pass	9000
12000	20000	1	RMS	19802.975	-37.1	-13	Pass	8000




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	Pass	2985
30	1000	0.1	RMS	876.136	-65.22	-13	Pass	9699
1000	1700	1	RMS	1691.989	-53.95	-13	Pass	700
1700	1790	1	RMS	1775.15	21.35	60	Pass	401
1790	3000	1	RMS	2953.962	-50.67	-13	Pass	1210
3000	12000	1	RMS	11125.992	-44.44	-13	Pass	9000
12000	20000	1	RMS	19798.975	-37.1	-13	Pass	8000




18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2985
30	1000	0.1	RMS	863.92	-65.17	-13	Pass	9699
1000	1700	1	RMS	1700	-50.18	-13	Pass	700
1700	1790	1	RMS	1710.575	22.34	60	Pass	401
1790	3000	1	RMS	2956.964	-50.78	-13	Pass	1210
3000	12000	1	RMS	11128.992	-44.49	-13	Pass	9000
12000	20000	1	RMS	19800.975	-37.19	-13	Pass	8000




**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.16	-13	Pass	2985
30	1000	0.1	RMS	869.427	-65.14	-13	Pass	9699
1000	1700	1	RMS	1700	-51.21	-13	Pass	700
1700	1790	1	RMS	1710.575	21.24	60	Pass	401
1790	3000	1	RMS	2951.96	-50.66	-13	Pass	1210
3000	12000	1	RMS	11128.992	-44.49	-13	Pass	9000
12000	20000	1	RMS	19803.975	-37.27	-13	Pass	8000




**18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-13	Pass	2985
30	1000	0.1	RMS	976.769	-65.17	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.81	-13	Pass	700
1700	1790	1	RMS	1740.5	22.18	60	Pass	401
1790	3000	1	RMS	2947.957	-50.64	-13	Pass	1210
3000	12000	1	RMS	11020.979	-44.46	-13	Pass	9000
12000	20000	1	RMS	19796.975	-37.12	-13	Pass	8000




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.81	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.8	-13	Pass	2985
30	1000	0.1	RMS	511.259	-64.1	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.56	-13	Pass	700
1700	1790	1	RMS	1740.5	21.37	60	Pass	401
1790	3000	1	RMS	2949.959	-50.52	-13	Pass	1210
3000	12000	1	RMS	11009.978	-44.36	-13	Pass	9000
12000	20000	1	RMS	19800.975	-37.05	-13	Pass	8000




**18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.15	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.44	-13	Pass	2985
30	1000	0.1	RMS	800.294	-63.91	-13	Pass	9699
1000	1700	1	RMS	1700	-53.65	-13	Pass	700
1700	1790	1	RMS	1770.425	22.31	60	Pass	401
1790	3000	1	RMS	2950.959	-50.63	-13	Pass	1210
3000	12000	1	RMS	11130.993	-44.33	-13	Pass	9000
12000	20000	1	RMS	19791.974	-37.05	-13	Pass	8000




**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.36	-13	Pass	2985
30	1000	0.1	RMS	682.58	-64.64	-13	Pass	9699
1000	1700	1	RMS	1700	-53.82	-13	Pass	700
1700	1790	1	RMS	1770.425	21.42	60	Pass	401
1790	3000	1	RMS	2847.874	-50.62	-13	Pass	1210
3000	12000	1	RMS	11128.992	-44.39	-13	Pass	9000
12000	20000	1	RMS	19795.974	-37.03	-13	Pass	8000




**18.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.09	-13	Pass	2985
30	1000	0.1	RMS	880.842	-65.32	-13	Pass	9699
1000	1700	1	RMS	1696.996	-49.46	-13	Pass	700
1700	1790	1	RMS	1710.8	22.11	60	Pass	401
1790	3000	1	RMS	2946.956	-50.66	-13	Pass	1210
3000	12000	1	RMS	11126.992	-44.49	-13	Pass	9000
12000	20000	1	RMS	19805.976	-37.14	-13	Pass	8000




**18.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.75	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.7	-13	Pass	2985
30	1000	0.1	RMS	895.161	-65.15	-13	Pass	9699
1000	1700	1	RMS	1696.996	-50.6	-13	Pass	700
1700	1790	1	RMS	1710.8	21.27	60	Pass	401
1790	3000	1	RMS	2945.955	-50.77	-13	Pass	1210
3000	12000	1	RMS	11882.855	-44.54	-13	Pass	9000
12000	20000	1	RMS	19811.976	-37.19	-13	Pass	8000




**18.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.5	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.97	-13	Pass	2985
30	1000	0.1	RMS	878.839	-65.2	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.88	-13	Pass	700
1700	1790	1	RMS	1738.25	21.94	60	Pass	401
1790	3000	1	RMS	2944.955	-50.74	-13	Pass	1210
3000	12000	1	RMS	11014.978	-44.47	-13	Pass	9000
12000	20000	1	RMS	19804.976	-37.19	-13	Pass	8000




**18.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.91	-13	Pass	2985
30	1000	0.1	RMS	882.144	-65.12	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.72	-13	Pass	700
1700	1790	1	RMS	1738.25	21.31	60	Pass	401
1790	3000	1	RMS	2948.958	-50.63	-13	Pass	1210
3000	12000	1	RMS	11009.978	-44.31	-13	Pass	9000
12000	20000	1	RMS	19795.974	-37.07	-13	Pass	8000




**18.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.78	-13	Pass	2985
30	1000	0.1	RMS	855.709	-63.67	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.74	-13	Pass	700
1700	1790	1	RMS	1765.7	21.97	60	Pass	401
1790	3000	1	RMS	2946.956	-50.54	-13	Pass	1210
3000	12000	1	RMS	11007.978	-44.36	-13	Pass	9000
12000	20000	1	RMS	19803.975	-37.1	-13	Pass	8000




**18.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2985
30	1000	0.1	RMS	901.369	-65.18	-13	Pass	9699
1000	1700	1	RMS	1700	-53.88	-13	Pass	700
1700	1790	1	RMS	1765.7	21.56	60	Pass	401
1790	3000	1	RMS	2956.964	-50.67	-13	Pass	1210
3000	12000	1	RMS	11873.844	-44.39	-13	Pass	9000
12000	20000	1	RMS	19800.975	-37.15	-13	Pass	8000




**18.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	Pass	2985
30	1000	0.1	RMS	862.217	-65.23	-13	Pass	9699
1000	1700	1	RMS	1700	-44.4	-13	Pass	700
1700	1790	1	RMS	1711.025	22.2	60	Pass	401
1790	3000	1	RMS	2951.96	-50.58	-13	Pass	1210
3000	12000	1	RMS	11009.978	-44.34	-13	Pass	9000
12000	20000	1	RMS	19800.975	-37.08	-13	Pass	8000




**18.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.9	-13	Pass	2985
30	1000	0.1	RMS	878.939	-65.22	-13	Pass	9699
1000	1700	1	RMS	1700	-47.45	-13	Pass	700
1700	1790	1	RMS	1711.025	21.2	60	Pass	401
1790	3000	1	RMS	2947.957	-50.72	-13	Pass	1210
3000	12000	1	RMS	11879.851	-44.42	-13	Pass	9000
12000	20000	1	RMS	19798.975	-37.12	-13	Pass	8000




**18.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.3	-13	Pass	2985
30	1000	0.1	RMS	891.656	-65.15	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.81	-13	Pass	700
1700	1790	1	RMS	1736	22	60	Pass	401
1790	3000	1	RMS	2948.958	-50.78	-13	Pass	1210
3000	12000	1	RMS	11127.992	-44.48	-13	Pass	9000
12000	20000	1	RMS	19808.976	-37.19	-13	Pass	8000




**18.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.72	-13	Pass	2985
30	1000	0.1	RMS	872.231	-65.3	-13	Pass	9699
1000	1700	1	RMS	1700	-53.9	-13	Pass	700
1700	1790	1	RMS	1736	21.25	60	Pass	401
1790	3000	1	RMS	2949.959	-50.73	-13	Pass	1210
3000	12000	1	RMS	11015.979	-44.49	-13	Pass	9000
12000	20000	1	RMS	19796.975	-37.18	-13	Pass	8000




**18.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-13	Pass	2985
30	1000	0.1	RMS	888.853	-65.12	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.78	-13	Pass	700
1700	1790	1	RMS	1760.975	22.09	60	Pass	401
1790	3000	1	RMS	2844.872	-50.69	-13	Pass	1210
3000	12000	1	RMS	11009.978	-44.4	-13	Pass	9000
12000	20000	1	RMS	19809.976	-37.04	-13	Pass	8000



**18.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.87	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.62	-13	Pass	2985
30	1000	0.1	RMS	998.198	-65.19	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.8	-13	Pass	700
1700	1790	1	RMS	1760.975	21.42	60	Pass	401
1790	3000	1	RMS	2947.957	-50.65	-13	Pass	1210
3000	12000	1	RMS	11012.978	-44.36	-13	Pass	9000
12000	20000	1	RMS	19803.975	-37.09	-13	Pass	8000




CA

19. CA_7C


19.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.36	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.65	-25	Pass	2985
30	1000	0.1	RMS	997.397	-65.06	-25	Pass	9699
1000	2490	1	RMS	2490	-50.06	-25	Pass	1490
2490	2580	1	RMS	2518.8	22.73	60	Pass	401
2580	3000	1	RMS	2953.89	-50.68	-25	Pass	420
3000	12000	1	RMS	11578.478	-53.98	-25	Pass	9000
12000	26000	1	RMS	25900.983	-40.92	-25	Pass	14000




**19.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.66	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.87	-25	Pass	2985
30	1000	0.1	RMS	848.6	-64.88	-25	Pass	9699
1000	2490	1	RMS	2490	-49.89	-25	Pass	1490
2490	2580	1	RMS	2518.8	21.6	60	Pass	401
2580	3000	1	RMS	2949.881	-50.7	-25	Pass	420
3000	12000	1	RMS	11580.481	-54.11	-25	Pass	9000
12000	26000	1	RMS	25893.982	-41.03	-25	Pass	14000




**19.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.49	-25	Pass	401
0.15	30	0.01	RMS	0.97	-72.35	-25	Pass	2985
30	1000	0.1	RMS	881.943	-63.11	-25	Pass	9699
1000	2490	1	RMS	2439.966	-51.5	-25	Pass	1490
2490	2580	1	RMS	2539.05	18.97	60	Pass	401
2580	3000	1	RMS	2951.885	-50.38	-25	Pass	420
3000	12000	1	RMS	11584.486	-53.9	-25	Pass	9000
12000	26000	1	RMS	25900.983	-41.17	-25	Pass	14000




**19.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-25	Pass	2985
30	1000	0.1	RMS	893.559	-64.86	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.28	-25	Pass	1490
2490	2580	1	RMS	2538.825	21.83	60	Pass	401
2580	3000	1	RMS	2580	-50.38	-25	Pass	420
3000	12000	1	RMS	11582.483	-54.22	-25	Pass	9000
12000	26000	1	RMS	25900.983	-41.07	-25	Pass	14000




**19.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.36	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.3	-25	Pass	2985
30	1000	0.1	RMS	889.554	-64.97	-25	Pass	9699
1000	2490	1	RMS	2490	-51.41	-25	Pass	1490
2490	2580	1	RMS	2558.85	22.47	60	Pass	401
2580	3000	1	RMS	2580	-43.17	-25	Pass	420
3000	12000	1	RMS	11585.487	-54.17	-25	Pass	9000
12000	26000	1	RMS	25895.982	-41.04	-25	Pass	14000




**19.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.01	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.75	-25	Pass	2985
30	1000	0.1	RMS	884.246	-63.29	-25	Pass	9699
1000	2490	1	RMS	2490	-51.69	-25	Pass	1490
2490	2580	1	RMS	2558.85	19.88	60	Pass	401
2580	3000	1	RMS	2948.878	-50.36	-25	Pass	420
3000	12000	1	RMS	11592.496	-53.8	-25	Pass	9000
12000	26000	1	RMS	25873.978	-41.33	-25	Pass	14000




**19.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.87	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-25	Pass	2985
30	1000	0.1	RMS	883.445	-65.09	-25	Pass	9699
1000	2490	1	RMS	2490	-49.92	-25	Pass	1490
2490	2580	1	RMS	2518.8	22.73	60	Pass	401
2580	3000	1	RMS	2950.883	-50.7	-25	Pass	420
3000	12000	1	RMS	11586.488	-54.17	-25	Pass	9000
12000	26000	1	RMS	25867.977	-40.97	-25	Pass	14000




**19.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-25	Pass	2985
30	1000	0.1	RMS	906.276	-65.07	-25	Pass	9699
1000	2490	1	RMS	2490	-49.83	-25	Pass	1490
2490	2580	1	RMS	2518.8	21.78	60	Pass	401
2580	3000	1	RMS	2949.881	-50.68	-25	Pass	420
3000	12000	1	RMS	11864.833	-54.17	-25	Pass	9000
12000	26000	1	RMS	25900.983	-41	-25	Pass	14000




**19.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.28	-25	Pass	401
0.15	30	0.01	RMS	0.96	-73.18	-25	Pass	2985
30	1000	0.1	RMS	991.288	-63.3	-25	Pass	9699
1000	2490	1	RMS	2482.995	-51.77	-25	Pass	1490
2490	2580	1	RMS	2533.875	20.9	60	Pass	401
2580	3000	1	RMS	2947.876	-50.34	-25	Pass	420
3000	12000	1	RMS	11603.509	-53.9	-25	Pass	9000
12000	26000	1	RMS	25896.982	-41.24	-25	Pass	14000




**19.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.31	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.69	-25	Pass	2985
30	1000	0.1	RMS	869.026	-64.93	-25	Pass	9699
1000	2490	1	RMS	2490	-51.25	-25	Pass	1490
2490	2580	1	RMS	2533.875	21.78	60	Pass	401
2580	3000	1	RMS	2580	-50.47	-25	Pass	420
3000	12000	1	RMS	11587.489	-54.23	-25	Pass	9000
12000	26000	1	RMS	25899.983	-41.09	-25	Pass	14000




**19.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.86	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.23	-25	Pass	2985
30	1000	0.1	RMS	853.406	-64.74	-25	Pass	9699
1000	2490	1	RMS	2490	-51.06	-25	Pass	1490
2490	2580	1	RMS	2548.95	22.77	60	Pass	401
2580	3000	1	RMS	2580	-47.95	-25	Pass	420
3000	12000	1	RMS	11584.486	-54.09	-25	Pass	9000
12000	26000	1	RMS	25900.983	-41.01	-25	Pass	14000



**19.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.81	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-25	Pass	2985
30	1000	0.1	RMS	893.058	-64.88	-25	Pass	9699
1000	2490	1	RMS	2490	-51.27	-25	Pass	1490
2490	2580	1	RMS	2548.95	19.48	60	Pass	401
2580	3000	1	RMS	2580	-48.29	-25	Pass	420
3000	12000	1	RMS	11588.491	-54.11	-25	Pass	9000
12000	26000	1	RMS	25894.982	-41.04	-25	Pass	14000



20. CA_38C


20.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.72	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.13	-25	Pass	2985
30	1000	0.1	RMS	894.059	-65.04	-25	Pass	9699
1000	2560	1	RMS	2560	-48.27	-25	Pass	1560
2560	2630	1	RMS	2584.15	16.79	60	Pass	401
2630	3000	1	RMS	2947.275	-50.7	-25	Pass	401
3000	12000	1	RMS	11585.487	-54.05	-25	Pass	9000
12000	26500	1	RMS	25898.905	-41.01	-25	Pass	14500




**20.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.54	-25	Pass	2985
30	1000	0.1	RMS	905.174	-64.89	-25	Pass	9699
1000	2560	1	RMS	2560	-47.84	-25	Pass	1560
2560	2630	1	RMS	2583.975	17.99	60	Pass	401
2630	3000	1	RMS	2950.05	-50.67	-25	Pass	401
3000	12000	1	RMS	11575.475	-54.2	-25	Pass	9000
12000	26500	1	RMS	25902.905	-41.02	-25	Pass	14500




**20.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.02	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.27	-25	Pass	2985
30	1000	0.1	RMS	852.204	-65.02	-25	Pass	9699
1000	2560	1	RMS	2560	-49.75	-25	Pass	1560
2560	2630	1	RMS	2594.125	18.8	60	Pass	401
2630	3000	1	RMS	2633.7	-50.37	-25	Pass	401
3000	12000	1	RMS	11578.478	-54.25	-25	Pass	9000
12000	26500	1	RMS	25900.905	-40.98	-25	Pass	14500




**20.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-25	Pass	2985
30	1000	0.1	RMS	990.087	-64.95	-25	Pass	9699
1000	2560	1	RMS	2558.999	-49.71	-25	Pass	1560
2560	2630	1	RMS	2593.95	15.22	60	Pass	401
2630	3000	1	RMS	2630	-49.52	-25	Pass	401
3000	12000	1	RMS	11579.48	-54.18	-25	Pass	9000
12000	26500	1	RMS	25900.905	-40.98	-25	Pass	14500




**20.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-25	Pass	2985
30	1000	0.1	RMS	907.978	-64.98	-25	Pass	9699
1000	2560	1	RMS	2557.999	-50.65	-25	Pass	1560
2560	2630	1	RMS	2604.1	19.15	60	Pass	401
2630	3000	1	RMS	2630	-47.19	-25	Pass	401
3000	12000	1	RMS	11579.48	-54.11	-25	Pass	9000
12000	26500	1	RMS	25882.902	-41.08	-25	Pass	14500




**20.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.9	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.49	-25	Pass	2985
30	1000	0.1	RMS	738.486	-64.9	-25	Pass	9699
1000	2560	1	RMS	2549.994	-50.6	-25	Pass	1560
2560	2630	1	RMS	2603.925	17.2	60	Pass	401
2630	3000	1	RMS	2630	-47.37	-25	Pass	401
3000	12000	1	RMS	11581.482	-54.01	-25	Pass	9000
12000	26500	1	RMS	25894.904	-40.93	-25	Pass	14500




**20.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-25	Pass	2985
30	1000	0.1	RMS	848.4	-64.86	-25	Pass	9699
1000	2560	1	RMS	2560	-49.25	-25	Pass	1560
2560	2630	1	RMS	2588.7	16.58	60	Pass	401
2630	3000	1	RMS	2630.925	-50.1	-25	Pass	401
3000	12000	1	RMS	11581.482	-54.11	-25	Pass	9000
12000	26500	1	RMS	25887.903	-40.93	-25	Pass	14500




**20.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-25	Pass	2985
30	1000	0.1	RMS	972.564	-65.01	-25	Pass	9699
1000	2560	1	RMS	2560	-49.39	-25	Pass	1560
2560	2630	1	RMS	2588.7	18.3	60	Pass	401
2630	3000	1	RMS	2952.825	-50.64	-25	Pass	401
3000	12000	1	RMS	11591.494	-54.17	-25	Pass	9000
12000	26500	1	RMS	25900.905	-41	-25	Pass	14500




**20.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.78	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-25	Pass	2985
30	1000	0.1	RMS	867.524	-65.04	-25	Pass	9699
1000	2560	1	RMS	2560	-49.76	-25	Pass	1560
2560	2630	1	RMS	2593.95	18.77	60	Pass	401
2630	3000	1	RMS	2631.85	-50.24	-25	Pass	401
3000	12000	1	RMS	11580.481	-54.14	-25	Pass	9000
12000	26500	1	RMS	25890.903	-41.03	-25	Pass	14500




**20.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.15	30	0.01	RMS	0.16	-72.66	-25	Pass	2985
30	1000	0.1	RMS	985.581	-65.05	-25	Pass	9699
1000	2560	1	RMS	2558.999	-49.5	-25	Pass	1560
2560	2630	1	RMS	2593.95	16.03	60	Pass	401
2630	3000	1	RMS	2630	-49.45	-25	Pass	401
3000	12000	1	RMS	11578.478	-54.14	-25	Pass	9000
12000	26500	1	RMS	25901.905	-40.97	-25	Pass	14500




**20.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.97	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.91	-25	Pass	2985
30	1000	0.1	RMS	846.8	-65.04	-25	Pass	9699
1000	2560	1	RMS	2560	-50.29	-25	Pass	1560
2560	2630	1	RMS	2598.85	18.66	60	Pass	401
2630	3000	1	RMS	2630	-49.36	-25	Pass	401
3000	12000	1	RMS	11579.48	-54.12	-25	Pass	9000
12000	26500	1	RMS	25899.905	-40.93	-25	Pass	14500



**20.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.4	-25	Pass	401
0.15	30	0.01	RMS	0.26	-72.85	-25	Pass	2985
30	1000	0.1	RMS	880.642	-64.95	-25	Pass	9699
1000	2560	1	RMS	2558.999	-50.36	-25	Pass	1560
2560	2630	1	RMS	2599.025	17.57	60	Pass	401
2630	3000	1	RMS	2630.925	-49.55	-25	Pass	401
3000	12000	1	RMS	11581.482	-54.18	-25	Pass	9000
12000	26500	1	RMS	25897.905	-41.01	-25	Pass	14500



21. CA_41C_full


21.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.95	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.41	-25	Pass	2985
30	1000	0.1	RMS	889.854	-64.88	-25	Pass	9699
1000	2486	1	RMS	2486	-51.24	-25	Pass	1486
2486	2700	1	RMS	2514.355	17.05	60	Pass	401
2700	3000	1	RMS	2952	-50.72	-25	Pass	401
3000	12000	1	RMS	11582.483	-54.06	-25	Pass	9000
12000	27000	1	RMS	25898.838	-40.94	-25	Pass	15000




**21.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.04	-25	Pass	2985
30	1000	0.1	RMS	874.834	-63.33	-25	Pass	9699
1000	2486	1	RMS	2484.999	-51.22	-25	Pass	1486
2486	2700	1	RMS	2514.89	15.45	60	Pass	401
2700	3000	1	RMS	2840.25	-50.33	-25	Pass	401
3000	12000	1	RMS	11604.511	-53.79	-25	Pass	9000
12000	27000	1	RMS	25895.838	-41.28	-25	Pass	15000




**21.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.53	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-25	Pass	2985
30	1000	0.1	RMS	903.172	-64.85	-25	Pass	9699
1000	2486	1	RMS	2483.999	-51.64	-25	Pass	1486
2486	2700	1	RMS	2599.42	16.98	60	Pass	401
2700	3000	1	RMS	2951.25	-50.7	-25	Pass	401
3000	12000	1	RMS	11589.492	-54.16	-25	Pass	9000
12000	27000	1	RMS	25894.838	-41	-25	Pass	15000




**21.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.86	-25	Pass	2985
30	1000	0.1	RMS	873.833	-64.86	-25	Pass	9699
1000	2486	1	RMS	2480.997	-51.67	-25	Pass	1486
2486	2700	1	RMS	2598.885	15.82	60	Pass	401
2700	3000	1	RMS	2953.5	-50.73	-25	Pass	401
3000	12000	1	RMS	11581.482	-54.18	-25	Pass	9000
12000	27000	1	RMS	25906.839	-41.02	-25	Pass	15000




**21.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.94	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.53	-25	Pass	2985
30	1000	0.1	RMS	879.34	-65.02	-25	Pass	9699
1000	2486	1	RMS	2484.999	-51.65	-25	Pass	1486
2486	2700	1	RMS	2683.415	16.24	60	Pass	401
2700	3000	1	RMS	2700.75	-49.53	-25	Pass	401
3000	12000	1	RMS	11580.481	-54.07	-25	Pass	9000
12000	27000	1	RMS	25900.839	-40.87	-25	Pass	15000




**21.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.06	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.3	-25	Pass	2985
30	1000	0.1	RMS	984.68	-65.09	-25	Pass	9699
1000	2486	1	RMS	2486	-51.68	-25	Pass	1486
2486	2700	1	RMS	2683.95	15.17	60	Pass	401
2700	3000	1	RMS	2700	-49.67	-25	Pass	401
3000	12000	1	RMS	11580.481	-54.17	-25	Pass	9000
12000	27000	1	RMS	25898.838	-40.95	-25	Pass	15000




**21.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.5	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.56	-25	Pass	2985
30	1000	0.1	RMS	989.686	-65	-25	Pass	9699
1000	2486	1	RMS	2484.999	-50.84	-25	Pass	1486
2486	2700	1	RMS	2516.495	14.77	60	Pass	401
2700	3000	1	RMS	2948.25	-50.7	-25	Pass	401
3000	12000	1	RMS	11581.482	-54.01	-25	Pass	9000
12000	27000	1	RMS	25900.839	-40.85	-25	Pass	15000




**21.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.72	-25	Pass	401
0.15	30	0.01	RMS	0.21	-73.12	-25	Pass	2985
30	1000	0.1	RMS	881.843	-65.02	-25	Pass	9699
1000	2486	1	RMS	2486	-50.46	-25	Pass	1486
2486	2700	1	RMS	2514.355	16.47	60	Pass	401
2700	3000	1	RMS	2947.5	-50.72	-25	Pass	401
3000	12000	1	RMS	11582.483	-54.01	-25	Pass	9000
12000	27000	1	RMS	25883.836	-41.02	-25	Pass	15000




**21.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.4	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.75	-25	Pass	2985
30	1000	0.1	RMS	855.208	-64.97	-25	Pass	9699
1000	2486	1	RMS	2483.999	-51.63	-25	Pass	1486
2486	2700	1	RMS	2591.93	17.08	60	Pass	401
2700	3000	1	RMS	2948.25	-50.68	-25	Pass	401
3000	12000	1	RMS	11583.485	-54.11	-25	Pass	9000
12000	27000	1	RMS	25897.838	-40.96	-25	Pass	15000




**21.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.28	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.61	-25	Pass	2985
30	1000	0.1	RMS	873.532	-64.87	-25	Pass	9699
1000	2486	1	RMS	2486	-51.66	-25	Pass	1486
2486	2700	1	RMS	2591.395	15.55	60	Pass	401
2700	3000	1	RMS	2949	-50.65	-25	Pass	401
3000	12000	1	RMS	11580.481	-54.14	-25	Pass	9000
12000	27000	1	RMS	25903.839	-40.94	-25	Pass	15000




**21.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.34	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.32	-25	Pass	2985
30	1000	0.1	RMS	895.361	-64.96	-25	Pass	9699
1000	2486	1	RMS	2478.995	-51.67	-25	Pass	1486
2486	2700	1	RMS	2668.97	17.13	60	Pass	401
2700	3000	1	RMS	2950.5	-50.7	-25	Pass	401
3000	12000	1	RMS	11579.48	-54.07	-25	Pass	9000
12000	27000	1	RMS	25883.836	-41.01	-25	Pass	15000



**21.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+2, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-25	Pass	2985
30	1000	0.1	RMS	995.594	-65	-25	Pass	9699
1000	2486	1	RMS	2486	-51.74	-25	Pass	1486
2486	2700	1	RMS	2668.97	15.44	60	Pass	401
2700	3000	1	RMS	2952	-50.66	-25	Pass	401
3000	12000	1	RMS	11579.48	-54.12	-25	Pass	9000
12000	27000	1	RMS	25881.836	-41.04	-25	Pass	15000




NR

22. n7 15kHz


22.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.78	-25	Pass	401
0.15	30	0.01	RMS	0.24	-61.2	-25	Pass	2985
30	1000	0.1	RMS	875.635	-52.39	-25	Pass	9699
1000	2490	1	RMS	2487.999	-41	-25	Pass	1490
2490	2580	1	RMS	2502.375	19.89	60	Pass	401
2580	3000	1	RMS	2869.69	-39.11	-25	Pass	420
3000	6500	1	RMS	6039.869	-60.84	-25	Pass	3500
6500	26000	1	RMS	25196.742	-47.89	-25	Pass	19500




22.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.09	-25	Pass	401
0.15	30	0.01	RMS	0.28	-60.65	-25	Pass	2985
30	1000	0.1	RMS	764.69	-51.99	-25	Pass	9699
1000	2490	1	RMS	2490	-40.84	-25	Pass	1490
2490	2580	1	RMS	2502.6	18.91	60	Pass	401
2580	3000	1	RMS	2870.692	-39.14	-25	Pass	420
3000	6500	1	RMS	6059.874	-60.75	-25	Pass	3500
6500	26000	1	RMS	25505.841	-47.64	-25	Pass	19500




**22.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.06	-25	Pass	401
0.15	30	0.01	RMS	0.46	-61.02	-25	Pass	2985
30	1000	0.1	RMS	906.476	-52.1	-25	Pass	9699
1000	2490	1	RMS	2479.993	-40.93	-25	Pass	1490
2490	2580	1	RMS	2535.225	19.83	60	Pass	401
2580	3000	1	RMS	2876.706	-39.16	-25	Pass	420
3000	6500	1	RMS	6174.907	-60.75	-25	Pass	3500
6500	26000	1	RMS	25502.84	-47.76	-25	Pass	19500




**22.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.64	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.06	-25	Pass	2985
30	1000	0.1	RMS	715.584	-52.48	-25	Pass	9699
1000	2490	1	RMS	2477.992	-40.95	-25	Pass	1490
2490	2580	1	RMS	2535	18.86	60	Pass	401
2580	3000	1	RMS	2871.695	-39.14	-25	Pass	420
3000	6500	1	RMS	6059.874	-60.68	-25	Pass	3500
6500	26000	1	RMS	25522.847	-47.77	-25	Pass	19500




22.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.45	-25	Pass	401
0.15	30	0.01	RMS	0.17	-59.81	-25	Pass	2985
30	1000	0.1	RMS	644.775	-52.47	-25	Pass	9699
1000	2490	1	RMS	2487.999	-40.99	-25	Pass	1490
2490	2580	1	RMS	2567.4	19.43	60	Pass	401
2580	3000	1	RMS	2873.699	-39.1	-25	Pass	420
3000	6500	1	RMS	6065.876	-60.8	-25	Pass	3500
6500	26000	1	RMS	25529.849	-48.11	-25	Pass	19500




**22.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.61	-25	Pass	401
0.15	30	0.01	RMS	0.2	-60.01	-25	Pass	2985
30	1000	0.1	RMS	967.657	-52.49	-25	Pass	9699
1000	2490	1	RMS	2487.999	-40.98	-25	Pass	1490
2490	2580	1	RMS	2567.4	18.62	60	Pass	401
2580	3000	1	RMS	2869.69	-39.12	-25	Pass	420
3000	6500	1	RMS	6185.91	-60.76	-25	Pass	3500
6500	26000	1	RMS	25509.843	-47.99	-25	Pass	19500




**22.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:7,
Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.29	-25	Pass	401
0.15	30	0.01	RMS	0.23	-60.08	-25	Pass	2985
30	1000	0.1	RMS	968.959	-52.34	-25	Pass	9699
1000	2490	1	RMS	2490	-40.01	-25	Pass	1490
2490	2580	1	RMS	2508.45	15.27	60	Pass	401
2580	3000	1	RMS	2868.687	-39.13	-25	Pass	420
3000	6500	1	RMS	6058.874	-60.78	-25	Pass	3500
6500	26000	1	RMS	25195.742	-47.87	-25	Pass	19500




**22.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:8,
Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.62	-25	Pass	401
0.15	30	0.01	RMS	0.16	-59.83	-25	Pass	2985
30	1000	0.1	RMS	984.58	-52.17	-25	Pass	9699
1000	2490	1	RMS	2490	-40.04	-25	Pass	1490
2490	2580	1	RMS	2508.9	14.21	60	Pass	401
2580	3000	1	RMS	2871.695	-39.1	-25	Pass	420
3000	6500	1	RMS	6185.91	-60.71	-25	Pass	3500
6500	26000	1	RMS	25505.841	-47.96	-25	Pass	19500




**22.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:9,
Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.15	-25	Pass	401
0.15	30	0.01	RMS	0.17	-60.02	-25	Pass	2985
30	1000	0.1	RMS	998.198	-52.38	-25	Pass	9699
1000	2490	1	RMS	2486.998	-40.89	-25	Pass	1490
2490	2580	1	RMS	2536.125	15.33	60	Pass	401
2580	3000	1	RMS	2883.723	-39.17	-25	Pass	420
3000	6500	1	RMS	6144.899	-60.69	-25	Pass	3500
6500	26000	1	RMS	25521.847	-47.42	-25	Pass	19500




**22.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:10,
Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.5	-25	Pass	2985
30	1000	0.1	RMS	879.24	-52.13	-25	Pass	9699
1000	2490	1	RMS	2490	-41.08	-25	Pass	1490
2490	2580	1	RMS	2536.125	14.41	60	Pass	401
2580	3000	1	RMS	2868.687	-39.11	-25	Pass	420
3000	6500	1	RMS	6062.875	-60.71	-25	Pass	3500
6500	26000	1	RMS	25200.743	-47.94	-25	Pass	19500




**22.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:11,
Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.43	-25	Pass	401
0.15	30	0.01	RMS	0.23	-60.31	-25	Pass	2985
30	1000	0.1	RMS	916.089	-52.24	-25	Pass	9699
1000	2490	1	RMS	2488.999	-40.94	-25	Pass	1490
2490	2580	1	RMS	2562.45	15.14	60	Pass	401
2580	3000	1	RMS	2581.002	-38.88	-25	Pass	420
3000	6500	1	RMS	6059.874	-60.73	-25	Pass	3500
6500	26000	1	RMS	25499.839	-47.87	-25	Pass	19500




**22.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:12,
Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.19	-25	Pass	401
0.15	30	0.01	RMS	0.46	-60.19	-25	Pass	2985
30	1000	0.1	RMS	894.66	-52.38	-25	Pass	9699
1000	2490	1	RMS	2488.999	-41	-25	Pass	1490
2490	2580	1	RMS	2563.575	14.07	60	Pass	401
2580	3000	1	RMS	2870.692	-39.09	-25	Pass	420
3000	6500	1	RMS	6064.876	-60.76	-25	Pass	3500
6500	26000	1	RMS	25842.95	-47.78	-25	Pass	19500




**22.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:13,
Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.86	-25	Pass	401
0.15	30	0.01	RMS	0.18	-59.84	-25	Pass	2985
30	1000	0.1	RMS	766.89	-52.13	-25	Pass	9699
1000	2490	1	RMS	2490	-38.98	-25	Pass	1490
2490	2580	1	RMS	2511.825	13.87	60	Pass	401
2580	3000	1	RMS	2874.702	-39.14	-25	Pass	420
3000	6500	1	RMS	6055.873	-60.74	-25	Pass	3500
6500	26000	1	RMS	25198.743	-47.9	-25	Pass	19500




**22.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:14,
Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-63.21	-25	Pass	401
0.15	30	0.01	RMS	0.16	-59.93	-25	Pass	2985
30	1000	0.1	RMS	901.569	-52.12	-25	Pass	9699
1000	2490	1	RMS	2490	-39.51	-25	Pass	1490
2490	2580	1	RMS	2512.275	12.91	60	Pass	401
2580	3000	1	RMS	2874.702	-39.11	-25	Pass	420
3000	6500	1	RMS	6050.872	-60.77	-25	Pass	3500
6500	26000	1	RMS	25496.839	-47.77	-25	Pass	19500




**22.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:15,
Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.26	-25	Pass	401
0.15	30	0.01	RMS	0.18	-60.33	-25	Pass	2985
30	1000	0.1	RMS	895.061	-52.11	-25	Pass	9699
1000	2490	1	RMS	2484.997	-40.98	-25	Pass	1490
2490	2580	1	RMS	2537.475	13.83	60	Pass	401
2580	3000	1	RMS	2878.711	-39.16	-25	Pass	420
3000	6500	1	RMS	6061.875	-60.73	-25	Pass	3500
6500	26000	1	RMS	25186.739	-48.01	-25	Pass	19500




**22.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:16,
Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.9	-25	Pass	401
0.15	30	0.01	RMS	0.18	-60.65	-25	Pass	2985
30	1000	0.1	RMS	912.784	-52.22	-25	Pass	9699
1000	2490	1	RMS	2490	-40.97	-25	Pass	1490
2490	2580	1	RMS	2537.25	12.78	60	Pass	401
2580	3000	1	RMS	2867.685	-39.15	-25	Pass	420
3000	6500	1	RMS	6057.874	-60.67	-25	Pass	3500
6500	26000	1	RMS	25476.832	-47.85	-25	Pass	19500




**22.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:17,
Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.65	-25	Pass	401
0.15	30	0.01	RMS	0.23	-60.81	-25	Pass	2985
30	1000	0.1	RMS	876.737	-52.5	-25	Pass	9699
1000	2490	1	RMS	2485.997	-40.97	-25	Pass	1490
2490	2580	1	RMS	2556.825	13.8	60	Pass	401
2580	3000	1	RMS	2580	-38.15	-25	Pass	420
3000	6500	1	RMS	6056.873	-60.79	-25	Pass	3500
6500	26000	1	RMS	25521.847	-47.83	-25	Pass	19500



**22.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:18,
Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.57	-25	Pass	401
0.15	30	0.01	RMS	0.22	-60.61	-25	Pass	2985
30	1000	0.1	RMS	892.758	-52.26	-25	Pass	9699
1000	2490	1	RMS	2486.998	-40.99	-25	Pass	1490
2490	2580	1	RMS	2556.15	12.81	60	Pass	401
2580	3000	1	RMS	2580	-38.73	-25	Pass	420
3000	6500	1	RMS	6059.874	-60.67	-25	Pass	3500
6500	26000	1	RMS	25869.958	-47.98	-25	Pass	19500



23. n41 30kHz


23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.42	-25	Pass	401
0.15	30	0.01	RMS	0.16	-59.74	-25	Pass	2985
30	1000	0.1	RMS	933.712	-52.58	-25	Pass	9699
1000	2486	1	RMS	2486	-38.41	-25	Pass	1486
2486	2700	1	RMS	2509.005	14.1	60	Pass	401
2700	3000	1	RMS	2870.25	-39.09	-25	Pass	401
3000	6500	1	RMS	6059.874	-60.82	-25	Pass	3500
6500	27000	1	RMS	25500.636	-47.79	-25	Pass	20500




**23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.91	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.95	-25	Pass	2985
30	1000	0.1	RMS	894.76	-52.02	-25	Pass	9699
1000	2486	1	RMS	2486	-39.3	-25	Pass	1486
2486	2700	1	RMS	2509.005	13.03	60	Pass	401
2700	3000	1	RMS	2867.25	-39.12	-25	Pass	401
3000	6500	1	RMS	6146.899	-60.74	-25	Pass	3500
6500	27000	1	RMS	25203.564	-47.85	-25	Pass	20500




**23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.83	-25	Pass	2985
30	1000	0.1	RMS	714.084	-52.65	-25	Pass	9699
1000	2486	1	RMS	2484.999	-41.03	-25	Pass	1486
2486	2700	1	RMS	2595.14	13.93	60	Pass	401
2700	3000	1	RMS	2868	-39.14	-25	Pass	401
3000	6500	1	RMS	6054.873	-60.67	-25	Pass	3500
6500	27000	1	RMS	25507.637	-47.86	-25	Pass	20500




**23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-62.43	-25	Pass	401
0.15	30	0.01	RMS	0.36	-60.52	-25	Pass	2985
30	1000	0.1	RMS	909.28	-52.2	-25	Pass	9699
1000	2486	1	RMS	2481.997	-41.09	-25	Pass	1486
2486	2700	1	RMS	2595.14	12.83	60	Pass	401
2700	3000	1	RMS	2883	-39.13	-25	Pass	401
3000	6500	1	RMS	6062.875	-60.84	-25	Pass	3500
6500	27000	1	RMS	25519.64	-48	-25	Pass	20500




**23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.62	-25	Pass	401
0.15	30	0.01	RMS	0.19	-60.39	-25	Pass	2985
30	1000	0.1	RMS	865.422	-52.49	-25	Pass	9699
1000	2486	1	RMS	2475.993	-41.08	-25	Pass	1486
2486	2700	1	RMS	2681.81	13.51	60	Pass	401
2700	3000	1	RMS	2700	-37.99	-25	Pass	401
3000	6500	1	RMS	6048.871	-60.76	-25	Pass	3500
6500	27000	1	RMS	25506.637	-47.84	-25	Pass	20500




**23.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.9	-25	Pass	401
0.15	30	0.01	RMS	0.2	-60.49	-25	Pass	2985
30	1000	0.1	RMS	986.983	-51.98	-25	Pass	9699
1000	2486	1	RMS	2484.999	-40.99	-25	Pass	1486
2486	2700	1	RMS	2682.345	12.54	60	Pass	401
2700	3000	1	RMS	2700	-38.92	-25	Pass	401
3000	6500	1	RMS	6059.874	-60.81	-25	Pass	3500
6500	27000	1	RMS	25499.635	-47.8	-25	Pass	20500




**23.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:7,
Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.2	-25	Pass	401
0.15	30	0.01	RMS	0.26	-60.15	-25	Pass	2985
30	1000	0.1	RMS	931.209	-52.54	-25	Pass	9699
1000	2486	1	RMS	2486	-33.28	-25	Pass	1486
2486	2700	1	RMS	2537.895	8.82	60	Pass	401
2700	3000	1	RMS	2870.25	-39.15	-25	Pass	401
3000	6500	1	RMS	6167.905	-60.82	-25	Pass	3500
6500	27000	1	RMS	25872.726	-47.89	-25	Pass	20500




**23.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:8,
Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.39	-25	Pass	401
0.15	30	0.01	RMS	0.21	-59.82	-25	Pass	2985
30	1000	0.1	RMS	996.295	-51.16	-25	Pass	9699
1000	2486	1	RMS	2486	-35.22	-25	Pass	1486
2486	2700	1	RMS	2538.43	7.89	60	Pass	401
2700	3000	1	RMS	2871.75	-39.02	-25	Pass	401
3000	6500	1	RMS	6147.899	-60.41	-25	Pass	3500
6500	27000	1	RMS	25467.628	-47.27	-25	Pass	20500




**23.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:9,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-46.6	-25	Pass	401
0.15	30	0.01	RMS	0.25	-57.81	-25	Pass	2985
30	1000	0.1	RMS	905.475	-51.12	-25	Pass	9699
1000	2486	1	RMS	2483.999	-40.91	-25	Pass	1486
2486	2700	1	RMS	2589.255	8.86	60	Pass	401
2700	3000	1	RMS	2868.75	-39.07	-25	Pass	401
3000	6500	1	RMS	6060.875	-60.73	-25	Pass	3500
6500	27000	1	RMS	25798.708	-47.75	-25	Pass	20500




23.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:10, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.07	-25	Pass	401
0.15	30	0.01	RMS	0.18	-60.15	-25	Pass	2985
30	1000	0.1	RMS	879.04	-51.35	-25	Pass	9699
1000	2486	1	RMS	2482.998	-41.01	-25	Pass	1486
2486	2700	1	RMS	2587.65	7.92	60	Pass	401
2700	3000	1	RMS	2868	-39.12	-25	Pass	401
3000	6500	1	RMS	6054.873	-60.58	-25	Pass	3500
6500	27000	1	RMS	25204.564	-47.65	-25	Pass	20500




23.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:11, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.5	-25	Pass	401
0.15	30	0.01	RMS	0.62	-60.78	-25	Pass	2985
30	1000	0.1	RMS	872.731	-51.56	-25	Pass	9699
1000	2486	1	RMS	2476.994	-40.89	-25	Pass	1486
2486	2700	1	RMS	2647.57	9.35	60	Pass	401
2700	3000	1	RMS	2700	-31.2	-25	Pass	401
3000	6500	1	RMS	6145.899	-60.69	-25	Pass	3500
6500	27000	1	RMS	25500.636	-47.27	-25	Pass	20500




23.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:12, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-47.77	-25	Pass	401
0.15	30	0.01	RMS	0.36	-61.25	-25	Pass	2985
30	1000	0.1	RMS	758.789	-51.32	-25	Pass	9699
1000	2486	1	RMS	2479.996	-41.02	-25	Pass	1486
2486	2700	1	RMS	2647.035	8.43	60	Pass	401
2700	3000	1	RMS	2700	-33.41	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.66	-25	Pass	3500
6500	27000	1	RMS	25222.568	-47.75	-25	Pass	20500




23.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:13, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.02	-25	Pass	2985
30	1000	0.1	RMS	857.411	-51.44	-25	Pass	9699
1000	2486	1	RMS	2484.999	-31.28	-25	Pass	1486
2486	2700	1	RMS	2567.855	7.23	60	Pass	401
2700	3000	1	RMS	2875.5	-39.14	-25	Pass	401
3000	6500	1	RMS	6056.873	-60.54	-25	Pass	3500
6500	27000	1	RMS	25487.633	-47.54	-25	Pass	20500




**23.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:14,
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:16QAM, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-43.67	-25	Pass	401
0.15	30	0.01	RMS	0.23	-59.46	-25	Pass	2985
30	1000	0.1	RMS	929.106	-51.31	-25	Pass	9699
1000	2486	1	RMS	2484.999	-32.94	-25	Pass	1486
2486	2700	1	RMS	2566.25	6.3	60	Pass	401
2700	3000	1	RMS	2875.5	-39.12	-25	Pass	401
3000	6500	1	RMS	6155.902	-60.67	-25	Pass	3500
6500	27000	1	RMS	25478.63	-47.69	-25	Pass	20500




**23.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:15,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.39	-25	Pass	401
0.15	30	0.01	RMS	0.17	-59.52	-25	Pass	2985
30	1000	0.1	RMS	894.66	-50.95	-25	Pass	9699
1000	2486	1	RMS	2486	-40.45	-25	Pass	1486
2486	2700	1	RMS	2590.325	7.15	60	Pass	401
2700	3000	1	RMS	2873.25	-39.1	-25	Pass	401
3000	6500	1	RMS	6054.873	-60.68	-25	Pass	3500
6500	27000	1	RMS	25509.638	-47.44	-25	Pass	20500




**23.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:16,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:16QAM, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.44	-25	Pass	401
0.15	30	0.01	RMS	0.19	-59.07	-25	Pass	2985
30	1000	0.1	RMS	880.642	-51.84	-25	Pass	9699
1000	2486	1	RMS	2481.997	-40.71	-25	Pass	1486
2486	2700	1	RMS	2609.05	6.04	60	Pass	401
2700	3000	1	RMS	2871.75	-39.13	-25	Pass	401
3000	6500	1	RMS	6068.877	-60.71	-25	Pass	3500
6500	27000	1	RMS	25466.627	-47.46	-25	Pass	20500




**23.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:17,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.06	-25	Pass	2985
30	1000	0.1	RMS	706.383	-52.02	-25	Pass	9699
1000	2486	1	RMS	2482.998	-41.06	-25	Pass	1486
2486	2700	1	RMS	2637.405	7.03	60	Pass	401
2700	3000	1	RMS	2700	-31.06	-25	Pass	301
3000	6500	1	RMS	6200.915	-60.67	-25	Pass	3500
6500	27000	1	RMS	25192.561	-47.8	-25	Pass	20500



**23.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:18,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:16QAM, RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.81	-25	Pass	401
0.15	30	0.01	RMS	0.43	-60.99	-25	Pass	2985
30	1000	0.1	RMS	880.842	-51.43	-25	Pass	9699
1000	2486	1	RMS	2484.999	-41.1	-25	Pass	1486
2486	2700	1	RMS	2634.73	6.1	60	Pass	401
2700	3000	1	RMS	2700	-32.11	-25	Pass	401
3000	6500	1	RMS	6046.871	-60.78	-25	Pass	3500
6500	27000	1	RMS	25514.639	-47.61	-25	Pass	20500



24. DC_5A_n7A_SCS15_5M_L_Inner Full(QPSK)

24.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-87.39	-25	Pass	2985
30	1000	0.1	RMS	833.098	-56.71	-25	Pass	9699
1000	2450	1	RMS	2448.999	-67.43	-25	Pass	1450
2450	2490	1	RMS	2490	-50.38	-25	Pass	401
2490	2580	1	RMS	2502.375	19.76	60	Pass	401
2580	2700	1	RMS	2699.1	-50.52	-25	Pass	401
2700	3000	1	RMS	2868	-65.36	-25	Pass	401
3000	6500	1	RMS	6190.912	-60.51	-25	Pass	3500
6500	27000	1	RMS	25510.638	-47.47	-25	Pass	20500



24. DC_5A_n7A_SCS15_5M_L_Inner Full(16QAM)

24.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-84.03	-25	Pass	2985
30	1000	0.1	RMS	829.498	-56.62	-25	Pass	9699
1000	2450	1	RMS	2441.994	-67.35	-25	Pass	1450
2450	2490	1	RMS	2489.5	-50.48	-25	Pass	401
2490	2580	1	RMS	2502.375	18.86	60	Pass	401
2580	2700	1	RMS	2700	-50.52	-25	Pass	401
2700	3000	1	RMS	2868	-65.31	-25	Pass	401
3000	6500	1	RMS	6054.873	-60.51	-25	Pass	3500
6500	27000	1	RMS	25196.562	-47.7	-25	Pass	20500



24. DC_5A_n7A_SCS15_5M_M_Inner Full(QPSK)

24.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-85.47	-25	Pass	2985
30	1000	0.1	RMS	837.099	-55.47	-25	Pass	9699
1000	2450	1	RMS	2450	-67.52	-25	Pass	1450
2450	2490	1	RMS	2489.3	-50.93	-25	Pass	401
2490	2580	1	RMS	2535	19.95	60	Pass	401
2580	2700	1	RMS	2693.1	-50.55	-25	Pass	401
2700	3000	1	RMS	2875.5	-65.34	-25	Pass	401
3000	6500	1	RMS	6053.873	-60.6	-25	Pass	3500
6500	27000	1	RMS	25798.708	-47.57	-25	Pass	20500



24. DC_5A_n7A_SCS15_5M_M_Inner Full(16QAM)

24.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.79	-25	Pass	401
0.15	30	0.01	RMS	0.3	-88.52	-25	Pass	2985
30	1000	0.1	RMS	838.299	-55.04	-25	Pass	9699
1000	2450	1	RMS	2437.992	-67.41	-25	Pass	1450
2450	2490	1	RMS	2489.6	-50.86	-25	Pass	401
2490	2580	1	RMS	2534.55	19.17	60	Pass	401
2580	2700	1	RMS	2699.1	-50.55	-25	Pass	401
2700	3000	1	RMS	2867.25	-65.2	-25	Pass	401
3000	6500	1	RMS	6059.874	-60.43	-25	Pass	3500
6500	27000	1	RMS	25193.561	-47.39	-25	Pass	20500



24. DC_5A_n7A_SCS15_5M_H_Inner Full(QPSK)

24.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-87.57	-25	Pass	2985
30	1000	0.1	RMS	841.599	-56.86	-25	Pass	9699
1000	2450	1	RMS	2447.999	-67.5	-25	Pass	1450
2450	2490	1	RMS	2489	-50.82	-25	Pass	401
2490	2580	1	RMS	2567.4	20.05	60	Pass	401
2580	2700	1	RMS	2580	-50.18	-25	Pass	401
2700	3000	1	RMS	2871.75	-65.22	-25	Pass	401
3000	6500	1	RMS	6185.91	-60.46	-25	Pass	3500
6500	27000	1	RMS	25485.632	-47.47	-25	Pass	20500



24. DC_5A_n7A_SCS15_5M_H_Inner Full(16QAM)

24.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-90	-25	Pass	2985
30	1000	0.1	RMS	841.599	-56.9	-25	Pass	9699
1000	2450	1	RMS	2441.994	-67.33	-25	Pass	1450
2450	2490	1	RMS	2489	-50.86	-25	Pass	401
2490	2580	1	RMS	2567.4	19.13	60	Pass	401
2580	2700	1	RMS	2580	-50.45	-25	Pass	401
2700	3000	1	RMS	2869.5	-65.32	-25	Pass	401
3000	6500	1	RMS	6051.872	-60.64	-25	Pass	3500
6500	27000	1	RMS	25506.637	-47.78	-25	Pass	20500



24. DC_5A_n7A_SCS15_15M_L_Inner Full(QPSK)

24.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-86.37	-25	Pass	2985
30	1000	0.1	RMS	833.098	-56.87	-25	Pass	9699
1000	2450	1	RMS	2448.999	-67.51	-25	Pass	1450
2450	2490	1	RMS	2490	-44.3	-25	Pass	401
2490	2580	1	RMS	2508.675	14.82	60	Pass	401
2580	2700	1	RMS	2697.3	-50.49	-25	Pass	401
2700	3000	1	RMS	2867.25	-65.23	-25	Pass	401
3000	6500	1	RMS	6045.87	-60.61	-25	Pass	3500
6500	27000	1	RMS	25840.718	-47.53	-25	Pass	20500



24. DC_5A_n7A_SCS15_15M_L_Inner Full(16QAM)

24.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-85.66	-25	Pass	2985
30	1000	0.1	RMS	829.498	-56.83	-25	Pass	9699
1000	2450	1	RMS	2447.999	-67.51	-25	Pass	1450
2450	2490	1	RMS	2490	-44.64	-25	Pass	401
2490	2580	1	RMS	2508.9	13.95	60	Pass	401
2580	2700	1	RMS	2698.5	-50.53	-25	Pass	401
2700	3000	1	RMS	2867.25	-65.41	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.54	-25	Pass	3500
6500	27000	1	RMS	25197.562	-47.48	-25	Pass	20500



24. DC_5A_n7A_SCS15_15M_M_Inner Full(QPSK)

24.9. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-86.38	-25	Pass	2985
30	1000	0.1	RMS	838.299	-55.73	-25	Pass	9699
1000	2450	1	RMS	2438.992	-67.39	-25	Pass	1450
2450	2490	1	RMS	2489.5	-50.85	-25	Pass	401
2490	2580	1	RMS	2532.075	14.82	60	Pass	401
2580	2700	1	RMS	2698.2	-50.52	-25	Pass	401
2700	3000	1	RMS	2865.75	-65.31	-25	Pass	401
3000	6500	1	RMS	6186.911	-60.55	-25	Pass	3500
6500	27000	1	RMS	25510.638	-47.57	-25	Pass	20500



24. DC_5A_n7A_SCS15_15M_M_Inner Full(16QAM)

24.10. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.76	-25	Pass	401
0.15	30	0.01	RMS	0.25	-88.38	-25	Pass	2985
30	1000	0.1	RMS	838.299	-55.52	-25	Pass	9699
1000	2450	1	RMS	2450	-67.45	-25	Pass	1450
2450	2490	1	RMS	2487.6	-50.91	-25	Pass	401
2490	2580	1	RMS	2532.75	14.19	60	Pass	401
2580	2700	1	RMS	2697.3	-50.55	-25	Pass	401
2700	3000	1	RMS	2878.5	-65.32	-25	Pass	401
3000	6500	1	RMS	6065.876	-60.56	-25	Pass	3500
6500	27000	1	RMS	25882.729	-47.45	-25	Pass	20500



24. DC_5A_n7A_SCS15_15M_H_Inner Full(QPSK)

24.11. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-85.44	-25	Pass	2985
30	1000	0.1	RMS	841.599	-57.31	-25	Pass	9699
1000	2450	1	RMS	2446.998	-67.57	-25	Pass	1450
2450	2490	1	RMS	2488.1	-50.91	-25	Pass	401
2490	2580	1	RMS	2560.875	15.02	60	Pass	401
2580	2700	1	RMS	2580	-44.58	-25	Pass	401
2700	3000	1	RMS	2868	-65.26	-25	Pass	401
3000	6500	1	RMS	6049.871	-60.55	-25	Pass	3500
6500	27000	1	RMS	25497.635	-47.5	-25	Pass	20500



24. DC_5A_n7A_SCS15_15M_H_Inner Full(16QAM)

24.12. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-85.89	-25	Pass	2985
30	1000	0.1	RMS	841.599	-57.25	-25	Pass	9699
1000	2450	1	RMS	2442.995	-67.47	-25	Pass	1450
2450	2490	1	RMS	2489.6	-50.96	-25	Pass	401
2490	2580	1	RMS	2559.75	14.12	60	Pass	401
2580	2700	1	RMS	2580	-45.53	-25	Pass	401
2700	3000	1	RMS	2870.25	-65.35	-25	Pass	401
3000	6500	1	RMS	6045.87	-60.57	-25	Pass	3500
6500	27000	1	RMS	25541.646	-47.53	-25	Pass	20500



24. DC_5A_n7A_SCS15_20M_L_Inner Full(QPSK)

24.13. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-86.46	-25	Pass	2985
30	1000	0.1	RMS	829.498	-56.99	-25	Pass	9699
1000	2450	1	RMS	2439.993	-67.5	-25	Pass	1450
2450	2490	1	RMS	2489.9	-41.56	-25	Pass	401
2490	2580	1	RMS	2512.275	13.43	60	Pass	401
2580	2700	1	RMS	2700	-50.48	-25	Pass	401
2700	3000	1	RMS	2868	-65.32	-25	Pass	401
3000	6500	1	RMS	6075.879	-60.58	-25	Pass	3500
6500	27000	1	RMS	25826.715	-47.47	-25	Pass	20500



24. DC_5A_n7A_SCS15_20M_L_Inner Full(16AQM)

24.14. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.65	-25	Pass	401
0.15	30	0.01	RMS	0.3	-87.58	-25	Pass	2985
30	1000	0.1	RMS	830.998	-57.07	-25	Pass	9699
1000	2450	1	RMS	2450	-67.27	-25	Pass	1450
2450	2490	1	RMS	2490	-42.95	-25	Pass	401
2490	2580	1	RMS	2511.825	12.73	60	Pass	401
2580	2700	1	RMS	2696.1	-50.54	-25	Pass	401
2700	3000	1	RMS	2868	-65.39	-25	Pass	401
3000	6500	1	RMS	6062.875	-60.44	-25	Pass	3500
6500	27000	1	RMS	25506.637	-47.85	-25	Pass	20500



24. DC_5A_n7A_SCS15_20M_M_Inner Full(QPSK)

24.15. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-87.45	-25	Pass	2985
30	1000	0.1	RMS	838.299	-55.41	-25	Pass	9699
1000	2450	1	RMS	2442.995	-67.37	-25	Pass	1450
2450	2490	1	RMS	2490	-50.62	-25	Pass	401
2490	2580	1	RMS	2533.875	13.78	60	Pass	401
2580	2700	1	RMS	2691.3	-50.53	-25	Pass	401
2700	3000	1	RMS	2869.5	-65.32	-25	Pass	401
3000	6500	1	RMS	6135.896	-60.49	-25	Pass	3500
6500	27000	1	RMS	25176.557	-47.83	-25	Pass	20500



24. DC_5A_n7A_SCS15_20M_M_Inner Full(16AQM)

24.16. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.52	-25	Pass	401
0.15	30	0.01	RMS	0.25	-89.17	-25	Pass	2985
30	1000	0.1	RMS	838.299	-55.27	-25	Pass	9699
1000	2450	1	RMS	2438.992	-67.34	-25	Pass	1450
2450	2490	1	RMS	2489.3	-50.84	-25	Pass	401
2490	2580	1	RMS	2530.95	13.05	60	Pass	401
2580	2700	1	RMS	2700	-50.54	-25	Pass	401
2700	3000	1	RMS	2874.75	-65.35	-25	Pass	401
3000	6500	1	RMS	6162.904	-60.48	-25	Pass	3500
6500	27000	1	RMS	25216.567	-47.61	-25	Pass	20500



24. DC_5A_n7A_SCS15_20M_H_Inner Full(QPSK)

24.17. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-83.67	-25	Pass	2985
30	1000	0.1	RMS	841.599	-57.09	-25	Pass	9699
1000	2450	1	RMS	2438.992	-67.39	-25	Pass	1450
2450	2490	1	RMS	2488.4	-50.82	-25	Pass	401
2490	2580	1	RMS	2557.05	13.81	60	Pass	401
2580	2700	1	RMS	2580	-42.33	-25	Pass	401
2700	3000	1	RMS	2868.75	-65.32	-25	Pass	401
3000	6500	1	RMS	6169.906	-60.63	-25	Pass	3500
6500	27000	1	RMS	25822.714	-47.55	-25	Pass	20500



24. DC_5A_n7A_SCS15_20M_H_Inner Full(16AQM)

24.18. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.61	-25	Pass	401
0.15	30	0.01	RMS	0.3	-85.53	-25	Pass	2985
30	1000	0.1	RMS	841.599	-57.2	-25	Pass	9699
1000	2450	1	RMS	2438.992	-67.52	-25	Pass	1450
2450	2490	1	RMS	2487.4	-50.89	-25	Pass	401
2490	2580	1	RMS	2556.15	12.87	60	Pass	401
2580	2700	1	RMS	2580	-43.57	-25	Pass	401
2700	3000	1	RMS	2873.25	-65.33	-25	Pass	401
3000	6500	1	RMS	6114.89	-60.67	-25	Pass	3500
6500	27000	1	RMS	25510.638	-47.61	-25	Pass	20500



25. DC_7A_n5A_SCS15_5M_L_Inner Full(QPSK)

25.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.126	-72.64	-13	Pass	401
0.15	30	0.01	RMS	1.05	-55.61	-13	Pass	2985
30	814	0.1	RMS	813.7	-62.75	-13	Pass	7840
814	859	0.1	RMS	826.227	11.11	60	Pass	450
859	1000	0.1	RMS	931.652	-78.14	-13	Pass	1410
1000	3000	1	RMS	2478.739	-19.18	-13	Pass	2000
3000	10000	1	RMS	8412.773	-54.17	-13	Pass	7000



25. DC_7A_n5A_SCS15_5M_L_Inner Full(16QAM)

25.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.137	-72.84	-13	Pass	401
0.15	30	0.01	RMS	1.05	-57.8	-13	Pass	2985
30	814	0.1	RMS	813.7	-65.22	-13	Pass	7840
814	859	0.1	RMS	827.33	10.33	60	Pass	450
859	1000	0.1	RMS	931.451	-79.67	-13	Pass	1410
1000	3000	1	RMS	2479.74	-21.86	-13	Pass	2000
3000	10000	1	RMS	8444.778	-54.06	-13	Pass	7000



25. DC_7A_n5A_SCS15_5M_M_Inner Full(QPSK)

25.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.5	-13	Pass	401
0.15	30	0.01	RMS	1.05	-56.35	-13	Pass	2985
30	814	0.1	RMS	813	-70.9	-13	Pass	7840
814	859	0.1	RMS	837.352	11.07	60	Pass	450
859	1000	0.1	RMS	967.277	-79.34	-13	Pass	1410
1000	3000	1	RMS	2508.754	-19.92	-13	Pass	2000
3000	10000	1	RMS	8430.776	-53.95	-13	Pass	7000



25. DC_7A_n5A_SCS15_5M_M_Inner Full(16QAM)

25.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.125	-73.31	-13	Pass	401
0.15	30	0.01	RMS	1.05	-58.07	-13	Pass	2985
30	814	0.1	RMS	811.8	-70.54	-13	Pass	7840
814	859	0.1	RMS	835.448	9.96	60	Pass	450
859	1000	0.1	RMS	966.877	-80.14	-13	Pass	1410
1000	3000	1	RMS	2509.755	-21.81	-13	Pass	2000
3000	10000	1	RMS	8429.776	-53.82	-13	Pass	7000



25. DC_7A_n5A_SCS15_5M_H_Inner Full(QPSK)

25.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.62	-13	Pass	401
0.15	30	0.01	RMS	1.05	-57.96	-13	Pass	2985
30	814	0.1	RMS	813.7	-69.43	-13	Pass	7840
814	859	0.1	RMS	846.272	11.01	60	Pass	450
859	1000	0.1	RMS	860.101	-80.26	-13	Pass	1410
1000	3000	1	RMS	2538.769	-20.51	-13	Pass	2000
3000	10000	1	RMS	8432.776	-53.91	-13	Pass	7000



25. DC_7A_n5A_SCS15_5M_H_Inner Full(16QAM)

25.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.96	-13	Pass	401
0.15	30	0.01	RMS	1.05	-59.21	-13	Pass	2985
30	814	0.1	RMS	814	-70.91	-13	Pass	7840
814	859	0.1	RMS	846.272	9.95	60	Pass	450
859	1000	0.1	RMS	860.001	-80.88	-13	Pass	1410
1000	3000	1	RMS	2538.769	-22.15	-13	Pass	2000
3000	10000	1	RMS	8415.774	-53.92	-13	Pass	7000



25. DC_7A_n5A_SCS15_15M_L_Inner Full(QPSK)

25.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.14	-13	Pass	401
0.15	30	0.01	RMS	5.432	-62.94	-13	Pass	2985
30	814	0.1	RMS	811.8	-50.74	-13	Pass	7840
814	859	0.1	RMS	832.942	6.72	60	Pass	450
859	1000	0.1	RMS	946.862	-80.13	-13	Pass	1410
1000	3000	1	RMS	2492.746	-24.18	-13	Pass	2000
3000	10000	1	RMS	8428.776	-54.1	-13	Pass	7000



25. DC_7A_n5A_SCS15_15M_L_Inner Full(16QAM)

25.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.71	-13	Pass	401
0.15	30	0.01	RMS	1.801	-64.33	-13	Pass	2985
30	814	0.1	RMS	813.6	-51.29	-13	Pass	7840
814	859	0.1	RMS	832.842	5.4	60	Pass	450
859	1000	0.1	RMS	945.561	-81.02	-13	Pass	1410
1000	3000	1	RMS	2493.747	-25.91	-13	Pass	2000
3000	10000	1	RMS	8431.776	-53.8	-13	Pass	7000



25. DC_7A_n5A_SCS15_15M_M_Inner Full(QPSK)

25.9. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.39	-13	Pass	401
0.15	30	0.01	RMS	1.801	-63.7	-13	Pass	2985
30	814	0.1	RMS	811.9	-56.52	-13	Pass	7840
814	859	0.1	RMS	834.546	6.55	60	Pass	450
859	1000	0.1	RMS	861.101	-80.72	-13	Pass	1410
1000	3000	1	RMS	2507.754	-24.51	-13	Pass	2000
3000	10000	1	RMS	8429.776	-53.82	-13	Pass	7000



25. DC_7A_n5A_SCS15_15M_M_Inner Full(16QAM)

25.10. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.33	-13	Pass	401
0.15	30	0.01	RMS	1.801	-64.27	-13	Pass	2985
30	814	0.1	RMS	814	-56.73	-13	Pass	7840
814	859	0.1	RMS	834.345	5.44	60	Pass	450
859	1000	0.1	RMS	859.801	-80.55	-13	Pass	1410
1000	3000	1	RMS	2507.754	-26.1	-13	Pass	2000
3000	10000	1	RMS	8416.774	-54.05	-13	Pass	7000



25. DC_7A_n5A_SCS15_15M_H_Inner Full(QPSK)

25.11. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-75.17	-13	Pass	401
0.15	30	0.01	RMS	1.801	-63.41	-13	Pass	2985
30	814	0.1	RMS	813.6	-59.96	-13	Pass	7840
814	859	0.1	RMS	838.555	6.39	60	Pass	450
859	1000	0.1	RMS	859	-78.95	-13	Pass	1410
1000	3000	1	RMS	2522.761	-24.48	-13	Pass	2000
3000	10000	1	RMS	8434.776	-53.95	-13	Pass	7000



25. DC_7A_n5A_SCS15_15M_H_Inner Full(16QAM)

25.12. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-75.05	-13	Pass	401
0.15	30	0.01	RMS	1.801	-65.14	-13	Pass	2985
30	814	0.1	RMS	814	-62.73	-13	Pass	7840
814	859	0.1	RMS	838.354	5.57	60	Pass	450
859	1000	0.1	RMS	859.2	-78.92	-13	Pass	1410
1000	3000	1	RMS	2522.761	-25.68	-13	Pass	2000
3000	10000	1	RMS	8426.775	-54	-13	Pass	7000



25. DC_7A_n5A_SCS15_20M_L_Inner Full(QPSK)

25.13. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.21	-13	Pass	401
0.15	30	0.01	RMS	6.842	-61.13	-13	Pass	2985
30	814	0.1	RMS	812.9	-47.91	-13	Pass	7840
814	859	0.1	RMS	831.94	4.98	60	Pass	450
859	1000	0.1	RMS	859.5	-78.7	-13	Pass	1410
1000	3000	1	RMS	2499.75	-26.16	-13	Pass	2000
3000	10000	1	RMS	8358.766	-53.88	-13	Pass	7000



25. DC_7A_n5A_SCS15_20M_L_Inner Full(16AQM)

25.14. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.33	-13	Pass	401
0.15	30	0.01	RMS	6.842	-62.14	-13	Pass	2985
30	814	0.1	RMS	812.4	-48.54	-13	Pass	7840
814	859	0.1	RMS	833.744	4.35	60	Pass	450
859	1000	0.1	RMS	859.3	-78.66	-13	Pass	1410
1000	3000	1	RMS	2501.751	-27.63	-13	Pass	2000
3000	10000	1	RMS	8433.776	-54.05	-13	Pass	7000



25. DC_7A_n5A_SCS15_20M_M_Inner Full(QPSK)

25.15. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.13	-13	Pass	401
0.15	30	0.01	RMS	6.842	-61.11	-13	Pass	2985
30	814	0.1	RMS	811.6	-50.29	-13	Pass	7840
814	859	0.1	RMS	833.343	5.21	60	Pass	450
859	1000	0.1	RMS	860.801	-78.55	-13	Pass	1410
1000	3000	1	RMS	2509.755	-25.64	-13	Pass	2000
3000	10000	1	RMS	8433.776	-54.02	-13	Pass	7000



25. DC_7A_n5A_SCS15_20M_M_Inner Full(16AQM)

25.16. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.21	-13	Pass	401
0.15	30	0.01	RMS	6.842	-62.78	-13	Pass	2985
30	814	0.1	RMS	813.5	-50.18	-13	Pass	7840
814	859	0.1	RMS	833.443	4.21	60	Pass	450
859	1000	0.1	RMS	859.3	-78.96	-13	Pass	1410
1000	3000	1	RMS	2507.754	-27.03	-13	Pass	2000
3000	10000	1	RMS	8429.776	-53.78	-13	Pass	7000



25. DC_7A_n5A_SCS15_20M_H_Inner Full(QPSK)

25.17. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.06	-13	Pass	401
0.15	30	0.01	RMS	6.842	-61.26	-13	Pass	2985
30	814	0.1	RMS	813.4	-51.42	-13	Pass	7840
814	859	0.1	RMS	842.664	4.95	60	Pass	450
859	1000	0.1	RMS	859	-76.13	-13	Pass	1410
1000	3000	1	RMS	2514.757	-25.82	-13	Pass	2000
3000	10000	1	RMS	8444.778	-53.97	-13	Pass	7000



25. DC_7A_n5A_SCS15_20M_H_Inner Full(16AQM)

25.18. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.4	-13	Pass	401
0.15	30	0.01	RMS	6.842	-63.03	-13	Pass	2985
30	814	0.1	RMS	813.4	-53.12	-13	Pass	7840
814	859	0.1	RMS	834.846	4.19	60	Pass	450
859	1000	0.1	RMS	859.3	-76.83	-13	Pass	1410
1000	3000	1	RMS	2515.758	-26.96	-13	Pass	2000
3000	10000	1	RMS	8430.776	-54.05	-13	Pass	7000



26. DC_26A_n41A_SCS30_20M_L_Inner Full(QPSK)

26.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-75.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-86.4	-25	Pass	2985
30	1000	0.1	RMS	826.797	-58.12	-25	Pass	9699
1000	2446	1	RMS	2437.994	-67.59	-25	Pass	1446
2446	2740	1	RMS	2508.475	14.45	60	Pass	401
2740	3000	1	RMS	2868.05	-65.31	-25	Pass	401
3000	6500	1	RMS	6071.878	-60.48	-25	Pass	3500
6500	27000	1	RMS	25502.636	-47.19	-25	Pass	20500



26. DC_26A_n41A_SCS30_20M_L_Inner Full(16QAM)

26.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-85.92	-25	Pass	2985
30	1000	0.1	RMS	825.197	-57.99	-25	Pass	9699
1000	2446	1	RMS	2438.995	-67.47	-25	Pass	1446
2446	2740	1	RMS	2509.21	13.63	60	Pass	401
2740	3000	1	RMS	2868.7	-65.38	-25	Pass	401
3000	6500	1	RMS	6177.908	-60.57	-25	Pass	3500
6500	27000	1	RMS	25197.562	-47.76	-25	Pass	20500



26. DC_26A_n41A_SCS30_20M_M_Inner Full(QPSK)

26.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.34	-25	Pass	401
0.15	30	0.01	RMS	0.43	-89.02	-25	Pass	2985
30	1000	0.1	RMS	826.997	-57.61	-25	Pass	9699
1000	2446	1	RMS	2444.999	-67.64	-25	Pass	1446
2446	2740	1	RMS	2595.205	14.42	60	Pass	401
2740	3000	1	RMS	2870	-65.24	-25	Pass	401
3000	6500	1	RMS	6072.878	-60.72	-25	Pass	3500
6500	27000	1	RMS	25544.646	-47.5	-25	Pass	20500



26. DC_26A_n41A_SCS30_20M_M_Inner Full(16QAM)

26.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.45	-25	Pass	401
0.15	30	0.01	RMS	0.29	-89.39	-25	Pass	2985
30	1000	0.1	RMS	826.997	-57.57	-25	Pass	9699
1000	2446	1	RMS	2446	-67.32	-25	Pass	1446
2446	2740	1	RMS	2591.53	13.82	60	Pass	401
2740	3000	1	RMS	2869.35	-65.33	-25	Pass	401
3000	6500	1	RMS	6059.874	-60.59	-25	Pass	3500
6500	27000	1	RMS	25499.635	-47.61	-25	Pass	20500



26. DC_26A_n41A_SCS30_20M_H_Inner Full(QPSK)

26.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-86.68	-25	Pass	2985
30	1000	0.1	RMS	837.199	-57.64	-25	Pass	9699
1000	2446	1	RMS	2438.995	-67.55	-25	Pass	1446
2446	2740	1	RMS	2678.995	14.13	60	Pass	401
2740	3000	1	RMS	2863.5	-65.38	-25	Pass	401
3000	6500	1	RMS	6101.886	-60.56	-25	Pass	3500
6500	27000	1	RMS	25458.626	-47.2	-25	Pass	20500



26. DC_26A_n41A_SCS30_20M_H_Inner Full(16QAM)

26.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-84.39	-25	Pass	2985
30	1000	0.1	RMS	835.698	-57.9	-25	Pass	9699
1000	2446	1	RMS	2439.996	-67.37	-25	Pass	1446
2446	2740	1	RMS	2677.525	13.22	60	Pass	401
2740	3000	1	RMS	2865.45	-65.26	-25	Pass	401
3000	6500	1	RMS	6059.874	-60.64	-25	Pass	3500
6500	27000	1	RMS	25518.64	-47.43	-25	Pass	20500



26. DC_26A_n41A_SCS30_60M_L_Inner Full(QPSK)

26.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-85.41	-25	Pass	2985
30	1000	0.1	RMS	826.797	-58.21	-25	Pass	9699
1000	2446	1	RMS	2440.997	-67.43	-25	Pass	1446
2446	2740	1	RMS	2538.61	9.68	60	Pass	401
2740	3000	1	RMS	2869.35	-65.3	-25	Pass	401
3000	6500	1	RMS	6061.875	-60.76	-25	Pass	3500
6500	27000	1	RMS	25498.635	-47.21	-25	Pass	20500



26. DC_26A_n41A_SCS30_60M_L_Inner Full(16QAM)

26.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-75.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-88.23	-25	Pass	2985
30	1000	0.1	RMS	826.797	-58.19	-25	Pass	9699
1000	2446	1	RMS	2439.996	-67.85	-25	Pass	1446
2446	2740	1	RMS	2537.875	4.93	60	Pass	401
2740	3000	1	RMS	2866.75	-65.62	-25	Pass	401
3000	6500	1	RMS	6083.881	-60.78	-25	Pass	3500
6500	27000	1	RMS	25478.63	-47.5	-25	Pass	20500



26. DC_26A_n41A_SCS30_60M_M_Inner Full(QPSK)

26.9. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.94	-25	Pass	401
0.15	30	0.01	RMS	0.3	-86.15	-25	Pass	2985
30	1000	0.1	RMS	826.997	-57.65	-25	Pass	9699
1000	2446	1	RMS	2443.999	-67.59	-25	Pass	1446
2446	2740	1	RMS	2604.76	9.44	60	Pass	401
2740	3000	1	RMS	2866.1	-65.4	-25	Pass	401
3000	6500	1	RMS	6060.875	-60.55	-25	Pass	3500
6500	27000	1	RMS	25474.629	-46.95	-25	Pass	20500



26. DC_26A_n41A_SCS30_60M_M_Inner Full(16QAM)

26.10. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-86.85	-25	Pass	2985
30	1000	0.1	RMS	826.997	-57.7	-25	Pass	9699
1000	2446	1	RMS	2439.996	-67.65	-25	Pass	1446
2446	2740	1	RMS	2604.025	8.66	60	Pass	401
2740	3000	1	RMS	2868.05	-65.32	-25	Pass	401
3000	6500	1	RMS	6058.874	-60.54	-25	Pass	3500
6500	27000	1	RMS	25535.644	-47.28	-25	Pass	20500



26. DC_26A_n41A_SCS30_60M_H_Inner Full(QPSK)

26.11. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74	-25	Pass	401
0.15	30	0.01	RMS	0.3	-88.89	-25	Pass	2985
30	1000	0.1	RMS	837.199	-57.95	-25	Pass	9699
1000	2446	1	RMS	2436.994	-67.42	-25	Pass	1446
2446	2740	1	RMS	2648.86	9.41	60	Pass	401
2740	3000	1	RMS	2871.95	-65.4	-25	Pass	401
3000	6500	1	RMS	6052.872	-60.51	-25	Pass	3500
6500	27000	1	RMS	25870.726	-47.5	-25	Pass	20500



26. DC_26A_n41A_SCS30_60M_H_Inner Full(16QAM)

26.12. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.56	-25	Pass	401
0.15	30	0.01	RMS	0.19	-89.35	-25	Pass	2985
30	1000	0.1	RMS	834.998	-58.49	-25	Pass	9699
1000	2446	1	RMS	2443.999	-67.53	-25	Pass	1446
2446	2740	1	RMS	2648.86	8.43	60	Pass	401
2740	3000	1	RMS	2867.4	-65.42	-25	Pass	401
3000	6500	1	RMS	6056.873	-60.53	-25	Pass	3500
6500	27000	1	RMS	25211.565	-47.39	-25	Pass	20500



26. DC_26A_n41A_SCS30_100M_L_Inner Full(QPSK)

26.13. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-88.11	-25	Pass	2985
30	1000	0.1	RMS	826.797	-58.07	-25	Pass	9699
1000	2446	1	RMS	2442.998	-67.32	-25	Pass	1446
2446	2740	1	RMS	2534.2	7.97	60	Pass	401
2740	3000	1	RMS	2868.05	-65.35	-25	Pass	401
3000	6500	1	RMS	6194.913	-60.58	-25	Pass	3500
6500	27000	1	RMS	25930.74	-47.49	-25	Pass	20500



26. DC_26A_n41A_SCS30_100M_L_Inner Full(16QAM)

26.14. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-86.11	-25	Pass	2985
30	1000	0.1	RMS	826.797	-58.22	-25	Pass	9699
1000	2446	1	RMS	2437.994	-67.52	-25	Pass	1446
2446	2740	1	RMS	2536.405	6.99	60	Pass	401
2740	3000	1	RMS	2868.05	-65.28	-25	Pass	401
3000	6500	1	RMS	6063.875	-60.48	-25	Pass	3500
6500	27000	1	RMS	25489.633	-47.2	-25	Pass	20500



26. DC_26A_n41A_SCS30_100M_M_Inner Full(QPSK)

26.15. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-87.46	-25	Pass	2985
30	1000	0.1	RMS	826.997	-57.55	-25	Pass	9699
1000	2446	1	RMS	2446	-67.45	-25	Pass	1446
2446	2740	1	RMS	2615.05	7.95	60	Pass	401
2740	3000	1	RMS	2872.6	-65.33	-25	Pass	401
3000	6500	1	RMS	6090.883	-60.71	-25	Pass	3500
6500	27000	1	RMS	25848.72	-47.42	-25	Pass	20500



26. DC_26A_n41A_SCS30_100M_M_Inner Full(16QAM)

26.16. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-85.97	-25	Pass	2985
30	1000	0.1	RMS	826.997	-57.7	-25	Pass	9699
1000	2446	1	RMS	2440.997	-67.55	-25	Pass	1446
2446	2740	1	RMS	2614.315	7.07	60	Pass	401
2740	3000	1	RMS	2868.7	-65.31	-25	Pass	401
3000	6500	1	RMS	6173.907	-60.51	-25	Pass	3500
6500	27000	1	RMS	25206.564	-47.55	-25	Pass	20500



26. DC_26A_n41A_SCS30_100M_H_Inner Full(QPSK)

26.17. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-86.65	-25	Pass	2985
30	1000	0.1	RMS	835.698	-57.8	-25	Pass	9699
1000	2446	1	RMS	2441.997	-67.48	-25	Pass	1446
2446	2740	1	RMS	2630.485	7.62	60	Pass	401
2740	3000	1	RMS	2864.15	-65.38	-25	Pass	401
3000	6500	1	RMS	6052.872	-60.64	-25	Pass	3500
6500	27000	1	RMS	25525.642	-47.11	-25	Pass	20500



26. DC_26A_n41A_SCS30_100M_H_Inner Full(16QAM)

26.18. FCC-NR Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-74.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-87.21	-25	Pass	2985
30	1000	0.1	RMS	837.199	-57.84	-25	Pass	9699
1000	2446	1	RMS	2431.99	-67.58	-25	Pass	1446
2446	2740	1	RMS	2628.28	6.6	60	Pass	401
2740	3000	1	RMS	2870	-65.35	-25	Pass	401
3000	6500	1	RMS	6051.872	-60.59	-25	Pass	3500
6500	27000	1	RMS	25527.642	-47.79	-25	Pass	20500



END