



18.20. LTE Band Edge(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-35.43	-25	Pass	16
2490	2495	1	RMS	2495	-32.1	-13	Pass	6
2495	2496	0.15	RMS	2495.965	-36.33	-13	Pass	401
2496	2511	0.1	RMS	2500.988	0.04	30	Pass	401



18.21. LTE Band Edge(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	20.26	30	Pass	401
2690	2691	0.3	RMS	2690	-19.41	-10	Pass	401
2691	2695	1	RMS	2691	-29.49	-10	Pass	5
2695	2705	1	RMS	2695.275	-37.85	-13	Pass	401
2705	2715	1	RMS	2705.025	-46.15	-25	Pass	401




18.22. LTE Band Edge(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2688.725	1.23	30	Pass	401
2690	2691	0.3	RMS	2690.023	-31.85	-10	Pass	401
2691	2695	1	RMS	2691	-30.79	-10	Pass	5
2695	2705	1	RMS	2695.425	-31.98	-13	Pass	401
2705	2715	1	RMS	2705.025	-35.78	-25	Pass	401



18.23. LTE Band Edge(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	19.12	30	Pass	401
2690	2691	0.3	RMS	2690	-20.33	-10	Pass	401
2691	2695	1	RMS	2691	-31.3	-10	Pass	5
2695	2705	1	RMS	2695.3	-38.84	-13	Pass	401
2705	2715	1	RMS	2705.05	-46.47	-25	Pass	401




18.24. LTE Band Edge(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2680.4	0.31	30	Pass	401
2690	2691	0.3	RMS	2690.025	-32.97	-10	Pass	401
2691	2695	1	RMS	2691	-32.58	-10	Pass	5
2695	2705	1	RMS	2695.675	-34	-13	Pass	401
2705	2715	1	RMS	2705	-38.4	-25	Pass	401




18.25. LTE Band Edge(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-40.34	-25	Pass	401
2490	2495	1	RMS	2495	-30.37	-13	Pass	6
2495	2496	0.2	RMS	2495.998	-25.51	-13	Pass	401
2496	2516	0.1	RMS	2497.1	20.08	30	Pass	401




18.26. LTE Band Edge(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.55	-33.51	-25	Pass	401
2490	2495	1	RMS	2495	-32	-13	Pass	6
2495	2496	0.2	RMS	2495.865	-35.55	-13	Pass	401
2496	2516	0.1	RMS	2501.8	-0.11	30	Pass	401




18.27. LTE Band Edge(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-40.21	-25	Pass	401
2490	2495	1	RMS	2495	-29.98	-13	Pass	6
2495	2496	0.2	RMS	2495.998	-24.82	-13	Pass	401
2496	2516	0.1	RMS	2497.1	19.16	30	Pass	401




18.28. LTE Band Edge(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-36.27	-25	Pass	16
2490	2495	1	RMS	2495	-33.21	-13	Pass	6
2495	2496	0.2	RMS	2495.975	-37.11	-13	Pass	401
2496	2516	0.1	RMS	2505.25	-1.18	30	Pass	401




18.29. LTE Band Edge(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	20.01	30	Pass	401
2690	2691	0.51	RMS	2690	-19.14	-10	Pass	401
2691	2695	1	RMS	2691	-30.59	-10	Pass	5
2695	2710	1	RMS	2695.075	-38.02	-13	Pass	401
2710	2715	1	RMS	2710.113	-46.9	-25	Pass	401




18.30. LTE Band Edge(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676.25	0.17	30	Pass	401
2690	2691	0.51	RMS	2690.058	-31.59	-10	Pass	401
2691	2695	1	RMS	2691	-31.96	-10	Pass	5
2695	2710	1	RMS	2695.075	-33.24	-13	Pass	401
2710	2715	1	RMS	2710.138	-39.43	-25	Pass	401




18.31. LTE Band Edge(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	18.99	30	Pass	401
2690	2691	0.51	RMS	2690.003	-19.26	-10	Pass	401
2691	2695	1	RMS	2691	-30.05	-10	Pass	5
2695	2710	1	RMS	2695.038	-38.37	-13	Pass	401
2710	2715	1	RMS	2710.063	-46.65	-25	Pass	401



18.32. LTE Band Edge(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2674.65	-0.97	30	Pass	401
2690	2691	0.51	RMS	2690.003	-32.02	-10	Pass	401
2691	2695	1	RMS	2691	-32.5	-10	Pass	5
2695	2710	1	RMS	2695.338	-33.97	-13	Pass	401
2710	2715	1	RMS	2710.125	-41.48	-25	Pass	401



19. CA_7C


19.1. CA Band Edge(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.163	-50.65	-25	Pass	401
2490	2496	1	RMS	2495.94	-51.41	-13	Pass	401
2496	2499	1	RMS	2499	-46.63	-10	Pass	401
2499	2500	1	RMS	2500	-30.92	-10	Pass	2
2500	2530	0.1	RMS	2520.025	5.82	30	Pass	401




19.2. CA Band Edge(NTNV)(Subtest:2, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.188	-51.68	-25	Pass	401
2490	2496	1	RMS	2490.825	-51.65	-13	Pass	401
2496	2499	1	RMS	2498.993	-46.75	-10	Pass	401
2499	2500	1	RMS	2500	-30.68	-10	Pass	2
2500	2530	0.1	RMS	2528.8	5.99	30	Pass	401




19.3. CA Band Edge(NTNV)(Subtest:3, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-39.34	-25	Pass	401
2490	2496	1	RMS	2495.925	-34.29	-13	Pass	401
2496	2499	1	RMS	2498.835	-33.13	-10	Pass	401
2499	2500	1	RMS	2500	-34.44	-10	Pass	2
2500	2530	0.1	RMS	2523.625	-1.63	30	Pass	401




19.4. CA Band Edge(NTNV)(Subtest:4, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.275	-50.97	-25	Pass	401
2490	2496	1	RMS	2496	-51.5	-13	Pass	401
2496	2499	1	RMS	2499	-46.48	-10	Pass	401
2499	2500	1	RMS	2500	-30.42	-10	Pass	2
2500	2530	0.1	RMS	2520.025	5.78	30	Pass	401




19.5. CA Band Edge(NTNV)(Subtest:5, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487	-51.87	-25	Pass	401
2490	2496	1	RMS	2496	-51.59	-13	Pass	401
2496	2499	1	RMS	2499	-46.24	-10	Pass	401
2499	2500	1	RMS	2500	-30.16	-10	Pass	2
2500	2530	0.1	RMS	2528.8	5.86	30	Pass	401




19.6. CA Band Edge(NTNV)(Subtest:6, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.363	-41.68	-25	Pass	401
2490	2496	1	RMS	2495.85	-36.17	-13	Pass	401
2496	2499	1	RMS	2498.633	-35.65	-10	Pass	401
2499	2500	1	RMS	2500	-36.34	-10	Pass	2
2500	2530	0.1	RMS	2522.05	-2.65	30	Pass	401




19.7. CA Band Edge(NTNV)(Subtest:7, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2541.2	6.12	30	Pass	401
2570	2571	1	RMS	2570	-35.68	-10	Pass	2
2571	2575	1	RMS	2571.06	-43.35	-10	Pass	401
2575	2600	1	RMS	2575.5	-49.71	-13	Pass	401
2600	2615	1	RMS	2612.413	-51.92	-25	Pass	401




19.8. CA Band Edge(NTNV)(Subtest:8, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2558.975	6.04	30	Pass	401
2570	2571	1	RMS	2570	-37.42	-10	Pass	2
2571	2575	1	RMS	2571	-49.89	-10	Pass	401
2575	2600	1	RMS	2578.75	-34.5	-13	Pass	401
2600	2615	1	RMS	2612.338	-51.93	-25	Pass	401




19.9. CA Band Edge(NTNV)(Subtest:9, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2564.525	-1.83	30	Pass	401
2570	2571	1	RMS	2570	-35.94	-10	Pass	2
2571	2575	1	RMS	2574.81	-36.08	-10	Pass	401
2575	2600	1	RMS	2576.188	-36.09	-13	Pass	401
2600	2615	1	RMS	2612.863	-51.9	-25	Pass	401




19.10. CA Band Edge(NTNV)(Subtest:10, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2541.2	6.04	30	Pass	401
2570	2571	1	RMS	2570	-37.04	-10	Pass	2
2571	2575	1	RMS	2571	-49.79	-10	Pass	401
2575	2600	1	RMS	2582.625	-51.46	-13	Pass	401
2600	2615	1	RMS	2614.663	-51.93	-25	Pass	401




19.11. CA Band Edge(NTNV)(Subtest:11, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2558.975	5.85	30	Pass	401
2570	2571	1	RMS	2570	-36.82	-10	Pass	2
2571	2575	1	RMS	2571	-49.67	-10	Pass	401
2575	2600	1	RMS	2578.75	-34.95	-13	Pass	401
2600	2615	1	RMS	2614.775	-51.93	-25	Pass	401




19.12. CA Band Edge(NTNV)(Subtest:12, Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2540	2570	0.1	RMS	2562.95	-2.7	30	Pass	401
2570	2571	1	RMS	2570	-35.96	-10	Pass	2
2571	2575	1	RMS	2571.26	-36.47	-10	Pass	401
2575	2600	1	RMS	2575.188	-36.73	-13	Pass	401
2600	2615	1	RMS	2610.2	-51.95	-25	Pass	401




19.13. CA Band Edge(NTNV)(Subtest:13, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2481.15	-51.61	-25	Pass	401
2490	2496	1	RMS	2495.805	-51.67	-13	Pass	401
2496	2499	1	RMS	2499	-46.76	-10	Pass	401
2499	2500	1	RMS	2500	-30.81	-10	Pass	2
2500	2540	0.1	RMS	2520.9	6.08	30	Pass	401




19.14. CA Band Edge(NTNV)(Subtest:14, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.475	-52.03	-25	Pass	401
2490	2496	1	RMS	2495.55	-51.7	-13	Pass	401
2496	2499	1	RMS	2499	-46.19	-10	Pass	401
2499	2500	1	RMS	2500	-30.35	-10	Pass	2
2500	2540	0.1	RMS	2538.7	5.76	30	Pass	401




19.15. CA Band Edge(NTNV)(Subtest:15, Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-37.97	-25	Pass	401
2490	2496	1	RMS	2495.025	-33.97	-13	Pass	401
2496	2499	1	RMS	2497.95	-32.41	-10	Pass	401
2499	2500	1	RMS	2500	-34.25	-10	Pass	2
2500	2540	0.1	RMS	2514.3	-4.42	30	Pass	401




19.16. CA Band Edge(NTNV)(Subtest:16, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2481.3	-51.64	-25	Pass	401
2490	2496	1	RMS	2495.985	-51.6	-13	Pass	401
2496	2499	1	RMS	2499	-46.4	-10	Pass	401
2499	2500	1	RMS	2500	-30.2	-10	Pass	2
2500	2540	0.1	RMS	2520.9	5.79	30	Pass	401




19.17. CA Band Edge(NTNV)(Subtest:17, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.588	-51.96	-25	Pass	401
2490	2496	1	RMS	2496	-51.45	-13	Pass	401
2496	2499	1	RMS	2499	-45.16	-10	Pass	401
2499	2500	1	RMS	2500	-29.76	-10	Pass	2
2500	2540	0.1	RMS	2538.7	5.54	30	Pass	401




19.18. CA Band Edge(NTNV)(Subtest:18, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.388	-38.6	-25	Pass	401
2490	2496	1	RMS	2494.515	-34.87	-13	Pass	401
2496	2499	1	RMS	2498.685	-32.74	-10	Pass	401
2499	2500	1	RMS	2500	-35.47	-10	Pass	2
2500	2540	0.1	RMS	2512.9	-5.36	30	Pass	401




19.19. CA Band Edge(NTNV)(Subtest:19, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2531.3	5.8	30	Pass	401
2570	2571	1	RMS	2570	-30.32	-10	Pass	2
2571	2575	1	RMS	2571	-46.29	-10	Pass	401
2575	2610	1	RMS	2587.775	-51.36	-13	Pass	401
2610	2615	1	RMS	2614.513	-51.93	-25	Pass	401



19.20. CA Band Edge(NTNV)(Subtest:20, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2549.1	6.21	30	Pass	401
2570	2571	1	RMS	2570	-30.37	-10	Pass	2
2571	2575	1	RMS	2571	-46.58	-10	Pass	401
2575	2610	1	RMS	2588.65	-39.86	-13	Pass	401
2610	2615	1	RMS	2612.125	-51.94	-25	Pass	401




19.21. CA Band Edge(NTNV)(Subtest:21, Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2546.1	-4.26	30	Pass	401
2570	2571	1	RMS	2570	-35.19	-10	Pass	2
2571	2575	1	RMS	2571.12	-37.52	-10	Pass	401
2575	2610	1	RMS	2575	-37.87	-13	Pass	401
2610	2615	1	RMS	2614.95	-51.9	-25	Pass	401




19.22. CA Band Edge(NTNV)(Subtest:22, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2531.3	5.65	30	Pass	401
2570	2571	1	RMS	2570	-30.19	-10	Pass	2
2571	2575	1	RMS	2571	-46.19	-10	Pass	401
2575	2610	1	RMS	2578.5	-51.56	-13	Pass	401
2610	2615	1	RMS	2612.9	-51.93	-25	Pass	401




19.23. CA Band Edge(NTNV)(Subtest:23, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2549.1	6.06	30	Pass	401
2570	2571	1	RMS	2570	-30.23	-10	Pass	2
2571	2575	1	RMS	2571	-46.37	-10	Pass	401
2575	2610	1	RMS	2588.65	-40.11	-13	Pass	401
2610	2615	1	RMS	2614.788	-51.94	-25	Pass	401



19.24. CA Band Edge(NTNV)(Subtest:24, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	0.1	RMS	2545.5	-5.37	30	Pass	401
2570	2571	1	RMS	2570	-35.93	-10	Pass	2
2571	2575	1	RMS	2571.03	-37.98	-10	Pass	401
2575	2610	1	RMS	2575.088	-38.44	-13	Pass	401
2610	2615	1	RMS	2614.713	-51.94	-25	Pass	401



20. CA_38C


20.1. CA Band Edge(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2540	-47.78	-25	Pass	401
2540	2565	1	RMS	2555.875	-35.34	-13	Pass	401
2565	2569	1	RMS	2568.99	-37.58	-10	Pass	401
2569	2570	1	RMS	2570	-23.63	-10	Pass	2
2570	2600	0.1	RMS	2585.825	6.22	30	Pass	401




20.2. CA Band Edge(NTNV)(Subtest:2, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2532.763	-48.08	-25	Pass	401
2540	2565	1	RMS	2542.438	-35.03	-13	Pass	401
2565	2569	1	RMS	2568.99	-37.41	-10	Pass	401
2569	2570	1	RMS	2570	-23.44	-10	Pass	2
2570	2600	0.1	RMS	2570.825	5.86	30	Pass	401




20.3. CA Band Edge(NTNV)(Subtest:3, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2538.688	-40.81	-25	Pass	401
2540	2565	1	RMS	2562.688	-35.24	-13	Pass	401
2565	2569	1	RMS	2568.25	-34.12	-10	Pass	401
2569	2570	1	RMS	2570	-30.57	-10	Pass	2
2570	2600	0.1	RMS	2589.2	-2.32	30	Pass	401




20.4. CA Band Edge(NTNV)(Subtest:4, Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2540	-47.64	-25	Pass	401
2540	2565	1	RMS	2555.875	-34.69	-13	Pass	401
2565	2569	1	RMS	2569	-38.12	-10	Pass	401
2569	2570	1	RMS	2570	-24.18	-10	Pass	2
2570	2600	0.1	RMS	2585.9	5.72	30	Pass	401




20.5. CA Band Edge(NTNV)(Subtest:5, Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2531.6	-48.08	-25	Pass	401
2540	2565	1	RMS	2542.5	-34.93	-13	Pass	401
2565	2569	1	RMS	2569	-36.9	-10	Pass	401
2569	2570	1	RMS	2570	-24.01	-10	Pass	2
2570	2600	0.1	RMS	2570.825	5.47	30	Pass	401




20.6. CA Band Edge(NTNV)(Subtest:6, Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.963	-41.74	-25	Pass	401
2540	2565	1	RMS	2564	-36.38	-13	Pass	401
2565	2569	1	RMS	2567.35	-35.65	-10	Pass	401
2569	2570	1	RMS	2570	-30.68	-10	Pass	2
2570	2600	0.1	RMS	2586.05	-3.43	30	Pass	401




20.7. CA Band Edge(NTNV)(Subtest:7, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2590.825	6.7	30	Pass	401
2620	2621	1	RMS	2620	-23.91	-10	Pass	2
2621	2625	1	RMS	2621	-37.75	-10	Pass	401
2625	2650	1	RMS	2647.563	-35.22	-13	Pass	401
2650	2665	1	RMS	2650.6	-47.74	-25	Pass	401




20.8. CA Band Edge(NTNV)(Subtest:8, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2604.1	5.89	30	Pass	401
2620	2621	1	RMS	2620	-23.67	-10	Pass	2
2621	2625	1	RMS	2621.01	-37.72	-10	Pass	401
2625	2650	1	RMS	2634.188	-34.75	-13	Pass	401
2650	2665	1	RMS	2650.038	-47.37	-25	Pass	401




20.9. CA Band Edge(NTNV)(Subtest:9, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2600.125	-2.29	30	Pass	401
2620	2621	1	RMS	2620	-29.93	-10	Pass	2
2621	2625	1	RMS	2621.05	-34.06	-10	Pass	401
2625	2650	1	RMS	2629.875	-36.25	-13	Pass	401
2650	2665	1	RMS	2651.763	-39.36	-25	Pass	401




20.10. CA Band Edge(NTNV)(Subtest:10, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2590.825	5.88	30	Pass	401
2620	2621	1	RMS	2620	-24.32	-10	Pass	2
2621	2625	1	RMS	2621	-38.94	-10	Pass	401
2625	2650	1	RMS	2647.5	-34.98	-13	Pass	401
2650	2665	1	RMS	2654.875	-47.72	-25	Pass	401




20.11. CA Band Edge(NTNV)(Subtest:11, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2604.175	6.4	30	Pass	401
2620	2621	1	RMS	2620	-24.08	-10	Pass	2
2621	2625	1	RMS	2621	-38.23	-10	Pass	401
2625	2650	1	RMS	2634.125	-35.38	-13	Pass	401
2650	2665	1	RMS	2650.038	-47.3	-25	Pass	401




20.12. CA Band Edge(NTNV)(Subtest:12, Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2620	0.1	RMS	2598.775	-3.48	30	Pass	401
2620	2621	1	RMS	2620	-30.22	-10	Pass	2
2621	2625	1	RMS	2621.39	-36.32	-10	Pass	401
2625	2650	1	RMS	2626.375	-37.31	-13	Pass	401
2650	2665	1	RMS	2651.2	-41.35	-25	Pass	401




20.13. CA Band Edge(NTNV)(Subtest:13, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.25	-48.13	-25	Pass	401
2530	2565	1	RMS	2551.263	-35.38	-13	Pass	401
2565	2569	1	RMS	2568.99	-40.79	-10	Pass	401
2569	2570	1	RMS	2570	-28.8	-10	Pass	2
2570	2610	0.1	RMS	2590.9	5.11	30	Pass	401




20.14. CA Band Edge(NTNV)(Subtest:14, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2527.813	-48.1	-25	Pass	401
2530	2565	1	RMS	2533.5	-35.21	-13	Pass	401
2565	2569	1	RMS	2569	-41.93	-10	Pass	401
2569	2570	1	RMS	2570	-30.01	-10	Pass	2
2570	2610	0.1	RMS	2571.1	5.69	30	Pass	401




20.15. CA Band Edge(NTNV)(Subtest:15, Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.8	-43	-25	Pass	401
2530	2565	1	RMS	2564.825	-36.72	-13	Pass	401
2565	2569	1	RMS	2568.41	-35.4	-10	Pass	401
2569	2570	1	RMS	2570	-34.33	-10	Pass	2
2570	2610	0.1	RMS	2581.1	-3.64	30	Pass	401




20.16. CA Band Edge(NTNV)(Subtest:16, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.238	-48.13	-25	Pass	401
2530	2565	1	RMS	2551.263	-35.93	-13	Pass	401
2565	2569	1	RMS	2568.99	-41.46	-10	Pass	401
2569	2570	1	RMS	2570	-29.77	-10	Pass	2
2570	2610	0.1	RMS	2590.9	6	30	Pass	401




20.17. CA Band Edge(NTNV)(Subtest:17, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2525.263	-48.14	-25	Pass	401
2530	2565	1	RMS	2533.413	-35.6	-13	Pass	401
2565	2569	1	RMS	2568.99	-41.01	-10	Pass	401
2569	2570	1	RMS	2570	-29.64	-10	Pass	2
2570	2610	0.1	RMS	2571.1	4.87	30	Pass	401




20.18. CA Band Edge(NTNV)(Subtest:18, Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.813	-44.7	-25	Pass	401
2530	2565	1	RMS	2564.125	-37.32	-13	Pass	401
2565	2569	1	RMS	2568.45	-37.28	-10	Pass	401
2569	2570	1	RMS	2570	-36.06	-10	Pass	2
2570	2610	0.1	RMS	2583.4	-4.67	30	Pass	401




20.19. CA Band Edge(NTNV)(Subtest:19, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2581.3	5	30	Pass	401
2620	2621	1	RMS	2620	-29.95	-10	Pass	2
2621	2625	1	RMS	2621.02	-41.93	-10	Pass	401
2625	2660	1	RMS	2656.5	-36.14	-13	Pass	401
2660	2665	1	RMS	2660.275	-47.92	-25	Pass	401




20.20. CA Band Edge(NTNV)(Subtest:20, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2599.1	5.73	30	Pass	401
2620	2621	1	RMS	2620	-29.66	-10	Pass	2
2621	2625	1	RMS	2621.01	-40.86	-10	Pass	401
2625	2660	1	RMS	2638.738	-35.85	-13	Pass	401
2660	2665	1	RMS	2661.313	-47.89	-25	Pass	401




20.21. CA Band Edge(NTNV)(Subtest:21, Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2591.2	-3.75	30	Pass	401
2620	2621	1	RMS	2620	-35.41	-10	Pass	2
2621	2625	1	RMS	2621.31	-36.6	-10	Pass	401
2625	2660	1	RMS	2626.75	-37.58	-13	Pass	401
2660	2665	1	RMS	2660.875	-42.88	-25	Pass	401




20.22. CA Band Edge(NTNV)(Subtest:22, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2581.3	5.17	30	Pass	401
2620	2621	1	RMS	2620	-29.55	-10	Pass	2
2621	2625	1	RMS	2621.01	-42.05	-10	Pass	401
2625	2660	1	RMS	2656.5	-36.57	-13	Pass	401
2660	2665	1	RMS	2660.163	-47.88	-25	Pass	401




20.23. CA Band Edge(NTNV)(Subtest:23, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2599.1	5.53	30	Pass	401
2620	2621	1	RMS	2620	-29.23	-10	Pass	2
2621	2625	1	RMS	2621.02	-41.81	-10	Pass	401
2625	2660	1	RMS	2638.65	-36.47	-13	Pass	401
2660	2665	1	RMS	2660	-47.89	-25	Pass	401



20.24. CA Band Edge(NTNV)(Subtest:24, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2595.7	-5.19	30	Pass	401
2620	2621	1	RMS	2620	-36.06	-10	Pass	2
2621	2625	1	RMS	2622.95	-37.52	-10	Pass	401
2625	2660	1	RMS	2637.775	-38.26	-13	Pass	401
2660	2665	1	RMS	2661.35	-44.27	-25	Pass	401



21. CA_41C_full


21.1. CA Band Edge(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.563	-39.37	-25	Pass	401
2490	2495	1	RMS	2495	-43.32	-13	Pass	6
2495	2496	0.3	RMS	2496	-37.33	-13	Pass	401
2496	2521	0.1	RMS	2515.563	7.19	30	Pass	401




21.2. CA Band Edge(NTNV)(Subtest:2, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2475	-47	-25	Pass	401
2490	2495	1	RMS	2495	-43.28	-13	Pass	6
2495	2496	0.3	RMS	2495.998	-37.03	-13	Pass	401
2496	2521	0.1	RMS	2519.875	6.14	30	Pass	401




21.3. CA Band Edge(NTNV)(Subtest:3, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-39.8	-25	Pass	401
2490	2495	1	RMS	2495	-38.11	-13	Pass	6
2495	2496	0.3	RMS	2495.943	-40.23	-13	Pass	401
2496	2521	0.1	RMS	2517.75	2.1	30	Pass	401




21.4. CA Band Edge(NTNV)(Subtest:4, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.563	-39.84	-25	Pass	401
2490	2495	1	RMS	2495	-42.45	-13	Pass	6
2495	2496	0.3	RMS	2496	-36.88	-13	Pass	401
2496	2521	0.1	RMS	2515.563	6.74	30	Pass	401




21.5. CA Band Edge(NTNV)(Subtest:5, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.813	-46.63	-25	Pass	401
2490	2495	1	RMS	2495	-42.28	-13	Pass	6
2495	2496	0.3	RMS	2495.998	-36.8	-13	Pass	401
2496	2521	0.1	RMS	2519.813	6.09	30	Pass	401




21.6. CA Band Edge(NTNV)(Subtest:6, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.088	-37.26	-25	Pass	401
2490	2495	1	RMS	2495	-38.6	-13	Pass	6
2495	2496	0.3	RMS	2495.735	-40.45	-13	Pass	401
2496	2521	0.1	RMS	2517.75	1.11	30	Pass	401




21.7. CA Band Edge(NTNV)(Subtest:7, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2666.125	7.1	30	Pass	401
2690	2691	0.51	RMS	2690.015	-42.3	-10	Pass	401
2691	2695	1	RMS	2691	-44.45	-10	Pass	5
2695	2715	1	RMS	2711.6	-38.89	-13	Pass	401
2715	2735	1	RMS	2720.6	-47.58	-25	Pass	401




21.8. CA Band Edge(NTNV)(Subtest:8, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	6.59	30	Pass	401
2690	2691	0.51	RMS	2690.025	-40.98	-10	Pass	401
2691	2695	1	RMS	2694	-37.55	-10	Pass	5
2695	2715	1	RMS	2698.8	-39.41	-13	Pass	401
2715	2735	1	RMS	2719.85	-47.55	-25	Pass	401




21.9. CA Band Edge(NTNV)(Subtest:9, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2687.75	2.29	30	Pass	401
2690	2691	0.51	RMS	2690.005	-35.75	-10	Pass	401
2691	2695	1	RMS	2691	-36.13	-10	Pass	5
2695	2715	1	RMS	2700.8	-35.02	-13	Pass	401
2715	2735	1	RMS	2716.35	-41.76	-25	Pass	401




21.10. CA Band Edge(NTNV)(Subtest:10, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2666.125	6.84	30	Pass	401
2690	2691	0.51	RMS	2690.015	-42.87	-10	Pass	401
2691	2695	1	RMS	2691	-45.08	-10	Pass	5
2695	2715	1	RMS	2711.5	-39.3	-13	Pass	401
2715	2735	1	RMS	2727.9	-47.57	-25	Pass	401




21.11. CA Band Edge(NTNV)(Subtest:11, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	5.96	30	Pass	401
2690	2691	0.51	RMS	2690.003	-42.34	-10	Pass	401
2691	2695	1	RMS	2694	-37.33	-10	Pass	5
2695	2715	1	RMS	2698.7	-40.46	-13	Pass	401
2715	2735	1	RMS	2719.55	-47.56	-25	Pass	401




21.12. CA Band Edge(NTNV)(Subtest:12, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2686.25	1.48	30	Pass	401
2690	2691	0.51	RMS	2690.028	-36.45	-10	Pass	401
2691	2695	1	RMS	2691	-36.42	-10	Pass	5
2695	2715	1	RMS	2700.6	-34.5	-13	Pass	401
2715	2735	1	RMS	2715	-41.56	-25	Pass	401




21.13. CA Band Edge(NTNV)(Subtest:13, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477	-41.36	-25	Pass	16
2490	2495	1	RMS	2495	-44.32	-13	Pass	6
2495	2496	0.51	RMS	2495.998	-35.07	-13	Pass	401
2496	2536	0.1	RMS	2516.9	6.36	30	Pass	401




21.14. CA Band Edge(NTNV)(Subtest:14, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.775	-47.16	-25	Pass	401
2490	2495	1	RMS	2495	-43.91	-13	Pass	6
2495	2496	0.51	RMS	2495.998	-34.48	-13	Pass	401
2496	2536	0.1	RMS	2534.7	6.2	30	Pass	401




21.15. CA Band Edge(NTNV)(Subtest:15, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-35.59	-25	Pass	401
2490	2495	1	RMS	2495	-36.76	-13	Pass	6
2495	2496	0.51	RMS	2495.78	-36.39	-13	Pass	401
2496	2536	0.1	RMS	2506.3	-4.32	30	Pass	401




21.16. CA Band Edge(NTNV)(Subtest:16, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477.288	-41.61	-25	Pass	401
2490	2495	1	RMS	2495	-43.99	-13	Pass	6
2495	2496	0.51	RMS	2496	-34.71	-13	Pass	401
2496	2536	0.1	RMS	2516.9	5.25	30	Pass	401




21.17. CA Band Edge(NTNV)(Subtest:17, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-46.91	-25	Pass	401
2490	2495	1	RMS	2495	-43.64	-13	Pass	6
2495	2496	0.51	RMS	2495.993	-34.59	-13	Pass	401
2496	2536	0.1	RMS	2534.7	5.34	30	Pass	401




21.18. CA Band Edge(NTNV)(Subtest:18, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-36.33	-25	Pass	401
2490	2495	1	RMS	2495	-37.69	-13	Pass	6
2495	2496	0.51	RMS	2495.858	-35.96	-13	Pass	401
2496	2536	0.1	RMS	2507.4	-5.24	30	Pass	401




21.19. CA Band Edge(NTNV)(Subtest:19, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.3	6.33	30	Pass	401
2690	2691	1	RMS	2690	-30.73	-10	Pass	2
2691	2695	1	RMS	2691.01	-42.29	-10	Pass	401
2695	2730	1	RMS	2726.5	-44.87	-13	Pass	401
2730	2735	1	RMS	2731.175	-47.6	-25	Pass	401




21.20. CA Band Edge(NTNV)(Subtest:20, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669.1	5.9	30	Pass	401
2690	2691	1	RMS	2690	-30.3	-10	Pass	2
2691	2695	1	RMS	2691.03	-41.93	-10	Pass	401
2695	2730	1	RMS	2708.563	-38.64	-13	Pass	401
2730	2735	1	RMS	2732.563	-47.62	-25	Pass	401




21.21. CA Band Edge(NTNV)(Subtest:21, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2656	-2.9	30	Pass	401
2690	2691	1	RMS	2690	-17.56	-10	Pass	401
2691	2695	1	RMS	2691	-33.69	-10	Pass	5
2695	2730	1	RMS	2697.013	-33.37	-13	Pass	401
2730	2735	1	RMS	2730.025	-47.42	-25	Pass	401




21.22. CA Band Edge(NTNV)(Subtest:22, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.3	7.31	30	Pass	401
2690	2691	1	RMS	2690	-30.04	-10	Pass	2
2691	2695	1	RMS	2691.02	-43.09	-10	Pass	401
2695	2730	1	RMS	2726.5	-45.22	-13	Pass	401
2730	2735	1	RMS	2730.538	-47.62	-25	Pass	401




21.23. CA Band Edge(NTNV)(Subtest:23, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2669.1	6.6	30	Pass	401
2690	2691	1	RMS	2690	-29.62	-10	Pass	2
2691	2695	1	RMS	2691.01	-42.35	-10	Pass	401
2695	2730	1	RMS	2708.65	-38.41	-13	Pass	401
2730	2735	1	RMS	2731.275	-47.6	-25	Pass	401



21.24. CA Band Edge(NTNV)(Subtest:24, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2659.5	-3.62	30	Pass	401
2690	2691	1	RMS	2690.003	-18.67	-10	Pass	401
2691	2695	1	RMS	2691	-37.79	-10	Pass	5
2695	2730	1	RMS	2696.75	-37.4	-13	Pass	401
2730	2735	1	RMS	2730.025	-47.42	-25	Pass	401



22. n5 15kHz


22.1. Band Edge for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-47.8	-13	Pass	601
823	824	0.051	RMS	824	-18.25	-13	Pass	601
824	844	0.1	RMS	824.333	21.01	30	Pass	601




22.2. Band Edge for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.56	-35.48	-13	Pass	601
823	824	0.051	RMS	824	-31.31	-13	Pass	601
824	844	0.1	RMS	827.067	7.96	30	Pass	601




22.3. Band Edge for SA(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-43.41	-13	Pass	601
823	824	0.051	RMS	824	-19.39	-13	Pass	601
824	844	0.1	RMS	824.333	20.28	30	Pass	601




22.4. Band Edge for SA(NTNV)(Subtest:4, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.76	-36.48	-13	Pass	601
823	824	0.051	RMS	824	-31.44	-13	Pass	601
824	844	0.1	RMS	825.9	7.47	30	Pass	601




22.5. Band Edge for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.667	21.07	30	Pass	601
849	850	0.051	RMS	849	-19.34	-13	Pass	601
850	874	0.1	RMS	850.92	-48.02	-13	Pass	601




22.6. Band Edge for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	847.067	7.94	30	Pass	601
849	850	0.051	RMS	849.003	-29.97	-13	Pass	601
850	874	0.1	RMS	850.24	-36.45	-13	Pass	601




22.7. Band Edge for SA(NTNV)(Subtest:7, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.667	20.44	30	Pass	601
849	850	0.051	RMS	849	-18.81	-13	Pass	601
850	874	0.1	RMS	850.12	-48.07	-13	Pass	601




22.8. Band Edge for SA(NTNV)(Subtest:8, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.9	7.59	30	Pass	601
849	850	0.051	RMS	849	-30.77	-13	Pass	601
850	874	0.1	RMS	850.16	-36.36	-13	Pass	601




22.9. Band Edge for SA(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-46.92	-13	Pass	601
823	824	0.15	RMS	824	-17.15	-13	Pass	601
824	844	0.1	RMS	824.467	20.9	30	Pass	601




22.10. Band Edge for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-41.68	-13	Pass	601
823	824	0.15	RMS	824	-31.85	-13	Pass	601
824	844	0.1	RMS	826.133	3.41	30	Pass	601




22.11. Band Edge for SA(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.68	-45.88	-13	Pass	601
823	824	0.15	RMS	823.998	-18.83	-13	Pass	601
824	844	0.1	RMS	824.467	20.23	30	Pass	601




22.12. Band Edge for SA(NTNV)(Subtest:4, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.68	-39.46	-13	Pass	601
823	824	0.15	RMS	823.997	-33.93	-13	Pass	601
824	844	0.1	RMS	835.933	2.88	30	Pass	601



22.13. Band Edge for SA(NTNV)(Subtest:5, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.533	20.94	30	Pass	601
849	850	0.15	RMS	849.002	-18.65	-13	Pass	601
850	874	0.1	RMS	850	-48.17	-13	Pass	601




22.14. Band Edge for SA(NTNV)(Subtest:6, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	839.433	3.27	30	Pass	601
849	850	0.15	RMS	849.012	-36.11	-13	Pass	601
850	874	0.1	RMS	850.12	-41.95	-13	Pass	601



22.15. Band Edge for SA(NTNV)(Subtest:7, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	20.28	30	Pass	601
849	850	0.15	RMS	849	-18.26	-13	Pass	601
850	874	0.1	RMS	850	-48.61	-13	Pass	601




22.16. Band Edge for SA(NTNV)(Subtest:8, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	842.133	2.65	30	Pass	601
849	850	0.15	RMS	849.035	-34.49	-13	Pass	601
850	874	0.1	RMS	850.08	-37.66	-13	Pass	601




22.17. Band Edge for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-46.09	-13	Pass	601
823	824	0.1	RMS	824	-17.99	-13	Pass	11
824	844	0.1	RMS	824.533	20.72	30	Pass	601




22.18. Band Edge for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.76	-36.09	-13	Pass	601
823	824	0.2	RMS	824	-29.34	-13	Pass	601
824	844	0.1	RMS	839	2.04	30	Pass	601




22.19. Band Edge for SA(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-46.93	-13	Pass	601
823	824	0.1	RMS	824	-19.22	-13	Pass	11
824	844	0.1	RMS	824.533	20.07	30	Pass	601




22.20. Band Edge for SA(NTNV)(Subtest:4, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.76	-34.4	-13	Pass	601
823	824	0.2	RMS	823.998	-27.92	-13	Pass	601
824	844	0.1	RMS	826.733	1.71	30	Pass	601




22.21. Band Edge for SA(NTNV)(Subtest:5, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.433	20.98	30	Pass	601
849	850	0.1	RMS	849	-18.5	-13	Pass	11
850	874	0.1	RMS	850	-46.86	-13	Pass	601




22.22. Band Edge for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	842.633	2.12	30	Pass	601
849	850	0.2	RMS	849.053	-35.16	-13	Pass	601
850	874	0.1	RMS	850.16	-39.46	-13	Pass	601



22.23. Band Edge for SA(NTNV)(Subtest:7, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.433	20.27	30	Pass	601
849	850	0.1	RMS	849	-18.22	-13	Pass	11
850	874	0.1	RMS	850.2	-44.36	-13	Pass	601



22.24. Band Edge for SA(NTNV)(Subtest:8, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	839.067	1.59	30	Pass	601
849	850	0.2	RMS	849.712	-34.42	-13	Pass	601
850	874	0.1	RMS	850.08	-37.74	-13	Pass	601



23. n7 15kHz


23.1. Band Edge for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.905	-46.91	-25	Pass	601
2494	2496	1	RMS	2495.99	-41.61	-13	Pass	601
2496	2499	1	RMS	2499	-36.54	-10	Pass	4
2499	2500	0.051	RMS	2500	-18.37	-10	Pass	601
2500	2520	1	RMS	2500.333	22.96	30	Pass	601




23.2. Band Edge for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.873	-35.21	-25	Pass	601
2494	2496	1	RMS	2495.627	-22.27	-13	Pass	601
2496	2499	1	RMS	2499	-28.53	-10	Pass	4
2499	2500	0.1	RMS	2500	-26.66	-10	Pass	601
2500	2520	1	RMS	2503.3	16.92	30	Pass	601




23.3. Band Edge for SA(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-46.62	-25	Pass	601
2494	2496	1	RMS	2496	-41.87	-13	Pass	601
2496	2499	1	RMS	2499	-36.65	-10	Pass	4
2499	2500	0.051	RMS	2500	-19.7	-10	Pass	601
2500	2520	1	RMS	2500.3	22.44	30	Pass	601




23.4. Band Edge for SA(NTNV)(Subtest:4, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-36.16	-25	Pass	601
2494	2496	1	RMS	2495.913	-28.22	-13	Pass	601
2496	2499	1	RMS	2499	-26.9	-10	Pass	4
2499	2500	0.1	RMS	2499.997	-28.18	-10	Pass	601
2500	2520	1	RMS	2502.6	16.4	30	Pass	601




23.5. Band Edge for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.633	23.01	30	Pass	601
2570	2571	0.051	RMS	2570	-20.42	-10	Pass	601
2571	2575	1	RMS	2571	-36.03	-10	Pass	5
2575	2576	1	RMS	2575.007	-43.44	-13	Pass	601
2576	2595	1	RMS	2576	-46.13	-25	Pass	601




23.6. Band Edge for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2568.5	17.04	30	Pass	601
2570	2571	0.1	RMS	2570.003	-28.35	-10	Pass	601
2571	2575	1	RMS	2571	-27.8	-10	Pass	5
2575	2576	1	RMS	2575	-33.77	-13	Pass	2
2576	2595	1	RMS	2576.158	-34.17	-25	Pass	601




23.7. Band Edge for SA(NTNV)(Subtest:7, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	22.61	30	Pass	601
2570	2571	0.051	RMS	2570	-20.14	-10	Pass	601
2571	2575	1	RMS	2571	-36.21	-10	Pass	5
2575	2576	1	RMS	2575.01	-43.22	-13	Pass	601
2576	2595	1	RMS	2576	-45.98	-25	Pass	601




23.8. Band Edge for SA(NTNV)(Subtest:8, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2568.1	16.6	30	Pass	601
2570	2571	0.1	RMS	2570	-26.96	-10	Pass	601
2571	2575	1	RMS	2571	-25.38	-10	Pass	5
2575	2576	1	RMS	2575.042	-29.09	-13	Pass	601
2576	2595	1	RMS	2576.158	-32.9	-25	Pass	601




23.9. Band Edge for SA(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2496	1	RMS	2495.685	-44.43	-13	Pass	601
2496	2499	1	RMS	2499	-32.87	-10	Pass	4
2499	2500	0.051	RMS	2500	-23.5	-10	Pass	601
2500	2520	1	RMS	2500.633	22.82	30	Pass	601




23.10. Band Edge for SA(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2496	1	RMS	2495.93	-27.7	-13	Pass	601
2496	2499	1	RMS	2499	-23.63	-10	Pass	4
2499	2500	0.51	RMS	2500	-15.09	-10	Pass	601
2500	2520	1	RMS	2513.833	9.78	30	Pass	601




23.11. Band Edge for SA(NTNV)(Subtest:3, Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2496	1	RMS	2496	-44.69	-13	Pass	601
2496	2499	1	RMS	2499	-32.94	-10	Pass	4
2499	2500	0.051	RMS	2500	-23.86	-10	Pass	601
2500	2520	1	RMS	2500.633	22.31	30	Pass	601




23.12. Band Edge for SA(NTNV)(Subtest:4, Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2496	1	RMS	2495.825	-31.56	-13	Pass	601
2496	2499	1	RMS	2497	-33.54	-10	Pass	4
2499	2500	0.51	RMS	2500	-16.96	-10	Pass	601
2500	2520	1	RMS	2515	9.3	30	Pass	601




23.13. Band Edge for SA(NTNV)(Subtest:5, Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.367	22.95	30	Pass	601
2570	2571	0.051	RMS	2570	-24.6	-10	Pass	601
2571	2575	1	RMS	2571	-33.11	-10	Pass	5
2575	2595	1	RMS	2581.233	-42.58	-13	Pass	601




23.14. Band Edge for SA(NTNV)(Subtest:6, Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2552.167	9.77	30	Pass	601
2570	2571	0.51	RMS	2570.002	-38.45	-10	Pass	601
2571	2575	1	RMS	2573	-36.47	-10	Pass	5
2575	2595	1	RMS	2578.567	-36.49	-13	Pass	601




23.15. Band Edge for SA(NTNV)(Subtest:7, Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	22.55	30	Pass	601
2570	2571	0.051	RMS	2570.002	-24.34	-10	Pass	601
2571	2575	1	RMS	2571	-33.24	-10	Pass	5
2575	2595	1	RMS	2581.267	-42.91	-13	Pass	601




23.16. Band Edge for SA(NTNV)(Subtest:8, Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2550	9.38	30	Pass	601
2570	2571	0.51	RMS	2570.037	-36.84	-10	Pass	601
2571	2575	1	RMS	2571	-35.1	-10	Pass	5
2575	2595	1	RMS	2575.033	-35.77	-13	Pass	601




23.17. Band Edge for SA(NTNV)(Subtest:1, Channel:505000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2450	2496	1	RMS	2496	-44.32	-13	Pass	601
2496	2499	1	RMS	2499	-30.94	-10	Pass	4
2499	2500	0.051	RMS	2500	-27.34	-10	Pass	601
2500	2520	1	RMS	2500.767	22.75	30	Pass	601




23.18. Band Edge for SA(NTNV)(Subtest:2, Channel:505000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2450	2496	1	RMS	2496	-38.72	-13	Pass	601
2496	2499	1	RMS	2499	-36.07	-10	Pass	4
2499	2500	1	RMS	2500	-30.1	-10	Pass	2
2500	2520	1	RMS	2517.4	6.67	30	Pass	601




23.19. Band Edge for SA(NTNV)(Subtest:3, Channel:505000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2450	2496	1	RMS	2496	-44.19	-13	Pass	601
2496	2499	1	RMS	2499	-32.32	-10	Pass	4
2499	2500	0.051	RMS	2500	-28.85	-10	Pass	601
2500	2520	1	RMS	2500.733	22.1	30	Pass	601




23.20. Band Edge for SA(NTNV)(Subtest:4, Channel:505000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2450	2496	1	RMS	2493.93	-38.59	-13	Pass	601
2496	2499	1	RMS	2499	-37.15	-10	Pass	4
2499	2500	1	RMS	2500	-31.69	-10	Pass	2
2500	2520	1	RMS	2516.633	6.21	30	Pass	601




23.21. Band Edge for SA(NTNV)(Subtest:5, Channel:509000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.167	22.95	30	Pass	601
2570	2571	0.051	RMS	2570.003	-27.43	-10	Pass	601
2571	2575	1	RMS	2571	-30.81	-10	Pass	5
2575	2620	1	RMS	2579.95	-42.33	-13	Pass	601




23.22. Band Edge for SA(NTNV)(Subtest:6, Channel:509000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2552.567	6.27	30	Pass	601
2570	2571	1	RMS	2570	-29.73	-10	Pass	2
2571	2575	1	RMS	2573	-38.19	-10	Pass	5
2575	2620	1	RMS	2576.2	-38.69	-13	Pass	601




23.23. Band Edge for SA(NTNV)(Subtest:7, Channel:509000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.2	22.49	30	Pass	601
2570	2571	0.051	RMS	2570	-28.29	-10	Pass	601
2571	2575	1	RMS	2571	-31.88	-10	Pass	5
2575	2620	1	RMS	2580.025	-42.44	-13	Pass	601



23.24. Band Edge for SA(NTNV)(Subtest:8, Channel:509000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2552.533	6.04	30	Pass	601
2570	2571	1	RMS	2570	-30.04	-10	Pass	2
2571	2575	1	RMS	2571	-37.46	-10	Pass	5
2575	2620	1	RMS	2576.2	-37.34	-13	Pass	601



24. n38 30kHz_PC3


24.1. Band Edge for SA(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2550	-48.1	-25	Pass	601
2550	2565	1	RMS	2562.025	-39.96	-13	Pass	601
2565	2569	1	RMS	2569	-24.13	-10	Pass	601
2569	2570	0.39	RMS	2569.987	-14.08	-10	Pass	601
2570	2610	1	RMS	2570.933	23.02	30	Pass	601




24.2. Band Edge for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2549.208	-41.65	-25	Pass	601
2550	2565	1	RMS	2560.95	-32.6	-13	Pass	601
2565	2569	1	RMS	2568.913	-29.59	-10	Pass	601
2569	2570	0.39	RMS	2569.995	-29.3	-10	Pass	601
2570	2610	1	RMS	2578.467	11.51	30	Pass	601




24.3. Band Edge for SA(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2549.917	-48.06	-25	Pass	601
2550	2565	1	RMS	2561.925	-40.03	-13	Pass	601
2565	2569	1	RMS	2569	-24.87	-10	Pass	601
2569	2570	0.39	RMS	2570	-15.95	-10	Pass	601
2570	2610	1	RMS	2571	22.57	30	Pass	601




24.4. Band Edge for SA(NTNV)(Subtest:4, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2548.75	-39.9	-25	Pass	601
2550	2565	1	RMS	2563.65	-32.56	-13	Pass	601
2565	2569	1	RMS	2568.327	-30.67	-10	Pass	601
2569	2570	0.39	RMS	2569.987	-30.16	-10	Pass	601
2570	2610	1	RMS	2572.8	10.85	30	Pass	601




24.5. Band Edge for SA(NTNV)(Subtest:5, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.933	23.15	30	Pass	601
2620	2621	0.4	RMS	2620	-18.56	-10	Pass	4
2621	2625	1	RMS	2621	-27.22	-10	Pass	601
2625	2640	1	RMS	2627.8	-40.07	-13	Pass	601
2640	2665	1	RMS	2641.458	-47.55	-25	Pass	601




24.6. Band Edge for SA(NTNV)(Subtest:6, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2614.067	11.46	30	Pass	601
2620	2621	0.4	RMS	2620	-35.46	-10	Pass	4
2621	2625	1	RMS	2621	-32.23	-10	Pass	601
2625	2640	1	RMS	2626.5	-31.5	-13	Pass	601
2640	2665	1	RMS	2640	-42.31	-25	Pass	601




24.7. Band Edge for SA(NTNV)(Subtest:7, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.933	22.61	30	Pass	601
2620	2621	0.4	RMS	2620	-17	-10	Pass	4
2621	2625	1	RMS	2621	-25.42	-10	Pass	601
2625	2640	1	RMS	2627.825	-39.92	-13	Pass	601
2640	2665	1	RMS	2640.125	-47.27	-25	Pass	601




24.8. Band Edge for SA(NTNV)(Subtest:8, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2604.2	10.81	30	Pass	601
2620	2621	0.4	RMS	2620	-34.98	-10	Pass	4
2621	2625	1	RMS	2624.613	-32.41	-10	Pass	601
2625	2640	1	RMS	2628.375	-34.69	-13	Pass	601
2640	2665	1	RMS	2640.208	-39.49	-25	Pass	601




24.9. Band Edge for SA(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2538.45	-47.11	-25	Pass	601
2540	2565	1	RMS	2557.292	-41.31	-13	Pass	601
2565	2569	1	RMS	2569	-24.57	-10	Pass	601
2569	2570	0.51	RMS	2570	-14.15	-10	Pass	601
2570	2610	1	RMS	2571.133	22.76	30	Pass	601




24.10. Band Edge for SA(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2536.9	-41.64	-25	Pass	601
2540	2565	1	RMS	2557.583	-31.98	-13	Pass	601
2565	2569	1	RMS	2568.44	-29.64	-10	Pass	601
2569	2570	0.62	RMS	2569.995	-26.6	-10	Pass	601
2570	2610	1	RMS	2584.467	9.62	30	Pass	601




24.11. Band Edge for SA(NTNV)(Subtest:3, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.325	-47.48	-25	Pass	601
2540	2565	1	RMS	2557.375	-41.4	-13	Pass	601
2565	2569	1	RMS	2569	-25.92	-10	Pass	601
2569	2570	0.51	RMS	2569.967	-15.63	-10	Pass	601
2570	2610	1	RMS	2571.133	22.23	30	Pass	601




24.12. Band Edge for SA(NTNV)(Subtest:4, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2538.175	-40.63	-25	Pass	601
2540	2565	1	RMS	2564.292	-35.2	-13	Pass	601
2565	2569	1	RMS	2568.953	-33.82	-10	Pass	601
2569	2570	0.62	RMS	2569.997	-29.2	-10	Pass	601
2570	2610	1	RMS	2581.133	9.01	30	Pass	601




24.13. Band Edge for SA(NTNV)(Subtest:5, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.867	22.98	30	Pass	601
2620	2621	0.6	RMS	2620	-16.89	-10	Pass	3
2621	2625	1	RMS	2621.013	-27.23	-10	Pass	601
2625	2650	1	RMS	2632.542	-41.17	-13	Pass	601
2650	2665	1	RMS	2650.475	-46.68	-25	Pass	601




24.14. Band Edge for SA(NTNV)(Subtest:6, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2604.733	9.56	30	Pass	601
2620	2621	0.6	RMS	2620	-38.45	-10	Pass	3
2621	2625	1	RMS	2621.353	-34.83	-10	Pass	601
2625	2650	1	RMS	2631.875	-34.63	-13	Pass	601
2650	2665	1	RMS	2652.025	-40.22	-25	Pass	601




24.15. Band Edge for SA(NTNV)(Subtest:7, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.867	22.49	30	Pass	601
2620	2621	0.6	RMS	2620	-15.32	-10	Pass	3
2621	2625	1	RMS	2621.013	-25.49	-10	Pass	601
2625	2650	1	RMS	2632.5	-41.19	-13	Pass	601
2650	2665	1	RMS	2651.425	-46.58	-25	Pass	601




24.16. Band Edge for SA(NTNV)(Subtest:8, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2599.4	9	30	Pass	601
2620	2621	0.6	RMS	2620	-38.04	-10	Pass	3
2621	2625	1	RMS	2622.1	-33.77	-10	Pass	601
2625	2650	1	RMS	2634.167	-35.74	-13	Pass	601
2650	2665	1	RMS	2650.475	-39.41	-25	Pass	601




24.17. Band Edge for SA(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.383	-48.4	-25	Pass	601
2530	2565	1	RMS	2552.167	-42.65	-13	Pass	601
2565	2569	1	RMS	2569	-26.27	-10	Pass	601
2569	2570	0.51	RMS	2569.988	-14.46	-10	Pass	601
2570	2610	1	RMS	2571	22.63	30	Pass	601




24.18. Band Edge for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.108	-44.83	-25	Pass	601
2530	2565	1	RMS	2564.708	-33.74	-13	Pass	601
2565	2569	1	RMS	2568.807	-26.54	-10	Pass	601
2569	2570	0.82	RMS	2569.998	-17.43	-10	Pass	601
2570	2610	1	RMS	2581.867	8.32	30	Pass	601




24.19. Band Edge for SA(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.908	-48.46	-25	Pass	601
2530	2565	1	RMS	2552.108	-42.85	-13	Pass	601
2565	2569	1	RMS	2568.967	-26.52	-10	Pass	601
2569	2570	0.51	RMS	2570	-15.22	-10	Pass	601
2570	2610	1	RMS	2571.133	22.17	30	Pass	601




24.20. Band Edge for SA(NTNV)(Subtest:4, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2529.55	-43.22	-25	Pass	601
2530	2565	1	RMS	2562.375	-36.39	-13	Pass	601
2565	2569	1	RMS	2568.8	-35.12	-10	Pass	601
2569	2570	0.82	RMS	2570	-18.52	-10	Pass	601
2570	2610	1	RMS	2585.733	7.77	30	Pass	601




24.21. Band Edge for SA(NTNV)(Subtest:5, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.867	22.85	30	Pass	601
2620	2621	0.5	RMS	2620	-15.84	-10	Pass	3
2621	2625	1	RMS	2621	-26.05	-10	Pass	601
2625	2660	1	RMS	2637.542	-42.64	-13	Pass	601
2660	2665	1	RMS	2660.95	-47.68	-25	Pass	601




24.22. Band Edge for SA(NTNV)(Subtest:6, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2592	8.32	30	Pass	601
2620	2621	0.8	RMS	2620	-36.22	-10	Pass	3
2621	2625	1	RMS	2621.133	-34.42	-10	Pass	601
2625	2660	1	RMS	2636.842	-33.84	-13	Pass	601
2660	2665	1	RMS	2660.3	-44.12	-25	Pass	601




24.23. Band Edge for SA(NTNV)(Subtest:7, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.8	22.38	30	Pass	601
2620	2621	0.8	RMS	2620	-13.75	-10	Pass	3
2621	2625	1	RMS	2621	-26.66	-10	Pass	601
2625	2660	1	RMS	2625	-40.68	-13	Pass	601
2660	2665	1	RMS	2660.183	-47.43	-25	Pass	601



24.24. Band Edge for SA(NTNV)(Subtest:8, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2599	7.84	30	Pass	601
2620	2621	0.8	RMS	2620	-37.69	-10	Pass	3
2621	2625	1	RMS	2621.127	-35.89	-10	Pass	601
2625	2660	1	RMS	2639.992	-35.69	-13	Pass	601
2660	2665	1	RMS	2660.267	-42.19	-25	Pass	601



25. n41 30kHz


25.1. Band Edge for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.02	-41.02	-25	Pass	601
2490	2495	1	RMS	2494.992	-26.05	-13	Pass	601
2495	2496	0.051	RMS	2495.998	-26.78	-13	Pass	601
2496	2596	1	RMS	2497	22.76	30	Pass	601




25.2. Band Edge for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488	-33.11	-25	Pass	100
2490	2495	1	RMS	2494.992	-31.32	-13	Pass	601
2495	2496	0.4	RMS	2496	-31.74	-13	Pass	4
2496	2596	1	RMS	2510.5	11.22	30	Pass	601




25.3. Band Edge for SA(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2487.855	-41.5	-25	Pass	601
2490	2495	1	RMS	2495	-26.91	-13	Pass	601
2495	2496	0.051	RMS	2496	-27.99	-13	Pass	601
2496	2596	1	RMS	2497	22.17	30	Pass	601




25.4. Band Edge for SA(NTNV)(Subtest:4, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-33.67	-25	Pass	100
2490	2495	1	RMS	2495	-29.91	-13	Pass	601
2495	2496	0.4	RMS	2496	-30.85	-13	Pass	4
2496	2596	1	RMS	2512.833	10.91	30	Pass	601




25.5. Band Edge for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22.99	30	Pass	601
2690	2691	0.1	RMS	2690.002	-23.89	-13	Pass	601
2691	2695	1	RMS	2691	-26.32	-13	Pass	601
2695	2710	1	RMS	2697.9	-39.51	-13	Pass	601
2710	2795	1	RMS	2772.333	-48.23	-25	Pass	601




25.6. Band Edge for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2678.333	11.39	30	Pass	601
2690	2691	0.4	RMS	2690	-35.15	-13	Pass	4
2691	2695	1	RMS	2691.247	-33.25	-13	Pass	601
2695	2710	1	RMS	2699.75	-33.31	-13	Pass	601
2710	2715	1	RMS	2710.65	-43.19	-25	Pass	601
2715	2795	1	RMS	2715.4	-46.06	-25	Pass	601




25.7. Band Edge for SA(NTNV)(Subtest:7, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22.46	30	Pass	601
2690	2691	0.1	RMS	2690.005	-23.46	-13	Pass	601
2691	2695	1	RMS	2691	-26.13	-13	Pass	601
2695	2710	1	RMS	2697.875	-39.67	-13	Pass	601
2710	2795	1	RMS	2783.383	-48.23	-25	Pass	601




25.8. Band Edge for SA(NTNV)(Subtest:8, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2673.667	10.9	30	Pass	601
2690	2691	0.4	RMS	2690	-34.55	-13	Pass	4
2691	2695	1	RMS	2692.22	-31.79	-13	Pass	601
2695	2710	1	RMS	2699.725	-32.87	-13	Pass	601
2710	2715	1	RMS	2710.242	-39.35	-25	Pass	601
2715	2795	1	RMS	2715.267	-43.34	-25	Pass	601




25.9. Band Edge for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-45.64	-25	Pass	601
2490	2495	1	RMS	2495	-24.45	-13	Pass	601
2495	2496	0.051	RMS	2495.997	-25.11	-13	Pass	601
2496	2596	1	RMS	2497	22.44	30	Pass	601




25.10. Band Edge for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-38.29	-25	Pass	601
2490	2495	1	RMS	2494.825	-33.74	-13	Pass	601
2495	2496	1.2	RMS	2496	-28.45	-13	Pass	2
2496	2596	1	RMS	2553.667	5.84	30	Pass	601




25.11. Band Edge for SA(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-45.53	-25	Pass	601
2490	2495	1	RMS	2495	-26.19	-13	Pass	601
2495	2496	0.051	RMS	2495.998	-26.66	-13	Pass	601
2496	2596	1	RMS	2497	21.77	30	Pass	601




25.12. Band Edge for SA(NTNV)(Subtest:4, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-37.06	-25	Pass	601
2490	2495	1	RMS	2494.708	-34.28	-13	Pass	601
2495	2496	1.2	RMS	2496	-29.15	-13	Pass	2
2496	2596	1	RMS	2519.667	5.33	30	Pass	601



25.13. Band Edge for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22.77	30	Pass	601
2690	2691	0.1	RMS	2690.018	-21.81	-13	Pass	601
2691	2695	1	RMS	2691	-25.09	-13	Pass	601
2695	2750	1	RMS	2695	-41.91	-13	Pass	601
2750	2795	1	RMS	2770.7	-48.24	-25	Pass	601




25.14. Band Edge for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2662.167	6.33	30	Pass	601
2690	2691	1.2	RMS	2690	-26.36	-13	Pass	2
2691	2695	1	RMS	2694.667	-26.97	-13	Pass	601
2695	2750	1	RMS	2703.067	-27.06	-13	Pass	601
2750	2755	1	RMS	2754.833	-48.45	-25	Pass	601
2755	2795	1	RMS	2793.6	-48.23	-25	Pass	601



25.15. Band Edge for SA(NTNV)(Subtest:7, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22.21	30	Pass	601
2690	2691	0.1	RMS	2690.005	-23.09	-13	Pass	601
2691	2695	1	RMS	2691	-25.05	-13	Pass	601
2695	2750	1	RMS	2695.092	-38.98	-13	Pass	601
2750	2795	1	RMS	2773.625	-48.22	-25	Pass	601




25.16. Band Edge for SA(NTNV)(Subtest:8, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2656.167	5.91	30	Pass	601
2690	2691	1.2	RMS	2690	-25.79	-13	Pass	2
2691	2695	1	RMS	2691.353	-33.28	-13	Pass	601
2695	2750	1	RMS	2695.183	-35.5	-13	Pass	601
2750	2755	1	RMS	2751.567	-48.47	-25	Pass	601
2755	2795	1	RMS	2785.267	-48.28	-25	Pass	601




25.17. Band Edge for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-44.41	-25	Pass	601
2490	2495	1	RMS	2495	-25.07	-13	Pass	601
2495	2496	0.051	RMS	2496	-26.81	-13	Pass	601
2496	2596	1	RMS	2497	21.78	30	Pass	601




25.18. Band Edge for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-39.5	-25	Pass	601
2490	2495	1	RMS	2494.983	-37.45	-13	Pass	601
2495	2496	1	RMS	2496	-34.23	-13	Pass	2
2496	2596	1	RMS	2579.667	4.28	30	Pass	601




25.19. Band Edge for SA(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.505	-44.73	-25	Pass	601
2490	2495	1	RMS	2494.992	-25.65	-13	Pass	601
2495	2496	0.051	RMS	2495.995	-26.74	-13	Pass	601
2496	2596	1	RMS	2497	21.2	30	Pass	601




25.20. Band Edge for SA(NTNV)(Subtest:4, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-38.72	-25	Pass	601
2490	2495	1	RMS	2494.992	-37.66	-13	Pass	601
2495	2496	1	RMS	2496	-33.5	-13	Pass	2
2496	2596	1	RMS	2580	3.73	30	Pass	601



25.21. Band Edge for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2688.833	22.01	30	Pass	601
2690	2691	0.1	RMS	2690.008	-24.85	-13	Pass	601
2691	2695	1	RMS	2691	-26.92	-13	Pass	601
2695	2790	1	RMS	2710.358	-42.09	-13	Pass	601
2790	2795	1	RMS	2790.892	-48.29	-25	Pass	601




25.22. Band Edge for SA(NTNV)(Subtest:6, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2646.667	4.13	30	Pass	601
2690	2691	2	RMS	2690	-31.45	-13	Pass	2
2691	2695	1	RMS	2691.06	-34.82	-13	Pass	601
2695	2790	1	RMS	2695	-35.11	-13	Pass	601
2790	2795	1	RMS	2790.342	-48.27	-25	Pass	601



25.23. Band Edge for SA(NTNV)(Subtest:7, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.56	30	Pass	601
2690	2691	0.1	RMS	2690.002	-23.74	-13	Pass	601
2691	2695	1	RMS	2691.013	-25.84	-13	Pass	601
2695	2790	1	RMS	2695	-42.37	-13	Pass	601
2790	2795	1	RMS	2790.55	-47.65	-25	Pass	601



25.24. Band Edge for SA(NTNV)(Subtest:8, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2654.167	3.52	30	Pass	601
2690	2691	2	RMS	2690	-31.12	-13	Pass	2
2691	2695	1	RMS	2691.273	-34.08	-13	Pass	601
2695	2790	1	RMS	2701.808	-33.58	-13	Pass	601
2790	2795	1	RMS	2790.792	-48.24	-25	Pass	601



26. DC_5A_n7A_SCS15


26.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-46.14	-25	Pass	601
2494	2496	1	RMS	2495.983	-41.45	-13	Pass	601
2496	2499	1	RMS	2499	-35.7	-10	Pass	4
2499	2500	0.051	RMS	2500	-18.09	-10	Pass	601
2500	2520	1	RMS	2500.3	23.43	30	Pass	601




26.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.747	-36.25	-25	Pass	601
2494	2496	1	RMS	2495.727	-23.34	-13	Pass	601
2496	2499	1	RMS	2499	-28.7	-10	Pass	4
2499	2500	0.1	RMS	2500	-26.91	-10	Pass	601
2500	2520	1	RMS	2502.933	17.32	30	Pass	601




26.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-46.11	-25	Pass	601
2494	2496	1	RMS	2495.967	-41.27	-13	Pass	601
2496	2499	1	RMS	2499	-35.82	-10	Pass	4
2499	2500	0.051	RMS	2500	-19.07	-10	Pass	601
2500	2520	1	RMS	2500.333	22.91	30	Pass	601




26.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.937	-32.91	-25	Pass	601
2494	2496	1	RMS	2495.94	-27.83	-13	Pass	601
2496	2499	1	RMS	2499	-26.87	-10	Pass	4
2499	2500	0.1	RMS	2500	-27.86	-10	Pass	601
2500	2520	1	RMS	2503.067	16.88	30	Pass	601




26.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@24, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.633	23.66	30	Pass	601
2570	2571	0.051	RMS	2570	-19.76	-10	Pass	601
2571	2575	1	RMS	2571	-35.63	-10	Pass	5
2575	2576	1	RMS	2575.022	-43.56	-13	Pass	601
2576	2595	1	RMS	2576.032	-46	-25	Pass	601




26.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2568.533	17.67	30	Pass	601
2570	2571	0.1	RMS	2570	-27.92	-10	Pass	601
2571	2575	1	RMS	2572	-27.87	-10	Pass	5
2575	2576	1	RMS	2575.357	-30.17	-13	Pass	601
2576	2595	1	RMS	2576.127	-33.62	-25	Pass	601




26.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@24, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.633	23.27	30	Pass	601
2570	2571	0.051	RMS	2570	-19.25	-10	Pass	601
2571	2575	1	RMS	2571	-35.69	-10	Pass	5
2575	2576	1	RMS	2575.002	-43.5	-13	Pass	601
2576	2595	1	RMS	2576	-46.09	-25	Pass	601




26.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.9	17.21	30	Pass	601
2570	2571	0.1	RMS	2570	-26.37	-10	Pass	601
2571	2575	1	RMS	2571	-25.25	-10	Pass	5
2575	2576	1	RMS	2575.023	-29.8	-13	Pass	601
2576	2595	1	RMS	2576.095	-33.66	-25	Pass	601




26.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502500, NR BW:25, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2488.743	-40.45	-25	Pass	601
2494	2496	1	RMS	2495.987	-44.04	-13	Pass	601
2496	2499	1	RMS	2499	-32.19	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-22.97	-10	Pass	601
2500	2520	1	RMS	2500.6	23.31	30	Pass	601




26.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502500, NR BW:25, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:128@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.905	-29.27	-25	Pass	601
2494	2496	1	RMS	2495.417	-28.15	-13	Pass	601
2496	2499	1	RMS	2499	-25.08	-10	Pass	4
2499	2500	0.51	RMS	2500	-14.41	-10	Pass	601
2500	2520	1	RMS	2513.767	10.23	30	Pass	601




26.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:502500, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2488.712	-40.34	-25	Pass	601
2494	2496	1	RMS	2495.953	-43.97	-13	Pass	601
2496	2499	1	RMS	2499	-32.13	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-23.23	-10	Pass	601
2500	2520	1	RMS	2500.6	22.85	30	Pass	601




26.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:502500, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:128@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.715	-34.17	-25	Pass	601
2494	2496	1	RMS	2495.7	-30.73	-13	Pass	601
2496	2499	1	RMS	2499	-34.31	-10	Pass	4
2499	2500	0.51	RMS	2500	-16.03	-10	Pass	601
2500	2520	1	RMS	2504.667	9.72	30	Pass	601




26.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:511500, NR BW:25, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@132, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.367	23.59	30	Pass	601
2570	2571	0.051	RMS	2570.002	-23.86	-10	Pass	601
2571	2575	1	RMS	2571	-32.82	-10	Pass	5
2575	2576	1	RMS	2575.07	-45.02	-13	Pass	601
2576	2595	1	RMS	2581.225	-37.73	-25	Pass	601




26.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:511500, NR BW:25, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:128@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2558.7	10.11	30	Pass	601
2570	2571	0.51	RMS	2570.178	-33.64	-10	Pass	601
2571	2575	1	RMS	2572	-30.74	-10	Pass	5
2575	2576	1	RMS	2575.017	-36.4	-13	Pass	601
2576	2595	1	RMS	2576.285	-36.77	-25	Pass	601




26.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:511500, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@132, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.367	23.24	30	Pass	601
2570	2571	0.051	RMS	2570	-23.26	-10	Pass	601
2571	2575	1	RMS	2571	-32.6	-10	Pass	5
2575	2576	1	RMS	2575.043	-44.94	-13	Pass	601
2576	2595	1	RMS	2581.193	-38.36	-25	Pass	601




26.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:511500, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:128@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2550.033	9.66	30	Pass	601
2570	2571	0.51	RMS	2570.162	-33.57	-10	Pass	601
2571	2575	1	RMS	2572	-31.1	-10	Pass	5
2575	2576	1	RMS	2575.005	-33.95	-13	Pass	601
2576	2595	1	RMS	2576.032	-34.99	-25	Pass	601




26.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:505000, NR BW:50, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2489.978	-43.46	-25	Pass	601
2494	2496	1	RMS	2495.97	-43.36	-13	Pass	601
2496	2499	1	RMS	2499	-30.31	-10	Pass	4
2499	2500	0.051	RMS	2500	-26.93	-10	Pass	601
2500	2520	1	RMS	2500.767	23.34	30	Pass	601




26.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:505000, NR BW:50, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:270@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.652	-39.77	-25	Pass	601
2494	2496	1	RMS	2495.97	-38.06	-13	Pass	601
2496	2499	1	RMS	2499	-36.71	-10	Pass	4
2499	2500	1	RMS	2500	-29.77	-10	Pass	2
2500	2520	1	RMS	2517.167	6.81	30	Pass	601




26.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:505000, NR BW:50, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2490.01	-43.43	-25	Pass	601
2494	2496	1	RMS	2496	-43.12	-13	Pass	601
2496	2499	1	RMS	2499	-31.35	-10	Pass	4
2499	2500	0.051	RMS	2500	-27.77	-10	Pass	601
2500	2520	1	RMS	2500.8	22.87	30	Pass	601




26.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:505000, NR BW:50, SCS:15, DFT-s-OFDM, QPSK, NR RB:270@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-37.43	-25	Pass	601
2494	2496	1	RMS	2495.98	-36.69	-13	Pass	601
2496	2499	1	RMS	2499	-36.19	-10	Pass	4
2499	2500	1	RMS	2500	-30.97	-10	Pass	2
2500	2520	1	RMS	2518.9	6.33	30	Pass	601




26.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:509000, NR BW:50, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@269, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.2	23.64	30	Pass	601
2570	2571	0.051	RMS	2570	-26.7	-10	Pass	601
2571	2575	1	RMS	2571	-30.17	-10	Pass	5
2575	2576	1	RMS	2575.512	-43.85	-13	Pass	601
2576	2595	1	RMS	2579.99	-42.54	-25	Pass	601




26.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:509000, NR BW:50, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:270@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2553.433	6.45	30	Pass	601
2570	2571	1	RMS	2570	-29.7	-10	Pass	2
2571	2575	1	RMS	2572	-35.76	-10	Pass	5
2575	2576	1	RMS	2575.032	-37.56	-13	Pass	601
2576	2595	1	RMS	2576	-39.24	-25	Pass	601




26.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:509000, NR BW:50, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@269, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.167	23.19	30	Pass	601
2570	2571	0.051	RMS	2570	-27.61	-10	Pass	601
2571	2575	1	RMS	2571	-31.14	-10	Pass	5
2575	2576	1	RMS	2575.005	-43.83	-13	Pass	601
2576	2595	1	RMS	2579.99	-42.74	-25	Pass	601



26.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:509000, NR BW:50, SCS:15, DFT-s-OFDM, QPSK, NR RB:270@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2552.567	6.09	30	Pass	601
2570	2571	1	RMS	2570	-29.86	-10	Pass	2
2571	2575	1	RMS	2571	-35.51	-10	Pass	5
2575	2576	1	RMS	2575.002	-37	-13	Pass	601
2576	2595	1	RMS	2576	-37.9	-25	Pass	601



27. DC_7A_n5A_SCS15


27.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.8	-47.89	-13	Pass	601
823	824	0.051	RMS	824	-18.1	-13	Pass	601
824	844	0.1	RMS	824.333	21.06	30	Pass	601




27.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.24	-35.85	-13	Pass	601
823	824	0.051	RMS	824	-31.49	-13	Pass	601
824	844	0.1	RMS	828.2	7.82	30	Pass	601




27.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.92	-47.71	-13	Pass	601
823	824	0.051	RMS	824	-19.06	-13	Pass	601
824	844	0.1	RMS	824.333	20.38	30	Pass	601




27.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.72	-35.07	-13	Pass	601
823	824	0.051	RMS	824	-31.77	-13	Pass	601
824	844	0.1	RMS	825.9	7.53	30	Pass	601




27.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.633	21	30	Pass	601
849	850	0.051	RMS	849	-19.41	-13	Pass	601
850	874	0.1	RMS	850.16	-48.13	-13	Pass	601




27.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	846.867	7.89	30	Pass	601
849	850	0.051	RMS	849	-29.77	-13	Pass	601
850	874	0.1	RMS	850.92	-36.73	-13	Pass	601




27.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.633	20.39	30	Pass	601
849	850	0.051	RMS	849.002	-18.94	-13	Pass	601
850	874	0.1	RMS	850.12	-47.86	-13	Pass	601




27.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.933	7.52	30	Pass	601
849	850	0.051	RMS	849.003	-30.96	-13	Pass	601
850	874	0.1	RMS	850.04	-36.27	-13	Pass	601




27.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-46.96	-13	Pass	601
823	824	0.15	RMS	824	-17.19	-13	Pass	601
824	844	0.1	RMS	824.467	20.84	30	Pass	601




27.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.76	-41.19	-13	Pass	601
823	824	0.15	RMS	823.995	-32.25	-13	Pass	601
824	844	0.1	RMS	826.133	3.47	30	Pass	601




27.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.96	-44.64	-13	Pass	601
823	824	0.15	RMS	824	-18.8	-13	Pass	601
824	844	0.1	RMS	824.467	20.13	30	Pass	601




27.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.6	-39.46	-13	Pass	601
823	824	0.15	RMS	823.997	-33.51	-13	Pass	601
824	844	0.1	RMS	826.267	2.86	30	Pass	601




27.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@78, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	20.95	30	Pass	601
849	850	0.15	RMS	849	-18.57	-13	Pass	601
850	874	0.1	RMS	850	-48.1	-13	Pass	601




27.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:75@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	837.267	3.21	30	Pass	601
849	850	0.15	RMS	849.045	-36.2	-13	Pass	601
850	874	0.1	RMS	850.12	-42	-13	Pass	601



27.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	20.18	30	Pass	601
849	850	0.15	RMS	849.002	-18.28	-13	Pass	601
850	874	0.1	RMS	850	-48.32	-13	Pass	601




27.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	839.2	2.65	30	Pass	601
849	850	0.15	RMS	849.025	-34.43	-13	Pass	601
850	874	0.1	RMS	850.08	-37.41	-13	Pass	601




27.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166800, BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-45.84	-13	Pass	601
823	824	0.1	RMS	823.998	-17.64	-13	Pass	601
824	844	0.1	RMS	824.533	20.77	30	Pass	601




27.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.76	-36.04	-13	Pass	601
823	824	0.2	RMS	824	-29.42	-13	Pass	601
824	844	0.1	RMS	839	2.08	30	Pass	601




27.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-46.89	-13	Pass	601
823	824	0.1	RMS	824	-18.75	-13	Pass	601
824	844	0.1	RMS	824.533	20.05	30	Pass	601




27.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.64	-34.67	-13	Pass	601
823	824	0.2	RMS	824	-27.94	-13	Pass	601
824	844	0.1	RMS	826.733	1.58	30	Pass	601



27.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:1@105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.433	20.95	30	Pass	601
849	850	0.1	RMS	849.003	-18.12	-13	Pass	601
850	874	0.1	RMS	850	-47.1	-13	Pass	601




27.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841.9	2.13	30	Pass	601
849	850	0.2	RMS	849.08	-35.35	-13	Pass	601
850	874	0.1	RMS	850.16	-39.55	-13	Pass	601



27.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.433	20.17	30	Pass	601
849	850	0.1	RMS	849.002	-17.9	-13	Pass	601
850	874	0.1	RMS	850	-44.96	-13	Pass	601



27.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	839.067	1.42	30	Pass	601
849	850	0.2	RMS	849.665	-34.31	-13	Pass	601
850	874	0.1	RMS	850.08	-37.83	-13	Pass	601



END