

Frequency Information

Redmond (KING), WA - NL 47-40-57; WL 122-08-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	50M0W7W	125.9 W (ERP)	0.0001 %

Redmond (KING), TX - NL 47-40-08; WL 122-07-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	50M0W7W	125.9 W (ERP)	0.001 %

Redmond (KING), WA - NL 47-40-10; WL 122-07-18

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	50M0W7W	125.9 W (ERP)	0.001 %

Redmond (KING), WA - NL 47-40-55; WL 122-08-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	50M0W7W	125.9 W (ERP)	0.001 %

Frequency Information

Redmond (KING), WA - NL 47-40-56; WL 122-08-51

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	FX	50M0W7W	125.9 W (ERP)	0.001 %

MOBILE: Redmond, WA, within 1 km, centered around NL 47-40-57; WL 122-08-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	MO	50M0W7W	6.3 W (ERP)	0.1 %

MOBILE: Redmond, WA, within 1 km, centered around NL 47-40-08; WL 122-07-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	MO	50M0W7W	6.3 W (ERP)	0.1 %

MOBILE: Redmond, WA, within 1 km, centered around NL 47-40-10; WL 122-07-18

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	MO	50M0W7W	6.3 W (ERP)	0.1 %

Frequency Information

MOBILE: Redmond, WA, within 1 km, centered around NL 47-40-55; WL 122-08-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	MO	50M0W7W	6.3 W (ERP)	0.1 %

MOBILE: Redmond, WA, within 1 km, centered around NL 47-40-56; WL 122-08-51

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3650-3700 MHz	MO	50M0W7W	6.3 W (ERP)	0.1 %

Special Conditions:

- (1) AT&T Services, Inc. shall maintain operation separation from the grandfathered earth stations as defined in Part 90, Subpart Z, or coordinate an agreement with the grandfathered earth station licensees prior to operation in 3550-3700 MHz band.
- (2) AT&T Services, Inc. shall consult the ULS database to ensure that the operation will not cause harmful interference to any existing registered stations in the 3650-3700 MHz band, and notify the registered users in the proposed geographic areas.