

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WL9XED

(Call Sign)

XT MO

(Class of Station)

0502-EX-ST-2017

(File Number)

NAME Broad Comm, Inc.

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

To provide portable video televised coverage and logistics support for the Tour of California Bicycle Race.

Station Locations

- (1) MOBILE: Sacramento, CA., within 25 km, centered around NL 38-35-05; WL 121-29-43
- (2) MOBILE: Morro Bay, CA., within 25 km, centered around NL 35-21-57; WL 120-51-00
- (3) MOBILE: Santa Clarita, CA., within 25 km, centered around NL 34-23-30; WL 118-32-33
- (4) MOBILE: Mt. Baldy, CA, within 25 km, centered around NL 34-14-11; WL 117-39-32
- (5) MOBILE: Big Bear Lake, CA., within 25 km, centered around NL 34-14-38; WL 116-54-41
- (6) MOBILE: Pasadena, CA., within 25 km, centered around NL 34-08-52; WL 118-08-40
- (7) MOBILE: San Jose, CA., within 25 km, centered around NL 37-20-18; WL 121-53-11

Frequency Information

MOBILE: Sacramento, CA., within 25 km, centered around NL 38-35-05; WL 121-29-43

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
160.2875 MHz	MO	12K5F3E	10 W (ERP)	

This authorization effective May 07, 2017 and
will expire 3:00 A.M. EST May 21, 2017

**FEDERAL
COMMUNICATIONS
COMMISSION**



Frequency Information

MOBILE: Sacramento, CA., within 25 km, centered around NL 38-35-05; WL 121-29-43

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
160.325 MHz	MO	12K5F3E	10 W (ERP)	
160.35 MHz	MO	12K5F3E	10 W (ERP)	
164.8875 MHz	MO	12K5F3E	10 W (ERP)	
164.925 MHz	MO	12K5F3E	10 W (ERP)	
164.95 MHz	MO	12K5F3E	10 W (ERP)	
451.5 MHz	MO	11K2F3E	20 W (ERP)	
451.775 MHz	MO	11K2F3E	20 W (ERP)	
452 MHz	MO	11K2F3E	20 W (ERP)	
455.9125 MHz	MO	12K5F3E 12K5F3E	10 W (ERP)	
456.0375 MHz	MO	12K5F3E	10 W (ERP)	

Frequency Information

MOBILE: Sacramento, CA., within 25 km, centered around NL 38-35-05; WL 121-29-43

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
456.25 MHz	MO	25K0F3E	10 W (ERP)	
456.325 MHz	MO	11K2F3E	20 W (ERP)	
456.35 MHz	MO	25K0F3E	10 W (ERP)	
456.8375 MHz	MO	12K5F3E	10 W (ERP)	
456.9 MHz	MO	11K2F3E	20 W (ERP)	
457.35 MHz	MO	11K2F3E	20 W (ERP)	
461.025 MHz	MO	11K2F3E	20 W (ERP)	
461.2 MHz	MO	11K2F3E	20 W (ERP)	
462.125 MHz	MO	11K2F3E	20 W (ERP)	
462.725 MHz	MO	11K2F3E	20 W (ERP)	

Frequency Information

MOBILE: Sacramento, CA., within 25 km, centered around NL 38-35-05; WL 121-29-43

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
463.4625 MHz	MO	11K2F3E	20 W (ERP)	
463.6 MHz	MO	11K2F3E	20 W (ERP)	
464.475 MHz	MO	11K2F3E	20 W (ERP)	
464.5125 MHz	MO	12K5F3E	10 W (ERP)	
464.5875 MHz	MO	12K5F3E	10 W (ERP)	
464.975 MHz	MO	11K2F3E	20 W (ERP)	
465.925 MHz	MO	12K5F3E	10 W (ERP)	
466.0375 MHz	MO	12K5F3E	10 W (ERP)	
466.175 MHz	MO	25K0F3E	10 W (ERP)	
466.25 MHz	MO	25K0F3E	10 W (ERP)	

Frequency Information

MOBILE: Sacramento, CA., within 25 km, centered around NL 38-35-05; WL 121-29-43

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
466.8375 MHz	MO	12K5F3E	10 W (ERP)	
2305 MHz	MO	10M0D7W	4 W (ERP)	
2365 MHz	MO	8M00D7W	1 W (ERP)	
2375 MHz	MO	8M00D7W	1 W (ERP)	
2385 MHz	MO	8M00D7W	1 W (ERP)	
2595 MHz	MO	24M0D7W	4 W (ERP)	
2600 MHz	MO	24M0D7W	4 W (ERP)	
3410 MHz	MO	24M0D7W	5 W (ERP)	
3510 MHz	MO	24M0D7W	5 W (ERP)	

Frequency Information

MOBILE: Morro Bay, CA., within 25 km, centered around NL 35-21-57; WL 120-51-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
160.2875 MHz	MO	12K5F3E	10 W (ERP)	
160.325 MHz	MO	12K5F3E	10 W (ERP)	
160.35 MHz	MO	12K5F3E	10 W (ERP)	
164.8875 MHz	MO	12K5F3E	10 W (ERP)	
164.925 MHz	MO	12K5F3E	10 W (ERP)	
164.95 MHz	MO	12K5F3E	10 W (ERP)	
451.5 MHz	MO	11K2F3E	20 W (ERP)	
451.775 MHz	MO	11K2F3E	20 W (ERP)	
452 MHz	MO	11K2F3E	20 W (ERP)	
455.9125 MHz	MO	12K5F3E 12K5F3E	10 W (ERP)	

Frequency Information

MOBILE: Morro Bay, CA., within 25 km, centered around NL 35-21-57; WL 120-51-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
456.0375 MHz	MO	12K5F3E	10 W (ERP)	
456.25 MHz	MO	25K0F3E	10 W (ERP)	
456.325 MHz	MO	11K2F3E	20 W (ERP)	
456.35 MHz	MO	25K0F3E	10 W (ERP)	
456.8375 MHz	MO	12K5F3E	10 W (ERP)	
456.9 MHz	MO	11K2F3E	20 W (ERP)	
457.35 MHz	MO	11K2F3E	20 W (ERP)	
461.025 MHz	MO	11K2F3E	20 W (ERP)	
461.2 MHz	MO	11K2F3E	20 W (ERP)	
462.125 MHz	MO	11K2F3E	20 W (ERP)	

Frequency Information

MOBILE: Morro Bay, CA., within 25 km, centered around NL 35-21-57; WL 120-51-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
462.725 MHz	MO	11K2F3E	20 W (ERP)	
463.4625 MHz	MO	11K2F3E	20 W (ERP)	
463.6 MHz	MO	11K2F3E	20 W (ERP)	
464.475 MHz	MO	11K2F3E	20 W (ERP)	
464.5125 MHz	MO	12K5F3E	10 W (ERP)	
464.5875 MHz	MO	12K5F3E	10 W (ERP)	
464.975 MHz	MO	11K2F3E	20 W (ERP)	
465.925 MHz	MO	12K5F3E	10 W (ERP)	
466.0375 MHz	MO	12K5F3E	10 W (ERP)	
466.175 MHz	MO	25K0F3E	10 W (ERP)	

Frequency Information

MOBILE: Morro Bay, CA., within 25 km, centered around NL 35-21-57; WL 120-51-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
466.25 MHz	MO	25K0F3E	10 W (ERP)	
466.8375 MHz	MO	12K5F3E	10 W (ERP)	
2305 MHz	MO	10M0D7W	4 W (ERP)	
2365 MHz	MO	8M00D7W	1 W (ERP)	
2375 MHz	MO	8M00D7W	1 W (ERP)	
2385 MHz	MO	8M00D7W	1 W (ERP)	
2595 MHz	MO	24M0D7W	4 W (ERP)	
2600 MHz	MO	24M0D7W	4 W (ERP)	
3410 MHz	MO	24M0D7W	5 W (ERP)	
3510 MHz	MO	24M0D7W	5 W (ERP)	

Frequency Information

MOBILE: Santa Clarita, CA., within 25 km, centered around NL 34-23-30; WL 118-32-33

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
160.2875 MHz	MO	12K5F3E	10 W (ERP)	
160.325 MHz	MO	12K5F3E	10 W (ERP)	
160.35 MHz	MO	12K5F3E	10 W (ERP)	
164.8875 MHz	MO	12K5F3E	10 W (ERP)	
164.925 MHz	MO	12K5F3E	10 W (ERP)	
164.95 MHz	MO	12K5F3E	10 W (ERP)	
451.5 MHz	MO	11K2F3E	20 W (ERP)	
451.775 MHz	MO	11K2F3E	20 W (ERP)	
452 MHz	MO	11K2F3E	20 W (ERP)	
455.9125 MHz	MO	12K5F3E 12K5F3E	10 W (ERP)	

Frequency Information

MOBILE: Santa Clarita, CA., within 25 km, centered around NL 34-23-30; WL 118-32-33

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
456.0375 MHz	MO	12K5F3E	10 W (ERP)	
456.25 MHz	MO	25K0F3E	10 W (ERP)	
456.325 MHz	MO	11K2F3E	20 W (ERP)	
456.35 MHz	MO	25K0F3E	10 W (ERP)	
456.8375 MHz	MO	12K5F3E	10 W (ERP)	
456.9 MHz	MO	11K2F3E	20 W (ERP)	
457.35 MHz	MO	11K2F3E	20 W (ERP)	
461.025 MHz	MO	11K2F3E	20 W (ERP)	
461.2 MHz	MO	11K2F3E	20 W (ERP)	
462.125 MHz	MO	11K2F3E	20 W (ERP)	

Frequency Information

MOBILE: Santa Clarita, CA., within 25 km, centered around NL 34-23-30; WL 118-32-33

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
462.725 MHz	MO	11K2F3E	20 W (ERP)	
463.4625 MHz	MO	11K2F3E	20 W (ERP)	
463.6 MHz	MO	11K2F3E	20 W (ERP)	
464.475 MHz	MO	11K2F3E	20 W (ERP)	
464.5125 MHz	MO	12K5F3E	10 W (ERP)	
464.5875 MHz	MO	12K5F3E	10 W (ERP)	
464.975 MHz	MO	11K2F3E	20 W (ERP)	
465.925 MHz	MO	12K5F3E	10 W (ERP)	
466.0375 MHz	MO	12K5F3E	10 W (ERP)	
466.175 MHz	MO	25K0F3E	10 W (ERP)	

Frequency Information

MOBILE: Santa Clarita, CA., within 25 km, centered around NL 34-23-30; WL 118-32-33

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
466.25 MHz	MO	25K0F3E	10 W (ERP)	
466.8375 MHz	MO	12K5F3E	10 W (ERP)	
2305 MHz	MO	10M0D7W	4 W (ERP)	
2365 MHz	MO	8M00D7W	1 W (ERP)	
2375 MHz	MO	8M00D7W	1 W (ERP)	
2385 MHz	MO	8M00D7W	1 W (ERP)	
2595 MHz	MO	24M0D7W	4 W (ERP)	
2600 MHz	MO	24M0D7W	4 W (ERP)	
3410 MHz	MO	24M0D7W	5 W (ERP)	
3510 MHz	MO	24M0D7W	5 W (ERP)	

Frequency Information

MOBILE: Mt. Baldy, CA, within 25 km, centered around NL 34-14-11; WL 117-39-32

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
160.2875 MHz	MO	12K5F3E	10 W (ERP)	
160.325 MHz	MO	12K5F3E	10 W (ERP)	
160.35 MHz	MO	12K5F3E	10 W (ERP)	
164.8875 MHz	MO	12K5F3E	10 W (ERP)	
164.925 MHz	MO	12K5F3E	10 W (ERP)	
164.95 MHz	MO	12K5F3E	10 W (ERP)	
451.5 MHz	MO	11K2F3E	20 W (ERP)	
451.775 MHz	MO	11K2F3E	20 W (ERP)	
452 MHz	MO	11K2F3E	20 W (ERP)	
455.9125 MHz	MO	12K5F3E 12K5F3E	10 W (ERP)	

Frequency Information

MOBILE: Mt. Baldy, CA, within 25 km, centered around NL 34-14-11; WL 117-39-32

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
456.0375 MHz	MO	12K5F3E	10 W (ERP)	
456.25 MHz	MO	25K0F3E	10 W (ERP)	
456.325 MHz	MO	11K2F3E	20 W (ERP)	
456.35 MHz	MO	25K0F3E	10 W (ERP)	
456.8375 MHz	MO	12K5F3E	10 W (ERP)	
456.9 MHz	MO	11K2F3E	20 W (ERP)	
457.35 MHz	MO	11K2F3E	20 W (ERP)	
461.025 MHz	MO	11K2F3E	20 W (ERP)	
461.2 MHz	MO	11K2F3E	20 W (ERP)	
462.125 MHz	MO	11K2F3E	20 W (ERP)	

Frequency Information

MOBILE: Mt. Baldy, CA, within 25 km, centered around NL 34-14-11; WL 117-39-32

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
462.725 MHz	MO	11K2F3E	20 W (ERP)	
463.4625 MHz	MO	11K2F3E	20 W (ERP)	
463.6 MHz	MO	11K2F3E	20 W (ERP)	
464.475 MHz	MO	11K2F3E	20 W (ERP)	
464.5125 MHz	MO	12K5F3E	10 W (ERP)	
464.5875 MHz	MO	12K5F3E	10 W (ERP)	
464.975 MHz	MO	11K2F3E	20 W (ERP)	
465.925 MHz	MO	12K5F3E	10 W (ERP)	
466.0375 MHz	MO	12K5F3E	10 W (ERP)	
466.175 MHz	MO	25K0F3E	10 W (ERP)	

Frequency Information

MOBILE: Mt. Baldy, CA, within 25 km, centered around NL 34-14-11; WL 117-39-32

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
466.25 MHz	MO	25K0F3E	10 W (ERP)	
466.8375 MHz	MO	12K5F3E	10 W (ERP)	
2305 MHz	MO	10M0D7W	4 W (ERP)	
2365 MHz	MO	8M00D7W	1 W (ERP)	
2375 MHz	MO	8M00D7W	1 W (ERP)	
2385 MHz	MO	8M00D7W	1 W (ERP)	
2595 MHz	MO	24M0D7W	4 W (ERP)	
2600 MHz	MO	24M0D7W	4 W (ERP)	
3410 MHz	MO	24M0D7W	5 W (ERP)	
3510 MHz	MO	24M0D7W	5 W (ERP)	

Frequency Information

MOBILE: Big Bear Lake, CA., within 25 km, centered around NL 34-14-38; WL 116-54-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
160.2875 MHz	MO	12K5F3E	10 W (ERP)	
160.325 MHz	MO	12K5F3E	10 W (ERP)	
160.35 MHz	MO	12K5F3E	10 W (ERP)	
164.8875 MHz	MO	12K5F3E	10 W (ERP)	
164.925 MHz	MO	12K5F3E	10 W (ERP)	
164.95 MHz	MO	12K5F3E	10 W (ERP)	
451.5 MHz	MO	11K2F3E	20 W (ERP)	
451.775 MHz	MO	11K2F3E	20 W (ERP)	
452 MHz	MO	11K2F3E	20 W (ERP)	
455.9125 MHz	MO	12K5F3E 12K5F3E	10 W (ERP)	

Frequency Information

MOBILE: Big Bear Lake, CA., within 25 km, centered around NL 34-14-38; WL 116-54-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
456.0375 MHz	MO	12K5F3E	10 W (ERP)	
456.25 MHz	MO	25K0F3E	10 W (ERP)	
456.325 MHz	MO	11K2F3E	20 W (ERP)	
456.35 MHz	MO	25K0F3E	10 W (ERP)	
456.8375 MHz	MO	12K5F3E	10 W (ERP)	
456.9 MHz	MO	11K2F3E	20 W (ERP)	
457.35 MHz	MO	11K2F3E	20 W (ERP)	
461.025 MHz	MO	11K2F3E	20 W (ERP)	
461.2 MHz	MO	11K2F3E	20 W (ERP)	
462.125 MHz	MO	11K2F3E	20 W (ERP)	

Frequency Information

MOBILE: Big Bear Lake, CA., within 25 km, centered around NL 34-14-38; WL 116-54-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
462.725 MHz	MO	11K2F3E	20 W (ERP)	
463.4625 MHz	MO	11K2F3E	20 W (ERP)	
463.6 MHz	MO	11K2F3E	20 W (ERP)	
464.475 MHz	MO	11K2F3E	20 W (ERP)	
464.5125 MHz	MO	12K5F3E	10 W (ERP)	
464.5875 MHz	MO	12K5F3E	10 W (ERP)	
464.975 MHz	MO	11K2F3E	20 W (ERP)	
465.925 MHz	MO	12K5F3E	10 W (ERP)	
466.0375 MHz	MO	12K5F3E	10 W (ERP)	
466.175 MHz	MO	25K0F3E	10 W (ERP)	

Frequency Information

MOBILE: Big Bear Lake, CA., within 25 km, centered around NL 34-14-38; WL 116-54-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
466.25 MHz	MO	25K0F3E	10 W (ERP)	
466.8375 MHz	MO	12K5F3E	10 W (ERP)	
2305 MHz	MO	10M0D7W	4 W (ERP)	
2365 MHz	MO	8M00D7W	1 W (ERP)	
2375 MHz	MO	8M00D7W	1 W (ERP)	
2385 MHz	MO	8M00D7W	1 W (ERP)	
2595 MHz	MO	24M0D7W	4 W (ERP)	
2600 MHz	MO	24M0D7W	4 W (ERP)	
3410 MHz	MO	24M0D7W	5 W (ERP)	
3510 MHz	MO	24M0D7W	5 W (ERP)	

Frequency Information

MOBILE: Pasadena, CA., within 25 km, centered around NL 34-08-52; WL 118-08-40

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
160.2875 MHz	MO	12K5F3E	10 W (ERP)	
160.325 MHz	MO	12K5F3E	10 W (ERP)	
160.35 MHz	MO	12K5F3E	10 W (ERP)	
164.8875 MHz	MO	12K5F3E	10 W (ERP)	
164.925 MHz	MO	12K5F3E	10 W (ERP)	
164.95 MHz	MO	12K5F3E	10 W (ERP)	
451.5 MHz	MO	11K2F3E	20 W (ERP)	
451.775 MHz	MO	11K2F3E	20 W (ERP)	
452 MHz	MO	11K2F3E	20 W (ERP)	
455.9125 MHz	MO	12K5F3E 12K5F3E	10 W (ERP)	

Frequency Information

MOBILE: Pasadena, CA., within 25 km, centered around NL 34-08-52; WL 118-08-40

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
456.0375 MHz	MO	12K5F3E	10 W (ERP)	
456.25 MHz	MO	25K0F3E	10 W (ERP)	
456.325 MHz	MO	11K2F3E	20 W (ERP)	
456.35 MHz	MO	25K0F3E	10 W (ERP)	
456.8375 MHz	MO	12K5F3E	10 W (ERP)	
456.9 MHz	MO	11K2F3E	20 W (ERP)	
457.35 MHz	MO	11K2F3E	20 W (ERP)	
461.025 MHz	MO	11K2F3E	20 W (ERP)	
461.2 MHz	MO	11K2F3E	20 W (ERP)	
462.125 MHz	MO	11K2F3E	20 W (ERP)	

Frequency Information

MOBILE: Pasadena, CA., within 25 km, centered around NL 34-08-52; WL 118-08-40

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
462.725 MHz	MO	11K2F3E	20 W (ERP)	
463.4625 MHz	MO	11K2F3E	20 W (ERP)	
463.6 MHz	MO	11K2F3E	20 W (ERP)	
464.475 MHz	MO	11K2F3E	20 W (ERP)	
464.5125 MHz	MO	12K5F3E	10 W (ERP)	
464.5875 MHz	MO	12K5F3E	10 W (ERP)	
464.975 MHz	MO	11K2F3E	20 W (ERP)	
465.925 MHz	MO	12K5F3E	10 W (ERP)	
466.0375 MHz	MO	12K5F3E	10 W (ERP)	
466.175 MHz	MO	25K0F3E	10 W (ERP)	

Frequency Information

MOBILE: Pasadena, CA., within 25 km, centered around NL 34-08-52; WL 118-08-40

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
466.25 MHz	MO	25K0F3E	10 W (ERP)	
466.8375 MHz	MO	12K5F3E	10 W (ERP)	
2305 MHz	MO	10M0D7W	4 W (ERP)	
2365 MHz	MO	8M00D7W	1 W (ERP)	
2375 MHz	MO	8M00D7W	1 W (ERP)	
2385 MHz	MO	8M00D7W	1 W (ERP)	
2595 MHz	MO	24M0D7W	4 W (ERP)	
2600 MHz	MO	24M0D7W	4 W (ERP)	
3410 MHz	MO	24M0D7W	5 W (ERP)	
3510 MHz	MO	24M0D7W	5 W (ERP)	

Frequency Information

MOBILE: San Jose, CA., within 25 km, centered around NL 37-20-18; WL 121-53-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
160.2875 MHz	MO	12K5F3E	10 W (ERP)	
160.325 MHz	MO	12K5F3E	10 W (ERP)	
160.35 MHz	MO	12K5F3E	10 W (ERP)	
164.8875 MHz	MO	12K5F3E	10 W (ERP)	
164.925 MHz	MO	12K5F3E	10 W (ERP)	
164.95 MHz	MO	12K5F3E	10 W (ERP)	
451.5 MHz	MO	11K2F3E	20 W (ERP)	
451.775 MHz	MO	11K2F3E	20 W (ERP)	
452 MHz	MO	11K2F3E	20 W (ERP)	
455.9125 MHz	MO	12K5F3E 12K5F3E	10 W (ERP)	

Frequency Information

MOBILE: San Jose, CA., within 25 km, centered around NL 37-20-18; WL 121-53-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
456.0375 MHz	MO	12K5F3E	10 W (ERP)	
456.25 MHz	MO	25K0F3E	10 W (ERP)	
456.325 MHz	MO	11K2F3E	20 W (ERP)	
456.35 MHz	MO	25K0F3E	10 W (ERP)	
456.8375 MHz	MO	12K5F3E	10 W (ERP)	
456.9 MHz	MO	11K2F3E	20 W (ERP)	
457.35 MHz	MO	11K2F3E	20 W (ERP)	
461.025 MHz	MO	11K2F3E	20 W (ERP)	
461.2 MHz	MO	11K2F3E	20 W (ERP)	
462.125 MHz	MO	11K2F3E	20 W (ERP)	

Frequency Information

MOBILE: San Jose, CA., within 25 km, centered around NL 37-20-18; WL 121-53-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
462.725 MHz	MO	11K2F3E	20 W (ERP)	
463.4625 MHz	MO	11K2F3E	20 W (ERP)	
463.6 MHz	MO	11K2F3E	20 W (ERP)	
464.475 MHz	MO	11K2F3E	20 W (ERP)	
464.5125 MHz	MO	12K5F3E	10 W (ERP)	
464.5875 MHz	MO	12K5F3E	10 W (ERP)	
464.975 MHz	MO	11K2F3E	20 W (ERP)	
465.925 MHz	MO	12K5F3E	10 W (ERP)	
466.0375 MHz	MO	12K5F3E	10 W (ERP)	
466.175 MHz	MO	25K0F3E	10 W (ERP)	

Frequency Information

MOBILE: San Jose, CA., within 25 km, centered around NL 37-20-18; WL 121-53-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
466.25 MHz	MO	25K0F3E	10 W (ERP)	
466.8375 MHz	MO	12K5F3E	10 W (ERP)	
2305 MHz	MO	10M0D7W	4 W (ERP)	
2365 MHz	MO	8M00D7W	1 W (ERP)	
2375 MHz	MO	8M00D7W	1 W (ERP)	
2385 MHz	MO	8M00D7W	1 W (ERP)	
2595 MHz	MO	24M0D7W	4 W (ERP)	
2600 MHz	MO	24M0D7W	4 W (ERP)	
3410 MHz	MO	24M0D7W	5 W (ERP)	
3510 MHz	MO	24M0D7W	5 W (ERP)	

Special Conditions:

- (1) Operation is subject to prior coordination with the Society of Broadcast Engineers, Inc. (SBE); ATTN: Executive Director; 9102 North Meridian Street, Suite 305; Indianapolis, IN 46260; telephone, (866) 632-4222; FAX, (317) 846-9120; e-mail, executivedir@sbe.org; information, www.sbe.org.
- (2) Operation on frequency assignments in one of the bands 1435-1535 or 2310-2390 MHz was coordinated prior to authorization with the Western Area Frequency Coordinator (WAFC), Point Mugu, CA, who also coordinated it, as appropriate, with the Aerospace and Flight Test Radio Coordinating Council. Use of this frequency under the authority of this assignment is subject to such further coordination with the WAFC as necessary to ensure compatibility with existing uses.
- (3) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (4) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (5) Broad Comm Inc. must prior coordination with the local Society of Broadcast Engineers coordinator prior to operation to protect the Low Power Broadcast Auxiliary operations on 455.9125 MHz.
- (6) Operation must notch 2325 MHz and 2345 MHz.
- (7) Operation is NOT PERMITTED using the frequency 3615 MHz and 7115 MHz.
- (8) At the Morro Bay, CA location, Broad Comm must not utilize 164.85 MHz +/- 6.25 KHz to protect Department of the Interior operations.
- (9) Operations in the WCS bands (2305-2320 MHz and 2345-2360 MHz) must comply with the emission limits applicable to those bands. See 47 C.F.R. § 27.53(a).
- (10) This authorization SUPERSEDES the previous issued authorization with the same call sign and file number: amend the condition.