

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
SPECIAL TEMPORARY AUTHORIZATION**

EXPERIMENTAL

(Nature of Service)

WA8XJV

(Call Sign)

XT MO

(Class of Station)

1541-EX-ST-2026

(File Number)

NAME EMG USA

This Special Temporary Authorization is granted upon the express condition that it may be terminated by the Commission at any time without advance notice or hearing if in its discretion the need for such action arises. Nothing contained herein shall be construed as a finding by the Commission that the authority herein granted is or will be in the public interest beyond the express terms hereof.

This Special Temporary Authorization shall not vest in the grantee any right to operate the station nor any right in the use of the frequencies designated in the authorization beyond the term hereof, nor in any other manner than authorized herein. Neither the authorization nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This authorization is subject to the right of use of control the Government of the United States conferred by Section 706 of the Communications Act of 1934.

Special Temporary Authority is hereby granted to operate the apparatus described below:

Purpose Of Operation:

To supply the requested remote video coverage for events. The proposed service would enhance coverage of the event by providing on the spot pictures from mobile locations.

Station Locations

- (1) MOBILE: Highmark Stadium, Orchard Park NY, within 0.2 km, centered around NL 42-46-25; WL 78-47-32
- (2) MOBILE: Levi's Stadium, Santa Clara CA, within 0.2 km, centered around NL 37-24-11; WL 121-58-11
- (3) MOBILE: Gillette Stadium, Foxborough MA, within 0.2 km, centered around NL 42-05-27; WL 71-15-51
- (4) MOBILE: Arrowhead Stadium, Kansas City MO, within 0.2 km, centered around NL 39-02-56; WL 94-29-02
- (5) MOBILE: Acrisure Stadium, Pittsburgh PA, within 0.2 km, centered around NL 40-26-48; WL 80-00-56
- (6) MOBILE: US Bank Stadium, Minneapolis MN, within 0.2 km, centered around NL 44-58-26; WL 93-15-29
- (7) MOBILE: Sofi Stadium, Inglewood, CA, within 0.2 km, centered around NL 33-57-12; WL 118-20-22
- (8) MOBILE: Allegiant Stadium, Las Vegas NV, within 0.2 km, centered around NL 36-05-26; WL 115-11-02
- (9) MOBILE: Caesars Superdome, New Orleans LA, within 0.2 km, centered around NL 29-57-26; WL 90-04-52
- (10) MOBILE: M & T Bank Stadium, Baltimore MD, within 0.2 km, centered around NL 39-16-40; WL 76-37-21

This authorization effective September 09, 2026 and
will expire 3:00 A.M. ET February 15, 2027

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

- (11) MOBILE: Lumen Field, Seattle WA, within 0.2 km, centered around NL 47-35-43; WL 122-19-54
- (12) MOBILE: Lambeau Field, Green Bay WI, within 0.2 km, centered around NL 44-30-04; WL 88-03-44
- (13) MOBILE: Raymond James Stadium, Tampa FL, within 0.2 km, centered around NL 27-58-33; WL 82-30-12
- (14) MOBILE: AT & T Stadium, Arlington TX, within 0.2 km, centered around NL 32-44-52; WL 97-05-34
- (15) MOBILE: Metlife Stadium, East Rutherford NJ, within 0.2 km, centered around NL 40-48-49; WL 74-04-27
- (16) MOBILE: Hard Rock Stadium. Miami Gardens FL, within 0.2 km, centered around NL 25-57-28; WL 80-14-21
- (17) MOBILE: Paycor Stadium, Cincinnati OH, within 0.2 km, centered around NL 39-05-43; WL 84-30-57
- (18) MOBILE: Huntington Bank Field, Cleveland, OH, within 0.2 km, centered around NL 41-30-21; WL 81-41-58
- (19) MOBILE: Reliant Stadium, within 0.2 km, centered around NL 29-41-05; WL 95-24-39
- (20) MOBILE: Lucas Oil Stadium, Indianapolis IN, within 0.2 km, centered around NL 39-45-36; WL 86-09-49
- (21) MOBILE: Nissan Stadium, Nashville TN, within 0.2 km, centered around NL 36-09-59; WL 86-46-16
- (22) MOBILE: Everbank Stadium, Jacksonville, FL, within 0.2 km, centered around NL 30-19-26; WL 81-38-14
- (23) MOBILE: Empower Field, Denver CO, within 0.2 km, centered around NL 39-44-38; WL 105-01-12
- (24) MOBILE: Northwest Stadium, Landover MD, within 0.2 km, centered around NL 38-54-28; WL 76-51-52
- (25) MOBILE: Soldier Field, Chicago IL, within 0.2 km, centered around NL 41-51-45; WL 87-37-00
- (26) MOBILE: Ford Field, Detroit MI, within 0.2 km, centered around NL 42-20-24; WL 83-02-44
- (27) MOBILE: Mercedes-Benz Stadium, Atlanta GA, within 0.2 km, centered around NL 33-45-19; WL 84-24-04
- (28) MOBILE: Bank of America Stadium, Charlotte NC, within 0.2 km, centered around NL 35-13-33; WL 80-51-10
- (29) MOBILE: State Farm Stadium, Glendale AZ, within 0.2 km, centered around NL 33-31-39; WL 112-15-45
- (30) MOBILE: Lincoln Financial Field, Philadelphia PA, within 0.2 km, centered around NL 39-54-03; WL 75-10-03

Frequency Information

MOBILE: Highmark Stadium, Orchard Park NY, within 0.2 km, centered around NL 42-46-25; WL 78-47-32

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Highmark Stadium, Orchard Park NY, within 0.2 km, centered around NL 42-46-25; WL 78-47-32

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Levi's Stadium, Santa Clara CA, within 0.2 km, centered around NL 37-24-11; WL 121-58-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Levi's Stadium, Santa Clara CA, within 0.2 km, centered around NL 37-24-11; WL 121-58-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Gillette Stadium, Foxborough MA, within 0.2 km, centered around NL 42-05-27; WL 71-15-51

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Arrowhead Stadium, Kansas City MO, within 0.2 km, centered around NL 39-02-56; WL 94-29-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Arrowhead Stadium, Kansas City MO, within 0.2 km, centered around NL 39-02-56; WL 94-29-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3300-3450 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Acrisure Stadium, Pittsburgh PA, within 0.2 km, centered around NL 40-26-48; WL 80-00-56

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: US Bank Stadium, Minneapolis MN, within 0.2 km, centered around NL 44-58-26; WL 93-15-29

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Sofi Stadium, Inglewood, CA, within 0.2 km, centered around NL 33-57-12; WL 118-20-22

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Sofi Stadium, Inglewood, CA, within 0.2 km, centered around NL 33-57-12; WL 118-20-22

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Allegiant Stadium, Las Vegas NV, within 0.2 km, centered around NL 36-05-26; WL 115-11-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Caesars Superdome, New Orleans LA, within 0.2 km, centered around NL 29-57-26; WL 90-04-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Caesars Superdome, New Orleans LA, within 0.2 km, centered around NL 29-57-26; WL 90-04-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3300-3450 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: M & T Bank Stadium, Baltimore MD, within 0.2 km, centered around NL 39-16-40; WL 76-37-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Lumen Field, Seattle WA, within 0.2 km, centered around NL 47-35-43; WL 122-19-54

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Lambeau Field, Green Bay WI, within 0.2 km, centered around NL 44-30-04; WL 88-03-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Lambeau Field, Green Bay WI, within 0.2 km, centered around NL 44-30-04; WL 88-03-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Raymond James Stadium, Tampa FL, within 0.2 km, centered around NL 27-58-33; WL 82-30-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: AT & T Stadium, Arlington TX, within 0.2 km, centered around NL 32-44-52; WL 97-05-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: AT & T Stadium, Arlington TX, within 0.2 km, centered around NL 32-44-52; WL 97-05-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3300-3450 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Metlife Stadium, East Rutherford NJ, within 0.2 km, centered around NL 40-48-49; WL 74-04-27

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Hard Rock Stadium. Miami Gardens FL, within 0.2 km, centered around NL 25-57-28; WL 80-14-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Paycor Stadium, Cincinnati OH, within 0.2 km, centered around NL 39-05-43; WL 84-30-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Paycor Stadium, Cincinnati OH, within 0.2 km, centered around NL 39-05-43; WL 84-30-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Huntington Bank Field, Cleveland, OH, within 0.2 km, centered around NL 41-30-21; WL 81-41-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Reliant Stadium, within 0.2 km, centered around NL 29-41-05; WL 95-24-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Reliant Stadium, within 0.2 km, centered around NL 29-41-05; WL 95-24-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3300-3450 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Lucas Oil Stadium, Indianapolis IN, within 0.2 km, centered around NL 39-45-36; WL 86-09-49

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Nissan Stadium, Nashville TN, within 0.2 km, centered around NL 36-09-59; WL 86-46-16

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Everbank Stadium, Jacksonville, FL, within 0.2 km, centered around NL 30-19-26; WL 81-38-14

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Everbank Stadium, Jacksonville, FL, within 0.2 km, centered around NL 30-19-26; WL 81-38-14

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Empower Field, Denver CO, within 0.2 km, centered around NL 39-44-38; WL 105-01-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Northwest Stadium, Landover MD, within 0.2 km, centered around NL 38-54-28; WL 76-51-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Northwest Stadium, Landover MD, within 0.2 km, centered around NL 38-54-28; WL 76-51-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3300-3450 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Soldier Field, Chicago IL, within 0.2 km, centered around NL 41-51-45; WL 87-37-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Ford Field, Detroit MI, within 0.2 km, centered around NL 42-20-24; WL 83-02-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Mercedes-Benz Stadium, Atlanta GA, within 0.2 km, centered around NL 33-45-19; WL 84-24-04

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: Mercedes-Benz Stadium, Atlanta GA, within 0.2 km, centered around NL 33-45-19; WL 84-24-04

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
6900-7000 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Bank of America Stadium, Charlotte NC, within 0.2 km, centered around NL 35-13-33; WL 80-51-10

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: State Farm Stadium, Glendale AZ, within 0.2 km, centered around NL 33-31-39; WL 112-15-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F	100 mW (ERP)	0.0005 %

Frequency Information

MOBILE: State Farm Stadium, Glendale AZ, within 0.2 km, centered around NL 33-31-39; WL 112-15-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3300-3450 MHz	MO	10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

MOBILE: Lincoln Financial Field, Philadelphia PA, within 0.2 km, centered around NL 39-54-03; WL 75-10-03

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2200-2295 MHz	MO	10M0X7F 20M0X7F	100 mW (ERP)	0.0005 %
3300-3450 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %
4500-4900 MHz	MO	10M0D7W	1000 mW (ERP)	0.0005 %
6900-7000 MHz	MO	20M0X7F 10M0X7F	100 mW (ERP)	0.0005 %

Special Conditions:

- (1) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.

Special Conditions:

- (2) Operation is subject to prior coordination with the local Society of Broadcast Engineers, Inc. (SBE) frequency coordinator. Consult the list at <http://sbe.org/resources/frequency-coordination/> to find the appropriate coordinator.
- (3) Licensee must coordinate with the local Society of Broadcast Engineers Frequency Coordinator in each proposed area prior to operation in 6900-7000 MHz band

Special Conditions:

(4) Applicant must notch the following frequency bands at the specified locations:

M & T Bank Stadium (Baltimore, MD)

2200 - 2290 MHz

4677.55 - 4679.95 MHz

4761 - 4769 MHz

4770 - 4780 MHz

Northwest Stadium (Landover, MD)

2200 - 2295 MHz

4511 - 4519 MHz

4541 - 4549 MHz

4581 - 4589 MHz

4601 - 4619 MHz

4677.53 - 4679.97 MHz

4751 - 4769 MHz

4741 - 4779 MHz

4810 - 4902.5 MHz

Huntington Bank Field (Cleveland, OH)

2211 - 2219 MHz

2277.5 - 2282.5 MHz

4441 - 4449 MHz

4677.53 - 4679.97 MHz

4761 - 4769 MHz

4810 - 4820 MHz

Levi's Stadium (Santa Clara CA)

2200-2290 MHz

4405 - 4410 MHz

4705 - 4710 MHz

4415 - 4420 MHz

4715 - 4720 MHz

4641 - 4649 MHz

4677.53 - 4679.97 MHz

4761 - 4769 MHz

4810 - 4820 MHz

Highmark Stadium (Orchard Park NY)

2206 - 2214 MHz

2230 - 2238 MHz

4704 - 4712 MHz

4728 - 4736 MHz

4761 - 4769 MHz

4810 - 4820 MHz

Gillette Stadium (Foxborough MA)

2200 - 2290 MHz

4701 - 4709 MHz

4711 - 4719 MHz

4761 - 4769 MHz

4761 - 4769 MHz

Species: 4771 - 4779 MHz
4810 - 4820 MHz
4821 - 4829 MHz
4831 - 4839 MHz

Arrowhead Stadium (Kansas City MO)
2200 - 2290 MHz
4677.53 - 4679.97 MHz
4761 - 4769 MHz
4770 - 4780 MHz

Acrisure Stadium (Pittsburgh PA)
2200 - 2295 MHz
4677.53 - 4679.97 MHz
4761 - 4769 MHz
4810 - 4820 MHz

US Bank Stadium (Minneapolis MN)
2200 - 2290 MHz
4661 - 4669 MHz
4677.53 - 4679.97 MHz
4761 - 4769 MHz
4770 - 4780 MHz

Sofi Stadium (Inglewood, CA)
2201 - 2209 MHz
2211 - 2219 MHz
2248.8 - 2251.2 MHz
2250.545 - 2259.455 MHz
2291 - 2295 MHz
4400 - 4940 MHz

Allegiant Stadium (Las Vegas NV)
2200 - 2295 MHz
4400 - 4940 MHz

Caesars Superdome (New Orleans LA)
2200 - 2290 MHz
4667.55 - 4679.95 MHz
4761 - 4769 MHz
4770 - 4780 MHz

Lumen Field (Seattle WA)
2200 - 2290
4677.55 - 4679.95
4761 - 4769
4780 - 4790
4851 - 4859

Raymond James Stadium (Tampa FL)
2200 - 2290 MHz
4677.55 - 4679.95 MHz
4761 - 4769 MHz

Speci: 4780 - 4790 MHz

AT & T Stadium (Arlington TX)

2200 - 2290 MHz

4677.55 - 4679.95 MHz

4761 - 4769 MHz

4810 - 4820 MHz

Metlife Stadium (East Rutherford NJ)

2200 - 2295 MHz

4671 - 4679 MHz

4677.53 - 4679.97 MHz

4731 - 4739 MHz

4726.5 - 4753.5 MHz

4761 - 4769 MHz

4780 - 4800 MHz

4810 - 4820 MHz

Hard Rock Stadium (Miami Gardens FL)

2200 - 2295 MHz

4661 - 4669 MHz

4677.53 - 4679.997 MHz

4696.5 - 4713.5 MHz

4780 - 4790 MHz

Paycor Stadium (Cincinnati OH)

2200 - 2290 MHz

4661 - 4669 MHz

4677.53 - 4679.97 MHz

4761 - 4769 MHz

4810 - 4820 MHz

Lucas Oil Stadium (Indianapolis IN)

2200 - 2290 MHz

4677.53 - 4679.97 MHz

4761 - 4769 MHz

4810 - 4820 MHz

Everbank Stadium (Jacksonville, FL)

2200 - 2290 MHz

4677.53 - 4679.97 MHz

4761 - 4769 MHz

4780 - 4790 MHz

Empower Field (Denver, CO)

2200 - 2290 MHz

4500.215 - 4509.785 MHz

4677.53 - 4679.97 MHz

4761 - 4769 MHz

4770 - 4780 MHz

Soldier Field (Chicago, IL)

2200 - 2290 MHz

Specific 4761 - 4769 MHz
4771 - 4779 MHz

Force Field (Detroit, MI)
2200 - 2290 MHz
2248.8 - 2251.2 MHz
4500.215 - 4509.785 MHz
4761 - 4769 MHz
4810 - 4820 MHz

Mercedes-Benz Stadium (Atlanta, GA)
2200 - 2290 MHz
4761 - 4769 MHz
4770 - 4780 MHz

Lincoln Financial Field (Philadelphia PA)
2200 - 2290 MHz
4761 - 4769 MHz
4810 - 4820 MHz

(5) Stop Buzzer Point of Contact: Stephen Tobias, 410-564-9291