

United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
RADIO STATION CONSTRUCTION PERMIT
AND LICENSE

EXPERIMENTAL

(Nature of Service)

WJ2XKU

(Call Sign)

XT FX

(Class of Station)

0009-EX-AL-2020

(File Number)

NAME Frontier Communications Corporation, Debtor-in-Possession

Subject to the provisions of the Communications Act of 1934, subsequent acts, and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions and requirements set forth in this license, the licensee hereof is hereby authorized to use and operate the radio transmitting facilities hereinafter described for radio communications in accordance with the program of experimentation described by the licensee in its application for license.

Operation: In accordance with Sec. 5.3(h) of the Commission's Rules

Station Locations

- (1) McKinney (COLLIN), TX - NL 33-09-31; WL 96-37-08
- (2) Allen (COLLIN), TX - NL 33-07-04; WL 96-42-29
- (3) Richardson (COLLIN), TX - NL 32-59-42; WL 96-36-55
- (4) Allen (COLLIN), TX - NL 33-05-15; WL 96-39-09
- (5) Allen (COLLIN), TX - NL 33-04-31; WL 96-39-10
- (6) McKinney (COLLIN), TX - NL 33-10-37; WL 96-38-39
- (7) Fairview (COLLIN), TX - NL 33-07-30; WL 96-35-00
- (8) Fort Wayne (ALLEN), IN - NL 41-08-04; WL 85-04-03
- (9) Fort Wayne (ALLEN), IN - NL 41-08-54; WL 85-09-56
- (10) Fort Wayne (ALLEN), IN - NL 41-13-19; WL 85-10-19
- (11) Fort Wayne (ALLEN), IN - NL 41-08-17; WL 85-08-18
- (12) New Haven (ALLEN), IN - NL 41-04-16; WL 85-01-49
- (13) New Haven (ALLEN), IN - NL 41-06-00; WL 85-01-19
- (14) Fort Wayne (ALLEN), IN - NL 41-13-33; WL 85-09-20
- (15) New Haven (ALLEN), IN - NL 41-02-59; WL 85-01-29
- (16) Fort Wayne (ALLEN), IN - NL 41-00-24; WL 84-57-44
- (17) Hoagland (ALLEN), IN - NL 40-57-34; WL 85-03-25
- (18) Hoagland, IN - NL 40-56-47; WL 85-03-02
- (19) Monroeville (ALLEN), IN - NL 41-01-22; WL 84-49-15
- (20) Allen (COLLIN), TX - NL 33-07-07; WL 96-37-58
- (21) Fort Wayne, IN - NL 41-04-49; WL 85-08-11
- (22) Fort Wayne (ALLEN), IN - NL 41-04-49; WL 85-08-11
- (23) Fort Wayne (ALLEN), IN - NL 41-04-49; WL 85-08-11
- (24) Fort Wayne (ALLEN), IN - NL 41-04-49; WL 85-08-11
- (25) Fort Wayne (ALLEN), IN - NL 41-04-49; WL 85-08-11

This authorization effective June 01, 2020 and
will expire 3:00 A.M. EST July 20, 2020

FEDERAL
COMMUNICATIONS
COMMISSION



Station Locations

- (26) Fort Wayne (ALLEN), IN - NL 41-04-49; WL 85-08-11
- (27) Allen (COLLIN), TX - NL 33-05-35; WL 96-40-25
- (28) Allen (COLLIN), TX - NL 33-05-35; WL 96-40-25
- (29) Allen (COLLIN), TX - NL 33-05-35; WL 96-40-25
- (30) Allen (COLLIN), TX - NL 33-05-35; WL 96-40-25
- (31) Allen (COLLIN), TX - NL 33-05-35; WL 96-40-25
- (32) Allen (COLLIN), TX - NL 33-05-35; WL 96-40-25
- (33) KELLEYS ISLAND (ERIE), OH - NL 41-35-49; WL 82-42-34
- (34) KELLEYS ISLAND (ERIE), OH - NL 41-35-49; WL 82-42-34
- (35) KELLEYS ISLAND (ERIE), OH - NL 41-35-49; WL 82-42-34
- (36) KELLEYS ISLAND (ERIE), OH - NL 41-36-00; WL 82-40-51
- (37) KELLEYS ISLAND, OH - NL 41-36-18; WL 82-40-55
- (38) KELLEYS ISLAND (ERIE), OH - NL 41-35-43; WL 82-41-12
- (39) KELLEYS ISLAND (ERIE), OH - NL 41-35-25; WL 82-41-07
- (40) KELLEYS ISLAND (ERIE), OH - NL 41-36-43; WL 82-41-20
- (41) KELLEYS ISLAND (ERIE), OH - NL 41-35-12; WL 82-41-42
- (42) KELLEYS ISLAND (ERIE), OH - NL 41-35-26; WL 82-41-41
- (43) KELLEYS ISLAND (ERIE), OH - NL 41-35-12; WL 82-41-45
- (44) KELLEYS ISLAND (ERIE), OH - NL 41-35-20; WL 82-41-23
- (45) KELLEYS ISLAND (ERIE), OH - NL 41-36-47; WL 82-43-08
- (46) KELLEYS ISLAND (ERIE), OH - NL 41-35-56; WL 82-43-33
- (47) KELLEYS ISLAND (ERIE), OH - NL 41-36-03; WL 82-42-38
- (48) KELLEYS ISLAND (ERIE), OH - NL 41-36-30; WL 82-41-41
- (49) KELLEYS ISLAND, OH - NL 41-35-33; WL 82-41-15
- (50) KELLEYS ISLAND (ERIE), OH - NL 41-35-16; WL 82-41-21
- (51) KELLEYS ISLAND (ERIE), OH - NL 41-35-48; WL 82-40-45
- (52) KELLEYS ISLAND (ERIE), OH - NL 41-36-19; WL 82-41-11
- (53) KELLEYS ISLAND (ERIE), OH - NL 41-36-00; WL 82-42-36
- (54) KELLEYS ISLAND (ERIE), OH - NL 41-35-11; WL 82-41-37
- (55) KELLEYS ISLAND (ERIE), OH - NL 41-36-10; WL 82-40-50

Frequency Information

McKinney (COLLIN), TX - NL 33-09-31; WL 96-37-08

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		

Frequency Information

McKinney (COLLIN), TX - NL 33-09-31; WL 96-37-08

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	40M0W7D	100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		

Allen (COLLIN), TX - NL 33-07-04; WL 96-42-29

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		

Frequency Information

Richardson (COLLIN), TX - NL 32-59-42; WL 96-36-55

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		

Allen (COLLIN), TX - NL 33-05-15; WL 96-39-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		

Frequency Information

Allen (COLLIN), TX - NL 33-05-15; WL 96-39-09

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	50M0W7D	100 W (ERP)	0.001 %
		50M0W7D		

Allen (COLLIN), TX - NL 33-04-31; WL 96-39-10

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		

McKinney (COLLIN), TX - NL 33-10-37; WL 96-38-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		30M0W7D		
		40M0W7D		

Frequency Information

McKinney (COLLIN), TX - NL 33-10-37; WL 96-38-39

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		

Fairview (COLLIN), TX - NL 33-07-30; WL 96-35-00

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		

Frequency Information

Fort Wayne (ALLEN), IN - NL 41-08-04; WL 85-04-03

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.007 %
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		

Fort Wayne (ALLEN), IN - NL 41-08-54; WL 85-09-56

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		

Frequency Information

Fort Wayne (ALLEN), IN - NL 41-08-54; WL 85-09-56

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	50M0W7D	100 W (ERP)	0.001 %
		50M0W7D		

Fort Wayne (ALLEN), IN - NL 41-13-19; WL 85-10-19

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		

Fort Wayne (ALLEN), IN - NL 41-08-17; WL 85-08-18

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		30M0W7D		
		40M0W7D		

Frequency Information

Fort Wayne (ALLEN), IN - NL 41-08-17; WL 85-08-18

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		

New Haven (ALLEN), IN - NL 41-04-16; WL 85-01-49

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		

Frequency Information

New Haven (ALLEN), IN - NL 41-06-00; WL 85-01-19

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		

Fort Wayne (ALLEN), IN - NL 41-13-33; WL 85-09-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		

Frequency Information

Fort Wayne (ALLEN), IN - NL 41-13-33; WL 85-09-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	50M0W7D	100 W (ERP)	0.001 %
		50M0W7D		

New Haven (ALLEN), IN - NL 41-02-59; WL 85-01-29

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		

Fort Wayne (ALLEN), IN - NL 41-00-24; WL 84-57-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		30M0W7D		
		40M0W7D		

Frequency Information

Fort Wayne (ALLEN), IN - NL 41-00-24; WL 84-57-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		

Hoagland (ALLEN), IN - NL 40-57-34; WL 85-03-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		

Frequency Information

Hoagland, IN - NL 40-56-47; WL 85-03-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		

Monroeville (ALLEN), IN - NL 41-01-22; WL 84-49-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		50M0W7D		
		50M0W7D		

Frequency Information

Monroeville (ALLEN), IN - NL 41-01-22; WL 84-49-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	50M0W7D	100 W (ERP)	0.001 %
		50M0W7D		

Allen (COLLIN), TX - NL 33-07-07; WL 96-37-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

Fort Wayne, IN - NL 41-04-49; WL 85-08-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		

Frequency Information

Fort Wayne, IN - NL 41-04-49; WL 85-08-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

Fort Wayne (ALLEN), IN - NL 41-04-49; WL 85-08-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

Frequency Information

Fort Wayne (ALLEN), IN - NL 41-04-49; WL 85-08-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

Fort Wayne (ALLEN), IN - NL 41-04-49; WL 85-08-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		

Frequency Information

Fort Wayne (ALLEN), IN - NL 41-04-49; WL 85-08-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	40M0W7D 50M0W7D	100 W (ERP)	0.001 %

Fort Wayne (ALLEN), IN - NL 41-04-49; WL 85-08-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D 40M0W7D 50M0W7D 30M0W7D 40M0W7D 50M0W7D 30M0W7D 40M0W7D 50M0W7D 30M0W7D 40M0W7D 50M0W7D 30M0W7D 40M0W7D 50M0W7D	100 W (ERP)	0.001 %

Fort Wayne (ALLEN), IN - NL 41-04-49; WL 85-08-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D 40M0W7D 50M0W7D 30M0W7D	100 W (ERP)	0.001 %

Frequency Information

Fort Wayne (ALLEN), IN - NL 41-04-49; WL 85-08-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	40M0W7D	100 W (ERP)	0.001 %
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

Allen (COLLIN), TX - NL 33-05-35; WL 96-40-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

Frequency Information

Allen (COLLIN), TX - NL 33-05-35; WL 96-40-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

Allen (COLLIN), TX - NL 33-05-35; WL 96-40-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		

Frequency Information

Allen (COLLIN), TX - NL 33-05-35; WL 96-40-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	40M0W7D 50M0W7D	100 W (ERP)	0.001 %

Allen (COLLIN), TX - NL 33-05-35; WL 96-40-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D 40M0W7D 50M0W7D 30M0W7D 40M0W7D 50M0W7D 30M0W7D 40M0W7D 50M0W7D 30M0W7D 40M0W7D 50M0W7D 30M0W7D 40M0W7D 50M0W7D	100 W (ERP)	0.001 %

Allen (COLLIN), TX - NL 33-05-35; WL 96-40-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D 40M0W7D 50M0W7D 30M0W7D	100 W (ERP)	0.001 %

Frequency Information

Allen (COLLIN), TX - NL 33-05-35; WL 96-40-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

Allen (COLLIN), TX - NL 33-05-35; WL 96-40-25

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

Frequency Information

KELLEYS ISLAND (ERIE), OH - NL 41-35-49; WL 82-42-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

KELLEYS ISLAND (ERIE), OH - NL 41-35-49; WL 82-42-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		

Frequency Information

KELLEYS ISLAND (ERIE), OH - NL 41-35-49; WL 82-42-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	40M0W7D	100 W (ERP)	0.001 %
		50M0W7D		

KELLEYS ISLAND (ERIE), OH - NL 41-35-49; WL 82-42-34

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		50M0W7D		

KELLEYS ISLAND (ERIE), OH - NL 41-36-00; WL 82-40-51

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		

Frequency Information

KELLEYS ISLAND (ERIE), OH - NL 41-36-00; WL 82-40-51

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

KELLEYS ISLAND, OH - NL 41-36-18; WL 82-40-55

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

Frequency Information

KELLEYS ISLAND (ERIE), OH - NL 41-35-43; WL 82-41-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

KELLEYS ISLAND (ERIE), OH - NL 41-35-25; WL 82-41-07

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		

Frequency Information

KELLEYS ISLAND (ERIE), OH - NL 41-35-25; WL 82-41-07

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	40M0W7D	100 W (ERP)	0.001 %
		50M0W7D		

KELLEYS ISLAND (ERIE), OH - NL 41-36-43; WL 82-41-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

KELLEYS ISLAND (ERIE), OH - NL 41-35-12; WL 82-41-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		

Frequency Information

KELLEYS ISLAND (ERIE), OH - NL 41-35-12; WL 82-41-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	40M0W7D	100 W (ERP)	0.001 %
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

KELLEYS ISLAND (ERIE), OH - NL 41-35-26; WL 82-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

Frequency Information

KELLEYS ISLAND (ERIE), OH - NL 41-35-12; WL 82-41-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

KELLEYS ISLAND (ERIE), OH - NL 41-35-20; WL 82-41-23

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		

Frequency Information

KELLEYS ISLAND (ERIE), OH - NL 41-35-20; WL 82-41-23

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	40M0W7D	100 W (ERP)	0.001 %
		50M0W7D		

KELLEYS ISLAND (ERIE), OH - NL 41-36-47; WL 82-43-08

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

KELLEYS ISLAND (ERIE), OH - NL 41-35-56; WL 82-43-33

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		

Frequency Information

KELLEYS ISLAND (ERIE), OH - NL 41-35-56; WL 82-43-33

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	40M0W7D	100 W (ERP)	0.001 %
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

KELLEYS ISLAND (ERIE), OH - NL 41-36-03; WL 82-42-38

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

Frequency Information

KELLEYS ISLAND (ERIE), OH - NL 41-36-30; WL 82-41-41

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

KELLEYS ISLAND, OH - NL 41-35-33; WL 82-41-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		

Frequency Information

KELLEYS ISLAND, OH - NL 41-35-33; WL 82-41-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	40M0W7D 50M0W7D	100 W (ERP)	0.001 %

KELLEYS ISLAND (ERIE), OH - NL 41-35-16; WL 82-41-21

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D 40M0W7D 50M0W7D 30M0W7D 40M0W7D 50M0W7D 30M0W7D 40M0W7D 50M0W7D 30M0W7D 40M0W7D 50M0W7D 30M0W7D 40M0W7D 50M0W7D	100 W (ERP)	0.001 %

KELLEYS ISLAND (ERIE), OH - NL 41-35-48; WL 82-40-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D 40M0W7D 50M0W7D 30M0W7D	100 W (ERP)	0.001 %

Frequency Information

KELLEYS ISLAND (ERIE), OH - NL 41-35-48; WL 82-40-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

KELLEYS ISLAND (ERIE), OH - NL 41-36-19; WL 82-41-11

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX		100 W (ERP)	0.001 %
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

Frequency Information

KELLEYS ISLAND (ERIE), OH - NL 41-36-00; WL 82-42-36

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		

KELLEYS ISLAND (ERIE), OH - NL 41-35-11; WL 82-41-37

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D	100 W (ERP)	0.001 %
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		
		40M0W7D		
		50M0W7D		
		30M0W7D		

Frequency Information

KELLEYS ISLAND (ERIE), OH - NL 41-35-11; WL 82-41-37

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	40M0W7D 50M0W7D	100 W (ERP)	0.001 %

KELLEYS ISLAND (ERIE), OH - NL 41-36-10; WL 82-40-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	30M0W7D 40M0W7D 50M0W7D 30M0W7D 40M0W7D 50M0W7D 30M0W7D 40M0W7D 50M0W7D 30M0W7D 40M0W7D 50M0W7D 30M0W7D 40M0W7D 50M0W7D	100 W (ERP)	0.001 %

Special Conditions:

- (1) All customers participating in the experiment shall be informed that this operation is for experimental purposes only and can be cancelled at any time.
- (2) Licensee is required to ensure that trial devices are either rendered inoperable or retrieved by them from trial participants at the conclusion of the trial. Licensee is required to notify trial participants in advance that operation of the trial device is subject to this condition.
- (3) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.

Special Conditions:

- (4) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (5) All transmitting and/or receiving equipment used in the study shall be owned by the licensee.
- (6) Licensee be aware that FSS earth stations are licensed above 3700 MHz and if any interference occurs, the experimental licensee of this authorization will be subject to immediate shut down.
- (7) Operations are on a non-interference basis (NIB) and shall not cause harmful interference to, and shall not claim protection from, interference caused to it by any other lawfully operating station and it shall cease transmission(s) immediately upon notice of such interference and notify the FCC in writing.
- (8) Maintain operation separation from the grandfathered earth stations as defined in Part 90, sub-part Z, or coordinate an agreement with the grandfathered earth station licensees prior to operation in 3550-3700 MHz band.
- (9) Consult the ULS database to ensure that the operation will not cause harmful interference to any existing registered stations in the 3650-3700 MHz, and notify the registered users in the area.
- (10) The applicant only uses up to 20% or less of the total subscriber number of units for the market trial.
- (11) The market trial will not be renewed.
- (12) Non-approved equipment must be labeled.
- (13) Non-approved equipment must be retrieved.