

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
RADIO STATION CONSTRUCTION PERMIT
AND LICENSE**

EXPERIMENTAL

(Nature of Service)

XT FX

(Class of Station)

WJ2XTB

(Call Sign)

0552-EX-CN-2018

(File Number)

NAME Great Lakes Communication Corp.

Subject to the provisions of the Communications Act of 1934, subsequent acts, and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions and requirements set forth in this license, the licensee hereof is hereby authorized to use and operate the radio transmitting facilities hereinafter described for radio communications in accordance with the program of experimentation described by the licensee in its application for license.

Operation: In accordance with Sec. 5.3(k) of the Commission's Rules

Station Locations

- (1) Lake Park (DICKINSON), IA - NL 43-25-49; WL 95-17-54
- (2) Lake Park (DICKINSON), IA - NL 43-25-49; WL 95-17-54
- (3) Lake Park (DICKINSON), IA - NL 43-27-10; WL 97-19-13
- (4) Lake Park (DICKINSON), IA - NL 43-25-49; WL 95-17-54
- (5) Lake Park (DICKINSON), IA - NL 43-27-10; WL 97-19-13
- (6) Spirit Lake (DICKINSON), IA - NL 43-25-58; WL 95-06-50
- (7) Spirit Lake (DICKINSON), IA - NL 43-25-58; WL 95-06-50
- (8) Spirit Lake (DICKINSON), IA - NL 43-25-58; WL 95-06-50
- (9) Spirit Lake (DICKINSON), IA - NL 43-24-14; WL 95-03-45
- (10) Spirit Lake (DICKINSON), IA - NL 43-24-14; WL 95-03-45
- (11) Millford (DICKINSON), IA - NL 43-19-33; WL 95-08-49
- (12) Millford (DICKINSON), IA - NL 43-19-33; WL 95-08-49
- (13) Millford (DICKINSON), IA - NL 43-19-33; WL 95-08-49
- (14) Millford (DICKINSON), IA - NL 43-19-27; WL 95-12-30
- (15) Spencer (CLAY), IA - NL 43-08-40; WL 95-09-03
- (16) Spencer (CLAY), IA - NL 43-08-40; WL 95-09-03
- (17) Spencer (CLAY), IA - NL 43-08-40; WL 95-09-03
- (18) Spencer (CLAY), IA - NL 43-06-43; WL 95-07-15
- (19) Spencer (CLAY), IA - NL 43-06-43; WL 95-07-15
- (20) Spencer (CLAY), IA - NL 43-06-43; WL 95-07-15
- (21) Greenville (CLAY), IA - NL 43-00-59; WL 95-08-52
- (22) Sioux Rapids (CLAY), IA - NL 42-54-35; WL 95-09-46
- (23) Sioux Rapids (CLAY), IA - NL 42-56-15; WL 95-08-42
- (24) Sioux Rapids (CLAY), IA - NL 42-56-15; WL 95-08-42
- (25) Sioux Rapids (CLAY), IA - NL 42-56-15; WL 95-08-42

This authorization effective February 04, 2019 and
will expire 3:00 A.M. EST February 01, 2020

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

- (26) Webb (CLAY), IA - NL 42-56-57; WL 95-00-44
- (27) Webb (CLAY), IA - NL 42-56-57; WL 95-00-44
- (28) Webb (CLAY), IA - NL 42-56-57; WL 95-00-44
- (29) Webb (CLAY), IA - NL 42-56-57; WL 95-00-44
- (30) Langdon (CLAY), IA - NL 43-12-52; WL 95-05-10
- (31) Superior (DICKINSON), IA - NL 43-25-55; WL 94-56-49
- (32) Fostoria (CLAY), IA - NL 43-14-33; WL 95-09-12
- (33) Fostoria (CLAY), IA - NL 43-14-33; WL 95-09-12
- (34) Terril (DICKINSON), IA - NL 43-18-19; WL 94-58-01
- (35) Terril (DICKINSON), IA - NL 43-18-19; WL 94-58-01
- (36) Peterson (CLAY), IA - NL 42-54-32; WL 95-20-46
- (37) Peterson (CLAY), IA - NL 42-54-32; WL 95-20-46
- (38) Peterson (CLAY), IA - NL 42-54-32; WL 95-20-46
- (39) Everly (CLAY), IA - NL 43-09-42; WL 95-19-33
- (40) Everly (CLAY), IA - NL 43-09-42; WL 95-19-33
- (41) Everly (CLAY), IA - NL 43-09-42; WL 95-19-33
- (42) Everly (CLAY), IA - NL 43-09-42; WL 95-19-33

Frequency Information

Lake Park (DICKINSON), IA - NL 43-25-49; WL 95-17-54

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Lake Park (DICKINSON), IA - NL 43-25-49; WL 95-17-54

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Frequency Information

Lake Park (DICKINSON), IA - NL 43-27-10; WL 97-19-13

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Lake Park (DICKINSON), IA - NL 43-25-49; WL 95-17-54

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Lake Park (DICKINSON), IA - NL 43-27-10; WL 97-19-13

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Spirit Lake (DICKINSON), IA - NL 43-25-58; WL 95-06-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Frequency Information

Spirit Lake (DICKINSON), IA - NL 43-25-58; WL 95-06-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Spirit Lake (DICKINSON), IA - NL 43-25-58; WL 95-06-50

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Spirit Lake (DICKINSON), IA - NL 43-24-14; WL 95-03-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Spirit Lake (DICKINSON), IA - NL 43-24-14; WL 95-03-45

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Frequency Information

Millford (DICKINSON), IA - NL 43-19-33; WL 95-08-49

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Millford (DICKINSON), IA - NL 43-19-33; WL 95-08-49

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Millford (DICKINSON), IA - NL 43-19-33; WL 95-08-49

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Millford (DICKINSON), IA - NL 43-19-27; WL 95-12-30

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Frequency Information

Spencer (CLAY), IA - NL 43-08-40; WL 95-09-03

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Spencer (CLAY), IA - NL 43-08-40; WL 95-09-03

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Spencer (CLAY), IA - NL 43-08-40; WL 95-09-03

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Spencer (CLAY), IA - NL 43-06-43; WL 95-07-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Frequency Information

Spencer (CLAY), IA - NL 43-06-43; WL 95-07-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Spencer (CLAY), IA - NL 43-06-43; WL 95-07-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Greenville (CLAY), IA - NL 43-00-59; WL 95-08-52

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Sioux Rapids (CLAY), IA - NL 42-54-35; WL 95-09-46

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Frequency Information

Sioux Rapids (CLAY), IA - NL 42-56-15; WL 95-08-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Sioux Rapids (CLAY), IA - NL 42-56-15; WL 95-08-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Sioux Rapids (CLAY), IA - NL 42-56-15; WL 95-08-42

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Webb (CLAY), IA - NL 42-56-57; WL 95-00-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Frequency Information

Webb (CLAY), IA - NL 42-56-57; WL 95-00-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Webb (CLAY), IA - NL 42-56-57; WL 95-00-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Webb (CLAY), IA - NL 42-56-57; WL 95-00-44

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Langdon (CLAY), IA - NL 43-12-52; WL 95-05-10

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Frequency Information

Superior (DICKINSON), IA - NL 43-25-55; WL 94-56-49

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Fostoria (CLAY), IA - NL 43-14-33; WL 95-09-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Fostoria (CLAY), IA - NL 43-14-33; WL 95-09-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Terril (DICKINSON), IA - NL 43-18-19; WL 94-58-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Frequency Information

Terril (DICKINSON), IA - NL 43-18-19; WL 94-58-01

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Peterson (CLAY), IA - NL 42-54-32; WL 95-20-46

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Peterson (CLAY), IA - NL 42-54-32; WL 95-20-46

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Peterson (CLAY), IA - NL 42-54-32; WL 95-20-46

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Frequency Information

Everly (CLAY), IA - NL 43-09-42; WL 95-19-33

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Everly (CLAY), IA - NL 43-09-42; WL 95-19-33

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Everly (CLAY), IA - NL 43-09-42; WL 95-19-33

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Everly (CLAY), IA - NL 43-09-42; WL 95-19-33

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
3550-3700 MHz	FX	10M0W7D	6097 mW (ERP)	

Special Conditions:

- (1) All transmitting and/or receiving equipment used in the study shall be owned by the licensee.
- (2) Licensee is required to ensure that trial devices are either rendered inoperable or retrieved by them from trial participants at the conclusion of the trial. Licensee is required to notify trial participants in advance that operation of the trial device is subject to this condition.

Special Conditions:

- (3) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (4) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.
- (5) All customers participating in the experiment shall be informed that this operation is for experimental purposes only and can be cancelled at any time.
- (6) Licensee be aware that FSS earth stations are licensed above 3700 MHz and if any interference occurs, the experimental licensee of this authorization will be subject to immediate shut down.
- (7) Operations are on a non-interference basis (NIB) and shall not cause harmful interference to, and shall not claim protection from, interference caused to it by any other lawfully operating station and it shall cease transmission(s) immediately upon notice of such interference and notify the FCC in writing.
- (8) Grant of this authorization is without prejudice to any determination that the Commission may make regarding pending or future experimental satellite earth station applications.
- (9) The applicant shall maintain operation separation from the grandfathered earth stations as defined in Part 90, Sub-part Z, or coordinate an agreement with the grandfathered earth station licensees prior to operation in 3550-3700 MHz band.
- (10) The applicant shall consult the ULS database to ensure that the operation will not cause harmful interference to any existing registered stations in the 3650-3700 MHz band, and notify the registered users in the proposed geographic areas.
- (11) The market trial will not be renewed.
- (12) Non-approved equipment must be labeled.
- (13) Non-approved equipment must be retrieved.