

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
RADIO STATION CONSTRUCTION PERMIT
AND LICENSE**

EXPERIMENTAL

(Nature of Service)

KA2XTH

(Call Sign)

XD MO

(Class of Station)

0273-EX-RR-2010

(File Number)

NAME Harris Corporation

Subject to the provisions of the Communications Act of 1934, subsequent acts, and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions and requirements set forth in this license, the licensee hereof is hereby authorized to use and operate the radio transmitting facilities hereinafter described for radio communications in accordance with the program of experimentation described by the licensee in its application for license.

Operation: In accordance with Sec. 5.3(i, f) of the Commission's Rules

Station Locations

(1) MOBILE: Within Continental U.S.

Frequency Information

MOBILE: Within Continental U.S.

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2080.4 kHz	MO	2K80R3E 2K80J3E	150 W (ERP)	0.005 %
2087.4 kHz	MO	2K80R3E 2K80J3E	150 W (ERP)	0.005 %
2097.9 kHz	MO	2K80R3E 2K80J3E	150 W (ERP)	0.005 %
2159.4 kHz	MO	2K80R3E	150 W (ERP)	0.005 %

This authorization effective November 01, 2010 and
will expire 3:00 A.M. EST November 01, 2015

**FEDERAL
COMMUNICATIONS
COMMISSION**



Frequency Information

MOBILE: Within Continental U.S.

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2159.4 kHz	MO	2K80J3E	150 W (ERP)	0.005 %
2167.4 kHz	MO	2K80R3E 2K80J3E	150 W (ERP)	0.005 %
2199.4 kHz	MO	2K80R3E 2K80J3E	150 W (ERP)	0.005 %
2739.4 kHz	MO	2K80R3E 2K80J3E	150 W (ERP)	0.005 %
2783.4 kHz	MO	2K80R3E 2K80J3E	150 W (ERP)	0.005 %
4147.4 kHz	MO	2K80R3E	1000 W (ERP)	0.005 %
4150.4 kHz	MO	2K80R3E	1000 W (ERP)	0.005 %
4172.5 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
4176.5 kHz	MO	300HF1B	1000 W (ERP)	0.005 %

Frequency Information

MOBILE: Within Continental U.S.

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
4179.5 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
4214.5 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
4418.4 kHz	MO	2K80J3E	1000 W (ERP)	0.005 %
6225.4 kHz	MO	2K80J3E	1000 W (ERP)	0.005 %
6228.4 kHz	MO	2K80J3E	1000 W (ERP)	0.005 %
6231.4 kHz	MO	2K80J3E	1000 W (ERP)	0.005 %
6263 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
6267 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
6274.5 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
6318.5 kHz	MO	300HF1B	1000 W (ERP)	0.005 %

Frequency Information

MOBILE: Within Continental U.S.

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
8295.4 kHz	MO	2K80J3E	1000 W (ERP)	0.005 %
8298.4 kHz	MO	2K80J3E	1000 W (ERP)	0.005 %
8378.5 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
8380.5 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
8381.5 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
8390 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
8420.5 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
12357.4 kHz	MO	2K80J3E	1000 W (ERP)	0.005 %
12360.4 kHz	MO	2K80J3E	1000 W (ERP)	0.005 %
12477 kHz	MO	300HF1B	1000 W (ERP)	0.005 %

Frequency Information

MOBILE: Within Continental U.S.

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
12478 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
12479 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
12481 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
12482 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
12483.5 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
12486 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
12486.5 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
16529.4 kHz	MO	2K80J3E	1000 W (ERP)	0.005 %
16532.4 kHz	MO	2K80J3E	1000 W (ERP)	0.005 %
16535.4 kHz	MO	2K80J3E	1000 W (ERP)	0.005 %

Frequency Information

MOBILE: Within Continental U.S.

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
16684.5 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
16685.5 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
16687.5 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
16692.5 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
16695.5 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
16696.5 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
16811 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
22160.4 kHz	MO	2K80J3E	1000 W (ERP)	0.005 %
22163.4 kHz	MO	2K80J3E	1000 W (ERP)	0.005 %
22166.4 kHz	MO	2K80J3E	1000 W (ERP)	0.005 %

Frequency Information

MOBILE: Within Continental U.S.

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
22169.4 kHz	MO	2K80J3E	1000 W (ERP)	0.005 %
22172.4 kHz	MO	2K80J3E	1000 W (ERP)	0.005 %
22288.5 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
22297 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
22380.5 kHz	MO	300HF1B	1000 W (ERP)	0.005 %
30.88 MHz	MO	2K80J3E 16K0F3E	100 W (ERP)	0.005 %
31 MHz	MO	2K80J3E 16K0F3E	100 W (ERP)	0.005 %
35.06 MHz	MO	2K80J3E 16K0F3E	100 W (ERP)	0.005 %
43 MHz	MO	2K80J3E 16K0F3E	100 W (ERP)	0.005 %
72.02 MHz	MO	2K80J3E	100 W (ERP)	0.005 %

Frequency Information

MOBILE: Within Continental U.S.

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
72.02 MHz	MO	16K0F3E	100 W (ERP)	0.005 %
75.7 MHz	MO	2K80J3E 16K0F3E	100 W (ERP)	0.005 %
156.3 MHz	MO	16K0F3E	25 W (ERP)	0.005 %
156.35 MHz	MO	16K0F3E	25 W (ERP)	0.005 %
156.4 MHz	MO	16K0F3E	25 W (ERP)	0.005 %
156.45 MHz	MO	16K0F3E	25 W (ERP)	0.005 %
156.5 MHz	MO	16K0F3E	25 W (ERP)	0.005 %
156.55 MHz	MO	16K0F3E	25 W (ERP)	0.005 %
156.6 MHz	MO	16K0F3E	25 W (ERP)	0.005 %
156.65 MHz	MO	16K0F3E	25 W (ERP)	0.005 %

Frequency Information

MOBILE: Within Continental U.S.

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
156.7 MHz	MO	16K0F3E	25 W (ERP)	0.005 %
156.8 MHz	MO	16K0F3E	25 W (ERP)	0.005 %
156.9 MHz	MO	16K0F3E	25 W (ERP)	0.005 %
156.95 MHz	MO	16K0F3E	25 W (ERP)	0.005 %
157 MHz	MO	16K0F3E	25 W (ERP)	0.005 %
157.2 MHz	MO	16K0F3E	25 W (ERP)	0.005 %
157.25 MHz	MO	16K0F3E	25 W (ERP)	0.005 %
157.3 MHz	MO	16K0F3E	25 W (ERP)	0.005 %
157.35 MHz	MO	16K0F3E	25 W (ERP)	0.005 %
157.4 MHz	MO	16K0F3E	25 W (ERP)	0.005 %

Frequency Information

MOBILE: Within Continental U.S.

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
157.53 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
157.545 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
157.56 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
157.575 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
157.59 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
157.605 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
157.62 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
157.635 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
157.65 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
157.665 MHz	MO	16K0F3E	55 W (ERP)	0.005 %

Frequency Information

MOBILE: Within Continental U.S.

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
157.68 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
157.695 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
157.71 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
157.77 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
157.8 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
157.83 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
157.86 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
157.89 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
157.92 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
157.95 MHz	MO	16K0F3E	55 W (ERP)	0.005 %

Frequency Information

MOBILE: Within Continental U.S.

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
157.98 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
158.01 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
158.04 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
158.07 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
158.49 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
158.52 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
158.55 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
158.58 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
158.61 MHz	MO	16K0F3E	55 W (ERP)	0.005 %
158.64 MHz	MO	16K0F3E	55 W (ERP)	0.005 %

Frequency Information

MOBILE: Within Continental U.S.

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
158.65 MHz	MO	16K0F3E	55 W (ERP)	0.005 %

Special Conditions:

- (1) 156.8 MHz is to be used for calling and safety only.
- (2) 2739.4 KHz shall not be used in the Gulf of Mexico.