

United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
RADIO STATION CONSTRUCTION PERMIT
AND LICENSE

EXPERIMENTAL

(Nature of Service)

WC2XZK

(Call Sign)

XD FX MO

(Class of Station)

0205-EX-PL-2002

(File Number)

NAME M/A COM PRIVATE RADIO SYSTEMS INC

Subject to the provisions of the Communications Act of 1934, subsequent acts, and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions and requirements set forth in this license, the licensee hereof is hereby authorized to use and operate the radio transmitting facilities hereinafter described for radio communications in accordance with the program of experimentation described by the licensee in its application for license.

Operation: In accordance with Sec. 5.3(i) of the Commission's Rules

Station Locations

- (1) LYNCHBURG (CAMPBELL), VA - NL 37-24-30; WL 79-12-53; MOBILE: LYNCHBURG (CAMPBELL), VA WITHIN 80 KM OF COORDINATES, within 80 km, centered around NL 37-24-30; WL 79-12-53
- (2) LYNCHBURG (CAMPBELL), VA - NL 37-20-57; WL 79-10-05; MOBILE: LYNCHBURG (CAMPBELL), VA WITHIN 80 KM OF COORDINATES, within 80 km, centered around NL 37-20-57; WL 79-10-05

Frequency Information

LYNCHBURG (CAMPBELL), VA - NL 37-24-30; WL 79-12-53; MOBILE: LYNCHBURG (CAMPBELL), VA WITHIN 80 KM OF

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
25-50 MHz	FX	11K2F3E	500 W (ERP)	0.0005 %
25-50 MHz	FX	11K2F1D	500 W (ERP)	0.0005 %
25-50 MHz	FX	11K2DXW	500 W (ERP)	0.0005 %
25-50 MHz	FX	14K0F9W	500 W (ERP)	0.0005 %
25-50 MHz	FX	15K0F1D	500 W (ERP)	0.0005 %
25-50 MHz	FX	15K0F2B	500 W (ERP)	0.0005 %
25-50 MHz	FX	15K0F2D	500 W (ERP)	0.0005 %
25-50 MHz	FX	15K0F1E	500 W (ERP)	0.0005 %
25-50 MHz	FX	16K0F2D	500 W (ERP)	0.0005 %
25-50 MHz	FX	16K0F3E	500 W (ERP)	0.0005 %
25-50 MHz	FX	16K0A3N	500 W (ERP)	0.0005 %
25-50 MHz	FX	20K0F1E	500 W (ERP)	0.0005 %

This authorization effective May 28, 2003 and
will expire 3:00 A.M. EST June 01, 2005

**FEDERAL
COMMUNICATIONS
COMMISSION**



Frequency Information

LYNCHBURG (CAMPBELL), VA - NL 37-24-30; WL 79-12-53; MOBILE: LYNCHBURG (CAMPBELL), VA WITHIN 80 KM OF

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
25-50 MHz	MO	11K2F3E	500 W (ERP)	0.0005 %
25-50 MHz	MO	11K2F1D	500 W (ERP)	0.0005 %
25-50 MHz	MO	11K2DXW	500 W (ERP)	0.0005 %
25-50 MHz	MO	14K0F9W	500 W (ERP)	0.0005 %
25-50 MHz	MO	15K0F1D	500 W (ERP)	0.0005 %
25-50 MHz	MO	15K0F2B	500 W (ERP)	0.0005 %
25-50 MHz	MO	15K0F2D	500 W (ERP)	0.0005 %
25-50 MHz	MO	15K0F1E	500 W (ERP)	0.0005 %
25-50 MHz	MO	16K0F2D	500 W (ERP)	0.0005 %
25-50 MHz	MO	16K0F3E	500 W (ERP)	0.0005 %
25-50 MHz	MO	16K0A3N	500 W (ERP)	0.0005 %
25-50 MHz	MO	20K0F1E	500 W (ERP)	0.0005 %
150-162.0125 MHz	FX	16K0F2D	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	16K0F3E	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	16K0A3N	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	20K0F1E	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	11K2F3E	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	11K2F1D	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	11K2DXW	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	14K0F9W	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	15K0F1D	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	15K0F2B	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	15K0F2D	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	15K0F1E	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	15K0F2B	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	15K0F1D	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	14K0F9W	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	11K2DXW	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	11K2F1D	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	11K2F3E	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	20K0F1E	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	16K0A3N	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	16K0F3E	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	16K0F2D	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	15K0F1E	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	15K0F2D	250 W (ERP)	0.0005 %
162.0125-173.2 MHz	FX	11K2F3E	250 W (ERP)	0.0005 %
162.0125-173.2 MHz	FX	11K2F1D	250 W (ERP)	0.0005 %
162.0125-173.2 MHz	FX	11K2DXW	250 W (ERP)	0.0005 %

Frequency Information

LYNCHBURG (CAMPBELL), VA - NL 37-24-30; WL 79-12-53; MOBILE: LYNCHBURG (CAMPBELL), VA WITHIN 80 KM OF

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
162.0125-173.2 MHz	MO	11K2F3E	250 W (ERP)	0.0005 %
162.0125-173.2 MHz	MO	11K2F1D	250 W (ERP)	0.0005 %
162.0125-173.2 MHz	MO	11K2DXW	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	20K0F1E	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	16K0A3N	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	16K0F3E	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	16K0F2D	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	15K0F1E	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	15K0F2D	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	15K0F2B	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	15K0F1D	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	14K0F9W	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	11K2DXW	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	11K2F1D	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	11K2F3E	250 W (ERP)	0.0005 %
173.2-174 MHz	MO	11K2DXW	250 W (ERP)	0.0005 %
173.2-174 MHz	MO	11K2F1D	250 W (ERP)	0.0005 %
173.2-174 MHz	MO	11K2F3E	250 W (ERP)	0.0005 %
450-512 MHz	FX	11K2F3E	250 W (ERP)	0.0005 %
450-512 MHz	FX	11K2F1D	250 W (ERP)	0.0005 %
450-512 MHz	FX	11K2DXW	250 W (ERP)	0.0005 %
450-512 MHz	FX	14K0F9W	250 W (ERP)	0.0005 %
450-512 MHz	FX	15K0F1D	250 W (ERP)	0.0005 %
450-512 MHz	FX	15K0F2B	250 W (ERP)	0.0005 %
450-512 MHz	FX	15K0F2D	250 W (ERP)	0.0005 %
450-512 MHz	FX	15K0F1E	250 W (ERP)	0.0005 %
450-512 MHz	FX	16K0F2D	250 W (ERP)	0.0005 %
450-512 MHz	FX	16K0F3E	250 W (ERP)	0.0005 %
450-512 MHz	FX	16K0A3N	250 W (ERP)	0.0005 %
450-512 MHz	FX	20K0F1E	250 W (ERP)	0.0005 %
450-512 MHz	MO	11K2F3E	250 W (ERP)	0.0005 %
450-512 MHz	MO	11K2F1D	250 W (ERP)	0.0005 %
450-512 MHz	MO	11K2DXW	250 W (ERP)	0.0005 %
450-512 MHz	MO	14K0F9W	250 W (ERP)	0.0005 %
450-512 MHz	MO	15K0F1D	250 W (ERP)	0.0005 %
450-512 MHz	MO	15K0F2B	250 W (ERP)	0.0005 %
450-512 MHz	MO	15K0F2D	250 W (ERP)	0.0005 %
450-512 MHz	MO	15K0F1E	250 W (ERP)	0.0005 %
450-512 MHz	MO	16K0F3E	250 W (ERP)	0.0005 %

Frequency Information

LYNCHBURG (CAMPBELL), VA - NL 37-24-30; WL 79-12-53; MOBILE: LYNCHBURG (CAMPBELL), VA WITHIN 80 KM OF

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
450-512 MHz	MO	16K0A3N	250 W (ERP)	0.0005 %
450-512 MHz	MO	20K0F1E	250 W (ERP)	0.0005 %
450-512 MHz	MO	16K0F2D	250 W (ERP)	0.0005 %
806-821 MHz	FX	11K2F3E	100 W (ERP)	0.0005 %
806-821 MHz	FX	11K2F1D	100 W (ERP)	0.0005 %
806-821 MHz	FX	11K2DXW	100 W (ERP)	0.0005 %
806-821 MHz	FX	15K0F1D	100 W (ERP)	0.0005 %
806-821 MHz	FX	15K0F2B	100 W (ERP)	0.0005 %
806-821 MHz	FX	15K0F2D	100 W (ERP)	0.0005 %
806-821 MHz	FX	15K0F1E	100 W (ERP)	0.0005 %
806-821 MHz	FX	16K0F2D	100 W (ERP)	0.0005 %
806-821 MHz	FX	14K0F9W	100 W (ERP)	0.0005 %
806-821 MHz	FX	16K0F3E	100 W (ERP)	0.0005 %
806-821 MHz	FX	16K0A3N	100 W (ERP)	0.0005 %
806-821 MHz	FX	36K0F3E	100 W (ERP)	0.0005 %
806-821 MHz	MO	11K2F3E	100 W (ERP)	0.0005 %
806-821 MHz	MO	11K2F1D	100 W (ERP)	0.0005 %
806-821 MHz	MO	11K2DXW	100 W (ERP)	0.0005 %
806-821 MHz	MO	14K0F9W	100 W (ERP)	0.0005 %
806-821 MHz	FX	20K0F1E	100 W (ERP)	0.0005 %
806-821 MHz	MO	15K0F1D	100 W (ERP)	0.0005 %
806-821 MHz	MO	15K0F2B	100 W (ERP)	0.0005 %
806-821 MHz	MO	15K0F1E	100 W (ERP)	0.0005 %
806-821 MHz	MO	16K0F2D	100 W (ERP)	0.0005 %
806-821 MHz	MO	16K0F3E	100 W (ERP)	0.0005 %
806-821 MHz	MO	16K0A3N	100 W (ERP)	0.0005 %
806-821 MHz	MO	20K0F1E	100 W (ERP)	0.0005 %
806-821 MHz	MO	15K0F2D	100 W (ERP)	0.0005 %
806-821 MHz	MO	36K0F3E	100 W (ERP)	0.0005 %
851-866 MHz	FX	11K2F1D	500 W (ERP)	0.0005 %
851-866 MHz	FX	11K2DXW	500 W (ERP)	0.0005 %
851-866 MHz	FX	14K0F9W	500 W (ERP)	0.0005 %
851-866 MHz	FX	15K0F1D	500 W (ERP)	0.0005 %
851-866 MHz	FX	15K0F2B	500 W (ERP)	0.0005 %
851-866 MHz	FX	15K0F2D	500 W (ERP)	0.0005 %
851-866 MHz	FX	11K2F3E	500 W (ERP)	0.0005 %
851-866 MHz	FX	15K0F1E	500 W (ERP)	0.0005 %
851-866 MHz	FX	16K0F3E	500 W (ERP)	0.0005 %
851-866 MHz	FX	16K0A3N	500 W (ERP)	0.0005 %

Frequency Information

LYNCHBURG (CAMPBELL), VA - NL 37-24-30; WL 79-12-53; MOBILE: LYNCHBURG (CAMPBELL), VA WITHIN 80 KM OF

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
851-866 MHz	FX	20K0F1E	500 W (ERP)	0.0005 %
851-866 MHz	FX	36K0F3E	500 W (ERP)	0.0005 %
851-866 MHz	MO	11K2F3E	500 W (ERP)	0.0005 %
851-866 MHz	MO	11K2F1D	500 W (ERP)	0.0005 %
851-866 MHz	FX	16K0F2D	500 W (ERP)	0.0005 %
851-866 MHz	MO	14K0F9W	500 W (ERP)	0.0005 %
851-866 MHz	MO	15K0F1D	500 W (ERP)	0.0005 %
851-866 MHz	MO	15K0F2B	500 W (ERP)	0.0005 %
851-866 MHz	MO	15K0F2D	500 W (ERP)	0.0005 %
851-866 MHz	MO	15K0F1E	500 W (ERP)	0.0005 %
851-866 MHz	MO	16K0F2D	500 W (ERP)	0.0005 %
851-866 MHz	MO	16K0F3E	500 W (ERP)	0.0005 %
851-866 MHz	MO	11K2DXW	500 W (ERP)	0.0005 %
851-866 MHz	MO	20K0F1E	500 W (ERP)	0.0005 %
851-866 MHz	MO	36K0F3E	500 W (ERP)	0.0005 %
851-866 MHz	MO	16K0A3N	500 W (ERP)	0.0005 %
896-901 MHz	FX	11K2F3E	500 W (ERP)	0.0005 %
896-901 MHz	FX	11K2F1D	500 W (ERP)	0.0005 %
896-901 MHz	FX	11K2DXW	500 W (ERP)	0.0005 %
896-901 MHz	FX	14K0F9W	500 W (ERP)	0.0005 %
896-901 MHz	FX	15K0F1D	500 W (ERP)	0.0005 %
896-901 MHz	FX	15K0F2D	500 W (ERP)	0.0005 %
896-901 MHz	FX	15K0F1E	500 W (ERP)	0.0005 %
896-901 MHz	FX	16K0F2D	500 W (ERP)	0.0005 %
896-901 MHz	FX	16K0F3E	500 W (ERP)	0.0005 %
896-901 MHz	FX	16K0A3N	500 W (ERP)	0.0005 %
896-901 MHz	FX	20K0F1E	500 W (ERP)	0.0005 %
896-901 MHz	MO	11K2F3E	500 W (ERP)	0.0005 %
896-901 MHz	FX	15K0F2B	500 W (ERP)	0.0005 %
896-901 MHz	MO	11K2F1D	500 W (ERP)	0.0005 %
896-901 MHz	MO	11K2DXW	500 W (ERP)	0.0005 %
896-901 MHz	MO	14K0F9W	500 W (ERP)	0.0005 %
896-901 MHz	MO	15K0F1D	500 W (ERP)	0.0005 %
896-901 MHz	MO	15K0F2B	500 W (ERP)	0.0005 %
896-901 MHz	MO	15K0F2D	500 W (ERP)	0.0005 %
896-901 MHz	MO	16K0F2D	500 W (ERP)	0.0005 %
896-901 MHz	FX	36K0F3E	500 W (ERP)	0.0005 %
896-901 MHz	MO	16K0F3E	500 W (ERP)	0.0005 %
896-901 MHz	MO	16K0A3N	500 W (ERP)	0.0005 %

Frequency Information

LYNCHBURG (CAMPBELL), VA - NL 37-24-30; WL 79-12-53; MOBILE: LYNCHBURG (CAMPBELL), VA WITHIN 80 KM OF

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
896-901 MHz	MO	20K0F1E	500 W (ERP)	0.0005 %
896-901 MHz	MO	36K0F3E	500 W (ERP)	0.0005 %
896-901 MHz	MO	15K0F1E	500 W (ERP)	0.0005 %
935-940 MHz	FX	11K2F3E	500 W (ERP)	0.0005 %
935-940 MHz	FX	11K2DXW	500 W (ERP)	0.0005 %
935-940 MHz	FX	14K0F9W	500 W (ERP)	0.0005 %
935-940 MHz	FX	15K0F1D	500 W (ERP)	0.0005 %
935-940 MHz	FX	15K0F2B	500 W (ERP)	0.0005 %
935-940 MHz	FX	15K0F2D	500 W (ERP)	0.0005 %
935-940 MHz	FX	15K0F1E	500 W (ERP)	0.0005 %
935-940 MHz	FX	16K0F2D	500 W (ERP)	0.0005 %
935-940 MHz	FX	16K0A3N	500 W (ERP)	0.0005 %
935-940 MHz	FX	20K0F1E	500 W (ERP)	0.0005 %
935-940 MHz	FX	11K2F1D	500 W (ERP)	0.0005 %
935-940 MHz	FX	36K0F3E	500 W (ERP)	0.0005 %
935-940 MHz	MO	11K2F3E	500 W (ERP)	0.0005 %
935-940 MHz	MO	11K2F1D	500 W (ERP)	0.0005 %
935-940 MHz	MO	11K2DXW	500 W (ERP)	0.0005 %
935-940 MHz	MO	14K0F9W	500 W (ERP)	0.0005 %
935-940 MHz	MO	15K0F2B	500 W (ERP)	0.0005 %
935-940 MHz	MO	15K0F2D	500 W (ERP)	0.0005 %
935-940 MHz	FX	16K0F3E	500 W (ERP)	0.0005 %
935-940 MHz	MO	15K0F1E	500 W (ERP)	0.0005 %
935-940 MHz	MO	16K0F2D	500 W (ERP)	0.0005 %
935-940 MHz	MO	16K0F3E	500 W (ERP)	0.0005 %
935-940 MHz	MO	16K0A3N	500 W (ERP)	0.0005 %
935-940 MHz	MO	36K0F3E	500 W (ERP)	0.0005 %
935-940 MHz	MO	15K0F1D	500 W (ERP)	0.0005 %
935-940 MHz	MO	20K0F1E	500 W (ERP)	0.0005 %

LYNCHBURG (CAMPBELL), VA - NL 37-20-57; WL 79-10-05; MOBILE: LYNCHBURG (CAMPBELL), VA WITHIN 80 KM OF

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
25-50 MHz	FX	11K2F3E	500 W (ERP)	0.0005 %
25-50 MHz	FX	11K2F1D	500 W (ERP)	0.0005 %
25-50 MHz	FX	11K2DXW	500 W (ERP)	0.0005 %
25-50 MHz	FX	14K0F9W	500 W (ERP)	0.0005 %

Frequency Information

LYNCHBURG (CAMPBELL), VA - NL 37-20-57; WL 79-10-05; MOBILE: LYNCHBURG (CAMPBELL), VA WITHIN 80 KM OF

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
25-50 MHz	FX	15K0F1D	500 W (ERP)	0.0005 %
25-50 MHz	FX	15K0F2B	500 W (ERP)	0.0005 %
25-50 MHz	FX	15K0F1E	500 W (ERP)	0.0005 %
25-50 MHz	FX	16K0F2D	500 W (ERP)	0.0005 %
25-50 MHz	FX	16K0F3E	500 W (ERP)	0.0005 %
25-50 MHz	FX	16K0A3N	500 W (ERP)	0.0005 %
25-50 MHz	FX	20K0F1E	500 W (ERP)	0.0005 %
25-50 MHz	MO	11K2F3E	500 W (ERP)	0.0005 %
25-50 MHz	MO	11K2F1D	500 W (ERP)	0.0005 %
25-50 MHz	MO	14K0F9W	500 W (ERP)	0.0005 %
25-50 MHz	MO	15K0F1D	500 W (ERP)	0.0005 %
25-50 MHz	MO	15K0F2B	500 W (ERP)	0.0005 %
25-50 MHz	MO	15K0F2D	500 W (ERP)	0.0005 %
25-50 MHz	MO	15K0F1E	500 W (ERP)	0.0005 %
25-50 MHz	FX	15K0F2D	500 W (ERP)	0.0005 %
25-50 MHz	MO	16K0F2D	500 W (ERP)	0.0005 %
25-50 MHz	MO	16K0A3N	500 W (ERP)	0.0005 %
25-50 MHz	MO	20K0F1E	500 W (ERP)	0.0005 %
25-50 MHz	MO	11K2DXW	500 W (ERP)	0.0005 %
25-50 MHz	MO	16K0F3E	500 W (ERP)	0.0005 %
150-162.0125 MHz	MO	11K2F3E	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	11K2F1D	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	11K2DXW	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	14K0F9W	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	15K0F1D	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	15K0F2B	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	15K0F1E	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	16K0F2D	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	16K0F3E	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	16K0A3N	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	20K0F1E	250 W (ERP)	0.0005 %
150-162.0125 MHz	MO	15K0F2D	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	11K2F3E	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	11K2DXW	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	14K0F9W	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	15K0F1D	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	15K0F2B	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	15K0F2D	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	15K0F1E	250 W (ERP)	0.0005 %

Frequency Information

LYNCHBURG (CAMPBELL), VA - NL 37-20-57; WL 79-10-05; MOBILE: LYNCHBURG (CAMPBELL), VA WITHIN 80 KM OF

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
150-162.0125 MHz	FX	16K0F3E	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	16K0A3N	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	20K0F1E	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	11K2F1D	250 W (ERP)	0.0005 %
150-162.0125 MHz	FX	16K0F2D	250 W (ERP)	0.0005 %
162.0125-173.2 MHz	MO	11K2DXW	250 W (ERP)	0.0005 %
162.0125-173.2 MHz	MO	11K2F1D	250 W (ERP)	0.0005 %
162.0125-173.2 MHz	MO	11K2F3E	250 W (ERP)	0.0005 %
162.0125-173.2 MHz	FX	11K2DXW	250 W (ERP)	0.0005 %
162.0125-173.2 MHz	FX	11K2F1D	250 W (ERP)	0.0005 %
162.0125-173.2 MHz	FX	11K2F3E	250 W (ERP)	0.0005 %
173.2-174 MHz	MO	20K0F1E	250 W (ERP)	0.0005 %
173.2-174 MHz	MO	16K0A3N	250 W (ERP)	0.0005 %
173.2-174 MHz	MO	16K0F3E	250 W (ERP)	0.0005 %
173.2-174 MHz	MO	15K0F1E	250 W (ERP)	0.0005 %
173.2-174 MHz	MO	15K0F2D	250 W (ERP)	0.0005 %
173.2-174 MHz	MO	15K0F2B	250 W (ERP)	0.0005 %
173.2-174 MHz	MO	15K0F1D	250 W (ERP)	0.0005 %
173.2-174 MHz	MO	14K0F9W	250 W (ERP)	0.0005 %
173.2-174 MHz	MO	11K2DXW	250 W (ERP)	0.0005 %
173.2-174 MHz	MO	11K2F3E	250 W (ERP)	0.0005 %
173.2-174 MHz	MO	16K0F2D	250 W (ERP)	0.0005 %
173.2-174 MHz	MO	11K2F1D	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	11K2F3E	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	11K2F1D	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	11K2DXW	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	14K0F9W	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	15K0F1D	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	15K0F2D	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	15K0F1E	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	16K0F2D	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	16K0F3E	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	16K0A3N	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	20K0F1E	250 W (ERP)	0.0005 %
173.2-174 MHz	FX	15K0F2B	250 W (ERP)	0.0005 %
450-512 MHz	FX	11K2F3E	250 W (ERP)	0.0005 %
450-512 MHz	FX	11K2F1D	250 W (ERP)	0.0005 %
450-512 MHz	FX	11K2DXW	250 W (ERP)	0.0005 %
450-512 MHz	FX	14K0F9W	250 W (ERP)	0.0005 %

Frequency Information

LYNCHBURG (CAMPBELL), VA - NL 37-20-57; WL 79-10-05; MOBILE: LYNCHBURG (CAMPBELL), VA WITHIN 80 KM OF

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
450-512 MHz	FX	15K0F2B	250 W (ERP)	0.0005 %
450-512 MHz	FX	15K0F2D	250 W (ERP)	0.0005 %
450-512 MHz	FX	15K0F1E	250 W (ERP)	0.0005 %
450-512 MHz	FX	16K0F2D	250 W (ERP)	0.0005 %
450-512 MHz	FX	16K0F3E	250 W (ERP)	0.0005 %
450-512 MHz	FX	16K0A3N	250 W (ERP)	0.0005 %
450-512 MHz	MO	11K2F3E	250 W (ERP)	0.0005 %
450-512 MHz	MO	11K2F1D	250 W (ERP)	0.0005 %
450-512 MHz	MO	11K2DXW	250 W (ERP)	0.0005 %
450-512 MHz	MO	14K0F9W	250 W (ERP)	0.0005 %
450-512 MHz	MO	15K0F1D	250 W (ERP)	0.0005 %
450-512 MHz	MO	15K0F2B	250 W (ERP)	0.0005 %
450-512 MHz	MO	15K0F2D	250 W (ERP)	0.0005 %
450-512 MHz	MO	16K0F2D	250 W (ERP)	0.0005 %
450-512 MHz	FX	15K0F1D	250 W (ERP)	0.0005 %
450-512 MHz	MO	16K0F3E	250 W (ERP)	0.0005 %
450-512 MHz	MO	16K0A3N	250 W (ERP)	0.0005 %
450-512 MHz	MO	20K0F1E	250 W (ERP)	0.0005 %
450-512 MHz	FX	20K0F1E	250 W (ERP)	0.0005 %
450-512 MHz	MO	15K0F1E	250 W (ERP)	0.0005 %
806-821 MHz	FX	11K2F3E	100 W (ERP)	0.0005 %
806-821 MHz	FX	11K2F1D	100 W (ERP)	0.0005 %
806-821 MHz	FX	11K2DXW	100 W (ERP)	0.0005 %
806-821 MHz	FX	15K0F1D	100 W (ERP)	0.0005 %
806-821 MHz	FX	15K0F2B	100 W (ERP)	0.0005 %
806-821 MHz	FX	15K0F2D	100 W (ERP)	0.0005 %
806-821 MHz	FX	15K0F1E	100 W (ERP)	0.0005 %
806-821 MHz	FX	16K0F2D	100 W (ERP)	0.0005 %
806-821 MHz	FX	16K0F3E	100 W (ERP)	0.0005 %
806-821 MHz	FX	20K0F1E	100 W (ERP)	0.0005 %
806-821 MHz	FX	36K0F3E	100 W (ERP)	0.0005 %
806-821 MHz	MO	11K2F3E	100 W (ERP)	0.0005 %
806-821 MHz	MO	11K2F1D	100 W (ERP)	0.0005 %
806-821 MHz	MO	11K2DXW	100 W (ERP)	0.0005 %
806-821 MHz	MO	14K0F9W	100 W (ERP)	0.0005 %
806-821 MHz	MO	15K0F2B	100 W (ERP)	0.0005 %
806-821 MHz	MO	15K0F2D	100 W (ERP)	0.0005 %
806-821 MHz	MO	15K0F1E	100 W (ERP)	0.0005 %
806-821 MHz	FX	14K0F9W	100 W (ERP)	0.0005 %

Frequency Information

LYNCHBURG (CAMPBELL), VA - NL 37-20-57; WL 79-10-05; MOBILE: LYNCHBURG (CAMPBELL), VA WITHIN 80 KM OF

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
806-821 MHz	MO	16K0F2D	100 W (ERP)	0.0005 %
806-821 MHz	MO	16K0F3E	100 W (ERP)	0.0005 %
806-821 MHz	MO	16K0A3N	100 W (ERP)	0.0005 %
806-821 MHz	MO	36K0F3E	100 W (ERP)	0.0005 %
806-821 MHz	FX	16K0A3N	100 W (ERP)	0.0005 %
806-821 MHz	MO	15K0F1D	100 W (ERP)	0.0005 %
806-821 MHz	MO	20K0F1E	100 W (ERP)	0.0005 %
851-866 MHz	FX	11K2F3E	500 W (ERP)	0.0005 %
851-866 MHz	FX	11K2F1D	500 W (ERP)	0.0005 %
851-866 MHz	FX	11K2DXW	500 W (ERP)	0.0005 %
851-866 MHz	FX	14K0F9W	500 W (ERP)	0.0005 %
851-866 MHz	FX	15K0F1D	500 W (ERP)	0.0005 %
851-866 MHz	FX	15K0F2B	500 W (ERP)	0.0005 %
851-866 MHz	FX	15K0F1E	500 W (ERP)	0.0005 %
851-866 MHz	FX	16K0F2D	500 W (ERP)	0.0005 %
851-866 MHz	FX	16K0F3E	500 W (ERP)	0.0005 %
851-866 MHz	FX	16K0A3N	500 W (ERP)	0.0005 %
851-866 MHz	FX	20K0F1E	500 W (ERP)	0.0005 %
851-866 MHz	FX	36K0F3E	500 W (ERP)	0.0005 %
851-866 MHz	MO	11K2F3E	500 W (ERP)	0.0005 %
851-866 MHz	MO	11K2DXW	500 W (ERP)	0.0005 %
851-866 MHz	MO	14K0F9W	500 W (ERP)	0.0005 %
851-866 MHz	MO	15K0F1D	500 W (ERP)	0.0005 %
851-866 MHz	MO	15K0F2B	500 W (ERP)	0.0005 %
851-866 MHz	MO	15K0F2D	500 W (ERP)	0.0005 %
851-866 MHz	MO	15K0F1E	500 W (ERP)	0.0005 %
851-866 MHz	MO	16K0F3E	500 W (ERP)	0.0005 %
851-866 MHz	MO	16K0A3N	500 W (ERP)	0.0005 %
851-866 MHz	MO	20K0F1E	500 W (ERP)	0.0005 %
851-866 MHz	MO	36K0F3E	500 W (ERP)	0.0005 %
851-866 MHz	FX	15K0F2D	500 W (ERP)	0.0005 %
851-866 MHz	MO	11K2F1D	500 W (ERP)	0.0005 %
851-866 MHz	MO	16K0F2D	500 W (ERP)	0.0005 %
896-901 MHz	FX	11K2F3E	500 W (ERP)	0.0005 %
896-901 MHz	FX	11K2F1D	500 W (ERP)	0.0005 %
896-901 MHz	FX	11K2DXW	500 W (ERP)	0.0005 %
896-901 MHz	FX	15K0F1D	500 W (ERP)	0.0005 %
896-901 MHz	FX	15K0F2B	500 W (ERP)	0.0005 %
896-901 MHz	FX	15K0F2D	500 W (ERP)	0.0005 %

Frequency Information

LYNCHBURG (CAMPBELL), VA - NL 37-20-57; WL 79-10-05; MOBILE: LYNCHBURG (CAMPBELL), VA WITHIN 80 KM OF

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
896-901 MHz	FX	15K0F1E	500 W (ERP)	0.0005 %
896-901 MHz	FX	16K0F2D	500 W (ERP)	0.0005 %
896-901 MHz	FX	16K0F3E	500 W (ERP)	0.0005 %
896-901 MHz	FX	20K0F1E	500 W (ERP)	0.0005 %
896-901 MHz	FX	36K0F3E	500 W (ERP)	0.0005 %
896-901 MHz	MO	11K2F3E	500 W (ERP)	0.0005 %
896-901 MHz	MO	11K2F1D	500 W (ERP)	0.0005 %
896-901 MHz	MO	11K2DXW	500 W (ERP)	0.0005 %
896-901 MHz	MO	14K0F9W	500 W (ERP)	0.0005 %
896-901 MHz	MO	15K0F1D	500 W (ERP)	0.0005 %
896-901 MHz	MO	15K0F2D	500 W (ERP)	0.0005 %
896-901 MHz	MO	15K0F1E	500 W (ERP)	0.0005 %
896-901 MHz	MO	16K0F2D	500 W (ERP)	0.0005 %
896-901 MHz	MO	16K0F3E	500 W (ERP)	0.0005 %
896-901 MHz	MO	16K0A3N	500 W (ERP)	0.0005 %
896-901 MHz	FX	14K0F9W	500 W (ERP)	0.0005 %
896-901 MHz	MO	20K0F1E	500 W (ERP)	0.0005 %
896-901 MHz	MO	36K0F3E	500 W (ERP)	0.0005 %
896-901 MHz	FX	16K0A3N	500 W (ERP)	0.0005 %
896-901 MHz	MO	15K0F2B	500 W (ERP)	0.0005 %
935-940 MHz	FX	11K2F1D	500 W (ERP)	0.0005 %
935-940 MHz	FX	11K2DXW	500 W (ERP)	0.0005 %
935-940 MHz	FX	14K0F9W	500 W (ERP)	0.0005 %
935-940 MHz	FX	15K0F1D	500 W (ERP)	0.0005 %
935-940 MHz	FX	15K0F2B	500 W (ERP)	0.0005 %
935-940 MHz	FX	15K0F2D	500 W (ERP)	0.0005 %
935-940 MHz	FX	16K0F2D	500 W (ERP)	0.0005 %
935-940 MHz	FX	16K0F3E	500 W (ERP)	0.0005 %
935-940 MHz	FX	16K0A3N	500 W (ERP)	0.0005 %
935-940 MHz	FX	20K0F1E	500 W (ERP)	0.0005 %
935-940 MHz	FX	36K0F3E	500 W (ERP)	0.0005 %
935-940 MHz	MO	11K2F3E	500 W (ERP)	0.0005 %
935-940 MHz	MO	11K2F1D	500 W (ERP)	0.0005 %
935-940 MHz	MO	14K0F9W	500 W (ERP)	0.0005 %
935-940 MHz	MO	15K0F1D	500 W (ERP)	0.0005 %
935-940 MHz	MO	15K0F2B	500 W (ERP)	0.0005 %
935-940 MHz	MO	15K0F2D	500 W (ERP)	0.0005 %
935-940 MHz	MO	15K0F1E	500 W (ERP)	0.0005 %
935-940 MHz	MO	16K0F2D	500 W (ERP)	0.0005 %

Frequency Information

LYNCHBURG (CAMPBELL), VA - NL 37-20-57; WL 79-10-05; MOBILE: LYNCHBURG (CAMPBELL), VA WITHIN 80 KM OF

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
935-940 MHz	FX	11K2F3E	500 W (ERP)	0.0005 %
935-940 MHz	MO	16K0A3N	500 W (ERP)	0.0005 %
935-940 MHz	MO	20K0F1E	500 W (ERP)	0.0005 %
935-940 MHz	MO	36K0F3E	500 W (ERP)	0.0005 %
935-940 MHz	FX	15K0F1E	500 W (ERP)	0.0005 %
935-940 MHz	MO	11K2DXW	500 W (ERP)	0.0005 %
935-940 MHz	MO	16K0F3E	500 W (ERP)	0.0005 %

Special Conditions:

- (1) Operations are restricted to the land mobile service business industrial pool frequencies listed in 47 CFR, Part 90.35 and use of these frequencies must be coordinated with the appropriate land mobile frequency coordinator.