

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
RADIO STATION CONSTRUCTION PERMIT
AND LICENSE**

EXPERIMENTAL

(Nature of Service)

XD MO

(Class of Station)

KQ2XIU

(Call Sign)

0260-EX-RR-2009

(File Number)

NAME MOTOROLA, INC.

Subject to the provisions of the Communications Act of 1934, subsequent acts, and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions and requirements set forth in this license, the licensee hereof is hereby authorized to use and operate the radio transmitting facilities hereinafter described for radio communications in accordance with the program of experimentation described by the licensee in its application for license.

Operation: In accordance with Sec. 5.3(i) of the Commission's Rules

Station Locations

- (1) MOBILE: Fort Lauderdale, FL, within 161 km, centered around NL 26-08-51; WL 80-15-15

Frequency Information

MOBILE: Fort Lauderdale, FL, within 161 km, centered around NL 26-08-51; WL 80-15-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
45.18 MHz	MO	20K0F2D 20K0F3E 20K0F3D	110 W (Output Power)	
46.14 MHz	MO	20K0F2D 20K0F3E 20K0F3D	110 W (Output Power)	
138-144 MHz	MO	11K0F3E 8K10F1E	200 W (ERP)	

This authorization effective November 01, 2009 and
will expire 3:00 A.M. EST November 01, 2011

**FEDERAL
COMMUNICATIONS
COMMISSION**



Frequency Information

MOBILE: Fort Lauderdale, FL, within 161 km, centered around NL 26-08-51; WL 80-15-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
138-144 MHz	MO	8K10F1D	200 W (ERP)	
148-174 MHz	MO	11K0F3E 8K10F1E 8K10F1D	200 W (ERP)	
148-150.8 MHz	MO	8K10F1D 8K10F1E 11K0F3E	200 W (ERP)	
150.95 MHz	MO	20K0F2D 20K0F3E 20K0F3D	200 W (ERP)	
151.115 MHz	MO	20K0F2D 20K0F3E 20K0F3D	200 W (ERP)	
151.185 MHz	MO	20K0F2D 20K0F3E 20K0F3D	200 W (ERP)	
152.84 MHz	MO	20K0F2D 20K0F3E 20K0F3D	200 W (ERP)	

Frequency Information

MOBILE: Fort Lauderdale, FL, within 161 km, centered around NL 26-08-51; WL 80-15-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
153.11 MHz	MO	20K0F2D 20K0F3E 20K0F3D	200 W (ERP)	
153.32 MHz	MO	20K0F2D 20K0F3E 20K0F3D	200 W (ERP)	
157.0375-157.1875 MHz	MO	8K10F1D 8K10F1E 11K0F3E	200 W (ERP)	
159.405 MHz	MO	20K0F2D 20K0F3E 20K0F3D	200 W (ERP)	
159.42 MHz	MO	20K0F2D 20K0F3E 20K0F3D	200 W (ERP)	
162.0125-173.2 MHz	MO	11K0F3E 8K10F1E 8K10F1D	200 W (ERP)	
173.4-174 MHz	MO	11K0F3E 8K10F1E	200 W (ERP)	

Frequency Information

MOBILE: Fort Lauderdale, FL, within 161 km, centered around NL 26-08-51; WL 80-15-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
173.4-174 MHz	MO	8K10F1D	200 W (ERP)	
450-460 MHz	MO	20K0F2D 20K0F3E 20K0F3D	110 W (Output Power)	
451.2625 MHz	MO	20K0F2D 20K0F3E 20K0F3D	110 W (Output Power)	
451.3625 MHz	MO	20K0F2D 20K0F3E 20K0F3D	2 W (Output Power)	
451.65 MHz	MO	20K0F2D 20K0F3E 20K0F3D	110 W (Output Power)	
451.75 MHz	MO	20K0F2D 20K0F3E 20K0F3D	110 W (Output Power)	
452.2375 MHz	MO	20K0F2D 20K0F3E 20K0F3D	2 W (Output Power)	

Frequency Information

MOBILE: Fort Lauderdale, FL, within 161 km, centered around NL 26-08-51; WL 80-15-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
452.325 MHz	MO	20K0F2D 20K0F3E 20K0F3D	110 W (Output Power)	
452.5875 MHz	MO	20K0F2D 20K0F3E 20K0F3D	2 W (Output Power)	
453.0625 MHz	MO	20K0F2D 20K0F3E 20K0F3D	2 W (Output Power)	
453.4375 MHz	MO	20K0F2D 20K0F3E 20K0F3D	2 W (Output Power)	
453.9875 MHz	MO	20K0F2D 20K0F3E 20K0F3D	2 W (Output Power)	
456.0875 MHz	MO	20K0F2D 20K0F3E 20K0F3D	2 W (Output Power)	
456.3625 MHz	MO	20K0F2D 20K0F3E	2 W (Output Power)	

Frequency Information

MOBILE: Fort Lauderdale, FL, within 161 km, centered around NL 26-08-51; WL 80-15-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
456.3625 MHz	MO	20K0F3D	2 W (Output Power)	
456.65 MHz	MO	20K0F2D 20K0F3E 20K0F3D	110 W (Output Power)	
456.75 MHz	MO	20K0F2D 20K0F3E 20K0F3D	110 W (Output Power)	
457.325 MHz	MO	20K0F2D 20K0F3E 20K0F3D	110 W (Output Power)	
457.5875 MHz	MO	20K0F2D 20K0F3E 20K0F3D	2 W (Output Power)	
457.6875 MHz	MO	20K0F2D 20K0F3E 20K0F3D	2 W (Output Power)	
458.5875 MHz	MO	20K0F2D 20K0F3E 20K0F3D	2 W (Output Power)	

Frequency Information

MOBILE: Fort Lauderdale, FL, within 161 km, centered around NL 26-08-51; WL 80-15-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
460-470 MHz	MO	20K0F3D 20K0F3E 20K0F2D	100 W (ERP)	
460.5625 MHz	MO	20K0F2D 20K0F3E 20K0F3D	100 W (ERP)	
460.9875 MHz	MO	20K0F2D 20K0F3E 20K0F3D	100 W (ERP)	
462.3125 MHz	MO	20K0F2D 20K0F3E 20K0F3D	100 W (ERP)	
462.4375 MHz	MO	20K0F2D 20K0F3E 20K0F3D	100 W (ERP)	
463.0625 MHz	MO	20K0F2D 20K0F3E 20K0F3D	100 W (ERP)	
463.1625 MHz	MO	20K0F2D 20K0F3E	100 W (ERP)	

Frequency Information

MOBILE: Fort Lauderdale, FL, within 161 km, centered around NL 26-08-51; WL 80-15-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
463.1625 MHz	MO	20K0F3D	100 W (ERP)	
465.8375 MHz	MO	20K0F2D 20K0F3E 20K0F3D	100 W (ERP)	
465.9875 MHz	MO	20K0F2D 20K0F3E 20K0F3D	100 W (ERP)	
467.5625 MHz	MO	20K0F2D 20K0F3E 20K0F3D	100 W (ERP)	
469.5375 MHz	MO	20K0F2D 20K0F3E 20K0F3D	100 W (ERP)	
470-512 MHz	MO	20K0F2D 20K0F3E 20K0F3D	110 W (Output Power)	
508.6875 MHz	MO	20K0F2D 20K0F3E 20K0F3D	110 W (Output Power)	

Frequency Information

MOBILE: Fort Lauderdale, FL, within 161 km, centered around NL 26-08-51; WL 80-15-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
508.9875 MHz	MO	20K0F2D 20K0F3E 20K0F3D	110 W (Output Power)	
511.5875 MHz	MO	20K0F2D 20K0F3E 20K0F3D	110 W (Output Power)	
511.6875 MHz	MO	20K0F2D 20K0F3E 20K0F3D	110 W (Output Power)	
806.2625 MHz	MO	20K0F2D 20K0F3E 20K0F3D	110 W (Output Power)	
806.7625 MHz	MO	20K0F2D 20K0F3E 20K0F3D	110 W (Output Power)	
809.9875 MHz	MO	20K0F2D 20K0F3E 20K0F3D 20K0F1D 20K0F1E	35 W (Output Power)	
810.7375 MHz	MO	20K0F2D	35 W (Output Power)	

Frequency Information

MOBILE: Fort Lauderdale, FL, within 161 km, centered around NL 26-08-51; WL 80-15-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
810.7375 MHz	MO	20K0F3E 20K0F3D 20K0F1D 20K0F1E	35 W (Output Power)	
811.3625 MHz	MO	20K0F2D 20K0F3E 20K0F3D 20K0F1D 20K0F1E	35 W (Output Power)	
811.3875 MHz	MO	20K0F2D 20K0F3E 20K0F3D 20K0F1D 20K0F1E	35 W (Output Power)	
811.9875 MHz	MO	20K0F2D 20K0F3E 20K0F3D 20K0F1D 20K0F1E	35 W (Output Power)	
812.3625 MHz	MO	20K0F2D 20K0F3E 20K0F3D 20K0F1D 20K0F1E	35 W (Output Power)	

Frequency Information

MOBILE: Fort Lauderdale, FL, within 161 km, centered around NL 26-08-51; WL 80-15-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
812.3875 MHz	MO	20K0F2D 20K0F3E 20K0F3D 20K0F1D 20K0F1E	35 W (Output Power)	
813.3875 MHz	MO	20K0F2D 20K0F3E 20K0F3D 20K0F1D 20K0F1E	35 W (Output Power)	
814.3625 MHz	MO	20K0F2D 20K0F3E 20K0F3D 20K0F1D 20K0F1E	35 W (Output Power)	
814.3875 MHz	MO	20K0F2D 20K0F3E 20K0F3D 20K0F1D 20K0F1E	35 W (Output Power)	
815.3625 MHz	MO	20K0F2D 20K0F3E 20K0F3D 20K0F1D 20K0F1E	35 W (Output Power)	

Frequency Information

MOBILE: Fort Lauderdale, FL, within 161 km, centered around NL 26-08-51; WL 80-15-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
815.3875 MHz	MO	20K0F2D 20K0F3E 20K0F3D 20K0F1D 20K0F1E	35 W (Output Power)	
815.7625 MHz	MO	20K0F2D 20K0F3E 20K0F3D	110 W (Output Power)	
821.0125-823.0125 MHz	MO	15K0F2D 16K0F3E 16K0F3D	350 W (ERP)	
824.9875 MHz	MO	20K0F3E 20K0F1D	4 W (Output Power)	
864.15-868.05 MHz	MO	120KF1D 120KF1E	0.1 W (ERP)	
869.9875 MHz	MO	20K0F3E 20K0F1D	4 W (Output Power)	

Special Conditions:

- (1) Operation in the 824-849 or 869-894 MHz band requires consent of local cellular licensee(s) to avoid interference.
- (2) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.

Special Conditions:

- (3) The station identification requirements of Section 5.115 of the Commission's Rules are waived.
- (4) Operations using Part 73 or Part 74 frequencies are subject to prior coordination with the Society of Broadcast Engineers, Inc. (SBE); ATTN: Executive Director; 9247 North Meridian Street, Suite 305; Indianapolis, IN 46260; telephone, (866) 632-4222; FAX, (317) 846-9120; e-mail, executivedir@sbe.org; information, www.sbe.org.