

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
RADIO STATION CONSTRUCTION PERMIT
AND LICENSE**

EXPERIMENTAL

(Nature of Service)

XD FX MO

(Class of Station)

KA2XVV

(Call Sign)

0086-EX-RR-2003

(File Number)

NAME MOTOROLA, INC.

Subject to the provisions of the Communications Act of 1934, subsequent acts, and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions and requirements set forth in this license, the licensee hereof is hereby authorized to use and operate the radio transmitting facilities hereinafter described for radio communications in accordance with the program of experimentation described by the licensee in its application for license.

Operation: In accordance with Sec. 5.3(i) of the Commission's Rules

Station Locations

(1) FT. LAUDERDALE (BROWARD), FL - NL 26-08-51; WL 80-15-15; MOBILE:within 160 km

Frequency Information

FT. LAUDERDALE (BROWARD), FL - NL 26-08-51; WL 80-15-15; MOBILE:within 160 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
406.35 MHz	FX	16K0F3E	1000 W (ERP)	0.005 %
406.35 MHz	FX	20K0F1D	1000 W (ERP)	0.005 %
406.35 MHz	FX	20K0F1E	1000 W (ERP)	0.005 %

This authorization effective June 01, 2003 and
will expire 3:00 A.M. EST June 01, 2005

**FEDERAL
COMMUNICATIONS
COMMISSION**



Frequency Information

FT. LAUDERDALE (BROWARD), FL - NL 26-08-51; WL 80-15-15; MOBILE:within 160 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
406.35 MHz	FX	20K0F2D	1000 W (ERP)	0.005 %
406.35 MHz	MO	16K0F3E	1000 W (ERP)	0.005 %
406.35 MHz	MO	20K0F1D	1000 W (ERP)	0.005 %
406.35 MHz	MO	20K0F1E	1000 W (ERP)	0.005 %
406.35 MHz	MO	20K0F2D	1000 W (ERP)	0.005 %
407.15 MHz	FX	16K0F3E	1000 W (ERP)	0.005 %
407.15 MHz	FX	20K0F1D	1000 W (ERP)	0.005 %
407.15 MHz	FX	20K0F1E	1000 W (ERP)	0.005 %
407.15 MHz	FX	20K0F2D	1000 W (ERP)	0.005 %
407.15 MHz	MO	16K0F3E	1000 W (ERP)	0.005 %
407.15 MHz	MO	20K0F1D	1000 W (ERP)	0.005 %
407.15 MHz	MO	20K0F1E	1000 W (ERP)	0.005 %
407.15 MHz	MO	20K0F2D	1000 W (ERP)	0.005 %
408.75 MHz	FX	16K0F3E	1000 W (ERP)	0.005 %
408.75 MHz	FX	20K0F1D	1000 W (ERP)	0.005 %
408.75 MHz	FX	20K0F1E	1000 W (ERP)	0.005 %
408.75 MHz	FX	20K0F2D	1000 W (ERP)	0.005 %
408.75 MHz	MO	16K0F3E	1000 W (ERP)	0.005 %
408.75 MHz	MO	20K0F1D	1000 W (ERP)	0.005 %
408.75 MHz	MO	20K0F1E	1000 W (ERP)	0.005 %
408.75 MHz	MO	20K0F2D	1000 W (ERP)	0.005 %
415.15 MHz	FX	16K0F3E	1000 W (ERP)	0.005 %
415.15 MHz	FX	20K0F1D	1000 W (ERP)	0.005 %
415.15 MHz	FX	20K0F1E	1000 W (ERP)	0.005 %
415.15 MHz	FX	20K0F2D	1000 W (ERP)	0.005 %
415.15 MHz	MO	16K0F3E	1000 W (ERP)	0.005 %

Frequency Information

FT. LAUDERDALE (BROWARD), FL - NL 26-08-51; WL 80-15-15; MOBILE:within 160 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
415.15 MHz	MO	20K0F1D	1000 W (ERP)	0.005 %
415.15 MHz	MO	20K0F1E	1000 W (ERP)	0.005 %
415.15 MHz	MO	20K0F2D	1000 W (ERP)	0.005 %
415.95 MHz	FX	16K0F3E	1000 W (ERP)	0.005 %
415.95 MHz	FX	20K0F1D	1000 W (ERP)	0.005 %
415.95 MHz	FX	20K0F1E	1000 W (ERP)	0.005 %
415.95 MHz	FX	20K0F2D	1000 W (ERP)	0.005 %
415.95 MHz	MO	16K0F3E	1000 W (ERP)	0.005 %
415.95 MHz	MO	20K0F1D	1000 W (ERP)	0.005 %
415.95 MHz	MO	20K0F1E	1000 W (ERP)	0.005 %
415.95 MHz	MO	20K0F2D	1000 W (ERP)	0.005 %
416.75 MHz	FX	16K0F3E	1000 W (ERP)	0.005 %
416.75 MHz	FX	20K0F1D	1000 W (ERP)	0.005 %
416.75 MHz	FX	20K0F1E	1000 W (ERP)	0.005 %
416.75 MHz	FX	20K0F2D	1000 W (ERP)	0.005 %
416.75 MHz	MO	16K0F3E	1000 W (ERP)	0.005 %
416.75 MHz	MO	20K0F1D	1000 W (ERP)	0.005 %
416.75 MHz	MO	20K0F1E	1000 W (ERP)	0.005 %
416.75 MHz	MO	20K0F2D	1000 W (ERP)	0.005 %
417.55 MHz	FX	16K0F3E	1000 W (ERP)	0.005 %
417.55 MHz	FX	20K0F1D	1000 W (ERP)	0.005 %
417.55 MHz	FX	20K0F1E	1000 W (ERP)	0.005 %
417.55 MHz	FX	20K0F2D	1000 W (ERP)	0.005 %
417.55 MHz	MO	16K0F3E	1000 W (ERP)	0.005 %
417.55 MHz	MO	20K0F1D	1000 W (ERP)	0.005 %
417.55 MHz	MO	20K0F1E	1000 W (ERP)	0.005 %

Frequency Information

FT. LAUDERDALE (BROWARD), FL - NL 26-08-51; WL 80-15-15; MOBILE:within 160 km

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
417.55 MHz	MO	20K0F2D	1000 W (ERP)	0.005 %
418.35 MHz	FX	16K0F3E	1000 W (ERP)	0.005 %
418.35 MHz	FX	20K0F1D	1000 W (ERP)	0.005 %
418.35 MHz	FX	20K0F1E	1000 W (ERP)	0.005 %
418.35 MHz	FX	20K0F2D	1000 W (ERP)	0.005 %
418.35 MHz	MO	16K0F3E	1000 W (ERP)	0.005 %
418.35 MHz	MO	20K0F1D	1000 W (ERP)	0.005 %
418.35 MHz	MO	20K0F1E	1000 W (ERP)	0.005 %
418.35 MHz	MO	20K0F2D	1000 W (ERP)	0.005 %