

E_TSUM Requested by: MIKE		Date: 02.05.2019 9:23:25 AM		DB: SPACECAP_V8-EDGECUBE MA~		Plan Id.:		Notice type: NONGEO		
A	A1a Sat. Network EDGECUBE		A1f1 Notif. adm. USA		A1f3 Inter. sat. org.		BR1 Date of receipt 04.03.2019		BR20 BR IFIC no.	
BR6a/BR6b Id. no.		1		BR3a Provision reference 9.1/IA		BR2 Adm. serial no.				

Résumé / Summary / Resumen

Article 9, sous-section IA / Article 9, sub-section IA / Artículo 9, sub-sección IA
 第9条第1A分节 / Статья 9, подраздел IA / المادة 9، القسم الفرعي IA

B1a Beam designation	B2 Emi-Rcp	BR8 Action code	BR7a Group id.	BR9 Action code	BR47 Frequency band (MHz)		C4a Class of station
UPLINK	R		3		437.44	– 437.48	EA
DOWNLINK	E		4		437.44	– 437.48	EA

E_TSUM Requested by: MIKE		Date: 02.05.2019 9:23:25 AM		DB: SPACECAP_V8-EDGECUBE MA~		Plan Id.:		Notice type: NONGEO		
A	A1a Sat. Network EDGECUBE		A1f1 Notif. adm. USA		A1f3 Inter. sat. org.		BR1 Date of receipt 04.03.2019		BR20 BR IFIC no.	
BR6a/BR6b Id. no. 1			BR3a Provision reference 9.1/IA			BR2 Adm. serial no.			UPLINK R	

A1f2 Submitted on behalf

A4b1 No. of orbital planes A4b2 Ref. body BR43 Orbital configuration

A4b3a No. of space stations simult. trans. on Northern Hemisphere A4b3b No. of space stations simult. trans. on Southern Hemisphere

Orbital plane id. no.	A4b4a Inclination angle	A4b4b No. of satellites in this plane	A4b4c Period	A4b4d Apogee	A4b4e Perigee	A4b4f Min. altitude
1	51.5	1	0-01:34	500e2	500e2	500e2

Orbital plane no.	Satellite no.		
1	1		

☐	B1a/BR17 Beam designation	UPLINK		B1b Steerable		B2 Emi-Rcp	R	B3a1 Max. co-polar gain	0
--------------------------	---------------------------	-------------------------------------	----------------------	---------------	----------------------	------------	--------------------------------	-------------------------	--------------------------------

B2bis.a Transmit only when visible from notified service area B2bis.b Min. Elev. Angle

B3c1 Co-polar antenna pattern						
Co-polar ref. pattern	Coef. A	Coef. B				Co-polar rad. diag.
						1

List of orbital planes
ALL

B4a3a1 Angle alpha B4a3a2 Angle beta

BR92 Attach. for missing angle alpha/beta

☐	BR7a/BR7b Group id.	3		BR1 Date of receipt	04.03.2019	C2c RR No. 4.4	Y
--------------------------	---------------------	--------------------------------	----------------------	---------------------	---	----------------	--------------------------------

BR14 Special Section

C4a Class of station C3a Assigned freq. band C5a Noise temperature

C4b Nature of service C6a Polarization type C6b Polarization angle

C11a2 Service area C11a3 Service area diagram

A2b Period of valid. A3a Op. agency A3b Adm. resp. BR16 Value of type C8b

E_TSUM Requested by: MIKE		Date: 02.05.2019 9:23:25 AM		DB: SPACECAP_V8-EDGECUBE MA~		Plan Id.:		Notice type: NONGEO		
A	A1a Sat. Network EDGECUBE		A1f1 Notif. adm. USA		A1f3 Inter. sat. org.		BR1 Date of receipt 04.03.2019		BR20 BR IFIC no.	
BR6a/BR6b Id. no. 1			BR3a Provision reference 9.1/IA			BR2 Adm. serial no.			UPLINK R	

BR60 Regulatory deadline(s) 11.44/11.44.1

C1 Frequency Range			
C1a Lower limit		C1b Upper limit	
437.44	MHz	437.48	MHz

C7a	C8a1/C8b1	C8a2/C8b2	C8c1	C8c2	C8c3	C8c4	C8e1	C8e2	C8f2
Design. of emission	Max. peak pwr	Max. pwr dens.	Min. peak pwr	Attch.	Min. pwr dens.	Attch.	C/N ratio	Attch.	E.i.r.p. on the beam axis
1 12K0F1D--	0	-40.8	-20		-60.8		20		

C7b Carrier frequency of the emissions (12K0F1D--)															
437.465	MHz														

C10b1	C10b2	C10c1		C10c2	C10d1/C10d2		C10d3	C10d4						
Assoc. earth station id.	Type	Geographical coord.		Ctry	Cls. / Nat.		Max. iso. gain	Bmwdth						
SONOMA STATE UNIVERSITY	S	122W39 38	38N20 12	USA	1	TA CR	14.2	30						

C10d5a Co-polar antenna pattern							
C10b1 Assoc. earth station id.	Co-polar ref. pattern	Coef. A	Coef. B	Coef. C	Coef. D	Phi1	Co-polar rad. diag.
SONOMA STATE UNIVERSITY							2

13C Remarks

B1a/BR17 Beam designation	DOWNLINK	B1b Steerable	B2 Emi-Rcp	E	B3a1 Max. co-polar gain	0
---------------------------	----------	---------------	------------	---	-------------------------	---

B2bis.a Transmit only when visible from notified service area Y B2bis.b Min. Elev. Angle

B3c1 Co-polar antenna pattern					
Co-polar ref. pattern	Coef. A	Coef. B			Co-polar rad. diag.
					1

List of orbital planes
ALL

B4a3a1 Angle alpha B4a3a2 Angle beta

BR92 Attach. for missing angle alpha/beta

E_TSUM Requested by: MIKE		Date: 02.05.2019 9:23:25 AM		DB: SPACECAP_V8-EDGECUBE MA~		Plan Id.:		Notice type: NONGEO		
A	A1a Sat. Network EDGECUBE		A1f1 Notif. adm. USA		A1f3 Inter. sat. org.		BR1 Date of receipt 04.03.2019		BR20 BR IFIC no.	
BR6a/BR6b Id. no. 1			BR3a Provision reference 9.1/IA			BR2 Adm. serial no.			UPLINK R	

BR7a/BR7b Group id.	4	BR1 Date of receipt	04.03.2019	C2c RR No. 4.4	Y
---------------------	---	---------------------	------------	----------------	---

BR14 Special Section

C4a Class of station EA C3a Assigned freq. band

C4b Nature of service CR C6a Polarization type CR C6b Polarization angle

C8d1 Max. tot. peak pwr. C8d2 Contiguous bandwidth

C11a2 Service area USA C11a3 Service area diagram

A2b Period of valid. 10 A3a Op. agency 999 A3b Adm. resp. A BR16 Value of type C8b

BR60 Regulatory deadline(s) 11.44/11.44.1

C1 Frequency Range			
C1a Lower limit		C1b Upper limit	
437.44	MHz	437.48	MHz

C7a Design. of emission	C8a1/C8b1 Max. peak pwr	C8a2/C8b2 Max. pwr dens.	C8c1 Min. peak pwr	C8c2 Attch.	C8c3 Min. pwr dens.	C8c4 Attch.	C8e1 C/N ratio	C8e2 Attch.	C8f1 E.i.r.p. on the beam axis
1 12K0F1D--	0	-40.8	-20		-60.8		20		

C7b Carrier frequency of the emissions (12K0F1D--)											
437.465	MHz										

C10b1 Assoc. earth station id.	C10b2 Type	C10c1 Geographical coord.		C10c2 Ctry	C10d1/C10d2 Cls. / Nat.		C10d3 Max. iso. gain	C10d4 Bmwdth	C10d6 Noise temp.		
SONOMA STATE UNIVERSITY	S	122W39 38	38N20 12	USA	1	TA CR	14.2	30	150		

C10d5a Co-polar antenna pattern						
C10b1 Assoc. earth station id.	Co-polar ref. pattern	Coef. A	Coef. B	Coef. C	Coef. D	Phi1
SONOMA STATE UNIVERSITY						2

13C Remarks

E_TSUM Requested by: MIKE		Date: 02.05.2019 9:23:25 AM		DB: SPACECAP_V8-EDGECUBE MA~		Plan Id.:		Notice type: NONGEO		
A	A1a Sat. Network EDGECUBE		A1f1 Notif. adm. USA		A1f3 Inter. sat. org.		BR1 Date of receipt 04.03.2019		BR20 BR IFIC no.	
BR6a/BR6b Id. no.		1		BR3a Provision reference 9.1/IA		BR2 Adm. serial no.		UPLINK		R

C9 Modulation characteristics	C7a Designation of emission 12K0F1D--
C9a1 Type of modulation	Frequency Modulation
C9a2a Lowest frequency	437.44
C9a2b Highest frequency	437.48
C9a2c Frequency deviation	0.02
C9a3a Freq. deviation of the pre-emphasized signal	0.02
C9a3b Pre-emphasis characteristics	
C9a3c Type of multiplexing	Simple frequency division multiplex (sound signal: PCM 4PSK Sub-Carrier System)
C9a4a Bit rate	10000
C9a4b Number of phases	2
C9a5a Modulating signal attached (see attch. no.)	
C9a5b Amplitude modulation	
C9a6a Peak-to-peak freq. dev.	0.02
C9a6b Sweep frequency	
C9a6c Energy dispersal waveform	
C9a7 Type of energy dispersal	
C9a8 Other types of modulation (see attch. no.)	
C9a9 TV standard	
BR7a Group id.	3, 4

BR22 Administration remarks

BR23 Radiocommunication Bureau comments