

**United States of America
FEDERAL COMMUNICATIONS COMMISSION
EXPERIMENTAL
RADIO STATION CONSTRUCTION PERMIT
AND LICENSE**

EXPERIMENTAL

(Nature of Service)

XT MO

(Class of Station)

WF2XAL

(Call Sign)

0207-EX-CR-2020

(File Number)

NAME The Boeing Company

Subject to the provisions of the Communications Act of 1934, subsequent acts, and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions and requirements set forth in this license, the licensee hereof is hereby authorized to use and operate the radio transmitting facilities hereinafter described for radio communications in accordance with the program of experimentation described by the licensee in its application for license.

Operation: In accordance with Sec. 5.3(i) of the Commission's Rules

Station Locations

- (1) MOBILE: Up to 10,000 feet flight level, Boardman, OR, within 16 km, centered around NL 45-44-54; WL 119-47-38
- (2) MOBILE: Up to 10,000 feet flight level, Fort Leonard Wood, MO, within 16 km, centered around NL 37-44-30; WL 92-08-27
- (3) MOBILE: Up to 10000 feet flight level, Eglin AFB, FL, within 192 km, centered around NL 30-29-12; WL 86-30-30
- (4) MOBILE: Up to 10000 feet flight level, China Lake, CA, within 100 km, centered around NL 35-55-03; WL 117-39-24
- (5) MOBILE: Ground checks only, Berkeley, MO, within 2 km, centered around NL 38-45-13; WL 90-20-59
- (6) MOBILE: Ground checks only, St. Charles, MO, within 2 km, centered around NL 38-55-55; WL 90-25-23
- (7) MOBILE: Ground checks only, St. Charles, MO, within 2 km, centered around NL 38-48-18; WL 90-28-15
- (8) MOBILE: Ground checks only, Vandalia, IL, within 2 km, centered around NL 38-59-30; WL 89-09-58
- (9) MOBILE: Ground checks only, Seattle, WA, within 15 km, centered around NL 47-30-59; WL 122-18-20
- (10) MOBILE: Ground checks only, Huntington Beach, CA, within 2 km, centered around NL 33-44-54; WL 118-02-02
- (11) MOBILE: Ground checks only, Seal Beach, CA, within 2 km, centered around NL 33-45-24; WL 118-05-12
- (12) MOBILE: Ground checks only, Anaheim, CA, within 2 km, centered around NL 33-51-16; WL 117-51-06
- (13) MOBILE: Up to 10000 feet flight level, Las Cruces, NM, within 25 km, centered around NL 32-17-40; WL 106-55-30

This authorization effective July 15, 2020 and
will expire 3:00 A.M. EST July 01, 2022

**FEDERAL
COMMUNICATIONS
COMMISSION**



Station Locations

- (14) MOBILE: 3,000 ft flight level, Desert Rock, NV, within 25 km, centered around NL 36-53-31; WL 116-15-20
- (15) MOBILE: Ground checks only, Redstone Arsenal, Huntsville, AL, within 8 km, centered around NL 34-36-21; WL 86-40-05
- (16) MOBILE: Ground checks only, Sherman, TX, within 8 km, centered around NL 33-33-26; WL 96-36-57
- (17) MOBILE: Up to 1200 feet above ground level, Silex, MO, within 41 km, centered around NL 39-06-48; WL 91-02-31

Frequency Information

MOBILE: Up to 10,000 feet flight level, Boardman, OR, within 16 km, centered around NL 45-44-54; WL 119-47-38

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
902-928 MHz	MO	230KF1D	61 W (ERP)	
2205.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2216.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2239.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2268.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2282.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2410.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2433.75 MHz	MO	16M0F3F	1.22 W (ERP)	

Frequency Information

MOBILE: Up to 10,000 feet flight level, Boardman, OR, within 16 km, centered around NL 45-44-54; WL 119-47-38

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2452.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2462.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2472.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2486 MHz	MO	16M0F3F	1.22 W (ERP)	
2490 MHz	MO	16M0F3F	1.22 W (ERP)	
2495 MHz	MO	16M0F3F	1.22 W (ERP)	

MOBILE: Up to 10,000 feet flight level, Fort Leonard Wood, MO, within 16 km, centered around NL 37-44-30; WL 92-08-27

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
902-928 MHz	MO	230KF1D	61 W (ERP)	
2205.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2216.5 MHz	MO	4M00F7D	1.22 W (ERP)	

Frequency Information

MOBILE: Up to 10,000 feet flight level, Fort Leonard Wood, MO, within 16 km, centered around NL 37-44-30; WL 92-08-27

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2239.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2268.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2282.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2410.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2433.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2452.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2462.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2472.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2486 MHz	MO	16M0F3F	1.22 W (ERP)	
2490 MHz	MO	16M0F3F	1.22 W (ERP)	

Frequency Information

MOBILE: Up to 10,000 feet flight level, Fort Leonard Wood, MO, within 16 km, centered around NL 37-44-30; WL 92-08-27

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2495 MHz	MO	16M0F3F	1.22 W (ERP)	

MOBILE: Up to 10000 feet flight level, Eglin AFB, FL, within 192 km, centered around NL 30-29-12; WL 86-30-30

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
902-928 MHz	MO	230KF1D	61 W (ERP)	
2356-2400 MHz	MO	2M40F1D	5 W (ERP)	
2410.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2433.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2452.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2462.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2472.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2486 MHz	MO	16M0F3F	1.22 W (ERP)	

Frequency Information

MOBILE: Up to 10000 feet flight level, Eglin AFB, FL, within 192 km, centered around NL 30-29-12; WL 86-30-30

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2490 MHz	MO	16M0F3F	1.22 W (ERP)	
2495 MHz	MO	16M0F3F	1.22 W (ERP)	

MOBILE: Up to 10000 feet flight level, China Lake, CA, within 100 km, centered around NL 35-55-03; WL 117-39-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
902-928 MHz	MO	230KF1D	61 W (ERP)	
2205.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2216.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2239.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2268.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2282.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2410.75 MHz	MO	16M0F3F	1.22 W (ERP)	

Frequency Information

MOBILE: Up to 10000 feet flight level, China Lake, CA, within 100 km, centered around NL 35-55-03; WL 117-39-24

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2433.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2452.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2462.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2472.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2486 MHz	MO	16M0F3F	1.22 W (ERP)	
2490 MHz	MO	16M0F3F	1.22 W (ERP)	
2495 MHz	MO	16M0F3F	1.22 W (ERP)	

MOBILE: Ground checks only, Berkeley, MO, within 2 km, centered around NL 38-45-13; WL 90-20-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
902-928 MHz	MO	230KF1D	61 W (ERP)	
2200-2309 MHz	MO	2M40F1D	5 W (ERP)	

Frequency Information

MOBILE: Ground checks only, Berkeley, MO, within 2 km, centered around NL 38-45-13; WL 90-20-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2356-2400 MHz	MO	2M40F1D	5 W (ERP)	
2410.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2433.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2452.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2462.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2472.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2486 MHz	MO	16M0F3F	1.22 W (ERP)	
2490 MHz	MO	16M0F3F	1.22 W (ERP)	
2495 MHz	MO	16M0F3F	1.22 W (ERP)	
5685 MHz	MO	10M0P0N	30 W (ERP)	

Frequency Information

MOBILE: Ground checks only, Berkeley, MO, within 2 km, centered around NL 38-45-13; WL 90-20-59

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
5750 MHz	MO	20M0P0N	10 W (ERP)	

MOBILE: Ground checks only, St. Charles, MO, within 2 km, centered around NL 38-55-55; WL 90-25-23

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
902-928 MHz	MO	230KF1D	61 W (ERP)	
2200-2309 MHz	MO	2M40F1D	5 W (ERP)	
2356-2400 MHz	MO	2M40F1D	5 W (ERP)	
2410.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2433.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2452.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2462.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2472.75 MHz	MO	16M0F3F	1.22 W (ERP)	

Frequency Information

MOBILE: Ground checks only, St. Charles, MO, within 2 km, centered around NL 38-55-55; WL 90-25-23

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2486 MHz	MO	16M0F3F	1.22 W (ERP)	
2490 MHz	MO	16M0F3F	1.22 W (ERP)	
2495 MHz	MO	16M0F3F	1.22 W (ERP)	
5750 MHz	MO	20M0P0N	10 W (ERP)	

MOBILE: Ground checks only, St. Charles, MO, within 2 km, centered around NL 38-48-18; WL 90-28-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
902-928 MHz	MO	230KF1D	61 W (ERP)	
2200-2309 MHz	MO	2M40F1D	5 W (ERP)	
2356-2400 MHz	MO	2M40F1D	5 W (ERP)	
2410.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2433.75 MHz	MO	16M0F3F	1.22 W (ERP)	

Frequency Information

MOBILE: Ground checks only, St. Charles, MO, within 2 km, centered around NL 38-48-18; WL 90-28-15

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2452.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2462.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2472.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2486 MHz	MO	16M0F3F	1.22 W (ERP)	
2490 MHz	MO	16M0F3F	1.22 W (ERP)	
2495 MHz	MO	16M0F3F	1.22 W (ERP)	
5750 MHz	MO	20M0P0N	10 W (ERP)	

MOBILE: Ground checks only, Vandalia, IL, within 2 km, centered around NL 38-59-30; WL 89-09-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
902-928 MHz	MO	230KF1D	61 W (ERP)	
2205.5 MHz	MO	4M00F7D	1.22 W (ERP)	

Frequency Information

MOBILE: Ground checks only, Vandalia, IL, within 2 km, centered around NL 38-59-30; WL 89-09-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2216.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2239.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2268.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2282.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2410.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2433.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2452.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2462.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2472.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2486 MHz	MO	16M0F3F	1.22 W (ERP)	

Frequency Information

MOBILE: Ground checks only, Vandalia, IL, within 2 km, centered around NL 38-59-30; WL 89-09-58

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2490 MHz	MO	16M0F3F	1.22 W (ERP)	
2495 MHz	MO	16M0F3F	1.22 W (ERP)	

MOBILE: Ground checks only, Seattle, WA, within 15 km, centered around NL 47-30-59; WL 122-18-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
902-928 MHz	MO	230KF1D	61 W (ERP)	
2205.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2216.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2239.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2268.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2282.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2410.75 MHz	MO	16M0F3F	1.22 W (ERP)	

Frequency Information

MOBILE: Ground checks only, Seattle, WA, within 15 km, centered around NL 47-30-59; WL 122-18-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2433.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2452.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2462.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2472.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2486 MHz	MO	16M0F3F	1.22 W (ERP)	
2490 MHz	MO	16M0F3F	1.22 W (ERP)	
2495 MHz	MO	16M0F3F	1.22 W (ERP)	

MOBILE: Ground checks only, Huntington Beach, CA, within 2 km, centered around NL 33-44-54; WL 118-02-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
902-928 MHz	MO	230KF1D	61 W (ERP)	
2410.75 MHz	MO	16M0F3F	1.22 W (ERP)	

Frequency Information

MOBILE: Ground checks only, Huntington Beach, CA, within 2 km, centered around NL 33-44-54; WL 118-02-02

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2433.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2452.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2462.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2472.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2486 MHz	MO	16M0F3F	1.22 W (ERP)	
2490 MHz	MO	16M0F3F	1.22 W (ERP)	
2495 MHz	MO	16M0F3F	1.22 W (ERP)	

MOBILE: Ground checks only, Seal Beach, CA, within 2 km, centered around NL 33-45-24; WL 118-05-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
902-928 MHz	MO	230KF1D	61 W (ERP)	
2410.75 MHz	MO	16M0F3F	1.22 W (ERP)	

Frequency Information

MOBILE: Ground checks only, Seal Beach, CA, within 2 km, centered around NL 33-45-24; WL 118-05-12

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2433.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2452.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2462.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2472.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2486 MHz	MO	16M0F3F	1.22 W (ERP)	
2490 MHz	MO	16M0F3F	1.22 W (ERP)	
2495 MHz	MO	16M0F3F	1.22 W (ERP)	

MOBILE: Ground checks only, Anaheim, CA, within 2 km, centered around NL 33-51-16; WL 117-51-06

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
902-928 MHz	MO	230KF1D	61 W (ERP)	
2410.75 MHz	MO	16M0F3F	1.22 W (ERP)	

Frequency Information

MOBILE: Ground checks only, Anaheim, CA, within 2 km, centered around NL 33-51-16; WL 117-51-06

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2433.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2452.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2462.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2472.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2486 MHz	MO	16M0F3F	1.22 W (ERP)	
2490 MHz	MO	16M0F3F	1.22 W (ERP)	
2495 MHz	MO	16M0F3F	1.22 W (ERP)	

MOBILE: Up to 10000 feet flight level, Las Cruces, NM, within 25 km, centered around NL 32-17-40; WL 106-55-30

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
72 MHz	MO	5K50F1D	3.85 W (ERP)	
72 MHz	MO	5K50F1D	61 W (ERP)	

Frequency Information

MOBILE: Up to 10000 feet flight level, Las Cruces, NM, within 25 km, centered around NL 32-17-40; WL 106-55-30

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
902-928 MHz	MO	230KF1D	1 W (ERP)	
902-928 MHz	MO	230KF1D	61 W (ERP)	
2410.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2433.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2452.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2462.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2472.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2486 MHz	MO	16M0F3F	1.22 W (ERP)	
2490 MHz	MO	16M0F3F	1.22 W (ERP)	
2495 MHz	MO	16M0F3F	1.22 W (ERP)	

Frequency Information

MOBILE: 3,000 ft flight level, Desert Rock, NV, within 25 km, centered around NL 36-53-31; WL 116-15-20

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
902-928 MHz	MO	230KF1D	61 W (ERP)	
2410.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2433.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2452.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2462.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2472.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2486 MHz	MO	16M0F3F	1.22 W (ERP)	
2490 MHz	MO	16M0F3F	1.22 W (ERP)	
2495 MHz	MO	16M0F3F	1.22 W (ERP)	

Frequency Information

MOBILE: Ground checks only, Redstone Arsenal, Huntsville, AL, within 8 km, centered around NL 34-36-21; WL 86-40-05

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
902-928 MHz	MO	230KF1D	61 W (ERP)	
2205.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2216.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2239.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2268.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2282.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2410.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2433.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2452.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2462.75 MHz	MO	16M0F3F	1.22 W (ERP)	

Frequency Information

MOBILE: Ground checks only, Redstone Arsenal, Huntsville, AL, within 8 km, centered around NL 34-36-21; WL 86-40-05

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2472.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2486 MHz	MO	16M0F3F	1.22 W (ERP)	
2490 MHz	MO	16M0F3F	1.22 W (ERP)	
2495 MHz	MO	16M0F3F	1.22 W (ERP)	

MOBILE: Ground checks only, Sherman, TX, within 8 km, centered around NL 33-33-26; WL 96-36-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
902-928 MHz	MO	230KF1D	61 W (ERP)	
2205.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2216.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2239.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2268.5 MHz	MO	4M00F7D	1.22 W (ERP)	

Frequency Information

MOBILE: Ground checks only, Sherman, TX, within 8 km, centered around NL 33-33-26; WL 96-36-57

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2282.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2410.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2433.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2452.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2462.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2472.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2486 MHz	MO	16M0F3F	1.22 W (ERP)	
2490 MHz	MO	16M0F3F	1.22 W (ERP)	
2495 MHz	MO	16M0F3F	1.22 W (ERP)	

Frequency Information

MOBILE: Up to 1200 feet above ground level, Silex, MO, within 41 km, centered around NL 39-06-48; WL 91-02-31

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
902-928 MHz	MO	230KF1D	3.85 W (ERP)	
902-928 MHz	MO	230KF1D	176 W (ERP)	
902-928 MHz	MO	230KF1D	61 W (ERP)	
1370-1390 MHz	MO	230KF1D	61 W (ERP)	
1370-1390 MHz	MO	230KF1D	3.85 W (ERP)	
1370-1390 MHz	MO	230KF1D	176 W (ERP)	
2205 MHz	MO	4M00F7D	1.22 W (ERP)	
2216.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2239.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2268.5 MHz	MO	4M00F7D	1.22 W (ERP)	

Frequency Information

MOBILE: Up to 1200 feet above ground level, Silex, MO, within 41 km, centered around NL 39-06-48; WL 91-02-31

Frequency	Station Class	Emission Designator	Authorized Power	Frequency Tolerance (+/-)
2282.5 MHz	MO	4M00F7D	1.22 W (ERP)	
2410.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2433.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2452.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2462.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2472.75 MHz	MO	16M0F3F	1.22 W (ERP)	
2486 MHz	MO	16M0F3F	1.22 W (ERP)	
2490 MHz	MO	16M0F3F	1.22 W (ERP)	
2495 MHz	MO	16M0F3F	1.22 W (ERP)	

Special Conditions:

- (1) Operation is subject to prior coordination with affected Educational Broadband Service/Broadband Radio Service (EBS/BRS) licensees.
- (2) In lieu of frequency tolerance, the occupied bandwidth of the emission shall not extend beyond the band limits set forth above.

Special Conditions:

- (3) Licensee should be aware that other stations may be licensed on these frequencies and if any interference occurs, the licensee of this authorization will be subject to immediate shut down.
- (4) Operation is subject to prior coordination with Fixed Microwave licensees in the immediate area.
- (5) The designated point-of-contacts to terminate transmissions if interference should occur are: Peter A. Drain (314) 705-9332; Thomas Rice (314) 323-7394; (or) Bobby Cartmill (314) 705-0171.
- (6) Operation at Eglin AFB, Florida is subject to prior coordination with Gulf Area Frequency Coordinator at (850) 883-7535.
- (7) Operation at China Lake, CA is subject to prior coordination with Western Area Frequency Coordinator at (760) 939-6948.
- (8) During transmission, aircraft shall not exceed 10000 ft AGL.
- (9) Operation is NOT permitted on the frequency band 2200 - 2309 MHz in Eglin AFB, FL; Huntington Beach, CA; Seal Beach, CA; Anaheim, CA; Philadelphia, PA and Desert Rock, NV due to potential harmful interference with Federal operations.
- (10) Operation the frequency band 2203.5-2284.5 MHz in China Lake, CA is permitted using the radius of operation up to 42 km only.
- (11) Operation is subject to coordination with the Area Frequency Coordinator located at White Sands Missile Range (WSMR), New Mexico, prior to use in the state of New Mexico or other U.S. territory within a 240 km radius of WSMR plus the area of Utah and Colorado that lies south of 41 North and between 108 and 111 West.
- (12) Operation is NOT PERMITTED using any frequencies in the band 2203.5-2284.5 MHz in Las Cruces, NM.
- (13) Use of the frequencies 5685 MHz and 5750 MHz in Berkeley, MO is for ground testing only.
- (14) Operation is NOT PERMITTED using the frequency 5680-5690 MHz in Eglin AFB, FL and St. Charles, MO.
- (15) Operation is NOT PERMITTED using the frequency 2290-2300 MHz in Berkeley, MO and St. Charles, MO.
- (16) Use of frequencies 5750 MHz in St. Charles, Missouri is for ground testing only.
- (17) This frequency assignment in one of the bands 1435-1525, 2310-2320, and 2345-2395 MHz was coordinated prior to authorization with the Area Frequency Coordinator (AFC), who also coordinated it, as appropriate, with the Aerospace and Flight Test Radio Coordinating Council. Use of this frequency under the authority of this assignment is subject to such further coordination with the AFC, as necessary to ensure compatibility with existing uses.
- (18) Operation is subject to prior coordination with FAA Headquarters, 800 Independence Ave, S.W., Washington, D.C. 20591. Phone: 202-267-8699.
- (19) Flight level is not exceed 1200 FT in Silex, MO.
- (20) Pre-scheduling with Eglin AFB for using the AFTRCC frequency band is required a minimum of 72 duty hours prior to planned use. Point-of contact for scheduling is Barbara Snyder 850-885-9908 or Barbara.snyder@us.af.mil.