


802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36972G	57.83	68.20	-10.37	16.70	3	Horizontal	151	2.48	-	41.13	39.38	11.95	34.63

802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	47.63	54.00	-6.37	6.61	3	Vertical	101	1.00	-	41.02	31.82	9.06	34.27
AV	5.198G	101.03	Inf	-Inf	6.39	3	Vertical	101	1.00	-	94.64	31.61	9.06	34.28
PK	5.1172G	58.95	74.00	-15.05	6.72	3	Vertical	101	1.00	-	52.23	31.93	9.06	34.27
PK	5.1964G	110.68	Inf	-Inf	6.39	3	Vertical	101	1.00	-	104.29	31.61	9.06	34.28

802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	47.55	54.00	-6.45	6.60	3	Horizontal	158	2.78	-	40.95	31.81	9.06	34.27
AV	5.2024G	99.12	Inf	-Inf	6.37	3	Horizontal	158	2.78	-	92.75	31.59	9.06	34.28
PK	5.1376G	58.73	74.00	-15.27	6.64	3	Horizontal	158	2.78	-	52.09	31.85	9.06	34.27
PK	5.2024G	108.97	Inf	-Inf	6.37	3	Horizontal	158	2.78	-	102.60	31.59	9.06	34.28

802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41434G	58.12	68.20	-10.08	16.82	3	Vertical	304	1.13	-	41.30	39.44	11.98	34.60

802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40132G	58.49	68.20	-9.71	16.78	3	Horizontal	231	1.04	-	41.71	39.42	11.97	34.61

802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0942G	47.40	54.00	-6.60	6.77	3	Vertical	103	1.00	-	40.63	31.97	9.06	34.26
AV	5.2376G	101.00	Inf	-Inf	6.24	3	Vertical	103	1.00	-	94.76	31.45	9.08	34.29
AV	5.3504G	45.76	54.00	-8.24	6.18	3	Vertical	103	1.00	-	39.58	31.35	9.14	34.31
PK	5.1056G	59.55	74.00	-14.45	6.77	3	Vertical	103	1.00	-	52.78	31.98	9.06	34.27
PK	5.2424G	110.81	Inf	-Inf	6.22	3	Vertical	103	1.00	-	104.59	31.43	9.08	34.29
PK	5.39G	57.80	74.00	-16.20	6.32	3	Vertical	103	1.00	-	51.48	31.47	9.16	34.31

802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.099G	47.36	54.00	-6.64	6.79	3	Horizontal	177	2.94	-	40.57	32.00	9.06	34.27
AV	5.2376G	100.15	Inf	-Inf	6.24	3	Horizontal	177	2.94	-	93.91	31.45	9.08	34.29
AV	5.3768G	45.69	54.00	-8.31	6.27	3	Horizontal	177	2.94	-	39.42	31.43	9.15	34.31
PK	5.1314G	59.42	74.00	-14.58	6.66	3	Horizontal	177	2.94	-	52.76	31.87	9.06	34.27
PK	5.2412G	110.50	Inf	-Inf	6.23	3	Horizontal	177	2.94	-	104.27	31.44	9.08	34.29
PK	5.35G	56.55	74.00	-17.45	6.18	3	Horizontal	177	2.94	-	50.37	31.35	9.14	34.31

802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47544G	58.48	68.20	-9.72	16.97	3	Vertical	244	1.01	-	41.51	39.52	12.01	34.56

802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47208G	58.21	68.20	-9.99	16.96	3	Horizontal	172	1.18	-	41.25	39.51	12.01	34.56

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1172G	47.30	54.00	-6.70	6.72	3	Vertical	123	1.01	-	40.58	31.93	9.06	34.27
AV	5.2582G	101.01	Inf	-Inf	6.17	3	Vertical	123	1.01	-	94.84	31.37	9.09	34.29
AV	5.3674G	46.04	54.00	-7.96	6.24	3	Vertical	123	1.01	-	39.80	31.40	9.15	34.31
PK	5.1172G	58.54	74.00	-15.46	6.72	3	Vertical	123	1.01	-	51.82	31.93	9.06	34.27
PK	5.2552G	110.28	Inf	-Inf	6.18	3	Vertical	123	1.01	-	104.10	31.38	9.09	34.29
PK	5.3968G	57.70	74.00	-16.30	6.35	3	Vertical	123	1.01	-	51.35	31.49	9.17	34.31

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1166G	47.30	54.00	-6.70	6.72	3	Horizontal	205	2.50	-	40.58	31.93	9.06	34.27
AV	5.2582G	101.18	Inf	-Inf	6.17	3	Horizontal	205	2.50	-	95.01	31.37	9.09	34.29
AV	5.4034G	45.84	54.00	-8.16	6.38	3	Horizontal	205	2.50	-	39.46	31.51	9.17	34.30
PK	5.1166G	58.94	74.00	-15.06	6.72	3	Horizontal	205	2.50	-	52.22	31.93	9.06	34.27
PK	5.2576G	110.90	Inf	-Inf	6.17	3	Horizontal	205	2.50	-	104.73	31.37	9.09	34.29
PK	5.3548G	58.63	74.00	-15.37	6.19	3	Horizontal	205	2.50	-	52.44	31.36	9.14	34.31

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5071G	58.34	68.20	-9.86	17.05	3	Vertical	265	1.81	-	41.29	39.56	12.03	34.54

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5173G	58.35	68.20	-9.85	17.08	3	Horizontal	288	1.81	-	41.27	39.57	12.04	34.53

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	100.46	Inf	-Inf	6.02	3	Vertical	112	3.00	-	94.44	31.21	9.11	34.30
AV	5.3516G	45.98	54.00	-8.02	6.18	3	Vertical	112	3.00	-	39.80	31.35	9.14	34.31
PK	5.302G	110.16	Inf	-Inf	6.02	3	Vertical	112	3.00	-	104.14	31.21	9.11	34.30
PK	5.3524G	57.92	74.00	-16.08	6.19	3	Vertical	112	3.00	-	51.73	31.36	9.14	34.31

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.298G	100.38	Inf	-Inf	6.02	3	Horizontal	204	2.46	-	94.36	31.21	9.11	34.30
AV	5.35G	46.47	54.00	-7.53	6.18	3	Horizontal	204	2.46	-	40.29	31.35	9.14	34.31
PK	5.3012G	110.56	Inf	-Inf	6.01	3	Horizontal	204	2.46	-	104.55	31.20	9.11	34.30
PK	5.364G	57.85	74.00	-16.15	6.23	3	Horizontal	204	2.46	-	51.62	31.39	9.15	34.31

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5961G	58.18	68.20	-10.02	17.27	3	Vertical	123	1.43	-	40.91	39.67	12.08	34.48



802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.60228G	57.84	74.00	-16.16	17.29	3	Horizontal	303	1.71	-	40.55	39.68	12.08	34.47

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3178G	101.00	Inf	-Inf	6.07	3	Vertical	100	1.00	-	94.93	31.25	9.12	34.30
AV	5.35G	49.61	54.00	-4.39	6.18	3	Vertical	100	1.00	-	43.43	31.35	9.14	34.31
PK	5.3182G	110.32	Inf	-Inf	6.07	3	Vertical	100	1.00	-	104.25	31.25	9.12	34.30
PK	5.3502G	62.60	74.00	-11.40	6.18	3	Vertical	100	1.00	-	56.42	31.35	9.14	34.31

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3176G	100.40	Inf	-Inf	6.07	3	Horizontal	204	3.00	-	94.33	31.25	9.12	34.30
AV	5.35G	49.12	54.00	-4.88	6.18	3	Horizontal	204	3.00	-	42.94	31.35	9.14	34.31
PK	5.3214G	110.64	Inf	-Inf	6.08	3	Horizontal	204	3.00	-	104.56	31.26	9.12	34.30
PK	5.3506G	62.47	74.00	-11.53	6.18	3	Horizontal	204	3.00	-	56.29	31.35	9.14	34.31

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65032G	45.77	54.00	-8.23	17.42	3	Vertical	20	1.52	-	28.35	39.75	12.11	34.44
PK	10.63448G	58.26	74.00	-15.74	17.37	3	Vertical	20	1.52	-	40.89	39.72	12.10	34.45

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63628G	46.09	54.00	-7.91	17.38	3	Horizontal	28	1.42	-	28.71	39.73	12.10	34.45
PK	10.6454G	57.67	74.00	-16.33	17.41	3	Horizontal	28	1.42	-	40.26	39.74	12.11	34.44

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	47.19	54.00	-6.81	6.66	3	Vertical	99	2.91	-	40.53	31.66	9.18	34.18
AV	5.5022G	101.39	Inf	-Inf	6.93	3	Vertical	99	2.91	-	94.46	31.80	9.20	34.07
PK	5.468G	59.70	68.20	-8.50	6.75	3	Vertical	99	2.91	-	52.95	31.70	9.19	34.14
PK	5.5032G	111.51	Inf	-Inf	6.92	3	Vertical	99	2.91	-	104.59	31.79	9.20	34.07

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4522G	47.21	54.00	-6.79	6.66	3	Horizontal	180	2.91	-	40.55	31.66	9.18	34.18
AV	5.5024G	100.37	Inf	-Inf	6.93	3	Horizontal	180	2.91	-	93.44	31.80	9.20	34.07
PK	5.4694G	60.91	68.20	-7.29	6.76	3	Horizontal	180	2.91	-	54.15	31.71	9.19	34.14
PK	5.5012G	110.68	Inf	-Inf	6.94	3	Horizontal	180	2.91	-	103.74	31.80	9.20	34.06

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00372G	46.94	54.00	-7.06	18.31	3	Vertical	223	1.88	-	28.63	40.20	12.32	34.21
PK	11.00192G	58.69	74.00	-15.31	18.31	3	Vertical	223	1.88	-	40.38	40.20	12.32	34.21

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01134G	46.98	54.00	-7.02	18.30	3	Horizontal	283	1.25	-	28.68	40.19	12.32	34.21
PK	10.99442G	59.32	74.00	-14.68	18.29	3	Horizontal	283	1.25	-	41.03	40.19	12.31	34.21

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4486G	46.34	54.00	-7.66	6.64	3	Vertical	108	3.00	-	39.70	31.65	9.18	34.19
AV	5.5824G	101.53	Inf	-Inf	6.57	3	Vertical	108	3.00	-	94.96	31.64	9.22	34.29
PK	5.4666G	57.51	68.20	-10.69	6.75	3	Vertical	108	3.00	-	50.76	31.70	9.19	34.14
PK	5.5812G	110.97	Inf	-Inf	6.57	3	Vertical	108	3.00	-	104.40	31.64	9.22	34.29
PK	5.73G	58.00	68.20	-10.20	6.91	3	Vertical	108	3.00	-	51.09	31.89	9.38	34.36

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4534G	46.32	54.00	-7.68	6.66	3	Horizontal	47	2.59	-	39.66	31.66	9.18	34.18
AV	5.5776G	97.97	Inf	-Inf	6.58	3	Horizontal	47	2.59	-	91.39	31.64	9.22	34.28
PK	5.4696G	57.36	68.20	-10.84	6.76	3	Horizontal	47	2.59	-	50.60	31.71	9.19	34.14
PK	5.5752G	107.29	Inf	-Inf	6.60	3	Horizontal	47	2.59	-	100.69	31.65	9.22	34.27
PK	5.7258G	57.59	68.20	-10.61	6.90	3	Horizontal	47	2.59	-	50.69	31.88	9.38	34.36

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14578G	46.96	54.00	-7.04	18.19	3	Vertical	199	1.69	-	28.77	40.01	12.40	34.22
PK	11.15688G	58.85	74.00	-15.15	18.19	3	Vertical	199	1.69	-	40.66	40.00	12.41	34.22

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16576G	46.61	54.00	-7.39	18.17	3	Horizontal	233	1.64	-	28.44	39.98	12.41	34.22
PK	11.15634G	58.46	74.00	-15.54	18.19	3	Horizontal	233	1.64	-	40.27	40.00	12.41	34.22

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.698G	101.85	Inf	-Inf	6.79	3	Vertical	102	1.00	-	95.06	31.80	9.34	34.35
PK	5.7004G	110.90	Inf	-Inf	6.80	3	Vertical	102	1.00	-	104.10	31.80	9.35	34.35
PK	5.7256G	64.75	68.20	-3.45	6.90	3	Vertical	102	1.00	-	57.85	31.88	9.38	34.36

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.698G	98.06	Inf	-Inf	6.79	3	Horizontal	168	3.00	-	91.27	31.80	9.34	34.35
PK	5.6968G	107.80	Inf	-Inf	6.78	3	Horizontal	168	3.00	-	101.02	31.79	9.34	34.35
PK	5.7264G	62.81	68.20	-5.39	6.90	3	Horizontal	168	3.00	-	55.91	31.88	9.38	34.36

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40816G	46.28	54.00	-7.72	17.99	3	Vertical	23	1.75	-	28.29	39.67	12.55	34.23
PK	11.40432G	58.40	74.00	-15.60	17.99	3	Vertical	23	1.75	-	40.41	39.67	12.55	34.23

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41062G	45.95	54.00	-8.05	17.99	3	Horizontal	298	1.19	-	27.96	39.67	12.55	34.23
PK	11.40642G	58.30	74.00	-15.70	17.99	3	Horizontal	298	1.19	-	40.31	39.67	12.55	34.23

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	46.22	54.00	-7.78	6.66	3	Vertical	101	2.99	-	39.56	31.66	9.18	34.18
AV	5.7224G	101.36	Inf	-Inf	6.89	3	Vertical	101	2.99	-	94.47	31.87	9.37	34.35
PK	5.46G	56.94	68.20	-11.26	6.70	3	Vertical	101	2.99	-	50.24	31.68	9.18	34.16
PK	5.7188G	110.60	Inf	-Inf	6.88	3	Vertical	101	2.99	-	103.72	31.86	9.37	34.35
PK	5.984G	59.79	68.20	-8.41	7.78	3	Vertical	101	2.99	-	52.01	32.40	9.56	34.18

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4428G	46.18	54.00	-7.82	6.61	3	Horizontal	163	2.97	-	39.57	31.63	9.18	34.20
AV	5.7176G	97.60	Inf	-Inf	6.87	3	Horizontal	163	2.97	-	90.73	31.85	9.37	34.35
PK	5.4608G	57.35	68.20	-10.85	6.70	3	Horizontal	163	2.97	-	50.65	31.68	9.18	34.16
PK	5.7236G	106.36	Inf	-Inf	6.89	3	Horizontal	163	2.97	-	99.47	31.87	9.37	34.35
PK	5.9012G	59.48	68.20	-8.72	7.54	3	Horizontal	163	2.97	-	51.94	32.40	9.52	34.38

802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4334G	46.24	54.00	-7.76	17.98	3	Vertical	78	2.42	-	28.26	39.64	12.57	34.23
PK	11.43304G	58.01	74.00	-15.99	17.98	3	Vertical	78	2.42	-	40.03	39.64	12.57	34.23



802.11ac VHT20_Nss1,(MCS0)_2TX

24/08/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44264G	46.26	54.00	-7.74	17.96	3	Horizontal	144	1.83	-	28.30	39.62	12.57	34.23
PK	11.4454G	57.77	74.00	-16.23	17.96	3	Horizontal	144	1.83	-	39.81	39.62	12.57	34.23

802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	100.99	Inf	-Inf	6.97	3	Vertical	105	1.02	-	94.02	31.93	9.40	34.36
PK	5.5518G	58.69	68.20	-9.51	6.70	3	Vertical	105	1.02	-	51.99	31.70	9.21	34.21
PK	5.7402G	110.43	Inf	-Inf	6.95	3	Vertical	105	1.02	-	103.48	31.92	9.39	34.36
PK	5.9322G	60.08	68.20	-8.12	7.63	3	Vertical	105	1.02	-	52.45	32.40	9.53	34.30

802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	98.64	Inf	-Inf	6.97	3	Horizontal	170	3.00	-	91.67	31.93	9.40	34.36
PK	5.5698G	58.52	68.20	-9.68	6.61	3	Horizontal	170	3.00	-	51.91	31.66	9.21	34.26
PK	5.7402G	108.15	Inf	-Inf	6.95	3	Horizontal	170	3.00	-	101.20	31.92	9.39	34.36
PK	5.9442G	59.04	68.20	-9.16	7.67	3	Horizontal	170	3.00	-	51.37	32.40	9.54	34.27

802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48136G	46.17	54.00	-7.83	17.93	3	Vertical	313	2.46	-	28.24	39.57	12.59	34.23
PK	11.49378G	58.32	74.00	-15.68	17.93	3	Vertical	313	2.46	-	40.39	39.56	12.60	34.23

802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4795G	46.26	54.00	-7.74	17.94	3	Horizontal	162	2.45	-	28.32	39.58	12.59	34.23
PK	11.50164G	58.13	74.00	-15.87	17.92	3	Horizontal	162	2.45	-	40.21	39.55	12.61	34.24

802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	101.17	Inf	-Inf	7.13	3	Vertical	98	1.01	-	94.04	32.05	9.45	34.37
PK	5.5822G	58.51	68.20	-9.69	6.57	3	Vertical	98	1.01	-	51.94	31.64	9.22	34.29
PK	5.7826G	110.28	Inf	-Inf	7.13	3	Vertical	98	1.01	-	103.15	32.05	9.45	34.37
PK	5.9578G	59.10	68.20	-9.10	7.70	3	Vertical	98	1.01	-	51.40	32.40	9.54	34.24

802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	98.50	Inf	-Inf	7.13	3	Horizontal	173	3.00	-	91.37	32.05	9.45	34.37
PK	5.5606G	58.95	68.20	-9.25	6.66	3	Horizontal	173	3.00	-	52.29	31.68	9.21	34.23
PK	5.7802G	108.40	Inf	-Inf	7.11	3	Horizontal	173	3.00	-	101.29	32.04	9.44	34.37
PK	5.9602G	59.33	68.20	-8.87	7.70	3	Horizontal	173	3.00	-	51.63	32.40	9.54	34.24



802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56856G	46.38	54.00	-7.62	17.86	3	Vertical	331	1.44	-	28.52	39.46	12.64	34.24
PK	11.5727G	58.52	74.00	-15.48	17.87	3	Vertical	331	1.44	-	40.65	39.46	12.65	34.24

802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56862G	46.65	54.00	-7.35	17.86	3	Horizontal	45	1.91	-	28.79	39.46	12.64	34.24
PK	11.55632G	58.23	74.00	-15.77	17.88	3	Horizontal	45	1.91	-	40.35	39.48	12.64	34.24

802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	100.14	Inf	-Inf	7.29	3	Vertical	81	1.00	-	92.85	32.18	9.48	34.37
PK	5.6126G	58.41	68.20	-9.79	6.53	3	Vertical	81	1.00	-	51.88	31.63	9.24	34.34
PK	5.8202G	109.00	Inf	-Inf	7.27	3	Vertical	81	1.00	-	101.73	32.16	9.48	34.37
PK	5.9666G	58.71	68.20	-9.49	7.73	3	Vertical	81	1.00	-	50.98	32.40	9.55	34.22

802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	98.81	Inf	-Inf	7.28	3	Horizontal	174	2.78	-	91.53	32.17	9.48	34.37
PK	5.5622G	58.70	68.20	-9.50	6.66	3	Horizontal	174	2.78	-	52.04	31.68	9.21	34.23
PK	5.8286G	108.52	Inf	-Inf	7.30	3	Horizontal	174	2.78	-	101.22	32.19	9.48	34.37
PK	5.9642G	58.76	68.20	-9.44	7.72	3	Horizontal	174	2.78	-	51.04	32.40	9.55	34.23

802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6647G	46.38	54.00	-7.62	17.80	3	Vertical	162	2.11	-	28.58	39.34	12.70	34.24
PK	11.66452G	58.32	74.00	-15.68	17.80	3	Vertical	162	2.11	-	40.52	39.34	12.70	34.24

802.11ac VHT20_Nss1,(MCS0)_2TX

23/08/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65108G	46.08	54.00	-7.92	17.80	3	Horizontal	231	1.84	-	28.28	39.35	12.69	34.24
PK	11.64568G	58.49	74.00	-15.51	17.81	3	Horizontal	231	1.84	-	40.68	39.36	12.69	34.24

802.11ac VHT40_Nss1,(MCS0)_2TX

23/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	50.59	54.00	-3.41	6.59	3	Vertical	104	1.00	-	44.00	31.80	9.06	34.27
AV	5.1976G	95.77	Inf	-Inf	6.39	3	Vertical	104	1.00	-	89.38	31.61	9.06	34.28
PK	5.1492G	67.58	74.00	-6.42	6.59	3	Vertical	104	1.00	-	60.99	31.80	9.06	34.27
PK	5.1956G	105.13	Inf	-Inf	6.40	3	Vertical	104	1.00	-	98.73	31.62	9.06	34.28

802.11ac VHT40_Nss1,(MCS0)_2TX

23/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	48.81	54.00	-5.19	6.60	3	Horizontal	175	2.96	-	42.21	31.81	9.06	34.27
AV	5.1864G	93.66	Inf	-Inf	6.43	3	Horizontal	175	2.96	-	87.23	31.65	9.06	34.28
PK	5.1464G	64.98	74.00	-9.02	6.60	3	Horizontal	175	2.96	-	58.38	31.81	9.06	34.27
PK	5.198G	104.38	Inf	-Inf	6.39	3	Horizontal	175	2.96	-	97.99	31.61	9.06	34.28

802.11ac VHT40_Nss1,(MCS0)_2TX

23/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38798G	57.75	68.20	-10.45	16.75	3	Vertical	235	2.49	-	41.00	39.40	11.96	34.61



802.11ac VHT40_Nss1,(MCS0)_2TX

23/08/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37958G	57.59	68.20	-10.61	16.73	3	Horizontal	257	1.53	-	40.86	39.39	11.96	34.62

802.11ac VHT40_Nss1,(MCS0)_2TX

23/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	48.22	54.00	-5.78	6.59	3	Vertical	99	1.00	-	41.63	31.80	9.06	34.27
AV	5.2264G	99.30	Inf	-Inf	6.27	3	Vertical	99	1.00	-	93.03	31.49	9.07	34.29
PK	5.1452G	64.58	74.00	-9.42	6.61	3	Vertical	99	1.00	-	57.97	31.82	9.06	34.27
PK	5.2256G	108.78	Inf	-Inf	6.28	3	Vertical	99	1.00	-	102.50	31.50	9.07	34.29

802.11ac VHT40_Nss1,(MCS0)_2TX

23/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	47.67	54.00	-6.33	6.63	3	Horizontal	172	3.00	-	41.04	31.84	9.06	34.27
AV	5.2232G	97.69	Inf	-Inf	6.30	3	Horizontal	172	3.00	-	91.39	31.51	9.07	34.28
PK	5.1484G	63.07	74.00	-10.93	6.60	3	Horizontal	172	3.00	-	56.47	31.81	9.06	34.27
PK	5.2324G	108.61	Inf	-Inf	6.26	3	Horizontal	172	3.00	-	102.35	31.47	9.08	34.29



802.11ac VHT40_Nss1,(MCS0)_2TX

23/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46096G	58.26	68.20	-9.94	16.93	3	Vertical	110	1.14	-	41.33	39.50	12.00	34.57

802.11ac VHT40_Nss1,(MCS0)_2TX

23/08/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.44836G	58.33	68.20	-9.87	16.91	3	Horizontal	126	2.38	-	41.42	39.48	12.00	34.57

802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2668G	98.09	Inf	-Inf	6.13	3	Vertical	86	1.00	-	91.96	31.33	9.09	34.29
AV	5.35G	46.20	54.00	-7.80	6.18	3	Vertical	86	1.00	-	40.02	31.35	9.14	34.31
PK	5.2736G	107.69	Inf	-Inf	6.12	3	Vertical	86	1.00	-	101.57	31.31	9.10	34.29
PK	5.354G	63.50	74.00	-10.50	6.19	3	Vertical	86	1.00	-	57.31	31.36	9.14	34.31

802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2716G	98.11	Inf	-Inf	6.12	3	Horizontal	192	2.50	-	91.99	31.31	9.10	34.29
AV	5.3504G	46.32	54.00	-7.68	6.18	3	Horizontal	192	2.50	-	40.14	31.35	9.14	34.31
PK	5.2644G	108.49	Inf	-Inf	6.14	3	Horizontal	192	2.50	-	102.35	31.34	9.09	34.29
PK	5.3572G	61.83	74.00	-12.17	6.20	3	Horizontal	192	2.50	-	55.63	31.37	9.14	34.31



802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5262G	58.42	68.20	-9.78	17.10	3	Vertical	124	2.22	-	41.32	39.58	12.04	34.52



802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.55152G	57.75	68.20	-10.45	17.17	3	Horizontal	67	1.01	-	40.58	39.62	12.06	34.51

802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.318G	94.51	Inf	-Inf	6.07	3	Vertical	103	1.00	-	88.44	31.25	9.12	34.30
AV	5.35G	48.29	54.00	-5.71	6.18	3	Vertical	103	1.00	-	42.11	31.35	9.14	34.31
PK	5.3136G	105.70	Inf	-Inf	6.06	3	Vertical	103	1.00	-	99.64	31.24	9.12	34.30
PK	5.3508G	67.83	74.00	-6.17	6.18	3	Vertical	103	1.00	-	61.65	31.35	9.14	34.31

802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	93.95	Inf	-Inf	6.02	3	Horizontal	192	2.59	-	87.93	31.21	9.11	34.30
AV	5.3504G	47.65	54.00	-6.35	6.18	3	Horizontal	192	2.59	-	41.47	31.35	9.14	34.31
PK	5.3216G	104.96	Inf	-Inf	6.08	3	Horizontal	192	2.59	-	98.88	31.26	9.12	34.30
PK	5.3504G	66.94	74.00	-7.06	6.18	3	Horizontal	192	2.59	-	60.76	31.35	9.14	34.31

802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61442G	46.30	54.00	-7.70	17.33	3	Vertical	199	1.15	-	28.97	39.70	12.09	34.46
PK	10.61598G	58.91	74.00	-15.09	17.33	3	Vertical	199	1.15	-	41.58	39.70	12.09	34.46



802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60614G	45.95	54.00	-8.05	17.31	3	Horizontal	181	2.06	-	28.64	39.69	12.09	34.47
PK	10.62192G	58.55	74.00	-15.45	17.35	3	Horizontal	181	2.06	-	41.20	39.71	12.10	34.46

802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.60	54.00	-6.40	6.70	3	Vertical	103	1.00	-	40.90	31.68	9.18	34.16
AV	5.5064G	94.00	Inf	-Inf	6.91	3	Vertical	103	1.00	-	87.09	31.79	9.20	34.08
PK	5.468G	64.63	68.20	-3.57	6.75	3	Vertical	103	1.00	-	57.88	31.70	9.19	34.14
PK	5.5116G	103.72	Inf	-Inf	6.89	3	Vertical	103	1.00	-	96.83	31.78	9.20	34.09

802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.16	54.00	-6.84	6.70	3	Horizontal	178	2.94	-	40.46	31.68	9.18	34.16
AV	5.5136G	92.13	Inf	-Inf	6.87	3	Horizontal	178	2.94	-	85.26	31.77	9.20	34.10
PK	5.4636G	63.24	68.20	-4.96	6.72	3	Horizontal	178	2.94	-	56.52	31.69	9.18	34.15
PK	5.5136G	102.07	Inf	-Inf	6.87	3	Horizontal	178	2.94	-	95.20	31.77	9.20	34.10

802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0293G	47.04	54.00	-6.96	18.28	3	Vertical	218	1.01	-	28.76	40.16	12.33	34.21
PK	11.02084G	59.45	74.00	-14.55	18.29	3	Vertical	218	1.01	-	41.16	40.17	12.33	34.21

802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02888G	47.32	54.00	-6.68	18.28	3	Horizontal	183	1.07	-	29.04	40.16	12.33	34.21
PK	11.03434G	59.53	74.00	-14.47	18.28	3	Horizontal	183	1.07	-	41.25	40.16	12.33	34.21

802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	46.69	54.00	-7.31	6.66	3	Vertical	98	1.00	-	40.03	31.66	9.18	34.18
AV	5.5576G	99.27	Inf	-Inf	6.67	3	Vertical	98	1.00	-	92.60	31.68	9.21	34.22
PK	5.4696G	63.73	68.20	-4.47	6.76	3	Vertical	98	1.00	-	56.97	31.71	9.19	34.14
PK	5.552G	109.08	Inf	-Inf	6.70	3	Vertical	98	1.00	-	102.38	31.70	9.21	34.21

802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	46.56	54.00	-7.44	6.67	3	Horizontal	164	1.00	-	39.89	31.66	9.18	34.17
AV	5.5424G	96.33	Inf	-Inf	6.75	3	Horizontal	164	1.00	-	89.58	31.72	9.21	34.18
PK	5.4656G	61.27	68.20	-6.93	6.74	3	Horizontal	164	1.00	-	54.53	31.70	9.19	34.15
PK	5.5536G	105.79	Inf	-Inf	6.69	3	Horizontal	164	1.00	-	99.10	31.69	9.21	34.21



802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0889G	46.95	54.00	-7.05	18.24	3	Vertical	235	1.27	-	28.71	40.08	12.37	34.21
PK	11.11062G	59.91	74.00	-14.09	18.22	3	Vertical	235	1.27	-	41.69	40.06	12.38	34.22



802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10114G	46.95	54.00	-7.05	18.22	3	Horizontal	132	2.29	-	28.73	40.07	12.37	34.22
PK	11.10174G	59.45	74.00	-14.55	18.22	3	Horizontal	132	2.29	-	41.23	40.07	12.37	34.22

802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6622G	98.24	Inf	-Inf	6.67	3	Vertical	98	2.93	-	91.57	31.72	9.30	34.35
PK	5.6604G	108.26	Inf	-Inf	6.67	3	Vertical	98	2.93	-	101.59	31.72	9.30	34.35
PK	5.727G	65.13	68.20	-3.07	6.90	3	Vertical	98	2.93	-	58.23	31.88	9.38	34.36



802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6736G	94.76	Inf	-Inf	6.71	3	Horizontal	160	3.00	-	88.05	31.75	9.31	34.35
PK	5.6802G	105.26	Inf	-Inf	6.73	3	Horizontal	160	3.00	-	98.53	31.76	9.32	34.35
PK	5.7324G	60.89	68.20	-7.31	6.92	3	Horizontal	160	3.00	-	53.97	31.90	9.38	34.36

802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34306G	45.85	54.00	-8.15	18.03	3	Vertical	72	1.05	-	27.82	39.75	12.51	34.23
PK	11.3328G	57.66	74.00	-16.34	18.05	3	Vertical	72	1.05	-	39.61	39.77	12.51	34.23

802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3289G	45.98	54.00	-8.02	18.05	3	Horizontal	259	1.65	-	27.93	39.77	12.51	34.23
PK	11.35044G	58.53	74.00	-15.47	18.03	3	Horizontal	259	1.65	-	40.50	39.74	12.52	34.23

802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.446G	46.31	54.00	-7.69	6.62	3	Vertical	110	3.00	-	39.69	31.64	9.18	34.20
AV	5.7028G	98.75	Inf	-Inf	6.81	3	Vertical	110	3.00	-	91.94	31.81	9.35	34.35
PK	5.4628G	57.02	68.20	-11.18	6.72	3	Vertical	110	3.00	-	50.30	31.69	9.18	34.15
PK	5.6992G	108.31	Inf	-Inf	6.79	3	Vertical	110	3.00	-	101.52	31.80	9.34	34.35
PK	5.9884G	59.57	68.20	-8.63	7.79	3	Vertical	110	3.00	-	51.78	32.40	9.56	34.17

802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4556G	46.24	54.00	-7.76	6.68	3	Horizontal	169	3.00	-	39.56	31.67	9.18	34.17
AV	5.7064G	96.11	Inf	-Inf	6.82	3	Horizontal	169	3.00	-	89.29	31.82	9.35	34.35
PK	5.464G	57.69	68.20	-10.51	6.72	3	Horizontal	169	3.00	-	50.97	31.69	9.18	34.15
PK	5.7064G	105.90	Inf	-Inf	6.82	3	Horizontal	169	3.00	-	99.08	31.82	9.35	34.35
PK	5.8588G	59.75	68.20	-8.45	7.40	3	Horizontal	169	3.00	-	52.35	32.28	9.50	34.38



802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43266G	46.38	54.00	-7.62	17.98	3	Vertical	16	1.49	-	28.40	39.64	12.57	34.23
PK	11.42396G	58.18	74.00	-15.82	17.98	3	Vertical	16	1.49	-	40.20	39.65	12.56	34.23

802.11ac VHT40_Nss1,(MCS0)_2TX

24/08/2019

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42996G	46.21	54.00	-7.79	17.97	3	Horizontal	47	1.19	-	28.24	39.64	12.56	34.23
PK	11.42456G	58.24	74.00	-15.76	17.98	3	Horizontal	47	1.19	-	40.26	39.65	12.56	34.23

802.11ac VHT40_Nss1,(MCS0)_2TX

23/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7466G	99.13	Inf	-Inf	6.98	3	Vertical	58	1.00	-	92.15	31.94	9.40	34.36
PK	5.6482G	59.70	68.20	-8.50	6.64	3	Vertical	58	1.00	-	53.06	31.70	9.28	34.34
PK	5.7478G	108.80	Inf	-Inf	6.98	3	Vertical	58	1.00	-	101.82	31.94	9.40	34.36
PK	5.9458G	59.42	68.20	-8.78	7.67	3	Vertical	58	1.00	-	51.75	32.40	9.54	34.27

802.11ac VHT40_Nss1,(MCS0)_2TX

23/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7514G	96.11	Inf	-Inf	7.00	3	Horizontal	172	3.00	-	89.11	31.95	9.41	34.36
PK	5.635G	59.17	68.20	-9.03	6.60	3	Horizontal	172	3.00	-	52.57	31.67	9.27	34.34
PK	5.749G	106.59	Inf	-Inf	6.99	3	Horizontal	172	3.00	-	99.60	31.95	9.40	34.36
PK	5.9554G	59.34	68.20	-8.86	7.69	3	Horizontal	172	3.00	-	51.65	32.40	9.54	34.25



802.11ac VHT40_Nss1,(MCS0)_2TX

23/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50076G	46.80	54.00	-7.20	17.91	3	Vertical	229	1.22	-	28.89	39.55	12.60	34.24
PK	11.5217G	58.57	74.00	-15.43	17.90	3	Vertical	229	1.22	-	40.67	39.52	12.62	34.24



802.11ac VHT40_Nss1,(MCS0)_2TX

23/08/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50832G	46.45	54.00	-7.55	17.91	3	Horizontal	172	1.28	-	28.54	39.54	12.61	34.24
PK	11.5241G	58.21	74.00	-15.79	17.90	3	Horizontal	172	1.28	-	40.31	39.52	12.62	34.24

802.11ac VHT40_Nss1,(MCS0)_2TX

23/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	98.67	Inf	-Inf	7.16	3	Vertical	81	1.00	-	91.51	32.07	9.46	34.37
PK	5.6282G	58.62	68.20	-9.58	6.58	3	Vertical	81	1.00	-	52.04	31.66	9.26	34.34
PK	5.801G	108.03	Inf	-Inf	7.20	3	Vertical	81	1.00	-	100.83	32.10	9.47	34.37
PK	5.9282G	59.73	68.20	-8.47	7.62	3	Vertical	81	1.00	-	52.11	32.40	9.53	34.31

802.11ac VHT40_Nss1,(MCS0)_2TX

23/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	96.34	Inf	-Inf	7.16	3	Horizontal	172	2.97	-	89.18	32.07	9.46	34.37
PK	5.627G	59.25	68.20	-8.95	6.57	3	Horizontal	172	2.97	-	52.68	31.65	9.26	34.34
PK	5.7998G	106.07	Inf	-Inf	7.20	3	Horizontal	172	2.97	-	98.87	32.10	9.47	34.37
PK	5.9474G	60.35	68.20	-7.85	7.67	3	Horizontal	172	2.97	-	52.68	32.40	9.54	34.27

802.11ac VHT40_Nss1,(MCS0)_2TX

23/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.578G	46.55	54.00	-7.45	17.86	3	Vertical	268	2.21	-	28.69	39.45	12.65	34.24
PK	11.5762G	58.86	74.00	-15.14	17.86	3	Vertical	268	2.21	-	41.00	39.45	12.65	34.24

802.11ac VHT40_Nss1,(MCS0)_2TX

23/08/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58208G	46.44	54.00	-7.56	17.85	3	Horizontal	99	1.26	-	28.59	39.44	12.65	34.24
PK	11.57758G	58.35	74.00	-15.65	17.86	3	Horizontal	99	1.26	-	40.49	39.45	12.65	34.24

802.11ac VHT80_Nss1,(MCS0)_2TX

23/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.137G	50.63	54.00	-3.37	6.64	3	Vertical	117	1.00	-	43.99	31.85	9.06	34.27
AV	5.198G	89.78	Inf	-Inf	6.39	3	Vertical	117	1.00	-	83.39	31.61	9.06	34.28
AV	5.444G	47.91	54.00	-6.09	6.61	3	Vertical	117	1.00	-	41.30	31.63	9.18	34.20
PK	5.123G	60.39	74.00	-13.61	6.70	3	Vertical	117	1.00	-	53.69	31.91	9.06	34.27
PK	5.196G	99.55	Inf	-Inf	6.40	3	Vertical	117	1.00	-	93.15	31.62	9.06	34.28
PK	5.449G	58.65	74.00	-15.35	6.64	3	Vertical	117	1.00	-	52.01	31.65	9.18	34.19

802.11ac VHT80_Nss1,(MCS0)_2TX

23/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.101G	50.00	54.00	-4.00	6.79	3	Horizontal	178	2.91	-	43.21	32.00	9.06	34.27
AV	5.198G	88.34	Inf	-Inf	6.39	3	Horizontal	178	2.91	-	81.95	31.61	9.06	34.28
AV	5.421G	48.50	54.00	-5.50	6.47	3	Horizontal	178	2.91	-	42.03	31.56	9.17	34.26
PK	5.144G	60.68	74.00	-13.32	6.61	3	Horizontal	178	2.91	-	54.07	31.82	9.06	34.27
PK	5.223G	97.84	Inf	-Inf	6.30	3	Horizontal	178	2.91	-	91.54	31.51	9.07	34.28
PK	5.459G	58.90	74.00	-15.10	6.70	3	Horizontal	178	2.91	-	52.20	31.68	9.18	34.16



802.11ac VHT80_Nss1,(MCS0)_2TX

23/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42534G	58.31	68.20	-9.89	16.84	3	Vertical	330	1.20	-	41.47	39.45	11.98	34.59

802.11ac VHT80_Nss1,(MCS0)_2TX

23/08/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42078G	57.57	68.20	-10.63	16.84	3	Horizontal	71	1.97	-	40.73	39.45	11.98	34.59

802.11ac VHT80_Nss1,(MCS0)_2TX

24/08/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	49.74	54.00	-4.26	6.59	3	Vertical	100	1.00	-	43.15	31.80	9.06	34.27
AV	5.287G	93.21	Inf	-Inf	6.06	3	Vertical	100	1.00	-	87.15	31.25	9.11	34.30
AV	5.383G	49.77	54.00	-4.23	6.30	3	Vertical	100	1.00	-	43.47	31.45	9.16	34.31
PK	5.093G	59.43	74.00	-14.57	6.76	3	Vertical	100	1.00	-	52.67	31.96	9.06	34.26
PK	5.276G	102.63	Inf	-Inf	6.10	3	Vertical	100	1.00	-	96.53	31.30	9.10	34.30
PK	5.506G	58.42	68.20	-9.78	6.91	3	Vertical	100	1.00	-	51.51	31.79	9.20	34.08

802.11ac VHT80_Nss1,(MCS0)_2TX

24/08/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.45	54.00	-4.55	6.59	3	Horizontal	189	2.51	-	42.86	31.80	9.06	34.27
AV	5.2684G	92.03	Inf	-Inf	6.14	3	Horizontal	189	2.51	-	85.89	31.33	9.10	34.29
AV	5.3596G	49.26	54.00	-4.74	6.21	3	Horizontal	189	2.51	-	43.05	31.38	9.14	34.31
PK	5.1448G	59.86	74.00	-14.14	6.61	3	Horizontal	189	2.51	-	53.25	31.82	9.06	34.27
PK	5.2732G	101.54	Inf	-Inf	6.12	3	Horizontal	189	2.51	-	95.42	31.31	9.10	34.29
PK	5.4676G	58.45	68.20	-9.75	6.75	3	Horizontal	189	2.51	-	51.70	31.70	9.19	34.14

802.11ac VHT80_Nss1,(MCS0)_2TX

24/08/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58204G	58.99	68.20	-9.21	17.24	3	Vertical	94	1.64	-	41.75	39.66	12.07	34.49



802.11ac VHT80_Nss1,(MCS0)_2TX

24/08/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58822G	57.65	68.20	-10.55	17.26	3	Horizontal	77	2.07	-	40.39	39.66	12.08	34.48

802.11ac VHT80_Nss1,(MCS0)_2TX

24/08/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	50.22	54.00	-3.78	6.68	3	Vertical	111	2.74	-	43.54	31.67	9.18	34.17
AV	5.532G	92.89	Inf	-Inf	6.79	3	Vertical	111	2.74	-	86.10	31.74	9.20	34.15
PK	5.465G	60.05	68.20	-8.15	6.74	3	Vertical	111	2.74	-	53.31	31.70	9.19	34.15
PK	5.542G	101.86	Inf	-Inf	6.75	3	Vertical	111	2.74	-	95.11	31.72	9.21	34.18
PK	5.763G	59.02	68.20	-9.18	7.05	3	Vertical	111	2.74	-	51.97	31.99	9.42	34.36

802.11ac VHT80_Nss1,(MCS0)_2TX

24/08/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	50.92	54.00	-3.08	6.68	3	Horizontal	180	2.90	-	44.24	31.67	9.18	34.17
AV	5.521G	92.00	Inf	-Inf	6.84	3	Horizontal	180	2.90	-	85.16	31.76	9.20	34.12
PK	5.463G	60.85	68.20	-7.35	6.72	3	Horizontal	180	2.90	-	54.13	31.69	9.18	34.15
PK	5.541G	101.79	Inf	-Inf	6.76	3	Horizontal	180	2.90	-	95.03	31.72	9.21	34.17
PK	5.774G	58.55	68.20	-9.65	7.10	3	Horizontal	180	2.90	-	51.45	32.02	9.44	34.36

802.11ac VHT80_Nss1,(MCS0)_2TX

24/08/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04548G	48.77	54.00	-5.23	18.27	3	Vertical	264	1.31	-	30.50	40.14	12.34	34.21
PK	11.07062G	59.21	74.00	-14.79	18.26	3	Vertical	264	1.31	-	40.95	40.11	12.36	34.21

802.11ac VHT80_Nss1,(MCS0)_2TX

24/08/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0684G	48.07	54.00	-5.93	18.25	3	Horizontal	236	1.43	-	29.82	40.11	12.35	34.21
PK	11.06522G	59.17	74.00	-14.83	18.26	3	Horizontal	236	1.43	-	40.91	40.12	12.35	34.21

802.11ac VHT80_Nss1,(MCS0)_2TX

24/08/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.64	54.00	-5.36	6.70	3	Vertical	98	1.00	-	41.94	31.68	9.18	34.16
AV	5.593G	96.53	Inf	-Inf	6.51	3	Vertical	98	1.00	-	90.02	31.61	9.22	34.32
PK	5.462G	58.19	68.20	-10.01	6.71	3	Vertical	98	1.00	-	51.48	31.69	9.18	34.16
PK	5.594G	106.45	Inf	-Inf	6.51	3	Vertical	98	1.00	-	99.94	31.61	9.22	34.32
PK	5.734G	60.56	68.20	-7.64	6.93	3	Vertical	98	1.00	-	53.63	31.90	9.39	34.36

802.11ac VHT80_Nss1,(MCS0)_2TX

24/08/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	48.45	54.00	-5.55	6.70	3	Horizontal	182	2.97	-	41.75	31.68	9.18	34.16
AV	5.59G	94.66	Inf	-Inf	6.53	3	Horizontal	182	2.97	-	88.13	31.62	9.22	34.31
PK	5.464G	58.14	68.20	-10.06	6.72	3	Horizontal	182	2.97	-	51.42	31.69	9.18	34.15
PK	5.585G	103.37	Inf	-Inf	6.55	3	Horizontal	182	2.97	-	96.82	31.63	9.22	34.30
PK	5.755G	58.98	68.20	-9.22	7.01	3	Horizontal	182	2.97	-	51.97	31.96	9.41	34.36



802.11ac VHT80_Nss1,(MCS0)_2TX

24/08/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22006G	47.83	54.00	-6.17	18.13	3	Vertical	206	1.81	-	29.70	39.91	12.44	34.22
PK	11.20626G	58.29	74.00	-15.71	18.14	3	Vertical	206	1.81	-	40.15	39.93	12.43	34.22

802.11ac VHT80_Nss1,(MCS0)_2TX

24/08/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22018G	47.67	54.00	-6.33	18.13	3	Horizontal	118	1.09	-	29.54	39.91	12.44	34.22
PK	11.22402G	59.40	74.00	-14.60	18.13	3	Horizontal	118	1.09	-	41.27	39.91	12.44	34.22

802.11ac VHT80_Nss1,(MCS0)_2TX

24/08/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4332G	48.12	54.00	-5.88	6.55	3	Vertical	92	1.00	-	41.57	31.60	9.18	34.23
AV	5.684G	95.87	Inf	-Inf	6.75	3	Vertical	92	1.00	-	89.12	31.77	9.33	34.35
PK	5.468G	57.26	68.20	-10.94	6.75	3	Vertical	92	1.00	-	50.51	31.70	9.19	34.14
PK	5.6732G	106.15	Inf	-Inf	6.71	3	Vertical	92	1.00	-	99.44	31.75	9.31	34.35
PK	5.9492G	59.28	68.20	-8.92	7.68	3	Vertical	92	1.00	-	51.60	32.40	9.54	34.26

802.11ac VHT80_Nss1,(MCS0)_2TX

24/08/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	47.81	54.00	-6.19	6.67	3	Horizontal	163	3.00	-	41.14	31.66	9.18	34.17
AV	5.6768G	93.25	Inf	-Inf	6.72	3	Horizontal	163	3.00	-	86.53	31.75	9.32	34.35
PK	5.468G	57.48	68.20	-10.72	6.75	3	Horizontal	163	3.00	-	50.73	31.70	9.19	34.14
PK	5.6744G	103.97	Inf	-Inf	6.71	3	Horizontal	163	3.00	-	97.26	31.75	9.31	34.35
PK	5.9444G	59.39	68.20	-8.81	7.67	3	Horizontal	163	3.00	-	51.72	32.40	9.54	34.27

802.11ac VHT80_Nss1,(MCS0)_2TX

24/08/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38948G	47.34	54.00	-6.66	18.00	3	Vertical	175	2.25	-	29.34	39.69	12.54	34.23
PK	11.36674G	58.05	74.00	-15.95	18.02	3	Vertical	175	2.25	-	40.03	39.72	12.53	34.23

802.11ac VHT80_Nss1,(MCS0)_2TX

24/08/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38588G	47.45	54.00	-6.55	18.01	3	Horizontal	96	1.36	-	29.44	39.70	12.54	34.23
PK	11.38426G	58.24	74.00	-15.76	18.01	3	Horizontal	96	1.36	-	40.23	39.70	12.54	34.23

802.11ac VHT80_Nss1,(MCS0)_2TX

23/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.763G	95.68	Inf	-Inf	7.05	3	Vertical	83	1.07	-	88.63	31.99	9.42	34.36
PK	5.6502G	60.38	68.35	-7.97	6.63	3	Vertical	83	1.07	-	53.75	31.70	9.28	34.35
PK	5.7582G	105.81	Inf	-Inf	7.03	3	Vertical	83	1.07	-	98.78	31.97	9.42	34.36
PK	5.931G	59.83	68.20	-8.37	7.62	3	Vertical	83	1.07	-	52.21	32.40	9.53	34.31

802.11ac VHT80_Nss1,(MCS0)_2TX

23/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7714G	94.42	Inf	-Inf	7.08	3	Horizontal	174	2.70	-	87.34	32.01	9.43	34.36
PK	5.643G	59.85	68.20	-8.35	6.63	3	Horizontal	174	2.70	-	53.22	31.69	9.28	34.34
PK	5.7582G	104.26	Inf	-Inf	7.03	3	Horizontal	174	2.70	-	97.23	31.97	9.42	34.36
PK	5.9298G	59.94	68.20	-8.26	7.62	3	Horizontal	174	2.70	-	52.32	32.40	9.53	34.31

802.11ac VHT80_Nss1,(MCS0)_2TX

23/08/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54322G	48.13	54.00	-5.87	17.88	3	Vertical	328	3.00	-	30.25	39.49	12.63	34.24
PK	11.54208G	58.71	74.00	-15.29	17.89	3	Vertical	328	3.00	-	40.82	39.50	12.63	34.24

802.11ac VHT80_Nss1,(MCS0)_2TX

23/08/2019

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54934G	47.83	54.00	-6.17	17.88	3	Horizontal	333	2.98	-	29.95	39.49	12.63	34.24
PK	11.55G	58.13	74.00	-15.87	17.88	3	Horizontal	333	2.78	-	40.25	39.49	12.63	34.24