



Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Low	100	1	CP-OFDM 64QAM	1/32	39.78	46.78	75.00	28.22	H
					39.85	46.85	75.00	28.15	V



19:03:20 11.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, CP-OFDM 64QAM, low channel, H)




19:09:58 11.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, CP-OFDM 64QAM, low channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
High	100	1	CP-OFDM 64QAM	1/32	41.69	48.69	75.00	26.31	H
					41.28	48.28	75.00	26.72	V



19:25:02 11.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, CP-OFDM 64QAM, high channel, H)




19:16:28 11.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, CP-OFDM 64QAM, high channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	1	DFT-s-OFDM PI/2 BPSK	64/0	49.93	56.93	75.00	18.07	H
					49.76	56.76	75.00	18.24	V



13:19:25 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM PI/2 BPSK, middle channel, H)




13:12:36 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM PI/2 BPSK, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	1	DFT-s-OFDM QPSK	64/0	50.56	57.56	75.00	17.44	H
					49.94	56.94	75.00	18.06	V



11:07:01 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM QPSK, middle channel, H)




11:00:12 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM QPSK, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	1	DFT-s-OFDM 16QAM	64/0	49.13	56.13	75.00	18.87	H
					48.61	55.61	75.00	19.39	V



11:27:32 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM 16QAM, middle channel, H)




11:20:43 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM 16QAM, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	1	DFT-s-OFDM 64QAM	64/0	47.18	54.18	75.00	20.82	H
					46.78	53.78	75.00	21.22	V



12:46:27 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM 64QAM, middle channel, H)




12:39:39 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM 64QAM, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	1	DFT-s-OFDM 256QAM	64/0	41.74	48.74	75.00	26.26	H
					41.15	48.15	75.00	26.85	V



13:03:15 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM 256QAM, middle channel, H)




12:56:27 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM 256QAM, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Low	100	1	DFT-s-OFDM QPSK	640	50.62	57.62	75.00	17.38	H
					50.49	57.49	75.00	17.51	V



13:39:38 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM QPSK, low channel, H)




13:32:51 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM QPSK, low channel, V)

Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
High	100	1	DFT-s-OFDM QPSK	640	46.62	53.62	75.00	21.38	H
					46.64	53.64	75.00	21.36	V



14:08:09 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM QPSK, high channel, H)




14:04:11 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM QPSK, high channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	1	DFT-s-OFDM PI/2 BPSK	1/31	40.48	47.48	75.00	27.52	H
					39.78	46.78	75.00	28.22	V



09:18:03 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM PI/2 BPSK, middle channel, H)




09:29:48 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM PI/2 BPSK, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	1	DFT-s-OFDM QPSK	1/31	44.34	51.34	75.00	23.66	H
					31.53	38.53	75.00	36.47	V



09:52:07 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM QPSK, middle channel, H)




09:48:17 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM QPSK, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	1	DFT-s-OFDM 16QAM	1/31	42.89	49.89	75.00	25.11	H
					30.63	37.63	75.00	37.37	V



10:14:53 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM 16QAM, middle channel, H)




10:08:38 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM 16QAM, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	1	DFT-s-OFDM 64QAM	1/31	43.58	50.58	75.00	24.42	H
					31.81	38.81	75.00	36.19	V



10:20:25 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM 64QAM, middle channel, H)




10:25:22 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM 64QAM, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	1	DFT-s-OFDM 256QAM	1/31	36.14	43.14	75.00	31.86	H
					25.56	32.56	75.00	42.44	V



10:37:34 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM 256QAM, middle channel, H)




10:32:23 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM 256QAM, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Low	100	1	DFT-s-OFDM QPSK	1/31	43.41	50.41	75.00	24.59	H
					35.54	42.54	75.00	32.46	V



10:46:19 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM QPSK, low channel, H)




10:54:58 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM QPSK, low channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
High	100	1	DFT-s-OFDM QPSK	1/31	44.65	51.65	75.00	23.35	H
					33.29	40.29	75.00	34.71	V



11:11:33 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM QPSK, high channel, H)




11:05:17 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM QPSK, high channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	2	CP-OFDM QPSK	66/0	43.25	50.25	75.00	24.75	H
					41.59	48.59	75.00	26.41	V



11:59:56 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM QPSK, middle channel, H)




11:51:00 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM QPSK, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	2	CP-OFDM 16QAM	66/0	42.35	49.35	75.00	25.65	H
					40.70	47.70	75.00	27.30	V



12:14:55 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM 16QAM, middle channel, H)




12:19:44 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM 16QAM, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	2	CP-OFDM 64QAM	66/0	40.40	47.40	75.00	27.60	H
					38.83	45.83	75.00	29.17	V



12:30:59 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM 64QAM, middle channel, H)




12:25:31 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM 64QAM, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	2	CP-OFDM 256QAM	66/0	38.61	45.61	75.00	29.39	H
					36.64	43.64	75.00	31.36	V



12:38:43 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM 256QAM, middle channel, H)




12:44:49 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM 256QAM, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Low	100	2	CP-OFDM QPSK	66/0	42.11	49.11	75.00	25.89	H
					40.33	47.33	75.00	27.67	V



13:46:24 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM QPSK, low channel, H)




13:42:34 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM QPSK, low channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
High	100	2	CP-OFDM QPSK	66/0	43.69	50.69	75.00	24.31	H
					42.75	49.75	75.00	25.25	V



14:11:33 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM QPSK, high channel, H)




14:16:07 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM QPSK, high channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	2	CP-OFDM QPSK	1/32	36.12	43.12	75.00	31.88	H
					38.16	45.16	75.00	29.84	V



19:57:55 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM QPSK, middle channel, H)




19:54:41 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM QPSK, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	2	CP-OFDM 16QAM	1/32	34.74	41.74	75.00	33.26	H
					37.30	44.30	75.00	30.70	V



20:03:07 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM 16QAM, middle channel, H)




20:06:36 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM 16QAM, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	2	CP-OFDM 64QAM	1/32	34.93	41.93	75.00	33.07	H
					38.22	45.22	75.00	29.78	V



20:15:27 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM 64QAM, middle channel, H)




20:12:12 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM 64QAM, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	2	CP-OFDM 256QAM	1/32	26.47	33.47	75.00	41.53	H
					27.08	34.08	75.00	40.92	V



20:22:33 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM 256QAM, middle channel, H)




20:26:22 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM 256QAM, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Low	100	2	CP-OFDM QPSK	1/32	38.15	45.15	75.00	29.85	H
					33.52	40.52	75.00	34.48	V



20:56:26 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM 64QAM, low channel, H)




20:51:07 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM 64QAM, low channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
High	100	2	CP-OFDM QPSK	1/32	38.49	45.49	75.00	29.51	H
					38.27	45.27	75.00	29.73	V



21:04:18 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM 64QAM, high channel, H)




21:07:44 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM 64QAM, high channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	2	DFT-s-OFDM PI/2 BPSK	640	42.56	49.56	75.00	25.44	H
					44.01	51.01	75.00	23.99	V



15:27:20 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM PI/2 BPSK, middle channel, H)




15:16:35 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM PI/2 BPSK, middle channel, V)

Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	2	DFT-s-OFDM QPSK	640	42.69	49.69	75.00	25.31	H
					43.17	50.17	75.00	24.83	V



15:32:49 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM QPSK, middle channel, H)




15:36:42 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM QPSK, middle channel, V)

Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	2	DFT-s-OFDM 16QAM	640	41.52	48.52	75.00	26.48	H
					42.67	49.67	75.00	25.33	V



15:48:26 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM 16QAM, middle channel, H)




15:42:39 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM 16QAM, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	2	DFT-s-OFDM 64QAM	640	39.65	46.65	75.00	28.35	H
					40.08	47.08	75.00	27.92	V



15:55:24 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM 64QAM, middle channel, H)




16:02:46 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM 64QAM, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	2	DFT-s-OFDM 256QAM	640	32.25	39.25	75.00	35.75	H
					32.87	39.87	75.00	35.13	V



16:18:45 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM 256QAM, middle channel, H)




16:12:42 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM 256QAM, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Low	100	2	DFT-s-OFDM BPSK	64/0	34.03	41.03	75.00	33.97	H
					34.34	41.34	75.00	33.66	V



19:14:42 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM BPSK, low channel, H)




19:10:08 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM BPSK, low channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
High	100	2	DFT-s-OFDM BPSK	640	32.87	39.87	75.00	35.13	H
					45.47	52.47	75.00	22.53	V



18:03:16 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM BPSK, high channel, H)




18:11:04 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM BPSK, high channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	2	DFT-s-OFDM PI/2 BPSK	1/31	40.30	47.30	75.00	27.70	H
					28.18	35.18	75.00	39.82	V



16:24:16 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM PI/2 BPSK, middle channel, H)




16:28:03 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM PI/2 BPSK, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	2	DFT-s-OFDM QPSK	1/31	39.98	46.98	75.00	28.02	H
					34.77	41.77	75.00	33.23	V



16:39:40 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM QPSK, middle channel, H)




16:35:31 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM QPSK, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	2	DFT-s-OFDM 16QAM	1/31	40.36	47.36	75.00	27.64	H
					29.42	36.42	75.00	38.58	V



16:46:15 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM 16QAM, middle channel, H)




16:50:54 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM 16QAM, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	2	DFT-s-OFDM 64QAM	1/31	39.36	46.36	75.00	28.64	H
					34.12	41.12	75.00	33.88	V



17:00:41 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM 64QAM, middle channel, H)




16:56:27 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM 64QAM, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	2	DFT-s-OFDM 256QAM	1/31	33.84	40.84	75.00	34.16	H
					22.56	29.56	75.00	45.44	V



17:06:01 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM 256QAM, middle channel, H)




17:11:45 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM 256QAM, middle channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Low	100	2	DFT-s-OFDM 16QAM	1/31	39.20	46.20	75.00	28.80	H
					29.47	36.47	75.00	38.53	V



17:26:09 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM 16QAM, low channel, H)




17:22:15 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM 16QAM, low channel, V)


Module0, Beam ID: 26, 282

Channel	Bandwidth	CCs	Modulation	RB	measurement	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
High	100	2	DFT-s-OFDM 16QAM	1/31	37.04	44.04	75.00	30.96	H
					38.66	45.66	75.00	29.34	V



17:46:39 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM 16QAM, high channel, H)




17:50:30 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM 16QAM, high channel, V)


The module1 (beam ID: 30, 286) measure the EIRP only with the worst modulation.
 Module1, Beam ID: 30, 286

Channel	Bandwidth	CCs	Modulation	RB	measurment EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Low	50	1	DFT-s-OFDM QPSK	32/0	43.35	50.35	75.00	24.65	H
					43.29	50.29	75.00	24.71	V



18:39:16 12.03.2024

Radiated Output Power (n261, 1CC, 50MHz, FULL RB, DFT-s-OFDM QPSK, low channel, H)




18:32:33 12.03.2024

Radiated Output Power (n261, 1CC, 50MHz, FULL RB, DFT-s-OFDM QPSK, low channel, V)


Module1, Beam ID: 30, 286

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	50	1	DFT-s-OFDM QPSK	32/0	44.26	51.26	75.00	23.74	H
					43.68	50.68	75.00	24.32	V



19:56:18 12.03.2024

Radiated Output Power (n261, 1CC, 50MHz, FULL RB, DFT-s-OFDM QPSK, middle channel, H)




19:52:37 12.03.2024

Radiated Output Power (n261, 1CC, 50MHz, FULL RB, DFT-s-OFDM QPSK, middle channel, V)


Module1, Beam ID: 30, 286

Channel	Bandwidth	CCs	Modulation	RB	measurment EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
High	50	1	DFT-s-OFDM QPSK	32/0	42.65	49.65	75.00	25.35	H
					42.25	49.25	75.00	25.75	V



20:02:00 12.03.2024

Radiated Output Power (n261, 1CC, 50MHz, FULL RB, DFT-s-OFDM QPSK, high channel, H)




20:07:31 12.03.2024

Radiated Output Power (n261, 1CC, 50MHz, FULL RB, DFT-s-OFDM QPSK, high channel, V)


Module1, Beam ID: 30, 286

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Low	50	1	DFT-s-OFDM PI/2 BPSK	1/15	38.52	45.52	75.00	29.48	H
					40.33	47.33	75.00	27.67	V



18:58:11 12.03.2024

Radiated Output Power (n261, 1CC, 50MHz, 1 RB, DFT-s-OFDM PI/2 BPSK, low channel, H)




18:54:13 12.03.2024

Radiated Output Power (n261, 1CC, 50MHz, 1 RB, DFT-s-OFDM PI/2 BPSK, low channel, V)


Module1, Beam ID: 30, 286

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	50	1	DFT-s-OFDM PI/2 BPSK	1/15	38.54	45.54	75.00	29.46	H
					40.52	47.52	75.00	27.48	V



19:40:45 12.03.2024

Radiated Output Power (n261, 1CC, 50MHz, 1 RB, DFT-s-OFDM PI/2 BPSK, middle channel, H)




19:17:15 12.03.2024

Radiated Output Power (n261, 1CC, 50MHz, 1 RB, DFT-s-OFDM PI/2 BPSK, middle channel, V)


Module1, Beam ID: 30, 286

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
High	50	1	DFT-s-OFDM PI/2 BPSK	1/15	38.20	45.20	75.00	29.80	H
					38.54	45.54	75.00	29.46	V



20:18:12 12.03.2024

Radiated Output Power (n261, 1CC, 50MHz, 1 RB, DFT-s-OFDM PI/2 BPSK, high channel, H)




20:14:54 12.03.2024

Radiated Output Power (n261, 1CC, 50MHz, 1 RB, DFT-s-OFDM PI/2 BPSK, high channel, V)


Module1, Beam ID: 30, 286

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Low	100	1	DFT-s-OFDM QPSK	64/0	43.91	50.91	75.00	24.09	H
					42.64	49.64	75.00	25.36	V



20:40:00 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-s-OFDM QPSK, low channel, H)




20:45:47 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-s-OFDM QPSK, low channel, V)


Module1, Beam ID: 30, 286

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	1	DFT-s-OFDM QPSK	64/0	47.68	54.68	75.00	20.32	H
					46.82	53.82	75.00	21.18	V



08:39:30 13.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-s-OFDM QPSK, middle channel, H)




08:12:15 13.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-s-OFDM QPSK, middle channel, V)


Module1, Beam ID: 30, 286

Channel	Bandwidth	CCs	Modulation	RB	measurment EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
High	100	1	DFT-s-OFDM QPSK	64/0	46.74	53.74	75.00	21.26	H
					45.06	52.06	75.00	22.94	V



08:47:03 13.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-s-OFDM QPSK, high channel, H)




08:55:45 13.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-s-OFDM QPSK, high channel, V)


Module1, Beam ID: 30, 286

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Low	100	1	DFT-s-OFDM QPSK	1/31	41.61	48.61	75.00	26.39	H
					27.96	34.96	75.00	40.04	V



20:58:16 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-s-OFDM QPSK, low channel, H)




20:52:06 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-s-OFDM QPSK, low channel, V)


Module1, Beam ID: 30, 286

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	1	DFT-s-OFDM QPSK	1/31	43.86	50.86	75.00	24.14	H
					31.17	38.17	75.00	36.83	V



09:41:15 13.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-s-OFDM QPSK, middle channel, H)




09:33:36 13.03.2024


Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-s-OFDM QPSK, middle channel, V)

Module1, Beam ID: 30, 286

Channel	Bandwidth	CCs	Modulation	RB	measurment EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
High	100	1	DFT-s-OFDM QPSK	1/31	36.55	43.55	75.00	31.45	H
					32.68	39.68	75.00	35.32	V




Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-s-OFDM QPSK, high channel, H)



Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-s-OFDM QPSK, high channel, V)


Module1, Beam ID: 30, 286

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Low	100	2	DFT-s-OFDM PI/2 BPSK	64/0	35.09	42.09	75.00	32.91	H
					38.36	45.36	75.00	29.64	V



20:20:57 18.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-s-OFDM PI/2 BPSK, low channel, H)




20:08:21 18.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-s-OFDM PI/2 BPSK, low channel, V)


Module1, Beam ID: 30, 286

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
Mid	100	2	DFT-s-OFDM PI/2 BPSK	64/0	36.31	43.31	75.00	31.69	H
					38.77	45.77	75.00	29.23	V



20:49:10 18.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-s-OFDM PI/2 BPSK, middle channel, H)




20:44:43 18.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-s-OFDM PI/2 BPSK, middle channel, V)


Module1, Beam ID: 30, 286

Channel	Bandwidth	CCs	Modulation	RB	measurement EIRP	Avg EIRP	Limit	Margin	Pol
	(MHz)			(Size/Offset)	(dBm)	(dBm)	(dBm)	(dB)	
High	100	2	DFT-s-OFDM PI/2 BPSK	64/0	36.97	43.97	75.00	31.03	H
					39.32	46.32	75.00	28.68	V



21:05:04 18.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-s-OFDM PI/2 BPSK, high channel, H)



20:56:40 18.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-s-OFDM PI/2 BPSK, high channel, V)