





























Smart Watch Features





Smart Watch Features





Smart Watch Features



Smart Watch Features



Smart Watch Features



Getting to Know Your Device General Info & Specifications





























手表功能简介





手表功能简介



手表功能简介





手表功能简介



手表功能简介



常见问题与解答

南、北门北达)即等合 为什么于長接收不到消息推进? 20年标题至 1.10年20年代第5年间有了流角使起开兴, 2.00年记录是中枢域的世界以正常是思,于政 设定数于任成地以及北州企工学机构和标签 调度数字形成像一位现金设置。并由特定、公 2.17年9年第一种的概念的编辑 位于和设置一位明显的成成了一个年年中的

常见问题与解答

## **FCC Warning**

received, including interference that may cause undesired operation. (1) This device may not cause harmful interference, and (2) this device must accept any interference This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

the user's authority to operate the equipment. Any Changes or modifications not expressly approved by the party responsible for compliance could void

interference by one or more of the following measures: interference to radio communications. However, there is no guarantee that interference will not occur in a which can be determined by turning the equipment off and on, the user is encouraged to try to correct the particular installation. If this equipment does cause harmful interference to radio or television reception, frequency energy and, if not installed and used in accordance with the instructions, may cause harmful harmful interference in a residential installation. This equipment generates uses and can radiate radio pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against Note: This equipment has been tested and found to comply with the limits for a Class B digital device,

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is
- Consult the dealer or an experienced radio/TV technician for help.

portable exposure condition without restriction. The device has been evaluated to meet general RF exposure requirement. The device can be used in