





LTE Band 41 / 15MHz / QPSK


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 41 / 15MHz / 16QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 41 / 20MHz / QPSK


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 41 / 20MHz / 16QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB



Highest Band Edge / Full RB






Conducted Spurious Emission


LTE Band 41 / 5MHz

Lowest Channel / QPSK




Date: 20 AUG.2018 19:38:09

Lowest Channel / 16QAM




Date: 20 AUG.2018 19:39:10

Middle Channel / QPSK



Date: 20 AUG.2018 19:40:10

Middle Channel / 16QAM




Date: 20 AUG.2018 19:41:11




LTE Band 41 / 5MHz

Highest Channel / QPSK



Date: 20 AUG 2018 19:46:53


Highest Channel / 16QAM



Date: 20 AUG 2018 19:47:53


LTE Band 41 / 10MHz

Lowest Channel / QPSK



Date: 20 AUG 2018 19:53:37

Lowest Channel / 16QAM




Date: 20 AUG 2018 19:54:38




LTE Band 41 / 10MHz

Middle Channel / QPSK




Date: 20 AUG 2018 19:55:38

Middle Channel / 16QAM




Date: 20 AUG 2018 19:56:38

Highest Channel / QPSK



Date: 20 AUG 2018 20:02:20

Highest Channel / 16QAM




Date: 20 AUG 2018 20:03:21




LTE Band 41 / 15MHz

Lowest Channel / QPSK




Date: 20 AUG 2018 20:09:04

Lowest Channel / 16QAM




Date: 20 AUG 2018 20:10:05

Middle Channel / QPSK



Date: 20 AUG 2018 20:11:05

Middle Channel / 16QAM




Date: 20 AUG 2018 20:12:06




LTE Band 41 / 15MHz

Highest Channel / QPSK



Date: 20 AUG 2018 20:17:47


Highest Channel / 16QAM



Date: 20 AUG 2018 20:18:48


LTE Band 41 / 20MHz

Lowest Channel / QPSK



Date: 20 AUG 2018 20:24:31

Lowest Channel / 16QAM




Date: 20 AUG 2018 20:25:32




LTE Band 41 / 20MHz

Middle Channel / QPSK




Date: 20 AUG 2018 20:26:33

Middle Channel / 16QAM




Date: 20 AUG 2018 20:27:33

Highest Channel / QPSK



Date: 20 AUG 2018 20:33:15

Highest Channel / 16QAM



Date: 20 AUG 2018 20:34:16

Frequency Stability

Test Conditions		LTE Band 41 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0034	PASS
40	Normal Voltage	0.0025	
30	Normal Voltage	0.0042	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0012	
0	Normal Voltage	0.0051	
-10	Normal Voltage	0.0020	
-20	Normal Voltage	0.0033	
-30	Normal Voltage	0.0000	
20	Maximum Voltage	0.0043	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0012	

Note:

1. Normal Voltage =3.7 V. ; Battery End Point (BEP) =3.2 V. ; Maximum Voltage =4.35 V.
2. The frequency fundamental emissions stay within the authorized frequency block.

**Appendix B. Test Results of ERP/EIRP and Radiated Test****ERP/EIRP**

LTE Band 25 / 1.4MHz (Average) (GT - LC = 1.59 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	3	1	23.42	0.2198	25.01	0.3170
Middle		3	1	23.55	0.2265	25.14	0.3266
Highest		3	1	22.24	0.1675	23.83	0.2415
Lowest	16QAM	1	3	22.65	0.1841	24.24	0.2655
Middle		1	3	22.78	0.1897	24.37	0.2735
Highest		1	3	21.51	0.1416	23.10	0.2042
Limit	EIRP < 2W			Result		PASS	

LTE Band 25 / 3MHz (Average) (GT - LC = 1.59 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	14	23.37	0.2173	24.96	0.3133
Middle		1	14	23.62	0.2301	25.21	0.3319
Highest		1	14	22.30	0.1698	23.89	0.2449
Lowest	16QAM	1	14	22.64	0.1837	24.23	0.2649
Middle		1	14	22.86	0.1932	24.45	0.2786
Highest		1	14	21.58	0.1439	23.17	0.2075
Limit	EIRP < 2W			Result		PASS	

LTE Band 25 / 5MHz (Average) (GT - LC = 1.59 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	24	23.41	0.2193	25.00	0.3162
Middle		1	24	23.64	0.2312	25.23	0.3334
Highest		1	24	22.05	0.1603	23.64	0.2312
Lowest	16QAM	1	24	22.67	0.1849	24.26	0.2667
Middle		1	24	22.90	0.1950	24.49	0.2812
Highest		1	24	21.07	0.1279	22.66	0.1845
Limit	EIRP < 2W			Result		PASS	



LTE Band 25 / 10MHz (Average) (GT - LC = 1.59 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	49	23.47	0.2223	25.06	0.3206
Middle		1	49	23.62	0.2301	25.21	0.3319
Highest		1	49	22.10	0.1622	23.69	0.2339
Lowest	16QAM	1	49	22.67	0.1849	24.26	0.2667
Middle		1	49	22.89	0.1945	24.48	0.2805
Highest		1	49	21.38	0.1374	22.97	0.1982
Limit	EIRP < 2W			Result		PASS	

LTE Band 25 / 15MHz (Average) (GT - LC = 1.59 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	74	22.96	0.1977	24.55	0.2851
Middle		1	74	23.60	0.2291	25.19	0.3304
Highest		1	74	22.06	0.1607	23.65	0.2317
Lowest	16QAM	1	74	22.14	0.1637	23.73	0.2360
Middle		1	74	22.88	0.1941	24.47	0.2799
Highest		1	74	21.01	0.1262	22.60	0.1820
Limit	EIRP < 2W			Result		PASS	

LTE Band 25 / 20MHz (Average) (GT - LC = 1.59 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1	49	23.48	0.2228	25.07	0.3214
Middle		1	49	23.68	0.2333	25.27	0.3365
Highest		1	49	23.32	0.2148	24.91	0.3097
Lowest	16QAM	1	0	22.86	0.1932	24.45	0.2786
Middle		1	0	21.94	0.1563	23.53	0.2254
Highest		1	0	22.08	0.1614	23.67	0.2328
Limit	EIRP < 2W			Result		PASS	



LTE Band 13 / 5MHz (Average) (GT - LC = 0.77 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	12	22.79	0.1901	21.41	0.1384
Middle		1	12	22.75	0.1884	21.37	0.1371
Highest		1	12	22.83	0.1919	21.45	0.1396
Lowest	16QAM	1	12	22.13	0.1633	20.75	0.1189
Middle		1	12	22.01	0.1589	20.63	0.1156
Highest		1	12	22.10	0.1622	20.72	0.1180
Limit	ERP < 3W			Result		PASS	

LTE Band 13 / 10MHz (Average) (GT - LC = 0.77 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	-	-	-	-	-	-
Middle		1	0	22.84	0.1923	21.46	0.1400
Highest		-	-	-	-	-	-
Lowest	16QAM	-	-	-	-	-	-
Middle		1	25	21.94	0.1563	20.56	0.1138
Highest		-	-	-	-	-	-
Limit	ERP < 3W			Result		PASS	



LTE Band 17 / 5MHz (Average) (GT - LC = 0.55 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	23.51	0.2244	21.91	0.1552
Middle		1	0	23.47	0.2223	21.87	0.1538
Highest		1	0	23.40	0.2188	21.80	0.1514
Lowest	16QAM	1	24	22.76	0.1888	21.16	0.1306
Middle		1	24	22.71	0.1866	21.11	0.1291
Highest		1	24	22.59	0.1816	20.99	0.1256
Limit	ERP < 3W			Result		PASS	

LTE Band 17 / 10MHz (Average) (GT - LC = 0.55 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	23.52	0.2249	21.92	0.1556
Middle		1	0	23.48	0.2228	21.88	0.1542
Highest		1	0	23.46	0.2218	21.86	0.1535
Lowest	16QAM	1	25	22.76	0.1888	21.16	0.1306
Middle		1	25	22.74	0.1879	21.14	0.1300
Highest		1	25	22.73	0.1875	21.13	0.1297
Limit	ERP < 3W			Result		PASS	



LTE Band 41 / 5MHz (Average) (GT - LC = 1 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1.00	12.00	23.72	0.2355	24.72	0.2965
Middle		1.00	12.00	23.83	0.2415	24.83	0.3041
Highest		1.00	12.00	23.56	0.2270	24.56	0.2858
Lowest	16QAM	1.00	12.00	22.87	0.1936	23.87	0.2438
Middle		1.00	12.00	22.87	0.1936	23.87	0.2438
Highest		1.00	12.00	22.68	0.1854	23.68	0.2333
Limit	EIRP < 2W			Result		PASS	

LTE Band 41 / 10MHz (Average) (GT - LC = 1 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1.00	49	23.66	0.2323	24.66	0.2924
Middle		1.00	49	23.84	0.2421	24.84	0.3048
Highest		1.00	49	23.47	0.2223	24.47	0.2799
Lowest	16QAM	1.00	25	22.67	0.1849	23.67	0.2328
Middle		1.00	25	22.89	0.1945	23.89	0.2449
Highest		1.00	25	22.50	0.1778	23.50	0.2239
Limit	EIRP < 2W			Result		PASS	

LTE Band 41 / 15MHz (Average) (GT - LC = 1 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1.00	74.00	23.50	0.2239	24.50	0.2818
Middle		1.00	74.00	23.83	0.2415	24.83	0.3041
Highest		1.00	74.00	23.39	0.2183	24.39	0.2748
Lowest	16QAM	1.00	37.00	22.76	0.1888	23.76	0.2377
Middle		1.00	37.00	23.00	0.1995	24.00	0.2512
Highest		1.00	37.00	22.78	0.1897	23.78	0.2388
Limit	EIRP < 2W			Result		PASS	

LTE Band 41 / 20MHz (Average) (GT - LC = 1 dB)							
Channel	Mode	RB		Conducted		EIRP	
		Size	Offset	Power (dBm)	Power (Watts)	EIRP(dBm)	EIRP(W)
Lowest	QPSK	1.00	0.00	23.68	0.2333	24.68	0.2938
Middle		1.00	0.00	23.76	0.2377	24.76	0.2992
Highest		1.00	0.00	23.64	0.2312	24.64	0.2911
Lowest	16QAM	1.00	0.00	22.20	0.1660	23.20	0.2089
Middle		1.00	0.00	22.80	0.1905	23.80	0.2399
Highest		1.00	0.00	22.97	0.1982	23.97	0.2495
Limit	EIRP < 2W			Result		PASS	



LTE Band 26 / 1.4MHz (Average) (GT - LC = 0.6 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	3	1	23.43	0.2203	21.88	0.1542
Middle		3	1	23.32	0.2148	21.77	0.1503
Highest		3	1	23.24	0.2109	21.69	0.1476
Lowest	16QAM	1	3	22.63	0.1832	21.08	0.1282
Middle		1	3	22.57	0.1807	21.02	0.1265
Highest		1	3	22.47	0.1766	20.92	0.1236
Limit	ERP < 7W			Result		PASS	

LTE Band 26 / 3MHz (Average) (GT - LC = 0.6 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	23.70	0.2344	22.15	0.1641
Middle		1	0	23.63	0.2307	22.08	0.1614
Highest		1	0	23.57	0.2275	22.02	0.1592
Lowest	16QAM	1	14	22.93	0.1963	21.38	0.1374
Middle		1	14	22.87	0.1936	21.32	0.1355
Highest		1	14	22.75	0.1884	21.20	0.1318
Limit	ERP < 7W			Result		PASS	

LTE Band 26 / 5MHz (Average) (GT - LC = 0.6 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	23.64	0.2312	22.09	0.1618
Middle		1	0	23.53	0.2254	21.98	0.1578
Highest		1	0	23.49	0.2234	21.94	0.1563
Lowest	16QAM	1	0	22.83	0.1919	21.28	0.1343
Middle		1	0	22.80	0.1905	21.25	0.1334
Highest		1	0	22.71	0.1866	21.16	0.1306
Limit	ERP < 7W			Result		PASS	



LTE Band 26 / 10MHz (Average) (GT - LC = 0.6 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	49	23.74	0.2366	22.19	0.1656
Middle		1	49	23.62	0.2301	22.07	0.1611
Highest		1	49	23.57	0.2275	22.02	0.1592
Lowest	16QAM	1	49	22.99	0.1991	21.44	0.1393
Middle		1	49	22.88	0.1941	21.33	0.1358
Highest		1	49	22.80	0.1905	21.25	0.1334
Limit	ERP < 7W			Result		PASS	

LTE Band 26 / 15MHz (Average) (GT - LC = 0.6 dB)							
Channel	Mode	RB		Conducted		ERP	
		Size	Offset	Power (dBm)	Power (Watts)	ERP(dBm)	ERP(W)
Lowest	QPSK	1	0	23.77	0.2382	22.22	0.1667
Middle		1	0	23.52	0.2249	21.97	0.1574
Highest		1	0	23.56	0.2270	22.01	0.1589
Lowest	16QAM	1	0	22.84	0.1923	21.29	0.1346
Middle		1	0	22.80	0.1905	21.25	0.1334
Highest		1	0	22.73	0.1875	21.18	0.1312
Limit	ERP < 7W			Result		PASS	

**Radiated Spurious Emission****LTE Band 25 with SIM 1**

LTE Band 25 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3721	-46.05	-13	-33.05	-66.65	-57.08	1.44	12.48	H
	5583	-44.90	-13	-31.90	-68.86	-56.18	2.00	13.28	H
	7438	-47.27	-13	-34.27	-75.19	-56.44	2.19	11.36	H
	9300	-39.23	-13	-26.23	-70.97	-48.12	2.37	11.26	H
	11159	-37.46	-13	-24.46	-70.32	-45.99	2.57	11.09	H
									H
	3721	-47.08	-13	-34.08	-67.39	-58.11	1.44	12.48	V
	5583	-48.47	-13	-35.47	-72.7	-59.75	2.00	13.28	V
	7438	-45.24	-13	-32.24	-72.91	-54.41	2.19	11.36	V
	9300	-42.15	-13	-29.15	-73	-51.04	2.37	11.26	V
	11159	-39.16	-13	-26.16	-72.78	-47.69	2.57	11.09	V
									V
Middle	3760	-49.94	-13	-36.94	-70.59	-60.97	1.48	12.51	H
	7520	-44.07	-13	-31.07	-71.99	-53.18	2.18	11.30	H
	9400	-40.99	-13	-27.99	-72.96	-50.03	2.34	11.38	H
	11280	-39.20	-13	-26.20	-72.26	-47.90	2.54	11.24	H
									H
	3760	-50.84	-13	-37.84	-71.22	-61.87	1.48	12.51	V
	7520	-39.53	-13	-26.53	-67.5	-48.64	2.18	11.30	V
	9400	-43.33	-13	-30.33	-74.31	-52.37	2.34	11.38	V
	11280	-39.44	-13	-26.44	-73.29	-48.14	2.54	11.24	V
									V



LTE Band 25 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Highest	3812	-51.62	-13	-38.62	-72.4	-62.65	1.52	12.55	H
	5716	-50.48	-13	-37.48	-74.55	-61.74	1.99	13.26	H
	7620	-43.29	-13	-30.29	-70.62	-52.31	2.25	11.28	H
	9524	-39.93	-13	-26.93	-72.27	-49.10	2.32	11.49	H
	11425	-40.06	-13	-27.06	-73.31	-48.96	2.51	11.41	H
									H
	3812	-52.08	-13	-39.08	-73.4	-63.11	1.52	12.55	V
	5716	-50.02	-13	-37.02	-74.35	-61.28	1.99	13.26	V
	7620	-41.73	-13	-28.73	-69.29	-50.75	2.25	11.28	V
	9524	-43.67	-13	-30.67	-74.61	-52.84	2.32	11.49	V
	11425	-40.71	-13	-27.71	-74.83	-49.61	2.51	11.41	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 13 with SIM 1**

LTE Band 13 / 10MHz / QPSK									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1560	-60.84	-42.15	-18.69	-71.98	-66.39	0.64	8.34	H
	2336	-54.78	-13	-41.78	-71.14	-62.27	0.93	10.57	H
	3120	-57.77	-13	-44.77	-75.97	-65.93	1.16	11.46	H
									H
									H
									H
									H
	1560	-61.60	-42.15	-19.45	-72.46	-67.15	0.64	8.34	V
	2336	-50.71	-13	-37.71	-67.17	-58.20	0.93	10.57	V
	3120	-57.80	-13	-44.80	-75.91	-65.96	1.16	11.46	V
									V
									V
									V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 41 with SIM 1**

LTE Band 41 / 20MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4992	-35.58	-25	-10.58	-59.08	-44.33	1.95	12.70	H
	7488	-48.39	-25	-23.39	-76.45	-56.91	2.17	11.30	H
	9990	-39.34	-25	-14.34	-71.57	-46.92	2.43	11.20	H
									H
	4992	-36.36	-25	-11.36	-60.35	-46.47	1.95	12.70	V
	7488	-47.36	-25	-22.36	-75.97	-56.31	2.17	11.30	V
	9990	-43.72	-25	-18.72	-75.19	-50.87	2.43	11.20	V
									V
Middle	5166	-34.22	-25	-9.22	-58.44	-45.15	1.97	12.90	H
	7752	-47.34	-25	-22.34	-74.98	-56.24	2.35	11.25	H
	10332	-33.04	-25	-8.04	-65.66	-41.54	2.57	11.07	H
									H
	5166	-36.94	-25	-11.94	-60.63	-47.87	1.97	12.90	V
	7752	-47.21	-25	-22.21	-74.59	-56.11	2.35	11.25	V
	10332	-41.62	-25	-16.62	-73.65	-50.12	2.57	11.07	V
									V
Highest	5342	-37.80	-25	-12.80	-61.77	-48.92	1.99	13.11	H
	8013	-46.26	-25	-21.26	-75.17	-54.94	2.52	11.19	H
	10684	-35.66	-25	-10.66	-68.27	-44.00	2.63	10.96	H
									H
	5342	-42.43	-25	-17.43	-66.46	-53.55	1.99	13.11	V
	8013	-46.09	-25	-21.09	-74.88	-54.77	2.52	11.19	V
	10684	-41.54	-25	-16.54	-74.14	-49.88	2.63	10.96	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

**LTE Band 26 with SIM 2**

LTE Band 26 / 15MHz / QPSK									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1648	-60.71	-13	-47.71	-71.8	-66.56	0.69	8.69	H
	2472	-46.85	-13	-33.85	-62.82	-54.51	0.95	10.76	H
	3296	-58.39	-13	-45.39	-76.55	-66.89	1.20	11.85	H
									H
	1648	-59.71	-13	-46.71	-70.68	-65.56	0.69	8.69	V
	2472	-44.94	-13	-31.94	-60.91	-52.60	0.95	10.76	V
	3296	-58.27	-13	-45.27	-76.27	-66.77	1.20	11.85	V
									V
Middle	1656	-63.00	-13	-50.00	-74.15	-68.88	0.70	8.72	H
	2488	-47.23	-13	-34.23	-63.19	-54.91	0.95	10.78	H
	3312	-58.43	-13	-45.43	-76.54	-66.96	1.20	11.89	H
									H
	1656	-60.42	-13	-47.42	-71.46	-66.30	0.70	8.72	V
	2488	-45.36	-13	-32.36	-61.28	-53.04	0.95	10.78	V
	3312	-58.56	-13	-45.56	-76.47	-67.09	1.20	11.89	V
									V
Highest	1672	-61.45	-13	-48.45	-72.66	-67.38	0.71	8.79	H
	2504	-48.87	-13	-35.87	-64.83	-56.57	0.95	10.80	H
	3344	-58.35	-13	-45.35	-76.37	-66.94	1.21	11.96	H
									H
	1672	-61.62	-13	-48.62	-72.74	-67.55	0.71	8.79	V
	2504	-45.97	-13	-32.97	-61.91	-53.67	0.95	10.80	V
	3344	-58.72	-13	-45.72	-76.44	-67.31	1.21	11.96	V
									V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.