



FCC_802.11ax_40MHz_Chain0_5190MHz




FCC_802.11ax_40MHz_Chain0_5310MHz




FCC_802.11ax_40MHz_Chain0_5230MHz




FCC_802.11ax_40MHz_Chain0_5510MHz



FCC_802.11ax_40MHz_Chain0_5270MHz



FCC_802.11ax_40MHz_Chain0_5550MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


FCC_802.11ax_40MHz_Chain0_5670MHz



FCC_802.11ax_40MHz_Chain0_5795MHz




FCC_802.11ax_40MHz_Chain0_5710MHz




FCC_802.11ax_40MHz_Chain1_5190MHz



FCC_802.11ax_40MHz_Chain0_5755MHz



FCC_802.11ax_40MHz_Chain1_5230MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FCC_802.11ax_40MHz_Chain1_5270MHz




FCC_802.11ax_40MHz_Chain1_5550MHz




FCC_802.11ax_40MHz_Chain1_5310MHz




FCC_802.11ax_40MHz_Chain1_5670MHz



FCC_802.11ax_40MHz_Chain1_5510MHz



FCC_802.11ax_40MHz_Chain1_5710MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


FCC_802.11ax_40MHz_Chain1_5755MHz




FCC_802.11ac_80MHz_Chain0_5290MHz



FCC_802.11ax_40MHz_Chain1_5795MHz



FCC_802.11ac_80MHz_Chain0_5530MHz



FCC_802.11ac_80MHz_Chain0_5210MHz



FCC_802.11ac_80MHz_Chain0_5610MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


FCC_802.11ac_80MHz_Chain0_5690MHz



FCC_802.11ac_80MHz_Chain1_5290MHz



FCC_802.11ac_80MHz_Chain0_5775MHz




FCC_802.11ac_80MHz_Chain1_5530MHz



FCC_802.11ac_80MHz_Chain1_5210MHz



FCC_802.11ac_80MHz_Chain1_5610MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


FCC_802.11ac_80MHz_Chain1_5690MHz



FCC_802.11ax_80MHz_Chain0_5290MHz



FCC_802.11ac_80MHz_Chain1_5775MHz




FCC_802.11ax_80MHz_Chain0_5530MHz



FCC_802.11ax_80MHz_Chain0_5210MHz



FCC_802.11ax_80MHz_Chain0_5610MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


FCC_802.11ax_80MHz_Chain0_5690MHz



FCC_802.11ax_80MHz_Chain1_5290MHz



FCC_802.11ax_80MHz_Chain0_5775MHz




FCC_802.11ax_80MHz_Chain1_5530MHz



FCC_802.11ax_80MHz_Chain1_5210MHz



FCC_802.11ax_80MHz_Chain1_5610MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


FCC_802.11ax_80MHz_Chain1_5690MHz




FCC_802.11ac_160MHz_Chain0_5570MHz




FCC_802.11ax_80MHz_Chain1_5775MHz




FCC_802.11ac_160MHz_Chain1_5250MHz



FCC_802.11ac_160MHz_Chain0_5250MHz



FCC_802.11ac_160MHz_Chain1_5570MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


FCC_802.11ax_160MHz_Chain0_5250MHz




FCC_802.11ax_160MHz_Chain1_5570MHz



FCC_802.11ax_160MHz_Chain0_5570MHz



FCC_802.11ax_160MHz_Chain1_5250MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9 MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT

9.1 Standard Applicable

FCC

OPERZTION Band	EUT CATEGORY		LIMIT
U-NII-1		Access Point (Master device)	1 Watt(30dBm)
		Fixed point-to-point Access Ponit	1 Watt(30dBm)
	√	Mobile and portable client device	250mW(23.98dBm)
U-NII-2A	√		250mW(23.98dBm) or 11dBm+10 log B
U-NII-2C	√		250mW(23.98dBm) or 11dBm+10 log B
U-NII-3	√		1 Watt(30dBm)
If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum transmit power shall be reduced by the amount in dB that the direction-al gain of the antenna exceeds 6 dBi.			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Note:

As per section F. 2). d). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

(ii) If all transmit signals are *completely uncorrelated*, then

$$\text{Directional gain} = 10 \log[(10^{G1/10} + 10^{G2/10} + \dots + 10^{GN/10})/N_{\text{ANT}}] \text{ dBi}$$

where

N_{ANT} = the total number of antennas

G is the gain in dBi.

The antenna gain is greater than 6 dBi, therefore the limit needs to be reduced as below:

FCC Power Limit Reduction (Chain 0)

	Antenna Gain (dBi)	Conducted Power Limit (dBm)
U-NII-2C	6.10	23.88
U-NII-3	6.70	29.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9.2 Measurement Procedure

1. Place the EUT on the table and set it in transmitting mode.
2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules .
3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter
4. Power Meter is used as the auxiliary test equipment to conduct the output power measurement.
5. Record the max. reading and add $10 \log(1/\text{duty cycle})$.
6. Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.


9.3 Measurement Equipment Used

SGS Conducted Room					
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due
Power Meter	Anritsu	ML2496A	1804002	04/06/2020	04/05/2021
Power Sensor	Anritsu	MA2411B	1726105	04/06/2020	04/05/2021
Power Sensor	Anritsu	MA2411B	1726106	04/06/2020	04/05/2021
Attenuator	Marvelous	WATT-218FS-10	RF268	11/20/2019	11/19/2020
I Pex4 Cables	Woken	00100A1H646027	RF508	06/01/2020	05/31/2021

Note: The measurement was taken place with the long duration of the time, and additional equipment list as shown blow indicate those equipment of which has been subject to undertake the calibration in intermediate period of time of the measurement.

Conducted Emission Test Site					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Attenuator	Marvelous	WATT-218FS-10	RF19	11/19/2020	11/18/2021

9.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

9.5 Measurement Result

9.5.1 Conducted output power (FCC)

Mode: Chain 0

802.11a_Ch0

CH	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
36	5180	6	16.98	49.917	23.98	PASS
44	5220	6	16.97	49.803	23.98	PASS
48	5240	6	16.96	49.688	23.98	PASS
52	5260	6	16.96	49.688	23.98 or $11+10\log(B) = 24.50$	PASS
60	5300	6	16.96	49.688	23.98 or $11+10\log(B) = 24.59$	PASS
64	5320	6	13.96	24.903	23.98 or $11+10\log(B) = 24.63$	PASS
100	5500	6	16.96	49.688	23.88 or $11+10\log(B) = 24.63$	PASS
116	5580	6	16.95	49.574	23.88 or $11+10\log(B) = 24.54$	PASS
140	5700	6	16.95	49.574	23.88 or $11+10\log(B) = 24.51$	PASS
144	5720(U-NII 2C)	6	15.50	35.51	23.88 or $11+10\log(B) = 24.71$	PASS
144	5720 (U-NII 3)	6	11.55	14.30	29.3	PASS
149	5745	6	16.40	43.677	29.3	PASS
157	5785	6	16.37	43.376	29.3	PASS
165	5825	6	16.23	42.000	29.3	PASS

802.11n_HT20_Ch0

CH	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
36	5180	HT0	16.96	49.679	23.98	PASS
44	5220	HT0	16.97	49.793	23.98	PASS
48	5240	HT0	16.95	49.564	23.98	PASS
52	5260	HT0	16.96	49.679	23.98 or $11+10\log(B) = 24.51$	PASS
60	5300	HT0	16.94	49.450	23.98 or $11+10\log(B) = 24.57$	PASS
64	5320	HT0	16.97	49.793	23.98 or $11+10\log(B) = 24.63$	PASS
100	5500	HT0	16.90	48.997	23.88 or $11+10\log(B) = 24.70$	PASS
116	5580	HT0	16.98	49.908	23.88 or $11+10\log(B) = 24.93$	PASS
140	5700	HT0	16.87	48.660	23.88 or $11+10\log(B) = 24.45$	PASS
144	5720(U-NII 2C)	HT0	15.44	34.97	23.88 or $11+10\log(B) = 24.53$	PASS
144	5720 (U-NII 3)	HT0	11.29	13.46	29.3	PASS
149	5745	HT0	16.22	41.896	29.3	PASS
157	5785	HT0	16.29	42.577	29.3	PASS
165	5825	HT0	16.38	43.468	29.3	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11n_HT40_Ch0

CH	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
38	5190	HT0	15.98	39.657	23.98	PASS
46	5230	HT0	16.96	49.696	23.98	PASS
54	5270	HT0	16.97	49.811	23.98 or $11+10\log(B) = 27.15$	PASS
62	5310	HT0	15.22	33.291	23.98 or $11+10\log(B) = 27.37$	PASS
102	5510	HT0	15.23	33.368	23.88 or $11+10\log(B) = 27.20$	PASS
110	5550	HT0	16.94	49.468	23.88 or $11+10\log(B) = 27.25$	PASS
134	5670	HT0	16.95	49.582	23.88 or $11+10\log(B) = 27.26$	PASS
142	5710(U-NII 2C)	HT0	16.31	42.78	23.88 or $11+10\log(B) = 27.24$	PASS
142	5710 (U-NII 3)	HT0	8.54	7.14	29.3	PASS
151	5755	HT0	16.36	43.284	29.3	PASS
159	5795	HT0	16.33	42.986	29.3	PASS

802.11ax_20_Ch0

CH	Frequency (MHz)	RU Config	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
36	5180	full	MCS0	16.94	49.455	23.98	PASS
		26/0	MCS0	12.97	19.825	23.98	PASS
		52/37	MCS0	14.98	31.493	23.98	PASS
		106/53	MCS0	16.98	49.913	23.98	PASS
44	5220	full	MCS0	16.96	49.684	23.98	PASS
48	5240	full	MCS0	16.94	49.455	23.98	PASS
52	5260	full	MCS0	16.98	49.913	23.98 or $11+10\log(B) = 24.68$	PASS
60	5300	full	MCS0	16.97	49.798	23.98 or $11+10\log(B) = 24.36$	PASS
64	5320	full	MCS0	16.23	41.996	23.98 or $11+10\log(B) = 24.64$	PASS
		26/8	MCS0	12.98	19.871	23.98 or $11+10\log(B) = 24.64$	PASS
		52/40	MCS0	14.98	31.493	23.98 or $11+10\log(B) = 24.64$	PASS
		106/54	MCS0	15.48	35.336	23.98 or $11+10\log(B) = 24.64$	PASS
100	5500	full	MCS0	16.96	49.684	23.88 or $11+10\log(B) = 24.50$	PASS
		26/0	MCS0	11.73	14.901	23.88 or $11+10\log(B) = 24.50$	PASS
		52/37	MCS0	14.23	26.498	23.88 or $11+10\log(B) = 24.50$	PASS
		106/53	MCS0	16.98	49.913	23.88 or $11+10\log(B) = 24.50$	PASS
116	5580	full	MCS0	16.98	49.913	23.88 or $11+10\log(B) = 24.51$	PASS
140	5700	full	MCS0	15.93	39.193	23.88 or $11+10\log(B) = 24.38$	PASS
		26/8	MCS0	11.48	14.067	23.88 or $11+10\log(B) = 24.38$	PASS
		52/40	MCS0	14.23	26.498	23.88 or $11+10\log(B) = 24.38$	PASS
		106/54	MCS0	16.96	49.684	23.88 or $11+10\log(B) = 24.38$	PASS
144	5720(U-NII 2C)	full	MCS0	15.18	32.96	23.88 or $11+10\log(B) = 24.52$	PASS
144	5720 (U-NII 3)	full	MCS0	11.03	12.67	29.3	PASS
149	5745	full	MCS0	16.13	41.041	29.3	PASS
		26/0	MCS0	16.25	42.190	29.3	PASS
		52/37	MCS0	16.26	42.288	29.3	PASS
		106/53	MCS0	16.39	43.573	29.3	PASS
157	5785	full	MCS0	16.43	43.976	29.3	PASS
165	5825	full	MCS0	16.39	43.573	29.3	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax_40_Ch0

CH	Frequency (MHz)	RU Config	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
38	5190	full	MCS0	15.46	35.172	23.98	PASS
		242/61	MCS0	16.47	44.382	23.98	PASS
46	5230	full	MCS0	16.98	49.912	23.98	PASS
54	5270	full	MCS0	16.98	49.912	23.98 or $11+10\log(B) = 27.20$	PASS
62	5310	full	MCS0	15.45	35.092	23.98 or $11+10\log(B) = 27.15$	PASS
		242/62	MCS0	16.98	49.912	23.98 or $11+10\log(B) = 27.15$	PASS
102	5510	full	MCS0	15.22	33.282	23.88 or $11+10\log(B) = 27.18$	PASS
		242/61	MCS0	16.47	44.382	23.88 or $11+10\log(B) = 27.18$	PASS
110	5550	full	MCS0	16.98	49.912	23.88 or $11+10\log(B) = 27.14$	PASS
134	5670	full	MCS0	16.48	44.484	23.88 or $11+10\log(B) = 27.10$	PASS
		242/62	MCS0	16.98	49.912	23.88 or $11+10\log(B) = 27.10$	PASS
142	5710(U-NII 2C)	full	MCS0	15.86	38.57	23.88 or $11+10\log(B) = 27.09$	PASS
142	5710 (U-NII 3)	full	MCS0	7.64	5.81	29.3	PASS
151	5755	full	MCS0	16.27	42.384	29.3	PASS
		242/61	MCS0	16.35	43.172	29.3	PASS
159	5795	full	MCS0	16.40	43.672	29.3	PASS

802.11ac_VHT80_Ch0

CH	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
42	5210	VHT0	15.21	33.153	23.98	PASS
58	5290	VHT0	12.98	19.839	23.98 or $11+10\log(B) = 30.11$	PASS
106	5530	VHT0	16.95	49.491	23.88 or $11+10\log(B) = 30.09$	PASS
122	5610	VHT0	16.98	49.834	23.88 or $11+10\log(B) = 30.04$	PASS
138	5690(U-NII 2C)	VHT0	16.62	45.89	23.88 or $11+10\log(B) = 30.18$	PASS
138	5690 (U-NII 3)	VHT0	5.83	3.83	29.3	PASS
155	5775	VHT0	16.37	43.303	29.3	PASS

802.11ax_80_Ch0

CH	Frequency (MHz)	RU Config	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
42	5210	full	MCS0	14.96	31.343	23.98	PASS
		484/65	MCS0	14.98	31.488	23.98	PASS
58	5290	full	MCS0	14.97	31.415	23.98 or $11+10\log(B) = 30.08$	PASS
		484/66	MCS0	16.98	49.904	23.98 or $11+10\log(B) = 30.08$	PASS
106	5530	full	MCS0	14.47	27.999	23.88 or $11+10\log(B) = 30.04$	PASS
		484/65	MCS0	15.47	35.248	23.88 or $11+10\log(B) = 30.04$	PASS
122	5610	full	MCS0	16.97	49.790	23.88 or $11+10\log(B) = 30.07$	PASS
138	5690(U-NII 2C)	full	MCS0	16.31	42.76	23.88 or $11+10\log(B) = 30.12$	PASS
138	5690 (U-NII 3)	full	MCS0	5.16	3.28	29.3	PASS
155	5775	full	MCS0	16.40	43.666	29.3	PASS
		484/66	MCS0	16.45	44.171	29.3	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ac_VHT160_Ch0

CH	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
50	5250	VHT0	9.98	9.950	23.98 or 11+10log(B) = 33.12	PASS
114	5570	VHT0	10.94	12.411	23.88 or 11+10log(B) = 33.10	PASS

802.11ax_160_Ch0

CH	Frequency (MHz)	RU Config	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
50	5250	full	MCS0	10.21	10.506	23.98 or 11+10log(B) = 33.12	PASS
		996/67	MCS0	10.98	12.544	23.98 or 11+10log(B) = 33.12	PASS
		996/s67	MCS0	10.95	12.457	23.98 or 11+10log(B) = 33.12	PASS
114	5570	full	MCS0	11.72	14.874	23.88 or 11+10log(B) = 33.17	PASS
		996/67	MCS0	8.98	7.914	23.88 or 11+10log(B) = 33.17	PASS
		996/s67	MCS0	8.91	7.788	23.88 or 11+10log(B) = 33.17	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Mode: Chain 1

802.11a_Ch1

CH	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
36	5180	6	15.95	39.378	23.98	PASS
44	5220	6	15.92	39.107	23.98	PASS
48	5240	6	15.93	39.197	23.98	PASS
52	5260	6	14.92	31.064	23.98 or 11+10log(B) = 24.50	PASS
60	5300	6	14.91	30.992	23.98 or 11+10log(B) = 24.59	PASS
64	5320	6	14.91	30.992	23.98 or 11+10log(B) = 24.57	PASS
100	5500	6	15.92	39.107	23.98 or 11+10log(B) = 24.53	PASS
116	5580	6	15.90	38.927	23.98 or 11+10log(B) = 24.59	PASS
140	5700	6	15.94	39.287	23.98 or 11+10log(B) = 24.56	PASS
144	5720(U-NII 2C)	6	14.57	28.67	23.98 or 11+10log(B) = 24.35	PASS
144	5720 (U-NII 3)	6	10.22	10.53	30	PASS
149	5745	6	16.90	49.006	30	PASS
157	5785	6	16.92	49.232	30	PASS
165	5825	6	16.87	48.669	30	PASS

802.11n_HT20_Ch1

CH	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
36	5180	HT0	15.98	39.643	23.98	PASS
44	5220	HT0	15.96	39.461	23.98	PASS
48	5240	HT0	15.97	39.552	23.98	PASS
52	5260	HT0	14.93	31.129	23.98 or 11+10log(B) = 24.76	PASS
60	5300	HT0	14.95	31.273	23.98 or 11+10log(B) = 24.66	PASS
64	5320	HT0	14.94	31.201	23.98 or 11+10log(B) = 24.58	PASS
100	5500	HT0	15.96	39.461	23.98 or 11+10log(B) = 24.48	PASS
116	5580	HT0	15.95	39.370	23.98 or 11+10log(B) = 24.62	PASS
140	5700	HT0	15.93	39.190	23.98 or 11+10log(B) = 24.63	PASS
144	5720(U-NII 2C)	HT0	14.53	28.38	23.98 or 11+10log(B) = 24.55	PASS
144	5720 (U-NII 3)	HT0	10.41	10.99	30	PASS
149	5745	HT0	16.85	48.436	30	PASS
157	5785	HT0	16.77	47.552	30	PASS
165	5825	HT0	16.90	48.997	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11n_HT40_Ch1

CH	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
38	5190	HT0	14.89	30.855	23.98	PASS
46	5230	HT0	15.93	39.203	23.98	PASS
54	5270	HT0	14.94	31.212	23.98 or 11+10log(B) = 27.18	PASS
62	5310	HT0	14.94	31.212	23.98 or 11+10log(B) = 27.20	PASS
102	5510	HT0	15.91	39.023	23.98 or 11+10log(B) = 27.10	PASS
110	5550	HT0	15.96	39.475	23.98 or 11+10log(B) = 27.33	PASS
134	5670	HT0	15.95	39.384	23.98 or 11+10log(B) = 27.22	PASS
142	5710(U-NII 2C)	HT0	15.28	33.71	23.98 or 11+10log(B) = 27.22	PASS
142	5710 (U-NII 3)	HT0	7.47	5.58	30	PASS
151	5755	HT0	16.89	48.902	30	PASS
159	5795	HT0	16.76	47.460	30	PASS

802.11ax_20_Ch1

CH	Frequency (MHz)	RU Config	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
36	5180	full	MCS0	15.98	39.647	23.98	PASS
		26/0	MCS0	12.87	19.374	23.98	PASS
		52/37	MCS0	14.84	30.494	23.98	PASS
		106/53	MCS0	15.96	39.465	23.98	PASS
44	5220	full	MCS0	15.97	39.556	23.98	PASS
48	5240	full	MCS0	15.96	39.465	23.98	PASS
52	5260	full	MCS0	14.98	31.493	23.98 or 11+10log(B) = 24.36	PASS
60	5300	full	MCS0	14.97	31.420	23.98 or 11+10log(B) = 24.36	PASS
64	5320	full	MCS0	14.95	31.276	23.98 or 11+10log(B) = 24.45	PASS
		26/8	MCS0	12.89	19.463	23.98 or 11+10log(B) = 24.45	PASS
		52/40	MCS0	14.86	30.635	23.98 or 11+10log(B) = 24.45	PASS
		106/54	MCS0	14.95	31.276	23.98 or 11+10log(B) = 24.45	PASS
100	5500	full	MCS0	15.98	39.647	23.98 or 11+10log(B) = 24.36	PASS
		26/0	MCS0	12.42	17.467	23.98 or 11+10log(B) = 24.36	PASS
		52/37	MCS0	14.94	31.204	23.98 or 11+10log(B) = 24.36	PASS
		106/53	MCS0	15.96	39.465	23.98 or 11+10log(B) = 24.36	PASS
116	5580	full	MCS0	15.98	39.647	23.98 or 11+10log(B) = 24.46	PASS
140	5700	full	MCS0	15.88	38.745	23.98 or 11+10log(B) = 24.33	PASS
		26/8	MCS0	12.48	17.710	23.98 or 11+10log(B) = 24.33	PASS
		52/40	MCS0	14.94	31.204	23.98 or 11+10log(B) = 24.33	PASS
		106/54	MCS0	15.94	39.284	23.98 or 11+10log(B) = 24.33	PASS
144	5720(U-NII 2C)	full	MCS0	14.46	27.93	23.98 or 11+10log(B) = 24.48	PASS
144	5720 (U-NII 3)	full	MCS0	10.27	10.63	30	PASS
149	5745	full	MCS0	16.90	49.002	30	PASS
		26/0	MCS0	13.97	24.958	30	PASS
		52/37	MCS0	16.96	49.684	30	PASS
		106/53	MCS0	16.89	48.889	30	PASS
157	5785	full	MCS0	16.85	48.441	30	PASS
165	5825	full	MCS0	16.93	49.342	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax 40_Ch1

CH	Frequency (MHz)	RU Config	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
38	5190	full	MCS0	15.91	39.012	23.98	PASS
		242/61	MCS0	15.98	39.646	23.98	PASS
46	5230	full	MCS0	15.93	39.193	23.98	PASS
54	5270	full	MCS0	14.92	31.060	23.98 or 11+10log(B) = 27.10	PASS
62	5310	full	MCS0	14.98	31.492	23.98 or 11+10log(B) = 27.15	PASS
		242/62	MCS0	14.97	31.420	23.98 or 11+10log(B) = 27.15	PASS
102	5510	full	MCS0	15.95	39.373	23.98 or 11+10log(B) = 27.12	PASS
		242/61	MCS0	15.96	39.464	23.98 or 11+10log(B) = 27.12	PASS
110	5550	full	MCS0	15.97	39.555	23.98 or 11+10log(B) = 27.22	PASS
134	5670	full	MCS0	15.96	39.464	23.98 or 11+10log(B) = 27.18	PASS
		242/62	MCS0	15.97	39.555	23.98 or 11+10log(B) = 27.18	PASS
142	5710(U-NII 2C)	full	MCS0	15.36	34.38	23.98 or 11+10log(B) = 27.11	PASS
142	5710 (U-NII 3)	full	MCS0	7.21	5.26	30	PASS
151	5755	full	MCS0	16.88	48.776	30	PASS
		242/61	MCS0	16.85	48.440	30	PASS
159	5795	full	MCS0	16.90	49.001	30	PASS

802.11ac VHT80_Ch1

CH	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
42	5210	VHT0	15.95	39.312	23.98	PASS
58	5290	VHT0	14.98	31.443	23.98 or 11+10log(B) = 30.10	PASS
106	5530	VHT0	15.93	39.131	23.98 or 11+10log(B) = 30.09	PASS
122	5610	VHT0	15.91	38.951	23.98 or 11+10log(B) = 30.07	PASS
138	5690(U-NII 2C)	VHT0	15.60	36.29	23.98 or 11+10log(B) = 30.11	PASS
138	5690 (U-NII 3)	VHT0	4.39	2.75	30	PASS
155	5775	VHT0	16.92	49.150	30	PASS

802.11ax 80_Ch1

CH	Frequency (MHz)	RU Config	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
42	5210	full	MCS0	15.73	37.423	23.98	PASS
		484/65	MCS0	15.72	37.337	23.98	PASS
58	5290	full	MCS0	14.97	31.415	23.98 or 11+10log(B) = 30.05	PASS
		484/66	MCS0	13.10	20.424	23.98 or 11+10log(B) = 30.05	PASS
106	5530	full	MCS0	15.98	39.640	23.98 or 11+10log(B) = 30.00	PASS
		484/65	MCS0	15.97	39.549	23.98 or 11+10log(B) = 30.00	PASS
122	5610	full	MCS0	15.92	39.097	23.98 or 11+10log(B) = 30.02	PASS
138	5690(U-NII 2C)	full	MCS0	15.60	36.27	23.98 or 11+10log(B) = 30.15	PASS
138	5690 (U-NII 3)	full	MCS0	4.65	2.92	30	PASS
155	5775	full	MCS0	16.89	48.881	30	PASS
		484/66	MCS0	16.73	47.113	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ac_VHT160_Ch1

CH	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)		RESULT
50	5250	VHT0	12.47	17.653	23.98	or $11+10\log(B) = 33.11$	PASS
114	5570	VHT0	12.98	19.852	23.98	or $11+10\log(B) = 33.14$	PASS

802.11ax_160_Ch1

CH	Frequency (MHz)	RU Config	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)		RESULT
50	5250	full	MCS0	11.73	14.908	23.98	or $11+10\log(B) = 33.13$	PASS
		996/67	MCS0	11.23	13.287	23.98	or $11+10\log(B) = 33.13$	PASS
		996/s67	MCS0	11.22	13.256	23.98	or $11+10\log(B) = 33.13$	PASS
114	5570	full	MCS0	12.22	16.689	23.98	or $11+10\log(B) = 33.10$	PASS
		996/67	MCS0	9.72	9.385	23.98	or $11+10\log(B) = 33.10$	PASS
		996/s67	MCS0	9.67	9.277	23.98	or $11+10\log(B) = 33.10$	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Mode: MIMO

802.11n_HT20_MIMO

CH	Frequency (MHz)	Data Rate	Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
			CH 1	CH 0				
36	5180	HT8	15.81	15.95	18.90	77.671	23.98	PASS
44	5220	HT8	15.87	15.97	18.94	78.384	23.98	PASS
48	5240	HT8	15.86	15.96	18.93	78.204	23.98	PASS
52	5260	HT8	14.88	14.96	17.94	62.261	23.98 or $11+10\log(B) = 24.64$	PASS
60	5300	HT8	14.87	14.95	17.93	62.118	23.98 or $11+10\log(B) = 24.61$	PASS
64	5320	HT8	14.86	14.95	17.93	62.047	23.98 or $11+10\log(B) = 24.60$	PASS
100	5500	HT8	15.89	15.98	18.96	78.655	23.98 or $11+10\log(B) = 24.63$	PASS
116	5580	HT8	15.91	15.97	18.96	78.743	23.98 or $11+10\log(B) = 24.62$	PASS
140	5700	HT8	15.13	15.21	18.19	65.951	23.98 or $11+10\log(B) = 24.57$	PASS
144	5720(U-NII 2C)	HT8	14.40	14.51	17.48	55.967	23.98 or $11+10\log(B) = 24.54$	PASS
144	5720 (U-NII 3)	HT8	10.27	10.39	13.35	21.610	30	PASS
149	5745	HT8	15.89	15.97	18.95	78.563	30	PASS
157	5785	HT8	16.21	16.31	19.28	84.767	30	PASS
165	5825	HT8	15.91	15.98	18.97	78.834	30	PASS

802.11n_HT40_MIMO

CH	Frequency (MHz)	Data Rate	Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
			CH 1	CH 0				
38	5190	HT8	14.81	14.83	17.85	61.004	23.98	PASS
46	5230	HT8	15.82	15.91	18.90	77.603	23.98	PASS
54	5270	HT8	14.89	14.97	17.96	62.571	23.98 or $11+10\log(B) = 27.11$	PASS
62	5310	HT8	14.86	14.95	17.94	62.213	23.98 or $11+10\log(B) = 27.20$	PASS
102	5510	HT8	12.83	12.94	15.92	39.074	23.98 or $11+10\log(B) = 27.24$	PASS
110	5550	HT8	15.87	15.92	18.93	78.138	23.98 or $11+10\log(B) = 27.20$	PASS
134	5670	HT8	14.85	14.98	17.95	62.360	23.98 or $11+10\log(B) = 27.18$	PASS
142	5710(U-NII 2C)	HT8	15.25	15.38	18.34	68.308	23.98 or $11+10\log(B) = 27.00$	PASS
142	5720 (U-NII 3)	HT8	6.75	6.85	9.85	9.658	30	PASS
151	5755	HT8	15.86	15.96	18.94	78.412	30	PASS
159	5795	HT8	16.23	16.32	19.31	85.286	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax_20_MIMO

CH	Frequency (MHz)	RU Config	Data Rate	Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
				CH 1	CH 0				
36	5180	full	MCS0	15.83	15.95	18.92	78.034	23.98	PASS
		26/0	MCS0	7.44	8.11	10.82	12.079	23.98	PASS
		52/37	MCS0	9.72	10.55	13.19	20.832	23.98	PASS
		106/53	MCS0	12.62	13.43	16.08	40.516	23.98	PASS
44	5220	full	MCS0	15.84	15.97	18.94	78.305	23.98	PASS
48	5240	full	MCS0	15.82	15.91	18.90	77.583	23.98	PASS
52	5260	full	MCS0	14.89	14.93	17.94	62.266	23.98 or 11+10log(B) = 24.77	PASS
60	5300	full	MCS0	14.87	14.94	17.94	62.195	23.98 or 11+10log(B) = 24.98	PASS
64	5320	full	MCS0	14.83	14.98	17.94	62.202	23.98 or 11+10log(B) = 24.79	PASS
		26/8	MCS0	8.05	8.67	11.40	13.815	23.98 or 11+10log(B) = 24.79	PASS
		52/40	MCS0	10.71	11.29	14.04	25.364	23.98 or 11+10log(B) = 24.79	PASS
		106/54	MCS0	14.18	14.37	17.31	53.808	23.98 or 11+10log(B) = 24.79	PASS
100	5500	full	MCS0	14.85	14.92	17.92	61.909	23.98 or 11+10log(B) = 24.87	PASS
		26/0	MCS0	8.15	8.56	11.39	13.779	23.98 or 11+10log(B) = 24.87	PASS
		52/37	MCS0	11.12	11.45	14.32	27.043	23.98 or 11+10log(B) = 24.87	PASS
		106/53	MCS0	14.37	14.46	17.45	55.561	23.98 or 11+10log(B) = 24.87	PASS
116	5580	full	MCS0	15.88	15.97	18.96	78.662	23.98 or 11+10log(B) = 24.81	PASS
140	5700	full	MCS0	15.89	15.93	18.94	78.388	23.98 or 11+10log(B) = 24.88	PASS
		26/8	MCS0	1.35	1.49	4.45	2.788	23.98 or 11+10log(B) = 24.88	PASS
		52/40	MCS0	10.36	11.47	13.98	25.020	23.98 or 11+10log(B) = 24.88	PASS
		106/54	MCS0	12.43	12.47	15.48	35.338	23.98 or 11+10log(B) = 24.88	PASS
144	5720(U-NII 2C)	full	MCS0	14.43	14.50	17.51	56.309	23.98 or 11+10log(B) = 24.62	PASS
144	5720 (U-NII 3)	full	MCS0	10.38	10.52	13.46	22.172	30	PASS
149	5745	full	MCS0	16.43	16.34	19.42	87.451	30	PASS
		26/0	MCS0	8.86	8.76	11.84	15.285	30	PASS
		52/37	MCS0	15.98	16.03	19.04	80.122	30	PASS
		106/53	MCS0	14.85	14.98	17.95	62.344	30	PASS
157	5785	full	MCS0	16.41	16.34	19.41	87.248	30	PASS
165	5825	full	MCS0	16.34	16.38	19.39	86.946	30	PASS

802.11ax_40_MIMO

CH	Frequency (MHz)	RU Config	Data Rate	Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)	RESULT
				CH 1	CH 0				
38	5190	full	MCS0	14.85	14.93	17.94	62.266	23.98	PASS
		242/61	MCS0	12.61	12.73	15.72	37.349	23.98	PASS
46	5230	full	MCS0	15.84	15.93	18.94	78.299	23.98	PASS
54	5270	full	MCS0	14.81	14.93	17.92	61.983	23.98 or 11+10log(B) = 27.37	PASS
62	5310	full	MCS0	14.85	14.94	17.95	62.339	23.98 or 11+10log(B) = 27.37	PASS
		242/62	MCS0	14.87	14.92	17.95	62.336	23.98 or 11+10log(B) = 27.37	PASS
102	5510	full	MCS0	14.37	14.48	17.48	55.946	23.98 or 11+10log(B) = 27.31	PASS
		242/61	MCS0	15.36	15.48	18.47	70.352	23.98 or 11+10log(B) = 27.31	PASS
110	5550	full	MCS0	15.87	15.96	18.97	78.842	23.98 or 11+10log(B) = 27.39	PASS
134	5670	full	MCS0	15.13	15.22	18.23	66.490	23.98 or 11+10log(B) = 27.37	PASS
		242/62	MCS0	15.88	15.96	18.97	78.932	23.98 or 11+10log(B) = 27.37	PASS
142	5710(U-NII 2C)	full	MCS0	15.10	15.20	18.22	66.333	23.98 or 11+10log(B) = 27.33	PASS
142	5710 (U-NII 3)	full	MCS0	7.60	7.91	10.72	11.790	30	PASS
151	5755	full	MCS0	15.79	15.92	18.91	77.765	30	PASS
		242/61	MCS0	15.89	15.96	18.98	79.022	30	PASS
159	5795	full	MCS0	15.84	15.96	18.95	78.573	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ac_VHT80_MIMO

CH	Frequency (MHz)	Data Rate	Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)		RESULT
			CH 1	CH 0					
42	5210	VHT0	14.35	14.46	17.45	55.602	23.98		PASS
58	5290	VHT0	12.88	12.94	15.96	39.406	23.98	or 11+10log(B) = 30.07	PASS
106	5530	VHT0	10.37	10.44	13.45	22.134	23.98	or 11+10log(B) = 30.10	PASS
122	5610	VHT0	15.86	15.96	18.96	78.629	23.98	or 11+10log(B) = 30.08	PASS
138	5690(U-NII 2C)	VHT0	15.54	15.62	18.64	73.055	23.98	or 11+10log(B) = 30.08	PASS
138	5690 (U-NII 3)	VHT0	4.15	4.62	7.25	5.304	30		PASS
155	5775	VHT0	15.88	15.97	18.97	78.900	30		PASS

802.11ax_80_MIMO

CH	Frequency (MHz)	RU Config	Data Rate	Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)		RESULT
				CH 1	CH 0					
42	5210	full	MCS0	12.85	12.96	15.96	39.419	23.98		PASS
		484/65	MCS0	11.14	11.22	14.23	26.496	23.98		PASS
58	5290	full	MCS0	12.89	12.96	15.98	39.599	23.98	or 11+10log(B) = 30.10	PASS
		484/66	MCS0	14.86	14.94	17.95	62.400	23.98	or 11+10log(B) = 30.10	PASS
106	5530	full	MCS0	12.86	12.94	15.95	39.372	23.98	or 11+10log(B) = 30.03	PASS
		484/65	MCS0	10.41	10.43	13.47	22.240	23.98	or 11+10log(B) = 30.03	PASS
122	5610	full	MCS0	12.83	12.96	15.95	39.329	23.98	or 11+10log(B) = 30.05	PASS
138	5690(U-NII 2C)	full	MCS0	15.51	15.66	18.62	72.830	23.98	or 11+10log(B) = 30.07	PASS
138	5690 (U-NII 3)	full	MCS0	4.47	4.20	7.58	5.732	30		PASS
155	5775	full	MCS0	15.86	15.95	18.96	78.649	30		PASS
		484/66	MCS0	15.84	15.95	18.95	78.470	30		PASS

802.11ac_VHT160_MIMO

CH	Frequency (MHz)	Data Rate	Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)		RESULT
			CH 1	CH 0					
50	5250	VHT0	9.33	9.45	12.47	17.655	23.98	or 11+10log(B) = 33.14	PASS
114	5570	VHT0	10.08	10.19	13.21	20.959	23.98	or 11+10log(B) = 33.12	PASS

802.11ax_160_MIMO

CH	Frequency (MHz)	RU Config	Data Rate	Avg. POWER (dBm)		TOTAL POWER (dBm)	TOTAL POWER (mW)	REQUIRED LIMIT (dBm)		RESULT
				CH 1	CH 0					
50	5250	full	MCS0	10.88	10.94	13.96	24.915	23.98	or 11+10log(B) = 33.14	PASS
		996/67	MCS0	9.89	9.95	12.97	19.836	23.98	or 11+10log(B) = 33.14	PASS
		996/s67	MCS0	9.88	9.91	12.95	19.722	23.98	or 11+10log(B) = 33.14	PASS
114	5570	full	MCS0	8.84	8.94	11.94	15.649	23.98	or 11+10log(B) = 33.14	PASS
		996/67	MCS0	9.4	9.46	12.48	17.720	23.98	or 11+10log(B) = 33.14	PASS
		996/s67	MCS0	9.23	9.32	12.33	17.099	23.98	or 11+10log(B) = 33.11	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10 MAXIMUM POWER SPECTRAL DENSITY

10.1 Standard Applicable

FCC

OPERZTION Band	EUT CATEGORY		LIMIT
U-NII-1		Access Point (Master device)	17dBm/ MHz
		Fixed point-to-point Access Ponit	
	✓	Mobile and portable client device	11dBm/ MHz
U-NII-2A	✓		11dBm/ MHz
U-NII-2C	✓		11dBm/ MHz
U-NII-3	✓		30dBm/ 500kHz

If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Note:

As per section F. 2). d). (ii) of FCC KDB 662911 D01

If antenna gains are not equal and each transmit antenna is driven by only one spatial stream, directional gain may be calculated by either of the following formulas.

(ii) If all transmit signals are *completely uncorrelated*, then

$$\text{Directional gain} = 10 \log[(10^{G1/10} + 10^{G2/10} + \dots + 10^{GN/10})/N_{\text{ANT}}] \text{ dBi}$$

where

N_{ANT} = the total number of antennas

G is the gain in dBi.

The antenna gain is grater than 6 dBi, therefore the limit needs to be reduced as below

FCC PSD Limit Attenuation (Chain 0)

	Antenna Gain (dBi)	PSD Limit	
U-NII-2C	6.10	10.90	dBm/MHz
U-NII-3	6.70	29.30	dBm/500 kHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10.2 Measurement Procedure

1. Place the EUT on the table and set it in transmitting mode.
2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules .
3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.
4. **For U-NII1, U-NII-2A, U-NII-2C Band:**
Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = RMS average, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)
For U-NII-3 Band:
Set RBW=510 kHz, VBW $\geq$ 3RBW, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = RMS average, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)
Note: RBW=510kHz Offset factor $10\log(500/510) = -0.08$ with reference offset.
5. Use the cursor on spectrum to peak search the highest level of trace
6. Record the max. reading and add $10\log(1/\text{duty cycle})$.
7. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10.3 Measurement Equipment Used

SGS Conducted Room					
Name of Equip-ment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due
Spectrum Analyzer	KEYSIGHT	N9010A	MY53400256	11/20/2020	11/19/2021
Spectrum Analyzer	KEYSIGHT	N9010B	MY59071573	06/26/2020	06/25/2021
DC Block	PASTERNAK	PE8210	RF152	11/19/2020	11/18/2021
Attenuator	Marvelous	WATT-218FS-10	RF19	11/19/2020	11/18/2021
Coaxial Cables	Woken	00100A1F1A185C	RF219	11/19/2020	11/18/2021
I Pex4 Cables	Woken	00100A1H646027	RF508	06/01/2020	05/31/2021
DC Power Supply	Agilent	E3640A	MY53130054	09/07/2020	09/06/2021

10.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10.5 Measurement Result

10.5.1 Power spectral density

Mode: Chain 0

POWER DENSITY 802.11a MODE					
Frequency (MHz)	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5180.00	6.80	0.09	6.89	11.00	-4.11
5220.00	6.50	0.09	6.59	11.00	-4.41
5240.00	6.94	0.09	7.03	11.00	-3.97
5260.00	6.68	0.09	6.77	11.00	-4.23
5300.00	6.71	0.09	6.81	11.00	-4.19
5320.00	3.46	0.09	3.55	11.00	-7.45
5500.00	5.62	0.09	5.72	10.90	-5.18
5580.00	6.11	0.09	6.20	10.90	-4.70
5700.00	6.29	0.09	6.38	10.90	-4.52
5720 (U-NII 2C)	6.29	0.09	6.38	10.90	-4.52
5720 (U-NII 3)	3.31	0.09	3.41	29.30	-25.89
5745.00	4.80	0.09	4.89	29.30	-24.41
5785.00	4.67	0.09	4.76	29.30	-24.54
5825.00	4.77	0.09	4.87	29.30	-24.43

POWER DENSITY 802.11n HT20 MODE					
Frequency (MHz)	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5180	3.89	-	3.89	11	-7.12
5220	3.61	-	3.61	11	-7.39
5240	3.79	-	3.79	11	-7.21
5260	3.93	-	3.93	11	-7.07
5300	3.80	-	3.80	11	-7.20
5320	3.64	-	3.64	11	-7.36
5500	3.06	-	3.06	10.9	-7.84
5580	3.78	-	3.78	10.9	-7.12
5700	3.61	-	3.61	10.9	-7.29
5720 (U-NII 2C)	6.30	-	6.30	10.9	-4.60
5720 (U-NII 3)	3.39	-	3.39	29.3	-25.91
5745	4.52	-	4.52	29.3	-24.78
5785	4.51	-	4.51	29.3	-24.79
5825	4.48	-	4.48	29.3	-24.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11n HT40 MODE					
Frequency (MHz)	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5190	1.494	-	1.49	11	-9.51
5230	3.409	-	3.41	11	-7.59
5270	3.51	-	3.51	11	-7.49
5310	1.487	-	1.49	11	-9.51
5510	0.576	-	0.58	10.9	-10.32
5550	2.408	-	2.41	10.9	-8.49
5670	3.11	-	3.11	10.9	-7.79
5710 (U-NII 2C)	3.16	-	3.16	10.9	-7.74
5710 (U-NII 3)	0.19	-	0.19	29.3	-29.11
5755	1.19	-	1.19	29.3	-28.12
5795	1.29	-	1.29	29.3	-28.01

POWER DENSITY 802.11ax 20 MODE						
Frequency (MHz)	RU Config	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5180	full	6.29	-	6.29	11	-4.71
	26/0	4.80	-	4.80	11	-6.20
	52/37	9.80	-	9.80	11	-1.21
	106/53	8.85	-	8.85	11	-2.15
5220	full	5.84	-	5.84	11	-5.16
5240	full	6.42	-	6.42	11	-4.58
5260	full	6.72	-	6.72	11	-4.29
5300	full	6.40	-	6.40	11	-4.60
5320	full	5.63	-	5.63	11	-5.37
	26/8	9.95	-	9.95	11	-1.05
	52/40	9.38	-	9.38	11	-1.62
	106/54	6.72	-	6.72	11	-4.28
5500	full	5.26	-	5.26	10.9	-5.64
	26/0	7.69	-	7.69	10.9	-3.21
	52/37	7.94	-	7.94	10.9	-2.96
	106/53	7.67	-	7.67	10.9	-3.23
5580	full	6.05	-	6.05	10.9	-4.85
5700	full	5.01	-	5.01	10.9	-5.89
	26/8	8.47	-	8.47	10.9	-2.43
	52/40	8.95	-	8.95	10.9	-1.95
	106/54	8.10	-	8.10	10.9	-2.80
5720 (U-NII 2C)	full	3.45	-	3.45	10.9	-7.45
5720 (U-NII 3)	full	0.35	-	0.35	29.3	-28.95
5745	full	4.51	-	4.51	29.3	-24.79
	26/0	12.89	-	12.89	29.3	-16.41
	52/37	7.59	-	7.59	29.3	-21.71
	106/53	6.59	-	6.59	29.3	-22.71
5785	full	4.12	-	4.12	29.3	-25.18
5825	full	4.32	-	4.32	29.3	-24.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11ax 40 MODE						
Frequency (MHz)	RU Config	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5190	full	2.544	-	2.54	11	-8.46
	242/61	6.037	-	6.04	11	-4.96
5230	full	3.26	-	3.26	11	-7.74
5270	full	3.144	-	3.14	11	-7.86
5310	full	1.56	-	1.56	11	-9.44
	242/62	6.584	-	6.58	11	-4.42
5510	full	0.961	-	0.96	10.9	-9.94
	242/61	5.239	-	5.24	10.9	-5.66
5550	full	2.632	-	2.63	10.9	-8.27
5670	full	3.35	-	3.35	10.9	-7.55
	242/62	6.39	-	6.39	10.9	-4.51
5710 (U-NII 2C)	full	3.00	-	3.00	10.9	-7.90
5710 (U-NII 3)	full	0.21	-	0.21	29.3	-29.10
5755	full	0.96	-	0.96	29.3	-28.34
	242/61	4.63	-	4.63	29.3	-24.67
5795	full	1.00	-	1.00	29.3	-28.30

POWER DENSITY 802.11ac VHT80 MODE						
Frequency (MHz)		PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5210		-0.76	-	-0.76	11	-11.76
5290		-2.78	-	-2.78	11	-13.78
5530		-2.35	-	-2.35	10.9	-13.25
5610		0.75	-	0.75	10.9	-10.15
5690 (U-NII 2C)		1.31	-	1.31	10.9	-9.60
5690 (U-NII 3)		-1.36	-	-1.36	29.3	-30.66
5775		-0.46	-	-0.46	29.3	-29.76

POWER DENSITY 802.11ax 80 MODE						
Frequency (MHz)	RU Config	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5210	full	-0.98	-	-0.98	11	-11.98
	484/65	1.61	-	1.61	11	-9.39
5290	full	-0.84	-	-0.84	11	-11.84
	484/66	4.01	-	4.01	11	-6.99
5530	full	-2.31	-	-2.31	10.9	-13.21
	484/65	1.65	-	1.65	10.9	-9.25
5610	full	0.75	-	0.75	10.9	-10.15
5690 (U-NII 2C)	full	1.27	-	1.27	10.9	-9.63
5690 (U-NII 3)	full	-1.43	-	-1.43	29.3	-30.73
5775	full	-1.05	-	-1.05	29.3	-30.35
	484/66	2.10	-	2.10	29.3	-27.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11ac VHT160 MODE					
Frequency (MHz)	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5250	-8.19	-	-8.19	11	-19.19
5570	-8.08	-	-8.08	10.9	-18.98

POWER DENSITY 802.11ax 160 MODE						
Frequency (MHz)	RU Config	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5250	full	-8.38	-	-8.38	11	-19.38
	996/67	-5.33	-	-5.33	11	-16.33
	996/s67	-4.93	-	-4.93	11	-15.93
5570	full	-7.31	-	-7.31	10.9	-18.21
	996/67	-7.86	-	-7.86	10.9	-18.76
	996/s67	-7.21	-	-7.21	10.9	-18.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Mode: Chain 1

POWER DENSITY 802.11a MODE					
Frequency (MHz)	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5180.00	5.86	0.09	5.95	11.00	-5.05
5220.00	5.94	0.09	6.04	11.00	-4.96
5240.00	5.81	0.09	5.90	11.00	-5.10
5260.00	4.53	0.09	4.62	11.00	-6.38
5300.00	4.35	0.09	4.44	11.00	-6.56
5320.00	4.26	0.09	4.35	11.00	-6.65
5500.00	5.26	0.09	5.35	11.00	-5.65
5580.00	5.43	0.09	5.52	11.00	-5.48
5700.00	5.38	0.09	5.47	11.00	-5.53
5720 (U-NII 2C)	5.53	0.09	5.62	11.00	-5.38
5720 (U-NII 3)	2.43	0.09	2.53	30.00	-27.47
5745.00	4.81	0.09	4.90	30.00	-25.10
5785.00	5.07	0.09	5.16	30.00	-24.84
5825.00	4.90	0.09	4.99	30.00	-25.01

POWER DENSITY 802.11n HT20 MODE					
Frequency (MHz)	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5180	5.82	-	5.82	11	-5.18
5220	5.92	-	5.92	11	-5.08
5240	6.18	-	6.18	11	-4.82
5260	6.28	-	6.28	11	-4.72
5300	4.46	-	4.46	11	-6.54
5320	4.59	-	4.59	11	-6.41
5500	5.66	-	5.66	11	-5.34
5580	5.86	-	5.86	11	-5.14
5700	5.66	-	5.66	11	-5.34
5720 (U-NII 2C)	5.56	-	5.56	11	-5.44
5720 (U-NII 3)	2.80	-	2.80	30	-27.20
5745	4.84	-	4.84	30	-25.16
5785	5.33	-	5.33	30	-24.67
5825	5.20	-	5.20	30	-24.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11n HT40 MODE					
Frequency (MHz)	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5190	1.677	-	1.68	11	-9.32
5230	2.614	-	2.61	11	-8.39
5270	1.645	-	1.65	11	-9.36
5310	1.168	-	1.17	11	-9.83
5510	2.388	-	2.39	11	-8.61
5550	2.521	-	2.52	11	-8.48
5670	2.20	-	2.20	11	-8.80
5710 (U-NII 2C)	2.32	-	2.32	11	-8.68
5710 (U-NII 3)	-0.58	-	-0.58	30	-30.58
5755	1.43	-	1.43	30	-28.57
5795	1.25	-	1.25	30	-28.75

POWER DENSITY 802.11ax 20 MODE						
Frequency (MHz)	RU Config	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5180	full	5.95	-	5.95	11	-5.05
	26/0	10.41	-	10.41	11	-0.59
	52/37	9.94	-	9.94	11	-1.07
	106/53	8.16	-	8.16	11	-2.84
5220	full	5.54	-	5.54	11	-5.47
5240	full	5.48	-	5.48	11	-5.52
5260	full	4.76	-	4.76	11	-6.24
5300	full	4.56	-	4.56	11	-6.44
5320	full	4.29	-	4.29	11	-6.71
	26/8	10.26	-	10.26	11	-0.74
	52/40	9.38	-	9.38	11	-1.62
	106/54	6.46	-	6.46	11	-4.54
5500	full	5.22	-	5.22	11	-5.78
	26/0	9.71	-	9.71	11	-1.30
	52/37	9.25	-	9.25	11	-1.75
	106/53	7.53	-	7.53	11	-3.47
5580	full	5.53	-	5.53	11	-5.47
5700	full	4.93	-	4.93	11	-6.07
	26/8	10.15	-	10.15	11	-0.85
	52/40	9.92	-	9.92	11	-1.08
	106/54	7.68	-	7.68	11	-3.32
5720 (U-NII 2C)	full	5.11	-	5.11	11	-5.89
5720 (U-NII 3)	full	1.97	-	1.97	30	-28.03
5745	full	4.70	-	4.70	30	-25.30
	26/0	8.46	-	8.46	30	-21.54
	52/37	9.21	-	9.21	30	-20.79
	106/53	6.66	-	6.66	30	-23.34
5785	full	4.30	-	4.30	30	-25.70
5825	full	5.02	-	5.02	30	-24.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11ax 40 MODE						
Frequency (MHz)	RU Config	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5190	full	2.401	-	2.40	11	-8.60
	242/61	5.901	-	5.90	11	-5.10
5230	full	2.396	-	2.40	11	-8.60
5270	full	1.416	-	1.42	11	-9.58
5310	full	1.172	-	1.17	11	-9.83
	242/62	4.408	-	4.41	11	-6.59
5510	full	2.297	-	2.30	11	-8.70
	242/61	5.34	-	5.34	11	-5.66
5550	full	2.113	-	2.11	11	-8.89
5670	full	2.24	-	2.24	11	-8.77
	242/62	6.00	-	6.00	11	-5.00
5710 (U-NII 2C)	full	2.11	-	2.11	11	-8.89
5710 (U-NII 3)	full	-0.77	-	-0.77	30	-30.77
5755	full	1.23	-	1.23	30	-28.77
	242/61	5.16	-	5.16	30	-24.84
5795	full	1.94	-	1.94	30	-28.06

POWER DENSITY 802.11ac VHT80 MODE						
Frequency (MHz)		PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5210		-0.07	-	-0.07	11	-11.07
5290		-0.76	-	-0.76	11	-11.76
5530		0.29	-	0.29	11	-10.71
5610		0.41	-	0.41	11	-10.59
5690 (U-NII 2C)		0.11	-	0.11	11	-10.89
5690 (U-NII 3)		-2.73	-	-2.73	30	-32.73
5775		-0.37	-	-0.37	30	-30.37

POWER DENSITY 802.11ax 80 MODE						
Frequency (MHz)	RU Config	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5210	full	-0.39	-	-0.39	11	-11.39
	484/65	2.31	-	2.31	11	-8.69
5290	full	-0.94	-	-0.94	11	-11.94
	484/66	-2.51	-	-2.51	11	-13.51
5530	full	0.10	-	0.10	11	-10.90
	484/65	2.83	-	2.83	11	-8.17
5610	full	0.08	-	0.08	11	-10.93
5690 (U-NII 2C)	full	-0.16	-	-0.16	11	-11.16
5690 (U-NII 3)	full	-3.19	-	-3.19	30	-33.19
5775	full	-0.81	-	-0.81	30	-30.81
	484/66	0.79	-	0.79	30	-29.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11ac VHT160 MODE					
Frequency (MHz)	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5250	-6.57	-	-6.57	11	-17.57
5570	-5.54	-	-5.54	11	-16.54

POWER DENSITY 802.11ax 160 MODE						
Frequency (MHz)	RU Config	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5250	full	-7.20	-	-7.20	11	-18.20
	996/67	-4.92	-	-4.92	11	-15.92
	996/s67	-5.08	-	-5.08	11	-16.08
5570	full	-6.20	-	-6.20	11	-17.20
	996/67	-6.29	-	-6.29	11	-17.29
	996/s67	-6.34	-	-6.34	11	-17.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Mode: MIMO

POWER DENSITY 802.11n HT20 MODE_MIMO

Frequency (MHz)	CH0	CH1	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5180	4.936	4.863	7.91	-	7.91	11.00	-3.09
5220	4.853	5.056	7.97	-	7.97	11.00	-3.03
5240	5.025	5.085	8.07	-	8.07	11.00	-2.93
5260	3.861	3.941	6.91	-	6.91	11.00	-4.09
5300	3.865	3.782	6.83	-	6.83	11.00	-4.17
5320	3.645	3.751	6.71	-	6.71	11.00	-4.29
5500	4.894	4.953	7.93	-	7.93	11.00	-3.07
5580	4.925	4.903	7.92	-	7.92	11.00	-3.08
5700	4.399	4.528	7.47	-	7.47	11.00	-3.53
5720 (U-NII 2C)	4.033	3.924	6.99	-	6.99	11.00	-4.01
5720 (U-NII 3)	1.101	1.125	4.12	-	4.12	30.00	-25.88
5745	2.13	2.031	5.09	-	5.09	30.00	-24.91
5785	3.994	3.869	6.94	-	6.94	30.00	-23.06
5825	1.694	2.008	4.86	-	4.86	30.00	-25.14

POWER DENSITY 802.11n HT40 MODE_MIMO

Frequency (MHz)	CH0	CH1	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5190	0.737	0.792	3.77	-	3.77	11.00	-7.23
5230	0.828	0.831	3.84	-	3.84	11.00	-7.16
5270	0.008	0.006	3.02	-	3.02	11.00	-7.98
5310	-0.114	-0.123	2.89	-	2.89	11.00	-8.11
5510	-2.162	-2.205	0.83	-	0.83	11.00	-10.17
5550	0.62	0.632	3.64	-	3.64	11.00	-7.36
5670	-0.119	-0.036	2.93	-	2.93	11.00	-8.07
5710 (U-NII 2C)	-0.163	-0.147	2.86	-	2.86	11.00	-8.14
5710 (U-NII 3)	-1.187	-1.432	1.70	-	1.70	30.00	-28.30
5755	-1.045	-0.808	2.09	-	2.09	30.00	-27.91
5795	0.559	0.676	3.63	-	3.63	30.00	-26.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11ax 20 MODE_MIMO								
Frequency (MHz)	RU Config	CH0	CH1	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5180	full	4.682	4.672	7.69	-	7.69	11.00	-3.31
	26/0	5.047	5.107	8.09	-	8.09	11.00	-2.91
	52/37	4.412	4.373	7.40	-	7.40	11.00	-3.60
	106/53	4.575	4.632	7.61	-	7.61	11.00	-3.39
5220	full	4.864	4.913	7.90	-	7.90	11.00	-3.10
5240	full	4.561	4.435	7.51	-	7.51	11.00	-3.49
5260	full	0.737	0.608	3.68	-	3.68	11.00	-7.32
5300	full	3.923	3.515	6.73	-	6.73	11.00	-4.27
5320	full	3.723	3.514	6.63	-	6.63	11.00	-4.37
	26/8	5.077	5.174	8.14	-	8.14	11.00	-2.86
	52/40	4.795	5.181	8.00	-	8.00	11.00	-3.00
	106/54	5.079	5.133	8.12	-	8.12	11.00	-2.88
5500	full	3.296	3.368	6.34	-	6.34	11.00	-4.66
	26/0	5.534	4.724	8.16	-	8.16	11.00	-2.84
	52/37	5.327	5.202	8.28	-	8.28	11.00	-2.72
	106/53	5.462	5.142	8.32	-	8.32	11.00	-2.68
5580	full	5.157	4.951	8.07	-	8.07	11.00	-2.93
5700	full	4.381	4.608	7.51	-	7.51	11.00	-3.49
	26/8	-3.287	-3.291	-0.28	-	-0.28	11.00	-11.28
	52/40	6.077	5.903	9.00	-	9.00	11.00	-2.00
	106/54	3.822	3.655	6.75	-	6.75	11.00	-4.25
5720 (U-NII 2C)	full	4.384	4.358	7.38	-	7.38	11.00	-3.62
5720 (U-NII 3)	full	1.768	1.843	4.82	-	4.82	30.00	-25.18
5745	full	3.799	3.921	6.87	-	6.87	30.00	-23.13
	26/0	3.989	4.19	7.10	-	7.10	30.00	-22.90
	52/37	5.829	5.232	8.55	-	8.55	30.00	-21.45
	106/53	3.276	3.18	6.24	-	6.24	30.00	-23.76
5785	full	3.612	3.87	6.75	-	6.75	30.00	-23.25
5825	full	2.766	2.862	5.82	-	5.82	30.00	-24.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11ax 40 MODE_MIMO

Frequency (MHz)	RU Config	CH0	CH1	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5190	full	0.851	0.816	3.84	-	3.84	11.00	-7.16
	242/61	1.809	1.89	4.86	-	4.86	11.00	-6.14
5230	full	1.714	1.673	4.70	-	4.70	11.00	-6.30
5270	full	0.754	0.967	3.87	-	3.87	11.00	-7.13
5310	full	0.699	0.6	3.66	-	3.66	11.00	-7.34
	242/62	3.68	3.525	6.61	-	6.61	11.00	-4.39
5510	full	0.277	0.415	3.36	-	3.36	11.00	-7.64
	242/61	4.389	4.264	7.34	-	7.34	11.00	-3.66
5550	full	1.989	1.811	4.91	-	4.91	11.00	-6.09
5670	full	1.458	1.183	4.33	-	4.33	11.00	-6.67
	242/62	4.954	5.022	8.00	-	8.00	11.00	-3.00
5710 (U-NII 2C)	full	1.591	1.652	4.63	-	4.63	11.00	-6.37
5710 (U-NII 3)	full	-1.054	-1.097	1.93	-	1.93	30.00	-28.07
5755	full	-1.192	-0.971	1.93	-	1.93	30.00	-28.07
	242/61	4.612	4.889	7.76	-	7.76	30.00	-22.24
5795	full	-0.966	-0.788	2.13	-	2.13	30.00	-27.87

POWER DENSITY 802.11ac VHT80 MODE_MIMO

Frequency (MHz)	CH0	CH1	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5210	-2.088	-2.104	0.91	-	0.91	11.00	-10.09
5290	-3.735	-3.75	-0.73	-	-0.73	11.00	-11.73
5530	-6.014	-5.95	-2.97	-	-2.97	11.00	-13.97
5610	-2.146	-0.278	1.90	-	1.90	11.00	-9.10
5690 (U-NII 2C)	-0.066	0.106	3.03	-	3.03	11.00	-7.97
5690 (U-NII 3)	-2.902	-2.824	0.15	-	0.15	30.00	-29.85
5775	-0.722	-0.611	2.34	-	2.34	30.00	-27.66

POWER DENSITY 802.11ax 80 MODE_MIMO

Frequency (MHz)	RU Config	CH0	CH1	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5210	full	-3.587	-3.39	-0.48	-	-0.48	11.00	-11.48
	484/65	-3.399	-3.388	-0.38	-	-0.38	11.00	-11.38
5290	full	-3.833	-3.609	-0.71	-	-0.71	11.00	-11.71
	484/66	1.564	1.587	4.59	-	4.59	11.00	-6.41
5530	full	-3.25	-3.233	-0.23	-	-0.23	11.00	-11.23
	484/65	-5.593	-5.664	-2.62	-	-2.62	11.00	-13.62
5610	full	-3.104	-3.133	-0.11	-	-0.11	11.00	-11.11
5690 (U-NII 2C)	full	0.308	0.276	3.30	-	3.30	11.00	-7.70
5690 (U-NII 3)	full	-2.463	-2.678	0.44	-	0.44	30.00	-29.56
5775	full	-2.797	-2.552	0.34	-	0.34	30.00	-29.66
	484/66	-0.049	-0.121	2.93	-	2.93	30.00	-27.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11ac VHT160 MODE_MIMO

Frequency (MHz)	CH0	CH1	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5250	-10.065	-10.165	-7.10	-	-7.10	11.00	-18.10
5570	-9.011	-8.766	-5.88	-	-5.88	11.00	-16.88

POWER DENSITY 802.11ax 160 MODE_MIMO


Frequency (MHz)	RU Config	CH0	CH1	PSD W/O Duty Factor (dBm)	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)
5250	full	-8.999	-8.824	-5.90	-	-5.90	11.00	-16.90
	996/67	-7.715	-7.744	-4.72	-	-4.72	11.00	-15.72
	996/s67	-5.86	-5.67	-2.75	-	-2.75	11.00	-13.75
5570	full	-1.364	-1.138	1.76	-	1.76	11.00	-9.24
	996/67	-7.04	-6.884	-3.95	-	-3.95	11.00	-14.95
	996/s67	-7.301	-7.545	-4.41	-	-4.41	11.00	-15.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Ch0 802.11a_20MHz_5180MHz-5180




802.11a_20MHz_5260MHz-5260




802.11a_20MHz_5220MHz-5220




802.11a_20MHz_5300MHz-5300



802.11a_20MHz_5240MHz-5240



802.11a_20MHz_5320MHz-5320




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11a_20MHz_5500MHz-5500




802.11a_20MHz_5580MHz-5580




802.11a_20MHz_5700MHz-5700




802.11a_20MHz_5720MHz_UNII 2C



802.11a_20MHz_5720MHz_UNII 3



802.11a_20MHz_5745MHz-5745




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11a_20MHz_5785MHz-5785




802.11n_20MHz_5220MHz-5220




802.11a_20MHz_5825MHz-5825




802.11n_20MHz_5240MHz-5240



802.11n_20MHz_5180MHz-5180



802.11n_20MHz_5260MHz-5260




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11n_20MHz_5300MHz-5300




802.11n_20MHz_5320MHz-5320




802.11n_20MHz_5500MHz-5500




802.11n_20MHz_5580MHz-5580



802.11n_20MHz_5700MHz-5700



802.11n_20MHz_5720MHz_UNII 2C




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11n_20MHz_5720MHz_UNII 3




802.11n_20MHz_5825MHz-5825




802.11n_20MHz_5745MHz-5745




802.11ax_20MHz_5180MHz-5180



802.11n_20MHz_5785MHz-5785



802.11ax_20MHz_5180MHz-106-53



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11ax_20MHz_5180MHz-26-0




802.11ax_20MHz_5240MHz-5240




802.11ax_20MHz_5180MHz-52-37




802.11ax_20MHz_5260MHz-5260



802.11ax_20MHz_5220MHz-5220




802.11ax_20MHz_5300MHz-5300




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11ax_20MHz_5320MHz-5320




802.11ax_20MHz_5320MHz-52-40




802.11ax_20MHz_5320MHz-106-54




802.11ax_20MHz_5500MHz-5500



802.11ax_20MHz_5320MHz-26-8



802.11ax_20MHz_5500MHz-106-53




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11ax_20MHz_5500MHz-26-0




802.11ax_20MHz_5700MHz-5700




802.11ax_20MHz_5500MHz-52-37




802.11ax_20MHz_5700MHz-106-54



802.11ax_20MHz_5580MHz-5580



802.11ax_20MHz_5700MHz-26-8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.