



802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX



802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	50.15	54.00	-3.85	7.60	3	Vertical	58	1.79	-	42.55	31.90	9.83	34.13
AV	5.201G	94.83	Inf	-Inf	7.41	3	Vertical	58	1.79	-	87.42	31.69	9.86	34.14
AV	5.387G	45.65	54.00	-8.35	7.42	3	Vertical	58	1.79	-	38.23	31.60	9.99	34.17
PK	5.15G	64.33	74.00	-9.67	7.60	3	Vertical	58	1.79	-	56.73	31.90	9.83	34.13
PK	5.222G	106.99	Inf	-Inf	7.31	3	Vertical	58	1.79	-	99.68	31.57	9.88	34.14
PK	5.392G	57.87	74.00	-16.13	7.46	3	Vertical	58	1.79	-	50.41	31.64	9.99	34.17


802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	47.57	54.00	-6.43	7.60	3	Horizontal	17	1.50	-	39.97	31.90	9.83	34.13
AV	5.191G	90.68	Inf	-Inf	7.47	3	Horizontal	17	1.50	-	83.21	31.74	9.86	34.13
AV	5.404G	45.48	54.00	-8.52	7.53	3	Horizontal	17	1.50	-	37.95	31.70	10.00	34.17
PK	5.15G	60.76	74.00	-13.24	7.60	3	Horizontal	17	1.50	-	53.16	31.90	9.83	34.13
PK	5.191G	103.15	Inf	-Inf	7.47	3	Horizontal	17	1.50	-	95.68	31.74	9.86	34.13
PK	5.413G	57.74	74.00	-16.26	7.53	3	Horizontal	17	1.50	-	50.21	31.70	10.00	34.17

802.11ax HEW80_Nss1,(MCS0)_2TX 5210MHz_TX




802.11ax HEW80_Nss1,(MCS0)_2TX 5210MHz_TX



802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.149G	46.36	54.00	-7.64	7.60	3	Vertical	72	1.92	-	38.76	31.90	9.83	34.13
AV	5.282G	93.81	Inf	-Inf	7.11	3	Vertical	72	1.92	-	86.70	31.34	9.92	34.15
AV	5.35G	50.86	54.00	-3.14	7.11	3	Vertical	72	1.92	-	43.75	31.30	9.97	34.16
PK	5.115G	58.52	74.00	-15.48	7.59	3	Vertical	72	1.92	-	50.93	31.90	9.81	34.12
PK	5.271G	107.26	Inf	-Inf	7.12	3	Vertical	72	1.92	-	100.14	31.36	9.91	34.15
PK	5.351G	64.03	74.00	-9.97	7.12	3	Vertical	72	1.92	-	56.91	31.31	9.97	34.16

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.142G	45.91	54.00	-8.09	7.60	3	Horizontal	16	1.59	-	38.31	31.90	9.83	34.13
AV	5.282G	90.43	Inf	-Inf	7.11	3	Horizontal	16	1.59	-	83.32	31.34	9.92	34.15
AV	5.351G	48.98	54.00	-5.02	7.12	3	Horizontal	16	1.59	-	41.86	31.31	9.97	34.16
PK	5.131G	58.94	74.00	-15.06	7.60	3	Horizontal	16	1.59	-	51.34	31.90	9.82	34.12
PK	5.272G	102.81	Inf	-Inf	7.12	3	Horizontal	16	1.59	-	95.69	31.36	9.91	34.15
PK	5.361G	61.62	74.00	-12.38	7.20	3	Horizontal	16	1.59	-	54.42	31.39	9.97	34.16

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60624G	41.51	54.00	-12.49	18.08	3	Vertical	93	2.13	-	23.43	39.70	12.77	34.39
AV	15.90888G	45.85	54.00	-8.15	18.23	3	Vertical	242	1.13	-	27.62	36.92	15.95	34.64
PK	10.59968G	55.36	68.20	-12.84	18.06	3	Vertical	93	2.13	-	37.30	39.70	12.76	34.40
PK	15.89096G	59.99	74.00	-14.01	18.24	3	Vertical	242	1.13	-	41.75	36.93	15.94	34.63

802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60112G	41.59	54.00	-12.41	18.06	3	Horizontal	28	2.16	-	23.53	39.70	12.76	34.40
AV	15.9084G	45.84	54.00	-8.16	18.23	3	Horizontal	70	1.35	-	27.61	36.92	15.95	34.64
PK	10.57824G	54.53	68.20	-13.67	18.04	3	Horizontal	28	2.16	-	36.49	39.70	12.76	34.42
PK	15.8812G	59.89	74.00	-14.11	18.27	3	Horizontal	70	1.35	-	41.62	36.96	15.93	34.62

802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.453G	50.30	54.00	-3.70	7.55	3	Vertical	72	1.50	-	42.75	31.71	10.02	34.18
AV	5.533G	95.88	Inf	-Inf	7.66	3	Vertical	72	1.50	-	88.22	31.80	10.05	34.19
PK	5.462G	64.63	68.20	-3.57	7.56	3	Vertical	72	1.50	-	57.07	31.72	10.02	34.18
PK	5.534G	107.27	Inf	-Inf	7.66	3	Vertical	72	1.50	-	99.61	31.80	10.05	34.19
PK	5.76G	57.51	68.20	-10.69	7.97	3	Vertical	72	1.50	-	49.54	32.02	10.16	34.21


802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	49.41	54.00	-4.59	7.56	3	Horizontal	13	1.63	-	41.85	31.72	10.02	34.18
AV	5.541G	94.19	Inf	-Inf	7.66	3	Horizontal	13	1.63	-	86.53	31.80	10.05	34.19
PK	5.47G	63.68	68.20	-4.52	7.58	3	Horizontal	13	1.63	-	56.10	31.74	10.02	34.18
PK	5.5G	106.29	Inf	-Inf	7.65	3	Horizontal	13	1.63	-	98.64	31.80	10.04	34.19
PK	5.748G	58.87	68.20	-9.33	7.95	3	Horizontal	13	1.63	-	50.92	32.00	10.15	34.20

802.11ax HEW80_Nss1,(MCS0)_2TX 5530MHz_TX




802.11ax HEW80_Nss1,(MCS0)_2TX 5530MHz_TX



802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	49.17	54.00	-4.83	7.56	3	Vertical	93	1.50	-	41.61	31.72	10.02	34.18
AV	5.613G	98.96	Inf	-Inf	7.55	3	Vertical	93	1.50	-	91.41	31.67	10.08	34.20
PK	5.464G	61.46	68.20	-6.74	7.57	3	Vertical	93	1.50	-	53.89	31.73	10.02	34.18
PK	5.624G	110.85	Inf	-Inf	7.53	3	Vertical	93	1.50	-	103.32	31.65	10.08	34.20
PK	5.725G	65.81	68.20	-2.39	7.89	3	Vertical	93	1.50	-	57.92	31.95	10.14	34.20

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.457G	47.57	54.00	-6.43	7.55	3	Horizontal	14	2.83	-	40.02	31.71	10.02	34.18
AV	5.617G	98.16	Inf	-Inf	7.55	3	Horizontal	14	2.83	-	90.61	31.67	10.08	34.20
PK	5.467G	61.25	68.20	-6.95	7.57	3	Horizontal	14	2.83	-	53.68	31.73	10.02	34.18
PK	5.617G	110.64	Inf	-Inf	7.55	3	Horizontal	14	2.83	-	103.09	31.67	10.08	34.20
PK	5.729G	65.07	68.20	-3.13	7.90	3	Horizontal	14	2.83	-	57.17	31.96	10.14	34.20

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1904G	41.96	54.00	-12.04	18.48	3	Vertical	339	2.07	-	23.48	39.54	12.99	34.05
PK	11.19664G	55.89	74.00	-18.11	18.46	3	Vertical	339	2.07	-	37.43	39.51	13.00	34.05
PK	16.81816G	63.11	68.20	-5.09	22.00	3	Vertical	196	1.91	-	41.11	39.55	16.15	33.70

802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.19552G	41.93	54.00	-12.07	18.47	3	Horizontal	221	2.46	-	23.46	39.52	13.00	34.05
PK	11.2512G	55.39	74.00	-18.61	18.52	3	Horizontal	221	2.46	-	36.87	39.55	13.02	34.05
PK	16.82568G	62.95	68.20	-5.25	21.98	3	Horizontal	360	1.50	-	40.97	39.52	16.15	33.69

802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4596G	47.30	54.00	-6.70	7.56	3	Vertical	78	1.83	-	39.74	31.72	10.02	34.18
AV	5.6816G	100.73	Inf	-Inf	7.70	3	Vertical	78	1.83	-	93.03	31.79	10.11	34.20
PK	5.4632G	59.46	68.20	-8.74	7.57	3	Vertical	78	1.83	-	51.89	31.73	10.02	34.18
PK	5.6936G	113.01	Inf	-Inf	7.78	3	Vertical	78	1.83	-	105.23	31.86	10.12	34.20
PK	5.852G	65.42	68.20	-2.78	8.32	3	Vertical	78	1.83	-	57.10	32.31	10.22	34.21

802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4512G	45.92	54.00	-8.08	7.54	3	Horizontal	34	1.79	-	38.38	31.70	10.02	34.18
AV	5.6924G	98.58	Inf	-Inf	7.77	3	Horizontal	34	1.79	-	90.81	31.85	10.12	34.20
PK	5.4692G	57.90	68.20	-10.30	7.58	3	Horizontal	34	1.79	-	50.32	31.74	10.02	34.18
PK	5.672G	110.44	Inf	-Inf	7.64	3	Horizontal	34	1.79	-	102.80	31.73	10.11	34.20
PK	5.8556G	63.19	68.20	-5.01	8.33	3	Horizontal	34	1.79	-	54.86	32.32	10.22	34.21


802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7714G	99.12	Inf	-Inf	7.99	3	Vertical	62	2.92	-	91.13	32.04	10.16	34.21
PK	5.6514G	67.63	69.24	-1.61	7.51	3	Vertical	62	2.92	-	60.12	31.61	10.10	34.20
PK	5.7726G	111.08	Inf	-Inf	8.00	3	Vertical	62	2.92	-	103.08	32.05	10.16	34.21
PK	5.9334G	64.61	68.20	-3.59	8.56	3	Vertical	62	2.92	-	56.05	32.50	10.28	34.22

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.781G	98.64	Inf	-Inf	8.02	3	Horizontal	10	2.77	-	90.62	32.06	10.17	34.21
PK	5.6502G	65.97	68.35	-2.38	7.50	3	Horizontal	10	2.77	-	58.47	31.60	10.10	34.20
PK	5.793G	110.80	Inf	-Inf	8.06	3	Horizontal	10	2.77	-	102.74	32.09	10.18	34.21
PK	5.9334G	64.79	68.20	-3.41	8.56	3	Horizontal	10	2.77	-	56.23	32.50	10.28	34.22


802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



802.11ax HEW160_Nss1,(MCS0)_1TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.148G	49.43	54.00	-4.57	7.60	3	Vertical	46	1.50	-	41.83	31.90	9.83	34.13
AV	5.2644G	88.65	Inf	-Inf	7.13	3	Vertical	46	1.50	-	81.52	31.37	9.91	34.15
AV	5.3784G	48.69	54.00	-5.31	7.34	3	Vertical	46	1.50	-	41.35	31.53	9.98	34.17
PK	5.1276G	64.45	74.00	-9.55	7.60	3	Vertical	46	1.50	-	56.85	31.90	9.82	34.12
PK	5.262G	102.00	Inf	-Inf	7.13	3	Vertical	46	1.50	-	94.87	31.38	9.90	34.15
PK	5.3988G	63.62	74.00	-10.38	7.52	3	Vertical	46	1.50	-	56.10	31.69	10.00	34.17

802.11ax HEW160_Nss1,(MCS0)_1TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.148G	47.34	54.00	-6.66	7.60	3	Horizontal	356	1.50	-	39.74	31.90	9.83	34.13
AV	5.2728G	83.85	Inf	-Inf	7.11	3	Horizontal	356	1.50	-	76.74	31.35	9.91	34.15
AV	5.394G	47.04	54.00	-6.96	7.48	3	Horizontal	356	1.50	-	39.56	31.65	10.00	34.17
PK	5.118G	59.69	74.00	-14.31	7.59	3	Horizontal	356	1.50	-	52.10	31.90	9.81	34.12
PK	5.2944G	97.49	Inf	-Inf	7.09	3	Horizontal	356	1.50	-	90.40	31.31	9.93	34.15
PK	5.3988G	60.25	74.00	-13.75	7.52	3	Horizontal	356	1.50	-	52.73	31.69	10.00	34.17


802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX



802.11ax HEW160_Nss1,(MCS0)_1TX


5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.444G	50.64	54.00	-3.36	7.54	3	Vertical	49	1.50	-	43.10	31.70	10.02	34.18
AV	5.564G	89.83	Inf	-Inf	7.64	3	Vertical	49	1.50	-	82.19	31.77	10.06	34.19
PK	5.4632G	63.33	68.20	-4.87	7.57	3	Vertical	49	1.50	-	55.76	31.73	10.02	34.18
PK	5.5412G	104.22	Inf	-Inf	7.66	3	Vertical	49	1.50	-	96.56	31.80	10.05	34.19
PK	5.7284G	61.86	68.20	-6.34	7.90	3	Vertical	49	1.50	-	53.96	31.96	10.14	34.20

802.11ax HEW160_Nss1,(MCS0)_1TX


5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4536G	48.22	54.00	-5.78	7.55	3	Horizontal	355	1.76	-	40.67	31.71	10.02	34.18
AV	5.558G	87.05	Inf	-Inf	7.65	3	Horizontal	355	1.76	-	79.40	31.78	10.06	34.19
PK	5.4692G	60.57	68.20	-7.63	7.58	3	Horizontal	355	1.76	-	52.99	31.74	10.02	34.18
PK	5.5604G	100.68	Inf	-Inf	7.65	3	Horizontal	355	1.76	-	93.03	31.78	10.06	34.19
PK	5.726G	60.28	68.20	-7.92	7.89	3	Horizontal	355	1.76	-	52.39	31.95	10.14	34.20

802.11ax HEW160_Nss1,(MCS0)_1TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1418G	42.21	54.00	-11.79	18.66	3	Vertical	153	2.17	-	23.55	39.73	12.98	34.05
PK	11.14822G	56.15	74.00	-17.85	18.64	3	Vertical	153	2.17	-	37.51	39.71	12.98	34.05
PK	16.71372G	62.45	68.20	-5.75	21.46	3	Vertical	247	1.22	-	40.99	39.25	16.13	33.92

802.11ax HEW160_Nss1,(MCS0)_1TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.12854G	42.22	54.00	-11.78	18.71	3	Horizontal	278	2.17	-	23.51	39.79	12.97	34.05
PK	11.15338G	55.88	74.00	-18.12	18.62	3	Horizontal	278	2.17	-	37.26	39.69	12.98	34.05
PK	16.72146G	62.00	68.20	-6.20	21.53	3	Horizontal	109	1.26	-	40.47	39.29	16.14	33.90

802.11ax HEW160_Nss1,(MCS0)_1TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1444G	46.59	54.00	-7.41	7.60	3	Vertical	56	2.16	-	38.99	31.90	9.83	34.13
AV	5.2116G	81.96	Inf	-Inf	7.36	3	Vertical	56	2.16	-	74.60	31.63	9.87	34.14
AV	5.3856G	45.83	54.00	-8.17	7.40	3	Vertical	56	2.16	-	38.43	31.58	9.99	34.17
PK	5.1372G	58.96	74.00	-15.04	7.61	3	Vertical	56	2.16	-	51.35	31.90	9.83	34.12
PK	5.208G	94.79	Inf	-Inf	7.38	3	Vertical	56	2.16	-	87.41	31.65	9.87	34.14
PK	5.3748G	58.52	74.00	-15.48	7.31	3	Vertical	56	2.16	-	51.21	31.50	9.98	34.17

802.11ax HEW160_Nss1,(MCS0)_1TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.148G	47.19	54.00	-6.81	7.60	3	Horizontal	2	2.96	-	39.59	31.90	9.83	34.13
AV	5.2152G	83.75	Inf	-Inf	7.34	3	Horizontal	2	2.96	-	76.41	31.61	9.87	34.14
AV	5.3652G	46.39	54.00	-7.61	7.23	3	Horizontal	2	2.96	-	39.16	31.42	9.98	34.17
PK	5.1036G	59.28	74.00	-14.72	7.59	3	Horizontal	2	2.96	-	51.69	31.90	9.81	34.12
PK	5.2092G	96.67	Inf	-Inf	7.37	3	Horizontal	2	2.96	-	89.30	31.64	9.87	34.14
PK	5.4372G	58.61	74.00	-15.39	7.53	3	Horizontal	2	2.96	-	51.08	31.70	10.01	34.18


802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX



802.11ax HEW160_Nss1,(MCS0)_1TX


5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.444G	46.38	54.00	-7.62	7.54	3	Vertical	165	1.50	-	38.84	31.70	10.02	34.18
AV	5.5748G	84.26	Inf	-Inf	7.62	3	Vertical	165	1.50	-	76.64	31.75	10.06	34.19
PK	5.4644G	57.46	68.20	-10.74	7.57	3	Vertical	165	1.50	-	49.89	31.73	10.02	34.18
PK	5.5832G	97.40	Inf	-Inf	7.60	3	Vertical	165	1.50	-	89.80	31.73	10.06	34.19
PK	5.8388G	59.02	68.20	-9.18	8.26	3	Vertical	165	1.50	-	50.76	32.26	10.21	34.21

802.11ax HEW160_Nss1,(MCS0)_1TX


5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4452G	46.52	54.00	-7.48	7.54	3	Horizontal	353	3.00	-	38.98	31.70	10.02	34.18
AV	5.5616G	84.18	Inf	-Inf	7.65	3	Horizontal	353	3.00	-	76.53	31.78	10.06	34.19
PK	5.4644G	57.84	68.20	-10.36	7.57	3	Horizontal	353	3.00	-	50.27	31.73	10.02	34.18
PK	5.5592G	97.25	Inf	-Inf	7.65	3	Horizontal	353	3.00	-	89.60	31.78	10.06	34.19
PK	5.732G	58.74	68.20	-9.46	7.90	3	Horizontal	353	3.00	-	50.84	31.96	10.14	34.20


802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX




802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TX



802.11ax HEW160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	48.78	54.00	-5.22	7.60	3	Vertical	59	1.49	-	41.18	31.90	9.83	34.13
AV	5.2116G	91.40	Inf	-Inf	7.36	3	Vertical	59	1.49	-	84.04	31.63	9.87	34.14
AV	5.3532G	51.79	54.00	-2.21	7.14	3	Vertical	59	1.49	-	44.65	31.33	9.97	34.16
PK	5.142G	60.23	74.00	-13.77	7.60	3	Vertical	59	1.49	-	52.63	31.90	9.83	34.13
PK	5.2116G	103.55	Inf	-Inf	7.36	3	Vertical	59	1.49	-	96.19	31.63	9.87	34.14
PK	5.3616G	63.72	74.00	-10.28	7.19	3	Vertical	59	1.49	-	56.53	31.39	9.97	34.17

802.11ax HEW160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	47.80	54.00	-6.20	7.60	3	Horizontal	17	1.50	-	40.20	31.90	9.83	34.13
AV	5.232G	87.93	Inf	-Inf	7.25	3	Horizontal	17	1.50	-	80.68	31.51	9.88	34.14
AV	5.3532G	49.41	54.00	-4.59	7.14	3	Horizontal	17	1.50	-	42.27	31.33	9.97	34.16
PK	5.15G	59.02	74.00	-14.98	7.60	3	Horizontal	17	1.50	-	51.42	31.90	9.83	34.13
PK	5.1912G	99.79	Inf	-Inf	7.47	3	Horizontal	17	1.50	-	92.32	31.74	9.86	34.13
PK	5.3532G	61.45	74.00	-12.55	7.14	3	Horizontal	17	1.50	-	54.31	31.33	9.97	34.16


802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.432G	51.25	54.00	-2.75	7.53	3	Vertical	75	1.76	-	43.72	31.70	10.01	34.18
AV	5.5628G	93.49	Inf	-Inf	7.64	3	Vertical	75	1.76	-	85.85	31.77	10.06	34.19
PK	5.4644G	63.39	68.20	-4.81	7.57	3	Vertical	75	1.76	-	55.82	31.73	10.02	34.18
PK	5.5652G	105.35	Inf	-Inf	7.64	3	Vertical	75	1.76	-	97.71	31.77	10.06	34.19
PK	5.7332G	63.11	68.20	-5.09	7.91	3	Vertical	75	1.76	-	55.20	31.97	10.14	34.20

802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4404G	48.92	54.00	-5.08	7.53	3	Horizontal	9	2.05	-	41.39	31.70	10.01	34.18
AV	5.5496G	91.60	Inf	-Inf	7.66	3	Horizontal	9	2.05	-	83.94	31.80	10.05	34.19
PK	5.4692G	59.82	68.20	-8.38	7.58	3	Horizontal	9	2.05	-	52.24	31.74	10.02	34.18
PK	5.5592G	104.89	Inf	-Inf	7.65	3	Horizontal	9	2.05	-	97.24	31.78	10.06	34.19
PK	5.7272G	60.81	68.20	-7.39	7.89	3	Horizontal	9	2.05	-	52.92	31.95	10.14	34.20

802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13996G	41.81	54.00	-12.19	18.66	3	Vertical	310	1.50	-	23.15	39.74	12.97	34.05
PK	11.13704G	55.57	74.00	-18.43	18.67	3	Vertical	310	1.50	-	36.90	39.75	12.97	34.05
PK	16.71772G	63.11	68.20	-5.09	21.49	3	Vertical	70	2.65	-	41.62	39.27	16.13	33.91

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1392G	41.79	54.00	-12.21	18.66	3	Horizontal	69	1.50	-	23.13	39.74	12.97	34.05
PK	11.13024G	55.25	74.00	-18.75	18.70	3	Horizontal	69	1.50	-	36.55	39.78	12.97	34.05
PK	16.70552G	62.95	68.20	-5.25	21.41	3	Horizontal	200	1.50	-	41.54	39.22	16.13	33.94

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	Pass	PK	45.52M	33.14	40.00	-6.86	3	Vertical	0	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	Pass	PK	45.52M	32.92	40.00	-7.08	3	Vertical	0	1.00	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	Pass	PK	47.46M	33.83	40.00	-6.17	3	Horizontal	0	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	Pass	PK	45.52M	32.55	40.00	-7.45	3	Horizontal	360	1.00	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	Pass	PK	47.46M	33.46	40.00	-6.54	3	Horizontal	360	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	Pass	PK	47.46M	32.64	40.00	-7.36	3	Horizontal	0	1.00	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	Pass	PK	45.52M	32.73	40.00	-7.27	3	Vertical	360	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	Pass	PK	45.52M	33.36	40.00	-6.64	3	Vertical	0	1.00	-

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5200MHz	Pass	PK	45.52M	33.14	40.00	-6.86	3	Vertical	0	1.00	-
5200MHz	Pass	PK	194.9M	23.28	43.50	-20.22	3	Vertical	0	1.00	-
5200MHz	Pass	PK	299.66M	29.36	46.00	-16.64	3	Vertical	0	1.00	-
5200MHz	Pass	PK	338.46M	31.40	46.00	-14.60	3	Vertical	0	1.00	-
5200MHz	Pass	PK	433.52M	33.97	46.00	-12.03	3	Vertical	0	1.00	-
5200MHz	Pass	PK	547.98M	30.76	46.00	-15.24	3	Vertical	0	1.00	-
5200MHz	Pass	PK	47.46M	32.13	40.00	-7.87	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	72.68M	26.12	40.00	-13.88	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	144.46M	29.84	43.50	-13.66	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	280.26M	35.23	46.00	-10.77	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	419.94M	37.95	46.00	-8.05	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	625.58M	34.25	46.00	-11.75	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	20.562k	75.29	121.32	-46.03	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	35.226k	87.93	116.65	-28.72	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	112.212k	78.79	106.59	-27.80	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	388.8k	57.15	95.80	-38.65	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	1.225M	45.88	65.87	-19.99	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	2.12M	43.64	69.50	-25.86	3	Horizontal	0	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5280MHz	Pass	PK	43.58M	33.46	40.00	-6.54	3	Vertical	360	1.00	-
5280MHz	Pass	PK	146.4M	24.40	43.50	-19.10	3	Vertical	360	1.00	-
5280MHz	Pass	PK	260.86M	26.83	46.00	-19.17	3	Vertical	360	1.00	-
5280MHz	Pass	PK	326.82M	30.98	46.00	-15.02	3	Vertical	360	1.00	-
5280MHz	Pass	PK	350.1M	32.25	46.00	-13.75	3	Vertical	360	1.00	-
5280MHz	Pass	PK	433.52M	34.83	46.00	-11.17	3	Vertical	360	1.00	-
5280MHz	Pass	PK	47.46M	33.83	40.00	-6.17	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	61.04M	30.25	40.00	-9.75	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	144.46M	29.26	43.50	-14.24	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	278.32M	35.77	46.00	-10.23	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	419.94M	37.82	46.00	-8.18	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	623.64M	36.10	46.00	-9.90	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	9.846k	60.71	127.72	-67.01	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	35.226k	61.87	116.65	-54.78	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	73.86k	52.21	110.23	-58.02	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	388.8k	56.85	95.80	-38.95	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	806.7k	45.61	69.48	-23.87	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	1.881M	43.22	69.50	-26.28	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	45.52M	33.17	40.00	-6.83	3	Vertical	0	1.00	-
5700MHz	Pass	PK	206.54M	24.48	43.50	-19.02	3	Vertical	0	1.00	-
5700MHz	Pass	PK	262.8M	26.88	46.00	-19.12	3	Vertical	0	1.00	-
5700MHz	Pass	PK	311.3M	30.29	46.00	-15.71	3	Vertical	0	1.00	-
5700MHz	Pass	PK	431.58M	35.06	46.00	-10.94	3	Vertical	0	1.00	-
5700MHz	Pass	PK	499.48M	29.59	46.00	-16.41	3	Vertical	0	1.00	-
5700MHz	Pass	PK	47.46M	33.46	40.00	-6.54	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	142.52M	30.29	43.50	-13.21	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	268.62M	34.16	46.00	-11.84	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	328.76M	35.44	46.00	-10.56	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	421.88M	37.97	46.00	-8.03	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	621.7M	35.16	46.00	-10.84	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	9.846k	63.06	127.72	-64.66	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	34.944k	61.95	116.73	-54.78	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	71.886k	53.72	110.45	-56.73	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	388.8k	58.64	95.80	-37.16	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	806.7k	45.98	69.48	-23.50	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	2.12M	44.49	69.50	-25.01	3	Horizontal	0	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5785MHz	Pass	PK	45.52M	32.73	40.00	-7.27	3	Vertical	360	1.00	-
5785MHz	Pass	PK	140.58M	25.73	43.50	-17.77	3	Vertical	360	1.00	-
5785MHz	Pass	PK	305.48M	30.14	46.00	-15.86	3	Vertical	360	1.00	-
5785MHz	Pass	PK	348.16M	31.76	46.00	-14.24	3	Vertical	360	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	419.94M	34.43	46.00	-11.57	3	Vertical	360	1.00	-
5785MHz	Pass	PK	582.9M	31.13	46.00	-14.87	3	Vertical	360	1.00	-
5785MHz	Pass	PK	45.52M	32.13	40.00	-7.87	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	142.52M	29.35	43.50	-14.15	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	280.26M	34.36	46.00	-11.64	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	328.76M	35.84	46.00	-10.16	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	416.06M	37.64	46.00	-8.36	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	617.82M	33.52	46.00	-12.48	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	9.846k	63.12	127.72	-64.60	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	35.226k	61.79	116.65	-54.86	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	74.142k	53.78	110.19	-56.41	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	388.8k	58.05	95.80	-37.75	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	985.8k	45.53	67.74	-22.21	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	2.12M	43.03	69.50	-26.47	3	Horizontal	360	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-	-	-	-	-	-	-	-	-	-	-
5200MHz	Pass	PK	45.52M	32.92	40.00	-7.08	3	Vertical	0	1.00	-
5200MHz	Pass	PK	119.24M	24.87	43.50	-18.63	3	Vertical	0	1.00	-
5200MHz	Pass	PK	260.86M	25.56	46.00	-20.44	3	Vertical	0	1.00	-
5200MHz	Pass	PK	346.22M	31.21	46.00	-14.79	3	Vertical	0	1.00	-
5200MHz	Pass	PK	419.94M	34.46	46.00	-11.54	3	Vertical	0	1.00	-
5200MHz	Pass	PK	544.1M	30.40	46.00	-15.60	3	Vertical	0	1.00	-
5200MHz	Pass	PK	31.94M	32.02	40.00	-7.98	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	150.28M	30.41	43.50	-13.09	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	293.84M	33.39	46.00	-12.61	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	425.76M	37.70	46.00	-8.30	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	478.14M	31.44	46.00	-14.56	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	631.4M	33.81	46.00	-12.19	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	10.128k	62.62	127.46	-64.84	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	34.944k	61.64	116.73	-55.09	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	71.886k	52.26	110.45	-58.19	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	388.8k	57.74	95.80	-38.06	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	985.8k	46.90	67.74	-20.84	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	2.12M	42.21	69.50	-27.29	3	Horizontal	0	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	-	-	-	-	-	-	-	-	-	-	-
5280MHz	Pass	PK	49.4M	32.05	40.00	-7.95	3	Vertical	0	1.00	-
5280MHz	Pass	PK	99.84M	28.20	43.50	-15.30	3	Vertical	0	1.00	-
5280MHz	Pass	PK	289.96M	29.61	46.00	-16.39	3	Vertical	0	1.00	-
5280MHz	Pass	PK	340.4M	31.38	46.00	-14.62	3	Vertical	0	1.00	-
5280MHz	Pass	PK	410.24M	34.27	46.00	-11.73	3	Vertical	0	1.00	-
5280MHz	Pass	PK	612M	31.66	46.00	-14.34	3	Vertical	0	1.00	-
5280MHz	Pass	PK	45.52M	32.55	40.00	-7.45	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	144.46M	29.79	43.50	-13.71	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	169.68M	29.53	43.50	-13.97	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	266.68M	33.20	46.00	-12.80	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	344.28M	35.18	46.00	-10.82	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	427.7M	38.51	46.00	-7.49	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	9.846k	63.48	127.72	-64.24	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	35.226k	61.76	116.65	-54.89	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	69.912k	49.64	110.69	-61.05	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	388.8k	57.94	95.80	-37.86	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	926.1k	47.29	68.28	-20.99	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	2.12M	42.92	69.50	-26.58	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	41.64M	32.48	40.00	-7.52	3	Vertical	360	1.00	-
5700MHz	Pass	PK	99.84M	28.43	43.50	-15.07	3	Vertical	360	1.00	-
5700MHz	Pass	PK	142.52M	24.74	43.50	-18.76	3	Vertical	360	1.00	-
5700MHz	Pass	PK	255.04M	24.79	46.00	-21.21	3	Vertical	360	1.00	-
5700MHz	Pass	PK	350.1M	31.32	46.00	-14.68	3	Vertical	360	1.00	-
5700MHz	Pass	PK	418M	33.77	46.00	-12.23	3	Vertical	360	1.00	-
5700MHz	Pass	PK	47.46M	32.64	40.00	-7.36	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	148.34M	29.64	43.50	-13.86	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	169.68M	29.55	43.50	-13.95	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	280.26M	34.08	46.00	-11.92	3	Horizontal	0	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5700MHz	Pass	PK	322.94M	35.16	46.00	-10.84	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	412.18M	37.81	46.00	-8.19	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	9.846k	63.03	127.72	-64.69	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	35.226k	61.66	116.65	-54.99	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	69.63k	50.14	110.73	-60.59	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	388.8k	57.82	95.80	-37.98	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	926.1k	48.25	68.28	-20.03	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	2.12M	43.71	69.50	-25.79	3	Horizontal	0	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-	-	-	-	-	-	-	-	-	-	-
5785MHz	Pass	PK	45.52M	33.36	40.00	-6.64	3	Vertical	0	1.00	-
5785MHz	Pass	PK	99.84M	27.08	43.50	-16.42	3	Vertical	0	1.00	-
5785MHz	Pass	PK	233.7M	24.68	46.00	-21.32	3	Vertical	0	1.00	-
5785MHz	Pass	PK	321M	30.79	46.00	-15.21	3	Vertical	0	1.00	-
5785MHz	Pass	PK	421.88M	34.49	46.00	-11.51	3	Vertical	0	1.00	-
5785MHz	Pass	PK	549.92M	30.10	46.00	-15.90	3	Vertical	0	1.00	-
5785MHz	Pass	PK	43.58M	32.42	40.00	-7.58	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	144.46M	30.60	43.50	-12.90	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	264.74M	34.06	46.00	-11.94	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	328.76M	35.09	46.00	-10.91	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	410.24M	37.82	46.00	-8.18	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	602.3M	34.37	46.00	-11.63	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	9.846k	62.42	127.72	-65.30	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	35.226k	62.13	116.65	-54.52	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	69.912k	49.11	110.69	-61.58	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	388.8k	57.58	95.80	-38.22	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	926.1k	47.27	68.28	-21.01	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	2.06M	43.02	69.50	-26.48	3	Horizontal	360	1.00	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	33.14	40.00	-6.86	-11.58	3	Vertical	0	1.00	-	44.72	14.97	1.03	27.58
PK	194.9M	23.28	43.50	-20.22	-11.03	3	Vertical	0	1.00	-	34.31	14.40	1.93	27.36
PK	299.66M	29.36	46.00	-16.64	-6.37	3	Vertical	0	1.00	-	35.73	18.33	2.36	27.06
PK	338.46M	31.40	46.00	-14.60	-5.66	3	Vertical	0	1.00	-	37.06	19.10	2.51	27.27
PK	433.52M	33.97	46.00	-12.03	-3.36	3	Vertical	0	1.00	-	37.33	21.76	2.85	27.97
PK	547.98M	30.76	46.00	-15.24	-1.36	3	Vertical	0	1.00	-	32.12	23.77	3.19	28.32

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)

5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	47.46M	32.13	40.00	-7.87	-12.45	3	Horizontal	360	1.00	-	44.58	14.15	1.04	27.64
PK	72.68M	26.12	40.00	-13.88	-15.15	3	Horizontal	360	1.00	-	41.27	11.46	1.25	27.86
PK	144.46M	29.84	43.50	-13.66	-9.95	3	Horizontal	360	1.00	-	39.79	15.96	1.67	27.58
PK	280.26M	35.23	46.00	-10.77	-6.75	3	Horizontal	360	1.00	-	41.98	18.01	2.28	27.04
PK	419.94M	37.95	46.00	-8.05	-3.30	3	Horizontal	360	1.00	-	41.25	21.80	2.80	27.90
PK	625.58M	34.25	46.00	-11.75	-0.60	3	Horizontal	360	1.00	-	34.85	24.30	3.41	28.31

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.562k	75.29	121.32	-46.03	54.40	3	Horizontal	360	1.00	-	20.67	0.22	-
PK	35.226k	87.93	116.65	-28.72	66.34	3	Horizontal	360	1.00	-	21.35	0.24	-
PK	112.212k	78.79	106.59	-27.80	58.75	3	Horizontal	360	1.00	-	19.75	0.29	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	57.15	95.80	-38.65	36.65	3	Horizontal	0	1.00	-	20.20	0.30	-
PK	1.225M	45.88	65.87	-19.99	25.31	3	Horizontal	0	1.00	-	20.17	0.40	-
PK	2.12M	43.64	69.50	-25.86	23.36	3	Horizontal	0	1.00	-	19.82	0.46	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5280MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	43.58M	33.46	40.00	-6.54	-10.69	3	Vertical	360	1.00	-	44.15	15.82	1.00	27.51
PK	146.4M	24.40	43.50	-19.10	-10.06	3	Vertical	360	1.00	-	34.46	15.83	1.68	27.57
PK	260.86M	26.83	46.00	-19.17	-6.08	3	Vertical	360	1.00	-	32.91	18.75	2.20	27.03
PK	326.82M	30.98	46.00	-15.02	-5.90	3	Vertical	360	1.00	-	36.88	18.84	2.46	27.20
PK	350.1M	32.25	46.00	-13.75	-5.19	3	Vertical	360	1.00	-	37.44	19.59	2.55	27.33
PK	433.52M	34.83	46.00	-11.17	-3.36	3	Vertical	360	1.00	-	38.19	21.76	2.85	27.97

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)

5280MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	47.46M	33.83	40.00	-6.17	-12.45	3	Horizontal	0	1.00	-	46.28	14.15	1.04	27.64
PK	61.04M	30.25	40.00	-9.75	-15.11	3	Horizontal	0	1.00	-	45.36	11.52	1.15	27.78
PK	144.46M	29.26	43.50	-14.24	-9.95	3	Horizontal	0	1.00	-	39.21	15.96	1.67	27.58
PK	278.32M	35.77	46.00	-10.23	-6.77	3	Horizontal	0	1.00	-	42.54	18.00	2.27	27.04
PK	419.94M	37.82	46.00	-8.18	-3.30	3	Horizontal	0	1.00	-	41.12	21.80	2.80	27.90
PK	623.64M	36.10	46.00	-9.90	-0.63	3	Horizontal	0	1.00	-	36.73	24.28	3.41	28.32

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5280MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	9.846k	60.71	127.72	-67.01	19.14	3	Horizontal	0	1.00	-	41.57	18.96	0.18	-
PK	35.226k	61.87	116.65	-54.78	21.59	3	Horizontal	0	1.00	-	40.28	21.35	0.24	-
PK	73.86k	52.21	110.23	-58.02	20.46	3	Horizontal	0	1.00	-	31.75	20.18	0.28	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5280MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	56.85	95.80	-38.95	20.50	3	Horizontal	360	1.00	-	36.35	20.20	0.30	-
PK	806.7k	45.61	69.48	-23.87	20.63	3	Horizontal	360	1.00	-	24.98	20.27	0.36	-
PK	1.881M	43.22	69.50	-26.28	20.34	3	Horizontal	360	1.00	-	22.88	19.90	0.44	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5700MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	33.17	40.00	-6.83	-11.58	3	Vertical	0	1.00	-	44.75	14.97	1.03	27.58
PK	206.54M	24.48	43.50	-19.02	-10.83	3	Vertical	0	1.00	-	35.31	14.47	1.98	27.28
PK	262.8M	26.88	46.00	-19.12	-6.16	3	Vertical	0	1.00	-	33.04	18.67	2.20	27.03
PK	311.3M	30.29	46.00	-15.71	-6.03	3	Vertical	0	1.00	-	36.32	18.69	2.40	27.12
PK	431.58M	35.06	46.00	-10.94	-3.37	3	Vertical	0	1.00	-	38.43	21.75	2.84	27.96
PK	499.48M	29.59	46.00	-16.41	-2.52	3	Vertical	0	1.00	-	32.11	22.75	3.08	28.35

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)

5700MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	47.46M	33.46	40.00	-6.54	-12.45	3	Horizontal	360	1.00	-	45.91	14.15	1.04	27.64
PK	142.52M	30.29	43.50	-13.21	-9.75	3	Horizontal	360	1.00	-	40.04	16.18	1.66	27.59
PK	268.62M	34.16	46.00	-11.84	-6.59	3	Horizontal	360	1.00	-	40.75	18.21	2.23	27.03
PK	328.76M	35.44	46.00	-10.56	-5.89	3	Horizontal	360	1.00	-	41.33	18.86	2.47	27.22
PK	421.88M	37.97	46.00	-8.03	-3.30	3	Horizontal	360	1.00	-	41.27	21.80	2.81	27.91
PK	621.7M	35.16	46.00	-10.84	-0.69	3	Horizontal	360	1.00	-	35.85	24.24	3.40	28.33

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1) 5700MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	9.846k	63.06	127.72	-64.66	19.14	3	Horizontal	360	1.00	-	43.92	18.96	0.18	-
PK	34.944k	61.95	116.73	-54.78	21.60	3	Horizontal	360	1.00	-	40.35	21.36	0.24	-
PK	71.886k	53.72	110.45	-56.73	20.49	3	Horizontal	360	1.00	-	33.23	20.22	0.27	-


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1) 5700MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	58.64	95.80	-37.16	20.50	3	Horizontal	0	1.00	-	38.14	20.20	0.30	-
PK	806.7k	45.98	69.48	-23.50	20.63	3	Horizontal	0	1.00	-	25.35	20.27	0.36	-
PK	2.12M	44.49	69.50	-25.01	20.28	3	Horizontal	0	1.00	-	24.21	19.82	0.46	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	32.73	40.00	-7.27	-11.58	3	Vertical	360	1.00	-	44.31	14.97	1.03	27.58
PK	140.58M	25.73	43.50	-17.77	-9.61	3	Vertical	360	1.00	-	35.34	16.35	1.64	27.60
PK	305.48M	30.14	46.00	-15.86	-6.17	3	Vertical	360	1.00	-	36.31	18.54	2.38	27.09
PK	348.16M	31.76	46.00	-14.24	-5.27	3	Vertical	360	1.00	-	37.03	19.51	2.54	27.32
PK	419.94M	34.43	46.00	-11.57	-3.30	3	Vertical	360	1.00	-	37.73	21.80	2.80	27.90
PK	582.9M	31.13	46.00	-14.87	-1.19	3	Vertical	360	1.00	-	32.32	23.89	3.31	28.39

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)

5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	32.13	40.00	-7.87	-11.58	3	Horizontal	0	1.00	-	43.71	14.97	1.03	27.58
PK	142.52M	29.35	43.50	-14.15	-9.75	3	Horizontal	0	1.00	-	39.10	16.18	1.66	27.59
PK	280.26M	34.36	46.00	-11.64	-6.75	3	Horizontal	0	1.00	-	41.11	18.01	2.28	27.04
PK	328.76M	35.84	46.00	-10.16	-5.89	3	Horizontal	0	1.00	-	41.73	18.86	2.47	27.22
PK	416.06M	37.64	46.00	-8.36	-3.34	3	Horizontal	0	1.00	-	40.98	21.74	2.79	27.87
PK	617.82M	33.52	46.00	-12.48	-0.78	3	Horizontal	0	1.00	-	34.30	24.17	3.40	28.35

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	9.846k	63.12	127.72	-64.60	19.14	3	Horizontal	0	1.00	-	43.98	18.96	0.18	-
PK	35.226k	61.79	116.65	-54.86	21.59	3	Horizontal	0	1.00	-	40.20	21.35	0.24	-
PK	74.142k	53.78	110.19	-56.41	20.46	3	Horizontal	0	1.00	-	33.32	20.18	0.28	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	58.05	95.80	-37.75	20.50	3	Horizontal	360	1.00	-	37.55	20.20	0.30	-
PK	985.8k	45.53	67.74	-22.21	20.68	3	Horizontal	360	1.00	-	24.85	20.30	0.38	-
PK	2.12M	43.03	69.50	-26.47	20.28	3	Horizontal	360	1.00	-	22.75	19.82	0.46	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	32.92	40.00	-7.08	-11.58	3	Vertical	0	1.00	-	44.50	14.97	1.03	27.58
PK	119.24M	24.87	43.50	-18.63	-8.78	3	Vertical	0	1.00	-	33.65	17.48	1.54	27.80
PK	260.86M	25.56	46.00	-20.44	-6.08	3	Vertical	0	1.00	-	31.64	18.75	2.20	27.03
PK	346.22M	31.21	46.00	-14.79	-5.35	3	Vertical	0	1.00	-	36.56	19.42	2.54	27.31
PK	419.94M	34.46	46.00	-11.54	-3.30	3	Vertical	0	1.00	-	37.76	21.80	2.80	27.90
PK	544.1M	30.40	46.00	-15.60	-1.62	3	Vertical	0	1.00	-	32.02	23.52	3.18	28.32

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5200MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	32.02	40.00	-7.98	-3.99	3	Horizontal	360	1.00	-	36.01	22.18	0.88	27.05
PK	150.28M	30.41	43.50	-13.09	-10.25	3	Horizontal	360	1.00	-	40.66	15.60	1.71	27.56
PK	293.84M	33.39	46.00	-12.61	-6.52	3	Horizontal	360	1.00	-	39.91	18.21	2.33	27.06
PK	425.76M	37.70	46.00	-8.30	-3.31	3	Horizontal	360	1.00	-	41.01	21.80	2.82	27.93
PK	478.14M	31.44	46.00	-14.56	-2.61	3	Horizontal	360	1.00	-	34.05	22.62	3.00	28.23
PK	631.4M	33.81	46.00	-12.19	-0.55	3	Horizontal	360	1.00	-	34.36	24.32	3.42	28.29

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX 5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.128k	62.62	127.46	-64.84	19.12	3	Horizontal	360	1.00	-	43.50	18.93	0.19	-
PK	34.944k	61.64	116.73	-55.09	21.60	3	Horizontal	360	1.00	-	40.04	21.36	0.24	-
PK	71.886k	52.26	110.45	-58.19	20.49	3	Horizontal	360	1.00	-	31.77	20.22	0.27	-


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX 5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	57.74	95.80	-38.06	20.50	3	Horizontal	0	1.00	-	37.24	20.20	0.30	-
PK	985.8k	46.90	67.74	-20.84	20.68	3	Horizontal	0	1.00	-	26.22	20.30	0.38	-
PK	2.12M	42.21	69.50	-27.29	20.28	3	Horizontal	0	1.00	-	21.93	19.82	0.46	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


5280MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	49.4M	32.05	40.00	-7.95	-13.19	3	Vertical	0	1.00	-	45.24	13.45	1.06	27.70
PK	99.84M	28.20	43.50	-15.30	-10.35	3	Vertical	0	1.00	-	38.55	16.00	1.42	27.77
PK	289.96M	29.61	46.00	-16.39	-6.61	3	Vertical	0	1.00	-	36.22	18.12	2.32	27.05
PK	340.4M	31.38	46.00	-14.62	-5.61	3	Vertical	0	1.00	-	36.99	19.16	2.51	27.28
PK	410.24M	34.27	46.00	-11.73	-3.52	3	Vertical	0	1.00	-	37.79	21.55	2.77	27.84
PK	612M	31.66	46.00	-14.34	-0.90	3	Vertical	0	1.00	-	32.56	24.08	3.39	28.37


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5280MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	32.55	40.00	-7.45	-11.58	3	Horizontal	360	1.00	-	44.13	14.97	1.03	27.58
PK	144.46M	29.79	43.50	-13.71	-9.95	3	Horizontal	360	1.00	-	39.74	15.96	1.67	27.58
PK	169.68M	29.53	43.50	-13.97	-10.75	3	Horizontal	360	1.00	-	40.28	14.93	1.81	27.49
PK	266.68M	33.20	46.00	-12.80	-6.40	3	Horizontal	360	1.00	-	39.60	18.41	2.22	27.03
PK	344.28M	35.18	46.00	-10.82	-5.44	3	Horizontal	360	1.00	-	40.62	19.33	2.53	27.30
PK	427.7M	38.51	46.00	-7.49	-3.34	3	Horizontal	360	1.00	-	41.85	21.77	2.83	27.94

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX 5280MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	9.846k	63.48	127.72	-64.24	19.14	3	Horizontal	0	1.00	-	44.34	18.96	0.18	-
PK	35.226k	61.76	116.65	-54.89	21.59	3	Horizontal	0	1.00	-	40.17	21.35	0.24	-
PK	69.912k	49.64	110.69	-61.05	20.54	3	Horizontal	0	1.00	-	29.10	20.27	0.27	-


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX 5280MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	57.94	95.80	-37.86	20.50	3	Horizontal	360	1.00	-	37.44	20.20	0.30	-
PK	926.1k	47.29	68.28	-20.99	20.66	3	Horizontal	360	1.00	-	26.63	20.29	0.37	-
PK	2.12M	42.92	69.50	-26.58	20.28	3	Horizontal	360	1.00	-	22.64	19.82	0.46	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


5700MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	41.64M	32.48	40.00	-7.52	-9.66	3	Vertical	360	1.00	-	42.14	16.80	0.98	27.44
PK	99.84M	28.43	43.50	-15.07	-10.35	3	Vertical	360	1.00	-	38.78	16.00	1.42	27.77
PK	142.52M	24.74	43.50	-18.76	-9.75	3	Vertical	360	1.00	-	34.49	16.18	1.66	27.59
PK	255.04M	24.79	46.00	-21.21	-6.69	3	Vertical	360	1.00	-	31.48	18.16	2.17	27.02
PK	350.1M	31.32	46.00	-14.68	-5.19	3	Vertical	360	1.00	-	36.51	19.59	2.55	27.33
PK	418M	33.77	46.00	-12.23	-3.31	3	Vertical	360	1.00	-	37.08	21.77	2.80	27.88


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5700MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	47.46M	32.64	40.00	-7.36	-12.45	3	Horizontal	0	1.00	-	45.09	14.15	1.04	27.64
PK	148.34M	29.64	43.50	-13.86	-10.16	3	Horizontal	0	1.00	-	39.80	15.72	1.69	27.57
PK	169.68M	29.55	43.50	-13.95	-10.75	3	Horizontal	0	1.00	-	40.30	14.93	1.81	27.49
PK	280.26M	34.08	46.00	-11.92	-6.75	3	Horizontal	0	1.00	-	40.83	18.01	2.28	27.04
PK	322.94M	35.16	46.00	-10.84	-5.91	3	Horizontal	0	1.00	-	41.07	18.82	2.45	27.18
PK	412.18M	37.81	46.00	-8.19	-3.45	3	Horizontal	0	1.00	-	41.26	21.62	2.78	27.85

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX 5700MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	9.846k	63.03	127.72	-64.69	19.14	3	Horizontal	360	1.00	-	43.89	18.96	0.18	-
PK	35.226k	61.66	116.65	-54.99	21.59	3	Horizontal	360	1.00	-	40.07	21.35	0.24	-
PK	69.63k	50.14	110.73	-60.59	20.54	3	Horizontal	360	1.00	-	29.60	20.27	0.27	-


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX 5700MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	57.82	95.80	-37.98	20.50	3	Horizontal	0	1.00	-	37.32	20.20	0.30	-
PK	926.1k	48.25	68.28	-20.03	20.66	3	Horizontal	0	1.00	-	27.59	20.29	0.37	-
PK	2.12M	43.71	69.50	-25.79	20.28	3	Horizontal	0	1.00	-	23.43	19.82	0.46	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	33.36	40.00	-6.64	-11.58	3	Vertical	0	1.00	-	44.94	14.97	1.03	27.58
PK	99.84M	27.08	43.50	-16.42	-10.35	3	Vertical	0	1.00	-	37.43	16.00	1.42	27.77
PK	233.7M	24.68	46.00	-21.32	-9.27	3	Vertical	0	1.00	-	33.95	15.76	2.09	27.12
PK	321M	30.79	46.00	-15.21	-5.92	3	Vertical	0	1.00	-	36.71	18.81	2.44	27.17
PK	421.88M	34.49	46.00	-11.51	-3.30	3	Vertical	0	1.00	-	37.79	21.80	2.81	27.91
PK	549.92M	30.10	46.00	-15.90	-1.24	3	Vertical	0	1.00	-	31.34	23.89	3.19	28.32

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5785MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	43.58M	32.42	40.00	-7.58	-10.69	3	Horizontal	360	1.00	-	43.11	15.82	1.00	27.51
PK	144.46M	30.60	43.50	-12.90	-9.95	3	Horizontal	360	1.00	-	40.55	15.96	1.67	27.58
PK	264.74M	34.06	46.00	-11.94	-6.23	3	Horizontal	360	1.00	-	40.29	18.59	2.21	27.03
PK	328.76M	35.09	46.00	-10.91	-5.89	3	Horizontal	360	1.00	-	40.98	18.86	2.47	27.22
PK	410.24M	37.82	46.00	-8.18	-3.52	3	Horizontal	360	1.00	-	41.34	21.55	2.77	27.84
PK	602.3M	34.37	46.00	-11.63	-1.11	3	Horizontal	360	1.00	-	35.48	23.94	3.37	28.42

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX 5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	9.846k	62.42	127.72	-65.30	19.14	3	Horizontal	0	1.00	-	43.28	18.96	0.18	-
PK	35.226k	62.13	116.65	-54.52	21.59	3	Horizontal	0	1.00	-	40.54	21.35	0.24	-
PK	69.912k	49.11	110.69	-61.58	20.54	3	Horizontal	0	1.00	-	28.57	20.27	0.27	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX 5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	57.58	95.80	-38.22	20.50	3	Horizontal	360	1.00	-	37.08	20.20	0.30	-
PK	926.1k	47.27	68.28	-21.01	20.66	3	Horizontal	360	1.00	-	26.61	20.29	0.37	-
PK	2.06M	43.02	69.50	-26.48	20.29	3	Horizontal	360	1.00	-	22.73	19.84	0.45	-

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	Pass	PK	5.9334G	66.60	68.20	-1.60	3	Vertical	71	1.08	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	Pass	AV	15.5312G	47.70	54.00	-6.30	3	Horizontal	24	1.89	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	Pass	AV	15.53124G	47.67	54.00	-6.33	3	Vertical	41	1.63	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX	Pass	AV	15.585G	46.52	54.00	-7.48	3	Vertical	277	1.65	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	Pass	AV	15.59204G	46.25	54.00	-7.75	3	Vertical	293	1.69	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	Pass	AV	15.59036G	46.24	54.00	-7.76	3	Vertical	225	2.74	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	Pass	AV	15.70602G	45.92	54.00	-8.08	3	Horizontal	137	2.06	-
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	Pass	PK	5.1368G	68.93	74.00	-5.07	3	Vertical	97	1.66	-
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	Pass	AV	5.1428G	46.52	54.00	-7.48	3	Vertical	80	1.83	-
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	Pass	PK	5.15G	70.09	74.00	-3.91	3	Vertical	98	1.75	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	Pass	AV	15.77088G	45.43	54.00	-8.57	3	Horizontal	141	2.37	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	Pass	AV	5.149G	46.92	54.00	-8.08	3	Vertical	79	1.64	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	Pass	AV	5.1418G	46.04	54.00	-7.96	3	Vertical	54	1.69	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX	Pass	AV	15.91356G	45.96	54.00	-8.04	3	Horizontal	53	2.37	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	Pass	AV	15.96688G	46.43	54.00	-7.57	3	Vertical	358	2.07	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	Pass	AV	15.9602G	46.40	54.00	-7.60	3	Vertical	345	1.63	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	Pass	AV	15.95514G	46.44	54.00	-7.56	3	Horizontal	186	1.57	-
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	Pass	PK	5.3556G	66.17	74.00	-7.83	3	Vertical	82	1.76	-
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	Pass	PK	5.3512G	72.07	74.00	-1.93	3	Vertical	83	1.86	-
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	Pass	PK	5.374G	71.97	74.00	-2.03	3	Vertical	84	2.02	-
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX	Pass	PK	5.1252G	70.26	74.00	-3.74	3	Vertical	83	1.93	-
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_2TX	Pass	PK	5.13G	71.95	74.00	-2.05	3	Vertical	87	1.92	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	Pass	PK	16.49904G	62.88	68.20	-5.32	3	Horizontal	196	1.41	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	Pass	PK	16.47104G	61.81	68.20	-6.39	3	Vertical	59	1.04	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	Pass	PK	16.48944G	62.02	68.20	-6.18	3	Horizontal	136	2.29	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX	Pass	PK	16.74048G	63.25	68.20	-4.95	3	Horizontal	354	1.51	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	Pass	PK	17.06432G	63.74	68.20	-4.46	3	Vertical	57	1.98	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	Pass	PK	5.7252G	66.51	68.20	-1.69	3	Vertical	82	1.78	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	Pass	PK	17.10066G	64.61	68.20	-3.59	3	Horizontal	61	1.05	-
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	Pass	PK	5.4652G	65.52	68.20	-2.68	3	Vertical	81	1.77	-
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	Pass	PK	17.03848G	64.17	68.20	-4.03	3	Vertical	262	2.03	-
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	Pass	PK	5.467G	64.91	68.20	-3.29	3	Vertical	98	1.85	-
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX	Pass	PK	5.467G	66.28	68.20	-1.92	3	Vertical	79	1.83	-
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX	Pass	PK	5.4656G	63.26	68.20	-4.94	3	Vertical	83	1.85	-
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_2TX	Pass	PK	5.4608G	66.60	68.20	-1.60	3	Vertical	78	1.83	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	Pass	PK	17.23884G	63.21	68.20	-4.99	3	Horizontal	185	2.32	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	Pass	PK	17.25596G	63.26	68.20	-4.94	3	Horizontal	196	1.16	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	Pass	PK	17.24044G	62.84	68.20	-5.36	3	Vertical	273	2.32	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX	Pass	PK	17.35248G	64.03	68.20	-4.17	3	Vertical	235	1.25	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	Pass	PK	17.49804G	64.68	68.20	-3.52	3	Horizontal	1	2.97	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	Pass	PK	17.50188G	64.70	68.20	-3.50	3	Horizontal	353	2.67	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	Pass	PK	17.47062G	64.24	68.20	-3.96	3	Vertical	225	1.07	-
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	Pass	PK	17.29492G	63.01	68.20	-5.19	3	Vertical	190	2.51	-
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	Pass	PK	5.6438G	63.68	68.20	-4.52	3	Horizontal	20	2.10	-
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX	Pass	PK	5.9334G	66.60	68.20	-1.60	3	Vertical	71	1.08	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	PK	5.7582G	108.76	Inf	-Inf	3	Vertical	71	1.08	-
5180MHz	Pass	PK	5.6346G	64.80	68.20	-3.40	3	Vertical	71	1.08	-
5180MHz	Pass	PK	5.9334G	66.60	68.20	-1.60	3	Vertical	71	1.08	-
5180MHz	Pass	AV	5.7582G	97.01	Inf	-Inf	3	Vertical	71	1.08	-
5180MHz	Pass	AV	5.7378G	95.45	Inf	-Inf	3	Horizontal	39	1.69	-
5180MHz	Pass	PK	5.6442G	63.39	68.20	-4.81	3	Horizontal	39	1.69	-
5180MHz	Pass	PK	5.7474G	107.87	Inf	-Inf	3	Horizontal	39	1.69	-
5180MHz	Pass	PK	5.9286G	66.04	68.20	-2.16	3	Horizontal	39	1.69	-
5180MHz	Pass	AV	11.51672G	42.64	54.00	-11.36	3	Vertical	359	1.95	-
5180MHz	Pass	PK	11.5532G	55.52	74.00	-18.48	3	Vertical	359	1.95	-
5180MHz	Pass	PK	17.28964G	63.39	68.20	-4.81	3	Vertical	131	2.54	-
5180MHz	Pass	AV	11.5196G	42.63	54.00	-11.37	3	Horizontal	168	1.48	-
5180MHz	Pass	PK	11.51848G	53.82	74.00	-18.18	3	Horizontal	168	1.48	-
5180MHz	Pass	PK	17.34884G	62.93	68.20	-5.27	3	Horizontal	223	2.84	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1446G	45.72	54.00	-8.28	3	Vertical	78	1.73	-
5180MHz	Pass	AV	5.1718G	97.74	Inf	-Inf	3	Vertical	78	1.73	-
5180MHz	Pass	PK	5.1456G	59.12	74.00	-14.88	3	Vertical	78	1.73	-
5180MHz	Pass	PK	5.1722G	110.37	Inf	-Inf	3	Vertical	78	1.73	-
5180MHz	Pass	AV	5.144G	45.69	54.00	-8.31	3	Horizontal	22	1.50	-
5180MHz	Pass	AV	5.1716G	94.20	Inf	-Inf	3	Horizontal	22	1.50	-
5180MHz	Pass	PK	5.1492G	59.28	74.00	-14.72	3	Horizontal	22	1.50	-
5180MHz	Pass	PK	5.1722G	106.65	Inf	-Inf	3	Horizontal	22	1.50	-
5180MHz	Pass	AV	15.5308G	47.68	54.00	-6.32	3	Vertical	213	2.57	-
5180MHz	Pass	PK	10.36892G	54.26	68.20	-13.94	3	Vertical	100	2.70	-
5180MHz	Pass	PK	15.53692G	61.20	74.00	-12.80	3	Vertical	213	2.57	-
5180MHz	Pass	AV	15.5312G	47.70	54.00	-6.30	3	Horizontal	24	1.89	-
5180MHz	Pass	PK	10.36216G	54.75	68.20	-13.45	3	Horizontal	242	2.91	-
5180MHz	Pass	PK	15.53956G	61.07	74.00	-12.93	3	Horizontal	24	1.89	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1404G	45.94	54.00	-8.06	3	Vertical	66	1.76	-
5180MHz	Pass	AV	5.1716G	99.39	Inf	-Inf	3	Vertical	66	1.76	-
5180MHz	Pass	PK	5.1366G	59.14	74.00	-14.86	3	Vertical	66	1.76	-
5180MHz	Pass	PK	5.1718G	111.37	Inf	-Inf	3	Vertical	66	1.76	-
5180MHz	Pass	AV	5.1472G	45.74	54.00	-8.26	3	Horizontal	23	1.50	-
5180MHz	Pass	AV	5.1716G	95.56	Inf	-Inf	3	Horizontal	23	1.50	-
5180MHz	Pass	PK	5.1464G	58.95	74.00	-15.05	3	Horizontal	23	1.50	-
5180MHz	Pass	PK	5.1718G	107.64	Inf	-Inf	3	Horizontal	23	1.50	-
5180MHz	Pass	AV	15.53124G	47.67	54.00	-6.33	3	Vertical	41	1.63	-
5180MHz	Pass	PK	10.36524G	53.93	68.20	-14.27	3	Vertical	215	1.78	-
5180MHz	Pass	PK	15.5342G	60.64	74.00	-13.36	3	Vertical	41	1.63	-
5180MHz	Pass	AV	15.5308G	47.66	54.00	-6.34	3	Horizontal	49	2.73	-
5180MHz	Pass	PK	10.35596G	54.40	68.20	-13.80	3	Horizontal	269	2.79	-
5180MHz	Pass	PK	15.53604G	60.60	74.00	-13.40	3	Horizontal	49	2.73	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX	-	-	-	-	-	-	-	-	-	-	-
5200MHz	Pass	AV	5.1388G	44.59	54.00	-9.41	3	Vertical	57	1.78	-
5200MHz	Pass	AV	5.2008G	95.43	Inf	-Inf	3	Vertical	57	1.78	-
5200MHz	Pass	PK	5.1484G	58.62	74.00	-15.38	3	Vertical	57	1.78	-
5200MHz	Pass	PK	5.2008G	107.26	Inf	-Inf	3	Vertical	57	1.78	-
5200MHz	Pass	AV	5.1444G	45.40	54.00	-8.60	3	Horizontal	8	1.50	-
5200MHz	Pass	AV	5.1992G	91.93	Inf	-Inf	3	Horizontal	8	1.50	-
5200MHz	Pass	PK	5.1312G	57.82	74.00	-16.18	3	Horizontal	8	1.50	-
5200MHz	Pass	PK	5.1992G	102.86	Inf	-Inf	3	Horizontal	8	1.50	-
5200MHz	Pass	AV	15.585G	46.52	54.00	-7.48	3	Vertical	277	1.65	-
5200MHz	Pass	PK	10.39412G	55.39	68.20	-12.81	3	Vertical	160	2.19	-
5200MHz	Pass	PK	15.59208G	60.42	74.00	-13.58	3	Vertical	277	1.65	-
5200MHz	Pass	AV	15.58548G	46.49	54.00	-7.51	3	Horizontal	272	1.29	-
5200MHz	Pass	PK	10.4078G	55.54	68.20	-12.66	3	Horizontal	31	1.53	-
5200MHz	Pass	PK	15.60276G	60.14	74.00	-13.86	3	Horizontal	272	1.29	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	-	-	-	-	-	-	-	-	-	-	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5200MHz	Pass	AV	5.146G	45.71	54.00	-8.29	3	Vertical	48	1.89	-
5200MHz	Pass	AV	5.2084G	95.57	Inf	-Inf	3	Vertical	48	1.89	-
5200MHz	Pass	PK	5.1344G	60.07	74.00	-13.93	3	Vertical	48	1.89	-
5200MHz	Pass	PK	5.2092G	107.23	Inf	-Inf	3	Vertical	48	1.89	-
5200MHz	Pass	AV	5.1484G	45.74	54.00	-8.26	3	Horizontal	0	1.70	-
5200MHz	Pass	AV	5.208G	92.27	Inf	-Inf	3	Horizontal	0	1.70	-
5200MHz	Pass	PK	5.1172G	59.13	74.00	-14.87	3	Horizontal	0	1.70	-
5200MHz	Pass	PK	5.2076G	104.03	Inf	-Inf	3	Horizontal	0	1.70	-
5200MHz	Pass	AV	15.59204G	46.25	54.00	-7.75	3	Vertical	293	1.69	-
5200MHz	Pass	PK	10.39008G	54.36	68.20	-13.84	3	Vertical	300	1.18	-
5200MHz	Pass	PK	15.5914G	59.12	74.00	-14.88	3	Vertical	293	1.69	-
5200MHz	Pass	AV	15.59084G	46.19	54.00	-7.81	3	Horizontal	182	2.10	-
5200MHz	Pass	PK	10.3952G	54.72	68.20	-13.48	3	Horizontal	162	1.88	-
5200MHz	Pass	PK	15.60068G	59.89	74.00	-14.11	3	Horizontal	182	2.10	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	-	-	-	-	-	-	-	-	-	-	-
5200MHz	Pass	AV	5.1432G	45.96	54.00	-8.04	3	Vertical	80	1.78	-
5200MHz	Pass	AV	5.2024G	98.77	Inf	-Inf	3	Vertical	80	1.78	-
5200MHz	Pass	PK	5.1244G	58.93	74.00	-15.07	3	Vertical	80	1.78	-
5200MHz	Pass	PK	5.202G	112.10	Inf	-Inf	3	Vertical	80	1.78	-
5200MHz	Pass	AV	5.1388G	45.79	54.00	-8.21	3	Horizontal	24	1.50	-
5200MHz	Pass	AV	5.2024G	94.27	Inf	-Inf	3	Horizontal	24	1.50	-
5200MHz	Pass	PK	5.1232G	59.26	74.00	-14.74	3	Horizontal	24	1.50	-
5200MHz	Pass	PK	5.202G	107.12	Inf	-Inf	3	Horizontal	24	1.50	-
5200MHz	Pass	AV	15.59036G	46.24	54.00	-7.76	3	Vertical	225	2.74	-
5200MHz	Pass	PK	10.40128G	54.67	68.20	-13.53	3	Vertical	220	2.22	-
5200MHz	Pass	PK	15.59336G	59.84	74.00	-14.16	3	Vertical	225	2.74	-
5200MHz	Pass	AV	15.59G	46.10	54.00	-7.90	3	Horizontal	221	1.53	-
5200MHz	Pass	PK	10.39628G	54.28	68.20	-13.92	3	Horizontal	125	2.01	-
5200MHz	Pass	PK	15.59872G	59.28	74.00	-14.72	3	Horizontal	221	1.53	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	-	-	-	-	-	-	-	-	-	-	-
5240MHz	Pass	AV	5.147G	45.32	54.00	-8.68	3	Vertical	31	1.50	-
5240MHz	Pass	AV	5.2484G	93.67	Inf	-Inf	3	Vertical	31	1.50	-
5240MHz	Pass	AV	5.3882G	44.85	54.00	-9.15	3	Vertical	31	1.50	-
5240MHz	Pass	PK	5.0936G	58.33	74.00	-15.67	3	Vertical	31	1.50	-
5240MHz	Pass	PK	5.2478G	105.59	Inf	-Inf	3	Vertical	31	1.50	-
5240MHz	Pass	PK	5.366G	57.59	74.00	-16.41	3	Vertical	31	1.50	-
5240MHz	Pass	AV	5.1476G	45.38	54.00	-8.62	3	Horizontal	6	1.50	-
5240MHz	Pass	AV	5.2484G	91.97	Inf	-Inf	3	Horizontal	6	1.50	-
5240MHz	Pass	AV	5.3882G	44.91	54.00	-9.09	3	Horizontal	6	1.50	-
5240MHz	Pass	PK	5.138G	58.47	74.00	-15.53	3	Horizontal	6	1.50	-
5240MHz	Pass	PK	5.2484G	102.80	Inf	-Inf	3	Horizontal	6	1.50	-
5240MHz	Pass	PK	5.3678G	58.34	74.00	-15.66	3	Horizontal	6	1.50	-
5240MHz	Pass	AV	15.7083G	45.91	54.00	-8.09	3	Vertical	89	2.47	-
5240MHz	Pass	PK	10.4821G	55.62	68.20	-12.58	3	Vertical	4	2.24	-
5240MHz	Pass	PK	15.71484G	59.63	74.00	-14.37	3	Vertical	89	2.47	-
5240MHz	Pass	AV	15.70602G	45.92	54.00	-8.08	3	Horizontal	137	2.06	-
5240MHz	Pass	PK	10.48612G	56.01	68.20	-12.19	3	Horizontal	193	1.46	-
5240MHz	Pass	PK	15.7266G	59.34	74.00	-14.66	3	Horizontal	137	2.06	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	-	-	-	-	-	-	-	-	-	-	-
5240MHz	Pass	AV	5.1482G	45.76	54.00	-8.24	3	Vertical	49	1.68	-
5240MHz	Pass	AV	5.249G	94.83	Inf	-Inf	3	Vertical	49	1.68	-
5240MHz	Pass	AV	5.3786G	45.34	54.00	-8.66	3	Vertical	49	1.68	-
5240MHz	Pass	PK	5.1206G	60.11	74.00	-13.89	3	Vertical	49	1.68	-
5240MHz	Pass	PK	5.249G	106.24	Inf	-Inf	3	Vertical	49	1.68	-
5240MHz	Pass	PK	5.3576G	58.60	74.00	-15.40	3	Vertical	49	1.68	-
5240MHz	Pass	AV	5.1494G	45.76	54.00	-8.24	3	Horizontal	0	1.50	-
5240MHz	Pass	AV	5.2484G	91.79	Inf	-Inf	3	Horizontal	0	1.50	-
5240MHz	Pass	AV	5.3786G	45.40	54.00	-8.60	3	Horizontal	0	1.50	-
5240MHz	Pass	PK	5.1362G	59.08	74.00	-14.92	3	Horizontal	0	1.50	-
5240MHz	Pass	PK	5.2484G	103.24	Inf	-Inf	3	Horizontal	0	1.50	-
5240MHz	Pass	PK	5.3558G	59.18	74.00	-14.82	3	Horizontal	0	1.50	-
5240MHz	Pass	AV	15.7102G	45.61	54.00	-8.39	3	Vertical	39	2.45	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	10.48792G	55.06	68.20	-13.14	3	Vertical	47	1.11	-
5240MHz	Pass	PK	15.71404G	59.27	74.00	-14.73	3	Vertical	39	2.45	-
5240MHz	Pass	AV	15.71016G	45.65	54.00	-8.35	3	Horizontal	12	2.65	-
5240MHz	Pass	PK	10.47564G	54.68	68.20	-13.52	3	Horizontal	82	1.53	-
5240MHz	Pass	PK	15.72436G	59.28	74.00	-14.72	3	Horizontal	12	2.65	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX											
5240MHz	Pass	AV	5.15G	45.87	54.00	-8.13	3	Vertical	59	1.66	-
5240MHz	Pass	AV	5.2424G	97.10	Inf	-Inf	3	Vertical	59	1.66	-
5240MHz	Pass	AV	5.3828G	45.48	54.00	-8.52	3	Vertical	59	1.66	-
5240MHz	Pass	PK	5.129G	59.44	74.00	-14.56	3	Vertical	59	1.66	-
5240MHz	Pass	PK	5.2424G	109.61	Inf	-Inf	3	Vertical	59	1.66	-
5240MHz	Pass	PK	5.3858G	59.56	74.00	-14.44	3	Vertical	59	1.66	-
5240MHz	Pass	AV	5.1446G	45.77	54.00	-8.23	3	Horizontal	21	1.31	-
5240MHz	Pass	AV	5.2424G	93.94	Inf	-Inf	3	Horizontal	21	1.31	-
5240MHz	Pass	AV	5.3786G	45.43	54.00	-8.57	3	Horizontal	21	1.31	-
5240MHz	Pass	PK	5.1488G	58.42	74.00	-15.58	3	Horizontal	21	1.31	-
5240MHz	Pass	PK	5.2424G	106.11	Inf	-Inf	3	Horizontal	21	1.31	-
5240MHz	Pass	PK	5.3876G	58.36	74.00	-15.64	3	Horizontal	21	1.31	-
5240MHz	Pass	AV	15.71452G	45.68	54.00	-8.32	3	Vertical	331	2.39	-
5240MHz	Pass	PK	10.4766G	55.27	68.20	-12.93	3	Vertical	202	1.44	-
5240MHz	Pass	PK	15.7198G	58.84	74.00	-15.16	3	Vertical	331	2.39	-
5240MHz	Pass	AV	15.71024G	45.69	54.00	-8.31	3	Horizontal	93	1.52	-
5240MHz	Pass	PK	10.48156G	54.68	68.20	-13.52	3	Horizontal	236	2.51	-
5240MHz	Pass	PK	15.7128G	59.13	74.00	-14.87	3	Horizontal	93	1.52	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX											
5260MHz	Pass	AV	5.1484G	45.35	54.00	-8.65	3	Vertical	83	1.74	-
5260MHz	Pass	AV	5.2522G	96.78	Inf	-Inf	3	Vertical	83	1.74	-
5260MHz	Pass	AV	5.4034G	45.05	54.00	-8.95	3	Vertical	83	1.74	-
5260MHz	Pass	PK	5.131G	58.60	74.00	-15.40	3	Vertical	83	1.74	-
5260MHz	Pass	PK	5.2516G	107.91	Inf	-Inf	3	Vertical	83	1.74	-
5260MHz	Pass	PK	5.4082G	57.36	74.00	-16.64	3	Vertical	83	1.74	-
5260MHz	Pass	AV	5.1406G	45.30	54.00	-8.70	3	Horizontal	29	1.73	-
5260MHz	Pass	AV	5.2516G	93.54	Inf	-Inf	3	Horizontal	29	1.73	-
5260MHz	Pass	AV	5.395G	44.98	54.00	-9.02	3	Horizontal	29	1.73	-
5260MHz	Pass	PK	5.1208G	58.42	74.00	-15.58	3	Horizontal	29	1.73	-
5260MHz	Pass	PK	5.251G	105.75	Inf	-Inf	3	Horizontal	29	1.73	-
5260MHz	Pass	PK	5.3656G	57.38	74.00	-16.62	3	Horizontal	29	1.73	-
5260MHz	Pass	AV	15.78174G	45.41	54.00	-8.59	3	Vertical	17	2.42	-
5260MHz	Pass	PK	10.52462G	56.04	68.20	-12.16	3	Vertical	3	1.67	-
5260MHz	Pass	PK	15.77316G	59.24	74.00	-14.76	3	Vertical	17	2.42	-
5260MHz	Pass	AV	15.77088G	45.43	54.00	-8.57	3	Horizontal	141	2.37	-
5260MHz	Pass	PK	10.52474G	56.74	68.20	-11.46	3	Horizontal	51	2.45	-
5260MHz	Pass	PK	15.76584G	58.96	74.00	-15.04	3	Horizontal	141	2.37	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX											
5260MHz	Pass	AV	5.149G	45.92	54.00	-8.08	3	Vertical	79	1.64	-
5260MHz	Pass	AV	5.2522G	102.44	Inf	-Inf	3	Vertical	79	1.64	-
5260MHz	Pass	AV	5.3818G	45.57	54.00	-8.43	3	Vertical	79	1.64	-
5260MHz	Pass	PK	5.1484G	59.32	74.00	-14.68	3	Vertical	79	1.64	-
5260MHz	Pass	PK	5.2528G	115.25	Inf	-Inf	3	Vertical	79	1.64	-
5260MHz	Pass	PK	5.3962G	59.45	74.00	-14.55	3	Vertical	79	1.64	-
5260MHz	Pass	AV	5.1424G	45.78	54.00	-8.22	3	Horizontal	11	1.92	-
5260MHz	Pass	AV	5.2516G	100.00	Inf	-Inf	3	Horizontal	11	1.92	-
5260MHz	Pass	AV	5.3926G	45.46	54.00	-8.54	3	Horizontal	11	1.92	-
5260MHz	Pass	PK	5.1448G	59.21	74.00	-14.79	3	Horizontal	11	1.92	-
5260MHz	Pass	PK	5.2528G	111.88	Inf	-Inf	3	Horizontal	11	1.92	-
5260MHz	Pass	PK	5.3806G	58.76	74.00	-15.24	3	Horizontal	11	1.92	-
5260MHz	Pass	AV	15.77192G	45.33	54.00	-8.67	3	Vertical	263	2.68	-
5260MHz	Pass	PK	10.525G	57.89	68.20	-10.31	3	Vertical	61	2.97	-
5260MHz	Pass	PK	15.78884G	59.53	74.00	-14.47	3	Vertical	263	2.68	-
5260MHz	Pass	AV	15.77848G	45.34	54.00	-8.66	3	Horizontal	312	1.26	-
5260MHz	Pass	PK	10.52508G	58.90	68.20	-9.30	3	Horizontal	311	1.10	-
5260MHz	Pass	PK	15.77956G	58.10	74.00	-15.90	3	Horizontal	312	1.26	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1418G	46.04	54.00	-7.96	3	Vertical	54	1.69	-
5260MHz	Pass	AV	5.2528G	103.47	Inf	-Inf	3	Vertical	54	1.69	-
5260MHz	Pass	AV	5.401G	45.75	54.00	-8.25	3	Vertical	54	1.69	-
5260MHz	Pass	PK	5.113G	59.45	74.00	-14.55	3	Vertical	54	1.69	-
5260MHz	Pass	PK	5.2516G	115.41	Inf	-Inf	3	Vertical	54	1.69	-
5260MHz	Pass	PK	5.41G	59.47	74.00	-14.53	3	Vertical	54	1.69	-
5260MHz	Pass	AV	5.1496G	45.92	54.00	-8.08	3	Horizontal	2	1.49	-
5260MHz	Pass	AV	5.2522G	99.81	Inf	-Inf	3	Horizontal	2	1.49	-
5260MHz	Pass	AV	5.3938G	45.55	54.00	-8.45	3	Horizontal	2	1.49	-
5260MHz	Pass	PK	5.1268G	59.58	74.00	-14.42	3	Horizontal	2	1.49	-
5260MHz	Pass	PK	5.2516G	111.72	Inf	-Inf	3	Horizontal	2	1.49	-
5260MHz	Pass	PK	5.3884G	59.28	74.00	-14.72	3	Horizontal	2	1.49	-
5260MHz	Pass	AV	15.77388G	45.37	54.00	-8.63	3	Vertical	97	1.16	-
5260MHz	Pass	PK	10.5248G	58.07	68.20	-10.13	3	Vertical	21	2.76	-
5260MHz	Pass	PK	15.7766G	58.69	74.00	-15.31	3	Vertical	97	1.16	-
5260MHz	Pass	AV	15.77868G	45.33	54.00	-8.67	3	Horizontal	113	1.46	-
5260MHz	Pass	PK	10.52492G	57.75	68.20	-10.45	3	Horizontal	7	1.42	-
5260MHz	Pass	PK	15.7836G	58.47	74.00	-15.53	3	Horizontal	113	1.46	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX	-	-	-	-	-	-	-	-	-	-	-
5300MHz	Pass	AV	5.3008G	99.36	Inf	-Inf	3	Vertical	62	1.95	-
5300MHz	Pass	AV	5.3808G	45.16	54.00	-8.84	3	Vertical	62	1.95	-
5300MHz	Pass	PK	5.3008G	111.49	Inf	-Inf	3	Vertical	62	1.95	-
5300MHz	Pass	PK	5.3828G	58.38	74.00	-15.62	3	Vertical	62	1.95	-
5300MHz	Pass	AV	5.3008G	95.59	Inf	-Inf	3	Horizontal	23	1.80	-
5300MHz	Pass	AV	5.3932G	45.16	54.00	-8.84	3	Horizontal	23	1.80	-
5300MHz	Pass	PK	5.3008G	106.64	Inf	-Inf	3	Horizontal	23	1.80	-
5300MHz	Pass	PK	5.362G	58.76	74.00	-15.24	3	Horizontal	23	1.80	-
5300MHz	Pass	AV	10.6063G	41.75	54.00	-12.25	3	Vertical	47	1.63	-
5300MHz	Pass	AV	15.90648G	45.92	54.00	-8.08	3	Vertical	225	2.40	-
5300MHz	Pass	PK	10.606G	55.39	74.00	-18.61	3	Vertical	47	1.63	-
5300MHz	Pass	PK	15.90954G	59.64	74.00	-14.36	3	Vertical	225	2.40	-
5300MHz	Pass	AV	10.6063G	41.71	54.00	-12.29	3	Horizontal	346	1.51	-
5300MHz	Pass	AV	15.91356G	45.96	54.00	-8.04	3	Horizontal	53	2.37	-
5300MHz	Pass	PK	10.61344G	55.27	74.00	-18.73	3	Horizontal	346	1.51	-
5300MHz	Pass	PK	15.90774G	60.03	74.00	-13.97	3	Horizontal	53	2.37	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	-	-	-	-	-	-	-	-	-	-	-
5300MHz	Pass	AV	5.3088G	101.60	Inf	-Inf	3	Vertical	46	1.81	-
5300MHz	Pass	AV	5.3976G	45.72	54.00	-8.28	3	Vertical	46	1.81	-
5300MHz	Pass	PK	5.3076G	113.08	Inf	-Inf	3	Vertical	46	1.81	-
5300MHz	Pass	PK	5.3812G	58.98	74.00	-15.02	3	Vertical	46	1.81	-
5300MHz	Pass	AV	5.3088G	98.10	Inf	-Inf	3	Horizontal	22	1.91	-
5300MHz	Pass	AV	5.3896G	45.59	54.00	-8.41	3	Horizontal	22	1.91	-
5300MHz	Pass	PK	5.3088G	109.48	Inf	-Inf	3	Horizontal	22	1.91	-
5300MHz	Pass	PK	5.384G	59.05	74.00	-14.95	3	Horizontal	22	1.91	-
5300MHz	Pass	AV	10.60612G	41.75	54.00	-12.25	3	Vertical	114	1.04	-
5300MHz	Pass	AV	15.9088G	45.91	54.00	-8.09	3	Vertical	122	1.14	-
5300MHz	Pass	PK	10.60656G	55.72	74.00	-18.28	3	Vertical	114	1.04	-
5300MHz	Pass	PK	15.89024G	58.88	74.00	-15.12	3	Vertical	122	1.14	-
5300MHz	Pass	AV	10.60088G	41.70	54.00	-12.30	3	Horizontal	142	2.52	-
5300MHz	Pass	AV	15.90788G	45.85	54.00	-8.15	3	Horizontal	13	1.27	-
5300MHz	Pass	PK	10.60792G	55.00	74.00	-19.00	3	Horizontal	142	2.52	-
5300MHz	Pass	PK	15.90472G	59.18	74.00	-14.82	3	Horizontal	13	1.27	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	-	-	-	-	-	-	-	-	-	-	-
5300MHz	Pass	AV	5.3024G	102.99	Inf	-Inf	3	Vertical	81	1.64	-
5300MHz	Pass	AV	5.352G	45.99	54.00	-8.01	3	Vertical	81	1.64	-
5300MHz	Pass	PK	5.3024G	115.29	Inf	-Inf	3	Vertical	81	1.64	-
5300MHz	Pass	PK	5.3712G	59.49	74.00	-14.51	3	Vertical	81	1.64	-
5300MHz	Pass	AV	5.302G	98.63	Inf	-Inf	3	Horizontal	22	1.53	-
5300MHz	Pass	AV	5.3832G	45.79	54.00	-8.21	3	Horizontal	22	1.53	-
5300MHz	Pass	PK	5.302G	111.21	Inf	-Inf	3	Horizontal	22	1.53	-
5300MHz	Pass	PK	5.3872G	59.74	74.00	-14.26	3	Horizontal	22	1.53	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5300MHz	Pass	AV	15.9086G	45.85	54.00	-8.15	3	Vertical	303	2.44	-
5300MHz	Pass	PK	10.59356G	54.82	68.20	-13.38	3	Vertical	292	2.67	-
5300MHz	Pass	PK	15.90144G	59.27	74.00	-14.73	3	Vertical	303	2.44	-
5300MHz	Pass	AV	15.90856G	45.79	54.00	-8.21	3	Horizontal	42	1.43	-
5300MHz	Pass	PK	10.59864G	54.70	68.20	-13.50	3	Horizontal	259	1.60	-
5300MHz	Pass	PK	15.90416G	58.98	74.00	-15.02	3	Horizontal	42	1.43	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	-	-	-	-	-	-	-	-	-	-	-
5320MHz	Pass	AV	5.3288G	100.01	Inf	-Inf	3	Vertical	41	1.78	-
5320MHz	Pass	AV	5.3624G	44.71	54.00	-9.29	3	Vertical	41	1.78	-
5320MHz	Pass	PK	5.3286G	112.34	Inf	-Inf	3	Vertical	41	1.78	-
5320MHz	Pass	PK	5.3536G	58.41	74.00	-15.59	3	Vertical	41	1.78	-
5320MHz	Pass	AV	5.3288G	97.62	Inf	-Inf	3	Horizontal	1	1.69	-
5320MHz	Pass	AV	5.3598G	44.57	54.00	-9.43	3	Horizontal	1	1.69	-
5320MHz	Pass	PK	5.3286G	109.85	Inf	-Inf	3	Horizontal	1	1.69	-
5320MHz	Pass	PK	5.3522G	58.20	74.00	-15.80	3	Horizontal	1	1.69	-
5320MHz	Pass	AV	10.655G	42.02	54.00	-11.98	3	Vertical	227	1.56	-
5320MHz	Pass	AV	15.94716G	46.41	54.00	-7.59	3	Vertical	143	2.23	-
5320MHz	Pass	PK	10.6298G	56.01	74.00	-17.99	3	Vertical	227	1.56	-
5320MHz	Pass	PK	15.96216G	60.19	74.00	-13.81	3	Vertical	143	2.23	-
5320MHz	Pass	AV	10.65314G	41.98	54.00	-12.02	3	Horizontal	144	2.19	-
5320MHz	Pass	AV	15.95514G	46.44	54.00	-7.56	3	Horizontal	186	1.57	-
5320MHz	Pass	PK	10.64588G	55.08	74.00	-18.92	3	Horizontal	144	2.19	-
5320MHz	Pass	PK	15.9633G	61.29	74.00	-12.71	3	Horizontal	186	1.57	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX	-	-	-	-	-	-	-	-	-	-	-
5320MHz	Pass	AV	5.3286G	101.73	Inf	-Inf	3	Vertical	58	1.94	-
5320MHz	Pass	AV	5.3656G	45.66	54.00	-8.34	3	Vertical	58	1.94	-
5320MHz	Pass	PK	5.3292G	113.17	Inf	-Inf	3	Vertical	58	1.94	-
5320MHz	Pass	PK	5.36G	59.49	74.00	-14.51	3	Vertical	58	1.94	-
5320MHz	Pass	AV	5.3272G	98.22	Inf	-Inf	3	Horizontal	2	1.78	-
5320MHz	Pass	AV	5.3674G	45.62	54.00	-8.38	3	Horizontal	2	1.78	-
5320MHz	Pass	PK	5.327G	110.03	Inf	-Inf	3	Horizontal	2	1.78	-
5320MHz	Pass	PK	5.3522G	59.41	74.00	-14.59	3	Horizontal	2	1.78	-
5320MHz	Pass	AV	10.63808G	41.81	54.00	-12.19	3	Vertical	165	1.64	-
5320MHz	Pass	AV	15.96668G	46.43	54.00	-7.57	3	Vertical	358	2.07	-
5320MHz	Pass	PK	10.6424G	54.85	74.00	-19.15	3	Vertical	165	1.64	-
5320MHz	Pass	PK	15.95268G	59.87	74.00	-14.13	3	Vertical	358	2.07	-
5320MHz	Pass	AV	10.63292G	41.82	54.00	-12.18	3	Horizontal	40	2.00	-
5320MHz	Pass	AV	15.95852G	46.37	54.00	-7.63	3	Horizontal	3	1.63	-
5320MHz	Pass	PK	10.63104G	55.10	74.00	-18.90	3	Horizontal	40	2.00	-
5320MHz	Pass	PK	15.96376G	59.90	74.00	-14.10	3	Horizontal	3	1.63	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	-	-	-	-	-	-	-	-	-	-	-
5320MHz	Pass	AV	5.3224G	102.49	Inf	-Inf	3	Vertical	81	1.80	-
5320MHz	Pass	AV	5.359G	46.04	54.00	-7.96	3	Vertical	81	1.80	-
5320MHz	Pass	PK	5.322G	115.61	Inf	-Inf	3	Vertical	81	1.80	-
5320MHz	Pass	PK	5.351G	65.50	74.00	-8.50	3	Vertical	81	1.80	-
5320MHz	Pass	AV	5.322G	98.50	Inf	-Inf	3	Horizontal	24	1.64	-
5320MHz	Pass	AV	5.3604G	45.70	54.00	-8.30	3	Horizontal	24	1.64	-
5320MHz	Pass	PK	5.322G	111.92	Inf	-Inf	3	Horizontal	24	1.64	-
5320MHz	Pass	PK	5.35G	61.73	74.00	-12.27	3	Horizontal	24	1.64	-
5320MHz	Pass	AV	10.63772G	41.83	54.00	-12.17	3	Vertical	174	2.61	-
5320MHz	Pass	AV	15.9602G	46.40	54.00	-7.60	3	Vertical	345	1.63	-
5320MHz	Pass	PK	10.64712G	55.08	74.00	-18.92	3	Vertical	174	2.61	-
5320MHz	Pass	PK	15.95516G	60.41	74.00	-13.59	3	Vertical	345	1.63	-
5320MHz	Pass	AV	10.63392G	41.80	54.00	-12.20	3	Horizontal	336	2.44	-
5320MHz	Pass	AV	15.95796G	46.31	54.00	-7.69	3	Horizontal	326	1.99	-
5320MHz	Pass	PK	10.63708G	54.87	74.00	-19.13	3	Horizontal	336	2.44	-
5320MHz	Pass	PK	15.96388G	59.08	74.00	-14.92	3	Horizontal	326	1.99	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	AV	5.4532G	44.70	54.00	-9.30	3	Vertical	51	1.50	-
5500MHz	Pass	AV	5.4918G	102.79	Inf	-Inf	3	Vertical	51	1.50	-
5500MHz	Pass	PK	5.4664G	58.63	68.20	-9.57	3	Vertical	51	1.50	-
5500MHz	Pass	PK	5.4912G	114.88	Inf	-Inf	3	Vertical	51	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	AV	5.4514G	44.49	54.00	-9.51	3	Horizontal	10	1.50	-
5500MHz	Pass	AV	5.4916G	100.21	Inf	-Inf	3	Horizontal	10	1.50	-
5500MHz	Pass	PK	5.4618G	57.58	68.20	-10.62	3	Horizontal	10	1.50	-
5500MHz	Pass	PK	5.4912G	112.70	Inf	-Inf	3	Horizontal	10	1.50	-
5500MHz	Pass	AV	11.01284G	42.49	54.00	-11.51	3	Vertical	57	1.35	-
5500MHz	Pass	PK	11.01314G	56.26	74.00	-17.74	3	Vertical	57	1.35	-
5500MHz	Pass	PK	16.48704G	62.64	68.20	-5.56	3	Vertical	101	1.86	-
5500MHz	Pass	AV	11.00744G	42.66	54.00	-11.34	3	Horizontal	41	1.38	-
5500MHz	Pass	PK	10.99052G	56.20	74.00	-17.80	3	Horizontal	41	1.38	-
5500MHz	Pass	PK	16.49904G	62.88	68.20	-5.32	3	Horizontal	196	1.41	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX											
5500MHz	Pass	AV	5.4554G	45.93	54.00	-8.07	3	Vertical	83	1.69	-
5500MHz	Pass	AV	5.4924G	107.78	Inf	-Inf	3	Vertical	83	1.69	-
5500MHz	Pass	PK	5.4694G	58.50	68.20	-9.70	3	Vertical	83	1.69	-
5500MHz	Pass	PK	5.4926G	117.80	Inf	-Inf	3	Vertical	83	1.69	-
5500MHz	Pass	AV	5.4556G	45.49	54.00	-8.51	3	Horizontal	29	1.71	-
5500MHz	Pass	AV	5.4916G	104.24	Inf	-Inf	3	Horizontal	29	1.71	-
5500MHz	Pass	PK	5.4654G	57.93	68.20	-10.27	3	Horizontal	29	1.71	-
5500MHz	Pass	PK	5.4916G	113.18	Inf	-Inf	3	Horizontal	29	1.71	-
5500MHz	Pass	AV	10.992G	42.56	54.00	-11.44	3	Vertical	159	2.47	-
5500MHz	Pass	PK	10.97376G	55.04	74.00	-18.96	3	Vertical	159	2.47	-
5500MHz	Pass	PK	16.47104G	61.81	68.20	-6.39	3	Vertical	59	1.04	-
5500MHz	Pass	AV	11.00944G	42.65	54.00	-11.35	3	Horizontal	137	1.48	-
5500MHz	Pass	PK	11.02768G	56.28	74.00	-17.72	3	Horizontal	137	1.48	-
5500MHz	Pass	PK	16.49296G	61.58	68.20	-6.62	3	Horizontal	113	1.59	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX											
5500MHz	Pass	AV	5.4502G	45.93	54.00	-8.07	3	Vertical	84	1.69	-
5500MHz	Pass	AV	5.4922G	104.60	Inf	-Inf	3	Vertical	84	1.69	-
5500MHz	Pass	PK	5.4666G	61.20	68.20	-7.00	3	Vertical	84	1.69	-
5500MHz	Pass	PK	5.492G	116.43	Inf	-Inf	3	Vertical	84	1.69	-
5500MHz	Pass	AV	5.4512G	45.64	54.00	-8.36	3	Horizontal	20	1.71	-
5500MHz	Pass	AV	5.491G	101.50	Inf	-Inf	3	Horizontal	20	1.71	-
5500MHz	Pass	PK	5.4696G	58.04	68.20	-10.16	3	Horizontal	20	1.71	-
5500MHz	Pass	PK	5.4908G	112.74	Inf	-Inf	3	Horizontal	20	1.71	-
5500MHz	Pass	AV	10.98896G	42.66	54.00	-11.34	3	Vertical	206	2.14	-
5500MHz	Pass	PK	10.98304G	56.07	74.00	-17.93	3	Vertical	206	2.14	-
5500MHz	Pass	PK	16.53968G	61.74	68.20	-6.46	3	Vertical	356	1.10	-
5500MHz	Pass	AV	11.00192G	42.61	54.00	-11.39	3	Horizontal	176	2.88	-
5500MHz	Pass	PK	10.9632G	55.85	74.00	-18.15	3	Horizontal	176	2.88	-
5500MHz	Pass	PK	16.48944G	62.02	68.20	-6.18	3	Horizontal	136	2.29	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX											
5580MHz	Pass	AV	5.4342G	45.12	54.00	-8.88	3	Vertical	72	1.84	-
5580MHz	Pass	AV	5.5806G	102.42	Inf	-Inf	3	Vertical	72	1.84	-
5580MHz	Pass	PK	5.4648G	57.47	68.20	-10.73	3	Vertical	72	1.84	-
5580MHz	Pass	PK	5.5806G	114.05	Inf	-Inf	3	Vertical	72	1.84	-
5580MHz	Pass	PK	5.7252G	57.28	68.20	-10.92	3	Vertical	72	1.84	-
5580MHz	Pass	AV	5.4312G	45.07	54.00	-8.93	3	Horizontal	25	2.02	-
5580MHz	Pass	AV	5.5794G	101.01	Inf	-Inf	3	Horizontal	25	2.02	-
5580MHz	Pass	PK	5.4648G	57.50	68.20	-10.70	3	Horizontal	25	2.02	-
5580MHz	Pass	PK	5.5812G	112.27	Inf	-Inf	3	Horizontal	25	2.02	-
5580MHz	Pass	PK	5.73G	57.57	68.20	-10.63	3	Horizontal	25	2.02	-
5580MHz	Pass	AV	11.1453G	42.10	54.00	-11.90	3	Vertical	148	1.60	-
5580MHz	Pass	PK	11.15712G	56.04	74.00	-17.96	3	Vertical	148	1.60	-
5580MHz	Pass	PK	16.73364G	62.20	68.20	-6.00	3	Vertical	41	1.61	-
5580MHz	Pass	AV	11.14704G	42.07	54.00	-11.93	3	Horizontal	301	1.10	-
5580MHz	Pass	PK	11.15334G	56.31	74.00	-17.69	3	Horizontal	301	1.10	-
5580MHz	Pass	PK	16.74048G	63.25	68.20	-4.95	3	Horizontal	354	1.51	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX											
5580MHz	Pass	AV	5.4348G	45.80	54.00	-8.20	3	Vertical	46	1.60	-
5580MHz	Pass	AV	5.589G	105.58	Inf	-Inf	3	Vertical	46	1.60	-
5580MHz	Pass	PK	5.4654G	56.85	68.20	-11.35	3	Vertical	46	1.60	-
5580MHz	Pass	PK	5.5884G	116.66	Inf	-Inf	3	Vertical	46	1.60	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	5.7294G	57.36	68.20	-10.84	3	Vertical	46	1.60	-
5580MHz	Pass	AV	5.433G	45.47	54.00	-8.53	3	Horizontal	17	1.88	-
5580MHz	Pass	AV	5.5884G	102.61	Inf	-Inf	3	Horizontal	17	1.88	-
5580MHz	Pass	PK	5.4636G	56.60	68.20	-11.60	3	Horizontal	17	1.88	-
5580MHz	Pass	PK	5.589G	113.19	Inf	-Inf	3	Horizontal	17	1.88	-
5580MHz	Pass	PK	5.7264G	57.06	68.20	-11.14	3	Horizontal	17	1.88	-
5580MHz	Pass	AV	11.19056G	42.21	54.00	-11.79	3	Vertical	205	2.94	-
5580MHz	Pass	PK	11.19616G	54.72	74.00	-19.28	3	Vertical	205	2.94	-
5580MHz	Pass	PK	16.76592G	62.48	68.20	-5.72	3	Vertical	299	1.47	-
5580MHz	Pass	AV	11.192G	42.18	54.00	-11.82	3	Horizontal	223	2.99	-
5580MHz	Pass	PK	11.18688G	54.96	74.00	-19.04	3	Horizontal	223	2.99	-
5580MHz	Pass	PK	16.76736G	62.08	68.20	-6.12	3	Horizontal	4	1.85	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX											
5580MHz	Pass	AV	5.43G	45.89	54.00	-8.11	3	Vertical	81	1.64	-
5580MHz	Pass	AV	5.5824G	104.59	Inf	-Inf	3	Vertical	81	1.64	-
5580MHz	Pass	PK	5.4666G	57.37	68.20	-10.83	3	Vertical	81	1.64	-
5580MHz	Pass	PK	5.583G	115.95	Inf	-Inf	3	Vertical	81	1.64	-
5580MHz	Pass	PK	5.7276G	57.21	68.20	-10.99	3	Vertical	81	1.64	-
5580MHz	Pass	AV	5.4306G	45.55	54.00	-8.45	3	Horizontal	21	1.50	-
5580MHz	Pass	AV	5.5818G	101.06	Inf	-Inf	3	Horizontal	21	1.50	-
5580MHz	Pass	PK	5.463G	56.26	68.20	-11.94	3	Horizontal	21	1.50	-
5580MHz	Pass	PK	5.5818G	113.73	Inf	-Inf	3	Horizontal	21	1.50	-
5580MHz	Pass	PK	5.7252G	57.97	68.20	-10.23	3	Horizontal	21	1.50	-
5580MHz	Pass	AV	11.19616G	42.11	54.00	-11.89	3	Vertical	122	2.23	-
5580MHz	Pass	PK	11.16912G	54.86	74.00	-19.14	3	Vertical	122	2.23	-
5580MHz	Pass	PK	16.73744G	62.53	68.20	-5.67	3	Vertical	186	2.22	-
5580MHz	Pass	AV	11.18432G	42.13	54.00	-11.87	3	Horizontal	180	1.67	-
5580MHz	Pass	PK	11.1592G	55.37	74.00	-18.63	3	Horizontal	180	1.67	-
5580MHz	Pass	PK	16.71504G	61.80	68.20	-6.40	3	Horizontal	16	2.67	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX											
5700MHz	Pass	AV	5.7088G	101.98	Inf	-Inf	3	Vertical	27	1.50	-
5700MHz	Pass	PK	5.7088G	114.44	Inf	-Inf	3	Vertical	27	1.50	-
5700MHz	Pass	PK	5.78G	58.35	68.20	-9.85	3	Vertical	27	1.50	-
5700MHz	Pass	AV	5.7084G	102.12	Inf	-Inf	3	Horizontal	8	2.26	-
5700MHz	Pass	PK	5.7088G	114.50	Inf	-Inf	3	Horizontal	8	2.26	-
5700MHz	Pass	PK	5.7992G	58.70	68.20	-9.50	3	Horizontal	8	2.26	-
5700MHz	Pass	AV	11.39166G	42.11	54.00	-11.89	3	Vertical	18	2.30	-
5700MHz	Pass	PK	11.38674G	55.62	74.00	-18.38	3	Vertical	18	2.30	-
5700MHz	Pass	PK	17.0979G	64.12	68.20	-4.08	3	Vertical	94	2.10	-
5700MHz	Pass	AV	11.38782G	42.29	54.00	-11.71	3	Horizontal	138	1.31	-
5700MHz	Pass	PK	11.38632G	55.44	74.00	-18.56	3	Horizontal	138	1.31	-
5700MHz	Pass	PK	17.10066G	64.61	68.20	-3.59	3	Horizontal	61	1.05	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX											
5700MHz	Pass	AV	5.7088G	106.14	Inf	-Inf	3	Vertical	39	1.65	-
5700MHz	Pass	PK	5.708G	114.52	Inf	-Inf	3	Vertical	39	1.65	-
5700MHz	Pass	PK	5.7592G	58.96	68.20	-9.24	3	Vertical	39	1.65	-
5700MHz	Pass	AV	5.7088G	102.75	Inf	-Inf	3	Horizontal	16	1.82	-
5700MHz	Pass	PK	5.708G	113.76	Inf	-Inf	3	Horizontal	16	1.82	-
5700MHz	Pass	PK	5.7308G	58.22	68.20	-9.98	3	Horizontal	16	1.82	-
5700MHz	Pass	AV	11.36672G	42.39	54.00	-11.61	3	Vertical	321	2.52	-
5700MHz	Pass	PK	11.43312G	54.87	74.00	-19.13	3	Vertical	321	2.52	-
5700MHz	Pass	PK	17.06432G	63.74	68.20	-4.46	3	Vertical	57	1.98	-
5700MHz	Pass	AV	11.36368G	42.46	54.00	-11.54	3	Horizontal	87	1.84	-
5700MHz	Pass	PK	11.368G	55.15	74.00	-18.85	3	Horizontal	87	1.84	-
5700MHz	Pass	PK	17.12848G	63.59	68.20	-4.61	3	Horizontal	113	1.98	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX											
5700MHz	Pass	AV	5.7024G	103.75	Inf	-Inf	3	Vertical	82	1.78	-
5700MHz	Pass	PK	5.7024G	115.57	Inf	-Inf	3	Vertical	82	1.78	-
5700MHz	Pass	PK	5.7252G	66.51	68.20	-1.69	3	Vertical	82	1.78	-
5700MHz	Pass	AV	5.7084G	102.91	Inf	-Inf	3	Horizontal	17	1.98	-
5700MHz	Pass	PK	5.7084G	115.93	Inf	-Inf	3	Horizontal	17	1.98	-
5700MHz	Pass	PK	5.7252G	65.50	68.20	-2.70	3	Horizontal	17	1.98	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5700MHz	Pass	AV	11.36336G	42.33	54.00	-11.67	3	Vertical	188	2.82	-
5700MHz	Pass	PK	11.38496G	55.69	74.00	-18.31	3	Vertical	188	2.82	-
5700MHz	Pass	PK	17.06848G	63.66	68.20	-4.54	3	Vertical	190	2.72	-
5700MHz	Pass	AV	11.36368G	42.34	54.00	-11.66	3	Horizontal	70	1.08	-
5700MHz	Pass	PK	11.42768G	55.32	74.00	-18.68	3	Horizontal	70	1.08	-
5700MHz	Pass	PK	17.07248G	63.54	68.20	-4.66	3	Horizontal	34	2.73	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	AV	5.7366G	108.60	Inf	-Inf	3	Vertical	51	1.50	-
5745MHz	Pass	PK	5.5818G	59.10	68.20	-9.10	3	Vertical	51	1.50	-
5745MHz	Pass	PK	5.7366G	119.82	Inf	-Inf	3	Vertical	51	1.50	-
5745MHz	Pass	PK	5.9322G	58.63	68.20	-9.57	3	Vertical	51	1.50	-
5745MHz	Pass	AV	5.7366G	107.15	Inf	-Inf	3	Horizontal	4	1.50	-
5745MHz	Pass	PK	5.5314G	58.79	68.20	-9.41	3	Horizontal	4	1.50	-
5745MHz	Pass	PK	5.7366G	119.25	Inf	-Inf	3	Horizontal	4	1.50	-
5745MHz	Pass	PK	6.0282G	58.74	68.20	-9.46	3	Horizontal	4	1.50	-
5745MHz	Pass	AV	11.50434G	42.75	54.00	-11.25	3	Vertical	190	1.14	-
5745MHz	Pass	PK	11.50014G	57.05	74.00	-16.95	3	Vertical	190	1.14	-
5745MHz	Pass	PK	17.23566G	63.19	68.20	-5.01	3	Vertical	107	2.44	-
5745MHz	Pass	AV	11.50482G	42.68	54.00	-11.32	3	Horizontal	78	2.48	-
5745MHz	Pass	PK	11.48658G	56.00	74.00	-18.00	3	Horizontal	78	2.48	-
5745MHz	Pass	PK	17.23884G	63.21	68.20	-4.99	3	Horizontal	185	2.32	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	AV	5.7378G	106.76	Inf	-Inf	3	Vertical	83	1.75	-
5745MHz	Pass	PK	5.5146G	58.37	68.20	-9.83	3	Vertical	83	1.75	-
5745MHz	Pass	PK	5.7366G	117.41	Inf	-Inf	3	Vertical	83	1.75	-
5745MHz	Pass	PK	6.0294G	58.72	68.20	-9.48	3	Vertical	83	1.75	-
5745MHz	Pass	AV	5.7366G	104.91	Inf	-Inf	3	Horizontal	18	1.61	-
5745MHz	Pass	PK	5.5782G	58.65	68.20	-9.55	3	Horizontal	18	1.61	-
5745MHz	Pass	PK	5.7366G	115.62	Inf	-Inf	3	Horizontal	18	1.61	-
5745MHz	Pass	PK	6.015G	58.74	68.20	-9.46	3	Horizontal	18	1.61	-
5745MHz	Pass	AV	11.50168G	42.55	54.00	-11.45	3	Vertical	74	2.50	-
5745MHz	Pass	PK	11.51256G	55.97	74.00	-18.03	3	Vertical	74	2.50	-
5745MHz	Pass	PK	17.2486G	62.50	68.20	-5.70	3	Vertical	38	1.41	-
5745MHz	Pass	AV	11.5044G	42.56	54.00	-11.44	3	Horizontal	41	1.84	-
5745MHz	Pass	PK	11.50696G	55.37	74.00	-18.63	3	Horizontal	41	1.84	-
5745MHz	Pass	PK	17.25596G	63.26	68.20	-4.94	3	Horizontal	196	1.16	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	AV	5.7378G	103.76	Inf	-Inf	3	Vertical	83	1.74	-
5745MHz	Pass	PK	5.5722G	58.20	68.20	-10.00	3	Vertical	83	1.74	-
5745MHz	Pass	PK	5.7366G	114.64	Inf	-Inf	3	Vertical	83	1.74	-
5745MHz	Pass	PK	6.0246G	58.91	68.20	-9.29	3	Vertical	83	1.74	-
5745MHz	Pass	AV	5.7366G	102.45	Inf	-Inf	3	Horizontal	19	1.70	-
5745MHz	Pass	PK	5.5878G	57.88	68.20	-10.32	3	Horizontal	19	1.70	-
5745MHz	Pass	PK	5.7366G	113.08	Inf	-Inf	3	Horizontal	19	1.70	-
5745MHz	Pass	PK	5.9286G	58.87	68.20	-9.33	3	Horizontal	19	1.70	-
5745MHz	Pass	AV	11.52488G	42.62	54.00	-11.38	3	Vertical	351	2.44	-
5745MHz	Pass	PK	11.51544G	55.64	74.00	-18.36	3	Vertical	351	2.44	-
5745MHz	Pass	PK	17.24044G	62.84	68.20	-5.36	3	Vertical	273	2.32	-
5745MHz	Pass	AV	11.51416G	42.63	54.00	-11.37	3	Horizontal	229	2.98	-
5745MHz	Pass	PK	11.45048G	56.27	74.00	-17.73	3	Horizontal	229	2.98	-
5745MHz	Pass	PK	17.2686G	62.68	68.20	-5.52	3	Horizontal	169	2.01	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX	-	-	-	-	-	-	-	-	-	-	-
5785MHz	Pass	AV	5.7862G	100.01	Inf	-Inf	3	Vertical	61	1.83	-
5785MHz	Pass	PK	5.6158G	57.93	68.20	-10.27	3	Vertical	61	1.83	-
5785MHz	Pass	PK	5.7862G	112.17	Inf	-Inf	3	Vertical	61	1.83	-
5785MHz	Pass	PK	6.0718G	58.35	68.20	-8.85	3	Vertical	61	1.83	-
5785MHz	Pass	AV	5.7838G	100.30	Inf	-Inf	3	Horizontal	19	2.20	-
5785MHz	Pass	PK	5.539G	57.89	68.20	-10.31	3	Horizontal	19	2.20	-
5785MHz	Pass	PK	5.7838G	110.06	Inf	-Inf	3	Horizontal	19	2.20	-
5785MHz	Pass	PK	6.037G	58.77	68.20	-9.43	3	Horizontal	19	2.20	-
5785MHz	Pass	AV	11.56268G	42.50	54.00	-11.50	3	Vertical	61	2.20	-
5785MHz	Pass	PK	11.56718G	56.44	74.00	-17.56	3	Vertical	61	2.20	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	17.35248G	64.03	68.20	-4.17	3	Vertical	235	1.25	-
5785MHz	Pass	AV	11.55818G	42.45	54.00	-11.55	3	Horizontal	70	2.02	-
5785MHz	Pass	PK	11.55842G	56.16	74.00	-17.84	3	Horizontal	70	2.02	-
5785MHz	Pass	PK	17.34432G	64.03	68.20	-4.17	3	Horizontal	236	2.27	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX											
5785MHz	Pass	AV	5.791G	104.75	Inf	-Inf	3	Vertical	24	1.57	-
5785MHz	Pass	PK	5.5078G	57.39	68.20	-10.81	3	Vertical	24	1.57	-
5785MHz	Pass	PK	5.791G	115.21	Inf	-Inf	3	Vertical	24	1.57	-
5785MHz	Pass	PK	6.0058G	58.79	68.20	-9.41	3	Vertical	24	1.57	-
5785MHz	Pass	AV	5.7934G	104.96	Inf	-Inf	3	Horizontal	16	1.85	-
5785MHz	Pass	PK	5.5426G	57.95	68.20	-10.25	3	Horizontal	16	1.85	-
5785MHz	Pass	PK	5.7934G	114.88	Inf	-Inf	3	Horizontal	16	1.85	-
5785MHz	Pass	PK	5.9758G	59.59	68.20	-8.61	3	Horizontal	16	1.85	-
5785MHz	Pass	AV	11.54008G	42.54	54.00	-11.46	3	Vertical	203	1.42	-
5785MHz	Pass	PK	11.54488G	58.52	74.00	-18.48	3	Vertical	203	1.42	-
5785MHz	Pass	PK	17.36556G	63.69	68.20	-4.51	3	Vertical	14	1.35	-
5785MHz	Pass	AV	11.53032G	42.57	54.00	-11.43	3	Horizontal	39	1.23	-
5785MHz	Pass	PK	11.56472G	56.13	74.00	-17.87	3	Horizontal	39	1.23	-
5785MHz	Pass	PK	17.38348G	63.41	68.20	-4.79	3	Horizontal	135	2.74	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX											
5785MHz	Pass	AV	5.7886G	101.95	Inf	-Inf	3	Vertical	100	1.50	-
5785MHz	Pass	PK	5.6206G	59.15	68.20	-9.05	3	Vertical	100	1.50	-
5785MHz	Pass	PK	5.7886G	112.54	Inf	-Inf	3	Vertical	100	1.50	-
5785MHz	Pass	PK	5.9734G	59.07	68.20	-9.13	3	Vertical	100	1.50	-
5785MHz	Pass	AV	5.7874G	101.56	Inf	-Inf	3	Horizontal	40	1.64	-
5785MHz	Pass	PK	5.539G	58.39	68.20	-9.81	3	Horizontal	40	1.64	-
5785MHz	Pass	PK	5.7898G	112.59	Inf	-Inf	3	Horizontal	40	1.64	-
5785MHz	Pass	PK	6.0646G	59.28	68.20	-8.92	3	Horizontal	40	1.64	-
5785MHz	Pass	AV	11.53432G	42.51	54.00	-11.49	3	Vertical	254	2.71	-
5785MHz	Pass	PK	11.53912G	55.34	74.00	-18.66	3	Vertical	254	2.71	-
5785MHz	Pass	PK	17.35164G	63.02	68.20	-5.18	3	Vertical	154	1.89	-
5785MHz	Pass	AV	11.53112G	42.60	54.00	-11.40	3	Horizontal	50	2.56	-
5785MHz	Pass	PK	11.56792G	55.49	74.00	-18.51	3	Horizontal	50	2.56	-
5785MHz	Pass	PK	17.39468G	63.75	68.20	-4.45	3	Horizontal	193	1.17	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX											
5825MHz	Pass	AV	5.8334G	101.00	Inf	-Inf	3	Vertical	18	1.50	-
5825MHz	Pass	PK	5.6162G	57.70	68.20	-10.50	3	Vertical	18	1.50	-
5825MHz	Pass	PK	5.8334G	112.99	Inf	-Inf	3	Vertical	18	1.50	-
5825MHz	Pass	PK	6.0578G	59.31	68.20	-8.89	3	Vertical	18	1.50	-
5825MHz	Pass	AV	5.8334G	102.12	Inf	-Inf	3	Horizontal	0	1.98	-
5825MHz	Pass	PK	5.5586G	58.21	68.20	-9.99	3	Horizontal	0	1.98	-
5825MHz	Pass	PK	5.8334G	113.87	Inf	-Inf	3	Horizontal	0	1.98	-
5825MHz	Pass	PK	5.9342G	58.46	68.20	-9.74	3	Horizontal	0	1.98	-
5825MHz	Pass	AV	11.63662G	42.04	54.00	-11.96	3	Vertical	312	1.73	-
5825MHz	Pass	PK	11.6416G	55.24	74.00	-18.76	3	Vertical	312	1.73	-
5825MHz	Pass	PK	17.47062G	64.24	68.20	-3.96	3	Vertical	225	1.07	-
5825MHz	Pass	AV	11.63632G	41.93	54.00	-12.07	3	Horizontal	346	1.33	-
5825MHz	Pass	PK	11.65504G	55.73	74.00	-18.27	3	Horizontal	346	1.33	-
5825MHz	Pass	PK	17.48736G	64.10	68.20	-4.10	3	Horizontal	26	1.43	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX											
5825MHz	Pass	AV	5.831G	104.71	Inf	-Inf	3	Vertical	25	1.65	-
5825MHz	Pass	PK	5.5418G	57.78	68.20	-10.42	3	Vertical	25	1.65	-
5825MHz	Pass	PK	5.8322G	116.42	Inf	-Inf	3	Vertical	25	1.65	-
5825MHz	Pass	PK	6.0626G	59.54	68.20	-8.66	3	Vertical	25	1.65	-
5825MHz	Pass	AV	5.8346G	103.92	Inf	-Inf	3	Horizontal	17	1.65	-
5825MHz	Pass	PK	5.6294G	58.60	68.20	-9.60	3	Horizontal	17	1.65	-
5825MHz	Pass	PK	5.8334G	113.93	Inf	-Inf	3	Horizontal	17	1.65	-
5825MHz	Pass	PK	6.0998G	58.84	68.20	-9.36	3	Horizontal	17	1.65	-
5825MHz	Pass	AV	11.61608G	41.92	54.00	-12.08	3	Vertical	70	2.04	-
5825MHz	Pass	PK	11.65512G	54.47	74.00	-19.53	3	Vertical	70	2.04	-
5825MHz	Pass	PK	17.50508G	63.89	68.20	-4.31	3	Vertical	277	2.19	-
5825MHz	Pass	AV	11.6108G	41.90	54.00	-12.10	3	Horizontal	277	1.16	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	11.64232G	54.66	74.00	-19.34	3	Horizontal	277	1.16	-
5825MHz	Pass	PK	17.49804G	64.68	68.20	-3.52	3	Horizontal	1	2.97	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX	-	-	-	-	-	-	-	-	-	-	-
5825MHz	Pass	AV	5.8286G	102.71	Inf	-Inf	3	Vertical	99	1.50	-
5825MHz	Pass	PK	5.6426G	58.54	68.20	-9.66	3	Vertical	99	1.50	-
5825MHz	Pass	PK	5.8286G	113.78	Inf	-Inf	3	Vertical	99	1.50	-
5825MHz	Pass	PK	6.0302G	59.38	68.20	-8.82	3	Vertical	99	1.50	-
5825MHz	Pass	AV	5.8286G	101.73	Inf	-Inf	3	Horizontal	40	1.70	-
5825MHz	Pass	PK	5.6162G	58.01	68.20	-10.19	3	Horizontal	40	1.70	-
5825MHz	Pass	PK	5.8286G	112.95	Inf	-Inf	3	Horizontal	40	1.70	-
5825MHz	Pass	PK	6.0386G	59.45	68.20	-8.75	3	Horizontal	40	1.70	-
5825MHz	Pass	AV	11.61096G	41.98	54.00	-12.02	3	Vertical	74	1.76	-
5825MHz	Pass	PK	11.61016G	54.69	74.00	-19.31	3	Vertical	74	1.76	-
5825MHz	Pass	PK	17.46828G	63.84	68.20	-4.36	3	Vertical	297	1.41	-
5825MHz	Pass	AV	11.61912G	41.91	54.00	-12.09	3	Horizontal	218	2.17	-
5825MHz	Pass	PK	11.68296G	54.88	74.00	-19.12	3	Horizontal	218	2.17	-
5825MHz	Pass	PK	17.50188G	64.70	68.20	-3.50	3	Horizontal	353	2.67	-
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	46.98	54.00	-7.02	3	Vertical	97	1.66	-
5190MHz	Pass	AV	5.1816G	100.46	Inf	-Inf	3	Vertical	97	1.66	-
5190MHz	Pass	PK	5.1368G	68.93	74.00	-5.07	3	Vertical	97	1.66	-
5190MHz	Pass	PK	5.182G	113.34	Inf	-Inf	3	Vertical	97	1.66	-
5190MHz	Pass	AV	5.15G	46.44	54.00	-7.56	3	Horizontal	26	1.70	-
5190MHz	Pass	AV	5.1812G	97.30	Inf	-Inf	3	Horizontal	26	1.70	-
5190MHz	Pass	PK	5.136G	64.18	74.00	-9.82	3	Horizontal	26	1.70	-
5190MHz	Pass	PK	5.1812G	110.39	Inf	-Inf	3	Horizontal	26	1.70	-
5190MHz	Pass	AV	15.53112G	47.67	54.00	-6.33	3	Vertical	134	1.23	-
5190MHz	Pass	PK	10.38768G	54.50	68.20	-13.70	3	Vertical	226	2.82	-
5190MHz	Pass	PK	15.54136G	60.29	74.00	-13.71	3	Vertical	134	1.23	-
5190MHz	Pass	AV	15.53384G	47.73	54.00	-6.27	3	Horizontal	50	1.65	-
5190MHz	Pass	PK	10.356G	54.87	68.20	-13.33	3	Horizontal	121	2.24	-
5190MHz	Pass	PK	15.53192G	60.64	74.00	-13.36	3	Horizontal	50	1.65	-
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX	-	-	-	-	-	-	-	-	-	-	-
5230MHz	Pass	AV	5.1428G	46.52	54.00	-7.48	3	Vertical	80	1.83	-
5230MHz	Pass	AV	5.2412G	99.49	Inf	-Inf	3	Vertical	80	1.83	-
5230MHz	Pass	PK	5.1496G	60.52	74.00	-13.48	3	Vertical	80	1.83	-
5230MHz	Pass	PK	5.2424G	113.40	Inf	-Inf	3	Vertical	80	1.83	-
5230MHz	Pass	AV	5.1436G	46.09	54.00	-7.91	3	Horizontal	26	1.65	-
5230MHz	Pass	AV	5.2316G	96.13	Inf	-Inf	3	Horizontal	26	1.65	-
5230MHz	Pass	PK	5.1404G	58.61	74.00	-15.39	3	Horizontal	26	1.65	-
5230MHz	Pass	PK	5.232G	108.00	Inf	-Inf	3	Horizontal	26	1.65	-
5230MHz	Pass	AV	15.68568G	46.07	54.00	-7.93	3	Vertical	313	1.15	-
5230MHz	Pass	PK	10.496G	54.46	68.20	-13.74	3	Vertical	214	1.37	-
5230MHz	Pass	PK	15.67112G	59.96	74.00	-14.04	3	Vertical	313	1.15	-
5230MHz	Pass	AV	15.67448G	46.06	54.00	-7.94	3	Horizontal	47	2.00	-
5230MHz	Pass	PK	10.48896G	55.02	68.20	-13.18	3	Horizontal	143	2.43	-
5230MHz	Pass	PK	15.68504G	59.62	74.00	-14.38	3	Horizontal	47	2.00	-
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2516G	101.09	Inf	-Inf	3	Vertical	82	1.76	-
5270MHz	Pass	AV	5.3532G	46.03	54.00	-7.97	3	Vertical	82	1.76	-
5270MHz	Pass	PK	5.252G	113.35	Inf	-Inf	3	Vertical	82	1.76	-
5270MHz	Pass	PK	5.3556G	66.17	74.00	-7.83	3	Vertical	82	1.76	-
5270MHz	Pass	AV	5.2612G	97.85	Inf	-Inf	3	Horizontal	25	1.75	-
5270MHz	Pass	AV	5.3652G	45.63	54.00	-8.37	3	Horizontal	25	1.75	-
5270MHz	Pass	PK	5.262G	110.18	Inf	-Inf	3	Horizontal	25	1.75	-
5270MHz	Pass	PK	5.3524G	61.66	74.00	-12.34	3	Horizontal	25	1.75	-
5270MHz	Pass	AV	15.77464G	45.35	54.00	-8.65	3	Vertical	188	1.76	-
5270MHz	Pass	PK	10.504G	54.54	68.20	-13.66	3	Vertical	209	2.26	-
5270MHz	Pass	PK	15.82168G	58.90	74.00	-15.10	3	Vertical	188	1.76	-
5270MHz	Pass	AV	15.84808G	45.36	54.00	-8.64	3	Horizontal	300	2.86	-
5270MHz	Pass	PK	10.5088G	54.41	68.20	-13.79	3	Horizontal	175	2.52	-
5270MHz	Pass	PK	15.8276G	58.65	74.00	-15.35	3	Horizontal	300	2.86	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 2_TX	-	-	-	-	-	-	-	-	-	-	-
5310MHz	Pass	AV	5.3212G	99.36	Inf	-Inf	3	Vertical	83	1.86	-
5310MHz	Pass	AV	5.3524G	46.36	54.00	-7.64	3	Vertical	83	1.86	-
5310MHz	Pass	PK	5.3208G	111.86	Inf	-Inf	3	Vertical	83	1.86	-
5310MHz	Pass	PK	5.3512G	72.07	74.00	-1.93	3	Vertical	83	1.86	-
5310MHz	Pass	AV	5.3212G	96.86	Inf	-Inf	3	Horizontal	26	1.71	-
5310MHz	Pass	AV	5.352G	45.88	54.00	-8.12	3	Horizontal	26	1.71	-
5310MHz	Pass	PK	5.3204G	109.69	Inf	-Inf	3	Horizontal	26	1.71	-
5310MHz	Pass	PK	5.3548G	68.02	74.00	-5.98	3	Horizontal	26	1.71	-
5310MHz	Pass	AV	10.6592G	42.10	54.00	-11.90	3	Vertical	225	1.83	-
5310MHz	Pass	AV	15.94536G	46.31	54.00	-7.69	3	Vertical	262	1.06	-
5310MHz	Pass	PK	10.60304G	55.02	74.00	-18.98	3	Vertical	225	1.83	-
5310MHz	Pass	PK	15.95496G	59.61	74.00	-14.39	3	Vertical	262	1.06	-
5310MHz	Pass	AV	10.65936G	42.01	54.00	-11.99	3	Horizontal	117	2.13	-
5310MHz	Pass	AV	15.9548G	46.31	54.00	-7.69	3	Horizontal	72	2.81	-
5310MHz	Pass	PK	10.65792G	54.99	74.00	-19.01	3	Horizontal	117	2.13	-
5310MHz	Pass	PK	15.9516G	59.09	74.00	-14.91	3	Horizontal	72	2.81	-
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2_TX	-	-	-	-	-	-	-	-	-	-	-
5510MHz	Pass	AV	5.458G	46.13	54.00	-7.87	3	Vertical	81	1.77	-
5510MHz	Pass	AV	5.5016G	101.03	Inf	-Inf	3	Vertical	81	1.77	-
5510MHz	Pass	PK	5.4652G	65.52	68.20	-2.68	3	Vertical	81	1.77	-
5510MHz	Pass	PK	5.502G	113.84	Inf	-Inf	3	Vertical	81	1.77	-
5510MHz	Pass	AV	5.4592G	45.79	54.00	-8.21	3	Horizontal	22	1.78	-
5510MHz	Pass	AV	5.5004G	98.28	Inf	-Inf	3	Horizontal	22	1.78	-
5510MHz	Pass	PK	5.4604G	61.83	68.20	-6.37	3	Horizontal	22	1.78	-
5510MHz	Pass	PK	5.5016G	110.17	Inf	-Inf	3	Horizontal	22	1.78	-
5510MHz	Pass	AV	11.004G	42.60	54.00	-11.40	3	Vertical	251	2.77	-
5510MHz	Pass	PK	11.0104G	55.64	74.00	-18.36	3	Vertical	251	2.77	-
5510MHz	Pass	PK	16.51608G	61.75	68.20	-6.45	3	Vertical	211	1.11	-
5510MHz	Pass	AV	11.00672G	42.57	54.00	-11.43	3	Horizontal	317	1.00	-
5510MHz	Pass	PK	11.04384G	56.28	74.00	-17.72	3	Horizontal	317	1.00	-
5510MHz	Pass	PK	16.50136G	62.49	68.20	-5.71	3	Horizontal	81	1.77	-
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2_TX	-	-	-	-	-	-	-	-	-	-	-
5550MHz	Pass	AV	5.452G	46.37	54.00	-7.63	3	Vertical	100	1.71	-
5550MHz	Pass	AV	5.5612G	102.46	Inf	-Inf	3	Vertical	100	1.71	-
5550MHz	Pass	PK	5.4628G	59.73	68.20	-8.47	3	Vertical	100	1.71	-
5550MHz	Pass	PK	5.562G	114.89	Inf	-Inf	3	Vertical	100	1.71	-
5550MHz	Pass	AV	5.4544G	45.75	54.00	-8.25	3	Horizontal	17	1.77	-
5550MHz	Pass	AV	5.5588G	100.42	Inf	-Inf	3	Horizontal	17	1.77	-
5550MHz	Pass	PK	5.4676G	59.80	68.20	-8.40	3	Horizontal	17	1.77	-
5550MHz	Pass	PK	5.5592G	113.18	Inf	-Inf	3	Horizontal	17	1.77	-
5550MHz	Pass	AV	11.06256G	42.20	54.00	-11.80	3	Vertical	200	1.08	-
5550MHz	Pass	PK	11.09616G	54.99	74.00	-19.01	3	Vertical	200	1.08	-
5550MHz	Pass	PK	16.65688G	61.69	68.20	-6.51	3	Vertical	71	1.42	-
5550MHz	Pass	AV	11.07504G	42.21	54.00	-11.79	3	Horizontal	167	2.43	-
5550MHz	Pass	PK	11.09184G	56.04	74.00	-17.96	3	Horizontal	167	2.43	-
5550MHz	Pass	PK	16.68264G	61.33	68.20	-6.87	3	Horizontal	197	2.94	-
5670MHz	Pass	AV	5.6718G	100.78	Inf	-Inf	3	Vertical	82	1.77	-
5670MHz	Pass	PK	5.673G	113.81	Inf	-Inf	3	Vertical	82	1.77	-
5670MHz	Pass	PK	5.7366G	62.59	68.20	-5.61	3	Vertical	82	1.77	-
5670MHz	Pass	AV	5.6802G	99.87	Inf	-Inf	3	Horizontal	17	1.74	-
5670MHz	Pass	PK	5.6796G	111.87	Inf	-Inf	3	Horizontal	17	1.74	-
5670MHz	Pass	PK	5.7408G	63.93	68.20	-4.27	3	Horizontal	17	1.74	-
5670MHz	Pass	AV	11.34848G	42.42	54.00	-11.58	3	Vertical	249	1.26	-
5670MHz	Pass	PK	11.30352G	55.19	74.00	-18.81	3	Vertical	249	1.26	-
5670MHz	Pass	PK	17.03848G	64.17	68.20	-4.03	3	Vertical	262	2.03	-
5670MHz	Pass	AV	11.34688G	42.35	54.00	-11.65	3	Horizontal	246	1.32	-
5670MHz	Pass	PK	11.35568G	55.28	74.00	-18.72	3	Horizontal	246	1.32	-
5670MHz	Pass	PK	17.03688G	64.09	68.20	-4.11	3	Horizontal	338	2.16	-
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2_TX	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	AV	5.737G	100.72	Inf	-Inf	3	Vertical	81	1.76	-
5755MHz	Pass	PK	5.6098G	61.27	68.20	-6.93	3	Vertical	81	1.76	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5755MHz	Pass	PK	5.737G	112.29	Inf	-Inf	3	Vertical	81	1.76	-
5755MHz	Pass	PK	6.0358G	58.82	68.20	-9.38	3	Vertical	81	1.76	-
5755MHz	Pass	AV	5.7478G	99.08	Inf	-Inf	3	Horizontal	40	1.69	-
5755MHz	Pass	PK	5.6278G	59.37	68.20	-8.83	3	Horizontal	40	1.69	-
5755MHz	Pass	PK	5.749G	111.29	Inf	-Inf	3	Horizontal	40	1.69	-
5755MHz	Pass	PK	5.9602G	59.70	68.20	-8.50	3	Horizontal	40	1.69	-
5755MHz	Pass	AV	11.5196G	42.68	54.00	-11.32	3	Vertical	112	1.81	-
5755MHz	Pass	PK	11.50216G	55.64	74.00	-18.36	3	Vertical	112	1.81	-
5755MHz	Pass	PK	17.29492G	63.01	68.20	-5.19	3	Vertical	190	2.51	-
5755MHz	Pass	AV	11.52168G	42.67	54.00	-11.33	3	Horizontal	196	2.04	-
5755MHz	Pass	PK	11.5364G	52.31	74.00	-18.69	3	Horizontal	196	2.04	-
5755MHz	Pass	PK	17.28628G	62.91	68.20	-5.29	3	Horizontal	12	2.21	-
802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX											
5795MHz	Pass	AV	5.8082G	100.59	Inf	-Inf	3	Vertical	84	1.50	-
5795MHz	Pass	PK	5.6498G	60.90	68.20	-7.30	3	Vertical	84	1.50	-
5795MHz	Pass	PK	5.8082G	113.29	Inf	-Inf	3	Vertical	84	1.50	-
5795MHz	Pass	PK	5.9234G	62.71	69.38	-6.67	3	Vertical	84	1.50	-
5795MHz	Pass	AV	5.8034G	98.79	Inf	-Inf	3	Horizontal	20	2.10	-
5795MHz	Pass	PK	5.6438G	63.68	68.20	-4.52	3	Horizontal	20	2.10	-
5795MHz	Pass	PK	5.8058G	110.50	Inf	-Inf	3	Horizontal	20	2.10	-
5795MHz	Pass	PK	6.0902G	59.05	68.20	-9.15	3	Horizontal	20	2.10	-
5795MHz	Pass	AV	11.55272G	42.44	54.00	-11.56	3	Vertical	206	2.15	-
5795MHz	Pass	PK	11.58056G	55.15	74.00	-18.85	3	Vertical	206	2.15	-
5795MHz	Pass	PK	17.40836G	63.29	68.20	-4.91	3	Vertical	341	2.84	-
5795MHz	Pass	AV	11.55G	42.40	54.00	-11.60	3	Horizontal	73	2.69	-
5795MHz	Pass	PK	11.57592G	55.61	74.00	-18.39	3	Horizontal	73	2.69	-
5795MHz	Pass	PK	17.39092G	63.67	68.20	-4.53	3	Horizontal	298	1.83	-
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX											
5210MHz	Pass	AV	5.15G	46.98	54.00	-7.02	3	Vertical	98	1.75	-
5210MHz	Pass	AV	5.182G	96.79	Inf	-Inf	3	Vertical	98	1.75	-
5210MHz	Pass	AV	5.411G	45.61	54.00	-8.39	3	Vertical	98	1.75	-
5210MHz	Pass	PK	5.15G	70.09	74.00	-3.91	3	Vertical	98	1.75	-
5210MHz	Pass	PK	5.192G	109.26	Inf	-Inf	3	Vertical	98	1.75	-
5210MHz	Pass	PK	5.353G	59.76	74.00	-14.24	3	Vertical	98	1.75	-
5210MHz	Pass	AV	5.15G	45.99	54.00	-8.01	3	Horizontal	27	1.74	-
5210MHz	Pass	AV	5.181G	92.97	Inf	-Inf	3	Horizontal	27	1.74	-
5210MHz	Pass	AV	5.362G	45.37	54.00	-8.63	3	Horizontal	27	1.74	-
5210MHz	Pass	PK	5.15G	65.15	74.00	-8.85	3	Horizontal	27	1.74	-
5210MHz	Pass	PK	5.172G	104.57	Inf	-Inf	3	Horizontal	27	1.74	-
5210MHz	Pass	PK	5.363G	58.23	74.00	-15.77	3	Horizontal	27	1.74	-
5210MHz	Pass	AV	15.59096G	46.39	54.00	-7.61	3	Vertical	63	2.10	-
5210MHz	Pass	PK	10.43184G	54.35	68.20	-13.85	3	Vertical	251	2.07	-
5210MHz	Pass	PK	15.63064G	59.13	74.00	-14.87	3	Vertical	63	2.10	-
5210MHz	Pass	AV	15.5908G	46.40	54.00	-7.60	3	Horizontal	73	2.93	-
5210MHz	Pass	PK	10.45888G	54.34	68.20	-13.86	3	Horizontal	228	2.92	-
5210MHz	Pass	PK	15.59544G	58.81	74.00	-15.19	3	Horizontal	73	2.93	-
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX											
5290MHz	Pass	AV	5.14G	46.45	54.00	-7.55	3	Vertical	84	2.02	-
5290MHz	Pass	AV	5.3G	95.84	Inf	-Inf	3	Vertical	84	2.02	-
5290MHz	Pass	AV	5.355G	46.99	54.00	-7.01	3	Vertical	84	2.02	-
5290MHz	Pass	PK	5.149G	66.58	74.00	-7.42	3	Vertical	84	2.02	-
5290MHz	Pass	PK	5.3G	109.53	Inf	-Inf	3	Vertical	84	2.02	-
5290MHz	Pass	PK	5.374G	71.97	74.00	-2.03	3	Vertical	84	2.02	-
5290MHz	Pass	AV	5.145G	46.12	54.00	-7.88	3	Horizontal	24	1.50	-
5290MHz	Pass	AV	5.31G	91.89	Inf	-Inf	3	Horizontal	24	1.50	-
5290MHz	Pass	AV	5.35G	46.44	54.00	-7.56	3	Horizontal	24	1.50	-
5290MHz	Pass	PK	5.146G	62.51	74.00	-11.49	3	Horizontal	24	1.50	-
5290MHz	Pass	PK	5.3G	105.41	Inf	-Inf	3	Horizontal	24	1.50	-
5290MHz	Pass	PK	5.378G	68.77	74.00	-5.23	3	Horizontal	24	1.50	-
5290MHz	Pass	AV	15.8728G	45.87	54.00	-8.13	3	Vertical	12	1.68	-
5290MHz	Pass	PK	10.58172G	54.72	68.20	-13.48	3	Vertical	32	1.50	-
5290MHz	Pass	PK	15.87792G	59.52	74.00	-14.48	3	Vertical	12	1.68	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	AV	15.8768G	45.90	54.00	-8.10	3	Horizontal	276	2.34	-
5290MHz	Pass	PK	10.58652G	54.84	68.20	-13.36	3	Horizontal	210	2.22	-
5290MHz	Pass	PK	15.8652G	60.13	74.00	-13.87	3	Horizontal	276	2.34	-
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX											
5530MHz	Pass	AV	5.46G	45.70	54.00	-8.30	3	Vertical	98	1.85	-
5530MHz	Pass	AV	5.511G	96.29	Inf	-Inf	3	Vertical	98	1.85	-
5530MHz	Pass	PK	5.467G	64.91	68.20	-3.29	3	Vertical	98	1.85	-
5530MHz	Pass	PK	5.512G	108.54	Inf	-Inf	3	Vertical	98	1.85	-
5530MHz	Pass	PK	5.727G	58.57	68.20	-9.63	3	Vertical	98	1.85	-
5530MHz	Pass	AV	5.35G	45.10	54.00	-8.90	3	Horizontal	21	1.50	-
5530MHz	Pass	AV	5.388G	45.32	54.00	-8.68	3	Horizontal	21	1.50	-
5530MHz	Pass	AV	5.5G	93.42	Inf	-Inf	3	Horizontal	21	1.50	-
5530MHz	Pass	PK	5.465G	62.08	68.20	-6.12	3	Horizontal	21	1.50	-
5530MHz	Pass	PK	5.5G	106.04	Inf	-Inf	3	Horizontal	21	1.50	-
5530MHz	Pass	PK	5.754G	58.98	68.20	-9.22	3	Horizontal	21	1.50	-
5530MHz	Pass	AV	11.02176G	42.56	54.00	-11.44	3	Vertical	289	2.23	-
5530MHz	Pass	PK	11.03648G	55.30	74.00	-18.70	3	Vertical	289	2.23	-
5530MHz	Pass	PK	16.56056G	61.32	68.20	-6.88	3	Vertical	40	1.12	-
5530MHz	Pass	AV	11.03216G	42.50	54.00	-11.50	3	Horizontal	73	1.50	-
5530MHz	Pass	PK	11.02256G	55.50	74.00	-18.50	3	Horizontal	73	1.50	-
5530MHz	Pass	PK	16.62488G	61.66	68.20	-6.54	3	Horizontal	215	2.47	-
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX											
5610MHz	Pass	AV	5.455G	45.95	54.00	-8.05	3	Vertical	79	1.83	-
5610MHz	Pass	AV	5.621G	97.82	Inf	-Inf	3	Vertical	79	1.83	-
5610MHz	Pass	PK	5.467G	66.28	68.20	-1.92	3	Vertical	79	1.83	-
5610MHz	Pass	PK	5.62G	110.62	Inf	-Inf	3	Vertical	79	1.83	-
5610MHz	Pass	PK	5.726G	66.03	68.20	-2.17	3	Vertical	79	1.83	-
5610MHz	Pass	AV	5.393G	45.58	54.00	-8.42	3	Horizontal	21	2.62	-
5610MHz	Pass	AV	5.626G	96.48	Inf	-Inf	3	Horizontal	21	2.62	-
5610MHz	Pass	PK	5.47G	63.59	68.20	-4.61	3	Horizontal	21	2.62	-
5610MHz	Pass	PK	5.626G	109.41	Inf	-Inf	3	Horizontal	21	2.62	-
5610MHz	Pass	PK	5.725G	66.16	68.20	-2.04	3	Horizontal	21	2.62	-
5610MHz	Pass	AV	11.22176G	42.18	54.00	-11.82	3	Vertical	136	2.02	-
5610MHz	Pass	PK	11.21684G	55.48	74.00	-18.52	3	Vertical	136	2.02	-
5610MHz	Pass	PK	16.83656G	62.67	68.20	-5.53	3	Vertical	37	1.76	-
5610MHz	Pass	AV	11.21944G	42.08	54.00	-11.92	3	Horizontal	31	1.23	-
5610MHz	Pass	PK	11.21376G	55.90	74.00	-18.10	3	Horizontal	31	1.23	-
5610MHz	Pass	PK	16.82704G	63.46	68.20	-4.74	3	Horizontal	230	2.96	-
802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX											
5775MHz	Pass	PK	5.7582G	108.76	Inf	-Inf	3	Vertical	71	1.08	-
5775MHz	Pass	PK	5.6346G	64.80	68.20	-3.40	3	Vertical	71	1.08	-
5775MHz	Pass	PK	5.9334G	66.60	68.20	-1.60	3	Vertical	71	1.08	-
5775MHz	Pass	AV	5.7582G	97.01	Inf	-Inf	3	Vertical	71	1.08	-
5775MHz	Pass	AV	5.7378G	95.45	Inf	-Inf	3	Horizontal	39	1.69	-
5775MHz	Pass	PK	5.6442G	63.39	68.20	-4.81	3	Horizontal	39	1.69	-
5775MHz	Pass	PK	5.7474G	107.87	Inf	-Inf	3	Horizontal	39	1.69	-
5775MHz	Pass	PK	5.9286G	66.04	68.20	-2.16	3	Horizontal	39	1.69	-
5775MHz	Pass	AV	11.51672G	42.64	54.00	-11.36	3	Vertical	359	1.95	-
5775MHz	Pass	PK	11.5532G	55.52	74.00	-18.48	3	Vertical	359	1.95	-
5775MHz	Pass	PK	17.28964G	63.39	68.20	-4.81	3	Vertical	131	2.54	-
5775MHz	Pass	AV	11.5196G	42.63	54.00	-11.37	3	Horizontal	168	1.48	-
5775MHz	Pass	PK	11.51848G	55.82	74.00	-18.18	3	Horizontal	168	1.48	-
5775MHz	Pass	PK	17.34884G	62.93	68.20	-5.27	3	Horizontal	223	2.84	-
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX											
5250MHz	Pass	AV	5.15G	46.32	54.00	-7.68	3	Vertical	83	1.93	-
5250MHz	Pass	AV	5.1912G	91.96	Inf	-Inf	3	Vertical	83	1.93	-
5250MHz	Pass	AV	5.3808G	45.94	54.00	-8.06	3	Vertical	83	1.93	-
5250MHz	Pass	PK	5.1252G	70.26	74.00	-3.74	3	Vertical	83	1.93	-
5250MHz	Pass	PK	5.2008G	104.25	Inf	-Inf	3	Vertical	83	1.93	-
5250MHz	Pass	PK	5.3952G	69.89	74.00	-4.11	3	Vertical	83	1.93	-
5250MHz	Pass	AV	5.1468G	46.00	54.00	-8.00	3	Horizontal	27	1.50	-
5250MHz	Pass	AV	5.2116G	88.06	Inf	-Inf	3	Horizontal	27	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5250MHz	Pass	AV	5.3916G	45.54	54.00	-8.46	3	Horizontal	27	1.50	-
5250MHz	Pass	PK	5.1264G	65.13	74.00	-8.87	3	Horizontal	27	1.50	-
5250MHz	Pass	PK	5.2416G	99.62	Inf	-Inf	3	Horizontal	27	1.50	-
5250MHz	Pass	PK	5.3964G	64.59	74.00	-9.41	3	Horizontal	27	1.50	-
5250MHz	Pass	AV	15.71384G	45.71	54.00	-8.29	3	Vertical	352	2.73	-
5250MHz	Pass	PK	10.52464G	54.69	68.20	-13.51	3	Vertical	205	2.78	-
5250MHz	Pass	PK	15.72008G	58.51	74.00	-15.49	3	Vertical	352	2.73	-
5250MHz	Pass	AV	15.71112G	45.77	54.00	-8.23	3	Horizontal	174	1.68	-
5250MHz	Pass	PK	10.5192G	55.33	68.20	-12.87	3	Horizontal	17	2.52	-
5250MHz	Pass	PK	15.71608G	58.78	74.00	-15.22	3	Horizontal	174	1.68	-
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_2TX											
5250MHz	Pass	AV	5.1492G	46.44	54.00	-7.56	3	Vertical	87	1.92	-
5250MHz	Pass	AV	5.2692G	91.53	Inf	-Inf	3	Vertical	87	1.92	-
5250MHz	Pass	AV	5.3532G	46.49	54.00	-7.51	3	Vertical	87	1.92	-
5250MHz	Pass	PK	5.13G	71.95	74.00	-2.05	3	Vertical	87	1.92	-
5250MHz	Pass	PK	5.2704G	104.46	Inf	-Inf	3	Vertical	87	1.92	-
5250MHz	Pass	PK	5.3964G	70.45	74.00	-3.55	3	Vertical	87	1.92	-
5250MHz	Pass	AV	5.1456G	45.96	54.00	-8.04	3	Horizontal	23	1.59	-
5250MHz	Pass	AV	5.2608G	87.83	Inf	-Inf	3	Horizontal	23	1.59	-
5250MHz	Pass	AV	5.3544G	45.83	54.00	-8.17	3	Horizontal	23	1.59	-
5250MHz	Pass	PK	5.1444G	67.29	74.00	-6.71	3	Horizontal	23	1.59	-
5250MHz	Pass	PK	5.2704G	100.79	Inf	-Inf	3	Horizontal	23	1.59	-
5250MHz	Pass	PK	5.3916G	67.69	74.00	-6.31	3	Horizontal	23	1.59	-
5250MHz	Pass	AV	15.74052G	45.41	54.00	-8.59	3	Vertical	155	1.12	-
5250MHz	Pass	PK	10.49296G	54.92	68.20	-13.28	3	Vertical	140	2.48	-
5250MHz	Pass	PK	15.74032G	58.74	74.00	-15.26	3	Vertical	155	1.12	-
5250MHz	Pass	AV	15.75392G	45.40	54.00	-8.60	3	Horizontal	135	1.76	-
5250MHz	Pass	PK	10.4932G	54.88	68.20	-13.32	3	Horizontal	4	1.21	-
5250MHz	Pass	PK	15.74632G	58.44	74.00	-15.56	3	Horizontal	135	1.76	-
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX											
5570MHz	Pass	AV	5.4536G	46.35	54.00	-7.65	3	Vertical	83	1.85	-
5570MHz	Pass	AV	5.552G	91.90	Inf	-Inf	3	Vertical	83	1.85	-
5570MHz	Pass	PK	5.4656G	63.26	68.20	-4.94	3	Vertical	83	1.85	-
5570MHz	Pass	PK	5.5424G	104.27	Inf	-Inf	3	Vertical	83	1.85	-
5570MHz	Pass	PK	5.8064G	59.88	68.20	-8.32	3	Vertical	83	1.85	-
5570MHz	Pass	AV	5.4512G	47.35	54.00	-6.65	3	Horizontal	17	1.67	-
5570MHz	Pass	AV	5.5412G	91.19	Inf	-Inf	3	Horizontal	17	1.67	-
5570MHz	Pass	PK	5.4656G	57.82	68.20	-10.38	3	Horizontal	17	1.67	-
5570MHz	Pass	PK	5.5208G	100.61	Inf	-Inf	3	Horizontal	17	1.67	-
5570MHz	Pass	PK	5.726G	59.55	68.20	-8.65	3	Horizontal	17	1.67	-
5570MHz	Pass	AV	11.13104G	42.10	54.00	-11.90	3	Vertical	93	1.10	-
5570MHz	Pass	PK	11.16992G	55.16	74.00	-18.84	3	Vertical	93	1.10	-
5570MHz	Pass	PK	16.74568G	62.97	68.20	-5.23	3	Vertical	193	1.27	-
5570MHz	Pass	AV	11.1312G	42.10	54.00	-11.90	3	Horizontal	266	2.43	-
5570MHz	Pass	PK	11.1408G	54.77	74.00	-19.23	3	Horizontal	266	2.43	-
5570MHz	Pass	PK	16.7404G	62.21	68.20	-5.99	3	Horizontal	283	1.71	-
802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_2TX											
5570MHz	Pass	AV	5.4332G	45.79	54.00	-8.21	3	Vertical	78	1.83	-
5570MHz	Pass	AV	5.5724G	91.94	Inf	-Inf	3	Vertical	78	1.83	-
5570MHz	Pass	PK	5.4608G	66.60	68.20	-1.60	3	Vertical	78	1.83	-
5570MHz	Pass	PK	5.582G	104.68	Inf	-Inf	3	Vertical	78	1.83	-
5570MHz	Pass	PK	5.7272G	63.35	68.20	-4.85	3	Vertical	78	1.83	-
5570MHz	Pass	AV	5.396G	45.65	54.00	-8.35	3	Horizontal	19	1.80	-
5570MHz	Pass	AV	5.5796G	89.59	Inf	-Inf	3	Horizontal	19	1.80	-
5570MHz	Pass	PK	5.4608G	62.54	68.20	-5.66	3	Horizontal	19	1.80	-
5570MHz	Pass	PK	5.5988G	102.76	Inf	-Inf	3	Horizontal	19	1.80	-
5570MHz	Pass	PK	5.726G	62.45	68.20	-5.75	3	Horizontal	19	1.80	-
5570MHz	Pass	AV	11.13168G	41.78	54.00	-12.22	3	Vertical	293	2.79	-
5570MHz	Pass	PK	11.14612G	54.91	74.00	-19.09	3	Vertical	293	2.79	-
5570MHz	Pass	PK	16.7072G	63.04	68.20	-5.16	3	Vertical	17	2.39	-
5570MHz	Pass	AV	11.13008G	42.09	54.00	-11.91	3	Horizontal	24	1.79	-
5570MHz	Pass	PK	11.1426G	55.10	74.00	-18.90	3	Horizontal	24	1.79	-




RSE TX above 1GHz_Partial RU

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5570MHz	Pass	PK	16.71296G	62.61	68.20	-5.59	3	Horizontal	36	2.28	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	44.81	54.00	-9.19	6.84	3	Vertical	47	1.50	-	37.97	31.90	9.07	34.13
AV	5.1716G	97.30	Inf	-Inf	6.76	3	Vertical	47	1.50	-	90.54	31.81	9.08	34.13
PK	5.1348G	58.72	74.00	-15.28	6.85	3	Vertical	47	1.50	-	51.87	31.90	9.07	34.12
PK	5.1712G	110.01	Inf	-Inf	6.77	3	Vertical	47	1.50	-	103.24	31.82	9.08	34.13

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	44.81	54.00	-9.19	6.84	3	Horizontal	14	1.45	-	37.97	31.90	9.07	34.13
AV	5.1716G	94.75	Inf	-Inf	6.76	3	Horizontal	14	1.45	-	87.99	31.81	9.08	34.13
PK	5.1312G	58.18	74.00	-15.82	6.85	3	Horizontal	14	1.45	-	51.33	31.90	9.07	34.12
PK	5.1714G	107.27	Inf	-Inf	6.76	3	Horizontal	14	1.45	-	100.51	31.81	9.08	34.13


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5180MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5180MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1446G	45.72	54.00	-8.28	7.60	3	Vertical	78	1.73	-	38.12	31.90	9.83	34.13
AV	5.1718G	97.74	Inf	-Inf	7.52	3	Vertical	78	1.73	-	90.22	31.81	9.84	34.13
PK	5.1456G	59.12	74.00	-14.88	7.60	3	Vertical	78	1.73	-	51.52	31.90	9.83	34.13
PK	5.1722G	110.37	Inf	-Inf	7.52	3	Vertical	78	1.73	-	102.85	31.81	9.84	34.13


802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	45.69	54.00	-8.31	7.60	3	Horizontal	22	1.50	-	38.09	31.90	9.83	34.13
AV	5.1716G	94.20	Inf	-Inf	7.52	3	Horizontal	22	1.50	-	86.68	31.81	9.84	34.13
PK	5.1492G	59.28	74.00	-14.72	7.60	3	Horizontal	22	1.50	-	51.68	31.90	9.83	34.13
PK	5.1722G	106.65	Inf	-Inf	7.52	3	Horizontal	22	1.50	-	99.13	31.81	9.84	34.13

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX 5180MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX 5180MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1404G	45.94	54.00	-8.06	7.60	3	Vertical	66	1.76	-	38.34	31.90	9.83	34.13
AV	5.1716G	99.39	Inf	-Inf	7.52	3	Vertical	66	1.76	-	91.87	31.81	9.84	34.13
PK	5.1366G	59.14	74.00	-14.86	7.61	3	Vertical	66	1.76	-	51.53	31.90	9.83	34.12
PK	5.1718G	111.37	Inf	-Inf	7.52	3	Vertical	66	1.76	-	103.85	31.81	9.84	34.13

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1472G	45.74	54.00	-8.26	7.60	3	Horizontal	23	1.50	-	38.14	31.90	9.83	34.13
AV	5.1716G	95.56	Inf	-Inf	7.52	3	Horizontal	23	1.50	-	88.04	31.81	9.84	34.13
PK	5.1464G	58.95	74.00	-15.05	7.60	3	Horizontal	23	1.50	-	51.35	31.90	9.83	34.13
PK	5.1718G	107.64	Inf	-Inf	7.52	3	Horizontal	23	1.50	-	100.12	31.81	9.84	34.13


802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5180MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5180MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1388G	44.59	54.00	-9.41	7.61	3	Vertical	57	1.78	-	36.98	31.90	9.83	34.12
AV	5.2008G	95.43	Inf	-Inf	7.42	3	Vertical	57	1.78	-	88.01	31.70	9.86	34.14
PK	5.1484G	58.62	74.00	-15.38	7.60	3	Vertical	57	1.78	-	51.02	31.90	9.83	34.13
PK	5.2008G	107.26	Inf	-Inf	7.42	3	Vertical	57	1.78	-	99.84	31.70	9.86	34.14


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1444G	45.40	54.00	-8.60	7.60	3	Horizontal	8	1.50	-	37.80	31.90	9.83	34.13
AV	5.1992G	91.93	Inf	-Inf	7.42	3	Horizontal	8	1.50	-	84.51	31.70	9.86	34.14
PK	5.1312G	57.82	74.00	-16.18	7.60	3	Horizontal	8	1.50	-	50.22	31.90	9.82	34.12
PK	5.1992G	102.86	Inf	-Inf	7.42	3	Horizontal	8	1.50	-	95.44	31.70	9.86	34.14

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX 5200MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX 5200MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	45.71	54.00	-8.29	7.60	3	Vertical	48	1.89	-	38.11	31.90	9.83	34.13
AV	5.2084G	95.57	Inf	-Inf	7.38	3	Vertical	48	1.89	-	88.19	31.65	9.87	34.14
PK	5.1344G	60.07	74.00	-13.93	7.60	3	Vertical	48	1.89	-	52.47	31.90	9.82	34.12
PK	5.2092G	107.23	Inf	-Inf	7.37	3	Vertical	48	1.89	-	99.86	31.64	9.87	34.14


802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	45.74	54.00	-8.26	7.60	3	Horizontal	0	1.70	-	38.14	31.90	9.83	34.13
AV	5.208G	92.27	Inf	-Inf	7.38	3	Horizontal	0	1.70	-	84.89	31.65	9.87	34.14
PK	5.1172G	59.13	74.00	-14.87	7.59	3	Horizontal	0	1.70	-	51.54	31.90	9.81	34.12
PK	5.2076G	104.03	Inf	-Inf	7.38	3	Horizontal	0	1.70	-	96.65	31.65	9.87	34.14

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX 5200MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX 5200MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1432G	45.96	54.00	-8.04	7.60	3	Vertical	80	1.78	-	38.36	31.90	9.83	34.13
AV	5.2024G	98.77	Inf	-Inf	7.41	3	Vertical	80	1.78	-	91.36	31.69	9.86	34.14
PK	5.1244G	58.93	74.00	-15.07	7.60	3	Vertical	80	1.78	-	51.33	31.90	9.82	34.12
PK	5.202G	112.10	Inf	-Inf	7.41	3	Vertical	80	1.78	-	104.69	31.69	9.86	34.14


802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1388G	45.79	54.00	-8.21	7.61	3	Horizontal	24	1.50	-	38.18	31.90	9.83	34.12
AV	5.2024G	94.27	Inf	-Inf	7.41	3	Horizontal	24	1.50	-	86.86	31.69	9.86	34.14
PK	5.1232G	59.26	74.00	-14.74	7.60	3	Horizontal	24	1.50	-	51.66	31.90	9.82	34.12
PK	5.202G	107.12	Inf	-Inf	7.41	3	Horizontal	24	1.50	-	99.71	31.69	9.86	34.14

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX 5200MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX 5200MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.147G	45.32	54.00	-8.68	7.60	3	Vertical	31	1.50	-	37.72	31.90	9.83	34.13
AV	5.2484G	93.67	Inf	-Inf	7.16	3	Vertical	31	1.50	-	86.51	31.41	9.89	34.14
AV	5.3882G	44.85	54.00	-9.15	7.43	3	Vertical	31	1.50	-	37.42	31.61	9.99	34.17
PK	5.0936G	58.33	74.00	-15.67	7.57	3	Vertical	31	1.50	-	50.76	31.89	9.80	34.12
PK	5.2478G	105.59	Inf	-Inf	7.16	3	Vertical	31	1.50	-	98.43	31.41	9.89	34.14
PK	5.366G	57.59	74.00	-16.41	7.24	3	Vertical	31	1.50	-	50.35	31.43	9.98	34.17


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5240MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1476G	45.38	54.00	-8.62	7.60	3	Horizontal	6	1.50	-	37.78	31.90	9.83	34.13
AV	5.2484G	91.97	Inf	-Inf	7.16	3	Horizontal	6	1.50	-	84.81	31.41	9.89	34.14
AV	5.3882G	44.91	54.00	-9.09	7.43	3	Horizontal	6	1.50	-	37.48	31.61	9.99	34.17
PK	5.138G	58.47	74.00	-15.53	7.61	3	Horizontal	6	1.50	-	50.86	31.90	9.83	34.12
PK	5.2484G	102.80	Inf	-Inf	7.16	3	Horizontal	6	1.50	-	95.64	31.41	9.89	34.14
PK	5.3678G	58.34	74.00	-15.66	7.25	3	Horizontal	6	1.50	-	51.09	31.44	9.98	34.17

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX 5240MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX 5240MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1482G	45.76	54.00	-8.24	7.60	3	Vertical	49	1.68	-	38.16	31.90	9.83	34.13
AV	5.249G	94.83	Inf	-Inf	7.16	3	Vertical	49	1.68	-	87.67	31.41	9.89	34.14
AV	5.3786G	45.34	54.00	-8.66	7.35	3	Vertical	49	1.68	-	37.99	31.53	9.99	34.17
PK	5.1206G	60.11	74.00	-13.89	7.60	3	Vertical	49	1.68	-	52.51	31.90	9.82	34.12
PK	5.249G	106.24	Inf	-Inf	7.16	3	Vertical	49	1.68	-	99.08	31.41	9.89	34.14
PK	5.3576G	58.60	74.00	-15.40	7.17	3	Vertical	49	1.68	-	51.43	31.36	9.97	34.16


802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5240MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1494G	45.76	54.00	-8.24	7.60	3	Horizontal	0	1.50	-	38.16	31.90	9.83	34.13
AV	5.2484G	91.79	Inf	-Inf	7.16	3	Horizontal	0	1.50	-	84.63	31.41	9.89	34.14
AV	5.3786G	45.40	54.00	-8.60	7.35	3	Horizontal	0	1.50	-	38.05	31.53	9.99	34.17
PK	5.1362G	59.08	74.00	-14.92	7.60	3	Horizontal	0	1.50	-	51.48	31.90	9.82	34.12
PK	5.2484G	103.24	Inf	-Inf	7.16	3	Horizontal	0	1.50	-	96.08	31.41	9.89	34.14
PK	5.3558G	59.18	74.00	-14.82	7.16	3	Horizontal	0	1.50	-	52.02	31.35	9.97	34.16

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX 5240MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX 5240MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	45.87	54.00	-8.13	7.60	3	Vertical	59	1.66	-	38.27	31.90	9.83	34.13
AV	5.2424G	97.10	Inf	-Inf	7.20	3	Vertical	59	1.66	-	89.90	31.45	9.89	34.14
AV	5.3828G	45.48	54.00	-8.52	7.38	3	Vertical	59	1.66	-	38.10	31.56	9.99	34.17
PK	5.129G	59.44	74.00	-14.56	7.60	3	Vertical	59	1.66	-	51.84	31.90	9.82	34.12
PK	5.2424G	109.61	Inf	-Inf	7.20	3	Vertical	59	1.66	-	102.41	31.45	9.89	34.14
PK	5.3858G	59.56	74.00	-14.44	7.41	3	Vertical	59	1.66	-	52.15	31.59	9.99	34.17


802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5240MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1446G	45.77	54.00	-8.23	7.60	3	Horizontal	21	1.31	-	38.17	31.90	9.83	34.13
AV	5.2424G	93.94	Inf	-Inf	7.20	3	Horizontal	21	1.31	-	86.74	31.45	9.89	34.14
AV	5.3786G	45.43	54.00	-8.57	7.35	3	Horizontal	21	1.31	-	38.08	31.53	9.99	34.17
PK	5.1488G	58.42	74.00	-15.58	7.60	3	Horizontal	21	1.31	-	50.82	31.90	9.83	34.13
PK	5.2424G	106.11	Inf	-Inf	7.20	3	Horizontal	21	1.31	-	98.91	31.45	9.89	34.14
PK	5.3876G	58.36	74.00	-15.64	7.42	3	Horizontal	21	1.31	-	50.94	31.60	9.99	34.17

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX 5240MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX 5240MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1484G	45.35	54.00	-8.65	7.60	3	Vertical	83	1.74	-	37.75	31.90	9.83	34.13
AV	5.2522G	96.78	Inf	-Inf	7.15	3	Vertical	83	1.74	-	89.63	31.40	9.90	34.15
AV	5.4034G	45.05	54.00	-8.95	7.53	3	Vertical	83	1.74	-	37.52	31.70	10.00	34.17
PK	5.131G	58.60	74.00	-15.40	7.60	3	Vertical	83	1.74	-	51.00	31.90	9.82	34.12
PK	5.2516G	107.91	Inf	-Inf	7.15	3	Vertical	83	1.74	-	100.76	31.40	9.90	34.15
PK	5.4082G	57.36	74.00	-16.64	7.53	3	Vertical	83	1.74	-	49.83	31.70	10.00	34.17


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5260MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1406G	45.30	54.00	-8.70	7.60	3	Horizontal	29	1.73	-	37.70	31.90	9.83	34.13
AV	5.2516G	93.54	Inf	-Inf	7.15	3	Horizontal	29	1.73	-	86.39	31.40	9.90	34.15
AV	5.395G	44.98	54.00	-9.02	7.49	3	Horizontal	29	1.73	-	37.49	31.66	10.00	34.17
PK	5.1208G	58.42	74.00	-15.58	7.60	3	Horizontal	29	1.73	-	50.82	31.90	9.82	34.12
PK	5.251G	105.75	Inf	-Inf	7.15	3	Horizontal	29	1.73	-	98.60	31.40	9.90	34.15
PK	5.3656G	57.38	74.00	-16.62	7.23	3	Horizontal	29	1.73	-	50.15	31.42	9.98	34.17

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX 5260MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX 5260MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.149G	45.92	54.00	-8.08	7.60	3	Vertical	79	1.64	-	38.32	31.90	9.83	34.13
AV	5.2522G	102.44	Inf	-Inf	7.15	3	Vertical	79	1.64	-	95.29	31.40	9.90	34.15
AV	5.3818G	45.57	54.00	-8.43	7.37	3	Vertical	79	1.64	-	38.20	31.55	9.99	34.17
PK	5.1484G	59.32	74.00	-14.68	7.60	3	Vertical	79	1.64	-	51.72	31.90	9.83	34.13
PK	5.2528G	115.25	Inf	-Inf	7.14	3	Vertical	79	1.64	-	108.11	31.39	9.90	34.15
PK	5.3962G	59.45	74.00	-14.55	7.50	3	Vertical	79	1.64	-	51.95	31.67	10.00	34.17


802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5260MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1424G	45.78	54.00	-8.22	7.60	3	Horizontal	11	1.92	-	38.18	31.90	9.83	34.13
AV	5.2516G	100.00	Inf	-Inf	7.15	3	Horizontal	11	1.92	-	92.85	31.40	9.90	34.15
AV	5.3926G	45.46	54.00	-8.54	7.46	3	Horizontal	11	1.92	-	38.00	31.64	9.99	34.17
PK	5.1448G	59.21	74.00	-14.79	7.60	3	Horizontal	11	1.92	-	51.61	31.90	9.83	34.13
PK	5.2528G	111.88	Inf	-Inf	7.14	3	Horizontal	11	1.92	-	104.74	31.39	9.90	34.15
PK	5.3806G	58.76	74.00	-15.24	7.36	3	Horizontal	11	1.92	-	51.40	31.54	9.99	34.17

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX 5260MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX 5260MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1418G	46.04	54.00	-7.96	7.60	3	Vertical	54	1.69	-	38.44	31.90	9.83	34.13
AV	5.2528G	103.47	Inf	-Inf	7.14	3	Vertical	54	1.69	-	96.33	31.39	9.90	34.15
AV	5.401G	45.75	54.00	-8.25	7.53	3	Vertical	54	1.69	-	38.22	31.70	10.00	34.17
PK	5.113G	59.45	74.00	-14.55	7.59	3	Vertical	54	1.69	-	51.86	31.90	9.81	34.12
PK	5.2516G	115.41	Inf	-Inf	7.15	3	Vertical	54	1.69	-	108.26	31.40	9.90	34.15
PK	5.41G	59.47	74.00	-14.53	7.53	3	Vertical	54	1.69	-	51.94	31.70	10.00	34.17


802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5260MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	45.92	54.00	-8.08	7.60	3	Horizontal	2	1.49	-	38.32	31.90	9.83	34.13
AV	5.2522G	99.81	Inf	-Inf	7.15	3	Horizontal	2	1.49	-	92.66	31.40	9.90	34.15
AV	5.3938G	45.55	54.00	-8.45	7.48	3	Horizontal	2	1.49	-	38.07	31.65	10.00	34.17
PK	5.1268G	59.58	74.00	-14.42	7.60	3	Horizontal	2	1.49	-	51.98	31.90	9.82	34.12
PK	5.2516G	111.72	Inf	-Inf	7.15	3	Horizontal	2	1.49	-	104.57	31.40	9.90	34.15
PK	5.3884G	59.28	74.00	-14.72	7.43	3	Horizontal	2	1.49	-	51.85	31.61	9.99	34.17

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX 5260MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX 5260MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3008G	99.36	Inf	-Inf	7.08	3	Vertical	62	1.95	-	92.28	31.30	9.93	34.15
AV	5.3808G	45.16	54.00	-8.84	7.37	3	Vertical	62	1.95	-	37.79	31.55	9.99	34.17
PK	5.3008G	111.49	Inf	-Inf	7.08	3	Vertical	62	1.95	-	104.41	31.30	9.93	34.15
PK	5.3828G	58.38	74.00	-15.62	7.38	3	Vertical	62	1.95	-	51.00	31.56	9.99	34.17

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3008G	95.59	Inf	-Inf	7.08	3	Horizontal	23	1.80	-	88.51	31.30	9.93	34.15
AV	5.3932G	45.16	54.00	-8.84	7.48	3	Horizontal	23	1.80	-	37.68	31.65	10.00	34.17
PK	5.3008G	106.64	Inf	-Inf	7.08	3	Horizontal	23	1.80	-	99.56	31.30	9.93	34.15
PK	5.362G	58.76	74.00	-15.24	7.20	3	Horizontal	23	1.80	-	51.56	31.40	9.97	34.17

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6063G	41.75	54.00	-12.25	18.08	3	Vertical	47	1.63	-	23.67	39.70	12.77	34.39
AV	15.90648G	45.92	54.00	-8.08	18.22	3	Vertical	225	2.40	-	27.70	36.91	15.95	34.64
PK	10.606G	55.39	74.00	-18.61	18.08	3	Vertical	47	1.63	-	37.31	39.70	12.77	34.39
PK	15.90954G	59.64	74.00	-14.36	18.23	3	Vertical	225	2.40	-	41.41	36.92	15.95	34.64

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6063G	41.71	54.00	-12.29	18.08	3	Horizontal	346	1.51	-	23.63	39.70	12.77	34.39
AV	15.91356G	45.96	54.00	-8.04	18.25	3	Horizontal	53	2.37	-	27.71	36.93	15.96	34.64
PK	10.61344G	55.27	74.00	-18.73	18.08	3	Horizontal	346	1.51	-	37.19	39.70	12.77	34.39
PK	15.90774G	60.03	74.00	-13.97	18.23	3	Horizontal	53	2.37	-	41.80	36.92	15.95	34.64

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3088G	101.60	Inf	-Inf	7.08	3	Vertical	46	1.81	-	94.52	31.30	9.94	34.16
AV	5.3976G	45.72	54.00	-8.28	7.51	3	Vertical	46	1.81	-	38.21	31.68	10.00	34.17
PK	5.3076G	113.08	Inf	-Inf	7.08	3	Vertical	46	1.81	-	106.00	31.30	9.94	34.16
PK	5.3812G	58.98	74.00	-15.02	7.37	3	Vertical	46	1.81	-	51.61	31.55	9.99	34.17

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3088G	98.10	Inf	-Inf	7.08	3	Horizontal	22	1.91	-	91.02	31.30	9.94	34.16
AV	5.3896G	45.59	54.00	-8.41	7.44	3	Horizontal	22	1.91	-	38.15	31.62	9.99	34.17
PK	5.3088G	109.48	Inf	-Inf	7.08	3	Horizontal	22	1.91	-	102.40	31.30	9.94	34.16
PK	5.384G	59.05	74.00	-14.95	7.39	3	Horizontal	22	1.91	-	51.66	31.57	9.99	34.17

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60612G	41.75	54.00	-12.25	18.08	3	Vertical	114	1.04	-	23.67	39.70	12.77	34.39
AV	15.9088G	45.91	54.00	-8.09	18.23	3	Vertical	122	1.14	-	27.68	36.92	15.95	34.64
PK	10.60656G	55.72	74.00	-18.28	18.08	3	Vertical	114	1.04	-	37.64	39.70	12.77	34.39
PK	15.89024G	58.88	74.00	-15.12	18.24	3	Vertical	122	1.14	-	40.64	36.93	15.94	34.63

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60088G	41.70	54.00	-12.30	18.06	3	Horizontal	142	2.52	-	23.64	39.70	12.76	34.40
AV	15.90788G	45.85	54.00	-8.15	18.23	3	Horizontal	13	1.27	-	27.62	36.92	15.95	34.64
PK	10.60792G	55.00	74.00	-19.00	18.08	3	Horizontal	142	2.52	-	36.92	39.70	12.77	34.39
PK	15.90472G	59.18	74.00	-14.82	18.22	3	Horizontal	13	1.27	-	40.96	36.91	15.95	34.64

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3024G	102.99	Inf	-Inf	7.08	3	Vertical	81	1.64	-	95.91	31.30	9.93	34.15
AV	5.352G	45.99	54.00	-8.01	7.13	3	Vertical	81	1.64	-	38.86	31.32	9.97	34.16
PK	5.3024G	115.29	Inf	-Inf	7.08	3	Vertical	81	1.64	-	108.21	31.30	9.93	34.15
PK	5.3712G	59.49	74.00	-14.51	7.28	3	Vertical	81	1.64	-	52.21	31.47	9.98	34.17

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	98.63	Inf	-Inf	7.08	3	Horizontal	22	1.53	-	91.55	31.30	9.93	34.15
AV	5.3832G	45.79	54.00	-8.21	7.39	3	Horizontal	22	1.53	-	38.40	31.57	9.99	34.17
PK	5.302G	111.21	Inf	-Inf	7.08	3	Horizontal	22	1.53	-	104.13	31.30	9.93	34.15
PK	5.3872G	59.74	74.00	-14.26	7.42	3	Horizontal	22	1.53	-	52.32	31.60	9.99	34.17


802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5300MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5300MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3288G	100.01	Inf	-Inf	6.36	3	Vertical	41	1.78	-	93.65	31.30	9.22	34.16
AV	5.3624G	44.71	54.00	-9.29	6.49	3	Vertical	41	1.78	-	38.22	31.40	9.26	34.17
PK	5.3286G	112.34	Inf	-Inf	6.36	3	Vertical	41	1.78	-	105.98	31.30	9.22	34.16
PK	5.3536G	58.41	74.00	-15.59	6.42	3	Vertical	41	1.78	-	51.99	31.33	9.25	34.16

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3288G	97.62	Inf	-Inf	6.36	3	Horizontal	1	1.69	-	91.26	31.30	9.22	34.16
AV	5.3598G	44.57	54.00	-9.43	6.48	3	Horizontal	1	1.69	-	38.09	31.38	9.26	34.16
PK	5.3286G	109.85	Inf	-Inf	6.36	3	Horizontal	1	1.69	-	103.49	31.30	9.22	34.16
PK	5.3522G	58.20	74.00	-15.80	6.41	3	Horizontal	1	1.69	-	51.79	31.32	9.25	34.16

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.655G	42.02	54.00	-11.98	18.14	3	Vertical	227	1.56	-	23.88	39.70	12.79	34.35
AV	15.94716G	46.41	54.00	-7.59	18.31	3	Vertical	143	2.23	-	28.10	36.99	15.98	34.66
PK	10.6298G	56.01	74.00	-17.99	18.11	3	Vertical	227	1.56	-	37.90	39.70	12.78	34.37
PK	15.96216G	60.19	74.00	-13.81	18.34	3	Vertical	143	2.23	-	41.85	37.02	15.99	34.67

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65314G	41.98	54.00	-12.02	18.13	3	Horizontal	144	2.19	-	23.85	39.70	12.78	34.35
AV	15.95514G	46.44	54.00	-7.56	18.34	3	Horizontal	186	1.57	-	28.10	37.01	15.99	34.66
PK	10.64588G	55.08	74.00	-18.92	18.12	3	Horizontal	144	2.19	-	36.96	39.70	12.78	34.36
PK	15.9633G	61.29	74.00	-12.71	18.35	3	Horizontal	186	1.57	-	42.94	37.03	15.99	34.67

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3286G	101.73	Inf	-Inf	7.09	3	Vertical	58	1.94	-	94.64	31.30	9.95	34.16
AV	5.3656G	45.66	54.00	-8.34	7.23	3	Vertical	58	1.94	-	38.43	31.42	9.98	34.17
PK	5.3292G	113.17	Inf	-Inf	7.09	3	Vertical	58	1.94	-	106.08	31.30	9.95	34.16
PK	5.36G	59.49	74.00	-14.51	7.19	3	Vertical	58	1.94	-	52.30	31.38	9.97	34.16

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3272G	98.22	Inf	-Inf	7.09	3	Horizontal	2	1.78	-	91.13	31.30	9.95	34.16
AV	5.3674G	45.62	54.00	-8.38	7.25	3	Horizontal	2	1.78	-	38.37	31.44	9.98	34.17
PK	5.327G	110.03	Inf	-Inf	7.09	3	Horizontal	2	1.78	-	102.94	31.30	9.95	34.16
PK	5.3522G	59.41	74.00	-14.59	7.13	3	Horizontal	2	1.78	-	52.28	31.32	9.97	34.16

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63808G	41.81	54.00	-12.19	18.11	3	Vertical	165	1.64	-	23.70	39.70	12.78	34.37
AV	15.96668G	46.43	54.00	-7.57	18.36	3	Vertical	358	2.07	-	28.07	37.03	16.00	34.67
PK	10.6424G	54.85	74.00	-19.15	18.12	3	Vertical	165	1.64	-	36.73	39.70	12.78	34.36
PK	15.95268G	59.87	74.00	-14.13	18.33	3	Vertical	358	2.07	-	41.54	37.01	15.98	34.66

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63292G	41.82	54.00	-12.18	18.11	3	Horizontal	40	2.00	-	23.71	39.70	12.78	34.37
AV	15.95852G	46.37	54.00	-7.63	18.34	3	Horizontal	3	1.63	-	28.03	37.02	15.99	34.67
PK	10.63104G	55.10	74.00	-18.90	18.11	3	Horizontal	40	2.00	-	36.99	39.70	12.78	34.37
PK	15.96376G	59.90	74.00	-14.10	18.35	3	Horizontal	3	1.63	-	41.55	37.03	15.99	34.67


802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5320MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5320MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63772G	41.83	54.00	-12.17	18.11	3	Vertical	174	2.61	-	23.72	39.70	12.78	34.37
AV	15.9602G	46.40	54.00	-7.60	18.34	3	Vertical	345	1.63	-	28.06	37.02	15.99	34.67
PK	10.64712G	55.08	74.00	-18.92	18.12	3	Vertical	174	2.61	-	36.96	39.70	12.78	34.36
PK	15.95516G	60.41	74.00	-13.59	18.34	3	Vertical	345	1.63	-	42.07	37.01	15.99	34.66

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63392G	41.80	54.00	-12.20	18.11	3	Horizontal	336	2.44	-	23.69	39.70	12.78	34.37
AV	15.95796G	46.31	54.00	-7.69	18.34	3	Horizontal	326	1.99	-	27.97	37.02	15.99	34.67
PK	10.63708G	54.87	74.00	-19.13	18.11	3	Horizontal	336	2.44	-	36.76	39.70	12.78	34.37
PK	15.96388G	59.08	74.00	-14.92	18.35	3	Horizontal	326	1.99	-	40.73	37.03	15.99	34.67

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	44.70	54.00	-9.30	6.87	3	Vertical	51	1.50	-	37.83	31.71	9.34	34.18
AV	5.4918G	102.79	Inf	-Inf	6.96	3	Vertical	51	1.50	-	95.83	31.78	9.37	34.19
PK	5.4664G	58.63	68.20	-9.57	6.90	3	Vertical	51	1.50	-	51.73	31.73	9.35	34.18
PK	5.4912G	114.88	Inf	-Inf	6.96	3	Vertical	51	1.50	-	107.92	31.78	9.37	34.19


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4514G	44.49	54.00	-9.51	6.86	3	Horizontal	10	1.50	-	37.63	31.70	9.34	34.18
AV	5.4916G	100.21	Inf	-Inf	6.96	3	Horizontal	10	1.50	-	93.25	31.78	9.37	34.19
PK	5.4618G	57.58	68.20	-10.62	6.89	3	Horizontal	10	1.50	-	50.69	31.72	9.35	34.18
PK	5.4912G	112.70	Inf	-Inf	6.96	3	Horizontal	10	1.50	-	105.74	31.78	9.37	34.19

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX 5500MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX 5500MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.45G	45.59	54.00	-8.41	7.54	3	Vertical	88	1.82	-	38.05	31.70	10.02	34.18
AV	5.4924G	104.00	Inf	-Inf	7.62	3	Vertical	88	1.82	-	96.38	31.78	10.03	34.19
PK	5.4696G	58.35	68.20	-9.85	7.58	3	Vertical	88	1.82	-	50.77	31.74	10.02	34.18
PK	5.4926G	116.66	Inf	-Inf	7.63	3	Vertical	88	1.82	-	109.03	31.79	10.03	34.19


802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5500MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.453G	45.39	54.00	-8.61	7.55	3	Horizontal	29	1.71	-	37.84	31.71	10.02	34.18
AV	5.4916G	100.09	Inf	-Inf	7.62	3	Horizontal	29	1.71	-	92.47	31.78	10.03	34.19
PK	5.4698G	59.60	68.20	-8.60	7.58	3	Horizontal	29	1.71	-	52.02	31.74	10.02	34.18
PK	5.4916G	112.83	Inf	-Inf	7.62	3	Horizontal	29	1.71	-	105.21	31.78	10.03	34.19

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX 5500MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX 5500MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4502G	45.93	54.00	-8.07	7.54	3	Vertical	84	1.69	-	38.39	31.70	10.02	34.18
AV	5.4922G	104.60	Inf	-Inf	7.62	3	Vertical	84	1.69	-	96.98	31.78	10.03	34.19
PK	5.4666G	61.20	68.20	-7.00	7.57	3	Vertical	84	1.69	-	53.63	31.73	10.02	34.18
PK	5.492G	116.43	Inf	-Inf	7.62	3	Vertical	84	1.69	-	108.81	31.78	10.03	34.19


802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5500MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4512G	45.64	54.00	-8.36	7.54	3	Horizontal	20	1.71	-	38.10	31.70	10.02	34.18
AV	5.491G	101.50	Inf	-Inf	7.62	3	Horizontal	20	1.71	-	93.88	31.78	10.03	34.19
PK	5.4696G	58.04	68.20	-10.16	7.58	3	Horizontal	20	1.71	-	50.46	31.74	10.02	34.18
PK	5.4908G	112.74	Inf	-Inf	7.62	3	Horizontal	20	1.71	-	105.12	31.78	10.03	34.19

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX 5500MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX 5500MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4342G	45.12	54.00	-8.88	7.53	3	Vertical	72	1.84	-	37.59	31.70	10.01	34.18
AV	5.5806G	102.42	Inf	-Inf	7.61	3	Vertical	72	1.84	-	94.81	31.74	10.06	34.19
PK	5.4648G	57.47	68.20	-10.73	7.57	3	Vertical	72	1.84	-	49.90	31.73	10.02	34.18
PK	5.5806G	114.05	Inf	-Inf	7.61	3	Vertical	72	1.84	-	106.44	31.74	10.06	34.19
PK	5.7252G	57.28	68.20	-10.92	7.89	3	Vertical	72	1.84	-	49.39	31.95	10.14	34.20


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX

5580MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4312G	45.07	54.00	-8.93	7.53	3	Horizontal	25	2.02	-	37.54	31.70	10.01	34.18
AV	5.5794G	101.01	Inf	-Inf	7.61	3	Horizontal	25	2.02	-	93.40	31.74	10.06	34.19
PK	5.4648G	57.50	68.20	-10.70	7.57	3	Horizontal	25	2.02	-	49.93	31.73	10.02	34.18
PK	5.5812G	112.27	Inf	-Inf	7.61	3	Horizontal	25	2.02	-	104.66	31.74	10.06	34.19
PK	5.73G	57.57	68.20	-10.63	7.90	3	Horizontal	25	2.02	-	49.67	31.96	10.14	34.20

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX 5580MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX 5580MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4348G	45.80	54.00	-8.20	7.53	3	Vertical	46	1.60	-	38.27	31.70	10.01	34.18
AV	5.589G	105.58	Inf	-Inf	7.59	3	Vertical	46	1.60	-	97.99	31.72	10.07	34.20
PK	5.4654G	56.85	68.20	-11.35	7.57	3	Vertical	46	1.60	-	49.28	31.73	10.02	34.18
PK	5.5884G	116.66	Inf	-Inf	7.59	3	Vertical	46	1.60	-	109.07	31.72	10.07	34.20
PK	5.7294G	57.36	68.20	-10.84	7.90	3	Vertical	46	1.60	-	49.46	31.96	10.14	34.20


802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5580MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.433G	45.47	54.00	-8.53	7.53	3	Horizontal	17	1.88	-	37.94	31.70	10.01	34.18
AV	5.5884G	102.61	Inf	-Inf	7.59	3	Horizontal	17	1.88	-	95.02	31.72	10.07	34.20
PK	5.4636G	56.60	68.20	-11.60	7.57	3	Horizontal	17	1.88	-	49.03	31.73	10.02	34.18
PK	5.589G	113.19	Inf	-Inf	7.59	3	Horizontal	17	1.88	-	105.60	31.72	10.07	34.20
PK	5.7264G	57.06	68.20	-11.14	7.89	3	Horizontal	17	1.88	-	49.17	31.95	10.14	34.20

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX 5580MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX 5580MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.43G	45.89	54.00	-8.11	7.53	3	Vertical	81	1.64	-	38.36	31.70	10.01	34.18
AV	5.5824G	104.59	Inf	-Inf	7.61	3	Vertical	81	1.64	-	96.98	31.74	10.06	34.19
PK	5.4666G	57.37	68.20	-10.83	7.57	3	Vertical	81	1.64	-	49.80	31.73	10.02	34.18
PK	5.583G	115.95	Inf	-Inf	7.60	3	Vertical	81	1.64	-	108.35	31.73	10.06	34.19
PK	5.7276G	57.21	68.20	-10.99	7.90	3	Vertical	81	1.64	-	49.31	31.96	10.14	34.20

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4306G	45.55	54.00	-8.45	7.53	3	Horizontal	21	1.50	-	38.02	31.70	10.01	34.18
AV	5.5818G	101.06	Inf	-Inf	7.61	3	Horizontal	21	1.50	-	93.45	31.74	10.06	34.19
PK	5.463G	56.26	68.20	-11.94	7.57	3	Horizontal	21	1.50	-	48.69	31.73	10.02	34.18
PK	5.5818G	113.73	Inf	-Inf	7.61	3	Horizontal	21	1.50	-	106.12	31.74	10.06	34.19
PK	5.7252G	57.97	68.20	-10.23	7.89	3	Horizontal	21	1.50	-	50.08	31.95	10.14	34.20


802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5580MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


5580MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX 5700MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX 5700MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX 5700MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX 5700MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX 5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7088G	106.14	Inf	-Inf	7.85	3	Vertical	39	1.65	-	98.29	31.92	10.13	34.20
PK	5.708G	114.52	Inf	-Inf	7.85	3	Vertical	39	1.65	-	106.67	31.92	10.13	34.20
PK	5.7592G	58.96	68.20	-9.24	7.97	3	Vertical	39	1.65	-	50.99	32.02	10.16	34.21

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX 5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7088G	102.75	Inf	-Inf	7.85	3	Horizontal	16	1.82	-	94.90	31.92	10.13	34.20
PK	5.708G	113.76	Inf	-Inf	7.85	3	Horizontal	16	1.82	-	105.91	31.92	10.13	34.20
PK	5.7308G	58.22	68.20	-9.98	7.90	3	Horizontal	16	1.82	-	50.32	31.96	10.14	34.20

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX 5700MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX 5700MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7024G	103.75	Inf	-Inf	7.83	3	Vertical	82	1.78	-	95.92	31.90	10.13	34.20
PK	5.7024G	115.57	Inf	-Inf	7.83	3	Vertical	82	1.78	-	107.74	31.90	10.13	34.20
PK	5.7252G	66.51	68.20	-1.69	7.89	3	Vertical	82	1.78	-	58.62	31.95	10.14	34.20


802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7084G	102.91	Inf	-Inf	7.85	3	Horizontal	17	1.98	-	95.06	31.92	10.13	34.20
PK	5.7084G	115.93	Inf	-Inf	7.85	3	Horizontal	17	1.98	-	108.08	31.92	10.13	34.20
PK	5.7252G	65.50	68.20	-2.70	7.89	3	Horizontal	17	1.98	-	57.61	31.95	10.14	34.20

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX 5700MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX 5700MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	108.60	Inf	-Inf	7.27	3	Vertical	51	1.50	-	101.33	31.97	9.50	34.20
PK	5.5818G	59.10	68.20	-9.10	7.00	3	Vertical	51	1.50	-	52.10	31.74	9.45	34.19
PK	5.7366G	119.82	Inf	-Inf	7.27	3	Vertical	51	1.50	-	112.55	31.97	9.50	34.20
PK	5.9322G	58.63	68.20	-9.57	7.91	3	Vertical	51	1.50	-	50.72	32.50	9.63	34.22


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	107.15	Inf	-Inf	7.27	3	Horizontal	4	1.50	-	99.88	31.97	9.50	34.20
PK	5.5314G	58.79	68.20	-9.41	7.02	3	Horizontal	4	1.50	-	51.77	31.80	9.41	34.19
PK	5.7366G	119.25	Inf	-Inf	7.27	3	Horizontal	4	1.50	-	111.98	31.97	9.50	34.20
PK	6.0282G	58.74	68.20	-9.46	7.98	3	Horizontal	4	1.50	-	50.76	32.50	9.70	34.22

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX 5745MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX 5745MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	106.76	Inf	-Inf	7.93	3	Vertical	83	1.75	-	98.83	31.98	10.15	34.20
PK	5.5146G	58.37	68.20	-9.83	7.65	3	Vertical	83	1.75	-	50.72	31.80	10.04	34.19
PK	5.7366G	117.41	Inf	-Inf	7.92	3	Vertical	83	1.75	-	109.49	31.97	10.15	34.20
PK	6.0294G	58.72	68.20	-9.48	8.64	3	Vertical	83	1.75	-	50.08	32.50	10.36	34.22


802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	104.91	Inf	-Inf	7.92	3	Horizontal	18	1.61	-	96.99	31.97	10.15	34.20
PK	5.5782G	58.65	68.20	-9.55	7.61	3	Horizontal	18	1.61	-	51.04	31.74	10.06	34.19
PK	5.7366G	115.62	Inf	-Inf	7.92	3	Horizontal	18	1.61	-	107.70	31.97	10.15	34.20
PK	6.015G	58.74	68.20	-9.46	8.63	3	Horizontal	18	1.61	-	50.11	32.50	10.35	34.22

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX 5745MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX 5745MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7378G	103.76	Inf	-Inf	7.93	3	Vertical	83	1.74	-	95.83	31.98	10.15	34.20
PK	5.7366G	58.20	68.20	-10.00	7.63	3	Vertical	83	1.74	-	50.57	31.76	10.06	34.19
PK	5.7366G	114.64	Inf	-Inf	7.92	3	Vertical	83	1.74	-	106.72	31.97	10.15	34.20
PK	6.0246G	58.91	68.20	-9.29	8.63	3	Vertical	83	1.74	-	50.28	32.50	10.35	34.22


802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5745MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7366G	102.45	Inf	-Inf	7.92	3	Horizontal	19	1.70	-	94.53	31.97	10.15	34.20
PK	5.5878G	57.88	68.20	-10.32	7.59	3	Horizontal	19	1.70	-	50.29	31.72	10.07	34.20
PK	5.7366G	113.08	Inf	-Inf	7.92	3	Horizontal	19	1.70	-	105.16	31.97	10.15	34.20
PK	5.9286G	58.87	68.20	-9.33	8.56	3	Horizontal	19	1.70	-	50.31	32.50	10.28	34.22

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX 5745MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX 5745MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	100.01	Inf	-Inf	8.03	3	Vertical	61	1.83	-	91.98	32.07	10.17	34.21
PK	5.6158G	57.93	68.20	-10.27	7.55	3	Vertical	61	1.83	-	50.38	31.67	10.08	34.20
PK	5.7862G	112.17	Inf	-Inf	8.03	3	Vertical	61	1.83	-	104.14	32.07	10.17	34.21
PK	6.0718G	59.35	68.20	-8.85	8.63	3	Vertical	61	1.83	-	50.72	32.46	10.40	34.23


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	100.30	Inf	-Inf	8.03	3	Horizontal	19	2.20	-	92.27	32.07	10.17	34.21
PK	5.539G	57.89	68.20	-10.31	7.66	3	Horizontal	19	2.20	-	50.23	31.80	10.05	34.19
PK	5.7838G	110.06	Inf	-Inf	8.03	3	Horizontal	19	2.20	-	102.03	32.07	10.17	34.21
PK	6.037G	58.77	68.20	-9.43	8.65	3	Horizontal	19	2.20	-	50.12	32.50	10.37	34.22

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX 5785MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 4_2TX 5785MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.791G	104.75	Inf	-Inf	8.05	3	Vertical	24	1.57	-	96.70	32.08	10.18	34.21
PK	5.5078G	57.39	68.20	-10.81	7.65	3	Vertical	24	1.57	-	49.74	31.80	10.04	34.19
PK	5.791G	115.21	Inf	-Inf	8.05	3	Vertical	24	1.57	-	107.16	32.08	10.18	34.21
PK	6.0058G	58.79	68.20	-9.41	8.62	3	Vertical	24	1.57	-	50.17	32.50	10.34	34.22


802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5785MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7934G	104.96	Inf	-Inf	8.06	3	Horizontal	16	1.85	-	96.90	32.09	10.18	34.21
PK	5.5426G	57.95	68.20	-10.25	7.66	3	Horizontal	16	1.85	-	50.29	31.80	10.05	34.19
PK	5.7934G	114.88	Inf	-Inf	8.06	3	Horizontal	16	1.85	-	106.82	32.09	10.18	34.21
PK	5.9758G	59.59	68.20	-8.61	8.59	3	Horizontal	16	1.85	-	51.00	32.50	10.31	34.22

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX 5785MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX 5785MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	101.95	Inf	-Inf	8.04	3	Vertical	100	1.50	-	93.91	32.08	10.17	34.21
PK	5.6206G	59.15	68.20	-9.05	7.54	3	Vertical	100	1.50	-	51.61	31.66	10.08	34.20
PK	5.7886G	112.54	Inf	-Inf	8.04	3	Vertical	100	1.50	-	104.50	32.08	10.17	34.21
PK	5.9734G	59.07	68.20	-9.13	8.59	3	Vertical	100	1.50	-	50.48	32.50	10.31	34.22


802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	101.56	Inf	-Inf	8.03	3	Horizontal	40	1.64	-	93.53	32.07	10.17	34.21
PK	5.539G	58.39	68.20	-9.81	7.66	3	Horizontal	40	1.64	-	50.73	31.80	10.05	34.19
PK	5.7898G	112.59	Inf	-Inf	8.04	3	Horizontal	40	1.64	-	104.55	32.08	10.17	34.21
PK	6.0646G	59.28	68.20	-8.92	8.63	3	Horizontal	40	1.64	-	50.65	32.47	10.39	34.23

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX 5785MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX 5785MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	101.00	Inf	-Inf	7.57	3	Vertical	18	1.50	-	93.43	32.23	9.55	34.21
PK	5.6162G	57.70	68.20	-10.50	6.93	3	Vertical	18	1.50	-	50.77	31.67	9.46	34.20
PK	5.8334G	112.99	Inf	-Inf	7.57	3	Vertical	18	1.50	-	105.42	32.23	9.55	34.21
PK	6.0578G	59.31	68.20	-8.89	7.99	3	Vertical	18	1.50	-	51.32	32.48	9.73	34.22


802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	102.12	Inf	-Inf	7.57	3	Horizontal	0	1.98	-	94.55	32.23	9.55	34.21
PK	5.5586G	58.21	68.20	-9.99	7.02	3	Horizontal	0	1.98	-	51.19	31.78	9.43	34.19
PK	5.8334G	113.87	Inf	-Inf	7.57	3	Horizontal	0	1.98	-	106.30	32.23	9.55	34.21
PK	5.9342G	58.46	68.20	-9.74	7.91	3	Horizontal	0	1.98	-	50.55	32.50	9.63	34.22

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX 5825MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX 5825MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.831G	104.71	Inf	-Inf	8.21	3	Vertical	25	1.65	-	96.50	32.22	10.20	34.21
PK	5.5418G	57.78	68.20	-10.42	7.66	3	Vertical	25	1.65	-	50.12	31.80	10.05	34.19
PK	5.8322G	116.42	Inf	-Inf	8.22	3	Vertical	25	1.65	-	108.20	32.23	10.20	34.21
PK	6.0626G	59.54	68.20	-8.66	8.63	3	Vertical	25	1.65	-	50.91	32.47	10.39	34.23


802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8346G	103.92	Inf	-Inf	8.24	3	Horizontal	17	1.65	-	95.68	32.24	10.21	34.21
PK	5.6294G	58.60	68.20	-9.60	7.53	3	Horizontal	17	1.65	-	51.07	31.64	10.09	34.20
PK	5.8334G	113.93	Inf	-Inf	8.23	3	Horizontal	17	1.65	-	105.70	32.23	10.21	34.21
PK	6.0998G	58.84	68.20	-9.36	8.60	3	Horizontal	17	1.65	-	50.24	32.40	10.43	34.23

802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX 5825MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX 5825MHz_TX



802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	102.71	Inf	-Inf	8.20	3	Vertical	99	1.50	-	94.51	32.21	10.20	34.21
PK	5.6426G	58.54	68.20	-9.66	7.50	3	Vertical	99	1.50	-	51.04	31.61	10.09	34.20
PK	5.8286G	113.78	Inf	-Inf	8.20	3	Vertical	99	1.50	-	105.58	32.21	10.20	34.21
PK	6.0302G	59.38	68.20	-8.82	8.64	3	Vertical	99	1.50	-	50.74	32.50	10.36	34.22

802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	101.73	Inf	-Inf	8.20	3	Horizontal	40	1.70	-	93.53	32.21	10.20	34.21
PK	5.6162G	58.01	68.20	-10.19	7.55	3	Horizontal	40	1.70	-	50.46	31.67	10.08	34.20
PK	5.8286G	112.95	Inf	-Inf	8.20	3	Horizontal	40	1.70	-	104.75	32.21	10.20	34.21
PK	6.0386G	59.45	68.20	-8.75	8.65	3	Horizontal	40	1.70	-	50.80	32.50	10.37	34.22


802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5825MHz_TX




802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

5825MHz_TX



802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	46.98	54.00	-7.02	7.60	3	Vertical	97	1.66	-	39.38	31.90	9.83	34.13
AV	5.1816G	100.46	Inf	-Inf	7.49	3	Vertical	97	1.66	-	92.97	31.77	9.85	34.13
PK	5.1368G	68.93	74.00	-5.07	7.61	3	Vertical	97	1.66	-	61.32	31.90	9.83	34.12
PK	5.182G	113.34	Inf	-Inf	7.49	3	Vertical	97	1.66	-	105.85	31.77	9.85	34.13


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX

5190MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	46.44	54.00	-7.56	7.60	3	Horizontal	26	1.70	-	38.84	31.90	9.83	34.13
AV	5.1812G	97.30	Inf	-Inf	7.50	3	Horizontal	26	1.70	-	89.80	31.78	9.85	34.13
PK	5.136G	64.18	74.00	-9.82	7.60	3	Horizontal	26	1.70	-	56.58	31.90	9.82	34.12
PK	5.1812G	110.39	Inf	-Inf	7.50	3	Horizontal	26	1.70	-	102.89	31.78	9.85	34.13

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX 5190MHz_TX




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX 5190MHz_TX



802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1428G	46.52	54.00	-7.48	7.60	3	Vertical	80	1.83	-	38.92	31.90	9.83	34.13
AV	5.2412G	99.49	Inf	-Inf	7.20	3	Vertical	80	1.83	-	92.29	31.45	9.89	34.14
PK	5.1496G	60.52	74.00	-13.48	7.60	3	Vertical	80	1.83	-	52.92	31.90	9.83	34.13
PK	5.2424G	113.40	Inf	-Inf	7.20	3	Vertical	80	1.83	-	106.20	31.45	9.89	34.14

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1436G	46.09	54.00	-7.91	7.60	3	Horizontal	26	1.65	-	38.49	31.90	9.83	34.13
AV	5.2316G	96.13	Inf	-Inf	7.25	3	Horizontal	26	1.65	-	88.88	31.51	9.88	34.14
PK	5.1404G	58.61	74.00	-15.39	7.60	3	Horizontal	26	1.65	-	51.01	31.90	9.83	34.13
PK	5.232G	108.00	Inf	-Inf	7.25	3	Horizontal	26	1.65	-	100.75	31.51	9.88	34.14


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX

5230MHz_TX




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX

5230MHz_TX



802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2516G	101.09	Inf	-Inf	7.15	3	Vertical	82	1.76	-	93.94	31.40	9.90	34.15
AV	5.3532G	46.03	54.00	-7.97	7.14	3	Vertical	82	1.76	-	38.89	31.33	9.97	34.16
PK	5.252G	113.35	Inf	-Inf	7.15	3	Vertical	82	1.76	-	106.20	31.40	9.90	34.15
PK	5.3556G	66.17	74.00	-7.83	7.15	3	Vertical	82	1.76	-	59.02	31.34	9.97	34.16


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2612G	97.85	Inf	-Inf	7.13	3	Horizontal	25	1.75	-	90.72	31.38	9.90	34.15
AV	5.3652G	45.63	54.00	-8.37	7.23	3	Horizontal	25	1.75	-	38.40	31.42	9.98	34.17
PK	5.262G	110.18	Inf	-Inf	7.13	3	Horizontal	25	1.75	-	103.05	31.38	9.90	34.15
PK	5.3524G	61.66	74.00	-12.34	7.13	3	Horizontal	25	1.75	-	54.53	31.32	9.97	34.16

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX 5270MHz_TX




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX 5270MHz_TX



802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3212G	99.36	Inf	-Inf	7.08	3	Vertical	83	1.86	-	92.28	31.30	9.94	34.16
AV	5.3524G	46.36	54.00	-7.64	7.13	3	Vertical	83	1.86	-	39.23	31.32	9.97	34.16
PK	5.3208G	111.86	Inf	-Inf	7.08	3	Vertical	83	1.86	-	104.78	31.30	9.94	34.16
PK	5.3512G	72.07	74.00	-1.93	7.12	3	Vertical	83	1.86	-	64.95	31.31	9.97	34.16

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3212G	96.86	Inf	-Inf	7.08	3	Horizontal	26	1.71	-	89.78	31.30	9.94	34.16
AV	5.352G	45.88	54.00	-8.12	7.13	3	Horizontal	26	1.71	-	38.75	31.32	9.97	34.16
PK	5.3204G	109.69	Inf	-Inf	7.08	3	Horizontal	26	1.71	-	102.61	31.30	9.94	34.16
PK	5.3548G	68.02	74.00	-5.98	7.15	3	Horizontal	26	1.71	-	60.87	31.34	9.97	34.16


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX

5310MHz_TX




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX

5310MHz_TX



802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.458G	46.13	54.00	-7.87	7.56	3	Vertical	81	1.77	-	38.57	31.72	10.02	34.18
AV	5.5016G	101.03	Inf	-Inf	7.65	3	Vertical	81	1.77	-	93.38	31.80	10.04	34.19
PK	5.4652G	65.52	68.20	-2.68	7.57	3	Vertical	81	1.77	-	57.95	31.73	10.02	34.18
PK	5.502G	113.84	Inf	-Inf	7.65	3	Vertical	81	1.77	-	106.19	31.80	10.04	34.19

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4592G	45.79	54.00	-8.21	7.56	3	Horizontal	22	1.78	-	38.23	31.72	10.02	34.18
AV	5.5004G	98.28	Inf	-Inf	7.65	3	Horizontal	22	1.78	-	90.63	31.80	10.04	34.19
PK	5.4604G	61.83	68.20	-6.37	7.56	3	Horizontal	22	1.78	-	54.27	31.72	10.02	34.18
PK	5.5016G	110.17	Inf	-Inf	7.65	3	Horizontal	22	1.78	-	102.52	31.80	10.04	34.19


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX

5510MHz_TX




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX

5510MHz_TX



802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	46.37	54.00	-7.63	7.54	3	Vertical	100	1.71	-	38.83	31.70	10.02	34.18
AV	5.5612G	102.46	Inf	-Inf	7.65	3	Vertical	100	1.71	-	94.81	31.78	10.06	34.19
PK	5.4628G	59.73	68.20	-8.47	7.57	3	Vertical	100	1.71	-	52.16	31.73	10.02	34.18
PK	5.562G	114.89	Inf	-Inf	7.65	3	Vertical	100	1.71	-	107.24	31.78	10.06	34.19


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	45.75	54.00	-8.25	7.55	3	Horizontal	17	1.77	-	38.20	31.71	10.02	34.18
AV	5.5588G	100.42	Inf	-Inf	7.65	3	Horizontal	17	1.77	-	92.77	31.78	10.06	34.19
PK	5.4676G	59.80	68.20	-8.40	7.58	3	Horizontal	17	1.77	-	52.22	31.74	10.02	34.18
PK	5.5592G	113.18	Inf	-Inf	7.65	3	Horizontal	17	1.77	-	105.53	31.78	10.06	34.19

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX 5550MHz_TX




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX 5550MHz_TX



802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6718G	100.78	Inf	-Inf	7.64	3	Vertical	82	1.77	-	93.14	31.73	10.11	34.20
PK	5.673G	113.81	Inf	-Inf	7.65	3	Vertical	82	1.77	-	106.16	31.74	10.11	34.20
PK	5.7366G	62.59	68.20	-5.61	7.92	3	Vertical	82	1.77	-	54.67	31.97	10.15	34.20


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6802G	99.87	Inf	-Inf	7.69	3	Horizontal	17	1.74	-	92.18	31.78	10.11	34.20
PK	5.6796G	111.87	Inf	-Inf	7.69	3	Horizontal	17	1.74	-	104.18	31.78	10.11	34.20
PK	5.7408G	63.93	68.20	-4.27	7.93	3	Horizontal	17	1.74	-	56.00	31.98	10.15	34.20

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX 5670MHz_TX




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX 5670MHz_TX



802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.737G	100.72	Inf	-Inf	7.92	3	Vertical	81	1.76	-	92.80	31.97	10.15	34.20
PK	5.6098G	61.27	68.20	-6.93	7.56	3	Vertical	81	1.76	-	53.71	31.68	10.08	34.20
PK	5.737G	112.29	Inf	-Inf	7.92	3	Vertical	81	1.76	-	104.37	31.97	10.15	34.20
PK	6.0358G	58.82	68.20	-9.38	8.65	3	Vertical	81	1.76	-	50.17	32.50	10.37	34.22


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX

5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7478G	99.08	Inf	-Inf	7.95	3	Horizontal	40	1.69	-	91.13	32.00	10.15	34.20
PK	5.6278G	59.37	68.20	-8.83	7.53	3	Horizontal	40	1.69	-	51.84	31.64	10.09	34.20
PK	5.749G	111.29	Inf	-Inf	7.95	3	Horizontal	40	1.69	-	103.34	32.00	10.15	34.20
PK	5.9602G	59.70	68.20	-8.50	8.58	3	Horizontal	40	1.69	-	51.12	32.50	10.30	34.22

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX 5755MHz_TX



802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 61_2TX 5755MHz_TX

