


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8082G	100.59	Inf	-Inf	8.11	3	Vertical	84	1.50	-	92.48	32.13	10.19	34.21
PK	5.6498G	60.90	68.20	-7.30	7.50	3	Vertical	84	1.50	-	53.40	31.60	10.10	34.20
PK	5.8082G	113.29	Inf	-Inf	8.11	3	Vertical	84	1.50	-	105.18	32.13	10.19	34.21
PK	5.9234G	62.71	69.38	-6.67	8.55	3	Vertical	84	1.50	-	54.16	32.50	10.27	34.22


802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX

5795MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8034G	98.79	Inf	-Inf	8.08	3	Horizontal	20	2.10	-	90.71	32.11	10.18	34.21
PK	5.6438G	63.68	68.20	-4.52	7.50	3	Horizontal	20	2.10	-	56.18	31.61	10.09	34.20
PK	5.8058G	110.50	Inf	-Inf	8.09	3	Horizontal	20	2.10	-	102.41	32.12	10.18	34.21
PK	6.0902G	59.05	68.20	-9.15	8.61	3	Horizontal	20	2.10	-	50.44	32.42	10.42	34.23

802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX 5795MHz_TX




802.11ax HEW40_Nss1,(MCS0),RU 242,#RU 62_2TX 5795MHz_TX



802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	46.98	54.00	-7.02	7.60	3	Vertical	98	1.75	-	39.38	31.90	9.83	34.13
AV	5.182G	96.79	Inf	-Inf	7.49	3	Vertical	98	1.75	-	89.30	31.77	9.85	34.13
AV	5.411G	45.61	54.00	-8.39	7.53	3	Vertical	98	1.75	-	38.08	31.70	10.00	34.17
PK	5.15G	70.09	74.00	-3.91	7.60	3	Vertical	98	1.75	-	62.49	31.90	9.83	34.13
PK	5.192G	109.26	Inf	-Inf	7.46	3	Vertical	98	1.75	-	101.80	31.73	9.86	34.13
PK	5.353G	59.76	74.00	-14.24	7.13	3	Vertical	98	1.75	-	52.63	31.32	9.97	34.16

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	45.99	54.00	-8.01	7.60	3	Horizontal	27	1.74	-	38.39	31.90	9.83	34.13
AV	5.181G	92.97	Inf	-Inf	7.50	3	Horizontal	27	1.74	-	85.47	31.78	9.85	34.13
AV	5.362G	45.37	54.00	-8.63	7.20	3	Horizontal	27	1.74	-	38.17	31.40	9.97	34.17
PK	5.15G	65.15	74.00	-8.85	7.60	3	Horizontal	27	1.74	-	57.55	31.90	9.83	34.13
PK	5.172G	104.57	Inf	-Inf	7.52	3	Horizontal	27	1.74	-	97.05	31.81	9.84	34.13
PK	5.363G	58.23	74.00	-15.77	7.20	3	Horizontal	27	1.74	-	51.03	31.40	9.97	34.17


802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX

5210MHz_TX




802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX

5210MHz_TX



802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.14G	46.45	54.00	-7.55	7.60	3	Vertical	84	2.02	-	38.85	31.90	9.83	34.13
AV	5.3G	95.84	Inf	-Inf	7.08	3	Vertical	84	2.02	-	88.76	31.30	9.93	34.15
AV	5.355G	46.99	54.00	-7.01	7.15	3	Vertical	84	2.02	-	39.84	31.34	9.97	34.16
PK	5.149G	66.58	74.00	-7.42	7.60	3	Vertical	84	2.02	-	58.98	31.90	9.83	34.13
PK	5.3G	109.53	Inf	-Inf	7.08	3	Vertical	84	2.02	-	102.45	31.30	9.93	34.15
PK	5.374G	71.97	74.00	-2.03	7.30	3	Vertical	84	2.02	-	64.67	31.49	9.98	34.17


802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX

5290MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.145G	46.12	54.00	-7.88	7.60	3	Horizontal	24	1.50	-	38.52	31.90	9.83	34.13
AV	5.31G	91.89	Inf	-Inf	7.08	3	Horizontal	24	1.50	-	84.81	31.30	9.94	34.16
AV	5.35G	46.44	54.00	-7.56	7.11	3	Horizontal	24	1.50	-	39.33	31.30	9.97	34.16
PK	5.146G	62.51	74.00	-11.49	7.60	3	Horizontal	24	1.50	-	54.91	31.90	9.83	34.13
PK	5.3G	105.41	Inf	-Inf	7.08	3	Horizontal	24	1.50	-	98.33	31.30	9.93	34.15
PK	5.378G	68.77	74.00	-5.23	7.33	3	Horizontal	24	1.50	-	61.44	31.52	9.98	34.17

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX 5290MHz_TX




802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX 5290MHz_TX



802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	45.70	54.00	-8.30	7.56	3	Vertical	98	1.85	-	38.14	31.72	10.02	34.18
AV	5.511G	96.29	Inf	-Inf	7.65	3	Vertical	98	1.85	-	88.64	31.80	10.04	34.19
PK	5.467G	64.91	68.20	-3.29	7.57	3	Vertical	98	1.85	-	57.34	31.73	10.02	34.18
PK	5.512G	108.54	Inf	-Inf	7.65	3	Vertical	98	1.85	-	100.89	31.80	10.04	34.19
PK	5.727G	58.57	68.20	-9.63	7.89	3	Vertical	98	1.85	-	50.68	31.95	10.14	34.20


802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX

5530MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.35G	45.10	54.00	-8.90	7.10	3	Horizontal	21	1.50	-	38.00	31.30	9.96	34.16
AV	5.388G	45.32	54.00	-8.68	7.42	3	Horizontal	21	1.50	-	37.90	31.60	9.99	34.17
AV	5.5G	93.42	Inf	-Inf	7.65	3	Horizontal	21	1.50	-	85.77	31.80	10.04	34.19
PK	5.465G	62.08	68.20	-6.12	7.57	3	Horizontal	21	1.50	-	54.51	31.73	10.02	34.18
PK	5.5G	106.04	Inf	-Inf	7.65	3	Horizontal	21	1.50	-	98.39	31.80	10.04	34.19
PK	5.754G	58.98	68.20	-9.22	7.95	3	Horizontal	21	1.50	-	51.03	32.01	10.15	34.21

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX 5530MHz_TX




802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX 5530MHz_TX



802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.455G	45.95	54.00	-8.05	7.55	3	Vertical	79	1.83	-	38.40	31.71	10.02	34.18
AV	5.621G	97.82	Inf	-Inf	7.54	3	Vertical	79	1.83	-	90.28	31.66	10.08	34.20
PK	5.467G	66.28	68.20	-1.92	7.57	3	Vertical	79	1.83	-	58.71	31.73	10.02	34.18
PK	5.62G	110.62	Inf	-Inf	7.54	3	Vertical	79	1.83	-	103.08	31.66	10.08	34.20
PK	5.726G	66.03	68.20	-2.17	7.89	3	Vertical	79	1.83	-	58.14	31.95	10.14	34.20

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.393G	45.58	54.00	-8.42	7.47	3	Horizontal	21	2.62	-	38.11	31.64	10.00	34.17
AV	5.626G	96.48	Inf	-Inf	7.53	3	Horizontal	21	2.62	-	88.95	31.65	10.08	34.20
PK	5.47G	63.59	68.20	-4.61	7.58	3	Horizontal	21	2.62	-	56.01	31.74	10.02	34.18
PK	5.626G	109.41	Inf	-Inf	7.53	3	Horizontal	21	2.62	-	101.88	31.65	10.08	34.20
PK	5.725G	66.16	68.20	-2.04	7.89	3	Horizontal	21	2.62	-	58.27	31.95	10.14	34.20


802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX

5610MHz_TX




802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 66_2TX

5610MHz_TX



802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.7582G	108.76	Inf	-Inf	7.97	3	Vertical	71	1.08	-	100.79	32.02	10.16	34.21
PK	5.6346G	64.80	68.20	-3.40	7.52	3	Vertical	71	1.08	-	57.28	31.63	10.09	34.20
PK	5.9334G	66.60	68.20	-1.60	8.56	3	Vertical	71	1.08	-	58.04	32.50	10.28	34.22
AV	5.7582G	97.01	Inf	-Inf	7.97	3	Vertical	71	1.08	-	89.04	32.02	10.16	34.21

802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	95.45	Inf	-Inf	7.93	3	Horizontal	39	1.69	-	87.52	31.98	10.15	34.20
PK	5.6442G	63.39	68.20	-4.81	7.50	3	Horizontal	39	1.69	-	55.89	31.61	10.09	34.20
PK	5.7474G	107.87	Inf	-Inf	7.94	3	Horizontal	39	1.69	-	99.93	31.99	10.15	34.20
PK	5.9286G	66.04	68.20	-2.16	8.56	3	Horizontal	39	1.69	-	57.48	32.50	10.28	34.22


802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX

5775MHz_TX




802.11ax HEW80_Nss1,(MCS0),RU 484,#RU 65_2TX

5775MHz_TX



802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	46.32	54.00	-7.68	7.60	3	Vertical	83	1.93	-	38.72	31.90	9.83	34.13
AV	5.1912G	91.96	Inf	-Inf	7.47	3	Vertical	83	1.93	-	84.49	31.74	9.86	34.13
AV	5.3808G	45.94	54.00	-8.06	7.37	3	Vertical	83	1.93	-	38.57	31.55	9.99	34.17
PK	5.1252G	70.26	74.00	-3.74	7.60	3	Vertical	83	1.93	-	62.66	31.90	9.82	34.12
PK	5.2008G	104.25	Inf	-Inf	7.42	3	Vertical	83	1.93	-	96.83	31.70	9.86	34.14
PK	5.3952G	69.89	74.00	-4.11	7.49	3	Vertical	83	1.93	-	62.40	31.66	10.00	34.17

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1468G	46.00	54.00	-8.00	7.60	3	Horizontal	27	1.50	-	38.40	31.90	9.83	34.13
AV	5.2116G	88.06	Inf	-Inf	7.36	3	Horizontal	27	1.50	-	80.70	31.63	9.87	34.14
AV	5.3916G	45.54	54.00	-8.46	7.45	3	Horizontal	27	1.50	-	38.09	31.63	9.99	34.17
PK	5.1264G	65.13	74.00	-8.87	7.60	3	Horizontal	27	1.50	-	57.53	31.90	9.82	34.12
PK	5.2416G	99.62	Inf	-Inf	7.20	3	Horizontal	27	1.50	-	92.42	31.45	9.89	34.14
PK	5.3964G	64.59	74.00	-9.41	7.50	3	Horizontal	27	1.50	-	57.09	31.67	10.00	34.17


802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX

5250MHz Straddle 5.25-5.35GHz_TX




802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX

5250MHz Straddle 5.25-5.35GHz_TX



802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_2TX


5250MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1492G	46.44	54.00	-7.56	7.60	3	Vertical	87	1.92	-	38.84	31.90	9.83	34.13
AV	5.2692G	91.53	Inf	-Inf	7.12	3	Vertical	87	1.92	-	84.41	31.36	9.91	34.15
AV	5.3532G	46.49	54.00	-7.51	7.14	3	Vertical	87	1.92	-	39.35	31.33	9.97	34.16
PK	5.13G	71.95	74.00	-2.05	7.60	3	Vertical	87	1.92	-	64.35	31.90	9.82	34.12
PK	5.2704G	104.46	Inf	-Inf	7.12	3	Vertical	87	1.92	-	97.34	31.36	9.91	34.15
PK	5.3964G	70.45	74.00	-3.55	7.50	3	Vertical	87	1.92	-	62.95	31.67	10.00	34.17


802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_2TX

5250MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1456G	45.96	54.00	-8.04	7.60	3	Horizontal	23	1.59	-	38.36	31.90	9.83	34.13
AV	5.2608G	87.83	Inf	-Inf	7.13	3	Horizontal	23	1.59	-	80.70	31.38	9.90	34.15
AV	5.3544G	45.83	54.00	-8.17	7.15	3	Horizontal	23	1.59	-	38.68	31.34	9.97	34.16
PK	5.1444G	67.29	74.00	-6.71	7.60	3	Horizontal	23	1.59	-	59.69	31.90	9.83	34.13
PK	5.2704G	100.79	Inf	-Inf	7.12	3	Horizontal	23	1.59	-	93.67	31.36	9.91	34.15
PK	5.3916G	67.69	74.00	-6.31	7.45	3	Horizontal	23	1.59	-	60.24	31.63	9.99	34.17

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_2TX 5250MHz_TX




802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_2TX 5250MHz_TX



802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX


5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4536G	46.35	54.00	-7.65	7.55	3	Vertical	83	1.85	-	38.80	31.71	10.02	34.18
AV	5.552G	91.90	Inf	-Inf	7.66	3	Vertical	83	1.85	-	84.24	31.80	10.05	34.19
PK	5.4656G	63.26	68.20	-4.94	7.57	3	Vertical	83	1.85	-	55.69	31.73	10.02	34.18
PK	5.5424G	104.27	Inf	-Inf	7.66	3	Vertical	83	1.85	-	96.61	31.80	10.05	34.19
PK	5.8064G	59.88	68.20	-8.32	8.10	3	Vertical	83	1.85	-	51.78	32.13	10.18	34.21


802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX

5570MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4512G	47.35	54.00	-6.65	7.54	3	Horizontal	17	0.00	-	39.81	31.70	10.02	34.18
AV	5.5412G	91.19	Inf	-Inf	7.66	3	Horizontal	17	1.67	-	83.53	31.80	10.05	34.19
PK	5.4656G	57.82	68.20	-10.38	7.57	3	Horizontal	17	0.00	-	50.25	31.73	10.02	34.18
PK	5.5208G	100.61	Inf	-Inf	7.65	3	Horizontal	17	1.67	-	92.96	31.80	10.04	34.19
PK	5.726G	59.55	68.20	-8.65	7.89	3	Horizontal	17	0.00	-	51.66	31.95	10.14	34.20

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX 5570MHz_TX




802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 67_2TX 5570MHz_TX



802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_2TX


5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4332G	45.79	54.00	-8.21	7.53	3	Vertical	78	1.83	-	38.26	31.70	10.01	34.18
AV	5.5724G	91.94	Inf	-Inf	7.63	3	Vertical	78	1.83	-	84.31	31.76	10.06	34.19
PK	5.4608G	66.60	68.20	-1.60	7.56	3	Vertical	78	1.83	-	59.04	31.72	10.02	34.18
PK	5.582G	104.68	Inf	-Inf	7.61	3	Vertical	78	1.83	-	97.07	31.74	10.06	34.19
PK	5.7272G	63.35	68.20	-4.85	7.89	3	Vertical	78	1.83	-	55.46	31.95	10.14	34.20


802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_2TX

5570MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.396G	45.65	54.00	-8.35	7.50	3	Horizontal	19	1.80	-	38.15	31.67	10.00	34.17
AV	5.5796G	89.59	Inf	-Inf	7.61	3	Horizontal	19	1.80	-	81.98	31.74	10.06	34.19
PK	5.4608G	62.54	68.20	-5.66	7.56	3	Horizontal	19	1.80	-	54.98	31.72	10.02	34.18
PK	5.5988G	102.76	Inf	-Inf	7.57	3	Horizontal	19	1.80	-	95.19	31.70	10.07	34.20
PK	5.726G	62.45	68.20	-5.75	7.89	3	Horizontal	19	1.80	-	54.56	31.95	10.14	34.20

802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_2TX 5570MHz_TX



802.11ax HEW160_Nss1,(MCS0),RU 996,#RU 195_2TX 5570MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	PK	165.8M	37.33	43.50	-6.17	3	Horizontal	360	3.00	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	396.66M	40.16	46.00	-5.84	3	Horizontal	360	1.00	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	PK	396.66M	39.80	46.00	-6.20	3	Horizontal	0	1.00	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	949.56M	39.82	46.00	-6.18	3	Horizontal	0	1.00	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	QP	644.98M	39.94	46.00	-6.06	3	Horizontal	277	1.86	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	371.44M	39.97	46.00	-6.03	3	Horizontal	360	1.00	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	PK	404.42M	39.75	46.00	-6.25	3	Horizontal	0	1.00	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	949.56M	39.97	46.00	-6.03	3	Vertical	0	1.00	-

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5200MHz	Pass	PK	39.7M	33.53	40.00	-6.47	3	Vertical	0	1.00	-
5200MHz	Pass	PK	158.04M	36.62	43.50	-6.88	3	Vertical	0	1.00	-
5200MHz	Pass	PK	258.92M	37.43	46.00	-8.57	3	Vertical	0	1.00	-
5200MHz	Pass	PK	421.88M	39.37	46.00	-6.63	3	Vertical	0	1.00	-
5200MHz	Pass	PK	544.1M	38.82	46.00	-7.18	3	Vertical	0	1.00	-
5200MHz	Pass	QP	627.52M	36.63	46.00	-9.37	3	Vertical	206	1.79	-
5200MHz	Pass	PK	39.7M	30.95	40.00	-9.05	3	Horizontal	360	3.00	-
5200MHz	Pass	PK	165.8M	37.33	43.50	-6.17	3	Horizontal	360	3.00	-
5200MHz	Pass	PK	416.06M	39.74	46.00	-6.26	3	Horizontal	360	3.00	-
5200MHz	Pass	PK	483.96M	37.15	46.00	-8.85	3	Horizontal	360	3.00	-
5200MHz	Pass	PK	577.08M	37.33	46.00	-8.67	3	Horizontal	360	3.00	-
5200MHz	Pass	QP	650.8M	39.46	46.00	-6.54	3	Horizontal	279	1.81	-
5200MHz	Pass	PK	9.846k	61.62	127.72	-66.10	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	35.226k	62.47	116.65	-54.18	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	74.424k	54.62	110.15	-55.53	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	388.8k	57.03	95.80	-38.77	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	985.8k	45.96	67.74	-21.78	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	2.06M	43.12	69.50	-26.38	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	39.7M	33.43	40.00	-6.57	3	Vertical	360	1.00	-
5280MHz	Pass	PK	171.62M	37.08	43.50	-6.42	3	Vertical	360	1.00	-
5280MHz	Pass	PK	303.54M	35.85	46.00	-10.15	3	Vertical	360	1.00	-
5280MHz	Pass	PK	408.3M	39.55	46.00	-6.45	3	Vertical	360	1.00	-
5280MHz	Pass	PK	546.04M	37.64	46.00	-8.36	3	Vertical	360	1.00	-
5280MHz	Pass	PK	650.8M	39.47	46.00	-6.53	3	Vertical	360	1.00	-
5280MHz	Pass	PK	30M	33.14	40.00	-6.86	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	161.92M	36.15	43.50	-7.35	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	258.92M	38.76	46.00	-7.24	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	396.66M	39.80	46.00	-6.20	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	780.78M	39.70	46.00	-6.30	3	Horizontal	0	1.00	-
5280MHz	Pass	QP	652.74M	39.65	46.00	-6.35	3	Horizontal	256	1.82	-
5280MHz	Pass	PK	9.564k	62.23	127.96	-65.73	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	34.944k	61.78	116.73	-54.95	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	74.424k	53.69	110.15	-56.46	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	388.8k	57.66	95.80	-38.14	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	926.1k	47.56	68.28	-20.72	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	2.06M	42.83	69.50	-26.67	3	Horizontal	360	1.00	-
5580MHz	Pass	PK	35.82M	31.58	40.00	-8.42	3	Vertical	0	1.00	-
5580MHz	Pass	PK	165.8M	36.92	43.50	-6.58	3	Vertical	0	1.00	-
5580MHz	Pass	PK	429.64M	39.75	46.00	-6.25	3	Vertical	0	1.00	-
5580MHz	Pass	PK	544.1M	36.96	46.00	-9.04	3	Vertical	0	1.00	-
5580MHz	Pass	PK	650.8M	39.15	46.00	-6.85	3	Vertical	0	1.00	-
5580MHz	Pass	PK	722.58M	39.32	46.00	-6.68	3	Vertical	0	1.00	-
5580MHz	Pass	PK	161.92M	35.27	43.50	-8.23	3	Horizontal	360	1.00	-
5580MHz	Pass	PK	256.98M	37.00	46.00	-9.00	3	Horizontal	360	1.00	-
5580MHz	Pass	PK	402.48M	39.69	46.00	-6.31	3	Horizontal	360	1.00	-
5580MHz	Pass	PK	780.78M	39.22	46.00	-6.78	3	Horizontal	360	1.00	-
5580MHz	Pass	PK	947.62M	39.40	46.00	-6.60	3	Horizontal	360	1.00	-
5580MHz	Pass	QP	644.98M	39.94	46.00	-6.06	3	Horizontal	277	1.86	-
5580MHz	Pass	PK	10.128k	61.83	127.46	-65.63	3	Horizontal	360	1.00	-
5580MHz	Pass	PK	35.226k	61.60	116.65	-55.05	3	Horizontal	360	1.00	-
5580MHz	Pass	PK	74.424k	52.77	110.15	-57.38	3	Horizontal	360	1.00	-
5580MHz	Pass	PK	388.8k	57.02	95.80	-38.78	3	Horizontal	0	1.00	-
5580MHz	Pass	PK	926.1k	46.04	68.28	-22.24	3	Horizontal	0	1.00	-
5580MHz	Pass	PK	2.001M	42.83	69.50	-26.67	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	30M	33.65	40.00	-6.35	3	Vertical	360	1.00	-
5785MHz	Pass	PK	158.04M	36.17	43.50	-7.33	3	Vertical	360	1.00	-
5785MHz	Pass	PK	544.1M	36.90	46.00	-9.10	3	Vertical	360	1.00	-
5785MHz	Pass	PK	652.74M	39.15	46.00	-6.85	3	Vertical	360	1.00	-
5785MHz	Pass	PK	949.56M	39.14	46.00	-6.86	3	Vertical	360	1.00	-
5785MHz	Pass	QP	400.54M	35.43	46.00	-10.57	3	Vertical	236	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	158.04M	35.76	43.50	-7.74	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	262.8M	39.07	46.00	-6.93	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	404.42M	39.75	46.00	-6.25	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	790.48M	39.69	46.00	-6.31	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	903M	39.32	46.00	-6.68	3	Horizontal	0	1.00	-
5785MHz	Pass	QP	650.8M	39.51	46.00	-6.49	3	Horizontal	305	1.82	-
5785MHz	Pass	PK	9.846k	62.49	127.72	-65.23	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	35.508k	62.30	116.59	-54.29	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	74.424k	54.81	110.15	-55.34	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	388.8k	56.76	95.80	-39.04	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	926.1k	46.48	68.28	-21.80	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	5.344M	42.47	69.50	-27.03	3	Horizontal	360	1.00	-
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5200MHz	Pass	PK	30M	33.85	40.00	-6.15	3	Vertical	0	1.00	-
5200MHz	Pass	PK	165.8M	37.34	43.50	-6.16	3	Vertical	0	1.00	-
5200MHz	Pass	PK	544.1M	37.05	46.00	-8.95	3	Vertical	0	1.00	-
5200MHz	Pass	PK	631.4M	38.43	46.00	-7.57	3	Vertical	0	1.00	-
5200MHz	Pass	PK	947.62M	38.84	46.00	-7.16	3	Vertical	0	1.00	-
5200MHz	Pass	QP	423.82M	35.81	46.00	-10.19	3	Vertical	194	1.00	-
5200MHz	Pass	PK	39.7M	32.25	40.00	-7.75	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	158.04M	36.89	43.50	-6.61	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	262.8M	37.86	46.00	-8.14	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	396.66M	40.16	46.00	-5.84	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	577.08M	38.01	46.00	-7.99	3	Horizontal	360	1.00	-
5200MHz	Pass	QP	652.74M	38.25	46.00	-7.75	3	Horizontal	278	1.86	-
5200MHz	Pass	PK	10.128k	61.55	127.46	-65.91	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	35.226k	60.69	116.65	-55.96	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	51.3k	53.55	113.39	-59.84	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	388.8k	57.18	95.80	-38.62	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	985.8k	46.06	67.74	-21.68	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	2.657M	39.97	69.50	-29.53	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	39.7M	33.43	40.00	-6.57	3	Vertical	360	1.00	-
5280MHz	Pass	PK	156.1M	36.93	43.50	-6.57	3	Vertical	360	1.00	-
5280MHz	Pass	PK	303.54M	36.88	46.00	-9.12	3	Vertical	360	1.00	-
5280MHz	Pass	PK	431.58M	39.77	46.00	-6.23	3	Vertical	360	1.00	-
5280MHz	Pass	PK	542.16M	38.02	46.00	-7.98	3	Vertical	360	1.00	-
5280MHz	Pass	PK	650.8M	39.50	46.00	-6.50	3	Vertical	360	1.00	-
5280MHz	Pass	PK	30M	29.37	40.00	-10.63	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	163.86M	36.02	43.50	-7.48	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	256.98M	39.18	46.00	-6.82	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	377.26M	38.79	46.00	-7.21	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	949.56M	39.82	46.00	-6.18	3	Horizontal	0	1.00	-
5280MHz	Pass	QP	650.8M	38.89	46.00	-7.11	3	Horizontal	263	1.80	-
5280MHz	Pass	PK	9.846k	62.10	127.72	-65.62	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	35.79k	61.84	116.51	-54.67	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	74.142k	53.40	110.19	-56.79	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	388.8k	57.29	95.80	-38.51	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	1.583M	47.00	63.66	-16.66	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	2.06M	44.83	69.50	-24.67	3	Horizontal	360	1.00	-
5580MHz	Pass	PK	39.7M	33.19	40.00	-6.81	3	Vertical	0	1.00	-
5580MHz	Pass	PK	156.1M	35.53	43.50	-7.97	3	Vertical	0	1.00	-
5580MHz	Pass	PK	346.22M	37.52	46.00	-8.48	3	Vertical	0	1.00	-
5580MHz	Pass	PK	540.22M	37.36	46.00	-8.64	3	Vertical	0	1.00	-
5580MHz	Pass	PK	650.8M	39.45	46.00	-6.55	3	Vertical	0	1.00	-
5580MHz	Pass	QP	427.7M	34.64	46.00	-11.36	3	Vertical	190	1.04	-
5580MHz	Pass	PK	171.62M	36.12	43.50	-7.38	3	Horizontal	360	1.00	-
5580MHz	Pass	PK	258.92M	39.07	46.00	-6.93	3	Horizontal	360	1.00	-
5580MHz	Pass	PK	371.44M	39.97	46.00	-6.03	3	Horizontal	360	1.00	-
5580MHz	Pass	PK	786.6M	39.44	46.00	-6.56	3	Horizontal	360	1.00	-
5580MHz	Pass	PK	953.44M	39.78	46.00	-6.22	3	Horizontal	360	1.00	-
5580MHz	Pass	QP	650.8M	39.80	46.00	-6.20	3	Horizontal	282	1.74	-
5580MHz	Pass	PK	10.128k	62.38	127.46	-65.08	3	Horizontal	360	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	35.226k	61.29	116.65	-55.36	3	Horizontal	360	1.00	-
5580MHz	Pass	PK	73.86k	54.91	110.23	-55.32	3	Horizontal	360	1.00	-
5580MHz	Pass	PK	388.8k	56.86	95.80	-38.94	3	Horizontal	0	1.00	-
5580MHz	Pass	PK	985.8k	45.83	67.74	-21.91	3	Horizontal	0	1.00	-
5580MHz	Pass	PK	1.941M	42.00	69.50	-27.50	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	45.52M	33.89	40.00	-6.11	3	Vertical	0	1.00	-
5785MHz	Pass	PK	161.92M	37.20	43.50	-6.30	3	Vertical	0	1.00	-
5785MHz	Pass	PK	431.58M	39.34	46.00	-6.66	3	Vertical	0	1.00	-
5785MHz	Pass	PK	538.28M	38.02	46.00	-7.98	3	Vertical	0	1.00	-
5785MHz	Pass	PK	650.8M	39.61	46.00	-6.39	3	Vertical	0	1.00	-
5785MHz	Pass	PK	949.56M	39.97	46.00	-6.03	3	Vertical	0	1.00	-
5785MHz	Pass	PK	171.62M	35.76	43.50	-7.74	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	258.92M	38.01	46.00	-7.99	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	821.52M	39.17	46.00	-6.83	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	955.38M	39.70	46.00	-6.30	3	Horizontal	360	1.00	-
5785MHz	Pass	QP	404.42M	35.95	46.00	-10.05	3	Horizontal	177	1.00	-
5785MHz	Pass	QP	652.74M	38.25	46.00	-7.75	3	Horizontal	255	1.82	-
5785MHz	Pass	PK	10.128k	60.68	127.46	-66.78	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	35.508k	61.74	116.59	-54.85	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	51.018k	53.91	113.43	-59.52	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	388.8k	56.91	95.80	-38.89	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	985.8k	47.48	67.74	-20.26	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	1.881M	44.90	69.50	-24.60	3	Horizontal	0	1.00	-

802.11a_Nss1,(6Mbps)_1TX(Port1)


5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	39.7M	33.53	40.00	-6.47	-8.42	3	Vertical	0	1.00	-	41.95	17.92	1.03	27.37
PK	158.04M	36.62	43.50	-6.88	-10.44	3	Vertical	0	1.00	-	47.06	15.32	1.77	27.53
PK	258.92M	37.43	46.00	-8.57	-6.09	3	Vertical	0	1.00	-	43.52	18.64	2.30	27.03
PK	421.88M	39.37	46.00	-6.63	-3.14	3	Vertical	0	1.00	-	42.51	21.80	2.97	27.91
PK	544.1M	38.82	46.00	-7.18	-1.40	3	Vertical	0	1.00	-	40.22	23.52	3.40	28.32
QP	627.52M	36.63	46.00	-9.37	-0.33	3	Vertical	206	1.79	-	36.96	24.32	3.65	28.30

802.11a_Nss1,(6Mbps)_1TX(Port1)

5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	39.7M	30.95	40.00	-9.05	-8.42	3	Horizontal	360	3.00	-	39.37	17.92	1.03	27.37
PK	165.8M	37.33	43.50	-6.17	-10.60	3	Horizontal	360	3.00	-	47.93	15.08	1.82	27.50
PK	416.06M	39.74	46.00	-6.26	-3.19	3	Horizontal	360	3.00	-	42.93	21.74	2.94	27.87
PK	483.96M	37.15	46.00	-8.85	-2.30	3	Horizontal	360	3.00	-	39.45	22.72	3.24	28.26
PK	577.08M	37.33	46.00	-8.67	-0.96	3	Horizontal	360	3.00	-	38.29	23.91	3.51	28.38
QP	650.8M	39.46	46.00	-6.54	-0.31	3	Horizontal	279	1.81	-	39.77	24.19	3.70	28.20

802.11a_Nss1,(6Mbps)_1TX(Port1)


5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	9.846k	61.62	127.72	-66.10	19.14	3	Horizontal	360	1.00	-	42.48	18.96	0.18	-
PK	35.226k	62.47	116.65	-54.18	21.59	3	Horizontal	360	1.00	-	40.88	21.35	0.24	-
PK	74.424k	54.62	110.15	-55.53	20.45	3	Horizontal	360	1.00	-	34.17	20.17	0.28	-

802.11a_Nss1,(6Mbps)_1TX(Port1)


5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	57.03	95.80	-38.77	20.50	3	Horizontal	0	1.00	-	36.53	20.20	0.30	-
PK	985.8k	45.96	67.74	-21.78	20.68	3	Horizontal	0	1.00	-	25.28	20.30	0.38	-
PK	2.06M	43.12	69.50	-26.38	20.29	3	Horizontal	0	1.00	-	22.83	19.84	0.45	-

802.11a_Nss1,(6Mbps)_1TX(Port1)


5280MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	39.7M	33.43	40.00	-6.57	-7.04	3	Vertical	360	1.00	-	40.47	17.92	2.41	27.37
PK	171.62M	37.08	43.50	-6.42	-9.87	3	Vertical	360	1.00	-	46.95	14.82	2.80	27.49
PK	303.54M	35.85	46.00	-10.15	-5.41	3	Vertical	360	1.00	-	41.26	18.47	3.20	27.08
PK	408.3M	39.55	46.00	-6.45	-2.87	3	Vertical	360	1.00	-	42.42	21.45	3.51	27.83
PK	546.04M	37.64	46.00	-8.36	-0.74	3	Vertical	360	1.00	-	38.38	23.65	3.93	28.32
PK	650.8M	39.47	46.00	-6.53	0.23	3	Vertical	360	1.00	-	39.24	24.19	4.24	28.20

802.11a_Nss1,(6Mbps)_1TX(Port1)

5280MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	33.14	40.00	-6.86	-1.35	3	Horizontal	0	1.00	-	34.49	23.26	2.38	26.99
PK	161.92M	36.15	43.50	-7.35	-9.63	3	Horizontal	0	1.00	-	45.78	15.10	2.78	27.51
PK	258.92M	38.76	46.00	-7.24	-5.32	3	Horizontal	0	1.00	-	44.08	18.64	3.07	27.03
PK	396.66M	39.80	46.00	-6.20	-3.48	3	Horizontal	0	1.00	-	43.28	20.79	3.48	27.75
PK	780.78M	39.70	46.00	-6.30	1.69	3	Horizontal	0	1.00	-	38.01	25.01	4.63	27.95
QP	652.74M	39.65	46.00	-6.35	0.23	3	Horizontal	256	1.82	-	39.42	24.18	4.25	28.20

802.11a_Nss1,(6Mbps)_1TX(Port1)


5280MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	9.564k	62.23	127.96	-65.73	19.25	3	Horizontal	0	1.00	-	42.98	19.07	0.18	-
PK	34.944k	61.78	116.73	-54.95	21.60	3	Horizontal	0	1.00	-	40.18	21.36	0.24	-
PK	74.424k	53.69	110.15	-56.46	20.45	3	Horizontal	0	1.00	-	33.24	20.17	0.28	-

802.11a_Nss1,(6Mbps)_1TX(Port1)


5280MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	388.8k	57.66	95.80	-38.14	20.50	3	Horizontal	360	1.00	-	37.16	20.20	0.30	-
PK	926.1k	47.56	68.28	-20.72	20.66	3	Horizontal	360	1.00	-	26.90	20.29	0.37	-
PK	2.06M	42.83	69.50	-26.67	20.29	3	Horizontal	360	1.00	-	22.54	19.84	0.45	-

802.11a_Nss1,(6Mbps)_1TX(Port1)


5580MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	35.82M	31.58	40.00	-8.42	-5.99	3	Vertical	0	1.00	-	37.57	20.17	1.02	27.18
PK	165.8M	36.92	43.50	-6.58	-10.60	3	Vertical	0	1.00	-	47.52	15.08	1.82	27.50
PK	429.64M	39.75	46.00	-6.25	-3.20	3	Vertical	0	1.00	-	42.95	21.75	3.00	27.95
PK	544.1M	36.96	46.00	-9.04	-1.40	3	Vertical	0	1.00	-	38.36	23.52	3.40	28.32
PK	650.8M	39.15	46.00	-6.85	-0.31	3	Vertical	0	1.00	-	39.46	24.19	3.70	28.20
PK	722.58M	39.32	46.00	-6.68	0.25	3	Vertical	0	1.00	-	39.07	24.53	3.88	28.16

802.11a_Nss1,(6Mbps)_1TX(Port1)

5580MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	161.92M	35.27	43.50	-8.23	-10.62	3	Horizontal	360	1.00	-	45.89	15.10	1.79	27.51
PK	256.98M	37.00	46.00	-9.00	-6.34	3	Horizontal	360	1.00	-	43.34	18.40	2.29	27.03
PK	402.48M	39.69	46.00	-6.31	-3.76	3	Horizontal	360	1.00	-	43.45	21.14	2.89	27.79
PK	780.78M	39.22	46.00	-6.78	1.13	3	Horizontal	360	1.00	-	38.09	25.01	4.07	27.95
PK	947.62M	39.40	46.00	-6.60	3.27	3	Horizontal	360	1.00	-	36.13	26.06	4.50	27.29
QP	644.98M	39.94	46.00	-6.06	-0.29	3	Horizontal	277	1.86	-	40.23	24.24	3.69	28.22

802.11a_Nss1,(6Mbps)_1TX(Port1)


5580MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.128k	61.83	127.46	-65.63	19.12	3	Horizontal	360	1.00	-	42.71	18.93	0.19	-
PK	35.226k	61.60	116.65	-55.05	21.59	3	Horizontal	360	1.00	-	40.01	21.35	0.24	-
PK	74.424k	52.77	110.15	-57.38	20.45	3	Horizontal	360	1.00	-	32.32	20.17	0.28	-

802.11a_Nss1,(6Mbps)_1TX(Port1)


5580MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	57.02	95.80	-38.78	20.50	3	Horizontal	0	1.00	-	36.52	20.20	0.30	-
PK	926.1k	46.04	68.28	-22.24	20.66	3	Horizontal	0	1.00	-	25.38	20.29	0.37	-
PK	2.001M	42.83	69.50	-26.67	20.31	3	Horizontal	0	1.00	-	22.52	19.86	0.45	-

802.11a_Nss1,(6Mbps)_1TX(Port1)


5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	33.65	40.00	-6.35	-2.71	3	Vertical	360	1.00	-	36.36	23.26	1.02	26.99
PK	158.04M	36.17	43.50	-7.33	-10.44	3	Vertical	360	1.00	-	46.61	15.32	1.77	27.53
PK	544.1M	36.90	46.00	-9.10	-1.40	3	Vertical	360	1.00	-	38.30	23.52	3.40	28.32
PK	652.74M	39.15	46.00	-6.85	-0.31	3	Vertical	360	1.00	-	39.46	24.18	3.71	28.20
PK	949.56M	39.14	46.00	-6.86	3.29	3	Vertical	360	1.00	-	35.85	26.07	4.50	27.28
QP	400.54M	35.43	46.00	-10.57	-3.85	3	Vertical	236	1.00	-	39.28	21.05	2.88	27.78

802.11a_Nss1,(6Mbps)_1TX(Port1)

5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	158.04M	35.76	43.50	-7.74	-10.44	3	Horizontal	0	1.00	-	46.20	15.32	1.77	27.53
PK	262.8M	39.07	46.00	-6.93	-6.04	3	Horizontal	0	1.00	-	45.11	18.67	2.32	27.03
PK	404.42M	39.75	46.00	-6.25	-3.67	3	Horizontal	0	1.00	-	43.42	21.24	2.90	27.81
PK	790.48M	39.69	46.00	-6.31	1.25	3	Horizontal	0	1.00	-	38.44	25.06	4.11	27.92
PK	903M	39.32	46.00	-6.68	2.69	3	Horizontal	0	1.00	-	36.63	25.68	4.50	27.49
QP	650.8M	39.51	46.00	-6.49	-0.31	3	Horizontal	305	1.82	-	39.82	24.19	3.70	28.20

802.11a_Nss1,(6Mbps)_1TX(Port1)


5785MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	9.846k	62.49	127.72	-65.23	19.14	3	Horizontal	0	1.00	-	43.35	18.96	0.18	-
PK	35.508k	62.30	116.59	-54.29	21.58	3	Horizontal	0	1.00	-	40.72	21.34	0.24	-
PK	74.424k	54.81	110.15	-55.34	20.45	3	Horizontal	0	1.00	-	34.36	20.17	0.28	-

802.11a_Nss1,(6Mbps)_1TX(Port1)


5785MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	388.8k	56.76	95.80	-39.04	20.50	3	Horizontal	360	1.00	-	36.26	20.20	0.30	-
PK	926.1k	46.48	68.28	-21.80	20.66	3	Horizontal	360	1.00	-	25.82	20.29	0.37	-
PK	5.344M	42.47	69.50	-27.03	21.08	3	Horizontal	360	1.00	-	21.39	20.47	0.61	-

802.11a_Nss1,(6Mbps)_2TX


5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	33.85	40.00	-6.15	-2.71	3	Vertical	0	1.00	-	36.56	23.26	1.02	26.99
PK	165.8M	37.34	43.50	-6.16	-10.60	3	Vertical	0	1.00	-	47.94	15.08	1.82	27.50
PK	544.1M	37.05	46.00	-8.95	-1.40	3	Vertical	0	1.00	-	38.45	23.52	3.40	28.32
PK	631.4M	38.43	46.00	-7.57	-0.31	3	Vertical	0	1.00	-	38.74	24.32	3.66	28.29
PK	947.62M	38.84	46.00	-7.16	3.27	3	Vertical	0	1.00	-	35.57	26.06	4.50	27.29
QP	423.82M	35.81	46.00	-10.19	-3.13	3	Vertical	194	1.00	-	38.94	21.81	2.98	27.92

802.11a_Nss1,(6Mbps)_2TX


5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	39.7M	32.25	40.00	-7.75	-8.42	3	Horizontal	360	1.00	-	40.67	17.92	1.03	27.37
PK	158.04M	36.89	43.50	-6.61	-10.44	3	Horizontal	360	1.00	-	47.33	15.32	1.77	27.53
PK	262.8M	37.86	46.00	-8.14	-6.04	3	Horizontal	360	1.00	-	43.90	18.67	2.32	27.03
PK	396.66M	40.16	46.00	-5.84	-4.09	3	Horizontal	360	1.00	-	44.25	20.79	2.87	27.75
PK	577.08M	38.01	46.00	-7.99	-0.96	3	Horizontal	360	1.00	-	38.97	23.91	3.51	28.38
QP	652.74M	38.25	46.00	-7.75	-0.31	3	Horizontal	278	1.86	-	38.56	24.18	3.71	28.20

802.11a_Nss1,(6Mbps)_2TX


5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.128k	61.55	127.46	-65.91	19.12	3	Horizontal	360	1.00	-	42.43	18.93	0.19	-
PK	35.226k	60.69	116.65	-55.96	21.59	3	Horizontal	360	1.00	-	39.10	21.35	0.24	-
PK	51.3k	53.55	113.39	-59.84	21.02	3	Horizontal	360	1.00	-	32.53	20.76	0.26	-

802.11a_Nss1,(6Mbps)_2TX


5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	57.18	95.80	-38.62	20.50	3	Horizontal	0	1.00	-	36.68	20.20	0.30	-
PK	985.8k	46.06	67.74	-21.68	20.68	3	Horizontal	0	1.00	-	25.38	20.30	0.38	-
PK	2.657M	39.97	69.50	-29.53	20.17	3	Horizontal	0	1.00	-	19.80	19.68	0.49	-

802.11a_Nss1,(6Mbps)_2TX


5280MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	39.7M	33.43	40.00	-6.57	-7.04	3	Vertical	360	1.00	-	40.47	17.92	2.41	27.37
PK	156.1M	36.93	43.50	-6.57	-9.46	3	Vertical	360	1.00	-	46.39	15.32	2.76	27.54
PK	303.54M	36.88	46.00	-9.12	-5.41	3	Vertical	360	1.00	-	42.29	18.47	3.20	27.08
PK	431.58M	39.77	46.00	-6.23	-2.63	3	Vertical	360	1.00	-	42.40	21.75	3.58	27.96
PK	542.16M	38.02	46.00	-7.98	-1.02	3	Vertical	360	1.00	-	39.04	23.38	3.92	28.32
PK	650.8M	39.50	46.00	-6.50	0.23	3	Vertical	360	1.00	-	39.27	24.19	4.24	28.20

802.11a_Nss1,(6Mbps)_2TX


5280MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	30M	29.37	40.00	-10.63	-1.35	3	Horizontal	0	1.00	-	30.72	23.26	2.38	26.99
PK	163.86M	36.02	43.50	-7.48	-9.62	3	Horizontal	0	1.00	-	45.64	15.11	2.78	27.51
PK	256.98M	39.18	46.00	-6.82	-5.57	3	Horizontal	0	1.00	-	44.75	18.40	3.06	27.03
PK	377.26M	38.79	46.00	-7.21	-4.06	3	Horizontal	0	1.00	-	42.85	20.10	3.42	27.58
PK	949.56M	39.82	46.00	-6.18	3.93	3	Horizontal	0	1.00	-	35.89	26.07	5.14	27.28
QP	650.8M	38.89	46.00	-7.11	0.23	3	Horizontal	263	1.80	-	38.66	24.19	4.24	28.20

802.11a_Nss1,(6Mbps)_2TX


5280MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	9.846k	62.10	127.72	-65.62	19.14	3	Horizontal	0	1.00	-	42.96	18.96	0.18	-
PK	35.79k	61.84	116.51	-54.67	21.56	3	Horizontal	0	1.00	-	40.28	21.32	0.24	-
PK	74.142k	53.40	110.19	-56.79	20.46	3	Horizontal	0	1.00	-	32.94	20.18	0.28	-

802.11a_Nss1,(6Mbps)_2TX


5280MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	57.29	95.80	-38.51	20.50	3	Horizontal	360	1.00	-	36.79	20.20	0.30	-
PK	1.583M	47.00	63.66	-16.66	20.44	3	Horizontal	360	1.00	-	26.56	20.01	0.43	-
PK	2.06M	44.83	69.50	-24.67	20.29	3	Horizontal	360	1.00	-	24.54	19.84	0.45	-

802.11a_Nss1,(6Mbps)_2TX


5580MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	39.7M	33.19	40.00	-6.81	-8.42	3	Vertical	0	1.00	-	41.61	17.92	1.03	27.37
PK	156.1M	35.53	43.50	-7.97	-10.46	3	Vertical	0	1.00	-	45.99	15.32	1.76	27.54
PK	346.22M	37.52	46.00	-8.48	-5.20	3	Vertical	0	1.00	-	42.72	19.42	2.69	27.31
PK	540.22M	37.36	46.00	-8.64	-1.69	3	Vertical	0	1.00	-	39.05	23.25	3.39	28.33
PK	650.8M	39.45	46.00	-6.55	-0.31	3	Vertical	0	1.00	-	39.76	24.19	3.70	28.20
QP	427.7M	34.64	46.00	-11.36	-3.18	3	Vertical	190	1.04	-	37.82	21.77	2.99	27.94

802.11a_Nss1,(6Mbps)_2TX

5580MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	171.62M	36.12	43.50	-7.38	-10.81	3	Horizontal	360	1.00	-	46.93	14.82	1.86	27.49
PK	258.92M	39.07	46.00	-6.93	-6.09	3	Horizontal	360	1.00	-	45.16	18.64	2.30	27.03
PK	371.44M	39.97	46.00	-6.03	-4.73	3	Horizontal	360	1.00	-	44.70	20.01	2.78	27.52
PK	786.6M	39.44	46.00	-6.56	1.21	3	Horizontal	360	1.00	-	38.23	25.05	4.09	27.93
PK	953.44M	39.78	46.00	-6.22	3.36	3	Horizontal	360	1.00	-	36.42	26.12	4.51	27.27
QP	650.8M	39.80	46.00	-6.20	-0.31	3	Horizontal	282	1.74	-	40.11	24.19	3.70	28.20

802.11a_Nss1,(6Mbps)_2TX


5580MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.128k	62.38	127.46	-65.08	19.12	3	Horizontal	360	1.00	-	43.26	18.93	0.19	-
PK	35.226k	61.29	116.65	-55.36	21.59	3	Horizontal	360	1.00	-	39.70	21.35	0.24	-
PK	73.86k	54.91	110.23	-55.32	20.46	3	Horizontal	360	1.00	-	34.45	20.18	0.28	-

802.11a_Nss1,(6Mbps)_2TX


5580MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	56.86	95.80	-38.94	20.50	3	Horizontal	0	1.00	-	36.36	20.20	0.30	-
PK	985.8k	45.83	67.74	-21.91	20.68	3	Horizontal	0	1.00	-	25.15	20.30	0.38	-
PK	1.941M	42.00	69.50	-27.50	20.33	3	Horizontal	0	1.00	-	21.67	19.88	0.45	-

802.11a_Nss1,(6Mbps)_2TX


5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	33.89	40.00	-6.11	-11.58	3	Vertical	0	1.00	-	45.47	14.97	1.03	27.58
PK	161.92M	37.20	43.50	-6.30	-10.62	3	Vertical	0	1.00	-	47.82	15.10	1.79	27.51
PK	431.58M	39.34	46.00	-6.66	-3.20	3	Vertical	0	1.00	-	42.54	21.75	3.01	27.96
PK	538.28M	38.02	46.00	-7.98	-1.80	3	Vertical	0	1.00	-	39.82	23.14	3.39	28.33
PK	650.8M	39.61	46.00	-6.39	-0.31	3	Vertical	0	1.00	-	39.92	24.19	3.70	28.20
PK	949.56M	39.97	46.00	-6.03	3.29	3	Vertical	0	1.00	-	36.68	26.07	4.50	27.28

802.11a_Nss1,(6Mbps)_2TX


5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	171.62M	35.76	43.50	-7.74	-10.81	3	Horizontal	360	1.00	-	46.57	14.82	1.86	27.49
PK	258.92M	38.01	46.00	-7.99	-6.09	3	Horizontal	360	1.00	-	44.10	18.64	2.30	27.03
PK	821.52M	39.17	46.00	-6.83	1.63	3	Horizontal	360	1.00	-	37.54	25.26	4.18	27.81
PK	955.38M	39.70	46.00	-6.30	3.40	3	Horizontal	360	1.00	-	36.30	26.14	4.52	27.26
QP	404.42M	35.95	46.00	-10.05	-3.67	3	Horizontal	177	1.00	-	39.62	21.24	2.90	27.81
QP	652.74M	38.25	46.00	-7.75	-0.31	3	Horizontal	255	1.82	-	38.56	24.18	3.71	28.20

802.11a_Nss1,(6Mbps)_2TX


5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.128k	60.68	127.46	-66.78	19.12	3	Horizontal	360	1.00	-	41.56	18.93	0.19	-
PK	35.508k	61.74	116.59	-54.85	21.58	3	Horizontal	360	1.00	-	40.16	21.34	0.24	-
PK	51.018k	53.91	113.43	-59.52	21.03	3	Horizontal	360	1.00	-	32.88	20.77	0.26	-

802.11a_Nss1,(6Mbps)_2TX

5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	56.91	95.80	-38.89	20.50	3	Horizontal	0	1.00	-	36.41	20.20	0.30	-
PK	985.8k	47.48	67.74	-20.26	20.68	3	Horizontal	0	1.00	-	26.80	20.30	0.38	-
PK	1.881M	44.90	69.50	-24.60	20.34	3	Horizontal	0	1.00	-	24.56	19.90	0.44	-

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	Pass	PK	423.82M	39.79	46.00	-6.21	3	Vertical	360	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	Pass	PK	161.92M	37.42	43.50	-6.08	3	Horizontal	360	1.00	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	Pass	PK	906.88M	39.83	46.00	-6.17	3	Horizontal	0	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	Pass	QP	637.22M	39.91	46.00	-6.09	3	Horizontal	222	1.68	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	Pass	PK	171.62M	37.31	43.50	-6.19	3	Vertical	360	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	Pass	PK	408.3M	39.73	46.00	-6.27	3	Vertical	0	1.00	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	Pass	QP	650.8M	39.91	46.00	-6.09	3	Horizontal	262	1.84	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	Pass	PK	910.76M	39.67	46.00	-6.33	3	Horizontal	360	1.00	-

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5200MHz	Pass	PK	45.52M	32.57	40.00	-7.43	3	Vertical	360	1.00	-
5200MHz	Pass	PK	171.62M	36.96	43.50	-6.54	3	Vertical	360	1.00	-
5200MHz	Pass	PK	229.82M	38.48	46.00	-7.52	3	Vertical	360	1.00	-
5200MHz	Pass	PK	423.82M	39.79	46.00	-6.21	3	Vertical	360	1.00	-
5200MHz	Pass	PK	542.16M	37.13	46.00	-8.87	3	Vertical	360	1.00	-
5200MHz	Pass	PK	650.8M	38.98	46.00	-7.02	3	Vertical	360	1.00	-
5200MHz	Pass	PK	45.52M	28.28	40.00	-11.72	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	171.62M	36.03	43.50	-7.47	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	258.92M	37.31	46.00	-8.69	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	895.24M	39.14	46.00	-6.86	3	Horizontal	0	1.00	-
5200MHz	Pass	QP	404.42M	34.75	46.00	-11.25	3	Horizontal	199	1.00	-
5200MHz	Pass	QP	650.8M	39.38	46.00	-6.62	3	Horizontal	208	1.62	-
5200MHz	Pass	PK	9.846k	61.66	127.72	-66.06	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	35.508k	62.31	116.59	-54.28	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	74.142k	54.49	110.19	-55.70	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	388.8k	57.08	95.80	-38.72	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	806.7k	47.83	69.48	-21.65	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	2.06M	42.91	69.50	-26.59	3	Horizontal	360	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5280MHz	Pass	PK	43.58M	33.32	40.00	-6.68	3	Vertical	360	1.00	-
5280MHz	Pass	PK	156.1M	36.45	43.50	-7.05	3	Vertical	360	1.00	-
5280MHz	Pass	PK	227.88M	36.26	46.00	-9.74	3	Vertical	360	1.00	-
5280MHz	Pass	PK	546.04M	37.26	46.00	-8.74	3	Vertical	360	1.00	-
5280MHz	Pass	PK	652.74M	39.00	46.00	-7.00	3	Vertical	360	1.00	-
5280MHz	Pass	QP	418M	39.40	46.00	-6.60	3	Vertical	112	1.00	-
5280MHz	Pass	PK	37.76M	31.13	40.00	-8.87	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	161.92M	36.38	43.50	-7.12	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	258.92M	36.93	46.00	-9.07	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	906.88M	39.83	46.00	-6.17	3	Horizontal	0	1.00	-
5280MHz	Pass	QP	400.54M	37.77	46.00	-8.23	3	Horizontal	207	1.05	-
5280MHz	Pass	QP	652.74M	37.64	46.00	-8.36	3	Horizontal	254	2.12	-
5280MHz	Pass	PK	9.846k	62.15	127.72	-65.57	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	35.508k	62.50	116.59	-54.09	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	74.142k	55.45	110.19	-54.74	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	388.8k	57.27	95.80	-38.53	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	567.9k	47.10	72.52	-25.42	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	2.06M	43.21	69.50	-26.29	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	171.62M	37.31	43.50	-6.19	3	Vertical	360	1.00	-
5700MHz	Pass	PK	404.42M	39.68	46.00	-6.32	3	Vertical	360	1.00	-
5700MHz	Pass	PK	542.16M	38.10	46.00	-7.90	3	Vertical	360	1.00	-
5700MHz	Pass	PK	652.74M	37.79	46.00	-8.21	3	Vertical	360	1.00	-
5700MHz	Pass	PK	784.66M	37.51	46.00	-8.49	3	Vertical	360	1.00	-
5700MHz	Pass	PK	953.44M	38.88	46.00	-7.12	3	Vertical	360	1.00	-
5700MHz	Pass	PK	161.92M	35.11	43.50	-8.39	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	258.92M	38.09	46.00	-7.91	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	402.48M	38.98	46.00	-7.02	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	771.08M	39.61	46.00	-6.39	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	953.44M	39.31	46.00	-6.69	3	Horizontal	0	1.00	-
5700MHz	Pass	QP	652.74M	39.24	46.00	-6.76	3	Horizontal	268	1.76	-
5700MHz	Pass	PK	9.564k	61.49	127.96	-66.47	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	35.226k	61.36	116.65	-55.29	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	67.656k	54.11	110.99	-56.88	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	388.8k	57.88	95.80	-37.92	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	926.1k	46.04	68.28	-22.24	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	2.12M	42.71	69.50	-26.79	3	Horizontal	360	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5785MHz	Pass	PK	30M	33.13	40.00	-6.87	3	Vertical	360	1.00	-
5785MHz	Pass	PK	158.04M	36.12	43.50	-7.38	3	Vertical	360	1.00	-
5785MHz	Pass	PK	222.06M	33.39	46.00	-12.61	3	Vertical	360	1.00	-
5785MHz	Pass	PK	406.36M	38.75	46.00	-7.25	3	Vertical	360	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	540.22M	38.71	46.00	-7.29	3	Vertical	360	1.00	-
5785MHz	Pass	PK	650.8M	37.16	46.00	-8.84	3	Vertical	360	1.00	-
5785MHz	Pass	PK	161.92M	35.47	43.50	-8.03	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	305.48M	35.62	46.00	-10.38	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	377.26M	39.15	46.00	-6.85	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	786.6M	39.44	46.00	-6.56	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	947.62M	39.45	46.00	-6.55	3	Horizontal	0	1.00	-
5785MHz	Pass	QP	650.8M	39.91	46.00	-6.09	3	Horizontal	262	1.84	-
5785MHz	Pass	PK	9.846k	60.69	127.72	-67.03	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	35.508k	61.41	116.59	-55.18	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	74.706k	52.63	110.13	-57.50	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	388.8k	57.16	95.80	-38.64	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	806.7k	45.92	69.48	-23.56	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	2.12M	41.68	69.50	-27.82	3	Horizontal	0	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-	-	-	-	-	-	-	-	-	-	-
5200MHz	Pass	PK	43.58M	32.87	40.00	-7.13	3	Vertical	0	1.00	-
5200MHz	Pass	PK	156.1M	36.83	43.50	-6.67	3	Vertical	0	1.00	-
5200MHz	Pass	PK	404.42M	39.90	46.00	-6.10	3	Vertical	0	1.00	-
5200MHz	Pass	PK	532.46M	37.96	46.00	-8.04	3	Vertical	0	1.00	-
5200MHz	Pass	PK	635.28M	39.48	46.00	-6.52	3	Vertical	0	1.00	-
5200MHz	Pass	PK	953.44M	37.97	46.00	-8.03	3	Vertical	0	1.00	-
5200MHz	Pass	PK	43.58M	30.89	40.00	-9.11	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	161.92M	37.42	43.50	-6.08	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	408.3M	39.58	46.00	-6.42	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	761.38M	39.05	46.00	-6.95	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	914.64M	39.91	46.00	-6.09	3	Horizontal	360	1.00	-
5200MHz	Pass	QP	652.74M	37.91	46.00	-8.09	3	Horizontal	265	1.77	-
5200MHz	Pass	PK	9.564k	60.65	127.96	-67.31	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	35.79k	63.14	116.51	-53.37	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	74.142k	54.39	110.19	-55.80	3	Horizontal	0	1.00	-
5200MHz	Pass	PK	388.8k	57.14	95.80	-38.66	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	926.1k	46.55	68.28	-21.73	3	Horizontal	360	1.00	-
5200MHz	Pass	PK	2.12M	43.39	69.50	-26.11	3	Horizontal	360	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX	-	-	-	-	-	-	-	-	-	-	-
5280MHz	Pass	PK	43.58M	33.58	40.00	-6.42	3	Vertical	0	1.00	-
5280MHz	Pass	PK	158.04M	36.89	43.50	-6.61	3	Vertical	0	1.00	-
5280MHz	Pass	PK	229.82M	35.67	46.00	-10.33	3	Vertical	0	1.00	-
5280MHz	Pass	PK	418M	39.19	46.00	-6.81	3	Vertical	0	1.00	-
5280MHz	Pass	PK	544.1M	38.42	46.00	-7.58	3	Vertical	0	1.00	-
5280MHz	Pass	PK	650.8M	39.25	46.00	-6.75	3	Vertical	0	1.00	-
5280MHz	Pass	PK	161.92M	35.81	43.50	-7.69	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	258.92M	36.91	46.00	-9.09	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	813.76M	39.13	46.00	-6.87	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	945.68M	39.04	46.00	-6.96	3	Horizontal	360	1.00	-
5280MHz	Pass	QP	404.42M	36.98	46.00	-9.02	3	Horizontal	207	1.00	-
5280MHz	Pass	QP	637.22M	39.91	46.00	-6.09	3	Horizontal	222	1.68	-
5280MHz	Pass	PK	9.564k	62.78	127.96	-65.18	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	35.226k	62.61	116.65	-54.04	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	74.142k	52.43	110.19	-57.76	3	Horizontal	360	1.00	-
5280MHz	Pass	PK	388.8k	57.14	95.80	-38.66	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	985.8k	45.97	67.74	-21.77	3	Horizontal	0	1.00	-
5280MHz	Pass	PK	2.001M	43.23	69.50	-26.27	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	41.64M	32.03	40.00	-7.97	3	Vertical	0	1.00	-
5700MHz	Pass	PK	167.74M	36.40	43.50	-7.10	3	Vertical	0	1.00	-
5700MHz	Pass	PK	222.06M	33.88	46.00	-12.12	3	Vertical	0	1.00	-
5700MHz	Pass	PK	408.3M	39.73	46.00	-6.27	3	Vertical	0	1.00	-
5700MHz	Pass	PK	549.92M	36.68	46.00	-9.32	3	Vertical	0	1.00	-
5700MHz	Pass	PK	639.16M	37.87	46.00	-8.13	3	Vertical	0	1.00	-
5700MHz	Pass	PK	161.92M	36.86	43.50	-6.64	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	258.92M	35.97	46.00	-10.03	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	769.14M	39.18	46.00	-6.82	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	904.94M	39.51	46.00	-6.49	3	Horizontal	360	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5700MHz	Pass	QP	404.42M	37.19	46.00	-8.81	3	Horizontal	180	1.00	-
5700MHz	Pass	QP	650.8M	39.07	46.00	-6.93	3	Horizontal	245	1.66	-
5700MHz	Pass	PK	10.128k	62.35	127.46	-65.11	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	35.226k	60.96	116.65	-55.69	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	73.578k	52.48	110.25	-57.77	3	Horizontal	0	1.00	-
5700MHz	Pass	PK	388.8k	56.85	95.80	-38.95	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	985.8k	46.96	67.74	-20.78	3	Horizontal	360	1.00	-
5700MHz	Pass	PK	2.12M	43.83	69.50	-25.67	3	Horizontal	360	1.00	-
802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX	-	-	-	-	-	-	-	-	-	-	-
5785MHz	Pass	PK	30M	32.64	40.00	-7.36	3	Vertical	0	1.00	-
5785MHz	Pass	PK	158.04M	36.41	43.50	-7.09	3	Vertical	0	1.00	-
5785MHz	Pass	PK	536.34M	38.92	46.00	-7.08	3	Vertical	0	1.00	-
5785MHz	Pass	PK	650.8M	39.49	46.00	-6.51	3	Vertical	0	1.00	-
5785MHz	Pass	PK	947.62M	37.83	46.00	-8.17	3	Vertical	0	1.00	-
5785MHz	Pass	QP	406.36M	37.75	46.00	-8.25	3	Vertical	149	1.10	-
5785MHz	Pass	PK	181.32M	33.35	43.50	-10.15	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	313.24M	35.25	46.00	-10.75	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	396.66M	38.69	46.00	-7.31	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	879.72M	37.97	46.00	-8.03	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	910.76M	39.67	46.00	-6.33	3	Horizontal	360	1.00	-
5785MHz	Pass	QP	652.74M	38.14	46.00	-7.86	3	Horizontal	246	1.79	-
5785MHz	Pass	PK	10.128k	61.28	127.46	-66.18	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	35.508k	61.49	116.59	-55.10	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	74.424k	55.25	110.15	-54.90	3	Horizontal	360	1.00	-
5785MHz	Pass	PK	388.8k	57.30	95.80	-38.50	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	926.1k	46.04	68.28	-22.24	3	Horizontal	0	1.00	-
5785MHz	Pass	PK	2.12M	42.35	69.50	-27.15	3	Horizontal	0	1.00	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	32.57	40.00	-7.43	-11.58	3	Vertical	360	1.00	-	44.15	14.97	1.03	27.58
PK	171.62M	36.96	43.50	-6.54	-10.81	3	Vertical	360	1.00	-	47.77	14.82	1.86	27.49
PK	229.82M	38.48	46.00	-7.52	-9.67	3	Vertical	360	1.00	-	48.15	15.30	2.17	27.14
PK	423.82M	39.79	46.00	-6.21	-3.13	3	Vertical	360	1.00	-	42.92	21.81	2.98	27.92
PK	542.16M	37.13	46.00	-8.87	-1.55	3	Vertical	360	1.00	-	38.68	23.38	3.39	28.32
PK	650.8M	38.98	46.00	-7.02	-0.31	3	Vertical	360	1.00	-	39.29	24.19	3.70	28.20

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	28.28	40.00	-11.72	-11.58	3	Horizontal	0	1.00	-	39.86	14.97	1.03	27.58
PK	171.62M	36.03	43.50	-7.47	-10.81	3	Horizontal	0	1.00	-	46.84	14.82	1.86	27.49
PK	258.92M	37.31	46.00	-8.69	-6.09	3	Horizontal	0	1.00	-	43.40	18.64	2.30	27.03
PK	895.24M	39.14	46.00	-6.86	2.60	3	Horizontal	0	1.00	-	36.54	25.64	4.48	27.52
QP	404.42M	34.75	46.00	-11.25	-3.67	3	Horizontal	199	1.00	-	38.42	21.24	2.90	27.81
QP	650.8M	39.38	46.00	-6.62	-0.31	3	Horizontal	208	1.62	-	39.69	24.19	3.70	28.20

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	9.846k	61.66	127.72	-66.06	19.14	3	Horizontal	0	1.00	-	42.52	18.96	0.18	-
PK	35.508k	62.31	116.59	-54.28	21.58	3	Horizontal	0	1.00	-	40.73	21.34	0.24	-
PK	74.142k	54.49	110.19	-55.70	20.46	3	Horizontal	0	1.00	-	34.03	20.18	0.28	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	57.08	95.80	-38.72	20.50	3	Horizontal	360	1.00	-	36.58	20.20	0.30	-
PK	806.7k	47.83	69.48	-21.65	20.63	3	Horizontal	360	1.00	-	27.20	20.27	0.36	-
PK	2.06M	42.91	69.50	-26.59	20.29	3	Horizontal	360	1.00	-	22.62	19.84	0.45	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5280MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	43.58M	33.32	40.00	-6.68	-10.66	3	Vertical	360	1.00	-	43.98	15.82	1.03	27.51
PK	156.1M	36.45	43.50	-7.05	-10.46	3	Vertical	360	1.00	-	46.91	15.32	1.76	27.54
PK	227.88M	36.26	46.00	-9.74	-9.90	3	Vertical	360	1.00	-	46.16	15.09	2.16	27.15
PK	546.04M	37.26	46.00	-8.74	-1.27	3	Vertical	360	1.00	-	38.53	23.65	3.40	28.32
PK	652.74M	39.00	46.00	-7.00	-0.31	3	Vertical	360	1.00	-	39.31	24.18	3.71	28.20
QP	418M	39.40	46.00	-6.60	-3.16	3	Vertical	112	1.00	-	42.56	21.77	2.95	27.88

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5280MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	31.13	40.00	-8.87	-7.22	3	Horizontal	0	1.00	-	38.35	19.02	1.03	27.27
PK	161.92M	36.38	43.50	-7.12	-10.62	3	Horizontal	0	1.00	-	47.00	15.10	1.79	27.51
PK	258.92M	36.93	46.00	-9.07	-6.09	3	Horizontal	0	1.00	-	43.02	18.64	2.30	27.03
PK	906.88M	39.83	46.00	-6.17	2.73	3	Horizontal	0	1.00	-	37.10	25.70	4.50	27.47
QP	400.54M	37.77	46.00	-8.23	-3.85	3	Horizontal	207	1.05	-	41.62	21.05	2.88	27.78
QP	652.74M	37.64	46.00	-8.36	-0.31	3	Horizontal	254	2.12	-	37.95	24.18	3.71	28.20

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5280MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	9.846k	62.15	127.72	-65.57	19.14	3	Horizontal	360	1.00	-	43.01	18.96	0.18	-
PK	35.508k	62.50	116.59	-54.09	21.58	3	Horizontal	360	1.00	-	40.92	21.34	0.24	-
PK	74.142k	55.45	110.19	-54.74	20.46	3	Horizontal	360	1.00	-	34.99	20.18	0.28	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5280MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	57.27	95.80	-38.53	20.50	3	Horizontal	0	1.00	-	36.77	20.20	0.30	-
PK	567.9k	47.10	72.52	-25.42	20.55	3	Horizontal	0	1.00	-	26.55	20.22	0.33	-
PK	2.06M	43.21	69.50	-26.29	20.29	3	Horizontal	0	1.00	-	22.92	19.84	0.45	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5700MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	171.62M	37.31	43.50	-6.19	-10.81	3	Vertical	360	1.00	-	48.12	14.82	1.86	27.49
PK	404.42M	39.68	46.00	-6.32	-3.67	3	Vertical	360	1.00	-	43.35	21.24	2.90	27.81
PK	542.16M	38.10	46.00	-7.90	-1.55	3	Vertical	360	1.00	-	39.65	23.38	3.39	28.32
PK	652.74M	37.79	46.00	-8.21	-0.31	3	Vertical	360	1.00	-	38.10	24.18	3.71	28.20
PK	784.66M	37.51	46.00	-8.49	1.19	3	Vertical	360	1.00	-	36.32	25.04	4.09	27.94
PK	953.44M	38.88	46.00	-7.12	3.36	3	Vertical	360	1.00	-	35.52	26.12	4.51	27.27

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5700MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	161.92M	35.11	43.50	-8.39	-10.62	3	Horizontal	0	1.00	-	45.73	15.10	1.79	27.51
PK	258.92M	38.09	46.00	-7.91	-6.09	3	Horizontal	0	1.00	-	44.18	18.64	2.30	27.03
PK	402.48M	38.98	46.00	-7.02	-3.76	3	Horizontal	0	1.00	-	42.74	21.14	2.89	27.79
PK	771.08M	39.61	46.00	-6.39	1.02	3	Horizontal	0	1.00	-	38.59	24.97	4.04	27.99
PK	953.44M	39.31	46.00	-6.69	3.36	3	Horizontal	0	1.00	-	35.95	26.12	4.51	27.27
QP	652.74M	39.24	46.00	-6.76	-0.31	3	Horizontal	268	1.76	-	39.55	24.18	3.71	28.20

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)

5700MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	9.564k	61.49	127.96	-66.47	19.25	3	Horizontal	0	1.00	-	42.24	19.07	0.18	-
PK	35.226k	61.36	116.65	-55.29	21.59	3	Horizontal	0	1.00	-	39.77	21.35	0.24	-
PK	67.656k	54.11	110.99	-56.88	20.59	3	Horizontal	0	1.00	-	33.52	20.32	0.27	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX(Port1)


5700MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	388.8k	57.88	95.80	-37.92	20.50	3	Horizontal	360	1.00	-	37.38	20.20	0.30	-
PK	926.1k	46.04	68.28	-22.24	20.66	3	Horizontal	360	1.00	-	25.38	20.29	0.37	-
PK	2.12M	42.71	69.50	-26.79	20.28	3	Horizontal	360	1.00	-	22.43	19.82	0.46	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	33.13	40.00	-6.87	-2.71	3	Vertical	360	1.00	-	35.84	23.26	1.02	26.99
PK	158.04M	36.12	43.50	-7.38	-10.44	3	Vertical	360	1.00	-	46.56	15.32	1.77	27.53
PK	222.06M	33.39	46.00	-12.61	-10.52	3	Vertical	360	1.00	-	43.91	14.54	2.13	27.19
PK	406.36M	38.75	46.00	-7.25	-3.57	3	Vertical	360	1.00	-	42.32	21.34	2.91	27.82
PK	540.22M	38.71	46.00	-7.29	-1.69	3	Vertical	360	1.00	-	40.40	23.25	3.39	28.33
PK	650.8M	37.16	46.00	-8.84	-0.31	3	Vertical	360	1.00	-	37.47	24.19	3.70	28.20

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	161.92M	35.47	43.50	-8.03	-10.62	3	Horizontal	0	1.00	-	46.09	15.10	1.79	27.51
PK	305.48M	35.62	46.00	-10.38	-6.02	3	Horizontal	0	1.00	-	41.64	18.54	2.53	27.09
PK	377.26M	39.15	46.00	-6.85	-4.68	3	Horizontal	0	1.00	-	43.83	20.10	2.80	27.58
PK	786.6M	39.44	46.00	-6.56	1.21	3	Horizontal	0	1.00	-	38.23	25.05	4.09	27.93
PK	947.62M	39.45	46.00	-6.55	3.27	3	Horizontal	0	1.00	-	36.18	26.06	4.50	27.29
QP	650.8M	39.91	46.00	-6.09	-0.31	3	Horizontal	262	1.84	-	40.22	24.19	3.70	28.20

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)

5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	9.846k	60.69	127.72	-67.03	19.14	3	Horizontal	360	1.00	-	41.55	18.96	0.18	-
PK	35.508k	61.41	116.59	-55.18	21.58	3	Horizontal	360	1.00	-	39.83	21.34	0.24	-
PK	74.706k	52.63	110.13	-57.50	20.44	3	Horizontal	360	1.00	-	32.19	20.16	0.28	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX(Port1)


5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	57.16	95.80	-38.64	20.50	3	Horizontal	0	1.00	-	36.66	20.20	0.30	-
PK	806.7k	45.92	69.48	-23.56	20.63	3	Horizontal	0	1.00	-	25.29	20.27	0.36	-
PK	2.12M	41.68	69.50	-27.82	20.28	3	Horizontal	0	1.00	-	21.40	19.82	0.46	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	43.58M	32.87	40.00	-7.13	-10.66	3	Vertical	0	1.00	-	43.53	15.82	1.03	27.51
PK	156.1M	36.83	43.50	-6.67	-10.46	3	Vertical	0	1.00	-	47.29	15.32	1.76	27.54
PK	404.42M	39.90	46.00	-6.10	-3.67	3	Vertical	0	1.00	-	43.57	21.24	2.90	27.81
PK	532.46M	37.96	46.00	-8.04	-2.07	3	Vertical	0	1.00	-	40.03	22.89	3.37	28.33
PK	635.28M	39.48	46.00	-6.52	-0.30	3	Vertical	0	1.00	-	39.78	24.30	3.67	28.27
PK	953.44M	37.97	46.00	-8.03	3.36	3	Vertical	0	1.00	-	34.61	26.12	4.51	27.27

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


5200MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	43.58M	30.89	40.00	-9.11	-10.66	3	Horizontal	360	1.00	-	41.55	15.82	1.03	27.51
PK	161.92M	37.42	43.50	-6.08	-10.62	3	Horizontal	360	1.00	-	48.04	15.10	1.79	27.51
PK	408.3M	39.58	46.00	-6.42	-3.47	3	Horizontal	360	1.00	-	43.05	21.45	2.91	27.83
PK	761.38M	39.05	46.00	-6.95	0.94	3	Horizontal	360	1.00	-	38.11	24.96	4.01	28.03
PK	914.64M	39.91	46.00	-6.09	2.79	3	Horizontal	360	1.00	-	37.12	25.73	4.50	27.44
QP	652.74M	37.91	46.00	-8.09	-0.31	3	Horizontal	265	1.77	-	38.22	24.18	3.71	28.20

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5200MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	9.564k	60.65	127.96	-67.31	19.25	3	Horizontal	0	1.00	-	41.40	19.07	0.18	-
PK	35.79k	63.14	116.51	-53.37	21.56	3	Horizontal	0	1.00	-	41.58	21.32	0.24	-
PK	74.142k	54.39	110.19	-55.80	20.46	3	Horizontal	0	1.00	-	33.93	20.18	0.28	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


5200MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	388.8k	57.14	95.80	-38.66	20.50	3	Horizontal	360	1.00	-	36.64	20.20	0.30	-
PK	926.1k	46.55	68.28	-21.73	20.66	3	Horizontal	360	1.00	-	25.89	20.29	0.37	-
PK	2.12M	43.39	69.50	-26.11	20.28	3	Horizontal	360	1.00	-	23.11	19.82	0.46	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


5280MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	43.58M	33.58	40.00	-6.42	-10.66	3	Vertical	0	1.00	-	44.24	15.82	1.03	27.51
PK	158.04M	36.89	43.50	-6.61	-10.44	3	Vertical	0	1.00	-	47.33	15.32	1.77	27.53
PK	229.82M	35.67	46.00	-10.33	-9.67	3	Vertical	0	1.00	-	45.34	15.30	2.17	27.14
PK	418M	39.19	46.00	-6.81	-3.16	3	Vertical	0	1.00	-	42.35	21.77	2.95	27.88
PK	544.1M	38.42	46.00	-7.58	-1.40	3	Vertical	0	1.00	-	39.82	23.52	3.40	28.32
PK	650.8M	39.25	46.00	-6.75	-0.31	3	Vertical	0	1.00	-	39.56	24.19	3.70	28.20

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


5280MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	161.92M	35.81	43.50	-7.69	-10.62	3	Horizontal	360	1.00	-	46.43	15.10	1.79	27.51
PK	258.92M	36.91	46.00	-9.09	-6.09	3	Horizontal	360	1.00	-	43.00	18.64	2.30	27.03
PK	813.76M	39.13	46.00	-6.87	1.45	3	Horizontal	360	1.00	-	37.68	25.12	4.17	27.84
PK	945.68M	39.04	46.00	-6.96	3.25	3	Horizontal	360	1.00	-	35.79	26.05	4.50	27.30
QP	404.42M	36.98	46.00	-9.02	-3.67	3	Horizontal	207	1.00	-	40.65	21.24	2.90	27.81
QP	637.22M	39.91	46.00	-6.09	-0.31	3	Horizontal	222	1.68	-	40.22	24.28	3.67	28.26

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


5280MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	9.564k	62.78	127.96	-65.18	19.25	3	Horizontal	360	1.00	-	43.53	19.07	0.18	-
PK	35.226k	62.61	116.65	-54.04	21.59	3	Horizontal	360	1.00	-	41.02	21.35	0.24	-
PK	74.142k	52.43	110.19	-57.76	20.46	3	Horizontal	360	1.00	-	31.97	20.18	0.28	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


5280MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	388.8k	57.14	95.80	-38.66	20.50	3	Horizontal	0	1.00	-	36.64	20.20	0.30	-
PK	985.8k	45.97	67.74	-21.77	20.68	3	Horizontal	0	1.00	-	25.29	20.30	0.38	-
PK	2.001M	43.23	69.50	-26.27	20.31	3	Horizontal	0	1.00	-	22.92	19.86	0.45	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


5700MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	41.64M	32.03	40.00	-7.97	-9.61	3	Vertical	0	1.00	-	41.64	16.80	1.03	27.44
PK	167.74M	36.40	43.50	-7.10	-10.70	3	Vertical	0	1.00	-	47.10	14.97	1.83	27.50
PK	222.06M	33.88	46.00	-12.12	-10.52	3	Vertical	0	1.00	-	44.40	14.54	2.13	27.19
PK	408.3M	39.73	46.00	-6.27	-3.47	3	Vertical	0	1.00	-	43.20	21.45	2.91	27.83
PK	549.92M	36.68	46.00	-9.32	-1.02	3	Vertical	0	1.00	-	37.70	23.89	3.41	28.32
PK	639.16M	37.87	46.00	-8.13	-0.30	3	Vertical	0	1.00	-	38.17	24.27	3.68	28.25

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


5700MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	161.92M	36.86	43.50	-6.64	-10.62	3	Horizontal	360	1.00	-	47.48	15.10	1.79	27.51
PK	258.92M	35.97	46.00	-10.03	-6.09	3	Horizontal	360	1.00	-	42.06	18.64	2.30	27.03
PK	769.14M	39.18	46.00	-6.82	1.00	3	Horizontal	360	1.00	-	38.18	24.96	4.04	28.00
PK	904.94M	39.51	46.00	-6.49	2.72	3	Horizontal	360	1.00	-	36.79	25.70	4.50	27.48
QP	404.42M	37.19	46.00	-8.81	-3.67	3	Horizontal	180	1.00	-	40.86	21.24	2.90	27.81
QP	650.8M	39.07	46.00	-6.93	-0.31	3	Horizontal	245	1.66	-	39.38	24.19	3.70	28.20

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

5700MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.128k	62.35	127.46	-65.11	19.12	3	Horizontal	0	1.00	-	43.23	18.93	0.19	-
PK	35.226k	60.96	116.65	-55.69	21.59	3	Horizontal	0	1.00	-	39.37	21.35	0.24	-
PK	73.578k	52.48	110.25	-57.77	20.47	3	Horizontal	0	1.00	-	32.01	20.19	0.28	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX


5700MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	56.85	95.80	-38.95	20.50	3	Horizontal	360	1.00	-	36.35	20.20	0.30	-
PK	985.8k	46.96	67.74	-20.78	20.68	3	Horizontal	360	1.00	-	26.28	20.30	0.38	-
PK	2.12M	43.83	69.50	-25.67	20.28	3	Horizontal	360	1.00	-	23.55	19.82	0.46	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	32.64	40.00	-7.36	-2.71	3	Vertical	0	1.00	-	35.35	23.26	1.02	26.99
PK	158.04M	36.41	43.50	-7.09	-10.44	3	Vertical	0	1.00	-	46.85	15.32	1.77	27.53
PK	536.34M	38.92	46.00	-7.08	-1.92	3	Vertical	0	1.00	-	40.84	23.03	3.38	28.33
PK	650.8M	39.49	46.00	-6.51	-0.31	3	Vertical	0	1.00	-	39.80	24.19	3.70	28.20
PK	947.62M	37.83	46.00	-8.17	3.27	3	Vertical	0	1.00	-	34.56	26.06	4.50	27.29
QP	406.36M	37.75	46.00	-8.25	-3.57	3	Vertical	149	1.10	-	41.32	21.34	2.91	27.82

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	181.32M	33.35	43.50	-10.15	-11.07	3	Horizontal	360	1.00	-	44.42	14.45	1.93	27.45
PK	313.24M	35.25	46.00	-10.75	-5.84	3	Horizontal	360	1.00	-	41.09	18.73	2.56	27.13
PK	396.66M	38.69	46.00	-7.31	-4.09	3	Horizontal	360	1.00	-	42.78	20.79	2.87	27.75
PK	879.72M	37.97	46.00	-8.03	2.44	3	Horizontal	360	1.00	-	35.53	25.64	4.39	27.59
PK	910.76M	39.67	46.00	-6.33	2.75	3	Horizontal	360	1.00	-	36.92	25.70	4.50	27.45
QP	652.74M	38.14	46.00	-7.86	-0.31	3	Horizontal	246	1.79	-	38.45	24.18	3.71	28.20

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.128k	61.28	127.46	-66.18	19.12	3	Horizontal	360	1.00	-	42.16	18.93	0.19	-
PK	35.508k	61.49	116.59	-55.10	21.58	3	Horizontal	360	1.00	-	39.91	21.34	0.24	-
PK	74.424k	55.25	110.15	-54.90	20.45	3	Horizontal	360	1.00	-	34.80	20.17	0.28	-

802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5785MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	388.8k	57.30	95.80	-38.50	20.50	3	Horizontal	0	1.00	-	36.80	20.20	0.30	-
PK	926.1k	46.04	68.28	-22.24	20.66	3	Horizontal	0	1.00	-	25.38	20.29	0.37	-
PK	2.12M	42.35	69.50	-27.15	20.28	3	Horizontal	0	1.00	-	22.07	19.82	0.46	-

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	15.6027G	47.48	54.00	-6.52	Vertical
Mode 2	Pass	AV	15.59356G	47.81	54.00	-6.19	Vertical
Mode 3	Pass	AV	15.58542G	46.82	54.00	-7.18	Horizontal
Mode 4	Pass	AV	15.591G	46.61	54.00	-7.39	Vertical
Mode 5	Pass	AV	15.58647G	46.72	54.00	-7.28	Horizontal

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.87984G	31.66	54.00	-22.34	3	Vertical	113	1.50	-
Mode 1	Pass	AV	7.31994G	43.99	54.00	-10.01	3	Vertical	0	2.50	-
Mode 1	Pass	AV	15.6027G	47.48	54.00	-6.52	3	Vertical	55	1.48	-
Mode 1	Pass	PK	4.87796G	40.67	74.00	-33.33	3	Vertical	113	1.50	-
Mode 1	Pass	PK	7.31942G	50.77	74.00	-23.23	3	Vertical	0	2.50	-
Mode 1	Pass	PK	10.39816G	55.09	68.20	-13.11	3	Vertical	360	1.50	-
Mode 1	Pass	PK	15.59672G	58.40	74.00	-15.60	3	Vertical	55	1.48	-
Mode 1	Pass	AV	4.88004G	37.07	54.00	-16.93	3	Horizontal	20	1.21	-
Mode 1	Pass	AV	7.32G	42.73	54.00	-11.27	3	Horizontal	2	1.07	-
Mode 1	Pass	AV	15.60132G	47.47	54.00	-6.53	3	Horizontal	150	1.50	-
Mode 1	Pass	PK	4.87992G	42.56	74.00	-31.44	3	Horizontal	20	1.21	-
Mode 1	Pass	PK	7.3204G	49.73	74.00	-24.27	3	Horizontal	2	1.07	-
Mode 1	Pass	PK	10.40322G	55.42	68.20	-12.78	3	Horizontal	34	1.50	-
Mode 1	Pass	PK	15.6034G	60.80	74.00	-13.20	3	Horizontal	150	1.50	-
Mode 2	Pass	AV	4.876G	31.61	54.00	-22.39	3	Vertical	0	1.44	-
Mode 2	Pass	AV	7.3203G	39.74	54.00	-14.26	3	Vertical	107	1.05	-
Mode 2	Pass	AV	15.59356G	47.81	54.00	-6.19	3	Vertical	98	1.00	-
Mode 2	Pass	PK	4.8831G	45.30	74.00	-28.70	3	Vertical	0	1.44	-
Mode 2	Pass	PK	7.32022G	51.57	74.00	-22.43	3	Vertical	107	1.05	-
Mode 2	Pass	PK	10.3926G	55.10	68.20	-13.10	3	Vertical	204	1.50	-
Mode 2	Pass	PK	15.59852G	56.51	74.00	-17.49	3	Vertical	98	1.00	-
Mode 2	Pass	AV	4.875G	31.64	54.00	-22.36	3	Horizontal	156	1.24	-
Mode 2	Pass	AV	7.31966G	40.32	54.00	-13.68	3	Horizontal	16	1.00	-
Mode 2	Pass	AV	15.59136G	47.76	54.00	-6.24	3	Horizontal	268	1.55	-
Mode 2	Pass	PK	4.87568G	45.55	74.00	-28.45	3	Horizontal	156	1.24	-
Mode 2	Pass	PK	7.31962G	51.63	74.00	-22.37	3	Horizontal	16	1.00	-
Mode 2	Pass	PK	10.39944G	54.17	68.20	-14.03	3	Horizontal	303	1.50	-
Mode 2	Pass	PK	15.59764G	57.17	74.00	-16.83	3	Horizontal	268	1.55	-
Mode 3	Pass	AV	4.87394G	39.35	54.00	-14.65	3	Vertical	120	1.46	-
Mode 3	Pass	AV	7.31196G	36.85	54.00	-17.15	3	Vertical	78	1.80	-
Mode 3	Pass	AV	10.3973G	41.20	68.20	-27.00	3	Vertical	0	2.36	-
Mode 3	Pass	AV	15.58644G	46.75	54.00	-7.25	3	Vertical	65	1.39	-
Mode 3	Pass	PK	4.87376G	45.14	74.00	-28.86	3	Vertical	120	1.46	-
Mode 3	Pass	PK	7.32546G	50.14	74.00	-23.86	3	Vertical	78	1.80	-
Mode 3	Pass	PK	10.40504G	54.69	68.20	-13.51	3	Vertical	0	2.36	-
Mode 3	Pass	PK	15.5877G	60.52	74.00	-13.48	3	Vertical	65	1.39	-
Mode 3	Pass	AV	4.874G	36.05	54.00	-17.95	3	Horizontal	118	1.80	-
Mode 3	Pass	AV	7.3101G	37.56	54.00	-16.44	3	Horizontal	321	2.94	-
Mode 3	Pass	AV	10.38962G	41.17	68.20	-27.03	3	Horizontal	310	1.09	-
Mode 3	Pass	AV	15.58542G	46.82	54.00	-7.18	3	Horizontal	296	1.25	-
Mode 3	Pass	PK	4.87388G	44.72	74.00	-29.28	3	Horizontal	118	1.80	-
Mode 3	Pass	PK	7.30494G	47.32	74.00	-26.68	3	Horizontal	321	2.94	-
Mode 3	Pass	PK	10.39838G	54.69	68.20	-13.51	3	Horizontal	310	1.09	-
Mode 3	Pass	PK	15.60312G	59.76	74.00	-14.24	3	Horizontal	296	1.25	-
Mode 4	Pass	AV	4.88196G	30.58	54.00	-23.42	3	Vertical	51	1.94	-
Mode 4	Pass	AV	7.31176G	36.95	54.00	-17.05	3	Vertical	167	1.16	-
Mode 4	Pass	AV	10.39705G	41.29	68.20	-26.91	3	Vertical	331	1.81	-
Mode 4	Pass	AV	15.591G	46.61	54.00	-7.39	3	Vertical	16	1.96	-
Mode 4	Pass	PK	4.88147G	44.54	74.00	-29.46	3	Vertical	51	1.94	-
Mode 4	Pass	PK	7.31155G	50.03	74.00	-23.97	3	Vertical	167	1.16	-




Radiated Emissions Co-location

Appendix F


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 4	Pass	PK	10.40958G	55.23	68.20	-12.97	3	Vertical	331	1.81	-
Mode 4	Pass	PK	15.59129G	59.96	74.00	-14.04	3	Vertical	16	1.96	-
Mode 4	Pass	AV	4.87439G	30.05	54.00	-23.95	3	Horizontal	312	2.71	-
Mode 4	Pass	AV	7.31445G	36.84	54.00	-17.16	3	Horizontal	288	2.18	-
Mode 4	Pass	AV	10.39224G	41.33	68.20	-26.87	3	Horizontal	80	1.07	-
Mode 4	Pass	AV	15.59591G	46.53	54.00	-7.47	3	Horizontal	54	1.12	-
Mode 4	Pass	PK	4.86682G	44.40	74.00	-29.60	3	Horizontal	312	2.71	-
Mode 4	Pass	PK	7.30957G	51.16	74.00	-22.84	3	Horizontal	288	2.18	-
Mode 4	Pass	PK	10.40306G	55.09	68.20	-13.11	3	Horizontal	80	1.07	-
Mode 4	Pass	PK	15.60167G	59.69	74.00	-14.31	3	Horizontal	54	1.12	-
Mode 5	Pass	AV	4.88813G	30.46	54.00	-23.54	3	Vertical	360	2.16	-
Mode 5	Pass	AV	7.31565G	36.91	54.00	-17.09	3	Vertical	273	2.44	-
Mode 5	Pass	AV	10.39477G	41.58	68.20	-26.62	3	Vertical	280	1.44	-
Mode 5	Pass	AV	15.59286G	46.66	54.00	-7.34	3	Vertical	217	1.42	-
Mode 5	Pass	PK	4.87693G	43.93	74.00	-30.07	3	Vertical	360	2.16	-
Mode 5	Pass	PK	7.31829G	50.07	74.00	-23.93	3	Vertical	273	2.44	-
Mode 5	Pass	PK	10.39067G	55.36	68.20	-12.84	3	Vertical	280	1.44	-
Mode 5	Pass	PK	15.60812G	60.19	74.00	-13.81	3	Vertical	217	1.42	-
Mode 5	Pass	AV	4.88779G	30.53	54.00	-23.47	3	Horizontal	360	1.50	-
Mode 5	Pass	AV	7.31279G	36.82	54.00	-17.18	3	Horizontal	11	1.41	-
Mode 5	Pass	AV	10.38722G	41.50	68.20	-26.70	3	Horizontal	248	2.34	-
Mode 5	Pass	AV	15.58647G	46.72	54.00	-7.28	3	Horizontal	186	1.51	-
Mode 5	Pass	PK	4.88738G	44.36	74.00	-29.64	3	Horizontal	360	1.50	-
Mode 5	Pass	PK	7.31433G	50.83	74.00	-23.17	3	Horizontal	11	1.41	-
Mode 5	Pass	PK	10.3927G	54.83	68.20	-13.37	3	Horizontal	248	2.34	-
Mode 5	Pass	PK	15.59496G	60.04	74.00	-13.96	3	Horizontal	186	1.51	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87984G	31.66	54.00	-22.34	6.74	3	Vertical	113	1.50	-	24.92	31.20	9.70	34.16
AV	7.31994G	43.99	54.00	-10.01	13.18	3	Vertical	0	2.50	-	30.81	36.36	11.32	34.50
AV	15.6027G	47.48	54.00	-6.52	18.86	3	Vertical	55	1.48	-	28.62	37.60	15.73	34.47
PK	4.87796G	40.67	74.00	-33.33	6.74	3	Vertical	113	1.50	-	33.93	31.20	9.70	34.16
PK	7.31942G	50.77	74.00	-23.23	13.18	3	Vertical	0	2.50	-	37.59	36.36	11.32	34.50
PK	10.39816G	55.09	68.20	-13.11	17.62	3	Vertical	360	1.50	-	37.47	39.49	12.69	34.56
PK	15.59672G	58.40	74.00	-15.60	18.88	3	Vertical	55	1.48	-	39.52	37.62	15.72	34.46

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88004G	37.07	54.00	-16.93	6.74	3	Horizontal	20	1.21	-	30.33	31.20	9.70	34.16
AV	7.32G	42.73	54.00	-11.27	13.18	3	Horizontal	2	1.07	-	29.55	36.36	11.32	34.50
AV	15.60132G	47.47	54.00	-6.53	18.85	3	Horizontal	150	1.50	-	28.62	37.60	15.72	34.47
PK	4.87992G	42.56	74.00	-31.44	6.74	3	Horizontal	20	1.21	-	35.82	31.20	9.70	34.16
PK	7.3204G	49.73	74.00	-24.27	13.18	3	Horizontal	2	1.07	-	36.55	36.36	11.32	34.50
PK	10.40322G	55.42	68.20	-12.78	17.64	3	Horizontal	34	1.50	-	37.78	39.51	12.69	34.56
PK	15.6034G	60.80	74.00	-13.20	18.86	3	Horizontal	150	1.50	-	41.94	37.60	15.73	34.47

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.876G	31.61	54.00	-22.39	6.74	3	Vertical	0	1.44	-	24.87	31.20	9.70	34.16
AV	7.3203G	39.74	54.00	-14.26	13.18	3	Vertical	107	1.05	-	26.56	36.36	11.32	34.50
AV	15.59356G	47.81	54.00	-6.19	18.90	3	Vertical	98	1.00	-	28.91	37.64	15.72	34.46
PK	4.8831G	45.30	74.00	-28.70	6.74	3	Vertical	0	1.44	-	38.56	31.20	9.70	34.16
PK	7.32022G	51.57	74.00	-22.43	13.18	3	Vertical	107	1.05	-	38.39	36.36	11.32	34.50
PK	10.3926G	55.10	68.20	-13.10	17.58	3	Vertical	204	1.50	-	37.52	39.47	12.68	34.57
PK	15.59852G	56.51	74.00	-17.49	18.86	3	Vertical	98	1.00	-	37.65	37.61	15.72	34.47

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.875G	31.64	54.00	-22.36	6.74	3	Horizontal	156	1.24	-	24.90	31.20	9.70	34.16
AV	7.31966G	40.32	54.00	-13.68	13.18	3	Horizontal	16	1.00	-	27.14	36.36	11.32	34.50
AV	15.59136G	47.76	54.00	-6.24	18.91	3	Horizontal	268	1.55	-	28.85	37.65	15.72	34.46
PK	4.87568G	45.55	74.00	-28.45	6.74	3	Horizontal	156	1.24	-	38.81	31.20	9.70	34.16
PK	7.31962G	51.63	74.00	-22.37	13.18	3	Horizontal	16	1.00	-	38.45	36.36	11.32	34.50
PK	10.39944G	54.17	68.20	-14.03	17.63	3	Horizontal	303	1.50	-	36.54	39.50	12.69	34.56
PK	15.59764G	57.17	74.00	-16.83	18.87	3	Horizontal	268	1.55	-	38.30	37.61	15.72	34.46

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87394G	39.35	54.00	-14.65	6.74	3	Vertical	120	1.46	-	32.61	31.20	9.70	34.16
AV	7.31196G	36.85	54.00	-17.15	13.20	3	Vertical	78	1.80	-	23.65	36.38	11.32	34.50
AV	10.3973G	41.20	68.20	-27.00	17.61	3	Vertical	0	2.36	-	23.59	39.49	12.68	34.56
AV	15.58644G	46.75	54.00	-7.25	18.93	3	Vertical	65	1.39	-	27.82	37.68	15.71	34.46
PK	4.87376G	45.14	74.00	-28.86	6.74	3	Vertical	120	1.46	-	38.40	31.20	9.70	34.16
PK	7.32546G	50.14	74.00	-23.86	13.18	3	Vertical	78	1.80	-	36.96	36.35	11.33	34.50
PK	10.40504G	54.69	68.20	-13.51	17.64	3	Vertical	0	2.36	-	37.05	39.51	12.69	34.56
PK	15.5877G	60.52	74.00	-13.48	18.92	3	Vertical	65	1.39	-	41.60	37.67	15.71	34.46

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.874G	36.05	54.00	-17.95	6.74	3	Horizontal	118	1.80	-	29.31	31.20	9.70	34.16
AV	7.3101G	37.56	54.00	-16.44	13.20	3	Horizontal	321	2.94	-	24.36	36.38	11.32	34.50
AV	10.38962G	41.17	68.20	-27.03	17.57	3	Horizontal	310	1.09	-	23.60	39.46	12.68	34.57
AV	15.58542G	46.82	54.00	-7.18	18.94	3	Horizontal	296	1.25	-	27.88	37.69	15.71	34.46
PK	4.87388G	44.72	74.00	-29.28	6.74	3	Horizontal	118	1.80	-	37.98	31.20	9.70	34.16
PK	7.30494G	47.32	74.00	-26.68	13.21	3	Horizontal	321	2.94	-	34.11	36.39	11.32	34.50
PK	10.39838G	54.69	68.20	-13.51	17.62	3	Horizontal	310	1.09	-	37.07	39.49	12.69	34.56
PK	15.60312G	59.76	74.00	-14.24	18.86	3	Horizontal	296	1.25	-	40.90	37.60	15.73	34.47

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88196G	30.58	54.00	-23.42	6.74	3	Vertical	51	1.94	-	23.84	31.20	9.70	34.16
AV	7.31176G	36.95	54.00	-17.05	13.20	3	Vertical	167	1.16	-	23.75	36.38	11.32	34.50
AV	10.39705G	41.29	68.20	-26.91	17.61	3	Vertical	331	1.81	-	23.68	39.49	12.68	34.56
AV	15.591G	46.61	54.00	-7.39	18.91	3	Vertical	16	1.96	-	27.70	37.65	15.72	34.46
PK	4.88147G	44.54	74.00	-29.46	6.74	3	Vertical	51	1.94	-	37.80	31.20	9.70	34.16
PK	7.31155G	50.03	74.00	-23.97	13.20	3	Vertical	167	1.16	-	36.83	36.38	11.32	34.50
PK	10.40958G	55.23	68.20	-12.97	17.65	3	Vertical	331	1.81	-	37.58	39.52	12.69	34.56
PK	15.59129G	59.96	74.00	-14.04	18.91	3	Vertical	16	1.96	-	41.05	37.65	15.72	34.46

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87439G	30.05	54.00	-23.95	6.74	3	Horizontal	312	2.71	-	23.31	31.20	9.70	34.16
AV	7.31445G	36.84	54.00	-17.16	13.19	3	Horizontal	288	2.18	-	23.65	36.37	11.32	34.50
AV	10.39224G	41.33	68.20	-26.87	17.58	3	Horizontal	80	1.07	-	23.75	39.47	12.68	34.57
AV	15.59591G	46.53	54.00	-7.47	18.88	3	Horizontal	54	1.12	-	27.65	37.62	15.72	34.46
PK	4.86682G	44.40	74.00	-29.60	6.74	3	Horizontal	312	2.71	-	37.66	31.20	9.70	34.16
PK	7.30957G	51.16	74.00	-22.84	13.20	3	Horizontal	288	2.18	-	37.96	36.38	11.32	34.50
PK	10.40306G	55.09	68.20	-13.11	17.64	3	Horizontal	80	1.07	-	37.45	39.51	12.69	34.56
PK	15.60167G	59.69	74.00	-14.31	18.86	3	Horizontal	54	1.12	-	40.83	37.60	15.73	34.47

Radiated Emissions above 1GHz_Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88813G	30.46	54.00	-23.54	6.76	3	Vertical	360	2.16	-	23.70	31.20	9.71	34.15
AV	7.31565G	36.91	54.00	-17.09	13.19	3	Vertical	273	2.44	-	23.72	36.37	11.32	34.50
AV	10.39477G	41.58	68.20	-26.62	17.59	3	Vertical	280	1.44	-	23.99	39.48	12.68	34.57
AV	15.59286G	46.66	54.00	-7.34	18.90	3	Vertical	217	1.42	-	27.76	37.64	15.72	34.46
PK	4.87693G	43.93	74.00	-30.07	6.74	3	Vertical	360	2.16	-	37.19	31.20	9.70	34.16
PK	7.31829G	50.07	74.00	-23.93	13.18	3	Vertical	273	2.44	-	36.89	36.36	11.32	34.50
PK	10.39067G	55.36	68.20	-12.84	17.57	3	Vertical	280	1.44	-	37.79	39.46	12.68	34.57
PK	15.60812G	60.19	74.00	-13.81	18.87	3	Vertical	217	1.42	-	41.32	37.61	15.73	34.47

Radiated Emissions above 1GHz_Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88779G	30.53	54.00	-23.47	6.76	3	Horizontal	360	1.50	-	23.77	31.20	9.71	34.15
AV	7.31279G	36.82	54.00	-17.18	13.19	3	Horizontal	11	1.41	-	23.63	36.37	11.32	34.50
AV	10.38722G	41.50	68.20	-26.70	17.56	3	Horizontal	248	2.34	-	23.94	39.45	12.68	34.57
AV	15.58647G	46.72	54.00	-7.28	18.93	3	Horizontal	186	1.51	-	27.79	37.68	15.71	34.46
PK	4.88738G	44.36	74.00	-29.64	6.75	3	Horizontal	360	1.50	-	37.61	31.20	9.70	34.15
PK	7.31433G	50.83	74.00	-23.17	13.19	3	Horizontal	11	1.41	-	37.64	36.37	11.32	34.50
PK	10.3927G	54.83	68.20	-13.37	17.58	3	Horizontal	248	2.34	-	37.25	39.47	12.68	34.57
PK	15.59496G	60.04	74.00	-13.96	18.89	3	Horizontal	186	1.51	-	41.15	37.63	15.72	34.46