

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	PK	7.29972G	49.61	74.00	-24.39	3	Horizontal	0	2.76	-
2457MHz	Pass	AV	2.455G	99.31	Inf	-Inf	3	Vertical	131	1.00	-
2457MHz	Pass	AV	2.4835G	51.31	54.00	-2.69	3	Vertical	131	1.00	-
2457MHz	Pass	PK	2.453G	109.32	Inf	-Inf	3	Vertical	131	1.00	-
2457MHz	Pass	PK	2.4835G	67.55	74.00	-6.45	3	Vertical	131	1.00	-
2457MHz	Pass	AV	2.4546G	99.60	Inf	-Inf	3	Horizontal	315	3.00	-
2457MHz	Pass	AV	2.4835G	50.42	54.00	-3.58	3	Horizontal	315	3.00	-
2457MHz	Pass	PK	2.4526G	109.58	Inf	-Inf	3	Horizontal	315	3.00	-
2457MHz	Pass	PK	2.4836G	67.58	74.00	-6.42	3	Horizontal	315	3.00	-
2457MHz	Pass	AV	4.9144G	31.34	54.00	-22.66	3	Vertical	37	2.05	-
2457MHz	Pass	AV	7.361G	38.02	54.00	-15.98	3	Vertical	198	1.90	-
2457MHz	Pass	PK	4.91016G	44.28	74.00	-29.72	3	Vertical	37	2.05	-
2457MHz	Pass	PK	7.37032G	50.25	74.00	-23.75	3	Vertical	198	1.90	-
2457MHz	Pass	AV	4.9144G	31.34	54.00	-22.66	3	Horizontal	151	2.03	-
2457MHz	Pass	AV	7.3612G	38.02	54.00	-15.98	3	Horizontal	180	2.37	-
2457MHz	Pass	PK	4.91304G	44.27	74.00	-29.73	3	Horizontal	151	2.03	-
2457MHz	Pass	PK	7.37332G	50.78	74.00	-23.22	3	Horizontal	180	2.37	-
2462MHz	Pass	AV	2.466G	98.02	Inf	-Inf	3	Vertical	114	1.18	-
2462MHz	Pass	AV	2.4835G	47.83	54.00	-6.17	3	Vertical	114	1.18	-
2462MHz	Pass	PK	2.4634G	108.43	Inf	-Inf	3	Vertical	114	1.18	-
2462MHz	Pass	PK	2.4836G	60.98	74.00	-13.02	3	Vertical	114	1.18	-
2462MHz	Pass	AV	2.4568G	97.45	Inf	-Inf	3	Horizontal	58	1.17	-
2462MHz	Pass	AV	2.4835G	48.01	54.00	-5.99	3	Horizontal	58	1.17	-
2462MHz	Pass	PK	2.4576G	107.89	Inf	-Inf	3	Horizontal	58	1.17	-
2462MHz	Pass	PK	2.4835G	62.44	74.00	-11.56	3	Horizontal	58	1.17	-
2462MHz	Pass	AV	4.9318G	31.23	54.00	-22.77	3	Vertical	187	1.96	-
2462MHz	Pass	AV	7.37832G	37.97	54.00	-16.03	3	Vertical	230	2.00	-
2462MHz	Pass	PK	4.9258G	44.24	74.00	-29.76	3	Vertical	187	1.96	-
2462MHz	Pass	PK	7.3798G	50.48	74.00	-23.52	3	Vertical	230	2.00	-
2462MHz	Pass	AV	4.93236G	31.36	54.00	-22.64	3	Horizontal	258	2.15	-
2462MHz	Pass	AV	7.3796G	38.06	54.00	-15.94	3	Horizontal	139	1.56	-
2462MHz	Pass	PK	4.92776G	44.50	74.00	-29.50	3	Horizontal	258	2.15	-
2462MHz	Pass	PK	7.3768G	50.10	74.00	-23.90	3	Horizontal	139	1.56	-
2467MHz	Pass	AV	2.4694G	90.89	Inf	-Inf	3	Vertical	112	1.14	-
2467MHz	Pass	AV	2.4836G	46.98	54.00	-7.02	3	Vertical	112	1.14	-
2467MHz	Pass	PK	2.4692G	100.97	Inf	-Inf	3	Vertical	112	1.14	-
2467MHz	Pass	PK	2.4842G	58.92	74.00	-15.08	3	Vertical	112	1.14	-
2467MHz	Pass	AV	2.4694G	90.49	Inf	-Inf	3	Horizontal	50	1.09	-
2467MHz	Pass	AV	2.4835G	46.99	54.00	-7.01	3	Horizontal	50	1.09	-
2467MHz	Pass	PK	2.4692G	100.69	Inf	-Inf	3	Horizontal	50	1.09	-
2467MHz	Pass	PK	2.484G	58.45	74.00	-15.55	3	Horizontal	50	1.09	-
2467MHz	Pass	AV	4.91632G	29.97	54.00	-24.03	3	Vertical	171	1.83	-
2467MHz	Pass	AV	7.41604G	36.52	54.00	-17.48	3	Vertical	344	2.42	-
2467MHz	Pass	PK	4.93216G	44.20	74.00	-29.80	3	Vertical	171	1.83	-
2467MHz	Pass	PK	7.3818G	49.54	74.00	-24.46	3	Vertical	344	2.42	-
2467MHz	Pass	AV	4.91648G	29.96	54.00	-24.04	3	Horizontal	260	1.60	-
2467MHz	Pass	AV	7.40356G	36.53	54.00	-17.47	3	Horizontal	296	1.32	-
2467MHz	Pass	PK	4.92048G	43.89	74.00	-30.11	3	Horizontal	260	1.60	-
2467MHz	Pass	PK	7.39476G	49.85	74.00	-24.15	3	Horizontal	296	1.32	-
2472MHz	Pass	AV	2.4696G	84.21	Inf	-Inf	3	Vertical	123	1.14	-
2472MHz	Pass	AV	2.4835G	48.35	54.00	-5.65	3	Vertical	123	1.14	-
2472MHz	Pass	PK	2.4742G	94.34	Inf	-Inf	3	Vertical	123	1.14	-
2472MHz	Pass	PK	2.4836G	61.42	74.00	-12.58	3	Vertical	123	1.14	-
2472MHz	Pass	AV	2.4692G	83.59	Inf	-Inf	3	Horizontal	48	1.06	-
2472MHz	Pass	AV	2.4835G	48.16	54.00	-5.84	3	Horizontal	48	1.06	-
2472MHz	Pass	PK	2.4676G	93.61	Inf	-Inf	3	Horizontal	48	1.06	-
2472MHz	Pass	PK	2.4836G	60.42	74.00	-13.58	3	Horizontal	48	1.06	-
2472MHz	Pass	AV	4.96384G	29.85	54.00	-24.15	3	Vertical	311	2.26	-
2472MHz	Pass	AV	7.4148G	36.54	54.00	-17.46	3	Vertical	274	2.25	-
2472MHz	Pass	PK	4.95048G	42.86	74.00	-31.14	3	Vertical	311	2.26	-
2472MHz	Pass	PK	7.42224G	49.34	74.00	-24.66	3	Vertical	274	2.25	-
2472MHz	Pass	AV	4.96312G	29.84	54.00	-24.16	3	Horizontal	329	1.66	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2472MHz	Pass	AV	7.4356G	36.52	54.00	-17.48	3	Horizontal	177	1.11	-
2472MHz	Pass	PK	4.962G	43.37	74.00	-30.63	3	Horizontal	329	1.66	-
2472MHz	Pass	PK	7.41208G	49.54	74.00	-24.46	3	Horizontal	177	1.11	-
802.11g_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	51.02	54.00	-2.98	3	Vertical	159	1.17	-
2412MHz	Pass	AV	2.417G	99.48	Inf	-Inf	3	Vertical	159	1.17	-
2412MHz	Pass	PK	2.387G	62.77	74.00	-11.23	3	Vertical	159	1.17	-
2412MHz	Pass	PK	2.4162G	108.16	Inf	-Inf	3	Vertical	159	1.17	-
2412MHz	Pass	AV	2.39G	50.78	54.00	-3.22	3	Horizontal	193	1.00	-
2412MHz	Pass	AV	2.4166G	96.14	Inf	-Inf	3	Horizontal	193	1.00	-
2412MHz	Pass	PK	2.3824G	62.25	74.00	-11.75	3	Horizontal	193	1.00	-
2412MHz	Pass	PK	2.4162G	104.88	Inf	-Inf	3	Horizontal	193	1.00	-
2412MHz	Pass	AV	4.82984G	31.17	54.00	-22.83	3	Vertical	152	1.81	-
2412MHz	Pass	PK	4.82632G	44.84	74.00	-29.16	3	Vertical	152	1.81	-
2412MHz	Pass	AV	4.81708G	31.30	54.00	-22.70	3	Horizontal	120	1.33	-
2412MHz	Pass	PK	4.83164G	44.20	74.00	-29.80	3	Horizontal	120	1.33	-
2417MHz	Pass	AV	2.39G	52.36	54.00	-1.64	3	Vertical	158	1.16	-
2417MHz	Pass	AV	2.4196G	102.24	Inf	-Inf	3	Vertical	158	1.16	-
2417MHz	Pass	PK	2.3894G	64.56	74.00	-9.44	3	Vertical	158	1.16	-
2417MHz	Pass	PK	2.4212G	110.65	Inf	-Inf	3	Vertical	158	1.16	-
2417MHz	Pass	AV	2.3896G	51.26	54.00	-2.74	3	Horizontal	189	1.50	-
2417MHz	Pass	AV	2.4196G	98.71	Inf	-Inf	3	Horizontal	189	1.50	-
2417MHz	Pass	PK	2.3866G	63.13	74.00	-10.87	3	Horizontal	189	1.50	-
2417MHz	Pass	PK	2.421G	107.28	Inf	-Inf	3	Horizontal	189	1.50	-
2417MHz	Pass	AV	4.82932G	31.40	54.00	-22.60	3	Vertical	169	1.03	-
2417MHz	Pass	PK	4.83004G	44.21	74.00	-29.79	3	Vertical	169	1.03	-
2417MHz	Pass	AV	4.82972G	31.40	54.00	-22.60	3	Horizontal	335	1.27	-
2417MHz	Pass	PK	4.83156G	43.79	74.00	-30.21	3	Horizontal	335	1.27	-
2437MHz	Pass	AV	2.337G	50.44	54.00	-3.56	3	Vertical	158	1.31	-
2437MHz	Pass	AV	2.4422G	101.09	Inf	-Inf	3	Vertical	158	1.31	-
2437MHz	Pass	AV	2.485G	50.67	54.00	-3.33	3	Vertical	158	1.31	-
2437MHz	Pass	PK	2.3486G	62.42	74.00	-11.58	3	Vertical	158	1.31	-
2437MHz	Pass	PK	2.4414G	109.34	Inf	-Inf	3	Vertical	158	1.31	-
2437MHz	Pass	PK	2.4974G	62.18	74.00	-11.82	3	Vertical	158	1.31	-
2437MHz	Pass	AV	2.337G	50.44	54.00	-3.56	3	Horizontal	64	1.50	-
2437MHz	Pass	AV	2.4398G	98.12	Inf	-Inf	3	Horizontal	64	1.50	-
2437MHz	Pass	AV	2.485G	50.42	54.00	-3.58	3	Horizontal	64	1.50	-
2437MHz	Pass	PK	2.3842G	62.24	74.00	-11.76	3	Horizontal	64	1.50	-
2437MHz	Pass	PK	2.4418G	106.44	Inf	-Inf	3	Horizontal	64	1.50	-
2437MHz	Pass	PK	2.4838G	61.65	74.00	-12.35	3	Horizontal	64	1.50	-
2437MHz	Pass	AV	4.86436G	31.30	54.00	-22.70	3	Vertical	34	2.18	-
2437MHz	Pass	AV	7.31148G	38.42	54.00	-15.58	3	Vertical	288	1.24	-
2437MHz	Pass	PK	4.86852G	43.64	74.00	-30.36	3	Vertical	34	2.18	-
2437MHz	Pass	PK	7.3164G	51.15	74.00	-22.85	3	Vertical	288	1.24	-
2437MHz	Pass	AV	4.86524G	31.32	54.00	-22.68	3	Horizontal	250	1.12	-
2437MHz	Pass	AV	7.3112G	38.32	54.00	-15.68	3	Horizontal	100	2.24	-
2437MHz	Pass	PK	4.8756G	43.92	74.00	-30.08	3	Horizontal	250	1.12	-
2437MHz	Pass	PK	7.31296G	51.31	74.00	-22.69	3	Horizontal	100	2.24	-
2457MHz	Pass	AV	2.4534G	100.53	Inf	-Inf	3	Vertical	160	1.28	-
2457MHz	Pass	AV	2.4835G	52.08	54.00	-1.92	3	Vertical	160	1.28	-
2457MHz	Pass	PK	2.4574G	109.26	Inf	-Inf	3	Vertical	160	1.28	-
2457MHz	Pass	PK	2.4838G	66.44	74.00	-7.56	3	Vertical	160	1.28	-
2457MHz	Pass	AV	2.4538G	97.81	Inf	-Inf	3	Horizontal	183	2.10	-
2457MHz	Pass	AV	2.4848G	51.17	54.00	-2.83	3	Horizontal	183	2.10	-
2457MHz	Pass	PK	2.453G	107.15	Inf	-Inf	3	Horizontal	183	2.10	-
2457MHz	Pass	PK	2.4842G	63.17	74.00	-10.83	3	Horizontal	183	2.10	-
2457MHz	Pass	AV	4.91396G	31.57	54.00	-22.43	3	Vertical	272	1.50	-
2457MHz	Pass	AV	7.36476G	38.81	54.00	-15.19	3	Vertical	171	1.41	-
2457MHz	Pass	PK	4.91032G	44.25	74.00	-29.75	3	Vertical	272	1.50	-
2457MHz	Pass	PK	7.368G	51.60	74.00	-22.40	3	Vertical	171	1.41	-
2457MHz	Pass	AV	4.91308G	31.66	54.00	-22.34	3	Horizontal	26	1.50	-
2457MHz	Pass	AV	7.3778G	38.59	54.00	-15.41	3	Horizontal	27	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	PK	4.91148G	44.09	74.00	-29.91	3	Horizontal	26	1.50	-
2457MHz	Pass	PK	7.36888G	51.80	74.00	-22.20	3	Horizontal	27	1.50	-
2462MHz	Pass	AV	2.4588G	99.03	Inf	-Inf	3	Vertical	160	1.18	-
2462MHz	Pass	AV	2.485G	51.17	54.00	-2.83	3	Vertical	160	1.18	-
2462MHz	Pass	PK	2.4608G	108.39	Inf	-Inf	3	Vertical	160	1.18	-
2462MHz	Pass	PK	2.4876G	62.86	74.00	-11.14	3	Vertical	160	1.18	-
2462MHz	Pass	AV	2.468G	96.64	Inf	-Inf	3	Horizontal	184	1.46	-
2462MHz	Pass	AV	2.4835G	50.92	54.00	-3.08	3	Horizontal	184	1.46	-
2462MHz	Pass	PK	2.4662G	105.43	Inf	-Inf	3	Horizontal	184	1.46	-
2462MHz	Pass	PK	2.4835G	63.52	74.00	-10.48	3	Horizontal	184	1.46	-
2462MHz	Pass	AV	4.9328G	31.49	54.00	-22.51	3	Vertical	153	2.31	-
2462MHz	Pass	AV	7.37812G	38.07	54.00	-15.93	3	Vertical	321	1.19	-
2462MHz	Pass	PK	4.91512G	44.17	74.00	-29.83	3	Vertical	153	2.31	-
2462MHz	Pass	PK	7.3842G	50.71	74.00	-23.29	3	Vertical	321	1.19	-
2462MHz	Pass	AV	4.93348G	31.49	54.00	-22.51	3	Horizontal	295	2.30	-
2462MHz	Pass	AV	7.37892G	38.07	54.00	-15.93	3	Horizontal	137	1.62	-
2462MHz	Pass	PK	4.9304G	44.23	74.00	-29.77	3	Horizontal	295	2.30	-
2462MHz	Pass	PK	7.37656G	51.19	74.00	-22.81	3	Horizontal	137	1.62	-
2467MHz	Pass	AV	2.4634G	92.72	Inf	-Inf	3	Vertical	184	1.12	-
2467MHz	Pass	AV	2.4835G	47.91	54.00	-6.09	3	Vertical	184	1.12	-
2467MHz	Pass	PK	2.4626G	102.80	Inf	-Inf	3	Vertical	184	1.12	-
2467MHz	Pass	PK	2.4864G	59.21	74.00	-14.79	3	Vertical	184	1.12	-
2467MHz	Pass	AV	2.4694G	91.20	Inf	-Inf	3	Horizontal	215	1.00	-
2467MHz	Pass	AV	2.485G	47.89	54.00	-6.11	3	Horizontal	215	1.00	-
2467MHz	Pass	PK	2.4692G	101.13	Inf	-Inf	3	Horizontal	215	1.00	-
2467MHz	Pass	PK	2.4956G	58.93	74.00	-15.07	3	Horizontal	215	1.00	-
2467MHz	Pass	AV	4.91512G	30.10	54.00	-23.90	3	Vertical	95	2.66	-
2467MHz	Pass	AV	7.4178G	36.65	54.00	-17.35	3	Vertical	346	1.40	-
2467MHz	Pass	PK	4.9196G	43.17	74.00	-30.83	3	Vertical	95	2.66	-
2467MHz	Pass	PK	7.41372G	50.57	74.00	-23.43	3	Vertical	346	1.40	-
2467MHz	Pass	AV	4.91624G	30.14	54.00	-23.86	3	Horizontal	150	2.18	-
2467MHz	Pass	AV	7.4082G	36.73	54.00	-17.27	3	Horizontal	302	2.47	-
2467MHz	Pass	PK	4.94712G	42.83	74.00	-31.17	3	Horizontal	150	2.18	-
2467MHz	Pass	PK	7.38244G	49.26	74.00	-24.74	3	Horizontal	302	2.47	-
2472MHz	Pass	AV	2.4672G	84.49	Inf	-Inf	3	Vertical	185	1.14	-
2472MHz	Pass	AV	2.4835G	48.99	54.00	-5.01	3	Vertical	185	1.14	-
2472MHz	Pass	PK	2.4676G	94.34	Inf	-Inf	3	Vertical	185	1.14	-
2472MHz	Pass	PK	2.4835G	61.23	74.00	-12.77	3	Vertical	185	1.14	-
2472MHz	Pass	AV	2.4742G	82.23	Inf	-Inf	3	Horizontal	348	1.26	-
2472MHz	Pass	AV	2.4835G	48.71	54.00	-5.29	3	Horizontal	348	1.26	-
2472MHz	Pass	PK	2.4744G	92.19	Inf	-Inf	3	Horizontal	348	1.26	-
2472MHz	Pass	PK	2.4835G	60.94	74.00	-13.06	3	Horizontal	348	1.26	-
2472MHz	Pass	AV	4.94736G	30.00	54.00	-24.00	3	Vertical	101	1.66	-
2472MHz	Pass	AV	7.4352G	36.70	54.00	-17.30	3	Vertical	234	1.73	-
2472MHz	Pass	PK	4.93992G	42.70	74.00	-31.30	3	Vertical	101	1.66	-
2472MHz	Pass	PK	7.40456G	49.87	74.00	-24.13	3	Vertical	234	1.73	-
2472MHz	Pass	AV	4.96096G	30.09	54.00	-23.91	3	Horizontal	304	2.51	-
2472MHz	Pass	AV	7.41552G	36.71	54.00	-17.29	3	Horizontal	145	1.22	-
2472MHz	Pass	PK	4.96008G	42.62	74.00	-31.38	3	Horizontal	304	2.51	-
2472MHz	Pass	PK	7.42144G	50.12	74.00	-23.88	3	Horizontal	145	1.22	-
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	48.34	54.00	-5.66	3	Vertical	40	1.52	-
2412MHz	Pass	AV	2.4166G	98.09	Inf	-Inf	3	Vertical	40	1.52	-
2412MHz	Pass	PK	2.3878G	58.79	74.00	-15.21	3	Vertical	40	1.52	-
2412MHz	Pass	PK	2.4168G	108.33	Inf	-Inf	3	Vertical	40	1.52	-
2412MHz	Pass	AV	2.3892G	48.42	54.00	-5.58	3	Horizontal	310	1.00	-
2412MHz	Pass	AV	2.4144G	99.73	Inf	-Inf	3	Horizontal	310	1.00	-
2412MHz	Pass	PK	2.39G	58.97	74.00	-15.03	3	Horizontal	310	1.00	-
2412MHz	Pass	PK	2.4146G	109.81	Inf	-Inf	3	Horizontal	310	1.00	-
2412MHz	Pass	AV	4.81844G	31.19	54.00	-22.81	3	Vertical	34	1.87	-
2412MHz	Pass	PK	4.82576G	43.89	74.00	-30.11	3	Vertical	34	1.87	-
2412MHz	Pass	AV	4.81604G	31.19	54.00	-22.81	3	Horizontal	131	1.35	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2412MHz	Pass	PK	4.81864G	43.84	74.00	-30.16	3	Horizontal	131	1.35	-
2417MHz	Pass	AV	2.39G	48.88	54.00	-5.12	3	Vertical	40	1.76	-
2417MHz	Pass	AV	2.4162G	99.85	Inf	-Inf	3	Vertical	40	1.76	-
2417MHz	Pass	PK	2.3898G	61.14	74.00	-12.86	3	Vertical	40	1.76	-
2417MHz	Pass	PK	2.4162G	109.48	Inf	-Inf	3	Vertical	40	1.76	-
2417MHz	Pass	AV	2.3892G	49.25	54.00	-4.75	3	Horizontal	308	1.04	-
2417MHz	Pass	AV	2.4192G	101.81	Inf	-Inf	3	Horizontal	308	1.04	-
2417MHz	Pass	PK	2.3896G	61.96	74.00	-12.04	3	Horizontal	308	1.04	-
2417MHz	Pass	PK	2.4192G	111.97	Inf	-Inf	3	Horizontal	308	1.04	-
2417MHz	Pass	AV	4.82752G	31.07	54.00	-22.93	3	Vertical	213	1.37	-
2417MHz	Pass	PK	4.82404G	44.07	74.00	-29.93	3	Vertical	213	1.37	-
2417MHz	Pass	AV	4.83004G	31.28	54.00	-22.72	3	Horizontal	249	2.32	-
2417MHz	Pass	PK	4.82512G	44.32	74.00	-29.68	3	Horizontal	249	2.32	-
2437MHz	Pass	AV	2.337G	50.44	54.00	-3.56	3	Vertical	120	1.02	-
2437MHz	Pass	AV	2.4414G	103.58	Inf	-Inf	3	Vertical	120	1.02	-
2437MHz	Pass	AV	2.485G	50.42	54.00	-3.58	3	Vertical	120	1.02	-
2437MHz	Pass	PK	2.381G	63.13	74.00	-10.87	3	Vertical	120	1.02	-
2437MHz	Pass	PK	2.4414G	111.49	Inf	-Inf	3	Vertical	120	1.02	-
2437MHz	Pass	PK	2.4886G	62.60	74.00	-11.40	3	Vertical	120	1.02	-
2437MHz	Pass	AV	2.337G	50.44	54.00	-3.56	3	Horizontal	64	1.52	-
2437MHz	Pass	AV	2.4418G	102.53	Inf	-Inf	3	Horizontal	64	1.52	-
2437MHz	Pass	AV	2.485G	50.42	54.00	-3.58	3	Horizontal	64	1.52	-
2437MHz	Pass	PK	2.3374G	62.77	74.00	-11.23	3	Horizontal	64	1.52	-
2437MHz	Pass	PK	2.4418G	110.45	Inf	-Inf	3	Horizontal	64	1.52	-
2437MHz	Pass	PK	2.4878G	61.94	74.00	-12.06	3	Horizontal	64	1.52	-
2437MHz	Pass	AV	4.87802G	29.80	54.00	-24.20	3	Vertical	56	1.50	-
2437MHz	Pass	AV	7.3122G	36.06	54.00	-17.94	3	Vertical	0	1.49	-
2437MHz	Pass	PK	4.86116G	44.33	74.00	-29.67	3	Vertical	56	1.50	-
2437MHz	Pass	PK	7.31532G	50.37	74.00	-23.63	3	Vertical	0	1.49	-
2437MHz	Pass	AV	4.8782G	29.78	54.00	-24.22	3	Horizontal	246	1.50	-
2437MHz	Pass	AV	7.3098G	38.89	54.00	-15.11	3	Horizontal	80	1.89	-
2437MHz	Pass	PK	4.8881G	43.70	74.00	-30.30	3	Horizontal	246	1.50	-
2437MHz	Pass	PK	7.31094G	52.17	74.00	-21.83	3	Horizontal	80	1.89	-
2457MHz	Pass	AV	2.4578G	101.24	Inf	-Inf	3	Vertical	179	1.00	-
2457MHz	Pass	AV	2.4835G	48.67	54.00	-5.33	3	Vertical	179	1.00	-
2457MHz	Pass	PK	2.4578G	111.34	Inf	-Inf	3	Vertical	179	1.00	-
2457MHz	Pass	PK	2.4835G	60.40	74.00	-13.60	3	Vertical	179	1.00	-
2457MHz	Pass	AV	2.4544G	102.77	Inf	-Inf	3	Horizontal	310	1.00	-
2457MHz	Pass	AV	2.4844G	48.89	54.00	-5.11	3	Horizontal	310	1.00	-
2457MHz	Pass	PK	2.4546G	112.93	Inf	-Inf	3	Horizontal	310	1.00	-
2457MHz	Pass	PK	2.484G	61.42	74.00	-12.58	3	Horizontal	310	1.00	-
2457MHz	Pass	AV	4.91532G	31.23	54.00	-22.77	3	Vertical	48	1.73	-
2457MHz	Pass	AV	7.36116G	38.23	54.00	-15.77	3	Vertical	90	2.00	-
2457MHz	Pass	PK	4.92312G	43.92	74.00	-30.08	3	Vertical	48	1.73	-
2457MHz	Pass	PK	7.36444G	51.13	74.00	-22.87	3	Vertical	90	2.00	-
2457MHz	Pass	AV	4.91436G	31.45	54.00	-22.55	3	Horizontal	309	1.64	-
2457MHz	Pass	AV	7.36108G	38.23	54.00	-15.77	3	Horizontal	115	1.46	-
2457MHz	Pass	PK	4.90752G	44.03	74.00	-29.97	3	Horizontal	309	1.64	-
2457MHz	Pass	PK	7.36972G	51.13	74.00	-22.87	3	Horizontal	115	1.46	-
2462MHz	Pass	AV	2.4574G	99.38	Inf	-Inf	3	Vertical	178	1.00	-
2462MHz	Pass	AV	2.4835G	48.13	54.00	-5.87	3	Vertical	178	1.00	-
2462MHz	Pass	PK	2.4578G	109.59	Inf	-Inf	3	Vertical	178	1.00	-
2462MHz	Pass	PK	2.4838G	60.02	74.00	-13.98	3	Vertical	178	1.00	-
2462MHz	Pass	AV	2.4592G	100.43	Inf	-Inf	3	Horizontal	312	1.00	-
2462MHz	Pass	AV	2.4844G	48.31	54.00	-5.69	3	Horizontal	312	1.00	-
2462MHz	Pass	PK	2.459G	110.32	Inf	-Inf	3	Horizontal	312	1.00	-
2462MHz	Pass	PK	2.4835G	60.33	74.00	-13.67	3	Horizontal	312	1.00	-
2462MHz	Pass	AV	4.931G	31.46	54.00	-22.54	3	Vertical	8	2.24	-
2462MHz	Pass	AV	7.38036G	38.16	54.00	-15.84	3	Vertical	332	1.19	-
2462MHz	Pass	PK	4.92392G	44.46	74.00	-29.54	3	Vertical	8	2.24	-
2462MHz	Pass	PK	7.38396G	51.07	74.00	-22.93	3	Vertical	332	1.19	-
2462MHz	Pass	AV	4.93216G	31.48	54.00	-22.52	3	Horizontal	95	1.64	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	AV	7.38152G	38.15	54.00	-15.85	3	Horizontal	129	1.89	-
2462MHz	Pass	PK	4.9338G	44.77	74.00	-29.23	3	Horizontal	95	1.64	-
2462MHz	Pass	PK	7.3762G	51.15	74.00	-22.85	3	Horizontal	129	1.89	-
2467MHz	Pass	AV	2.4716G	88.82	Inf	-Inf	3	Vertical	37	1.50	-
2467MHz	Pass	AV	2.4835G	46.92	54.00	-7.08	3	Vertical	37	1.50	-
2467MHz	Pass	PK	2.4716G	99.00	Inf	-Inf	3	Vertical	37	1.50	-
2467MHz	Pass	PK	2.4882G	58.37	74.00	-15.63	3	Vertical	37	1.50	-
2467MHz	Pass	AV	2.4692G	90.55	Inf	-Inf	3	Horizontal	313	1.00	-
2467MHz	Pass	AV	2.484G	47.07	54.00	-6.93	3	Horizontal	313	1.00	-
2467MHz	Pass	PK	2.4694G	100.41	Inf	-Inf	3	Horizontal	313	1.00	-
2467MHz	Pass	PK	2.485G	58.74	74.00	-15.26	3	Horizontal	313	1.00	-
2467MHz	Pass	AV	4.9156G	29.95	54.00	-24.05	3	Vertical	206	2.02	-
2467MHz	Pass	AV	7.41564G	36.52	54.00	-17.48	3	Vertical	16	2.19	-
2467MHz	Pass	PK	4.91736G	43.36	74.00	-30.64	3	Vertical	206	2.02	-
2467MHz	Pass	PK	7.41812G	49.58	74.00	-24.42	3	Vertical	16	2.19	-
2467MHz	Pass	AV	4.91528G	29.94	54.00	-24.06	3	Horizontal	213	1.80	-
2467MHz	Pass	AV	7.40828G	36.50	54.00	-17.50	3	Horizontal	125	1.29	-
2467MHz	Pass	PK	4.93248G	43.34	74.00	-30.66	3	Horizontal	213	1.80	-
2467MHz	Pass	PK	7.401G	49.76	74.00	-24.24	3	Horizontal	125	1.29	-
2472MHz	Pass	AV	2.471G	82.46	Inf	-Inf	3	Vertical	40	1.90	-
2472MHz	Pass	AV	2.4835G	47.37	54.00	-6.63	3	Vertical	40	1.90	-
2472MHz	Pass	PK	2.4712G	91.93	Inf	-Inf	3	Vertical	40	1.90	-
2472MHz	Pass	PK	2.4836G	59.18	74.00	-14.82	3	Vertical	40	1.90	-
2472MHz	Pass	AV	2.469G	84.71	Inf	-Inf	3	Horizontal	309	1.07	-
2472MHz	Pass	AV	2.4835G	48.46	54.00	-5.54	3	Horizontal	309	1.07	-
2472MHz	Pass	PK	2.4694G	94.54	Inf	-Inf	3	Horizontal	309	1.07	-
2472MHz	Pass	PK	2.4836G	61.74	74.00	-12.26	3	Horizontal	309	1.07	-
2472MHz	Pass	AV	4.94872G	29.84	54.00	-24.16	3	Vertical	3	1.25	-
2472MHz	Pass	AV	7.43296G	36.52	54.00	-17.48	3	Vertical	21	1.62	-
2472MHz	Pass	PK	4.94472G	42.59	74.00	-31.41	3	Vertical	3	1.25	-
2472MHz	Pass	PK	7.39776G	49.71	74.00	-24.29	3	Vertical	21	1.62	-
2472MHz	Pass	AV	4.96296G	29.84	54.00	-24.16	3	Horizontal	333	1.46	-
2472MHz	Pass	AV	7.4328G	36.53	54.00	-17.47	3	Horizontal	117	2.27	-
2472MHz	Pass	PK	4.93232G	43.43	74.00	-30.57	3	Horizontal	333	1.46	-
2472MHz	Pass	PK	7.41936G	50.19	74.00	-23.81	3	Horizontal	117	2.27	-
802.11n HT20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	49.96	54.00	-4.04	3	Vertical	279	1.08	-
2412MHz	Pass	AV	2.415G	97.45	Inf	-Inf	3	Vertical	279	1.08	-
2412MHz	Pass	PK	2.39G	60.61	74.00	-13.39	3	Vertical	279	1.08	-
2412MHz	Pass	PK	2.409G	108.61	Inf	-Inf	3	Vertical	279	1.08	-
2412MHz	Pass	AV	2.39G	50.79	54.00	-3.21	3	Horizontal	57	1.08	-
2412MHz	Pass	AV	2.4152G	98.73	Inf	-Inf	3	Horizontal	57	1.08	-
2412MHz	Pass	PK	2.3892G	62.43	74.00	-11.57	3	Horizontal	57	1.08	-
2412MHz	Pass	PK	2.409G	109.66	Inf	-Inf	3	Horizontal	57	1.08	-
2412MHz	Pass	AV	4.81792G	31.33	54.00	-22.67	3	Vertical	102	3.00	-
2412MHz	Pass	PK	4.8192G	44.97	74.00	-29.03	3	Vertical	102	3.00	-
2412MHz	Pass	AV	4.8186G	31.33	54.00	-22.67	3	Horizontal	0	1.66	-
2412MHz	Pass	PK	4.82272G	44.73	74.00	-29.27	3	Horizontal	0	1.66	-
2417MHz	Pass	AV	2.39G	51.85	54.00	-2.15	3	Vertical	270	1.00	-
2417MHz	Pass	AV	2.4184G	98.95	Inf	-Inf	3	Vertical	270	1.00	-
2417MHz	Pass	PK	2.39G	64.47	74.00	-9.53	3	Vertical	270	1.00	-
2417MHz	Pass	PK	2.414G	109.75	Inf	-Inf	3	Vertical	270	1.00	-
2417MHz	Pass	AV	2.39G	52.00	54.00	-2.00	3	Horizontal	60	1.26	-
2417MHz	Pass	AV	2.4186G	100.31	Inf	-Inf	3	Horizontal	60	1.26	-
2417MHz	Pass	PK	2.3886G	65.84	74.00	-8.16	3	Horizontal	60	1.26	-
2417MHz	Pass	PK	2.4182G	111.06	Inf	-Inf	3	Horizontal	60	1.26	-
2417MHz	Pass	AV	4.84348G	31.32	54.00	-22.68	3	Vertical	54	1.76	-
2417MHz	Pass	PK	4.83776G	44.95	74.00	-29.05	3	Vertical	54	1.76	-
2417MHz	Pass	AV	4.84088G	31.33	54.00	-22.67	3	Horizontal	308	1.53	-
2417MHz	Pass	PK	4.83156G	44.41	74.00	-29.59	3	Horizontal	308	1.53	-
2437MHz	Pass	AV	2.3426G	48.65	54.00	-5.35	3	Vertical	89	1.05	-
2437MHz	Pass	AV	2.4398G	103.95	Inf	-Inf	3	Vertical	89	1.05	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	2.4835G	48.45	54.00	-5.55	3	Vertical	89	1.05	-
2437MHz	Pass	PK	2.3446G	61.23	74.00	-12.77	3	Vertical	89	1.05	-
2437MHz	Pass	PK	2.4398G	115.93	Inf	-Inf	3	Vertical	89	1.05	-
2437MHz	Pass	PK	2.485G	60.06	74.00	-13.94	3	Vertical	89	1.05	-
2437MHz	Pass	AV	2.341G	48.66	54.00	-5.34	3	Horizontal	58	1.21	-
2437MHz	Pass	AV	2.4402G	102.53	Inf	-Inf	3	Horizontal	58	1.21	-
2437MHz	Pass	AV	2.4835G	48.34	54.00	-5.66	3	Horizontal	58	1.21	-
2437MHz	Pass	PK	2.3646G	60.78	74.00	-13.22	3	Horizontal	58	1.21	-
2437MHz	Pass	PK	2.4342G	112.91	Inf	-Inf	3	Horizontal	58	1.21	-
2437MHz	Pass	PK	2.4906G	60.48	74.00	-13.52	3	Horizontal	58	1.21	-
2437MHz	Pass	AV	4.87808G	29.89	54.00	-24.11	3	Vertical	346	1.84	-
2437MHz	Pass	AV	7.31514G	36.25	54.00	-17.75	3	Vertical	308	1.50	-
2437MHz	Pass	PK	4.87964G	43.59	74.00	-30.41	3	Vertical	346	1.84	-
2437MHz	Pass	PK	7.32036G	49.81	74.00	-24.19	3	Vertical	308	1.50	-
2437MHz	Pass	AV	4.87964G	29.90	54.00	-24.10	3	Horizontal	3	1.50	-
2437MHz	Pass	AV	7.3119G	36.26	54.00	-17.74	3	Horizontal	195	1.50	-
2437MHz	Pass	PK	4.87832G	43.71	74.00	-30.29	3	Horizontal	3	1.50	-
2437MHz	Pass	PK	7.30614G	49.62	74.00	-24.38	3	Horizontal	195	1.50	-
2457MHz	Pass	AV	2.4546G	99.58	Inf	-Inf	3	Vertical	131	1.00	-
2457MHz	Pass	AV	2.4835G	51.99	54.00	-2.01	3	Vertical	131	1.00	-
2457MHz	Pass	PK	2.4552G	110.72	Inf	-Inf	3	Vertical	131	1.00	-
2457MHz	Pass	PK	2.4842G	67.56	74.00	-6.44	3	Vertical	131	1.00	-
2457MHz	Pass	AV	2.4542G	100.17	Inf	-Inf	3	Horizontal	318	3.00	-
2457MHz	Pass	AV	2.4835G	51.24	54.00	-2.76	3	Horizontal	318	3.00	-
2457MHz	Pass	PK	2.4558G	110.91	Inf	-Inf	3	Horizontal	318	3.00	-
2457MHz	Pass	PK	2.4836G	65.47	74.00	-8.53	3	Horizontal	318	3.00	-
2457MHz	Pass	AV	4.91472G	31.41	54.00	-22.59	3	Vertical	239	1.53	-
2457MHz	Pass	AV	7.3804G	37.63	54.00	-16.37	3	Vertical	280	2.42	-
2457MHz	Pass	PK	4.9228G	45.08	74.00	-28.92	3	Vertical	239	1.53	-
2457MHz	Pass	PK	7.37892G	50.95	74.00	-23.05	3	Vertical	280	2.42	-
2457MHz	Pass	AV	4.91532G	31.59	54.00	-22.41	3	Horizontal	322	1.39	-
2457MHz	Pass	AV	7.37864G	37.61	54.00	-16.39	3	Horizontal	138	2.83	-
2457MHz	Pass	PK	4.91284G	44.98	74.00	-29.02	3	Horizontal	322	1.39	-
2457MHz	Pass	PK	7.37828G	50.79	74.00	-23.21	3	Horizontal	138	2.83	-
2462MHz	Pass	AV	2.4672G	97.69	Inf	-Inf	3	Vertical	128	1.13	-
2462MHz	Pass	AV	2.4835G	47.90	54.00	-6.10	3	Vertical	128	1.13	-
2462MHz	Pass	PK	2.4672G	108.18	Inf	-Inf	3	Vertical	128	1.13	-
2462MHz	Pass	PK	2.4842G	59.83	74.00	-14.17	3	Vertical	128	1.13	-
2462MHz	Pass	AV	2.4566G	97.77	Inf	-Inf	3	Horizontal	317	3.00	-
2462MHz	Pass	AV	2.4836G	47.62	54.00	-6.38	3	Horizontal	317	3.00	-
2462MHz	Pass	PK	2.466G	109.44	Inf	-Inf	3	Horizontal	317	3.00	-
2462MHz	Pass	PK	2.4856G	59.93	74.00	-14.07	3	Horizontal	317	3.00	-
2462MHz	Pass	AV	4.91656G	31.53	54.00	-22.47	3	Vertical	0	1.50	-
2462MHz	Pass	AV	7.3806G	37.76	54.00	-16.24	3	Vertical	353	2.46	-
2462MHz	Pass	PK	4.93088G	45.00	74.00	-29.00	3	Vertical	0	1.50	-
2462MHz	Pass	PK	7.38284G	50.51	74.00	-23.49	3	Vertical	353	2.46	-
2462MHz	Pass	AV	4.9158G	31.54	54.00	-22.46	3	Horizontal	198	2.20	-
2462MHz	Pass	AV	7.39588G	37.70	54.00	-16.30	3	Horizontal	240	1.80	-
2462MHz	Pass	PK	4.92984G	44.12	74.00	-29.88	3	Horizontal	198	2.20	-
2462MHz	Pass	PK	7.39456G	51.08	74.00	-22.92	3	Horizontal	240	1.80	-
2467MHz	Pass	AV	2.4698G	90.70	Inf	-Inf	3	Vertical	118	1.14	-
2467MHz	Pass	AV	2.4836G	46.97	54.00	-7.03	3	Vertical	118	1.14	-
2467MHz	Pass	PK	2.4638G	101.32	Inf	-Inf	3	Vertical	118	1.14	-
2467MHz	Pass	PK	2.4852G	58.10	74.00	-15.90	3	Vertical	118	1.14	-
2467MHz	Pass	AV	2.4696G	90.49	Inf	-Inf	3	Horizontal	60	1.10	-
2467MHz	Pass	AV	2.4835G	46.98	54.00	-7.02	3	Horizontal	60	1.10	-
2467MHz	Pass	PK	2.464G	101.76	Inf	-Inf	3	Horizontal	60	1.10	-
2467MHz	Pass	PK	2.4948G	58.09	74.00	-15.91	3	Horizontal	60	1.10	-
2467MHz	Pass	AV	4.92552G	31.39	54.00	-22.61	3	Vertical	107	1.33	-
2467MHz	Pass	AV	7.39844G	37.82	54.00	-16.18	3	Vertical	53	1.71	-
2467MHz	Pass	PK	4.92648G	44.18	74.00	-29.82	3	Vertical	107	1.33	-
2467MHz	Pass	PK	7.40468G	51.42	74.00	-22.58	3	Vertical	53	1.71	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2467MHz	Pass	AV	4.92568G	31.37	54.00	-22.63	3	Horizontal	167	1.19	-
2467MHz	Pass	AV	7.40956G	37.86	54.00	-16.14	3	Horizontal	139	2.12	-
2467MHz	Pass	PK	4.92552G	44.67	74.00	-29.33	3	Horizontal	167	1.19	-
2467MHz	Pass	PK	7.39508G	51.04	74.00	-22.96	3	Horizontal	139	2.12	-
2472MHz	Pass	AV	2.4694G	82.03	Inf	-Inf	3	Vertical	121	1.16	-
2472MHz	Pass	AV	2.4835G	48.37	54.00	-5.63	3	Vertical	121	1.16	-
2472MHz	Pass	PK	2.4702G	93.03	Inf	-Inf	3	Vertical	121	1.16	-
2472MHz	Pass	PK	2.4835G	61.35	74.00	-12.65	3	Vertical	121	1.16	-
2472MHz	Pass	AV	2.4704G	81.55	Inf	-Inf	3	Horizontal	49	1.08	-
2472MHz	Pass	AV	2.4835G	48.53	54.00	-5.47	3	Horizontal	49	1.08	-
2472MHz	Pass	PK	2.4688G	91.92	Inf	-Inf	3	Horizontal	49	1.08	-
2472MHz	Pass	PK	2.4838G	63.48	74.00	-10.52	3	Horizontal	49	1.08	-
2472MHz	Pass	AV	4.9482G	31.42	54.00	-22.58	3	Vertical	242	1.24	-
2472MHz	Pass	AV	7.40868G	37.91	54.00	-16.09	3	Vertical	90	1.16	-
2472MHz	Pass	PK	4.94948G	45.07	74.00	-28.93	3	Vertical	242	1.24	-
2472MHz	Pass	PK	7.41292G	50.94	74.00	-23.06	3	Vertical	90	1.16	-
2472MHz	Pass	AV	4.94656G	31.34	54.00	-22.66	3	Horizontal	188	1.57	-
2472MHz	Pass	AV	7.4148G	37.89	54.00	-16.11	3	Horizontal	319	1.01	-
2472MHz	Pass	PK	4.93996G	45.50	74.00	-28.50	3	Horizontal	188	1.57	-
2472MHz	Pass	PK	7.411G	51.44	74.00	-22.56	3	Horizontal	319	1.01	-
802.11n HT20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.48	54.00	-3.52	3	Vertical	159	1.15	-
2412MHz	Pass	AV	2.4172G	101.27	Inf	-Inf	3	Vertical	159	1.15	-
2412MHz	Pass	PK	2.3896G	61.90	74.00	-12.10	3	Vertical	159	1.15	-
2412MHz	Pass	PK	2.4152G	111.98	Inf	-Inf	3	Vertical	159	1.15	-
2412MHz	Pass	AV	2.39G	49.54	54.00	-4.46	3	Horizontal	201	1.11	-
2412MHz	Pass	AV	2.4178G	99.23	Inf	-Inf	3	Horizontal	201	1.11	-
2412MHz	Pass	PK	2.3896G	61.09	74.00	-12.91	3	Horizontal	201	1.11	-
2412MHz	Pass	PK	2.415G	110.06	Inf	-Inf	3	Horizontal	201	1.11	-
2412MHz	Pass	AV	4.81684G	31.23	54.00	-22.77	3	Vertical	226	2.02	-
2412MHz	Pass	PK	4.81892G	45.12	74.00	-28.88	3	Vertical	226	2.02	-
2412MHz	Pass	AV	4.81836G	31.28	54.00	-22.72	3	Horizontal	319	2.34	-
2412MHz	Pass	PK	4.83152G	44.82	74.00	-29.18	3	Horizontal	319	2.34	-
2417MHz	Pass	AV	2.39G	52.26	54.00	-1.74	3	Vertical	160	1.15	-
2417MHz	Pass	AV	2.4198G	103.92	Inf	-Inf	3	Vertical	160	1.15	-
2417MHz	Pass	PK	2.3894G	65.84	74.00	-8.16	3	Vertical	160	1.15	-
2417MHz	Pass	PK	2.4196G	114.58	Inf	-Inf	3	Vertical	160	1.15	-
2417MHz	Pass	AV	2.39G	50.74	54.00	-3.26	3	Horizontal	201	1.12	-
2417MHz	Pass	AV	2.4194G	101.76	Inf	-Inf	3	Horizontal	201	1.12	-
2417MHz	Pass	PK	2.39G	62.36	74.00	-11.64	3	Horizontal	201	1.12	-
2417MHz	Pass	PK	2.42G	112.49	Inf	-Inf	3	Horizontal	201	1.12	-
2417MHz	Pass	AV	4.84092G	31.23	54.00	-22.77	3	Vertical	155	2.55	-
2417MHz	Pass	PK	4.84148G	44.74	74.00	-29.26	3	Vertical	155	2.55	-
2417MHz	Pass	AV	4.84064G	31.26	54.00	-22.74	3	Horizontal	63	2.43	-
2417MHz	Pass	PK	4.83532G	44.79	74.00	-29.21	3	Horizontal	63	2.43	-
2437MHz	Pass	AV	2.339G	48.68	54.00	-5.32	3	Vertical	107	1.15	-
2437MHz	Pass	AV	2.4398G	104.20	Inf	-Inf	3	Vertical	107	1.15	-
2437MHz	Pass	AV	2.4846G	48.75	54.00	-5.25	3	Vertical	107	1.15	-
2437MHz	Pass	PK	2.3462G	60.38	74.00	-13.62	3	Vertical	107	1.15	-
2437MHz	Pass	PK	2.439G	114.90	Inf	-Inf	3	Vertical	107	1.15	-
2437MHz	Pass	PK	2.4842G	60.74	74.00	-13.26	3	Vertical	107	1.15	-
2437MHz	Pass	AV	2.3378G	48.61	54.00	-5.39	3	Horizontal	201	1.03	-
2437MHz	Pass	AV	2.4342G	102.10	Inf	-Inf	3	Horizontal	201	1.03	-
2437MHz	Pass	AV	2.4835G	48.26	54.00	-5.74	3	Horizontal	201	1.03	-
2437MHz	Pass	PK	2.367G	60.64	74.00	-13.36	3	Horizontal	201	1.03	-
2437MHz	Pass	PK	2.4386G	113.48	Inf	-Inf	3	Horizontal	201	1.03	-
2437MHz	Pass	PK	2.4914G	60.10	74.00	-13.90	3	Horizontal	201	1.03	-
2437MHz	Pass	AV	4.86564G	31.41	54.00	-22.59	3	Vertical	360	1.50	-
2437MHz	Pass	AV	7.31128G	37.59	54.00	-16.41	3	Vertical	147	1.42	-
2437MHz	Pass	PK	4.87884G	44.96	74.00	-29.04	3	Vertical	360	1.50	-
2437MHz	Pass	PK	7.31936G	51.03	74.00	-22.97	3	Vertical	147	1.42	-
2437MHz	Pass	AV	4.86792G	31.42	54.00	-22.58	3	Horizontal	326	2.73	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	7.3188G	37.60	54.00	-16.40	3	Horizontal	42	2.42	-
2437MHz	Pass	PK	4.8784G	44.77	74.00	-29.23	3	Horizontal	326	2.73	-
2437MHz	Pass	PK	7.30788G	50.79	74.00	-23.21	3	Horizontal	42	2.42	-
2457MHz	Pass	AV	2.454G	103.25	Inf	-Inf	3	Vertical	105	1.03	-
2457MHz	Pass	AV	2.4835G	51.86	54.00	-2.14	3	Vertical	105	1.03	-
2457MHz	Pass	PK	2.454G	115.03	Inf	-Inf	3	Vertical	105	1.03	-
2457MHz	Pass	PK	2.484G	66.80	74.00	-7.20	3	Vertical	105	1.03	-
2457MHz	Pass	AV	2.4544G	101.04	Inf	-Inf	3	Horizontal	202	1.00	-
2457MHz	Pass	AV	2.4838G	49.52	54.00	-4.48	3	Horizontal	202	1.00	-
2457MHz	Pass	PK	2.454G	112.14	Inf	-Inf	3	Horizontal	202	1.00	-
2457MHz	Pass	PK	2.4852G	62.82	74.00	-11.18	3	Horizontal	202	1.00	-
2457MHz	Pass	AV	4.91552G	31.56	54.00	-22.44	3	Vertical	23	2.40	-
2457MHz	Pass	AV	7.3792G	37.62	54.00	-16.38	3	Vertical	276	2.34	-
2457MHz	Pass	PK	4.91284G	44.55	74.00	-29.45	3	Vertical	23	2.40	-
2457MHz	Pass	PK	7.374G	51.42	74.00	-22.58	3	Vertical	276	2.34	-
2457MHz	Pass	AV	4.9126G	31.53	54.00	-22.47	3	Horizontal	131	2.10	-
2457MHz	Pass	AV	7.38084G	37.62	54.00	-16.38	3	Horizontal	61	1.39	-
2457MHz	Pass	PK	4.91036G	45.54	74.00	-28.46	3	Horizontal	131	2.10	-
2457MHz	Pass	PK	7.3686G	51.48	74.00	-22.52	3	Horizontal	61	1.39	-
2462MHz	Pass	AV	2.465G	101.73	Inf	-Inf	3	Vertical	160	1.22	-
2462MHz	Pass	AV	2.4835G	50.98	54.00	-3.02	3	Vertical	160	1.22	-
2462MHz	Pass	PK	2.4664G	112.78	Inf	-Inf	3	Vertical	160	1.22	-
2462MHz	Pass	PK	2.484G	63.86	74.00	-10.14	3	Vertical	160	1.22	-
2462MHz	Pass	AV	2.458G	98.68	Inf	-Inf	3	Horizontal	202	1.00	-
2462MHz	Pass	AV	2.484G	48.86	54.00	-5.14	3	Horizontal	202	1.00	-
2462MHz	Pass	PK	2.459G	110.07	Inf	-Inf	3	Horizontal	202	1.00	-
2462MHz	Pass	PK	2.4858G	60.08	74.00	-13.92	3	Horizontal	202	1.00	-
2462MHz	Pass	AV	4.91436G	31.45	54.00	-22.55	3	Vertical	65	2.18	-
2462MHz	Pass	AV	7.39588G	37.63	54.00	-16.37	3	Vertical	172	2.61	-
2462MHz	Pass	PK	4.92152G	45.05	74.00	-28.95	3	Vertical	65	2.18	-
2462MHz	Pass	PK	7.39512G	51.13	74.00	-22.87	3	Vertical	172	2.61	-
2462MHz	Pass	AV	4.91464G	31.52	54.00	-22.48	3	Horizontal	30	2.76	-
2462MHz	Pass	AV	7.379G	37.56	54.00	-16.44	3	Horizontal	135	2.55	-
2462MHz	Pass	PK	4.91476G	45.58	74.00	-28.42	3	Horizontal	30	2.76	-
2462MHz	Pass	PK	7.39248G	50.72	74.00	-23.28	3	Horizontal	135	2.55	-
2467MHz	Pass	AV	2.4698G	95.38	Inf	-Inf	3	Vertical	162	1.00	-
2467MHz	Pass	AV	2.4835G	48.52	54.00	-5.48	3	Vertical	162	1.00	-
2467MHz	Pass	PK	2.47G	106.81	Inf	-Inf	3	Vertical	162	1.00	-
2467MHz	Pass	PK	2.4864G	60.51	74.00	-13.49	3	Vertical	162	1.00	-
2467MHz	Pass	AV	2.4638G	91.40	Inf	-Inf	3	Horizontal	203	1.00	-
2467MHz	Pass	AV	2.4836G	48.18	54.00	-5.82	3	Horizontal	203	1.00	-
2467MHz	Pass	PK	2.4626G	102.55	Inf	-Inf	3	Horizontal	203	1.00	-
2467MHz	Pass	PK	2.4898G	60.82	74.00	-13.18	3	Horizontal	203	1.00	-
2467MHz	Pass	AV	4.92724G	31.32	54.00	-22.68	3	Vertical	327	1.21	-
2467MHz	Pass	AV	7.4066G	37.83	54.00	-16.17	3	Vertical	78	2.14	-
2467MHz	Pass	PK	4.92528G	45.85	74.00	-28.15	3	Vertical	327	1.21	-
2467MHz	Pass	PK	7.39356G	51.53	74.00	-22.47	3	Vertical	78	2.14	-
2467MHz	Pass	AV	4.92492G	31.33	54.00	-22.67	3	Horizontal	329	1.44	-
2467MHz	Pass	AV	7.4022G	37.84	54.00	-16.16	3	Horizontal	230	2.40	-
2467MHz	Pass	PK	4.92528G	44.59	74.00	-29.41	3	Horizontal	329	1.44	-
2467MHz	Pass	PK	7.40316G	52.11	74.00	-21.89	3	Horizontal	230	2.40	-
2472MHz	Pass	AV	2.4746G	85.46	Inf	-Inf	3	Vertical	163	1.00	-
2472MHz	Pass	AV	2.4835G	50.63	54.00	-3.37	3	Vertical	163	1.00	-
2472MHz	Pass	PK	2.4736G	96.75	Inf	-Inf	3	Vertical	163	1.00	-
2472MHz	Pass	PK	2.4835G	64.91	74.00	-9.09	3	Vertical	163	1.00	-
2472MHz	Pass	AV	2.4744G	81.67	Inf	-Inf	3	Horizontal	203	1.28	-
2472MHz	Pass	AV	2.4835G	49.49	54.00	-4.51	3	Horizontal	203	1.28	-
2472MHz	Pass	PK	2.4746G	92.52	Inf	-Inf	3	Horizontal	203	1.28	-
2472MHz	Pass	PK	2.4836G	63.29	74.00	-10.71	3	Horizontal	203	1.28	-
2472MHz	Pass	AV	4.94804G	31.36	54.00	-22.64	3	Vertical	341	2.73	-
2472MHz	Pass	AV	7.41364G	37.87	54.00	-16.13	3	Vertical	147	2.37	-
2472MHz	Pass	PK	4.94564G	44.86	74.00	-29.14	3	Vertical	341	2.73	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2472MHz	Pass	PK	7.41136G	51.24	74.00	-22.76	3	Vertical	147	2.37	-
2472MHz	Pass	AV	4.9494G	31.40	54.00	-22.60	3	Horizontal	6	2.13	-
2472MHz	Pass	AV	7.41544G	37.86	54.00	-16.14	3	Horizontal	311	2.42	-
2472MHz	Pass	PK	4.9344G	45.11	74.00	-28.89	3	Horizontal	6	2.13	-
2472MHz	Pass	PK	7.40624G	51.22	74.00	-22.78	3	Horizontal	311	2.42	-
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	48.52	54.00	-5.48	3	Vertical	282	1.00	-
2412MHz	Pass	AV	2.417G	96.88	Inf	-Inf	3	Vertical	282	1.00	-
2412MHz	Pass	PK	2.3896G	60.32	74.00	-13.68	3	Vertical	282	1.00	-
2412MHz	Pass	PK	2.4134G	108.33	Inf	-Inf	3	Vertical	282	1.00	-
2412MHz	Pass	AV	2.39G	48.46	54.00	-5.54	3	Horizontal	314	1.13	-
2412MHz	Pass	AV	2.416G	97.01	Inf	-Inf	3	Horizontal	314	1.13	-
2412MHz	Pass	PK	2.3644G	59.89	74.00	-14.11	3	Horizontal	314	1.13	-
2412MHz	Pass	PK	2.418G	108.85	Inf	-Inf	3	Horizontal	314	1.13	-
2412MHz	Pass	AV	4.81808G	31.15	54.00	-22.85	3	Vertical	236	1.54	-
2412MHz	Pass	PK	4.81688G	44.06	74.00	-29.94	3	Vertical	236	1.54	-
2412MHz	Pass	AV	4.81804G	31.13	54.00	-22.87	3	Horizontal	360	1.50	-
2412MHz	Pass	PK	4.81756G	44.75	74.00	-29.25	3	Horizontal	360	1.50	-
2417MHz	Pass	AV	2.39G	48.16	54.00	-5.84	3	Vertical	39	1.52	-
2417MHz	Pass	AV	2.4184G	97.92	Inf	-Inf	3	Vertical	39	1.52	-
2417MHz	Pass	PK	2.3858G	58.25	74.00	-15.75	3	Vertical	39	1.52	-
2417MHz	Pass	PK	2.4158G	109.67	Inf	-Inf	3	Vertical	39	1.52	-
2417MHz	Pass	AV	2.39G	48.89	54.00	-5.11	3	Horizontal	313	1.11	-
2417MHz	Pass	AV	2.4188G	99.45	Inf	-Inf	3	Horizontal	313	1.11	-
2417MHz	Pass	PK	2.3894G	60.65	74.00	-13.35	3	Horizontal	313	1.11	-
2417MHz	Pass	PK	2.4194G	111.38	Inf	-Inf	3	Horizontal	313	1.11	-
2417MHz	Pass	AV	4.8436G	31.07	54.00	-22.93	3	Vertical	332	1.50	-
2417MHz	Pass	PK	4.83728G	44.92	74.00	-29.08	3	Vertical	332	1.50	-
2417MHz	Pass	AV	4.83656G	31.24	54.00	-22.76	3	Horizontal	346	2.22	-
2417MHz	Pass	PK	4.84068G	44.23	74.00	-29.77	3	Horizontal	346	2.22	-
2437MHz	Pass	AV	2.3374G	48.67	54.00	-5.33	3	Vertical	104	1.16	-
2437MHz	Pass	AV	2.435G	107.13	Inf	-Inf	3	Vertical	104	1.16	-
2437MHz	Pass	AV	2.4842G	48.44	54.00	-5.56	3	Vertical	104	1.16	-
2437MHz	Pass	PK	2.3502G	60.37	74.00	-13.63	3	Vertical	104	1.16	-
2437MHz	Pass	PK	2.435G	116.87	Inf	-Inf	3	Vertical	104	1.16	-
2437MHz	Pass	PK	2.4962G	60.11	74.00	-13.89	3	Vertical	104	1.16	-
2437MHz	Pass	AV	2.3414G	48.63	54.00	-5.37	3	Horizontal	314	1.30	-
2437MHz	Pass	AV	2.4402G	103.22	Inf	-Inf	3	Horizontal	314	1.30	-
2437MHz	Pass	AV	2.4838G	48.26	54.00	-5.74	3	Horizontal	314	1.30	-
2437MHz	Pass	PK	2.3726G	61.47	74.00	-12.53	3	Horizontal	314	1.30	-
2437MHz	Pass	PK	2.4406G	113.81	Inf	-Inf	3	Horizontal	314	1.30	-
2437MHz	Pass	PK	2.4878G	59.77	74.00	-14.23	3	Horizontal	314	1.30	-
2437MHz	Pass	AV	4.87754G	29.70	54.00	-24.30	3	Vertical	177	2.00	-
2437MHz	Pass	AV	7.31292G	36.24	54.00	-17.76	3	Vertical	340	1.50	-
2437MHz	Pass	PK	4.86128G	43.91	74.00	-30.09	3	Vertical	177	2.00	-
2437MHz	Pass	PK	7.30062G	49.89	74.00	-24.11	3	Vertical	340	1.50	-
2437MHz	Pass	AV	4.86476G	29.80	54.00	-24.20	3	Horizontal	222	1.24	-
2437MHz	Pass	AV	7.31118G	36.32	54.00	-17.68	3	Horizontal	184	2.14	-
2437MHz	Pass	PK	4.8785G	43.54	74.00	-30.46	3	Horizontal	222	1.24	-
2437MHz	Pass	PK	7.314G	50.48	74.00	-23.52	3	Horizontal	184	2.14	-
2457MHz	Pass	AV	2.4554G	98.82	Inf	-Inf	3	Vertical	178	1.00	-
2457MHz	Pass	AV	2.4835G	48.03	54.00	-5.97	3	Vertical	178	1.00	-
2457MHz	Pass	PK	2.4588G	111.77	Inf	-Inf	3	Vertical	178	1.00	-
2457MHz	Pass	PK	2.4866G	59.31	74.00	-14.69	3	Vertical	178	1.00	-
2457MHz	Pass	AV	2.455G	100.10	Inf	-Inf	3	Horizontal	313	1.00	-
2457MHz	Pass	AV	2.4835G	48.30	54.00	-5.70	3	Horizontal	313	1.00	-
2457MHz	Pass	PK	2.4584G	111.39	Inf	-Inf	3	Horizontal	313	1.00	-
2457MHz	Pass	PK	2.4836G	59.32	74.00	-14.68	3	Horizontal	313	1.00	-
2457MHz	Pass	AV	4.9134G	30.87	54.00	-23.13	3	Vertical	2	1.50	-
2457MHz	Pass	AV	7.38018G	36.96	54.00	-17.04	3	Vertical	335	1.16	-
2457MHz	Pass	PK	4.92726G	44.54	74.00	-29.46	3	Vertical	2	1.50	-
2457MHz	Pass	PK	7.38162G	50.84	74.00	-23.16	3	Vertical	335	1.16	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	AV	4.91514G	31.02	54.00	-22.98	3	Horizontal	313	1.50	-
2457MHz	Pass	AV	7.37862G	37.00	54.00	-17.00	3	Horizontal	268	2.87	-
2457MHz	Pass	PK	4.91274G	44.49	74.00	-29.51	3	Horizontal	313	1.50	-
2457MHz	Pass	PK	7.36614G	50.28	74.00	-23.72	3	Horizontal	268	2.87	-
2462MHz	Pass	AV	2.4578G	96.37	Inf	-Inf	3	Vertical	178	1.01	-
2462MHz	Pass	AV	2.4835G	47.68	54.00	-6.32	3	Vertical	178	1.01	-
2462MHz	Pass	PK	2.4588G	108.93	Inf	-Inf	3	Vertical	178	1.01	-
2462MHz	Pass	PK	2.4835G	59.58	74.00	-14.42	3	Vertical	178	1.01	-
2462MHz	Pass	AV	2.4564G	97.94	Inf	-Inf	3	Horizontal	309	1.00	-
2462MHz	Pass	AV	2.4835G	48.07	54.00	-5.93	3	Horizontal	309	1.00	-
2462MHz	Pass	PK	2.4576G	109.64	Inf	-Inf	3	Horizontal	309	1.00	-
2462MHz	Pass	PK	2.486G	59.18	74.00	-14.82	3	Horizontal	309	1.00	-
2462MHz	Pass	AV	4.91674G	30.98	54.00	-23.02	3	Vertical	20	2.94	-
2462MHz	Pass	AV	7.40052G	37.13	54.00	-16.87	3	Vertical	53	1.41	-
2462MHz	Pass	PK	4.91962G	44.13	74.00	-29.87	3	Vertical	20	2.94	-
2462MHz	Pass	PK	7.3776G	51.26	74.00	-22.74	3	Vertical	53	1.41	-
2462MHz	Pass	AV	4.91788G	31.09	54.00	-22.91	3	Horizontal	193	2.41	-
2462MHz	Pass	AV	7.40004G	37.07	54.00	-16.93	3	Horizontal	18	2.61	-
2462MHz	Pass	PK	4.92508G	44.99	74.00	-29.01	3	Horizontal	193	2.41	-
2462MHz	Pass	PK	7.374G	49.87	74.00	-24.13	3	Horizontal	18	2.61	-
2467MHz	Pass	AV	2.47G	86.61	Inf	-Inf	3	Vertical	36	1.50	-
2467MHz	Pass	AV	2.4836G	46.89	54.00	-7.11	3	Vertical	36	1.50	-
2467MHz	Pass	PK	2.4722G	98.01	Inf	-Inf	3	Vertical	36	1.50	-
2467MHz	Pass	PK	2.49G	57.98	74.00	-16.02	3	Vertical	36	1.50	-
2467MHz	Pass	AV	2.4648G	88.51	Inf	-Inf	3	Horizontal	312	1.00	-
2467MHz	Pass	AV	2.4835G	47.00	54.00	-7.00	3	Horizontal	312	1.00	-
2467MHz	Pass	PK	2.4692G	100.17	Inf	-Inf	3	Horizontal	312	1.00	-
2467MHz	Pass	PK	2.4868G	58.23	74.00	-15.77	3	Horizontal	312	1.00	-
2467MHz	Pass	AV	4.919G	30.79	54.00	-23.21	3	Vertical	331	2.58	-
2467MHz	Pass	AV	7.4025G	37.16	54.00	-16.84	3	Vertical	1	1.84	-
2467MHz	Pass	PK	4.94228G	43.93	74.00	-30.07	3	Vertical	331	2.58	-
2467MHz	Pass	PK	7.40112G	51.18	74.00	-22.82	3	Vertical	1	1.84	-
2467MHz	Pass	AV	4.92326G	30.89	54.00	-23.11	3	Horizontal	166	1.18	-
2467MHz	Pass	AV	7.40142G	37.19	54.00	-16.81	3	Horizontal	126	2.40	-
2467MHz	Pass	PK	4.93472G	43.59	74.00	-30.41	3	Horizontal	166	1.18	-
2467MHz	Pass	PK	7.39992G	50.12	74.00	-23.88	3	Horizontal	126	2.40	-
2472MHz	Pass	AV	2.4686G	79.74	Inf	-Inf	3	Vertical	37	1.50	-
2472MHz	Pass	AV	2.4835G	47.97	54.00	-6.03	3	Vertical	37	1.50	-
2472MHz	Pass	PK	2.469G	91.78	Inf	-Inf	3	Vertical	37	1.50	-
2472MHz	Pass	PK	2.4836G	59.65	74.00	-14.35	3	Vertical	37	1.50	-
2472MHz	Pass	AV	2.4694G	82.70	Inf	-Inf	3	Horizontal	312	2.94	-
2472MHz	Pass	AV	2.4835G	48.68	54.00	-5.32	3	Horizontal	312	2.94	-
2472MHz	Pass	PK	2.468G	94.10	Inf	-Inf	3	Horizontal	312	2.94	-
2472MHz	Pass	PK	2.4835G	63.96	74.00	-10.04	3	Horizontal	312	2.94	-
2472MHz	Pass	AV	4.94898G	30.95	54.00	-23.05	3	Vertical	360	1.50	-
2472MHz	Pass	AV	7.40934G	37.23	54.00	-16.77	3	Vertical	355	1.51	-
2472MHz	Pass	PK	4.95792G	43.98	74.00	-30.02	3	Vertical	360	1.50	-
2472MHz	Pass	PK	7.40244G	50.23	74.00	-23.77	3	Vertical	355	1.51	-
2472MHz	Pass	AV	4.94688G	30.93	54.00	-23.07	3	Horizontal	121	2.57	-
2472MHz	Pass	AV	7.42284G	37.21	54.00	-16.79	3	Horizontal	140	2.08	-
2472MHz	Pass	PK	4.94574G	44.03	74.00	-29.97	3	Horizontal	121	2.57	-
2472MHz	Pass	PK	7.4244G	50.09	74.00	-23.91	3	Horizontal	140	2.08	-
802.11n HT40_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3252G	47.56	54.00	-6.44	3	Vertical	278	1.48	-
2422MHz	Pass	AV	2.4172G	84.62	Inf	-Inf	3	Vertical	278	1.48	-
2422MHz	Pass	AV	2.4996G	46.92	54.00	-7.08	3	Vertical	278	1.48	-
2422MHz	Pass	PK	2.3228G	59.60	74.00	-14.40	3	Vertical	278	1.48	-
2422MHz	Pass	PK	2.4132G	94.37	Inf	-Inf	3	Vertical	278	1.48	-
2422MHz	Pass	PK	2.4872G	57.86	74.00	-16.14	3	Vertical	278	1.48	-
2422MHz	Pass	AV	2.3252G	47.53	54.00	-6.47	3	Horizontal	59	1.04	-
2422MHz	Pass	AV	2.4252G	86.96	Inf	-Inf	3	Horizontal	59	1.04	-
2422MHz	Pass	AV	2.4856G	46.91	54.00	-7.09	3	Horizontal	59	1.04	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2422MHz	Pass	PK	2.3368G	59.80	74.00	-14.20	3	Horizontal	59	1.04	-
2422MHz	Pass	PK	2.4204G	96.75	Inf	-Inf	3	Horizontal	59	1.04	-
2422MHz	Pass	PK	2.4872G	58.03	74.00	-15.97	3	Horizontal	59	1.04	-
2422MHz	Pass	AV	4.83952G	30.99	54.00	-23.01	3	Vertical	165	3.00	-
2422MHz	Pass	AV	7.26912G	39.20	54.00	-14.80	3	Vertical	34	1.35	-
2422MHz	Pass	PK	4.83264G	44.70	74.00	-29.30	3	Vertical	165	3.00	-
2422MHz	Pass	PK	7.26992G	53.13	74.00	-20.87	3	Vertical	34	1.35	-
2422MHz	Pass	AV	4.84288G	30.94	54.00	-23.06	3	Horizontal	194	1.50	-
2422MHz	Pass	AV	7.25128G	37.69	54.00	-16.31	3	Horizontal	296	1.50	-
2422MHz	Pass	PK	4.84072G	44.41	74.00	-29.59	3	Horizontal	194	1.50	-
2422MHz	Pass	PK	7.2516G	50.92	74.00	-23.08	3	Horizontal	296	1.50	-
2427MHz	Pass	AV	2.3898G	50.37	54.00	-3.63	3	Vertical	279	1.15	-
2427MHz	Pass	AV	2.4162G	95.73	Inf	-Inf	3	Vertical	279	1.15	-
2427MHz	Pass	AV	2.4835G	48.50	54.00	-5.50	3	Vertical	279	1.15	-
2427MHz	Pass	PK	2.389G	61.38	74.00	-12.62	3	Vertical	279	1.15	-
2427MHz	Pass	PK	2.4154G	106.58	Inf	-Inf	3	Vertical	279	1.15	-
2427MHz	Pass	PK	2.4862G	59.75	74.00	-14.25	3	Vertical	279	1.15	-
2427MHz	Pass	AV	2.3898G	51.30	54.00	-2.70	3	Horizontal	56	1.30	-
2427MHz	Pass	AV	2.425G	97.05	Inf	-Inf	3	Horizontal	56	1.30	-
2427MHz	Pass	AV	2.4835G	49.01	54.00	-4.99	3	Horizontal	56	1.30	-
2427MHz	Pass	PK	2.3886G	66.58	74.00	-7.42	3	Horizontal	56	1.30	-
2427MHz	Pass	PK	2.429G	107.53	Inf	-Inf	3	Horizontal	56	1.30	-
2427MHz	Pass	PK	2.4835G	60.54	74.00	-13.46	3	Horizontal	56	1.30	-
2427MHz	Pass	AV	4.84906G	30.44	54.00	-23.56	3	Vertical	337	2.33	-
2427MHz	Pass	AV	7.26892G	38.54	54.00	-15.46	3	Vertical	48	1.35	-
2427MHz	Pass	PK	4.85358G	43.81	74.00	-30.19	3	Vertical	337	2.33	-
2427MHz	Pass	PK	7.27012G	52.05	74.00	-21.95	3	Vertical	48	1.35	-
2427MHz	Pass	AV	4.8513G	30.41	54.00	-23.59	3	Horizontal	137	1.50	-
2427MHz	Pass	AV	7.28418G	38.53	54.00	-15.47	3	Horizontal	265	1.16	-
2427MHz	Pass	PK	4.85862G	44.25	74.00	-29.75	3	Horizontal	137	1.50	-
2427MHz	Pass	PK	7.27878G	52.10	74.00	-21.90	3	Horizontal	265	1.16	-
2437MHz	Pass	AV	2.3898G	50.60	54.00	-3.40	3	Vertical	108	1.06	-
2437MHz	Pass	AV	2.4418G	97.00	Inf	-Inf	3	Vertical	108	1.06	-
2437MHz	Pass	AV	2.4835G	51.07	54.00	-2.93	3	Vertical	108	1.06	-
2437MHz	Pass	PK	2.3898G	61.77	74.00	-12.23	3	Vertical	108	1.06	-
2437MHz	Pass	PK	2.4474G	107.66	Inf	-Inf	3	Vertical	108	1.06	-
2437MHz	Pass	PK	2.4838G	63.61	74.00	-10.39	3	Vertical	108	1.06	-
2437MHz	Pass	AV	2.3898G	50.20	54.00	-3.80	3	Horizontal	51	1.20	-
2437MHz	Pass	AV	2.4414G	96.80	Inf	-Inf	3	Horizontal	51	1.20	-
2437MHz	Pass	AV	2.4835G	51.81	54.00	-2.19	3	Horizontal	51	1.20	-
2437MHz	Pass	PK	2.3894G	60.50	74.00	-13.50	3	Horizontal	51	1.20	-
2437MHz	Pass	PK	2.4394G	107.22	Inf	-Inf	3	Horizontal	51	1.20	-
2437MHz	Pass	PK	2.4842G	64.23	74.00	-9.77	3	Horizontal	51	1.20	-
2437MHz	Pass	AV	4.8704G	30.74	54.00	-23.26	3	Vertical	316	2.10	-
2437MHz	Pass	AV	7.30874G	37.39	54.00	-16.61	3	Vertical	360	1.28	-
2437MHz	Pass	PK	4.87236G	43.98	74.00	-30.02	3	Vertical	316	2.10	-
2437MHz	Pass	PK	7.31418G	51.80	74.00	-22.20	3	Vertical	360	1.28	-
2437MHz	Pass	AV	4.87736G	30.74	54.00	-23.26	3	Horizontal	358	1.32	-
2437MHz	Pass	AV	7.31458G	44.75	54.00	-9.25	3	Horizontal	264	1.28	-
2437MHz	Pass	PK	4.8718G	44.00	74.00	-30.00	3	Horizontal	358	1.32	-
2437MHz	Pass	PK	7.31488G	57.44	74.00	-16.56	3	Horizontal	264	1.28	-
2447MHz	Pass	AV	2.3898G	47.73	54.00	-6.27	3	Vertical	131	1.00	-
2447MHz	Pass	AV	2.4538G	95.13	Inf	-Inf	3	Vertical	131	1.00	-
2447MHz	Pass	AV	2.4835G	50.71	54.00	-3.29	3	Vertical	131	1.00	-
2447MHz	Pass	PK	2.3686G	59.16	74.00	-14.84	3	Vertical	131	1.00	-
2447MHz	Pass	PK	2.4314G	105.97	Inf	-Inf	3	Vertical	131	1.00	-
2447MHz	Pass	PK	2.4835G	64.33	74.00	-9.67	3	Vertical	131	1.00	-
2447MHz	Pass	AV	2.3898G	47.71	54.00	-6.29	3	Horizontal	63	3.00	-
2447MHz	Pass	AV	2.4546G	96.78	Inf	-Inf	3	Horizontal	63	3.00	-
2447MHz	Pass	AV	2.4835G	50.32	54.00	-3.68	3	Horizontal	63	3.00	-
2447MHz	Pass	PK	2.3882G	58.53	74.00	-15.47	3	Horizontal	63	3.00	-
2447MHz	Pass	PK	2.4534G	107.71	Inf	-Inf	3	Horizontal	63	3.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2447MHz	Pass	PK	2.4838G	62.67	74.00	-11.33	3	Horizontal	63	3.00	-
2447MHz	Pass	AV	4.8961G	31.02	54.00	-22.98	3	Vertical	308	2.52	-
2447MHz	Pass	AV	7.34488G	37.01	54.00	-16.99	3	Vertical	25	1.50	-
2447MHz	Pass	PK	4.8973G	44.93	74.00	-29.07	3	Vertical	308	2.52	-
2447MHz	Pass	PK	7.33754G	50.67	74.00	-23.33	3	Vertical	25	1.50	-
2447MHz	Pass	AV	4.89514G	30.96	54.00	-23.04	3	Horizontal	79	1.89	-
2447MHz	Pass	AV	7.34356G	36.95	54.00	-17.05	3	Horizontal	259	1.24	-
2447MHz	Pass	PK	4.89492G	44.08	74.00	-29.92	3	Horizontal	79	1.89	-
2447MHz	Pass	PK	7.34338G	51.00	74.00	-23.00	3	Horizontal	259	1.24	-
2452MHz	Pass	AV	2.39G	47.47	54.00	-6.53	3	Vertical	128	1.37	-
2452MHz	Pass	AV	2.4552G	95.77	Inf	-Inf	3	Vertical	128	1.37	-
2452MHz	Pass	AV	2.4835G	50.58	54.00	-3.42	3	Vertical	128	1.37	-
2452MHz	Pass	PK	2.366G	59.31	74.00	-14.69	3	Vertical	128	1.37	-
2452MHz	Pass	PK	2.4552G	106.45	Inf	-Inf	3	Vertical	128	1.37	-
2452MHz	Pass	PK	2.4835G	65.11	74.00	-8.89	3	Vertical	128	1.37	-
2452MHz	Pass	AV	2.39G	47.28	54.00	-6.72	3	Horizontal	315	3.00	-
2452MHz	Pass	AV	2.4536G	96.55	Inf	-Inf	3	Horizontal	315	3.00	-
2452MHz	Pass	AV	2.4835G	50.37	54.00	-3.63	3	Horizontal	315	3.00	-
2452MHz	Pass	PK	2.3872G	58.40	74.00	-15.60	3	Horizontal	315	3.00	-
2452MHz	Pass	PK	2.4536G	107.57	Inf	-Inf	3	Horizontal	315	3.00	-
2452MHz	Pass	PK	2.4835G	66.08	74.00	-7.92	3	Horizontal	315	3.00	-
2452MHz	Pass	AV	4.90844G	30.79	54.00	-23.21	3	Vertical	199	2.19	-
2452MHz	Pass	AV	7.35312G	36.93	54.00	-17.07	3	Vertical	223	1.13	-
2452MHz	Pass	PK	4.90768G	43.98	74.00	-30.02	3	Vertical	199	2.19	-
2452MHz	Pass	PK	7.35816G	51.83	74.00	-22.17	3	Vertical	223	1.13	-
2452MHz	Pass	AV	4.909G	30.76	54.00	-23.24	3	Horizontal	346	2.62	-
2452MHz	Pass	AV	7.3525G	36.88	54.00	-17.12	3	Horizontal	285	1.22	-
2452MHz	Pass	PK	4.90026G	44.71	74.00	-29.29	3	Horizontal	346	2.62	-
2452MHz	Pass	PK	7.35548G	50.53	74.00	-23.47	3	Horizontal	285	1.22	-
2457MHz	Pass	AV	2.3598G	47.22	54.00	-6.78	3	Vertical	128	1.39	-
2457MHz	Pass	AV	2.455G	88.79	Inf	-Inf	3	Vertical	128	1.39	-
2457MHz	Pass	AV	2.4835G	47.06	54.00	-6.94	3	Vertical	128	1.39	-
2457MHz	Pass	PK	2.3778G	59.73	74.00	-14.27	3	Vertical	128	1.39	-
2457MHz	Pass	PK	2.455G	99.04	Inf	-Inf	3	Vertical	128	1.39	-
2457MHz	Pass	PK	2.4866G	58.97	74.00	-15.03	3	Vertical	128	1.39	-
2457MHz	Pass	AV	2.3582G	47.23	54.00	-6.77	3	Horizontal	316	3.00	-
2457MHz	Pass	AV	2.4546G	89.57	Inf	-Inf	3	Horizontal	316	3.00	-
2457MHz	Pass	AV	2.4835G	47.08	54.00	-6.92	3	Horizontal	316	3.00	-
2457MHz	Pass	PK	2.3894G	58.70	74.00	-15.30	3	Horizontal	316	3.00	-
2457MHz	Pass	PK	2.4494G	100.08	Inf	-Inf	3	Horizontal	316	3.00	-
2457MHz	Pass	PK	2.4894G	57.99	74.00	-16.01	3	Horizontal	316	3.00	-
2457MHz	Pass	AV	4.9141G	30.99	54.00	-23.01	3	Vertical	191	1.32	-
2457MHz	Pass	AV	7.3742G	36.82	54.00	-17.18	3	Vertical	287	1.61	-
2457MHz	Pass	PK	4.91026G	44.48	74.00	-29.52	3	Vertical	191	1.32	-
2457MHz	Pass	PK	7.3755G	50.66	74.00	-23.34	3	Vertical	287	1.61	-
2457MHz	Pass	AV	4.91386G	30.98	54.00	-23.02	3	Horizontal	253	2.68	-
2457MHz	Pass	AV	7.37566G	36.86	54.00	-17.14	3	Horizontal	107	1.97	-
2457MHz	Pass	PK	4.9104G	44.66	74.00	-29.34	3	Horizontal	253	2.68	-
2457MHz	Pass	PK	7.3692G	50.14	74.00	-23.86	3	Horizontal	107	1.97	-
2462MHz	Pass	AV	2.362G	47.18	54.00	-6.82	3	Vertical	127	1.38	-
2462MHz	Pass	AV	2.456G	81.66	Inf	-Inf	3	Vertical	127	1.38	-
2462MHz	Pass	AV	2.4835G	47.67	54.00	-6.33	3	Vertical	127	1.38	-
2462MHz	Pass	PK	2.3796G	58.85	74.00	-15.15	3	Vertical	127	1.38	-
2462MHz	Pass	PK	2.4564G	91.78	Inf	-Inf	3	Vertical	127	1.38	-
2462MHz	Pass	PK	2.4835G	59.18	74.00	-14.82	3	Vertical	127	1.38	-
2462MHz	Pass	AV	2.3624G	47.20	54.00	-6.80	3	Horizontal	312	2.95	-
2462MHz	Pass	AV	2.4672G	82.79	Inf	-Inf	3	Horizontal	312	2.95	-
2462MHz	Pass	AV	2.4835G	47.97	54.00	-6.03	3	Horizontal	312	2.95	-
2462MHz	Pass	PK	2.3884G	58.93	74.00	-15.07	3	Horizontal	312	2.95	-
2462MHz	Pass	PK	2.47G	93.54	Inf	-Inf	3	Horizontal	312	2.95	-
2462MHz	Pass	PK	2.4835G	60.47	74.00	-13.53	3	Horizontal	312	2.95	-
2462MHz	Pass	AV	4.91946G	30.91	54.00	-23.09	3	Vertical	11	2.99	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	AV	7.38164G	36.97	54.00	-17.03	3	Vertical	232	1.90	-
2462MHz	Pass	PK	4.92008G	44.42	74.00	-29.58	3	Vertical	11	2.99	-
2462MHz	Pass	PK	7.38928G	50.71	74.00	-23.29	3	Vertical	232	1.90	-
2462MHz	Pass	AV	4.92044G	30.89	54.00	-23.11	3	Horizontal	272	2.85	-
2462MHz	Pass	AV	7.3811G	37.02	54.00	-16.98	3	Horizontal	343	2.90	-
2462MHz	Pass	PK	4.92186G	44.94	74.00	-29.06	3	Horizontal	272	2.85	-
2462MHz	Pass	PK	7.38168G	50.59	74.00	-23.41	3	Horizontal	343	2.90	-
802.11n HT40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.322G	48.49	54.00	-5.51	3	Vertical	200	1.46	-
2422MHz	Pass	AV	2.4256G	86.28	Inf	-Inf	3	Vertical	200	1.46	-
2422MHz	Pass	AV	2.486G	47.96	54.00	-6.04	3	Vertical	200	1.46	-
2422MHz	Pass	PK	2.3528G	59.26	74.00	-14.74	3	Vertical	200	1.46	-
2422MHz	Pass	PK	2.4296G	96.63	Inf	-Inf	3	Vertical	200	1.46	-
2422MHz	Pass	PK	2.4864G	58.88	74.00	-15.12	3	Vertical	200	1.46	-
2422MHz	Pass	AV	2.3224G	48.52	54.00	-5.48	3	Horizontal	34	1.45	-
2422MHz	Pass	AV	2.4264G	84.32	Inf	-Inf	3	Horizontal	34	1.45	-
2422MHz	Pass	AV	2.4968G	47.89	54.00	-6.11	3	Horizontal	34	1.45	-
2422MHz	Pass	PK	2.3304G	59.83	74.00	-14.17	3	Horizontal	34	1.45	-
2422MHz	Pass	PK	2.4268G	94.32	Inf	-Inf	3	Horizontal	34	1.45	-
2422MHz	Pass	PK	2.4868G	58.55	74.00	-15.45	3	Horizontal	34	1.45	-
2422MHz	Pass	AV	4.84196G	30.79	54.00	-23.21	3	Vertical	200	2.77	-
2422MHz	Pass	AV	7.26608G	36.92	54.00	-17.08	3	Vertical	328	1.41	-
2422MHz	Pass	PK	4.84372G	44.26	74.00	-29.74	3	Vertical	200	2.77	-
2422MHz	Pass	PK	7.26302G	50.91	74.00	-23.09	3	Vertical	328	1.41	-
2422MHz	Pass	AV	4.84256G	30.72	54.00	-23.28	3	Horizontal	228	2.08	-
2422MHz	Pass	AV	7.26168G	36.94	54.00	-17.06	3	Horizontal	166	1.75	-
2422MHz	Pass	PK	4.84168G	43.91	74.00	-30.09	3	Horizontal	228	2.08	-
2422MHz	Pass	PK	7.26848G	50.30	74.00	-23.70	3	Horizontal	166	1.75	-
2427MHz	Pass	AV	2.3898G	50.74	54.00	-3.26	3	Vertical	203	1.50	-
2427MHz	Pass	AV	2.4238G	96.89	Inf	-Inf	3	Vertical	203	1.50	-
2427MHz	Pass	AV	2.4838G	49.29	54.00	-4.71	3	Vertical	203	1.50	-
2427MHz	Pass	PK	2.389G	61.04	74.00	-12.96	3	Vertical	203	1.50	-
2427MHz	Pass	PK	2.4246G	107.16	Inf	-Inf	3	Vertical	203	1.50	-
2427MHz	Pass	PK	2.485G	61.46	74.00	-12.54	3	Vertical	203	1.50	-
2427MHz	Pass	AV	2.3898G	51.09	54.00	-2.91	3	Horizontal	33	1.43	-
2427MHz	Pass	AV	2.4246G	95.53	Inf	-Inf	3	Horizontal	33	1.43	-
2427MHz	Pass	AV	2.4838G	48.93	54.00	-5.07	3	Horizontal	33	1.43	-
2427MHz	Pass	PK	2.3886G	60.75	74.00	-13.25	3	Horizontal	33	1.43	-
2427MHz	Pass	PK	2.4302G	105.78	Inf	-Inf	3	Horizontal	33	1.43	-
2427MHz	Pass	PK	2.4838G	59.57	74.00	-14.43	3	Horizontal	33	1.43	-
2427MHz	Pass	AV	4.84966G	30.47	54.00	-23.53	3	Vertical	169	1.98	-
2427MHz	Pass	AV	7.27716G	36.67	54.00	-17.33	3	Vertical	208	2.68	-
2427MHz	Pass	PK	4.85702G	43.74	74.00	-30.26	3	Vertical	169	1.98	-
2427MHz	Pass	PK	7.28588G	50.32	74.00	-23.68	3	Vertical	208	2.68	-
2427MHz	Pass	AV	4.84902G	30.48	54.00	-23.52	3	Horizontal	162	2.24	-
2427MHz	Pass	AV	7.27778G	36.66	54.00	-17.34	3	Horizontal	117	2.78	-
2427MHz	Pass	PK	4.85096G	43.95	74.00	-30.05	3	Horizontal	162	2.24	-
2427MHz	Pass	PK	7.2812G	49.72	74.00	-24.28	3	Horizontal	117	2.78	-
2437MHz	Pass	AV	2.3894G	49.43	54.00	-4.57	3	Vertical	201	1.48	-
2437MHz	Pass	AV	2.4266G	97.03	Inf	-Inf	3	Vertical	201	1.48	-
2437MHz	Pass	AV	2.4835G	50.55	54.00	-3.45	3	Vertical	201	1.48	-
2437MHz	Pass	PK	2.377G	59.23	74.00	-14.77	3	Vertical	201	1.48	-
2437MHz	Pass	PK	2.4226G	107.23	Inf	-Inf	3	Vertical	201	1.48	-
2437MHz	Pass	PK	2.4838G	61.71	74.00	-12.29	3	Vertical	201	1.48	-
2437MHz	Pass	AV	2.3898G	49.22	54.00	-4.78	3	Horizontal	357	1.10	-
2437MHz	Pass	AV	2.4458G	94.97	Inf	-Inf	3	Horizontal	357	1.10	-
2437MHz	Pass	AV	2.4835G	49.85	54.00	-4.15	3	Horizontal	357	1.10	-
2437MHz	Pass	PK	2.3502G	59.71	74.00	-14.29	3	Horizontal	357	1.10	-
2437MHz	Pass	PK	2.4454G	105.72	Inf	-Inf	3	Horizontal	357	1.10	-
2437MHz	Pass	PK	2.4846G	61.72	74.00	-12.28	3	Horizontal	357	1.10	-
2437MHz	Pass	AV	4.87044G	30.80	54.00	-23.20	3	Vertical	214	2.49	-
2437MHz	Pass	AV	7.31172G	37.02	54.00	-16.98	3	Vertical	42	1.26	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	PK	4.86972G	44.22	74.00	-29.78	3	Vertical	214	2.49	-
2437MHz	Pass	PK	7.31158G	50.77	74.00	-23.23	3	Vertical	42	1.26	-
2437MHz	Pass	AV	4.87322G	30.84	54.00	-23.16	3	Horizontal	99	1.74	-
2437MHz	Pass	AV	7.31206G	36.88	54.00	-17.12	3	Horizontal	105	1.45	-
2437MHz	Pass	PK	4.87652G	45.22	74.00	-28.78	3	Horizontal	99	1.74	-
2437MHz	Pass	PK	7.30636G	50.31	74.00	-23.69	3	Horizontal	105	1.45	-
2447MHz	Pass	AV	2.3898G	49.42	54.00	-4.58	3	Vertical	77	1.03	-
2447MHz	Pass	AV	2.4418G	98.34	Inf	-Inf	3	Vertical	77	1.03	-
2447MHz	Pass	AV	2.4835G	51.84	54.00	-2.16	3	Vertical	77	1.03	-
2447MHz	Pass	PK	2.389G	60.20	74.00	-13.80	3	Vertical	77	1.03	-
2447MHz	Pass	PK	2.443G	108.01	Inf	-Inf	3	Vertical	77	1.03	-
2447MHz	Pass	PK	2.4842G	66.23	74.00	-7.77	3	Vertical	77	1.03	-
2447MHz	Pass	AV	2.347G	48.38	54.00	-5.62	3	Horizontal	360	1.07	-
2447MHz	Pass	AV	2.4438G	94.65	Inf	-Inf	3	Horizontal	360	1.07	-
2447MHz	Pass	AV	2.4835G	49.59	54.00	-4.41	3	Horizontal	360	1.07	-
2447MHz	Pass	PK	2.3718G	59.43	74.00	-14.57	3	Horizontal	360	1.07	-
2447MHz	Pass	PK	2.435G	104.88	Inf	-Inf	3	Horizontal	360	1.07	-
2447MHz	Pass	PK	2.4835G	62.70	74.00	-11.30	3	Horizontal	360	1.07	-
2447MHz	Pass	AV	4.89598G	31.00	54.00	-23.00	3	Vertical	327	2.95	-
2447MHz	Pass	AV	7.3439G	36.97	54.00	-17.03	3	Vertical	58	1.45	-
2447MHz	Pass	PK	4.89128G	44.23	74.00	-29.77	3	Vertical	327	2.95	-
2447MHz	Pass	PK	7.34408G	50.76	74.00	-23.24	3	Vertical	58	1.45	-
2447MHz	Pass	AV	4.8962G	31.00	54.00	-23.00	3	Horizontal	288	1.43	-
2447MHz	Pass	AV	7.34214G	37.02	54.00	-16.98	3	Horizontal	82	1.81	-
2447MHz	Pass	PK	4.8907G	44.71	74.00	-29.29	3	Horizontal	288	1.43	-
2447MHz	Pass	PK	7.34254G	51.47	74.00	-22.53	3	Horizontal	82	1.81	-
2452MHz	Pass	AV	2.39G	48.49	54.00	-5.51	3	Vertical	181	1.53	-
2452MHz	Pass	AV	2.4536G	96.83	Inf	-Inf	3	Vertical	181	1.53	-
2452MHz	Pass	AV	2.4835G	51.28	54.00	-2.72	3	Vertical	181	1.53	-
2452MHz	Pass	PK	2.3544G	59.76	74.00	-14.24	3	Vertical	181	1.53	-
2452MHz	Pass	PK	2.4536G	106.52	Inf	-Inf	3	Vertical	181	1.53	-
2452MHz	Pass	PK	2.4844G	63.92	74.00	-10.08	3	Vertical	181	1.53	-
2452MHz	Pass	AV	2.352G	48.21	54.00	-5.79	3	Horizontal	347	1.52	-
2452MHz	Pass	AV	2.4472G	93.66	Inf	-Inf	3	Horizontal	347	1.52	-
2452MHz	Pass	AV	2.4835G	50.17	54.00	-3.83	3	Horizontal	347	1.52	-
2452MHz	Pass	PK	2.3792G	59.32	74.00	-14.68	3	Horizontal	347	1.52	-
2452MHz	Pass	PK	2.4372G	103.77	Inf	-Inf	3	Horizontal	347	1.52	-
2452MHz	Pass	PK	2.486G	64.14	74.00	-9.86	3	Horizontal	347	1.52	-
2452MHz	Pass	AV	4.89918G	30.83	54.00	-23.17	3	Vertical	83	1.28	-
2452MHz	Pass	AV	7.35286G	36.86	54.00	-17.14	3	Vertical	172	2.35	-
2452MHz	Pass	PK	4.89998G	44.04	74.00	-29.96	3	Vertical	83	1.28	-
2452MHz	Pass	PK	7.35172G	50.98	74.00	-23.02	3	Vertical	172	2.35	-
2452MHz	Pass	AV	4.89902G	30.83	54.00	-23.17	3	Horizontal	344	2.35	-
2452MHz	Pass	AV	7.35294G	36.88	54.00	-17.12	3	Horizontal	16	1.66	-
2452MHz	Pass	PK	4.90196G	44.02	74.00	-29.98	3	Horizontal	344	2.35	-
2452MHz	Pass	PK	7.3572G	50.55	74.00	-23.45	3	Horizontal	16	1.66	-
2457MHz	Pass	AV	2.3898G	48.28	54.00	-5.72	3	Vertical	179	1.10	-
2457MHz	Pass	AV	2.4542G	97.51	Inf	-Inf	3	Vertical	179	1.10	-
2457MHz	Pass	AV	2.4854G	51.59	54.00	-2.41	3	Vertical	179	1.10	-
2457MHz	Pass	PK	2.3802G	60.78	74.00	-13.22	3	Vertical	179	1.10	-
2457MHz	Pass	PK	2.4538G	107.67	Inf	-Inf	3	Vertical	179	1.10	-
2457MHz	Pass	PK	2.4882G	66.38	74.00	-7.62	3	Vertical	179	1.10	-
2457MHz	Pass	AV	2.3898G	48.28	54.00	-5.72	3	Horizontal	210	1.00	-
2457MHz	Pass	AV	2.463G	94.19	Inf	-Inf	3	Horizontal	210	1.00	-
2457MHz	Pass	AV	2.4835G	50.12	54.00	-3.88	3	Horizontal	210	1.00	-
2457MHz	Pass	PK	2.357G	59.30	74.00	-14.70	3	Horizontal	210	1.00	-
2457MHz	Pass	PK	2.4534G	104.40	Inf	-Inf	3	Horizontal	210	1.00	-
2457MHz	Pass	PK	2.4838G	62.68	74.00	-11.32	3	Horizontal	210	1.00	-
2457MHz	Pass	AV	4.91376G	30.86	54.00	-23.14	3	Vertical	37	1.39	-
2457MHz	Pass	AV	7.37598G	36.84	54.00	-17.16	3	Vertical	31	1.28	-
2457MHz	Pass	PK	4.91268G	44.61	74.00	-29.39	3	Vertical	37	1.39	-
2457MHz	Pass	PK	7.3754G	49.71	74.00	-24.29	3	Vertical	31	1.28	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	AV	4.91388G	31.00	54.00	-23.00	3	Horizontal	162	1.37	-
2457MHz	Pass	AV	7.37528G	36.84	54.00	-17.16	3	Horizontal	73	1.69	-
2457MHz	Pass	PK	4.9159G	43.99	74.00	-30.01	3	Horizontal	162	1.37	-
2457MHz	Pass	PK	7.37164G	50.77	74.00	-23.23	3	Horizontal	73	1.69	-
2462MHz	Pass	AV	2.366G	48.15	54.00	-5.85	3	Vertical	181	1.09	-
2462MHz	Pass	AV	2.456G	93.85	Inf	-Inf	3	Vertical	181	1.09	-
2462MHz	Pass	AV	2.4835G	52.43	54.00	-1.57	3	Vertical	181	1.09	-
2462MHz	Pass	PK	2.38G	59.41	74.00	-14.59	3	Vertical	181	1.09	-
2462MHz	Pass	PK	2.4548G	103.84	Inf	-Inf	3	Vertical	181	1.09	-
2462MHz	Pass	PK	2.4835G	66.50	74.00	-7.50	3	Vertical	181	1.09	-
2462MHz	Pass	AV	2.3628G	48.14	54.00	-5.86	3	Horizontal	216	1.00	-
2462MHz	Pass	AV	2.468G	91.02	Inf	-Inf	3	Horizontal	216	1.00	-
2462MHz	Pass	AV	2.4835G	51.65	54.00	-2.35	3	Horizontal	216	1.00	-
2462MHz	Pass	PK	2.3828G	59.67	74.00	-14.33	3	Horizontal	216	1.00	-
2462MHz	Pass	PK	2.4752G	101.09	Inf	-Inf	3	Horizontal	216	1.00	-
2462MHz	Pass	PK	2.4835G	66.23	74.00	-7.77	3	Horizontal	216	1.00	-
2462MHz	Pass	AV	4.91904G	30.96	54.00	-23.04	3	Vertical	126	1.14	-
2462MHz	Pass	AV	7.381G	37.02	54.00	-16.98	3	Vertical	240	2.79	-
2462MHz	Pass	PK	4.92542G	44.37	74.00	-29.63	3	Vertical	126	1.14	-
2462MHz	Pass	PK	7.38908G	50.45	74.00	-23.55	3	Vertical	240	2.79	-
2462MHz	Pass	AV	4.92288G	30.92	54.00	-23.08	3	Horizontal	161	1.63	-
2462MHz	Pass	AV	7.38322G	36.94	54.00	-17.06	3	Horizontal	206	1.97	-
2462MHz	Pass	PK	4.92068G	44.86	74.00	-29.14	3	Horizontal	161	1.63	-
2462MHz	Pass	PK	7.3818G	50.66	74.00	-23.34	3	Horizontal	206	1.97	-
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3224G	47.44	54.00	-6.56	3	Vertical	278	1.01	-
2422MHz	Pass	AV	2.4172G	83.06	Inf	-Inf	3	Vertical	278	1.01	-
2422MHz	Pass	AV	2.4972G	46.82	54.00	-7.18	3	Vertical	278	1.01	-
2422MHz	Pass	PK	2.322G	59.32	74.00	-14.68	3	Vertical	278	1.01	-
2422MHz	Pass	PK	2.4168G	94.11	Inf	-Inf	3	Vertical	278	1.01	-
2422MHz	Pass	PK	2.492G	58.26	74.00	-15.74	3	Vertical	278	1.01	-
2422MHz	Pass	AV	2.3224G	47.44	54.00	-6.56	3	Horizontal	310	1.04	-
2422MHz	Pass	AV	2.4252G	84.70	Inf	-Inf	3	Horizontal	310	1.04	-
2422MHz	Pass	AV	2.5G	46.84	54.00	-7.16	3	Horizontal	310	1.04	-
2422MHz	Pass	PK	2.3424G	58.99	74.00	-15.01	3	Horizontal	310	1.04	-
2422MHz	Pass	PK	2.4236G	95.62	Inf	-Inf	3	Horizontal	310	1.04	-
2422MHz	Pass	PK	2.4976G	58.26	74.00	-15.74	3	Horizontal	310	1.04	-
2422MHz	Pass	AV	4.8429G	30.75	54.00	-23.25	3	Vertical	128	2.57	-
2422MHz	Pass	AV	7.26876G	37.14	54.00	-16.86	3	Vertical	29	2.50	-
2422MHz	Pass	PK	4.84182G	44.54	74.00	-29.46	3	Vertical	128	2.57	-
2422MHz	Pass	PK	7.2681G	51.22	74.00	-22.78	3	Vertical	29	2.50	-
2422MHz	Pass	AV	4.83936G	30.72	54.00	-23.28	3	Horizontal	27	1.22	-
2422MHz	Pass	AV	7.2697G	37.05	54.00	-16.95	3	Horizontal	294	1.98	-
2422MHz	Pass	PK	4.84068G	44.53	74.00	-29.47	3	Horizontal	27	1.22	-
2422MHz	Pass	PK	7.26714G	51.04	74.00	-22.96	3	Horizontal	294	1.98	-
2427MHz	Pass	AV	2.3898G	49.17	54.00	-4.83	3	Vertical	35	1.57	-
2427MHz	Pass	AV	2.425G	94.32	Inf	-Inf	3	Vertical	35	1.57	-
2427MHz	Pass	AV	2.4835G	47.22	54.00	-6.78	3	Vertical	35	1.57	-
2427MHz	Pass	PK	2.389G	59.71	74.00	-14.29	3	Vertical	35	1.57	-
2427MHz	Pass	PK	2.435G	105.95	Inf	-Inf	3	Vertical	35	1.57	-
2427MHz	Pass	PK	2.4946G	57.97	74.00	-16.03	3	Vertical	35	1.57	-
2427MHz	Pass	AV	2.3898G	50.24	54.00	-3.76	3	Horizontal	310	1.01	-
2427MHz	Pass	AV	2.425G	97.07	Inf	-Inf	3	Horizontal	310	1.01	-
2427MHz	Pass	AV	2.4835G	47.81	54.00	-6.19	3	Horizontal	310	1.01	-
2427MHz	Pass	PK	2.3898G	60.78	74.00	-13.22	3	Horizontal	310	1.01	-
2427MHz	Pass	PK	2.4354G	109.05	Inf	-Inf	3	Horizontal	310	1.01	-
2427MHz	Pass	PK	2.4835G	58.74	74.00	-15.26	3	Horizontal	310	1.01	-
2427MHz	Pass	AV	4.84944G	30.62	54.00	-23.38	3	Vertical	196	1.22	-
2427MHz	Pass	AV	7.28598G	36.51	54.00	-17.49	3	Vertical	171	1.15	-
2427MHz	Pass	PK	4.85862G	43.43	74.00	-30.57	3	Vertical	196	1.22	-
2427MHz	Pass	PK	7.2857G	50.06	74.00	-23.94	3	Vertical	171	1.15	-
2427MHz	Pass	AV	4.84916G	30.44	54.00	-23.56	3	Horizontal	243	2.62	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2427MHz	Pass	AV	7.28544G	36.57	54.00	-17.43	3	Horizontal	181	2.71	-
2427MHz	Pass	PK	4.84938G	43.73	74.00	-30.27	3	Horizontal	243	2.62	-
2427MHz	Pass	PK	7.27698G	49.95	74.00	-24.05	3	Horizontal	181	2.71	-
2437MHz	Pass	AV	2.3878G	49.08	54.00	-4.92	3	Vertical	78	1.00	-
2437MHz	Pass	AV	2.435G	100.69	Inf	-Inf	3	Vertical	78	1.00	-
2437MHz	Pass	AV	2.4835G	49.75	54.00	-4.25	3	Vertical	78	1.00	-
2437MHz	Pass	PK	2.385G	60.57	74.00	-13.43	3	Vertical	78	1.00	-
2437MHz	Pass	PK	2.435G	110.36	Inf	-Inf	3	Vertical	78	1.00	-
2437MHz	Pass	PK	2.485G	62.35	74.00	-11.65	3	Vertical	78	1.00	-
2437MHz	Pass	AV	2.3898G	48.76	54.00	-5.24	3	Horizontal	312	1.14	-
2437MHz	Pass	AV	2.441G	98.24	Inf	-Inf	3	Horizontal	312	1.14	-
2437MHz	Pass	AV	2.4835G	48.68	54.00	-5.32	3	Horizontal	312	1.14	-
2437MHz	Pass	PK	2.361G	60.33	74.00	-13.67	3	Horizontal	312	1.14	-
2437MHz	Pass	PK	2.4414G	108.01	Inf	-Inf	3	Horizontal	312	1.14	-
2437MHz	Pass	PK	2.4858G	60.15	74.00	-13.85	3	Horizontal	312	1.14	-
2437MHz	Pass	AV	4.87772G	29.66	54.00	-24.34	3	Vertical	126	2.48	-
2437MHz	Pass	AV	7.32462G	35.94	54.00	-18.06	3	Vertical	25	1.03	-
2437MHz	Pass	PK	4.88492G	43.12	74.00	-30.88	3	Vertical	126	2.48	-
2437MHz	Pass	PK	7.31754G	50.23	74.00	-23.77	3	Vertical	25	1.03	-
2437MHz	Pass	AV	4.88G	29.65	54.00	-24.35	3	Horizontal	296	1.50	-
2437MHz	Pass	AV	7.31346G	35.96	54.00	-18.04	3	Horizontal	290	1.50	-
2437MHz	Pass	PK	4.87574G	44.07	74.00	-29.93	3	Horizontal	296	1.50	-
2437MHz	Pass	PK	7.3164G	49.66	74.00	-24.34	3	Horizontal	290	1.50	-
2447MHz	Pass	AV	2.3898G	47.67	54.00	-6.33	3	Vertical	118	1.13	-
2447MHz	Pass	AV	2.4398G	96.45	Inf	-Inf	3	Vertical	118	1.13	-
2447MHz	Pass	AV	2.4835G	48.81	54.00	-5.19	3	Vertical	118	1.13	-
2447MHz	Pass	PK	2.3774G	58.71	74.00	-15.29	3	Vertical	118	1.13	-
2447MHz	Pass	PK	2.4346G	108.39	Inf	-Inf	3	Vertical	118	1.13	-
2447MHz	Pass	PK	2.4862G	60.12	74.00	-13.88	3	Vertical	118	1.13	-
2447MHz	Pass	AV	2.3898G	47.63	54.00	-6.37	3	Horizontal	313	1.00	-
2447MHz	Pass	AV	2.4538G	96.42	Inf	-Inf	3	Horizontal	313	1.00	-
2447MHz	Pass	AV	2.4835G	48.90	54.00	-5.10	3	Horizontal	313	1.00	-
2447MHz	Pass	PK	2.3846G	58.61	74.00	-15.39	3	Horizontal	313	1.00	-
2447MHz	Pass	PK	2.4394G	108.10	Inf	-Inf	3	Horizontal	313	1.00	-
2447MHz	Pass	PK	2.4846G	60.82	74.00	-13.18	3	Horizontal	313	1.00	-
2447MHz	Pass	AV	4.89558G	30.98	54.00	-23.02	3	Vertical	56	2.68	-
2447MHz	Pass	AV	7.3445G	36.90	54.00	-17.10	3	Vertical	97	1.77	-
2447MHz	Pass	PK	4.88982G	44.68	74.00	-29.32	3	Vertical	56	2.68	-
2447MHz	Pass	PK	7.34498G	50.10	74.00	-23.90	3	Vertical	97	1.77	-
2447MHz	Pass	AV	4.8946G	31.03	54.00	-22.97	3	Horizontal	83	2.50	-
2447MHz	Pass	AV	7.34392G	36.91	54.00	-17.09	3	Horizontal	99	2.14	-
2447MHz	Pass	PK	4.89476G	44.70	74.00	-29.30	3	Horizontal	83	2.50	-
2447MHz	Pass	PK	7.3379G	50.10	74.00	-23.90	3	Horizontal	99	2.14	-
2452MHz	Pass	AV	2.39G	47.44	54.00	-6.56	3	Vertical	179	1.17	-
2452MHz	Pass	AV	2.4552G	95.58	Inf	-Inf	3	Vertical	179	1.17	-
2452MHz	Pass	AV	2.4835G	48.90	54.00	-5.10	3	Vertical	179	1.17	-
2452MHz	Pass	PK	2.3832G	59.17	74.00	-14.83	3	Vertical	179	1.17	-
2452MHz	Pass	PK	2.4572G	107.80	Inf	-Inf	3	Vertical	179	1.17	-
2452MHz	Pass	PK	2.484G	59.89	74.00	-14.11	3	Vertical	179	1.17	-
2452MHz	Pass	AV	2.39G	47.64	54.00	-6.36	3	Horizontal	312	1.00	-
2452MHz	Pass	AV	2.4552G	97.32	Inf	-Inf	3	Horizontal	312	1.00	-
2452MHz	Pass	AV	2.4835G	49.64	54.00	-4.36	3	Horizontal	312	1.00	-
2452MHz	Pass	PK	2.3604G	59.58	74.00	-14.42	3	Horizontal	312	1.00	-
2452MHz	Pass	PK	2.4588G	109.19	Inf	-Inf	3	Horizontal	312	1.00	-
2452MHz	Pass	PK	2.4835G	61.68	74.00	-12.32	3	Horizontal	312	1.00	-
2452MHz	Pass	AV	4.89906G	30.83	54.00	-23.17	3	Vertical	154	2.04	-
2452MHz	Pass	AV	7.35232G	36.75	54.00	-17.25	3	Vertical	295	1.53	-
2452MHz	Pass	PK	4.90852G	44.17	74.00	-29.83	3	Vertical	154	2.04	-
2452MHz	Pass	PK	7.35112G	50.30	74.00	-23.70	3	Vertical	295	1.53	-
2452MHz	Pass	AV	4.90888G	30.78	54.00	-23.22	3	Horizontal	138	1.50	-
2452MHz	Pass	AV	7.35408G	36.89	54.00	-17.11	3	Horizontal	158	2.12	-
2452MHz	Pass	PK	4.90702G	44.90	74.00	-29.10	3	Horizontal	138	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2452MHz	Pass	PK	7.35758G	50.91	74.00	-23.09	3	Horizontal	158	2.12	-
2457MHz	Pass	AV	2.3586G	47.23	54.00	-6.77	3	Vertical	179	1.00	-
2457MHz	Pass	AV	2.4554G	85.82	Inf	-Inf	3	Vertical	179	1.00	-
2457MHz	Pass	AV	2.4835G	47.09	54.00	-6.91	3	Vertical	179	1.00	-
2457MHz	Pass	PK	2.3646G	58.53	74.00	-15.47	3	Vertical	179	1.00	-
2457MHz	Pass	PK	2.4618G	97.59	Inf	-Inf	3	Vertical	179	1.00	-
2457MHz	Pass	PK	2.4854G	58.94	74.00	-15.06	3	Vertical	179	1.00	-
2457MHz	Pass	AV	2.357G	47.25	54.00	-6.75	3	Horizontal	313	1.00	-
2457MHz	Pass	AV	2.4546G	87.37	Inf	-Inf	3	Horizontal	313	1.00	-
2457MHz	Pass	AV	2.4835G	47.20	54.00	-6.80	3	Horizontal	313	1.00	-
2457MHz	Pass	PK	2.3582G	58.18	74.00	-15.82	3	Horizontal	313	1.00	-
2457MHz	Pass	PK	2.453G	98.53	Inf	-Inf	3	Horizontal	313	1.00	-
2457MHz	Pass	PK	2.4842G	58.56	74.00	-15.44	3	Horizontal	313	1.00	-
2457MHz	Pass	AV	4.91396G	30.84	54.00	-23.16	3	Vertical	341	2.25	-
2457MHz	Pass	AV	7.376G	36.67	54.00	-17.33	3	Vertical	281	1.88	-
2457MHz	Pass	PK	4.91848G	44.46	74.00	-29.54	3	Vertical	341	2.25	-
2457MHz	Pass	PK	7.3749G	50.84	74.00	-23.16	3	Vertical	281	1.88	-
2457MHz	Pass	AV	4.91476G	31.06	54.00	-22.94	3	Horizontal	95	1.22	-
2457MHz	Pass	AV	7.37596G	36.90	54.00	-17.10	3	Horizontal	154	1.13	-
2457MHz	Pass	PK	4.91554G	44.23	74.00	-29.77	3	Horizontal	95	1.22	-
2457MHz	Pass	PK	7.36696G	50.33	74.00	-23.67	3	Horizontal	154	1.13	-
2462MHz	Pass	AV	2.3624G	47.19	54.00	-6.81	3	Vertical	178	1.00	-
2462MHz	Pass	AV	2.4568G	80.54	Inf	-Inf	3	Vertical	178	1.00	-
2462MHz	Pass	AV	2.4835G	47.57	54.00	-6.43	3	Vertical	178	1.00	-
2462MHz	Pass	PK	2.3656G	58.74	74.00	-15.26	3	Vertical	178	1.00	-
2462MHz	Pass	PK	2.4672G	92.74	Inf	-Inf	3	Vertical	178	1.00	-
2462MHz	Pass	PK	2.4876G	58.93	74.00	-15.07	3	Vertical	178	1.00	-
2462MHz	Pass	AV	2.364G	47.18	54.00	-6.82	3	Horizontal	311	1.12	-
2462MHz	Pass	AV	2.4548G	81.48	Inf	-Inf	3	Horizontal	311	1.12	-
2462MHz	Pass	AV	2.4835G	47.80	54.00	-6.20	3	Horizontal	311	1.12	-
2462MHz	Pass	PK	2.3836G	59.43	74.00	-14.57	3	Horizontal	311	1.12	-
2462MHz	Pass	PK	2.4588G	92.84	Inf	-Inf	3	Horizontal	311	1.12	-
2462MHz	Pass	PK	2.4835G	59.03	74.00	-14.97	3	Horizontal	311	1.12	-
2462MHz	Pass	AV	4.91926G	30.86	54.00	-23.14	3	Vertical	90	2.13	-
2462MHz	Pass	AV	7.3812G	36.93	54.00	-17.07	3	Vertical	191	1.00	-
2462MHz	Pass	PK	4.92758G	44.52	74.00	-29.48	3	Vertical	90	2.13	-
2462MHz	Pass	PK	7.38148G	50.27	74.00	-23.73	3	Vertical	191	1.00	-
2462MHz	Pass	AV	4.91938G	30.93	54.00	-23.07	3	Horizontal	54	1.46	-
2462MHz	Pass	AV	7.38214G	36.95	54.00	-17.05	3	Horizontal	351	1.71	-
2462MHz	Pass	PK	4.9238G	44.17	74.00	-29.83	3	Horizontal	54	1.46	-
2462MHz	Pass	PK	7.38782G	49.89	74.00	-24.11	3	Horizontal	351	1.71	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.362G	50.27	54.00	-3.73	3	Vertical	281	2.38	-
2412MHz	Pass	AV	2.4164G	93.73	Inf	-Inf	3	Vertical	281	2.38	-
2412MHz	Pass	PK	2.377G	62.32	74.00	-11.68	3	Vertical	281	2.38	-
2412MHz	Pass	PK	2.413G	105.63	Inf	-Inf	3	Vertical	281	2.38	-
2412MHz	Pass	AV	2.362G	50.27	54.00	-3.73	3	Horizontal	63	1.19	-
2412MHz	Pass	AV	2.4152G	94.56	Inf	-Inf	3	Horizontal	63	1.19	-
2412MHz	Pass	PK	2.373G	61.85	74.00	-12.15	3	Horizontal	63	1.19	-
2412MHz	Pass	PK	2.4156G	106.56	Inf	-Inf	3	Horizontal	63	1.19	-
2412MHz	Pass	AV	4.81792G	31.63	54.00	-22.37	3	Vertical	78	1.02	-
2412MHz	Pass	PK	4.83108G	44.48	74.00	-29.52	3	Vertical	78	1.02	-
2412MHz	Pass	AV	4.82856G	31.72	54.00	-22.28	3	Horizontal	32	2.25	-
2412MHz	Pass	PK	4.8276G	44.64	74.00	-29.36	3	Horizontal	32	2.25	-
2417MHz	Pass	AV	2.39G	51.26	54.00	-2.74	3	Vertical	283	3.00	-
2417MHz	Pass	AV	2.4198G	99.59	Inf	-Inf	3	Vertical	283	3.00	-
2417MHz	Pass	PK	2.3896G	63.83	74.00	-10.17	3	Vertical	283	3.00	-
2417MHz	Pass	PK	2.4222G	111.70	Inf	-Inf	3	Vertical	283	3.00	-
2417MHz	Pass	AV	2.39G	51.94	54.00	-2.06	3	Horizontal	61	1.12	-
2417MHz	Pass	AV	2.4188G	101.15	Inf	-Inf	3	Horizontal	61	1.12	-
2417MHz	Pass	PK	2.39G	64.52	74.00	-9.48	3	Horizontal	61	1.12	-
2417MHz	Pass	PK	2.418G	113.23	Inf	-Inf	3	Horizontal	61	1.12	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	AV	4.82896G	31.72	54.00	-22.28	3	Vertical	112	1.07	-
2417MHz	Pass	PK	4.84068G	44.53	74.00	-29.47	3	Vertical	112	1.07	-
2417MHz	Pass	AV	4.82752G	31.62	54.00	-22.38	3	Horizontal	221	1.62	-
2417MHz	Pass	PK	4.84112G	45.00	74.00	-29.00	3	Horizontal	221	1.62	-
2437MHz	Pass	AV	2.3894G	50.52	54.00	-3.48	3	Vertical	120	1.06	-
2437MHz	Pass	AV	2.4418G	101.42	Inf	-Inf	3	Vertical	120	1.06	-
2437MHz	Pass	AV	2.485G	50.67	54.00	-3.33	3	Vertical	120	1.06	-
2437MHz	Pass	PK	2.3798G	62.05	74.00	-11.95	3	Vertical	120	1.06	-
2437MHz	Pass	PK	2.4394G	113.62	Inf	-Inf	3	Vertical	120	1.06	-
2437MHz	Pass	PK	2.4962G	62.18	74.00	-11.82	3	Vertical	120	1.06	-
2437MHz	Pass	AV	2.3894G	50.52	54.00	-3.48	3	Horizontal	63	1.13	-
2437MHz	Pass	AV	2.4398G	101.49	Inf	-Inf	3	Horizontal	63	1.13	-
2437MHz	Pass	AV	2.4835G	50.67	54.00	-3.33	3	Horizontal	63	1.13	-
2437MHz	Pass	PK	2.3402G	62.43	74.00	-11.57	3	Horizontal	63	1.13	-
2437MHz	Pass	PK	2.4394G	112.99	Inf	-Inf	3	Horizontal	63	1.13	-
2437MHz	Pass	PK	2.4835G	61.80	74.00	-12.20	3	Horizontal	63	1.13	-
2437MHz	Pass	AV	4.86468G	31.65	54.00	-22.35	3	Vertical	112	1.40	-
2437MHz	Pass	AV	7.3118G	38.63	54.00	-15.37	3	Vertical	245	2.48	-
2437MHz	Pass	PK	4.88392G	44.35	74.00	-29.65	3	Vertical	112	1.40	-
2437MHz	Pass	PK	7.3116G	51.34	74.00	-22.66	3	Vertical	245	2.48	-
2437MHz	Pass	AV	4.86668G	31.55	54.00	-22.45	3	Horizontal	162	2.46	-
2437MHz	Pass	AV	7.31108G	38.63	54.00	-15.37	3	Horizontal	340	1.15	-
2437MHz	Pass	PK	4.8692G	44.60	74.00	-29.40	3	Horizontal	162	2.46	-
2437MHz	Pass	PK	7.30536G	51.48	74.00	-22.52	3	Horizontal	340	1.15	-
2457MHz	Pass	AV	2.4542G	100.60	Inf	-Inf	3	Vertical	277	1.04	-
2457MHz	Pass	AV	2.4835G	51.40	54.00	-2.60	3	Vertical	277	1.04	-
2457MHz	Pass	PK	2.4546G	112.58	Inf	-Inf	3	Vertical	277	1.04	-
2457MHz	Pass	PK	2.4842G	65.39	74.00	-8.61	3	Vertical	277	1.04	-
2457MHz	Pass	AV	2.454G	100.36	Inf	-Inf	3	Horizontal	64	1.42	-
2457MHz	Pass	AV	2.4835G	51.63	54.00	-2.37	3	Horizontal	64	1.42	-
2457MHz	Pass	PK	2.4598G	112.40	Inf	-Inf	3	Horizontal	64	1.42	-
2457MHz	Pass	PK	2.4848G	65.94	74.00	-8.06	3	Horizontal	64	1.42	-
2457MHz	Pass	AV	4.91344G	31.78	54.00	-22.22	3	Vertical	187	1.82	-
2457MHz	Pass	AV	7.361G	38.44	54.00	-15.56	3	Vertical	256	1.39	-
2457MHz	Pass	PK	4.9194G	44.66	74.00	-29.34	3	Vertical	187	1.82	-
2457MHz	Pass	PK	7.36268G	51.02	74.00	-22.98	3	Vertical	256	1.39	-
2457MHz	Pass	AV	4.91352G	31.78	54.00	-22.22	3	Horizontal	201	1.12	-
2457MHz	Pass	AV	7.36124G	38.44	54.00	-15.56	3	Horizontal	123	1.29	-
2457MHz	Pass	PK	4.9162G	45.51	74.00	-28.49	3	Horizontal	201	1.12	-
2457MHz	Pass	PK	7.36796G	50.95	74.00	-23.05	3	Horizontal	123	1.29	-
2462MHz	Pass	AV	2.456G	96.60	Inf	-Inf	3	Vertical	277	1.04	-
2462MHz	Pass	AV	2.4848G	50.42	54.00	-3.58	3	Vertical	277	1.04	-
2462MHz	Pass	PK	2.4558G	108.60	Inf	-Inf	3	Vertical	277	1.04	-
2462MHz	Pass	PK	2.4838G	62.01	74.00	-11.99	3	Vertical	277	1.04	-
2462MHz	Pass	AV	2.4592G	96.92	Inf	-Inf	3	Horizontal	50	1.92	-
2462MHz	Pass	AV	2.4835G	50.67	54.00	-3.33	3	Horizontal	50	1.92	-
2462MHz	Pass	PK	2.4572G	109.28	Inf	-Inf	3	Horizontal	50	1.92	-
2462MHz	Pass	PK	2.4912G	62.33	74.00	-11.67	3	Horizontal	50	1.92	-
2462MHz	Pass	AV	4.93312G	31.73	54.00	-22.27	3	Vertical	203	2.16	-
2462MHz	Pass	AV	7.37876G	38.38	54.00	-15.62	3	Vertical	322	1.50	-
2462MHz	Pass	PK	4.93076G	44.38	74.00	-29.62	3	Vertical	203	2.16	-
2462MHz	Pass	PK	7.37884G	50.95	74.00	-23.05	3	Vertical	322	1.50	-
2462MHz	Pass	AV	4.92952G	31.80	54.00	-22.20	3	Horizontal	203	1.50	-
2462MHz	Pass	AV	7.37856G	38.28	54.00	-15.72	3	Horizontal	34	1.27	-
2462MHz	Pass	PK	4.92896G	44.78	74.00	-29.22	3	Horizontal	203	1.50	-
2462MHz	Pass	PK	7.37808G	51.45	74.00	-22.55	3	Horizontal	34	1.27	-
2467MHz	Pass	AV	2.4644G	93.38	Inf	-Inf	3	Vertical	115	1.00	-
2467MHz	Pass	AV	2.4835G	47.94	54.00	-6.06	3	Vertical	115	1.00	-
2467MHz	Pass	PK	2.4664G	106.07	Inf	-Inf	3	Vertical	115	1.00	-
2467MHz	Pass	PK	2.4852G	58.32	74.00	-15.68	3	Vertical	115	1.00	-
2467MHz	Pass	AV	2.4626G	92.31	Inf	-Inf	3	Horizontal	49	1.09	-
2467MHz	Pass	AV	2.4844G	47.95	54.00	-6.05	3	Horizontal	49	1.09	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2467MHz	Pass	PK	2.462G	105.97	Inf	-Inf	3	Horizontal	49	1.09	-
2467MHz	Pass	PK	2.4962G	58.94	74.00	-15.06	3	Horizontal	49	1.09	-
2467MHz	Pass	AV	4.91528G	30.09	54.00	-23.91	3	Vertical	205	2.46	-
2467MHz	Pass	AV	7.41556G	36.74	54.00	-17.26	3	Vertical	234	1.34	-
2467MHz	Pass	PK	4.91656G	43.20	74.00	-30.80	3	Vertical	205	2.46	-
2467MHz	Pass	PK	7.4062G	51.06	74.00	-22.94	3	Vertical	234	1.34	-
2467MHz	Pass	AV	4.91632G	30.08	54.00	-23.92	3	Horizontal	351	1.96	-
2467MHz	Pass	AV	7.41844G	36.70	54.00	-17.30	3	Horizontal	22	2.51	-
2467MHz	Pass	PK	4.94392G	43.56	74.00	-30.44	3	Horizontal	351	1.96	-
2467MHz	Pass	PK	7.40132G	49.47	74.00	-24.53	3	Horizontal	22	2.51	-
2472MHz	Pass	AV	2.4692G	87.87	Inf	-Inf	3	Vertical	274	1.17	-
2472MHz	Pass	AV	2.4835G	51.62	54.00	-2.38	3	Vertical	274	1.17	-
2472MHz	Pass	PK	2.4672G	100.17	Inf	-Inf	3	Vertical	274	1.17	-
2472MHz	Pass	PK	2.4835G	68.15	74.00	-5.85	3	Vertical	274	1.17	-
2472MHz	Pass	AV	2.4688G	88.50	Inf	-Inf	3	Horizontal	52	1.37	-
2472MHz	Pass	AV	2.4835G	52.24	54.00	-1.76	3	Horizontal	52	1.37	-
2472MHz	Pass	PK	2.4676G	101.25	Inf	-Inf	3	Horizontal	52	1.37	-
2472MHz	Pass	PK	2.4835G	70.25	74.00	-3.75	3	Horizontal	52	1.37	-
2472MHz	Pass	AV	4.96344G	30.02	54.00	-23.98	3	Vertical	97	1.15	-
2472MHz	Pass	AV	7.41352G	36.71	54.00	-17.29	3	Vertical	15	2.81	-
2472MHz	Pass	PK	4.94248G	43.79	74.00	-30.21	3	Vertical	97	1.15	-
2472MHz	Pass	PK	7.40288G	50.26	74.00	-23.74	3	Vertical	15	2.81	-
2472MHz	Pass	AV	4.96384G	30.00	54.00	-24.00	3	Horizontal	305	1.64	-
2472MHz	Pass	AV	7.4104G	36.70	54.00	-17.30	3	Horizontal	186	1.60	-
2472MHz	Pass	PK	4.93264G	43.43	74.00	-30.57	3	Horizontal	305	1.64	-
2472MHz	Pass	PK	7.4184G	49.84	74.00	-24.16	3	Horizontal	186	1.60	-
802.11ax HEW20_Nss1_(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.362G	50.27	54.00	-3.73	3	Vertical	158	1.17	-
2412MHz	Pass	AV	2.4166G	94.24	Inf	-Inf	3	Vertical	158	1.17	-
2412MHz	Pass	PK	2.3756G	62.19	74.00	-11.81	3	Vertical	158	1.17	-
2412MHz	Pass	PK	2.4174G	106.40	Inf	-Inf	3	Vertical	158	1.17	-
2412MHz	Pass	AV	2.362G	50.27	54.00	-3.73	3	Horizontal	189	1.52	-
2412MHz	Pass	AV	2.4168G	90.58	Inf	-Inf	3	Horizontal	189	1.52	-
2412MHz	Pass	PK	2.3812G	62.26	74.00	-11.74	3	Horizontal	189	1.52	-
2412MHz	Pass	PK	2.4174G	102.87	Inf	-Inf	3	Horizontal	189	1.52	-
2412MHz	Pass	AV	4.81796G	31.63	54.00	-22.37	3	Vertical	168	2.09	-
2412MHz	Pass	PK	4.83344G	44.81	74.00	-29.19	3	Vertical	168	2.09	-
2412MHz	Pass	AV	4.81656G	31.73	54.00	-22.27	3	Horizontal	307	1.19	-
2412MHz	Pass	PK	4.8198G	44.85	74.00	-29.15	3	Horizontal	307	1.19	-
2417MHz	Pass	AV	2.3896G	52.15	54.00	-1.85	3	Vertical	159	1.16	-
2417MHz	Pass	AV	2.419G	101.90	Inf	-Inf	3	Vertical	159	1.16	-
2417MHz	Pass	PK	2.39G	64.96	74.00	-9.04	3	Vertical	159	1.16	-
2417MHz	Pass	PK	2.4178G	114.01	Inf	-Inf	3	Vertical	159	1.16	-
2417MHz	Pass	AV	2.39G	51.26	54.00	-2.74	3	Horizontal	188	1.50	-
2417MHz	Pass	AV	2.42G	98.60	Inf	-Inf	3	Horizontal	188	1.50	-
2417MHz	Pass	PK	2.3866G	62.52	74.00	-11.48	3	Horizontal	188	1.50	-
2417MHz	Pass	PK	2.4206G	110.66	Inf	-Inf	3	Horizontal	188	1.50	-
2417MHz	Pass	AV	4.82856G	31.72	54.00	-22.28	3	Vertical	217	2.47	-
2417MHz	Pass	PK	4.835G	43.92	74.00	-30.08	3	Vertical	217	2.47	-
2417MHz	Pass	AV	4.82808G	31.73	54.00	-22.27	3	Horizontal	261	2.43	-
2417MHz	Pass	PK	4.83096G	44.58	74.00	-29.42	3	Horizontal	261	2.43	-
2437MHz	Pass	AV	2.3894G	50.52	54.00	-3.48	3	Vertical	158	1.30	-
2437MHz	Pass	AV	2.4426G	101.50	Inf	-Inf	3	Vertical	158	1.30	-
2437MHz	Pass	AV	2.485G	50.67	54.00	-3.33	3	Vertical	158	1.30	-
2437MHz	Pass	PK	2.3762G	62.45	74.00	-11.55	3	Vertical	158	1.30	-
2437MHz	Pass	PK	2.4386G	113.54	Inf	-Inf	3	Vertical	158	1.30	-
2437MHz	Pass	PK	2.4958G	63.50	74.00	-10.50	3	Vertical	158	1.30	-
2437MHz	Pass	AV	2.337G	50.44	54.00	-3.56	3	Horizontal	63	1.50	-
2437MHz	Pass	AV	2.4402G	98.33	Inf	-Inf	3	Horizontal	63	1.50	-
2437MHz	Pass	AV	2.485G	50.67	54.00	-3.33	3	Horizontal	63	1.50	-
2437MHz	Pass	PK	2.347G	62.70	74.00	-11.30	3	Horizontal	63	1.50	-
2437MHz	Pass	PK	2.4382G	110.09	Inf	-Inf	3	Horizontal	63	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	PK	2.4854G	62.01	74.00	-11.99	3	Horizontal	63	1.50	-
2437MHz	Pass	AV	4.8668G	31.55	54.00	-22.45	3	Vertical	210	1.47	-
2437MHz	Pass	AV	7.31132G	38.63	54.00	-15.37	3	Vertical	33	1.91	-
2437MHz	Pass	PK	4.87512G	44.13	74.00	-29.87	3	Vertical	210	1.47	-
2437MHz	Pass	PK	7.32096G	51.46	74.00	-22.54	3	Vertical	33	1.91	-
2437MHz	Pass	AV	4.86704G	31.55	54.00	-22.45	3	Horizontal	77	2.02	-
2437MHz	Pass	AV	7.31284G	38.62	54.00	-15.38	3	Horizontal	162	2.06	-
2437MHz	Pass	PK	4.87356G	44.20	74.00	-29.80	3	Horizontal	77	2.02	-
2437MHz	Pass	PK	7.31188G	51.48	74.00	-22.52	3	Horizontal	162	2.06	-
2457MHz	Pass	AV	2.4554G	100.06	Inf	-Inf	3	Vertical	160	1.20	-
2457MHz	Pass	AV	2.4835G	51.86	54.00	-2.14	3	Vertical	160	1.20	-
2457MHz	Pass	PK	2.4598G	112.25	Inf	-Inf	3	Vertical	160	1.20	-
2457MHz	Pass	PK	2.4836G	65.01	74.00	-8.99	3	Vertical	160	1.20	-
2457MHz	Pass	AV	2.4542G	97.12	Inf	-Inf	3	Horizontal	184	2.07	-
2457MHz	Pass	AV	2.4848G	51.17	54.00	-2.83	3	Horizontal	184	2.07	-
2457MHz	Pass	PK	2.454G	109.39	Inf	-Inf	3	Horizontal	184	2.07	-
2457MHz	Pass	PK	2.4836G	64.14	74.00	-9.86	3	Horizontal	184	2.07	-
2457MHz	Pass	AV	4.914G	31.79	54.00	-22.21	3	Vertical	130	1.80	-
2457MHz	Pass	AV	7.361G	38.44	54.00	-15.56	3	Vertical	172	1.04	-
2457MHz	Pass	PK	4.92044G	44.00	74.00	-30.00	3	Vertical	130	1.80	-
2457MHz	Pass	PK	7.37876G	51.00	74.00	-23.00	3	Vertical	172	1.04	-
2457MHz	Pass	AV	4.91364G	31.78	54.00	-22.22	3	Horizontal	136	1.90	-
2457MHz	Pass	AV	7.36252G	38.42	54.00	-15.58	3	Horizontal	78	2.21	-
2457MHz	Pass	PK	4.92188G	45.12	74.00	-28.88	3	Horizontal	136	1.90	-
2457MHz	Pass	PK	7.37968G	50.78	74.00	-23.22	3	Horizontal	78	2.21	-
2462MHz	Pass	AV	2.4588G	96.29	Inf	-Inf	3	Vertical	159	1.19	-
2462MHz	Pass	AV	2.485G	50.67	54.00	-3.33	3	Vertical	159	1.19	-
2462MHz	Pass	PK	2.4568G	108.66	Inf	-Inf	3	Vertical	159	1.19	-
2462MHz	Pass	PK	2.4988G	62.44	74.00	-11.56	3	Vertical	159	1.19	-
2462MHz	Pass	AV	2.4676G	93.98	Inf	-Inf	3	Horizontal	185	1.46	-
2462MHz	Pass	AV	2.4848G	50.42	54.00	-3.58	3	Horizontal	185	1.46	-
2462MHz	Pass	PK	2.4668G	106.78	Inf	-Inf	3	Horizontal	185	1.46	-
2462MHz	Pass	PK	2.4882G	61.94	74.00	-12.06	3	Horizontal	185	1.46	-
2462MHz	Pass	AV	4.93292G	31.84	54.00	-22.16	3	Vertical	183	1.43	-
2462MHz	Pass	AV	7.37964G	38.37	54.00	-15.63	3	Vertical	228	1.65	-
2462MHz	Pass	PK	4.92132G	44.16	74.00	-29.84	3	Vertical	183	1.43	-
2462MHz	Pass	PK	7.37812G	51.40	74.00	-22.60	3	Vertical	228	1.65	-
2462MHz	Pass	AV	4.91416G	31.80	54.00	-22.20	3	Horizontal	146	1.24	-
2462MHz	Pass	AV	7.37948G	38.27	54.00	-15.73	3	Horizontal	311	1.88	-
2462MHz	Pass	PK	4.91876G	44.17	74.00	-29.83	3	Horizontal	146	1.24	-
2462MHz	Pass	PK	7.37656G	50.79	74.00	-23.21	3	Horizontal	311	1.88	-
2467MHz	Pass	AV	2.4634G	92.38	Inf	-Inf	3	Vertical	182	1.11	-
2467MHz	Pass	AV	2.4844G	47.96	54.00	-6.04	3	Vertical	182	1.11	-
2467MHz	Pass	PK	2.4628G	104.95	Inf	-Inf	3	Vertical	182	1.11	-
2467MHz	Pass	PK	2.4874G	58.89	74.00	-15.11	3	Vertical	182	1.11	-
2467MHz	Pass	AV	2.4656G	89.61	Inf	-Inf	3	Horizontal	28	1.79	-
2467MHz	Pass	AV	2.4848G	47.89	54.00	-6.11	3	Horizontal	28	1.79	-
2467MHz	Pass	PK	2.4704G	102.23	Inf	-Inf	3	Horizontal	28	1.79	-
2467MHz	Pass	PK	2.4904G	58.53	74.00	-15.47	3	Horizontal	28	1.79	-
2467MHz	Pass	AV	4.91536G	30.04	54.00	-23.96	3	Vertical	253	2.95	-
2467MHz	Pass	AV	7.40732G	36.72	54.00	-17.28	3	Vertical	353	2.56	-
2467MHz	Pass	PK	4.94464G	43.26	74.00	-30.74	3	Vertical	253	2.95	-
2467MHz	Pass	PK	7.4098G	49.74	74.00	-24.26	3	Vertical	353	2.56	-
2467MHz	Pass	AV	4.91552G	30.08	54.00	-23.92	3	Horizontal	166	1.18	-
2467MHz	Pass	AV	7.41228G	36.66	54.00	-17.34	3	Horizontal	337	1.07	-
2467MHz	Pass	PK	4.9256G	42.75	74.00	-31.25	3	Horizontal	166	1.18	-
2467MHz	Pass	PK	7.39148G	49.72	74.00	-24.28	3	Horizontal	337	1.07	-
2472MHz	Pass	AV	2.469G	89.28	Inf	-Inf	3	Vertical	186	1.13	-
2472MHz	Pass	AV	2.4835G	52.26	54.00	-1.74	3	Vertical	186	1.13	-
2472MHz	Pass	PK	2.4674G	102.07	Inf	-Inf	3	Vertical	186	1.13	-
2472MHz	Pass	PK	2.4835G	69.90	74.00	-4.10	3	Vertical	186	1.13	-
2472MHz	Pass	AV	2.4734G	86.75	Inf	-Inf	3	Horizontal	347	1.26	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2472MHz	Pass	AV	2.4835G	51.46	54.00	-2.54	3	Horizontal	347	1.26	-
2472MHz	Pass	PK	2.475G	99.91	Inf	-Inf	3	Horizontal	347	1.26	-
2472MHz	Pass	PK	2.4835G	69.43	74.00	-4.57	3	Horizontal	347	1.26	-
2472MHz	Pass	AV	4.9444G	30.00	54.00	-24.00	3	Vertical	320	1.22	-
2472MHz	Pass	AV	7.43288G	36.67	54.00	-17.33	3	Vertical	258	2.89	-
2472MHz	Pass	PK	4.9332G	42.98	74.00	-31.02	3	Vertical	320	1.22	-
2472MHz	Pass	PK	7.43336G	49.72	74.00	-24.28	3	Vertical	258	2.89	-
2472MHz	Pass	AV	4.9284G	29.99	54.00	-24.01	3	Horizontal	341	2.77	-
2472MHz	Pass	AV	7.4312G	36.69	54.00	-17.31	3	Horizontal	309	1.71	-
2472MHz	Pass	PK	4.93224G	42.71	74.00	-31.29	3	Horizontal	341	2.77	-
2472MHz	Pass	PK	7.42616G	50.09	74.00	-23.91	3	Horizontal	309	1.71	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.15	54.00	-1.85	3	Vertical	118	1.03	-
2412MHz	Pass	AV	2.4106G	102.28	Inf	-Inf	3	Vertical	118	1.03	-
2412MHz	Pass	PK	2.3896G	63.83	74.00	-10.17	3	Vertical	118	1.03	-
2412MHz	Pass	PK	2.4112G	114.24	Inf	-Inf	3	Vertical	118	1.03	-
2412MHz	Pass	AV	2.39G	51.94	54.00	-2.06	3	Horizontal	61	1.21	-
2412MHz	Pass	AV	2.4128G	101.70	Inf	-Inf	3	Horizontal	61	1.21	-
2412MHz	Pass	PK	2.3692G	62.96	74.00	-11.04	3	Horizontal	61	1.21	-
2412MHz	Pass	PK	2.413G	114.25	Inf	-Inf	3	Horizontal	61	1.21	-
2412MHz	Pass	AV	4.81624G	31.63	54.00	-22.37	3	Vertical	202	1.02	-
2412MHz	Pass	PK	4.82792G	44.89	74.00	-29.11	3	Vertical	202	1.02	-
2412MHz	Pass	AV	4.81756G	31.63	54.00	-22.37	3	Horizontal	157	2.18	-
2412MHz	Pass	PK	4.81564G	44.93	74.00	-29.07	3	Horizontal	157	2.18	-
2417MHz	Pass	AV	2.3866G	51.25	54.00	-2.75	3	Vertical	118	1.04	-
2417MHz	Pass	AV	2.4154G	105.95	Inf	-Inf	3	Vertical	118	1.04	-
2417MHz	Pass	PK	2.3872G	63.25	74.00	-10.75	3	Vertical	118	1.04	-
2417MHz	Pass	PK	2.415G	117.04	Inf	-Inf	3	Vertical	118	1.04	-
2417MHz	Pass	AV	2.3886G	51.71	54.00	-2.29	3	Horizontal	64	1.22	-
2417MHz	Pass	AV	2.4162G	104.69	Inf	-Inf	3	Horizontal	64	1.22	-
2417MHz	Pass	PK	2.3898G	64.10	74.00	-9.90	3	Horizontal	64	1.22	-
2417MHz	Pass	PK	2.4186G	116.35	Inf	-Inf	3	Horizontal	64	1.22	-
2417MHz	Pass	AV	4.82696G	31.72	54.00	-22.28	3	Vertical	40	1.18	-
2417MHz	Pass	PK	4.8276G	44.49	74.00	-29.51	3	Vertical	40	1.18	-
2417MHz	Pass	AV	4.82456G	31.73	54.00	-22.27	3	Horizontal	231	1.27	-
2417MHz	Pass	PK	4.8432G	44.64	74.00	-29.36	3	Horizontal	231	1.27	-
2437MHz	Pass	AV	2.3374G	50.44	54.00	-3.56	3	Vertical	122	1.00	-
2437MHz	Pass	AV	2.4358G	105.30	Inf	-Inf	3	Vertical	122	1.00	-
2437MHz	Pass	AV	2.4854G	50.67	54.00	-3.33	3	Vertical	122	1.00	-
2437MHz	Pass	PK	2.3894G	62.07	74.00	-11.93	3	Vertical	122	1.00	-
2437MHz	Pass	PK	2.4362G	116.79	Inf	-Inf	3	Vertical	122	1.00	-
2437MHz	Pass	PK	2.4918G	62.06	74.00	-11.94	3	Vertical	122	1.00	-
2437MHz	Pass	AV	2.3898G	50.52	54.00	-3.48	3	Horizontal	64	1.50	-
2437MHz	Pass	AV	2.4362G	104.06	Inf	-Inf	3	Horizontal	64	1.50	-
2437MHz	Pass	AV	2.485G	50.42	54.00	-3.58	3	Horizontal	64	1.50	-
2437MHz	Pass	PK	2.3586G	61.38	74.00	-12.62	3	Horizontal	64	1.50	-
2437MHz	Pass	PK	2.4358G	115.44	Inf	-Inf	3	Horizontal	64	1.50	-
2437MHz	Pass	PK	2.4874G	61.73	74.00	-12.27	3	Horizontal	64	1.50	-
2437MHz	Pass	AV	4.86484G	31.65	54.00	-22.35	3	Vertical	346	2.49	-
2437MHz	Pass	AV	7.31108G	38.73	54.00	-15.27	3	Vertical	80	2.34	-
2437MHz	Pass	PK	4.87848G	44.77	74.00	-29.23	3	Vertical	346	2.49	-
2437MHz	Pass	PK	7.30164G	51.44	74.00	-22.56	3	Vertical	80	2.34	-
2437MHz	Pass	AV	4.8646G	31.64	54.00	-22.36	3	Horizontal	190	1.08	-
2437MHz	Pass	AV	7.31572G	38.73	54.00	-15.27	3	Horizontal	299	2.36	-
2437MHz	Pass	PK	4.87396G	44.04	74.00	-29.96	3	Horizontal	190	1.08	-
2437MHz	Pass	PK	7.31588G	51.51	74.00	-22.49	3	Horizontal	299	2.36	-
2457MHz	Pass	AV	2.4556G	105.58	Inf	-Inf	3	Vertical	124	1.04	-
2457MHz	Pass	AV	2.4848G	52.30	54.00	-1.70	3	Vertical	124	1.04	-
2457MHz	Pass	PK	2.4552G	117.59	Inf	-Inf	3	Vertical	124	1.04	-
2457MHz	Pass	PK	2.4846G	67.35	74.00	-6.65	3	Vertical	124	1.04	-
2457MHz	Pass	AV	2.4562G	103.97	Inf	-Inf	3	Horizontal	63	1.42	-
2457MHz	Pass	AV	2.4848G	51.87	54.00	-2.13	3	Horizontal	63	1.42	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	PK	2.458G	116.14	Inf	-Inf	3	Horizontal	63	1.42	-
2457MHz	Pass	PK	2.485G	66.24	74.00	-7.76	3	Horizontal	63	1.42	-
2457MHz	Pass	AV	4.91312G	31.89	54.00	-22.11	3	Vertical	295	1.66	-
2457MHz	Pass	AV	7.36144G	38.54	54.00	-15.46	3	Vertical	85	2.07	-
2457MHz	Pass	PK	4.90832G	44.53	74.00	-29.47	3	Vertical	295	1.66	-
2457MHz	Pass	PK	7.36548G	51.38	74.00	-22.62	3	Vertical	85	2.07	-
2457MHz	Pass	AV	4.9128G	31.88	54.00	-22.12	3	Horizontal	190	1.22	-
2457MHz	Pass	AV	7.36132G	38.54	54.00	-15.46	3	Horizontal	191	1.18	-
2457MHz	Pass	PK	4.92364G	44.12	74.00	-29.88	3	Horizontal	190	1.22	-
2457MHz	Pass	PK	7.36144G	51.21	74.00	-22.79	3	Horizontal	191	1.18	-
2462MHz	Pass	AV	2.4688G	101.11	Inf	-Inf	3	Vertical	280	1.00	-
2462MHz	Pass	AV	2.486G	50.67	54.00	-3.33	3	Vertical	280	1.00	-
2462MHz	Pass	PK	2.4598G	112.94	Inf	-Inf	3	Vertical	280	1.00	-
2462MHz	Pass	PK	2.4856G	62.74	74.00	-11.26	3	Vertical	280	1.00	-
2462MHz	Pass	AV	2.4628G	101.05	Inf	-Inf	3	Horizontal	61	1.08	-
2462MHz	Pass	AV	2.4835G	51.16	54.00	-2.84	3	Horizontal	61	1.08	-
2462MHz	Pass	PK	2.463G	113.68	Inf	-Inf	3	Horizontal	61	1.08	-
2462MHz	Pass	PK	2.494G	63.50	74.00	-10.50	3	Horizontal	61	1.08	-
2462MHz	Pass	AV	4.93176G	31.95	54.00	-22.05	3	Vertical	19	1.50	-
2462MHz	Pass	AV	7.3782G	38.49	54.00	-15.51	3	Vertical	360	1.50	-
2462MHz	Pass	PK	4.92492G	44.68	74.00	-29.32	3	Vertical	19	1.50	-
2462MHz	Pass	PK	7.3804G	50.97	74.00	-23.03	3	Vertical	360	1.50	-
2462MHz	Pass	AV	4.93008G	31.92	54.00	-22.08	3	Horizontal	338	1.40	-
2462MHz	Pass	AV	7.3814G	38.46	54.00	-15.54	3	Horizontal	128	1.91	-
2462MHz	Pass	PK	4.9168G	45.73	74.00	-28.27	3	Horizontal	338	1.40	-
2462MHz	Pass	PK	7.38936G	51.02	74.00	-22.98	3	Horizontal	128	1.91	-
2467MHz	Pass	AV	2.47G	95.75	Inf	-Inf	3	Vertical	188	1.17	-
2467MHz	Pass	AV	2.4835G	48.16	54.00	-5.84	3	Vertical	188	1.17	-
2467MHz	Pass	PK	2.469G	108.00	Inf	-Inf	3	Vertical	188	1.17	-
2467MHz	Pass	PK	2.4944G	59.41	74.00	-14.59	3	Vertical	188	1.17	-
2467MHz	Pass	AV	2.4682G	95.98	Inf	-Inf	3	Horizontal	49	1.12	-
2467MHz	Pass	AV	2.4866G	48.04	54.00	-5.96	3	Horizontal	49	1.12	-
2467MHz	Pass	PK	2.468G	109.26	Inf	-Inf	3	Horizontal	49	1.12	-
2467MHz	Pass	PK	2.4864G	59.79	74.00	-14.21	3	Horizontal	49	1.12	-
2467MHz	Pass	AV	4.92024G	30.09	54.00	-23.91	3	Vertical	147	1.07	-
2467MHz	Pass	AV	7.4014G	36.67	54.00	-17.33	3	Vertical	68	1.72	-
2467MHz	Pass	PK	4.9236G	42.68	74.00	-31.32	3	Vertical	147	1.07	-
2467MHz	Pass	PK	7.4034G	49.41	74.00	-24.59	3	Vertical	68	1.72	-
2467MHz	Pass	AV	4.91648G	30.04	54.00	-23.96	3	Horizontal	112	2.82	-
2467MHz	Pass	AV	7.403G	36.68	54.00	-17.32	3	Horizontal	48	1.13	-
2467MHz	Pass	PK	4.93144G	43.60	74.00	-30.40	3	Horizontal	112	2.82	-
2467MHz	Pass	PK	7.39348G	49.35	74.00	-24.65	3	Horizontal	48	1.13	-
2472MHz	Pass	AV	2.4656G	90.66	Inf	-Inf	3	Vertical	190	1.26	-
2472MHz	Pass	AV	2.4835G	49.92	54.00	-4.08	3	Vertical	190	1.26	-
2472MHz	Pass	PK	2.466G	102.44	Inf	-Inf	3	Vertical	190	1.26	-
2472MHz	Pass	PK	2.4835G	66.47	74.00	-7.53	3	Vertical	190	1.26	-
2472MHz	Pass	AV	2.4734G	90.69	Inf	-Inf	3	Horizontal	47	1.14	-
2472MHz	Pass	AV	2.4835G	52.23	54.00	-1.77	3	Horizontal	47	1.14	-
2472MHz	Pass	PK	2.4732G	103.26	Inf	-Inf	3	Horizontal	47	1.14	-
2472MHz	Pass	PK	2.4835G	68.15	74.00	-5.85	3	Horizontal	47	1.14	-
2472MHz	Pass	AV	4.96376G	30.05	54.00	-23.95	3	Vertical	18	1.44	-
2472MHz	Pass	AV	7.4316G	36.71	54.00	-17.29	3	Vertical	174	2.37	-
2472MHz	Pass	PK	4.93176G	42.91	74.00	-31.09	3	Vertical	18	1.44	-
2472MHz	Pass	PK	7.40592G	49.65	74.00	-24.35	3	Vertical	174	2.37	-
2472MHz	Pass	AV	4.94832G	30.01	54.00	-23.99	3	Horizontal	297	1.59	-
2472MHz	Pass	AV	7.41056G	36.75	54.00	-17.25	3	Horizontal	275	1.53	-
2472MHz	Pass	PK	4.92832G	43.15	74.00	-30.85	3	Horizontal	297	1.59	-
2472MHz	Pass	PK	7.42864G	49.75	74.00	-24.25	3	Horizontal	275	1.53	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.322G	50.52	54.00	-3.48	3	Vertical	279	2.38	-
2422MHz	Pass	AV	2.4204G	86.93	Inf	-Inf	3	Vertical	279	2.38	-
2422MHz	Pass	AV	2.4848G	50.42	54.00	-3.58	3	Vertical	279	2.38	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2422MHz	Pass	PK	2.3244G	62.64	74.00	-11.36	3	Vertical	279	2.38	-
2422MHz	Pass	PK	2.4176G	98.53	Inf	-Inf	3	Vertical	279	2.38	-
2422MHz	Pass	PK	2.4835G	62.86	74.00	-11.14	3	Vertical	279	2.38	-
2422MHz	Pass	AV	2.322G	50.52	54.00	-3.48	3	Horizontal	62	1.12	-
2422MHz	Pass	AV	2.4188G	87.00	Inf	-Inf	3	Horizontal	62	1.12	-
2422MHz	Pass	AV	2.4848G	50.42	54.00	-3.58	3	Horizontal	62	1.12	-
2422MHz	Pass	PK	2.3868G	62.19	74.00	-11.81	3	Horizontal	62	1.12	-
2422MHz	Pass	PK	2.4276G	98.61	Inf	-Inf	3	Horizontal	62	1.12	-
2422MHz	Pass	PK	2.4928G	61.57	74.00	-12.43	3	Horizontal	62	1.12	-
2422MHz	Pass	AV	4.82928G	31.72	54.00	-22.28	3	Vertical	88	1.61	-
2422MHz	Pass	AV	7.26456G	38.82	54.00	-15.18	3	Vertical	97	2.19	-
2422MHz	Pass	PK	4.86352G	43.66	74.00	-30.34	3	Vertical	88	1.61	-
2422MHz	Pass	PK	7.25648G	51.04	74.00	-22.96	3	Vertical	97	2.19	-
2422MHz	Pass	AV	4.86392G	31.63	54.00	-22.37	3	Horizontal	337	1.93	-
2422MHz	Pass	AV	7.26G	38.75	54.00	-15.25	3	Horizontal	228	1.19	-
2422MHz	Pass	PK	4.82848G	43.59	74.00	-30.41	3	Horizontal	337	1.93	-
2422MHz	Pass	PK	7.28144G	51.96	74.00	-22.04	3	Horizontal	228	1.19	-
2427MHz	Pass	AV	2.3898G	52.15	54.00	-1.85	3	Vertical	280	1.39	-
2427MHz	Pass	AV	2.4282G	96.66	Inf	-Inf	3	Vertical	280	1.39	-
2427MHz	Pass	AV	2.485G	50.67	54.00	-3.33	3	Vertical	280	1.39	-
2427MHz	Pass	PK	2.3898G	63.14	74.00	-10.86	3	Vertical	280	1.39	-
2427MHz	Pass	PK	2.4338G	108.11	Inf	-Inf	3	Vertical	280	1.39	-
2427MHz	Pass	PK	2.4942G	62.26	74.00	-11.74	3	Vertical	280	1.39	-
2427MHz	Pass	AV	2.3898G	52.15	54.00	-1.85	3	Horizontal	50	1.50	-
2427MHz	Pass	AV	2.4254G	96.58	Inf	-Inf	3	Horizontal	50	1.50	-
2427MHz	Pass	AV	2.4838G	50.92	54.00	-3.08	3	Horizontal	50	1.50	-
2427MHz	Pass	PK	2.3866G	63.42	74.00	-10.58	3	Horizontal	50	1.50	-
2427MHz	Pass	PK	2.4234G	108.28	Inf	-Inf	3	Horizontal	50	1.50	-
2427MHz	Pass	PK	2.4854G	62.74	74.00	-11.26	3	Horizontal	50	1.50	-
2427MHz	Pass	AV	4.86656G	31.65	54.00	-22.35	3	Vertical	183	1.97	-
2427MHz	Pass	AV	7.26124G	38.84	54.00	-15.16	3	Vertical	262	1.15	-
2427MHz	Pass	PK	4.86544G	43.90	74.00	-30.10	3	Vertical	183	1.97	-
2427MHz	Pass	PK	7.2626G	51.43	74.00	-22.57	3	Vertical	262	1.15	-
2427MHz	Pass	AV	4.86648G	31.65	54.00	-22.35	3	Horizontal	267	2.66	-
2427MHz	Pass	AV	7.26252G	38.84	54.00	-15.16	3	Horizontal	80	1.16	-
2427MHz	Pass	PK	4.83448G	43.90	74.00	-30.10	3	Horizontal	267	2.66	-
2427MHz	Pass	PK	7.29884G	50.75	74.00	-23.25	3	Horizontal	80	1.16	-
2437MHz	Pass	AV	2.3898G	51.26	54.00	-2.74	3	Vertical	120	1.05	-
2437MHz	Pass	AV	2.4434G	97.70	Inf	-Inf	3	Vertical	120	1.05	-
2437MHz	Pass	AV	2.4835G	51.63	54.00	-2.37	3	Vertical	120	1.05	-
2437MHz	Pass	PK	2.3886G	63.20	74.00	-10.80	3	Vertical	120	1.05	-
2437MHz	Pass	PK	2.4446G	109.72	Inf	-Inf	3	Vertical	120	1.05	-
2437MHz	Pass	PK	2.4866G	62.74	74.00	-11.26	3	Vertical	120	1.05	-
2437MHz	Pass	AV	2.3898G	51.72	54.00	-2.28	3	Horizontal	62	1.50	-
2437MHz	Pass	AV	2.4434G	97.65	Inf	-Inf	3	Horizontal	62	1.50	-
2437MHz	Pass	AV	2.4835G	51.63	54.00	-2.37	3	Horizontal	62	1.50	-
2437MHz	Pass	PK	2.3894G	63.88	74.00	-10.12	3	Horizontal	62	1.50	-
2437MHz	Pass	PK	2.4426G	110.09	Inf	-Inf	3	Horizontal	62	1.50	-
2437MHz	Pass	PK	2.4854G	62.74	74.00	-11.26	3	Horizontal	62	1.50	-
2437MHz	Pass	AV	4.86584G	31.65	54.00	-22.35	3	Vertical	335	2.88	-
2437MHz	Pass	AV	7.32324G	38.74	54.00	-15.26	3	Vertical	174	2.93	-
2437MHz	Pass	PK	4.88456G	44.24	74.00	-29.76	3	Vertical	335	2.88	-
2437MHz	Pass	PK	7.31076G	51.17	74.00	-22.83	3	Vertical	174	2.93	-
2437MHz	Pass	AV	4.86584G	31.65	54.00	-22.35	3	Horizontal	115	1.51	-
2437MHz	Pass	AV	7.31956G	38.74	54.00	-15.26	3	Horizontal	46	1.01	-
2437MHz	Pass	PK	4.87064G	44.77	74.00	-29.23	3	Horizontal	115	1.51	-
2437MHz	Pass	PK	7.3106G	51.02	74.00	-22.98	3	Horizontal	46	1.01	-
2447MHz	Pass	AV	2.3886G	50.52	54.00	-3.48	3	Vertical	120	1.05	-
2447MHz	Pass	AV	2.4442G	97.74	Inf	-Inf	3	Vertical	120	1.05	-
2447MHz	Pass	AV	2.4835G	51.86	54.00	-2.14	3	Vertical	120	1.05	-
2447MHz	Pass	PK	2.3794G	62.44	74.00	-11.56	3	Vertical	120	1.05	-
2447MHz	Pass	PK	2.4454G	109.56	Inf	-Inf	3	Vertical	120	1.05	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2447MHz	Pass	PK	2.4835G	64.91	74.00	-9.09	3	Vertical	120	1.05	-
2447MHz	Pass	AV	2.3898G	50.78	54.00	-3.22	3	Horizontal	63	1.39	-
2447MHz	Pass	AV	2.4446G	97.63	Inf	-Inf	3	Horizontal	63	1.39	-
2447MHz	Pass	AV	2.4835G	52.08	54.00	-1.92	3	Horizontal	63	1.39	-
2447MHz	Pass	PK	2.3794G	62.57	74.00	-11.43	3	Horizontal	63	1.39	-
2447MHz	Pass	PK	2.4454G	109.64	Inf	-Inf	3	Horizontal	63	1.39	-
2447MHz	Pass	PK	2.4835G	66.40	74.00	-7.60	3	Horizontal	63	1.39	-
2447MHz	Pass	AV	4.89928G	31.78	54.00	-22.22	3	Vertical	62	2.71	-
2447MHz	Pass	AV	7.34076G	38.86	54.00	-15.14	3	Vertical	72	2.69	-
2447MHz	Pass	PK	4.89688G	44.10	74.00	-29.90	3	Vertical	62	2.71	-
2447MHz	Pass	PK	7.33572G	50.44	74.00	-23.56	3	Vertical	72	2.69	-
2447MHz	Pass	AV	4.89952G	31.79	54.00	-22.21	3	Horizontal	191	2.36	-
2447MHz	Pass	AV	7.3434G	38.75	54.00	-15.25	3	Horizontal	302	1.71	-
2447MHz	Pass	PK	4.90144G	43.47	74.00	-30.53	3	Horizontal	191	2.36	-
2447MHz	Pass	PK	7.35292G	50.53	74.00	-23.47	3	Horizontal	302	1.71	-
2452MHz	Pass	AV	2.3888G	50.52	54.00	-3.48	3	Vertical	279	1.05	-
2452MHz	Pass	AV	2.454G	97.80	Inf	-Inf	3	Vertical	279	1.05	-
2452MHz	Pass	AV	2.4835G	51.63	54.00	-2.37	3	Vertical	279	1.05	-
2452MHz	Pass	PK	2.374G	61.99	74.00	-12.01	3	Vertical	279	1.05	-
2452MHz	Pass	PK	2.438G	109.19	Inf	-Inf	3	Vertical	279	1.05	-
2452MHz	Pass	PK	2.4835G	68.59	74.00	-5.41	3	Vertical	279	1.05	-
2452MHz	Pass	AV	2.3892G	50.77	54.00	-3.23	3	Horizontal	63	1.49	-
2452MHz	Pass	AV	2.4444G	97.54	Inf	-Inf	3	Horizontal	63	1.49	-
2452MHz	Pass	AV	2.4848G	51.87	54.00	-2.13	3	Horizontal	63	1.49	-
2452MHz	Pass	PK	2.382G	63.31	74.00	-10.69	3	Horizontal	63	1.49	-
2452MHz	Pass	PK	2.4476G	109.23	Inf	-Inf	3	Horizontal	63	1.49	-
2452MHz	Pass	PK	2.4848G	68.57	74.00	-5.43	3	Horizontal	63	1.49	-
2452MHz	Pass	AV	4.91544G	31.80	54.00	-22.20	3	Vertical	226	2.96	-
2452MHz	Pass	AV	7.34216G	38.76	54.00	-15.24	3	Vertical	342	1.91	-
2452MHz	Pass	PK	4.90264G	43.78	74.00	-30.22	3	Vertical	226	2.96	-
2452MHz	Pass	PK	7.35248G	50.85	74.00	-23.15	3	Vertical	342	1.91	-
2452MHz	Pass	AV	4.914G	31.90	54.00	-22.10	3	Horizontal	98	2.40	-
2452MHz	Pass	AV	7.34176G	38.76	54.00	-15.24	3	Horizontal	284	2.03	-
2452MHz	Pass	PK	4.89896G	43.44	74.00	-30.56	3	Horizontal	98	2.40	-
2452MHz	Pass	PK	7.3392G	50.57	74.00	-23.43	3	Horizontal	284	2.03	-
2457MHz	Pass	AV	2.3574G	48.18	54.00	-5.82	3	Vertical	113	1.01	-
2457MHz	Pass	AV	2.4558G	92.11	Inf	-Inf	3	Vertical	113	1.01	-
2457MHz	Pass	AV	2.4835G	48.09	54.00	-5.91	3	Vertical	113	1.01	-
2457MHz	Pass	PK	2.3794G	59.10	74.00	-14.90	3	Vertical	113	1.01	-
2457MHz	Pass	PK	2.461G	104.27	Inf	-Inf	3	Vertical	113	1.01	-
2457MHz	Pass	PK	2.4994G	58.32	74.00	-15.68	3	Vertical	113	1.01	-
2457MHz	Pass	AV	2.3622G	48.18	54.00	-5.82	3	Horizontal	50	1.11	-
2457MHz	Pass	AV	2.4554G	91.39	Inf	-Inf	3	Horizontal	50	1.11	-
2457MHz	Pass	AV	2.4838G	48.08	54.00	-5.92	3	Horizontal	50	1.11	-
2457MHz	Pass	PK	2.3582G	59.23	74.00	-14.77	3	Horizontal	50	1.11	-
2457MHz	Pass	PK	2.455G	103.12	Inf	-Inf	3	Horizontal	50	1.11	-
2457MHz	Pass	PK	2.4878G	58.62	74.00	-15.38	3	Horizontal	50	1.11	-
2457MHz	Pass	AV	4.91528G	30.12	54.00	-23.88	3	Vertical	234	2.49	-
2457MHz	Pass	AV	7.37828G	36.48	54.00	-17.52	3	Vertical	218	2.61	-
2457MHz	Pass	PK	4.93144G	44.05	74.00	-29.95	3	Vertical	234	2.49	-
2457MHz	Pass	PK	7.3874G	49.71	74.00	-24.29	3	Vertical	218	2.61	-
2457MHz	Pass	AV	4.89432G	30.15	54.00	-23.85	3	Horizontal	125	1.47	-
2457MHz	Pass	AV	7.38324G	36.46	54.00	-17.54	3	Horizontal	113	2.92	-
2457MHz	Pass	PK	4.92456G	43.39	74.00	-30.61	3	Horizontal	125	1.47	-
2457MHz	Pass	PK	7.38676G	49.24	74.00	-24.76	3	Horizontal	113	2.92	-
2462MHz	Pass	AV	2.3652G	48.15	54.00	-5.85	3	Vertical	112	1.00	-
2462MHz	Pass	AV	2.458G	85.09	Inf	-Inf	3	Vertical	112	1.00	-
2462MHz	Pass	AV	2.4835G	48.77	54.00	-5.23	3	Vertical	112	1.00	-
2462MHz	Pass	PK	2.3852G	59.39	74.00	-14.61	3	Vertical	112	1.00	-
2462MHz	Pass	PK	2.4612G	98.39	Inf	-Inf	3	Vertical	112	1.00	-
2462MHz	Pass	PK	2.4835G	60.60	74.00	-13.40	3	Vertical	112	1.00	-
2462MHz	Pass	AV	2.3684G	48.14	54.00	-5.86	3	Horizontal	50	1.11	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	AV	2.4576G	84.28	Inf	-Inf	3	Horizontal	50	1.11	-
2462MHz	Pass	AV	2.4835G	48.63	54.00	-5.37	3	Horizontal	50	1.11	-
2462MHz	Pass	PK	2.3812G	58.99	74.00	-15.01	3	Horizontal	50	1.11	-
2462MHz	Pass	PK	2.4688G	96.55	Inf	-Inf	3	Horizontal	50	1.11	-
2462MHz	Pass	PK	2.4835G	60.07	74.00	-13.93	3	Horizontal	50	1.11	-
2462MHz	Pass	AV	4.91392G	30.10	54.00	-23.90	3	Vertical	176	2.66	-
2462MHz	Pass	AV	7.40544G	36.75	54.00	-17.25	3	Vertical	59	2.06	-
2462MHz	Pass	PK	4.90568G	43.57	74.00	-30.43	3	Vertical	176	2.66	-
2462MHz	Pass	PK	7.40408G	49.40	74.00	-24.60	3	Vertical	59	2.06	-
2462MHz	Pass	AV	4.9156G	30.16	54.00	-23.84	3	Horizontal	141	2.28	-
2462MHz	Pass	AV	7.40344G	36.74	54.00	-17.26	3	Horizontal	333	1.67	-
2462MHz	Pass	PK	4.92808G	43.55	74.00	-30.45	3	Horizontal	141	2.28	-
2462MHz	Pass	PK	7.38096G	49.38	74.00	-24.62	3	Horizontal	333	1.67	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)											
2422MHz	Pass	AV	2.3232G	50.72	54.00	-3.28	3	Vertical	118	1.00	-
2422MHz	Pass	AV	2.4204G	84.43	Inf	-Inf	3	Vertical	118	1.00	-
2422MHz	Pass	AV	2.4848G	50.63	54.00	-3.37	3	Vertical	118	1.00	-
2422MHz	Pass	PK	2.382G	62.14	74.00	-11.86	3	Vertical	118	1.00	-
2422MHz	Pass	PK	2.4136G	95.92	Inf	-Inf	3	Vertical	118	1.00	-
2422MHz	Pass	PK	2.486G	61.95	74.00	-12.05	3	Vertical	118	1.00	-
2422MHz	Pass	AV	2.3356G	50.67	54.00	-3.33	3	Horizontal	34	1.43	-
2422MHz	Pass	AV	2.4268G	83.62	Inf	-Inf	3	Horizontal	34	1.43	-
2422MHz	Pass	AV	2.4852G	50.63	54.00	-3.37	3	Horizontal	34	1.43	-
2422MHz	Pass	PK	2.3716G	62.01	74.00	-11.99	3	Horizontal	34	1.43	-
2422MHz	Pass	PK	2.426G	95.48	Inf	-Inf	3	Horizontal	34	1.43	-
2422MHz	Pass	PK	2.4936G	61.93	74.00	-12.07	3	Horizontal	34	1.43	-
2422MHz	Pass	AV	4.82768G	31.62	54.00	-22.38	3	Vertical	81	2.53	-
2422MHz	Pass	AV	7.26552G	38.81	54.00	-15.19	3	Vertical	292	1.01	-
2422MHz	Pass	PK	4.85296G	43.10	74.00	-30.90	3	Vertical	81	2.53	-
2422MHz	Pass	PK	7.26176G	50.52	74.00	-23.48	3	Vertical	292	1.01	-
2422MHz	Pass	AV	4.82768G	31.62	54.00	-22.38	3	Horizontal	177	2.05	-
2422MHz	Pass	AV	7.26328G	38.83	54.00	-15.17	3	Horizontal	154	1.02	-
2422MHz	Pass	PK	4.85448G	44.03	74.00	-29.97	3	Horizontal	177	2.05	-
2422MHz	Pass	PK	7.26304G	50.73	74.00	-23.27	3	Horizontal	154	1.02	-
2427MHz	Pass	AV	2.3898G	52.15	54.00	-1.85	3	Vertical	126	1.00	-
2427MHz	Pass	AV	2.4386G	96.94	Inf	-Inf	3	Vertical	126	1.00	-
2427MHz	Pass	AV	2.485G	51.14	54.00	-2.86	3	Vertical	126	1.00	-
2427MHz	Pass	PK	2.3434G	62.14	74.00	-11.86	3	Vertical	126	1.00	-
2427MHz	Pass	PK	2.4158G	108.21	Inf	-Inf	3	Vertical	126	1.00	-
2427MHz	Pass	PK	2.4942G	62.27	74.00	-11.73	3	Vertical	126	1.00	-
2427MHz	Pass	AV	2.3898G	51.24	54.00	-2.76	3	Horizontal	33	1.42	-
2427MHz	Pass	AV	2.4258G	94.20	Inf	-Inf	3	Horizontal	33	1.42	-
2427MHz	Pass	AV	2.485G	50.63	54.00	-3.37	3	Horizontal	33	1.42	-
2427MHz	Pass	PK	2.3466G	62.92	74.00	-11.08	3	Horizontal	33	1.42	-
2427MHz	Pass	PK	2.423G	106.36	Inf	-Inf	3	Horizontal	33	1.42	-
2427MHz	Pass	PK	2.4846G	61.35	74.00	-12.65	3	Horizontal	33	1.42	-
2427MHz	Pass	AV	4.86816G	31.55	54.00	-22.45	3	Vertical	101	2.22	-
2427MHz	Pass	AV	7.26124G	38.73	54.00	-15.27	3	Vertical	258	1.21	-
2427MHz	Pass	PK	4.83904G	43.80	74.00	-30.20	3	Vertical	101	2.22	-
2427MHz	Pass	PK	7.28708G	51.25	74.00	-22.75	3	Vertical	258	1.21	-
2427MHz	Pass	AV	4.86392G	31.63	54.00	-22.37	3	Horizontal	41	1.87	-
2427MHz	Pass	AV	7.27172G	38.75	54.00	-15.25	3	Horizontal	299	2.56	-
2427MHz	Pass	PK	4.85144G	43.19	74.00	-30.81	3	Horizontal	41	1.87	-
2427MHz	Pass	PK	7.2658G	51.35	74.00	-22.65	3	Horizontal	299	2.56	-
2437MHz	Pass	AV	2.3898G	51.24	54.00	-2.76	3	Vertical	130	1.14	-
2437MHz	Pass	AV	2.4434G	98.33	Inf	-Inf	3	Vertical	130	1.14	-
2437MHz	Pass	AV	2.4835G	52.29	54.00	-1.71	3	Vertical	130	1.14	-
2437MHz	Pass	PK	2.389G	62.61	74.00	-11.39	3	Vertical	130	1.14	-
2437MHz	Pass	PK	2.4434G	110.04	Inf	-Inf	3	Vertical	130	1.14	-
2437MHz	Pass	PK	2.485G	65.75	74.00	-8.25	3	Vertical	130	1.14	-
2437MHz	Pass	AV	2.3894G	50.74	54.00	-3.26	3	Horizontal	58	1.57	-
2437MHz	Pass	AV	2.441G	95.00	Inf	-Inf	3	Horizontal	58	1.57	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	2.485G	51.39	54.00	-2.61	3	Horizontal	58	1.57	-
2437MHz	Pass	PK	2.3578G	62.89	74.00	-11.11	3	Horizontal	58	1.57	-
2437MHz	Pass	PK	2.4362G	105.98	Inf	-Inf	3	Horizontal	58	1.57	-
2437MHz	Pass	PK	2.4866G	63.27	74.00	-10.73	3	Horizontal	58	1.57	-
2437MHz	Pass	AV	4.86888G	31.55	54.00	-22.45	3	Vertical	19	2.71	-
2437MHz	Pass	AV	7.293G	38.70	54.00	-15.30	3	Vertical	139	2.77	-
2437MHz	Pass	PK	4.88128G	43.76	74.00	-30.24	3	Vertical	19	2.71	-
2437MHz	Pass	PK	7.3206G	50.75	74.00	-23.25	3	Vertical	139	2.77	-
2437MHz	Pass	AV	4.86504G	31.64	54.00	-22.36	3	Horizontal	346	1.34	-
2437MHz	Pass	AV	7.29532G	38.67	54.00	-15.33	3	Horizontal	354	1.98	-
2437MHz	Pass	PK	4.86904G	43.09	74.00	-30.91	3	Horizontal	346	1.34	-
2437MHz	Pass	PK	7.31156G	51.08	74.00	-22.92	3	Horizontal	354	1.98	-
2447MHz	Pass	AV	2.3882G	50.73	54.00	-3.27	3	Vertical	130	1.14	-
2447MHz	Pass	AV	2.4438G	97.86	Inf	-Inf	3	Vertical	130	1.14	-
2447MHz	Pass	AV	2.4835G	52.29	54.00	-1.71	3	Vertical	130	1.14	-
2447MHz	Pass	PK	2.3534G	62.93	74.00	-11.07	3	Vertical	130	1.14	-
2447MHz	Pass	PK	2.4434G	108.83	Inf	-Inf	3	Vertical	130	1.14	-
2447MHz	Pass	PK	2.4835G	67.22	74.00	-6.78	3	Vertical	130	1.14	-
2447MHz	Pass	AV	2.3498G	50.56	54.00	-3.44	3	Horizontal	56	1.57	-
2447MHz	Pass	AV	2.4426G	95.13	Inf	-Inf	3	Horizontal	56	1.57	-
2447MHz	Pass	AV	2.4854G	51.14	54.00	-2.86	3	Horizontal	56	1.57	-
2447MHz	Pass	PK	2.381G	62.54	74.00	-11.46	3	Horizontal	56	1.57	-
2447MHz	Pass	PK	2.4442G	106.68	Inf	-Inf	3	Horizontal	56	1.57	-
2447MHz	Pass	PK	2.4862G	62.96	74.00	-11.04	3	Horizontal	56	1.57	-
2447MHz	Pass	AV	4.8996G	31.79	54.00	-22.21	3	Vertical	252	2.66	-
2447MHz	Pass	AV	7.34764G	38.85	54.00	-15.15	3	Vertical	334	1.95	-
2447MHz	Pass	PK	4.90384G	44.43	74.00	-29.57	3	Vertical	252	2.66	-
2447MHz	Pass	PK	7.32548G	51.43	74.00	-22.57	3	Vertical	334	1.95	-
2447MHz	Pass	AV	4.9124G	31.75	54.00	-22.25	3	Horizontal	341	1.50	-
2447MHz	Pass	AV	7.34316G	38.75	54.00	-15.25	3	Horizontal	260	1.87	-
2447MHz	Pass	PK	4.8932G	43.53	74.00	-30.47	3	Horizontal	341	1.50	-
2447MHz	Pass	PK	7.34188G	51.09	74.00	-22.91	3	Horizontal	260	1.87	-
2452MHz	Pass	AV	2.3528G	50.53	54.00	-3.47	3	Vertical	129	1.15	-
2452MHz	Pass	AV	2.4444G	97.24	Inf	-Inf	3	Vertical	129	1.15	-
2452MHz	Pass	AV	2.4848G	51.86	54.00	-2.14	3	Vertical	129	1.15	-
2452MHz	Pass	PK	2.362G	62.43	74.00	-11.57	3	Vertical	129	1.15	-
2452MHz	Pass	PK	2.444G	108.70	Inf	-Inf	3	Vertical	129	1.15	-
2452MHz	Pass	PK	2.4868G	66.50	74.00	-7.50	3	Vertical	129	1.15	-
2452MHz	Pass	AV	2.3524G	50.54	54.00	-3.46	3	Horizontal	58	1.50	-
2452MHz	Pass	AV	2.4452G	94.13	Inf	-Inf	3	Horizontal	58	1.50	-
2452MHz	Pass	AV	2.4848G	51.14	54.00	-2.86	3	Horizontal	58	1.50	-
2452MHz	Pass	PK	2.3632G	63.12	74.00	-10.88	3	Horizontal	58	1.50	-
2452MHz	Pass	PK	2.4416G	105.32	Inf	-Inf	3	Horizontal	58	1.50	-
2452MHz	Pass	PK	2.4868G	63.86	74.00	-10.14	3	Horizontal	58	1.50	-
2452MHz	Pass	AV	4.90128G	31.81	54.00	-22.19	3	Vertical	332	1.82	-
2452MHz	Pass	AV	7.34096G	38.75	54.00	-15.25	3	Vertical	285	1.97	-
2452MHz	Pass	PK	4.91392G	44.35	74.00	-29.65	3	Vertical	332	1.82	-
2452MHz	Pass	PK	7.36832G	50.77	74.00	-23.23	3	Vertical	285	1.97	-
2452MHz	Pass	AV	4.90032G	31.79	54.00	-22.21	3	Horizontal	112	2.05	-
2452MHz	Pass	AV	7.34688G	38.76	54.00	-15.24	3	Horizontal	216	1.63	-
2452MHz	Pass	PK	4.90296G	44.14	74.00	-29.86	3	Horizontal	112	2.05	-
2452MHz	Pass	PK	7.35152G	50.47	74.00	-23.53	3	Horizontal	216	1.63	-
2457MHz	Pass	AV	2.359G	48.19	54.00	-5.81	3	Vertical	179	1.10	-
2457MHz	Pass	AV	2.455G	91.15	Inf	-Inf	3	Vertical	179	1.10	-
2457MHz	Pass	AV	2.485G	48.02	54.00	-5.98	3	Vertical	179	1.10	-
2457MHz	Pass	PK	2.3806G	59.24	74.00	-14.76	3	Vertical	179	1.10	-
2457MHz	Pass	PK	2.453G	103.63	Inf	-Inf	3	Vertical	179	1.10	-
2457MHz	Pass	PK	2.487G	59.04	74.00	-14.96	3	Vertical	179	1.10	-
2457MHz	Pass	AV	2.3594G	48.18	54.00	-5.82	3	Horizontal	216	1.00	-
2457MHz	Pass	AV	2.4674G	87.98	Inf	-Inf	3	Horizontal	216	1.00	-
2457MHz	Pass	AV	2.4842G	47.94	54.00	-6.06	3	Horizontal	216	1.00	-
2457MHz	Pass	PK	2.3818G	59.06	74.00	-14.94	3	Horizontal	216	1.00	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	PK	2.465G	101.83	Inf	-Inf	3	Horizontal	216	1.00	-
2457MHz	Pass	PK	2.4978G	59.06	74.00	-14.94	3	Horizontal	216	1.00	-
2457MHz	Pass	AV	4.9168G	30.17	54.00	-23.83	3	Vertical	105	2.07	-
2457MHz	Pass	AV	7.38228G	36.58	54.00	-17.42	3	Vertical	15	1.32	-
2457MHz	Pass	PK	4.8948G	43.75	74.00	-30.25	3	Vertical	105	2.07	-
2457MHz	Pass	PK	7.3862G	49.95	74.00	-24.05	3	Vertical	15	1.32	-
2457MHz	Pass	AV	4.91792G	30.13	54.00	-23.87	3	Horizontal	48	1.54	-
2457MHz	Pass	AV	7.37868G	36.57	54.00	-17.43	3	Horizontal	230	2.58	-
2457MHz	Pass	PK	4.93136G	42.70	74.00	-31.30	3	Horizontal	48	1.54	-
2457MHz	Pass	PK	7.3586G	49.78	74.00	-24.22	3	Horizontal	230	2.58	-
2462MHz	Pass	AV	2.366G	48.16	54.00	-5.84	3	Vertical	182	1.10	-
2462MHz	Pass	AV	2.4604G	83.96	Inf	-Inf	3	Vertical	182	1.10	-
2462MHz	Pass	AV	2.4835G	48.65	54.00	-5.35	3	Vertical	182	1.10	-
2462MHz	Pass	PK	2.37G	58.93	74.00	-15.07	3	Vertical	182	1.10	-
2462MHz	Pass	PK	2.4696G	95.64	Inf	-Inf	3	Vertical	182	1.10	-
2462MHz	Pass	PK	2.4835G	61.25	74.00	-12.75	3	Vertical	182	1.10	-
2462MHz	Pass	AV	2.3704G	48.18	54.00	-5.82	3	Horizontal	26	1.80	-
2462MHz	Pass	AV	2.4676G	81.29	Inf	-Inf	3	Horizontal	26	1.80	-
2462MHz	Pass	AV	2.4835G	48.52	54.00	-5.48	3	Horizontal	26	1.80	-
2462MHz	Pass	PK	2.3624G	59.82	74.00	-14.18	3	Horizontal	26	1.80	-
2462MHz	Pass	PK	2.4704G	93.29	Inf	-Inf	3	Horizontal	26	1.80	-
2462MHz	Pass	PK	2.4856G	58.77	74.00	-15.23	3	Horizontal	26	1.80	-
2462MHz	Pass	AV	4.916G	30.18	54.00	-23.82	3	Vertical	193	2.88	-
2462MHz	Pass	AV	7.40088G	36.76	54.00	-17.24	3	Vertical	358	1.03	-
2462MHz	Pass	PK	4.90544G	43.17	74.00	-30.83	3	Vertical	193	2.88	-
2462MHz	Pass	PK	7.38104G	49.64	74.00	-24.36	3	Vertical	358	1.03	-
2462MHz	Pass	AV	4.91672G	30.12	54.00	-23.88	3	Horizontal	308	2.13	-
2462MHz	Pass	AV	7.40336G	36.79	54.00	-17.21	3	Horizontal	304	1.47	-
2462MHz	Pass	PK	4.92528G	43.32	74.00	-30.68	3	Horizontal	308	2.13	-
2462MHz	Pass	PK	7.39736G	49.81	74.00	-24.19	3	Horizontal	304	1.47	-
802.11ax HEW40_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3272G	50.72	54.00	-3.28	3	Vertical	71	1.08	-
2422MHz	Pass	AV	2.4204G	90.16	Inf	-Inf	3	Vertical	71	1.08	-
2422MHz	Pass	AV	2.4852G	50.63	54.00	-3.37	3	Vertical	71	1.08	-
2422MHz	Pass	PK	2.3512G	62.15	74.00	-11.85	3	Vertical	71	1.08	-
2422MHz	Pass	PK	2.42G	101.83	Inf	-Inf	3	Vertical	71	1.08	-
2422MHz	Pass	PK	2.4876G	61.94	74.00	-12.06	3	Vertical	71	1.08	-
2422MHz	Pass	AV	2.3272G	50.72	54.00	-3.28	3	Horizontal	57	1.63	-
2422MHz	Pass	AV	2.4208G	89.33	Inf	-Inf	3	Horizontal	57	1.63	-
2422MHz	Pass	AV	2.4868G	50.63	54.00	-3.37	3	Horizontal	57	1.63	-
2422MHz	Pass	PK	2.3332G	62.88	74.00	-11.12	3	Horizontal	57	1.63	-
2422MHz	Pass	PK	2.432G	101.25	Inf	-Inf	3	Horizontal	57	1.63	-
2422MHz	Pass	PK	2.4892G	61.80	74.00	-12.20	3	Horizontal	57	1.63	-
2422MHz	Pass	AV	4.82808G	31.62	54.00	-22.38	3	Vertical	3	1.60	-
2422MHz	Pass	AV	7.26432G	38.82	54.00	-15.18	3	Vertical	85	1.40	-
2422MHz	Pass	PK	4.84008G	44.12	74.00	-29.88	3	Vertical	3	1.60	-
2422MHz	Pass	PK	7.28432G	51.10	74.00	-22.90	3	Vertical	85	1.40	-
2422MHz	Pass	AV	4.82752G	31.62	54.00	-22.38	3	Horizontal	130	2.72	-
2422MHz	Pass	AV	7.2676G	38.79	54.00	-15.21	3	Horizontal	259	1.95	-
2422MHz	Pass	PK	4.84824G	43.24	74.00	-30.76	3	Horizontal	130	2.72	-
2422MHz	Pass	PK	7.25384G	50.37	74.00	-23.63	3	Horizontal	259	1.95	-
2427MHz	Pass	AV	2.3898G	52.37	54.00	-1.63	3	Vertical	120	1.01	-
2427MHz	Pass	AV	2.4258G	102.03	Inf	-Inf	3	Vertical	120	1.01	-
2427MHz	Pass	AV	2.485G	50.89	54.00	-3.11	3	Vertical	120	1.01	-
2427MHz	Pass	PK	2.3894G	62.93	74.00	-11.07	3	Vertical	120	1.01	-
2427MHz	Pass	PK	2.437G	113.63	Inf	-Inf	3	Vertical	120	1.01	-
2427MHz	Pass	PK	2.4966G	62.53	74.00	-11.47	3	Vertical	120	1.01	-
2427MHz	Pass	AV	2.387G	51.70	54.00	-2.30	3	Horizontal	56	1.60	-
2427MHz	Pass	AV	2.4258G	100.81	Inf	-Inf	3	Horizontal	56	1.60	-
2427MHz	Pass	AV	2.485G	50.89	54.00	-3.11	3	Horizontal	56	1.60	-
2427MHz	Pass	PK	2.3886G	63.05	74.00	-10.95	3	Horizontal	56	1.60	-
2427MHz	Pass	PK	2.4366G	111.72	Inf	-Inf	3	Horizontal	56	1.60	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2427MHz	Pass	PK	2.4842G	62.08	74.00	-11.92	3	Horizontal	56	1.60	-
2427MHz	Pass	AV	4.8668G	31.65	54.00	-22.35	3	Vertical	64	1.44	-
2427MHz	Pass	AV	7.26484G	38.81	54.00	-15.19	3	Vertical	32	2.17	-
2427MHz	Pass	PK	4.86264G	44.22	74.00	-29.78	3	Vertical	64	1.44	-
2427MHz	Pass	PK	7.27796G	50.88	74.00	-23.12	3	Vertical	32	2.17	-
2427MHz	Pass	AV	4.86656G	31.65	54.00	-22.35	3	Horizontal	150	2.32	-
2427MHz	Pass	AV	7.26548G	38.81	54.00	-15.19	3	Horizontal	10	2.14	-
2427MHz	Pass	PK	4.84648G	43.65	74.00	-30.35	3	Horizontal	150	2.32	-
2427MHz	Pass	PK	7.26316G	50.57	74.00	-23.43	3	Horizontal	10	2.14	-
2437MHz	Pass	AV	2.3874G	50.99	54.00	-3.01	3	Vertical	120	1.16	-
2437MHz	Pass	AV	2.4454G	102.73	Inf	-Inf	3	Vertical	120	1.16	-
2437MHz	Pass	AV	2.485G	52.30	54.00	-1.70	3	Vertical	120	1.16	-
2437MHz	Pass	PK	2.3878G	62.79	74.00	-11.21	3	Vertical	120	1.16	-
2437MHz	Pass	PK	2.4454G	114.64	Inf	-Inf	3	Vertical	120	1.16	-
2437MHz	Pass	PK	2.4838G	63.80	74.00	-10.20	3	Vertical	120	1.16	-
2437MHz	Pass	AV	2.3894G	50.74	54.00	-3.26	3	Horizontal	57	1.54	-
2437MHz	Pass	AV	2.4358G	101.50	Inf	-Inf	3	Horizontal	57	1.54	-
2437MHz	Pass	AV	2.4854G	51.39	54.00	-2.61	3	Horizontal	57	1.54	-
2437MHz	Pass	PK	2.3858G	62.79	74.00	-11.21	3	Horizontal	57	1.54	-
2437MHz	Pass	PK	2.4474G	113.37	Inf	-Inf	3	Horizontal	57	1.54	-
2437MHz	Pass	PK	2.4874G	63.08	74.00	-10.92	3	Horizontal	57	1.54	-
2437MHz	Pass	AV	4.86816G	31.55	54.00	-22.45	3	Vertical	281	1.89	-
2437MHz	Pass	AV	7.2954G	38.67	54.00	-15.33	3	Vertical	146	2.56	-
2437MHz	Pass	PK	4.87368G	42.91	74.00	-31.09	3	Vertical	281	1.89	-
2437MHz	Pass	PK	7.30452G	51.48	74.00	-22.52	3	Vertical	146	2.56	-
2437MHz	Pass	AV	4.866G	31.65	54.00	-22.35	3	Horizontal	108	2.38	-
2437MHz	Pass	AV	7.297G	38.65	54.00	-15.35	3	Horizontal	138	1.07	-
2437MHz	Pass	PK	4.88864G	43.72	74.00	-30.28	3	Horizontal	108	2.38	-
2437MHz	Pass	PK	7.32572G	51.64	74.00	-22.36	3	Horizontal	138	1.07	-
2447MHz	Pass	AV	2.389G	50.74	54.00	-3.26	3	Vertical	120	1.00	-
2447MHz	Pass	AV	2.4454G	103.13	Inf	-Inf	3	Vertical	120	1.00	-
2447MHz	Pass	AV	2.485G	52.30	54.00	-1.70	3	Vertical	120	1.00	-
2447MHz	Pass	PK	2.3886G	62.41	74.00	-11.59	3	Vertical	120	1.00	-
2447MHz	Pass	PK	2.4462G	115.14	Inf	-Inf	3	Vertical	120	1.00	-
2447MHz	Pass	PK	2.4922G	63.55	74.00	-10.45	3	Vertical	120	1.00	-
2447MHz	Pass	AV	2.3474G	50.58	54.00	-3.42	3	Horizontal	57	1.50	-
2447MHz	Pass	AV	2.4462G	100.66	Inf	-Inf	3	Horizontal	57	1.50	-
2447MHz	Pass	AV	2.485G	51.39	54.00	-2.61	3	Horizontal	57	1.50	-
2447MHz	Pass	PK	2.3882G	62.92	74.00	-11.08	3	Horizontal	57	1.50	-
2447MHz	Pass	PK	2.4462G	111.84	Inf	-Inf	3	Horizontal	57	1.50	-
2447MHz	Pass	PK	2.4835G	64.35	74.00	-9.65	3	Horizontal	57	1.50	-
2447MHz	Pass	AV	4.9128G	31.76	54.00	-22.24	3	Vertical	22	2.92	-
2447MHz	Pass	AV	7.34156G	38.86	54.00	-15.14	3	Vertical	158	1.01	-
2447MHz	Pass	PK	4.90104G	44.40	74.00	-29.60	3	Vertical	22	2.92	-
2447MHz	Pass	PK	7.34332G	52.00	74.00	-22.00	3	Vertical	158	1.01	-
2447MHz	Pass	AV	4.91376G	31.78	54.00	-22.22	3	Horizontal	360	1.50	-
2447MHz	Pass	AV	7.34708G	38.76	54.00	-15.24	3	Horizontal	233	1.50	-
2447MHz	Pass	PK	4.90896G	45.36	74.00	-28.64	3	Horizontal	360	1.50	-
2447MHz	Pass	PK	7.35708G	51.21	74.00	-22.79	3	Horizontal	233	1.50	-
2452MHz	Pass	AV	2.3888G	50.99	54.00	-3.01	3	Vertical	119	1.01	-
2452MHz	Pass	AV	2.4504G	102.80	Inf	-Inf	3	Vertical	119	1.01	-
2452MHz	Pass	AV	2.4835G	52.07	54.00	-1.93	3	Vertical	119	1.01	-
2452MHz	Pass	PK	2.3884G	62.67	74.00	-11.33	3	Vertical	119	1.01	-
2452MHz	Pass	PK	2.4404G	113.73	Inf	-Inf	3	Vertical	119	1.01	-
2452MHz	Pass	PK	2.4868G	65.42	74.00	-8.58	3	Vertical	119	1.01	-
2452MHz	Pass	AV	2.3892G	50.74	54.00	-3.26	3	Horizontal	58	1.50	-
2452MHz	Pass	AV	2.442G	100.29	Inf	-Inf	3	Horizontal	58	1.50	-
2452MHz	Pass	AV	2.4835G	51.85	54.00	-2.15	3	Horizontal	58	1.50	-
2452MHz	Pass	PK	2.3532G	61.92	74.00	-12.08	3	Horizontal	58	1.50	-
2452MHz	Pass	PK	2.4508G	111.25	Inf	-Inf	3	Horizontal	58	1.50	-
2452MHz	Pass	PK	2.4835G	65.46	74.00	-8.54	3	Horizontal	58	1.50	-
2452MHz	Pass	AV	4.9016G	31.82	54.00	-22.18	3	Vertical	46	2.76	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2452MHz	Pass	AV	7.35032G	38.76	54.00	-15.24	3	Vertical	275	1.50	-
2452MHz	Pass	PK	4.91992G	44.46	74.00	-29.54	3	Vertical	46	2.76	-
2452MHz	Pass	PK	7.35848G	51.31	74.00	-22.69	3	Vertical	275	1.50	-
2452MHz	Pass	AV	4.9156G	31.80	54.00	-22.20	3	Horizontal	104	1.50	-
2452MHz	Pass	AV	7.34144G	38.76	54.00	-15.24	3	Horizontal	237	1.50	-
2452MHz	Pass	PK	4.9008G	44.35	74.00	-29.65	3	Horizontal	104	1.50	-
2452MHz	Pass	PK	7.35552G	51.32	74.00	-22.68	3	Horizontal	237	1.50	-
2457MHz	Pass	AV	2.3606G	48.19	54.00	-5.81	3	Vertical	114	1.05	-
2457MHz	Pass	AV	2.455G	93.24	Inf	-Inf	3	Vertical	114	1.05	-
2457MHz	Pass	AV	2.4846G	48.49	54.00	-5.51	3	Vertical	114	1.05	-
2457MHz	Pass	PK	2.3874G	59.58	74.00	-14.42	3	Vertical	114	1.05	-
2457MHz	Pass	PK	2.4654G	104.89	Inf	-Inf	3	Vertical	114	1.05	-
2457MHz	Pass	PK	2.4846G	59.19	74.00	-14.81	3	Vertical	114	1.05	-
2457MHz	Pass	AV	2.3574G	48.19	54.00	-5.81	3	Horizontal	48	1.11	-
2457MHz	Pass	AV	2.4582G	91.03	Inf	-Inf	3	Horizontal	48	1.11	-
2457MHz	Pass	AV	2.4866G	47.95	54.00	-6.05	3	Horizontal	48	1.11	-
2457MHz	Pass	PK	2.3682G	60.18	74.00	-13.82	3	Horizontal	48	1.11	-
2457MHz	Pass	PK	2.4578G	101.69	Inf	-Inf	3	Horizontal	48	1.11	-
2457MHz	Pass	PK	2.4902G	58.91	74.00	-15.09	3	Horizontal	48	1.11	-
2457MHz	Pass	AV	4.91648G	30.17	54.00	-23.83	3	Vertical	293	2.34	-
2457MHz	Pass	AV	7.379G	36.65	54.00	-17.35	3	Vertical	207	2.86	-
2457MHz	Pass	PK	4.92144G	42.74	74.00	-31.26	3	Vertical	293	2.34	-
2457MHz	Pass	PK	7.3778G	50.37	74.00	-23.63	3	Vertical	207	2.86	-
2457MHz	Pass	AV	4.9192G	30.18	54.00	-23.82	3	Horizontal	132	1.66	-
2457MHz	Pass	AV	7.3782G	36.59	54.00	-17.41	3	Horizontal	349	1.26	-
2457MHz	Pass	PK	4.89872G	43.53	74.00	-30.47	3	Horizontal	132	1.66	-
2457MHz	Pass	PK	7.3766G	49.21	74.00	-24.79	3	Horizontal	349	1.26	-
2462MHz	Pass	AV	2.3672G	48.17	54.00	-5.83	3	Vertical	114	1.00	-
2462MHz	Pass	AV	2.4604G	87.68	Inf	-Inf	3	Vertical	114	1.00	-
2462MHz	Pass	AV	2.4835G	49.07	54.00	-4.93	3	Vertical	114	1.00	-
2462MHz	Pass	PK	2.3804G	58.52	74.00	-15.48	3	Vertical	114	1.00	-
2462MHz	Pass	PK	2.4596G	99.63	Inf	-Inf	3	Vertical	114	1.00	-
2462MHz	Pass	PK	2.484G	62.46	74.00	-11.54	3	Vertical	114	1.00	-
2462MHz	Pass	AV	2.3624G	48.14	54.00	-5.86	3	Horizontal	48	1.10	-
2462MHz	Pass	AV	2.4632G	85.36	Inf	-Inf	3	Horizontal	48	1.10	-
2462MHz	Pass	AV	2.4835G	48.72	54.00	-5.28	3	Horizontal	48	1.10	-
2462MHz	Pass	PK	2.3652G	59.25	74.00	-14.75	3	Horizontal	48	1.10	-
2462MHz	Pass	PK	2.4632G	97.58	Inf	-Inf	3	Horizontal	48	1.10	-
2462MHz	Pass	PK	2.4835G	60.18	74.00	-13.82	3	Horizontal	48	1.10	-
2462MHz	Pass	AV	4.91336G	30.14	54.00	-23.86	3	Vertical	103	1.20	-
2462MHz	Pass	AV	7.40128G	36.81	54.00	-17.19	3	Vertical	22	2.08	-
2462MHz	Pass	PK	4.90528G	43.44	74.00	-30.56	3	Vertical	103	1.20	-
2462MHz	Pass	PK	7.38168G	49.28	74.00	-24.72	3	Vertical	22	2.08	-
2462MHz	Pass	AV	4.92176G	30.16	54.00	-23.84	3	Horizontal	73	2.07	-
2462MHz	Pass	AV	7.40024G	36.84	54.00	-17.16	3	Horizontal	142	2.94	-
2462MHz	Pass	PK	4.918G	43.55	74.00	-30.45	3	Horizontal	73	2.07	-
2462MHz	Pass	PK	7.38048G	49.82	74.00	-24.18	3	Horizontal	142	2.94	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	47.52	54.00	-6.48	34.98	3	Vertical	109	1.06	-	12.54	27.72	7.26	-
AV	2.4128G	106.40	Inf	-Inf	34.89	3	Vertical	109	1.06	-	71.51	27.62	7.27	-
PK	2.385G	59.90	74.00	-14.10	34.98	3	Vertical	109	1.06	-	24.92	27.73	7.25	-
PK	2.413G	110.40	Inf	-Inf	34.89	3	Vertical	109	1.06	-	75.51	27.62	7.27	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.387G	47.35	54.00	-6.65	34.98	3	Horizontal	55	2.70	-	12.37	27.73	7.25	-
AV	2.4126G	106.47	Inf	-Inf	34.89	3	Horizontal	55	2.70	-	71.58	27.62	7.27	-
PK	2.3812G	58.68	74.00	-15.32	34.99	3	Horizontal	55	2.70	-	23.69	27.74	7.25	-
PK	2.413G	110.46	Inf	-Inf	34.89	3	Horizontal	55	2.70	-	75.57	27.62	7.27	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82394G	30.69	54.00	-23.31	6.65	3	Vertical	269	1.50	-	24.04	31.15	9.68	34.18
PK	4.81662G	43.61	74.00	-30.39	6.62	3	Vertical	269	1.50	-	36.99	31.13	9.68	34.19

802.11b_Nss1,(1Mbps)_1TX(Port1)


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82396G	31.17	54.00	-22.83	6.65	3	Horizontal	301	1.06	-	24.52	31.15	9.68	34.18
PK	4.83296G	44.05	74.00	-29.95	6.67	3	Horizontal	301	1.06	-	37.38	31.17	9.68	34.18

802.11b_Nss1,(1Mbps)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.63	54.00	-6.37	34.98	3	Vertical	105	1.05	-	12.65	27.72	7.26	-
AV	2.4176G	107.05	Inf	-Inf	34.86	3	Vertical	105	1.05	-	72.19	27.59	7.27	-
PK	2.3736G	58.71	74.00	-15.29	35.00	3	Vertical	105	1.05	-	23.71	27.75	7.25	-
PK	2.418G	111.01	Inf	-Inf	34.86	3	Vertical	105	1.05	-	76.15	27.59	7.27	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.43	54.00	-6.57	34.98	3	Horizontal	58	2.72	-	12.45	27.72	7.26	-
AV	2.4162G	106.98	Inf	-Inf	34.87	3	Horizontal	58	2.72	-	72.11	27.60	7.27	-
PK	2.3674G	59.05	74.00	-14.95	35.02	3	Horizontal	58	2.72	-	24.03	27.77	7.25	-
PK	2.418G	110.84	Inf	-Inf	34.86	3	Horizontal	58	2.72	-	75.98	27.59	7.27	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83396G	31.85	54.00	-22.15	6.67	3	Vertical	269	1.00	-	25.18	31.17	9.68	34.18
PK	4.82932G	43.90	74.00	-30.10	6.66	3	Vertical	269	1.00	-	37.24	31.16	9.68	34.18

802.11b_Nss1,(1Mbps)_1TX(Port1)


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83392G	30.87	54.00	-23.13	6.67	3	Horizontal	300	2.41	-	24.20	31.17	9.68	34.18
PK	4.82444G	43.86	74.00	-30.14	6.65	3	Horizontal	300	2.41	-	37.21	31.15	9.68	34.18

802.11b_Nss1,(1Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3374G	48.38	54.00	-5.62	36.07	3	Vertical	106	1.17	-	12.31	27.83	8.24	-
AV	2.4362G	105.37	Inf	-Inf	35.79	3	Vertical	106	1.17	-	69.58	27.48	8.31	-
AV	2.4838G	47.97	54.00	-6.03	35.74	3	Vertical	106	1.17	-	12.23	27.40	8.34	-
PK	2.3478G	59.96	74.00	-14.04	36.05	3	Vertical	106	1.17	-	23.91	27.80	8.25	-
PK	2.4378G	109.40	Inf	-Inf	35.78	3	Vertical	106	1.17	-	73.62	27.47	8.31	-
PK	2.4906G	59.11	74.00	-14.89	35.75	3	Vertical	106	1.17	-	23.36	27.40	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3414G	48.34	54.00	-5.66	36.07	3	Horizontal	313	3.00	-	12.27	27.82	8.25	-
AV	2.4378G	103.09	Inf	-Inf	35.78	3	Horizontal	313	3.00	-	67.31	27.47	8.31	-
AV	2.4842G	47.84	54.00	-6.16	35.74	3	Horizontal	313	3.00	-	12.10	27.40	8.34	-
PK	2.3738G	60.13	74.00	-13.87	36.02	3	Horizontal	313	3.00	-	24.11	27.75	8.27	-
PK	2.4382G	107.14	Inf	-Inf	35.78	3	Horizontal	313	3.00	-	71.36	27.47	8.31	-
PK	2.4934G	59.05	74.00	-14.95	35.75	3	Horizontal	313	3.00	-	23.30	27.40	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8652G	30.20	54.00	-23.80	6.74	3	Vertical	103	1.50	-	23.46	31.20	9.70	34.16
AV	7.31184G	36.64	54.00	-17.36	13.20	3	Vertical	39	1.50	-	23.44	36.38	11.32	34.50
PK	4.86652G	44.40	74.00	-29.60	6.74	3	Vertical	103	1.50	-	37.66	31.20	9.70	34.16
PK	7.31144G	50.47	74.00	-23.53	13.20	3	Vertical	39	1.50	-	37.27	36.38	11.32	34.50

802.11b_Nss1,(1Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86468G	30.23	54.00	-23.77	6.74	3	Horizontal	360	1.62	-	23.49	31.20	9.70	34.16
AV	7.31336G	36.43	54.00	-17.57	13.19	3	Horizontal	313	1.50	-	23.24	36.37	11.32	34.50
PK	4.86608G	43.93	74.00	-30.07	6.74	3	Horizontal	360	1.62	-	37.19	31.20	9.70	34.16
PK	7.31828G	50.47	74.00	-23.53	13.18	3	Horizontal	313	1.50	-	37.29	36.36	11.32	34.50

802.11b_Nss1,(1Mbps)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	106.44	Inf	-Inf	34.70	3	Vertical	123	1.00	-	71.74	27.40	7.30	-
AV	2.4835G	47.41	54.00	-6.59	34.73	3	Vertical	123	1.00	-	12.68	27.40	7.33	-
PK	2.4562G	110.27	Inf	-Inf	34.70	3	Vertical	123	1.00	-	75.57	27.40	7.30	-
PK	2.487G	58.14	74.00	-15.86	34.73	3	Vertical	123	1.00	-	23.41	27.40	7.33	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	106.64	Inf	-Inf	34.70	3	Horizontal	50	1.89	-	71.94	27.40	7.30	-
AV	2.4835G	47.26	54.00	-6.74	34.73	3	Horizontal	50	1.89	-	12.53	27.40	7.33	-
PK	2.456G	110.43	Inf	-Inf	34.70	3	Horizontal	50	1.89	-	75.73	27.40	7.30	-
PK	2.4976G	58.47	74.00	-15.53	34.74	3	Horizontal	50	1.89	-	23.73	27.40	7.34	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91392G	30.69	54.00	-23.31	6.84	3	Vertical	272	1.50	-	23.85	31.26	9.72	34.14
AV	7.38072G	36.52	54.00	-17.48	13.09	3	Vertical	0	1.50	-	23.43	36.24	11.34	34.49
PK	4.91396G	44.31	74.00	-29.69	6.84	3	Vertical	272	1.50	-	37.47	31.26	9.72	34.14
PK	7.37012G	50.34	74.00	-23.66	13.10	3	Vertical	0	1.50	-	37.24	36.26	11.33	34.49

802.11b_Nss1,(1Mbps)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91392G	31.38	54.00	-22.62	6.84	3	Horizontal	45	1.00	-	24.54	31.26	9.72	34.14
AV	7.38072G	36.53	54.00	-17.47	13.09	3	Horizontal	197	1.35	-	23.44	36.24	11.34	34.49
PK	4.91384G	44.08	74.00	-29.92	6.84	3	Horizontal	45	1.00	-	37.24	31.26	9.72	34.14
PK	7.36176G	50.29	74.00	-23.71	13.12	3	Horizontal	197	1.35	-	37.17	36.28	11.33	34.49

802.11b_Nss1,(1Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	104.25	Inf	-Inf	34.71	3	Vertical	131	1.17	-	69.54	27.40	7.31	-
AV	2.4858G	47.01	54.00	-6.99	34.73	3	Vertical	131	1.17	-	12.28	27.40	7.33	-
PK	2.463G	108.25	Inf	-Inf	34.71	3	Vertical	131	1.17	-	73.54	27.40	7.31	-
PK	2.4872G	59.18	74.00	-14.82	34.73	3	Vertical	131	1.17	-	24.45	27.40	7.33	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	104.28	Inf	-Inf	34.71	3	Horizontal	63	2.94	-	69.57	27.40	7.31	-
AV	2.4864G	47.05	54.00	-6.95	34.73	3	Horizontal	63	2.94	-	12.32	27.40	7.33	-
PK	2.4612G	108.15	Inf	-Inf	34.71	3	Horizontal	63	2.94	-	73.44	27.40	7.31	-
PK	2.4842G	58.32	74.00	-15.68	34.73	3	Horizontal	63	2.94	-	23.59	27.40	7.33	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92396G	30.79	54.00	-23.21	6.88	3	Vertical	0	1.50	-	23.91	31.30	9.72	34.14
AV	7.38496G	37.08	54.00	-16.92	13.08	3	Vertical	31	1.42	-	24.00	36.23	11.34	34.49
PK	4.92664G	44.48	74.00	-29.52	6.89	3	Vertical	0	1.50	-	37.59	31.31	9.72	34.14
PK	7.38648G	50.69	74.00	-23.31	13.08	3	Vertical	31	1.42	-	37.61	36.23	11.34	34.49

802.11b_Nss1,(1Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92396G	31.28	54.00	-22.72	6.88	3	Horizontal	39	1.01	-	24.40	31.30	9.72	34.14
AV	7.38068G	36.56	54.00	-17.44	13.09	3	Horizontal	88	2.31	-	23.47	36.24	11.34	34.49
PK	4.91428G	44.25	74.00	-29.75	6.84	3	Horizontal	39	1.01	-	37.41	31.26	9.72	34.14
PK	7.39372G	50.52	74.00	-23.48	13.06	3	Horizontal	88	2.31	-	37.46	36.21	11.34	34.49

802.11b_Nss1,(1Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4662G	96.54	Inf	-Inf	34.71	3	Vertical	114	1.18	-	61.83	27.40	7.31	-
AV	2.484G	46.81	54.00	-7.19	34.73	3	Vertical	114	1.18	-	12.08	27.40	7.33	-
PK	2.468G	100.41	Inf	-Inf	34.71	3	Vertical	114	1.18	-	65.70	27.40	7.31	-
PK	2.4844G	58.15	74.00	-15.85	34.73	3	Vertical	114	1.18	-	23.42	27.40	7.33	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4662G	95.41	Inf	-Inf	34.71	3	Horizontal	58	1.05	-	60.70	27.40	7.31	-
AV	2.4835G	46.83	54.00	-7.17	34.73	3	Horizontal	58	1.05	-	12.10	27.40	7.33	-
PK	2.468G	99.22	Inf	-Inf	34.71	3	Horizontal	58	1.05	-	64.51	27.40	7.31	-
PK	2.4922G	57.92	74.00	-16.08	34.73	3	Horizontal	58	1.05	-	23.19	27.40	7.33	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94384G	30.30	54.00	-23.70	6.98	3	Vertical	180	2.41	-	23.32	31.38	9.73	34.13
AV	7.40768G	36.73	54.00	-17.27	13.06	3	Vertical	49	1.20	-	23.67	36.22	11.33	34.49
PK	4.94372G	44.18	74.00	-29.82	6.97	3	Vertical	180	2.41	-	37.21	31.37	9.73	34.13
PK	7.40228G	50.04	74.00	-23.96	13.05	3	Vertical	49	1.20	-	36.99	36.20	11.34	34.49

802.11b_Nss1,(1Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.944G	30.32	54.00	-23.68	6.98	3	Horizontal	351	1.71	-	23.34	31.38	9.73	34.13
AV	7.40784G	36.71	54.00	-17.29	13.06	3	Horizontal	0	1.39	-	23.65	36.22	11.33	34.49
PK	4.93556G	44.20	74.00	-29.80	6.93	3	Horizontal	351	1.71	-	37.27	31.34	9.72	34.13
PK	7.39604G	50.94	74.00	-23.06	13.06	3	Horizontal	0	1.39	-	37.88	36.21	11.34	34.49

802.11b_Nss1,(1Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4712G	93.16	Inf	-Inf	34.72	3	Vertical	123	1.14	-	58.44	27.40	7.32	-
AV	2.4835G	47.49	54.00	-6.51	34.73	3	Vertical	123	1.14	-	12.76	27.40	7.33	-
PK	2.471G	96.92	Inf	-Inf	34.72	3	Vertical	123	1.14	-	62.20	27.40	7.32	-
PK	2.4968G	58.12	74.00	-15.88	34.74	3	Vertical	123	1.14	-	23.38	27.40	7.34	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4712G	91.89	Inf	-Inf	34.72	3	Horizontal	52	1.08	-	57.17	27.40	7.32	-
AV	2.4835G	47.28	54.00	-6.72	34.73	3	Horizontal	52	1.08	-	12.55	27.40	7.33	-
PK	2.471G	95.66	Inf	-Inf	34.72	3	Horizontal	52	1.08	-	60.94	27.40	7.32	-
PK	2.4856G	58.54	74.00	-15.46	34.73	3	Horizontal	52	1.08	-	23.81	27.40	7.33	-

802.11b_Nss1,(1Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94672G	30.39	54.00	-23.61	6.99	3	Vertical	166	1.63	-	23.40	31.39	9.73	34.13
AV	7.41488G	36.75	54.00	-17.25	13.07	3	Vertical	356	1.39	-	23.68	36.23	11.33	34.49
PK	4.94036G	44.32	74.00	-29.68	6.96	3	Vertical	166	1.63	-	37.36	31.36	9.73	34.13
PK	7.41768G	51.28	74.00	-22.72	13.07	3	Vertical	356	1.39	-	38.21	36.24	11.32	34.49

802.11b_Nss1,(1Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94664G	30.38	54.00	-23.62	6.99	3	Horizontal	334	2.10	-	23.39	31.39	9.73	34.13
AV	7.41276G	36.75	54.00	-17.25	13.07	3	Horizontal	130	1.68	-	23.68	36.23	11.33	34.49
PK	4.93548G	44.94	74.00	-29.06	6.93	3	Horizontal	334	2.10	-	38.01	31.34	9.72	34.13
PK	7.41664G	51.03	74.00	-22.97	13.06	3	Horizontal	130	1.68	-	37.97	36.23	11.32	34.49

802.11b_Nss1,(1Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3662G	48.11	54.00	-5.89	36.03	3	Vertical	126	1.00	-	12.08	27.77	8.26	-
AV	2.4112G	102.60	Inf	-Inf	35.93	3	Vertical	126	1.00	-	66.67	27.63	8.30	-
PK	2.3724G	60.22	74.00	-13.78	36.03	3	Vertical	126	1.00	-	24.19	27.76	8.27	-
PK	2.413G	106.66	Inf	-Inf	35.92	3	Vertical	126	1.00	-	70.74	27.62	8.30	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3676G	48.27	54.00	-5.73	36.03	3	Horizontal	38	1.01	-	12.24	27.76	8.27	-
AV	2.4126G	101.17	Inf	-Inf	35.92	3	Horizontal	38	1.01	-	65.25	27.62	8.30	-
PK	2.377G	60.09	74.00	-13.91	36.02	3	Horizontal	38	1.01	-	24.07	27.75	8.27	-
PK	2.413G	105.22	Inf	-Inf	35.92	3	Horizontal	38	1.01	-	69.30	27.62	8.30	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82394G	33.01	54.00	-20.99	6.65	3	Vertical	58	1.50	-	26.36	31.15	9.68	34.18
PK	4.81956G	43.89	74.00	-30.11	6.63	3	Vertical	58	1.50	-	37.26	31.14	9.68	34.19

802.11b_Nss1,(1Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82394G	36.00	54.00	-18.00	6.65	3	Horizontal	229	1.50	-	29.35	31.15	9.68	34.18
PK	4.82424G	44.88	74.00	-29.12	6.65	3	Horizontal	229	1.50	-	38.23	31.15	9.68	34.18

802.11b_Nss1,(1Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.46	54.00	-5.54	36.00	3	Vertical	128	1.00	-	12.46	27.72	8.28	-
AV	2.4162G	105.27	Inf	-Inf	35.90	3	Vertical	128	1.00	-	69.37	27.60	8.30	-
PK	2.3694G	59.56	74.00	-14.44	36.03	3	Vertical	128	1.00	-	23.53	27.76	8.27	-
PK	2.418G	109.23	Inf	-Inf	35.89	3	Vertical	128	1.00	-	73.34	27.59	8.30	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3678G	48.19	54.00	-5.81	36.03	3	Horizontal	342	2.68	-	12.16	27.76	8.27	-
AV	2.4178G	102.94	Inf	-Inf	35.89	3	Horizontal	342	2.68	-	67.05	27.59	8.30	-
PK	2.3862G	59.28	74.00	-14.72	36.01	3	Horizontal	342	2.68	-	23.27	27.73	8.28	-
PK	2.418G	107.01	Inf	-Inf	35.89	3	Horizontal	342	2.68	-	71.12	27.59	8.30	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83394G	32.99	54.00	-21.01	6.67	3	Vertical	31	1.50	-	26.32	31.17	9.68	34.18
PK	4.8205G	43.81	74.00	-30.19	6.63	3	Vertical	31	1.50	-	37.18	31.14	9.68	34.19

802.11b_Nss1,(1Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83394G	31.71	54.00	-22.29	6.67	3	Horizontal	35	1.50	-	25.04	31.17	9.68	34.18
PK	4.8202G	44.42	74.00	-29.58	6.63	3	Horizontal	35	1.50	-	37.79	31.14	9.68	34.19

802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.343G	48.38	54.00	-5.62	36.06	3	Vertical	128	1.10	-	12.32	27.81	8.25	-
AV	2.4378G	106.49	Inf	-Inf	35.78	3	Vertical	128	1.10	-	70.71	27.47	8.31	-
AV	2.4846G	47.93	54.00	-6.07	35.74	3	Vertical	128	1.10	-	12.19	27.40	8.34	-
PK	2.3386G	60.73	74.00	-13.27	36.06	3	Vertical	128	1.10	-	24.67	27.82	8.24	-
PK	2.4378G	110.54	Inf	-Inf	35.78	3	Vertical	128	1.10	-	74.76	27.47	8.31	-
PK	2.485G	60.23	74.00	-13.77	35.75	3	Vertical	128	1.10	-	24.48	27.40	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3406G	48.33	54.00	-5.67	36.07	3	Horizontal	344	2.63	-	12.26	27.82	8.25	-
AV	2.4378G	103.49	Inf	-Inf	35.78	3	Horizontal	344	2.63	-	67.71	27.47	8.31	-
AV	2.4842G	47.88	54.00	-6.12	35.74	3	Horizontal	344	2.63	-	12.14	27.40	8.34	-
PK	2.3418G	60.24	74.00	-13.76	36.07	3	Horizontal	344	2.63	-	24.17	27.82	8.25	-
PK	2.4378G	107.56	Inf	-Inf	35.78	3	Horizontal	344	2.63	-	71.78	27.47	8.31	-
PK	2.4966G	60.23	74.00	-13.77	35.75	3	Horizontal	344	2.63	-	24.48	27.40	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87892G	29.44	54.00	-24.56	6.00	3	Vertical	360	1.67	-	23.44	31.20	8.96	34.16
AV	7.32522G	35.87	54.00	-18.13	12.49	3	Vertical	248	1.50	-	23.38	36.35	10.64	34.50
PK	4.87946G	43.29	74.00	-30.71	6.00	3	Vertical	360	1.67	-	37.29	31.20	8.96	34.16
PK	7.3185G	50.00	74.00	-24.00	12.49	3	Vertical	248	1.50	-	37.51	36.36	10.63	34.50

802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87964G	29.44	54.00	-24.56	6.00	3	Horizontal	350	1.49	-	23.44	31.20	8.96	34.16
AV	7.32468G	35.90	54.00	-18.10	12.48	3	Horizontal	0	1.50	-	23.42	36.35	10.63	34.50
PK	4.87928G	43.69	74.00	-30.31	6.00	3	Horizontal	350	1.49	-	37.69	31.20	8.96	34.16
PK	7.31388G	49.48	74.00	-24.52	12.49	3	Horizontal	0	1.50	-	36.99	36.37	10.62	34.50

802.11b_Nss1,(1Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	106.59	Inf	-Inf	35.73	3	Vertical	127	1.01	-	70.86	27.40	8.33	-
AV	2.4835G	48.35	54.00	-5.65	35.74	3	Vertical	127	1.01	-	12.61	27.40	8.34	-
PK	2.456G	110.44	Inf	-Inf	35.73	3	Vertical	127	1.01	-	74.71	27.40	8.33	-
PK	2.4878G	60.62	74.00	-13.38	35.75	3	Vertical	127	1.01	-	24.87	27.40	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	103.14	Inf	-Inf	35.73	3	Horizontal	347	1.14	-	67.41	27.40	8.33	-
AV	2.4836G	48.00	54.00	-6.00	35.74	3	Horizontal	347	1.14	-	12.26	27.40	8.34	-
PK	2.456G	107.02	Inf	-Inf	35.73	3	Horizontal	347	1.14	-	71.29	27.40	8.33	-
PK	2.4854G	60.42	74.00	-13.58	35.75	3	Horizontal	347	1.14	-	24.67	27.40	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91388G	33.62	54.00	-20.38	6.84	3	Vertical	88	2.66	-	26.78	31.26	9.72	34.14
AV	7.35828G	38.15	54.00	-15.85	13.12	3	Vertical	0	1.50	-	25.03	36.28	11.33	34.49
PK	4.91706G	44.41	74.00	-29.59	6.85	3	Vertical	88	2.66	-	37.56	31.27	9.72	34.14
PK	7.35918G	50.72	74.00	-23.28	13.12	3	Vertical	0	1.50	-	37.60	36.28	11.33	34.49

802.11b_Nss1,(1Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9092G	31.37	54.00	-22.63	6.81	3	Horizontal	273	2.53	-	24.56	31.24	9.71	34.14
AV	7.35606G	38.07	54.00	-15.93	13.13	3	Horizontal	20	1.24	-	24.94	36.29	11.33	34.49
PK	4.92792G	44.28	74.00	-29.72	6.90	3	Horizontal	273	2.53	-	37.38	31.31	9.72	34.13
PK	7.3599G	51.29	74.00	-22.71	13.12	3	Horizontal	20	1.24	-	38.17	36.28	11.33	34.49

802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	24612G	106.63	Inf	-Inf	35.73	3	Vertical	127	1.02	-	70.90	27.40	8.33	-
AV	24878G	48.43	54.00	-5.57	35.75	3	Vertical	127	1.02	-	12.68	27.40	8.35	-
PK	2463G	110.54	Inf	-Inf	35.73	3	Vertical	127	1.02	-	74.81	27.40	8.33	-
PK	24876G	60.34	74.00	-13.66	35.75	3	Vertical	127	1.02	-	24.59	27.40	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	24612G	102.99	Inf	-Inf	35.73	3	Horizontal	347	1.13	-	67.26	27.40	8.33	-
AV	24872G	48.04	54.00	-5.96	35.75	3	Horizontal	347	1.13	-	12.29	27.40	8.35	-
PK	2461G	106.87	Inf	-Inf	35.73	3	Horizontal	347	1.13	-	71.14	27.40	8.33	-
PK	2493G	59.89	74.00	-14.11	35.75	3	Horizontal	347	1.13	-	24.14	27.40	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9315G	31.47	54.00	-22.53	6.92	3	Vertical	0	1.50	-	24.55	31.33	9.72	34.13
AV	7.37562G	38.00	54.00	-16.00	13.10	3	Vertical	16	1.50	-	24.90	36.25	11.34	34.49
PK	4.91302G	43.84	74.00	-30.16	6.83	3	Vertical	0	1.50	-	37.01	31.25	9.72	34.14
PK	7.3941G	50.61	74.00	-23.39	13.06	3	Vertical	16	1.50	-	37.55	36.21	11.34	34.49

802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93474G	31.27	54.00	-22.73	6.93	3	Horizontal	6	2.35	-	24.34	31.34	9.72	34.13
AV	7.3785G	37.96	54.00	-16.04	13.09	3	Horizontal	270	1.50	-	24.87	36.24	11.34	34.49
PK	4.9156G	44.18	74.00	-29.82	6.84	3	Horizontal	6	2.35	-	37.34	31.26	9.72	34.14
PK	7.37736G	51.69	74.00	-22.31	13.10	3	Horizontal	270	1.50	-	38.59	36.25	11.34	34.49

802.11b_Nss1,(1Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4676G	98.99	Inf	-Inf	35.73	3	Vertical	170	1.00	-	63.26	27.40	8.33	-
AV	2.4835G	47.81	54.00	-6.19	35.74	3	Vertical	170	1.00	-	12.07	27.40	8.34	-
PK	2.468G	103.10	Inf	-Inf	35.73	3	Vertical	170	1.00	-	67.37	27.40	8.33	-
PK	2.4888G	60.14	74.00	-13.86	35.75	3	Vertical	170	1.00	-	24.39	27.40	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4676G	93.52	Inf	-Inf	35.73	3	Horizontal	49	1.80	-	57.79	27.40	8.33	-
AV	2.4906G	47.86	54.00	-6.14	35.75	3	Horizontal	49	1.80	-	12.11	27.40	8.35	-
PK	2.468G	97.60	Inf	-Inf	35.73	3	Horizontal	49	1.80	-	61.87	27.40	8.33	-
PK	2.4856G	59.81	74.00	-14.19	35.75	3	Horizontal	49	1.80	-	24.06	27.40	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91664G	30.06	54.00	-23.94	6.85	3	Vertical	279	1.74	-	23.21	31.27	9.72	34.14
AV	7.40284G	36.73	54.00	-17.27	13.06	3	Vertical	16	1.10	-	23.67	36.21	11.34	34.49
PK	4.91496G	44.07	74.00	-29.93	6.84	3	Vertical	279	1.74	-	37.23	31.26	9.72	34.14
PK	7.40804G	49.83	74.00	-24.17	13.06	3	Vertical	16	1.10	-	36.77	36.22	11.33	34.49

802.11b_Nss1,(1Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9164G	30.12	54.00	-23.88	6.85	3	Horizontal	37	2.05	-	23.27	31.27	9.72	34.14
AV	7.40116G	36.68	54.00	-17.32	13.05	3	Horizontal	147	2.33	-	23.63	36.20	11.34	34.49
PK	4.914G	43.36	74.00	-30.64	6.84	3	Horizontal	37	2.05	-	36.52	31.26	9.72	34.14
PK	7.40876G	50.24	74.00	-23.76	13.06	3	Horizontal	147	2.33	-	37.18	36.22	11.33	34.49

802.11b_Nss1,(1Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4712G	94.19	Inf	-Inf	35.74	3	Vertical	130	1.00	-	58.45	27.40	8.34	-
AV	2.4835G	48.32	54.00	-5.68	35.74	3	Vertical	130	1.00	-	12.58	27.40	8.34	-
PK	2.473G	98.17	Inf	-Inf	35.74	3	Vertical	130	1.00	-	62.43	27.40	8.34	-
PK	2.487G	59.74	74.00	-14.26	35.75	3	Vertical	130	1.00	-	23.99	27.40	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4726G	91.26	Inf	-Inf	35.74	3	Horizontal	46	1.81	-	55.52	27.40	8.34	-
AV	2.4835G	48.02	54.00	-5.98	35.74	3	Horizontal	46	1.81	-	12.28	27.40	8.34	-
PK	2.473G	95.42	Inf	-Inf	35.74	3	Horizontal	46	1.81	-	59.68	27.40	8.34	-
PK	2.487G	60.16	74.00	-13.84	35.75	3	Horizontal	46	1.81	-	24.41	27.40	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94888G	29.83	54.00	-24.17	7.01	3	Vertical	64	2.05	-	22.82	31.40	9.73	34.12
AV	7.4228G	36.51	54.00	-17.49	13.08	3	Vertical	106	1.01	-	23.43	36.25	11.32	34.49
PK	4.93976G	42.70	74.00	-31.30	6.96	3	Vertical	64	2.05	-	35.74	31.36	9.73	34.13
PK	7.4284G	50.58	74.00	-23.42	13.08	3	Vertical	106	1.01	-	37.50	36.26	11.31	34.49

802.11b_Nss1,(1Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94752G	29.84	54.00	-24.16	6.99	3	Horizontal	349	2.60	-	22.85	31.39	9.73	34.13
AV	7.41032G	36.52	54.00	-17.48	13.06	3	Horizontal	257	1.22	-	23.46	36.22	11.33	34.49
PK	4.95576G	43.26	74.00	-30.74	7.02	3	Horizontal	349	2.60	-	36.24	31.41	9.73	34.12
PK	7.4016G	50.14	74.00	-23.86	13.05	3	Horizontal	257	1.22	-	37.09	36.20	11.34	34.49

802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.22	54.00	-6.78	34.98	3	Vertical	181	1.15	-	12.24	27.72	7.26	-
AV	2.4112G	106.48	Inf	-Inf	34.90	3	Vertical	181	1.15	-	71.58	27.63	7.27	-
PK	2.3748G	58.91	74.00	-15.09	35.00	3	Vertical	181	1.15	-	23.91	27.75	7.25	-
PK	2.411G	110.40	Inf	-Inf	34.90	3	Vertical	181	1.15	-	75.50	27.63	7.27	-

802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3632G	47.19	54.00	-6.81	35.01	3	Horizontal	338	1.34	-	12.18	27.77	7.24	-
AV	2.4112G	105.49	Inf	-Inf	34.90	3	Horizontal	338	1.34	-	70.59	27.63	7.27	-
PK	2.368G	58.72	74.00	-15.28	35.01	3	Horizontal	338	1.34	-	23.71	27.76	7.25	-
PK	2.411G	109.35	Inf	-Inf	34.90	3	Horizontal	338	1.34	-	74.45	27.63	7.27	-

802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82392G	30.54	54.00	-23.46	6.65	3	Vertical	0	1.50	-	23.89	31.15	9.68	34.18
PK	4.82428G	44.65	74.00	-29.35	6.65	3	Vertical	0	1.50	-	38.00	31.15	9.68	34.18

802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82392G	30.45	54.00	-23.55	6.65	3	Horizontal	287	1.36	-	23.80	31.15	9.68	34.18
PK	4.8298G	44.48	74.00	-29.52	6.66	3	Horizontal	287	1.36	-	37.82	31.16	9.68	34.18

802.11b_Nss1,(1Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.25	54.00	-6.75	34.98	3	Vertical	39	1.55	-	12.27	27.72	7.26	-
AV	2.4162G	105.95	Inf	-Inf	34.87	3	Vertical	39	1.55	-	71.08	27.60	7.27	-
PK	2.379G	59.29	74.00	-14.71	34.99	3	Vertical	39	1.55	-	24.30	27.74	7.25	-
PK	2.418G	109.86	Inf	-Inf	34.86	3	Vertical	39	1.55	-	75.00	27.59	7.27	-

802.11b_Nss1,(1Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.30	54.00	-6.70	34.98	3	Horizontal	338	1.09	-	12.32	27.72	7.26	-
AV	2.4162G	105.62	Inf	-Inf	34.87	3	Horizontal	338	1.09	-	70.75	27.60	7.27	-
PK	2.385G	58.76	74.00	-15.24	34.98	3	Horizontal	338	1.09	-	23.78	27.73	7.25	-
PK	2.416G	109.47	Inf	-Inf	34.87	3	Horizontal	338	1.09	-	74.60	27.60	7.27	-

802.11b_Nss1,(1Mbps)_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83388G	30.60	54.00	-23.40	6.67	3	Vertical	211	2.50	-	23.93	31.17	9.68	34.18
PK	4.8262G	44.91	74.00	-29.09	6.65	3	Vertical	211	2.50	-	38.26	31.15	9.68	34.18

802.11b_Nss1,(1Mbps)_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83396G	30.39	54.00	-23.61	6.67	3	Horizontal	145	1.01	-	23.72	31.17	9.68	34.18
PK	4.83024G	44.52	74.00	-29.48	6.66	3	Horizontal	145	1.01	-	37.86	31.16	9.68	34.18

802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3374G	48.33	54.00	-5.67	36.07	3	Vertical	125	1.00	-	12.26	27.83	8.24	-
AV	2.4378G	109.38	Inf	-Inf	35.78	3	Vertical	125	1.00	-	73.60	27.47	8.31	-
AV	2.4854G	47.94	54.00	-6.06	35.75	3	Vertical	125	1.00	-	12.19	27.40	8.35	-
PK	2.3546G	60.22	74.00	-13.78	36.05	3	Vertical	125	1.00	-	24.17	27.79	8.26	-
PK	2.4378G	113.40	Inf	-Inf	35.78	3	Vertical	125	1.00	-	77.62	27.47	8.31	-
PK	2.4894G	59.73	74.00	-14.27	35.75	3	Vertical	125	1.00	-	23.98	27.40	8.35	-

802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3554G	48.35	54.00	-5.65	36.05	3	Horizontal	61	1.29	-	12.30	27.79	8.26	-
AV	2.4362G	107.50	Inf	-Inf	35.79	3	Horizontal	61	1.29	-	71.71	27.48	8.31	-
AV	2.4858G	47.93	54.00	-6.07	35.75	3	Horizontal	61	1.29	-	12.18	27.40	8.35	-
PK	2.3534G	60.44	74.00	-13.56	36.05	3	Horizontal	61	1.29	-	24.39	27.79	8.26	-
PK	2.4378G	111.37	Inf	-Inf	35.78	3	Horizontal	61	1.29	-	75.59	27.47	8.31	-
PK	2.4914G	60.00	74.00	-14.00	35.75	3	Horizontal	61	1.29	-	24.25	27.40	8.35	-

802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	30.99	54.00	-23.01	6.00	3	Vertical	51	1.31	-	24.99	31.20	8.96	34.16
AV	7.31016G	37.42	54.00	-16.58	12.50	3	Vertical	0	1.50	-	24.92	36.38	10.62	34.50
PK	4.87442G	43.87	74.00	-30.13	6.00	3	Vertical	51	1.31	-	37.87	31.20	8.96	34.16
PK	7.31052G	50.81	74.00	-23.19	12.50	3	Vertical	0	1.50	-	38.31	36.38	10.62	34.50

802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	30.13	54.00	-23.87	6.00	3	Horizontal	176	2.23	-	24.13	31.20	8.96	34.16
AV	7.3101G	39.39	54.00	-14.61	12.50	3	Horizontal	52	1.92	-	26.89	36.38	10.62	34.50
PK	4.87718G	43.27	74.00	-30.73	6.00	3	Horizontal	176	2.23	-	37.27	31.20	8.96	34.16
PK	7.30944G	51.28	74.00	-22.72	12.50	3	Horizontal	52	1.92	-	38.78	36.38	10.62	34.50

802.11b_Nss1,(1Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	106.53	Inf	-Inf	34.70	3	Vertical	180	1.20	-	71.83	27.40	7.30	-
AV	2.4835G	47.14	54.00	-6.86	34.73	3	Vertical	180	1.20	-	12.41	27.40	7.33	-
PK	2.456G	110.38	Inf	-Inf	34.70	3	Vertical	180	1.20	-	75.68	27.40	7.30	-
PK	2.4924G	58.09	74.00	-15.91	34.73	3	Vertical	180	1.20	-	23.36	27.40	7.33	-

802.11b_Nss1,(1Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	105.34	Inf	-Inf	34.70	3	Horizontal	336	1.52	-	70.64	27.40	7.30	-
AV	2.4835G	47.10	54.00	-6.90	34.73	3	Horizontal	336	1.52	-	12.37	27.40	7.33	-
PK	2.4562G	109.18	Inf	-Inf	34.70	3	Horizontal	336	1.52	-	74.48	27.40	7.30	-
PK	2.4948G	59.44	74.00	-14.56	34.74	3	Horizontal	336	1.52	-	24.70	27.40	7.34	-

802.11b_Nss1,(1Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91392G	30.88	54.00	-23.12	6.84	3	Vertical	357	1.50	-	24.04	31.26	9.72	34.14
AV	7.37172G	38.17	54.00	-15.83	13.10	3	Vertical	171	1.15	-	25.07	36.26	11.33	34.49
PK	4.90768G	44.72	74.00	-29.28	6.80	3	Vertical	357	1.50	-	37.92	31.23	9.71	34.14
PK	7.37156G	51.15	74.00	-22.85	13.10	3	Vertical	171	1.15	-	38.05	36.26	11.33	34.49

802.11b_Nss1,(1Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91392G	31.91	54.00	-22.09	6.84	3	Horizontal	62	1.14	-	25.07	31.26	9.72	34.14
AV	7.3722G	36.80	54.00	-17.20	13.10	3	Horizontal	262	1.50	-	23.70	36.26	11.33	34.49
PK	4.91348G	44.15	74.00	-29.85	6.83	3	Horizontal	62	1.14	-	37.32	31.25	9.72	34.14
PK	7.361G	51.95	74.00	-22.05	13.12	3	Horizontal	262	1.50	-	38.83	36.28	11.33	34.49

802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.4612G	105.74	Inf	-Inf	34.71	3	Vertical	179	1.00	-	71.03	27.40	7.31	-
AV	2.486G	47.20	54.00	-6.80	34.73	3	Vertical	179	1.00	-	12.47	27.40	7.33	-
PK	2.4612G	109.60	Inf	-Inf	34.71	3	Vertical	179	1.00	-	74.89	27.40	7.31	-
PK	2.4878G	58.48	74.00	-15.52	34.73	3	Vertical	179	1.00	-	23.75	27.40	7.33	-

802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.4612G	104.44	Inf	-Inf	34.71	3	Horizontal	339	1.14	-	69.73	27.40	7.31	-
AV	2.4862G	47.10	54.00	-6.90	34.73	3	Horizontal	339	1.14	-	12.37	27.40	7.33	-
PK	2.4612G	108.24	Inf	-Inf	34.71	3	Horizontal	339	1.14	-	73.53	27.40	7.31	-
PK	2.4866G	58.24	74.00	-15.76	34.73	3	Horizontal	339	1.14	-	23.51	27.40	7.33	-

802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92396G	30.86	54.00	-23.14	6.88	3	Vertical	356	1.50	-	23.98	31.30	9.72	34.14
AV	7.38484G	37.01	54.00	-16.99	13.08	3	Vertical	188	1.00	-	23.93	36.23	11.34	34.49
PK	4.92204G	43.97	74.00	-30.03	6.87	3	Vertical	356	1.50	-	37.10	31.29	9.72	34.14
PK	7.38756G	51.03	74.00	-22.97	13.07	3	Vertical	188	1.00	-	37.96	36.22	11.34	34.49

802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92392G	30.80	54.00	-23.20	6.88	3	Horizontal	54	1.50	-	23.92	31.30	9.72	34.14
AV	7.38324G	36.79	54.00	-17.21	13.08	3	Horizontal	63	1.00	-	23.71	36.23	11.34	34.49
PK	4.93348G	44.35	74.00	-29.65	6.92	3	Horizontal	54	1.50	-	37.43	31.33	9.72	34.13
PK	7.38504G	50.83	74.00	-23.17	13.08	3	Horizontal	63	1.00	-	37.75	36.23	11.34	34.49

802.11b_Nss1,(1Mbps)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4678G	94.62	Inf	-Inf	34.71	3	Vertical	38	1.49	-	59.91	27.40	7.31	-
AV	2.4984G	46.82	54.00	-7.18	34.74	3	Vertical	38	1.49	-	12.08	27.40	7.34	-
PK	2.468G	98.67	Inf	-Inf	34.71	3	Vertical	38	1.49	-	63.96	27.40	7.31	-
PK	2.4858G	58.60	74.00	-15.40	34.73	3	Vertical	38	1.49	-	23.87	27.40	7.33	-

802.11b_Nss1,(1Mbps)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4662G	93.86	Inf	-Inf	34.71	3	Horizontal	332	1.54	-	59.15	27.40	7.31	-
AV	2.4842G	46.82	54.00	-7.18	34.73	3	Horizontal	332	1.54	-	12.09	27.40	7.33	-
PK	2.468G	97.75	Inf	-Inf	34.71	3	Horizontal	332	1.54	-	63.04	27.40	7.31	-
PK	2.4888G	58.04	74.00	-15.96	34.73	3	Horizontal	332	1.54	-	23.31	27.40	7.33	-

802.11b_Nss1,(1Mbps)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.944G	30.37	54.00	-23.63	6.98	3	Vertical	336	1.58	-	23.39	31.38	9.73	34.13
AV	7.4068G	36.90	54.00	-17.10	13.05	3	Vertical	208	1.21	-	23.85	36.21	11.33	34.49
PK	4.94204G	44.29	74.00	-29.71	6.97	3	Vertical	336	1.58	-	37.32	31.37	9.73	34.13
PK	7.4054G	50.68	74.00	-23.32	13.05	3	Vertical	208	1.21	-	37.63	36.21	11.33	34.49

802.11b_Nss1,(1Mbps)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94388G	30.34	54.00	-23.66	6.98	3	Horizontal	106	2.22	-	23.36	31.38	9.73	34.13
AV	7.402G	36.89	54.00	-17.11	13.05	3	Horizontal	190	1.47	-	23.84	36.20	11.34	34.49
PK	4.92964G	44.04	74.00	-29.96	6.91	3	Horizontal	106	2.22	-	37.13	31.32	9.72	34.13
PK	7.40752G	50.85	74.00	-23.15	13.06	3	Horizontal	190	1.47	-	37.79	36.22	11.33	34.49

802.11b_Nss1,(1Mbps)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4712G	95.23	Inf	-Inf	34.72	3	Vertical	38	1.50	-	60.51	27.40	7.32	-
AV	2.4835G	47.65	54.00	-6.35	34.73	3	Vertical	38	1.50	-	12.92	27.40	7.33	-
PK	2.471G	99.05	Inf	-Inf	34.72	3	Vertical	38	1.50	-	64.33	27.40	7.32	-
PK	2.4988G	58.37	74.00	-15.63	34.74	3	Vertical	38	1.50	-	23.63	27.40	7.34	-

802.11b_Nss1,(1Mbps)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4712G	94.20	Inf	-Inf	34.72	3	Horizontal	339	1.50	-	59.48	27.40	7.32	-
AV	2.4835G	47.72	54.00	-6.28	34.73	3	Horizontal	339	1.50	-	12.99	27.40	7.33	-
PK	2.473G	98.02	Inf	-Inf	34.72	3	Horizontal	339	1.50	-	63.30	27.40	7.32	-
PK	2.4984G	58.49	74.00	-15.51	34.74	3	Horizontal	339	1.50	-	23.75	27.40	7.34	-

802.11b_Nss1,(1Mbps)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94644G	30.44	54.00	-23.56	6.99	3	Vertical	217	1.35	-	23.45	31.39	9.73	34.13
AV	7.41352G	36.94	54.00	-17.06	13.07	3	Vertical	69	1.15	-	23.87	36.23	11.33	34.49
PK	4.95008G	44.58	74.00	-29.42	7.01	3	Vertical	217	1.35	-	37.57	31.40	9.73	34.12
PK	7.42592G	50.72	74.00	-23.28	13.07	3	Vertical	69	1.15	-	37.65	36.25	11.31	34.49

802.11b_Nss1,(1Mbps)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94668G	30.44	54.00	-23.56	6.99	3	Horizontal	135	1.52	-	23.45	31.39	9.73	34.13
AV	7.41484G	36.92	54.00	-17.08	13.07	3	Horizontal	104	1.72	-	23.85	36.23	11.33	34.49
PK	4.93748G	44.34	74.00	-29.66	6.94	3	Horizontal	135	1.52	-	37.40	31.35	9.72	34.13
PK	7.40648G	51.15	74.00	-22.85	13.05	3	Horizontal	104	1.72	-	38.10	36.21	11.33	34.49

802.11g_Nss1,(6Mbps)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.60	54.00	-4.40	34.98	3	Vertical	267	1.16	-	14.62	27.72	7.26	-
AV	2.4092G	97.45	Inf	-Inf	34.91	3	Vertical	267	1.16	-	62.54	27.64	7.27	-
PK	2.39G	64.17	74.00	-9.83	34.98	3	Vertical	267	1.16	-	29.19	27.72	7.26	-
PK	2.4082G	108.05	Inf	-Inf	34.92	3	Vertical	267	1.16	-	73.13	27.65	7.27	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.78	54.00	-4.22	34.98	3	Horizontal	60	2.71	-	14.80	27.72	7.26	-
AV	2.416G	98.28	Inf	-Inf	34.87	3	Horizontal	60	2.71	-	63.41	27.60	7.27	-
PK	2.39G	63.76	74.00	-10.24	34.98	3	Horizontal	60	2.71	-	28.78	27.72	7.26	-
PK	2.4142G	108.46	Inf	-Inf	34.88	3	Horizontal	60	2.71	-	73.58	27.61	7.27	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82824G	31.18	54.00	-22.82	6.66	3	Vertical	48	1.04	-	24.52	31.16	9.68	34.18
PK	4.81464G	43.69	74.00	-30.31	6.62	3	Vertical	48	1.04	-	37.07	31.13	9.68	34.19

802.11g_Nss1,(6Mbps)_1TX(Port1)


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.81632G	30.96	54.00	-23.04	6.62	3	Horizontal	210	2.47	-	24.34	31.13	9.68	34.19
PK	4.83132G	44.62	74.00	-29.38	6.66	3	Horizontal	210	2.47	-	37.96	31.16	9.68	34.18

802.11g_Nss1,(6Mbps)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.40	54.00	-1.60	34.98	3	Vertical	283	1.00	-	17.42	27.72	7.26	-
AV	2.4194G	99.23	Inf	-Inf	34.86	3	Vertical	283	1.00	-	64.37	27.58	7.28	-
PK	2.3896G	66.57	74.00	-7.43	34.98	3	Vertical	283	1.00	-	31.59	27.72	7.26	-
PK	2.4194G	109.93	Inf	-Inf	34.86	3	Vertical	283	1.00	-	75.07	27.58	7.28	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.15	54.00	-1.85	34.98	3	Horizontal	58	1.27	-	17.17	27.72	7.26	-
AV	2.419G	100.06	Inf	-Inf	34.87	3	Horizontal	58	1.27	-	65.19	27.59	7.28	-
PK	2.3894G	65.81	74.00	-8.19	34.98	3	Horizontal	58	1.27	-	30.83	27.72	7.26	-
PK	2.4152G	110.71	Inf	-Inf	34.88	3	Horizontal	58	1.27	-	75.83	27.61	7.27	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82436G	30.96	54.00	-23.04	6.65	3	Vertical	270	1.12	-	24.31	31.15	9.68	34.18
PK	4.83284G	43.77	74.00	-30.23	6.67	3	Vertical	270	1.12	-	37.10	31.17	9.68	34.18

802.11g_Nss1,(6Mbps)_1TX(Port1)


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82404G	30.96	54.00	-23.04	6.65	3	Horizontal	22	1.43	-	24.31	31.15	9.68	34.18
PK	4.82652G	43.73	74.00	-30.27	6.65	3	Horizontal	22	1.43	-	37.08	31.15	9.68	34.18

802.11g_Nss1,(6Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.337G	50.44	54.00	-3.56	36.07	3	Vertical	283	1.68	-	14.37	27.83	8.24	-
AV	2.4394G	97.77	Inf	-Inf	35.78	3	Vertical	283	1.68	-	61.99	27.46	8.32	-
AV	2.4835G	50.41	54.00	-3.59	35.74	3	Vertical	283	1.68	-	14.67	27.40	8.34	-
PK	2.3466G	62.64	74.00	-11.36	36.06	3	Vertical	283	1.68	-	26.58	27.81	8.25	-
PK	2.4334G	107.16	Inf	-Inf	35.81	3	Vertical	283	1.68	-	71.35	27.50	8.31	-
PK	2.4978G	62.70	74.00	-11.30	35.75	3	Vertical	283	1.68	-	26.95	27.40	8.35	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.337G	50.44	54.00	-3.56	36.07	3	Horizontal	64	1.52	-	14.37	27.83	8.24	-
AV	2.4398G	99.10	Inf	-Inf	35.78	3	Horizontal	64	1.52	-	63.32	27.46	8.32	-
AV	2.485G	50.42	54.00	-3.58	35.75	3	Horizontal	64	1.52	-	14.67	27.40	8.35	-
PK	2.3806G	62.45	74.00	-11.55	36.02	3	Horizontal	64	1.52	-	26.43	27.74	8.28	-
PK	2.4358G	108.39	Inf	-Inf	35.80	3	Horizontal	64	1.52	-	72.59	27.49	8.31	-
PK	2.4902G	62.47	74.00	-11.53	35.75	3	Horizontal	64	1.52	-	26.72	27.40	8.35	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8782G	29.77	54.00	-24.23	6.00	3	Vertical	41	1.50	-	23.77	31.20	8.96	34.16
AV	7.31088G	35.77	54.00	-18.23	12.50	3	Vertical	200	3.00	-	23.27	36.38	10.62	34.50
PK	4.86854G	43.46	74.00	-30.54	5.99	3	Vertical	41	1.50	-	37.47	31.20	8.95	34.16
PK	7.32156G	50.02	74.00	-23.98	12.49	3	Vertical	200	3.00	-	37.53	36.36	10.63	34.50

802.11g_Nss1,(6Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87874G	29.81	54.00	-24.19	6.00	3	Horizontal	300	1.23	-	23.81	31.20	8.96	34.16
AV	7.31244G	35.75	54.00	-18.25	12.50	3	Horizontal	0	2.76	-	23.25	36.38	10.62	34.50
PK	4.86878G	43.84	74.00	-30.16	5.99	3	Horizontal	300	1.23	-	37.85	31.20	8.95	34.16
PK	7.29972G	49.61	74.00	-24.39	12.51	3	Horizontal	0	2.76	-	37.10	36.40	10.61	34.50

802.11g_Nss1,(6Mbps)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.455G	99.31	Inf	-Inf	34.70	3	Vertical	131	1.00	-	64.61	27.40	7.30	-
AV	2.4835G	51.31	54.00	-2.69	34.73	3	Vertical	131	1.00	-	16.58	27.40	7.33	-
PK	2.453G	109.32	Inf	-Inf	34.70	3	Vertical	131	1.00	-	74.62	27.40	7.30	-
PK	2.4835G	67.55	74.00	-6.45	34.73	3	Vertical	131	1.00	-	32.82	27.40	7.33	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4546G	99.60	Inf	-Inf	34.70	3	Horizontal	315	3.00	-	64.90	27.40	7.30	-
AV	2.4835G	50.42	54.00	-3.58	34.73	3	Horizontal	315	3.00	-	15.69	27.40	7.33	-
PK	2.4526G	109.58	Inf	-Inf	34.70	3	Horizontal	315	3.00	-	74.88	27.40	7.30	-
PK	2.4836G	67.58	74.00	-6.42	34.73	3	Horizontal	315	3.00	-	32.85	27.40	7.33	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9144G	31.34	54.00	-22.66	6.84	3	Vertical	37	2.05	-	24.50	31.26	9.72	34.14
AV	7.361G	38.02	54.00	-15.98	13.12	3	Vertical	198	1.90	-	24.90	36.28	11.33	34.49
PK	4.91016G	44.28	74.00	-29.72	6.81	3	Vertical	37	2.05	-	37.47	31.24	9.71	34.14
PK	7.37032G	50.25	74.00	-23.75	13.10	3	Vertical	198	1.90	-	37.15	36.26	11.33	34.49

802.11g_Nss1,(6Mbps)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9144G	31.34	54.00	-22.66	6.84	3	Horizontal	151	2.03	-	24.50	31.26	9.72	34.14
AV	7.3612G	38.02	54.00	-15.98	13.12	3	Horizontal	180	2.37	-	24.90	36.28	11.33	34.49
PK	4.91304G	44.27	74.00	-29.73	6.83	3	Horizontal	151	2.03	-	37.44	31.25	9.72	34.14
PK	7.37332G	50.78	74.00	-23.22	13.09	3	Horizontal	180	2.37	-	37.69	36.25	11.33	34.49

802.11g_Nss1,(6Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.466G	98.02	Inf	-Inf	34.71	3	Vertical	114	1.18	-	63.31	27.40	7.31	-
AV	2.4835G	47.83	54.00	-6.17	34.73	3	Vertical	114	1.18	-	13.10	27.40	7.33	-
PK	2.4634G	108.43	Inf	-Inf	34.71	3	Vertical	114	1.18	-	73.72	27.40	7.31	-
PK	2.4836G	60.98	74.00	-13.02	34.73	3	Vertical	114	1.18	-	26.25	27.40	7.33	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4568G	97.45	Inf	-Inf	34.71	3	Horizontal	58	1.17	-	62.74	27.40	7.31	-
AV	2.4835G	48.01	54.00	-5.99	34.73	3	Horizontal	58	1.17	-	13.28	27.40	7.33	-
PK	2.4576G	107.89	Inf	-Inf	34.71	3	Horizontal	58	1.17	-	73.18	27.40	7.31	-
PK	2.4835G	62.44	74.00	-11.56	34.73	3	Horizontal	58	1.17	-	27.71	27.40	7.33	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9318G	31.23	54.00	-22.77	6.92	3	Vertical	187	1.96	-	24.31	31.33	9.72	34.13
AV	7.37832G	37.97	54.00	-16.03	13.09	3	Vertical	230	2.00	-	24.88	36.24	11.34	34.49
PK	4.9258G	44.24	74.00	-29.76	6.88	3	Vertical	187	1.96	-	37.36	31.30	9.72	34.14
PK	7.3798G	50.48	74.00	-23.52	13.09	3	Vertical	230	2.00	-	37.39	36.24	11.34	34.49

802.11g_Nss1,(6Mbps)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93236G	31.36	54.00	-22.64	6.92	3	Horizontal	258	2.15	-	24.44	31.33	9.72	34.13
AV	7.3796G	38.06	54.00	-15.94	13.09	3	Horizontal	139	1.56	-	24.97	36.24	11.34	34.49
PK	4.92776G	44.50	74.00	-29.50	6.90	3	Horizontal	258	2.15	-	37.60	31.31	9.72	34.13
PK	7.3768G	50.10	74.00	-23.90	13.10	3	Horizontal	139	1.56	-	37.00	36.25	11.34	34.49

802.11g_Nss1,(6Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4694G	90.89	Inf	-Inf	34.72	3	Vertical	112	1.14	-	56.17	27.40	7.32	-
AV	2.4836G	46.98	54.00	-7.02	34.73	3	Vertical	112	1.14	-	12.25	27.40	7.33	-
PK	2.4692G	100.97	Inf	-Inf	34.72	3	Vertical	112	1.14	-	66.25	27.40	7.32	-
PK	2.4842G	58.92	74.00	-15.08	34.73	3	Vertical	112	1.14	-	24.19	27.40	7.33	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4694G	90.49	Inf	-Inf	34.72	3	Horizontal	50	1.09	-	55.77	27.40	7.32	-
AV	2.4835G	46.99	54.00	-7.01	34.73	3	Horizontal	50	1.09	-	12.26	27.40	7.33	-
PK	2.4692G	100.69	Inf	-Inf	34.72	3	Horizontal	50	1.09	-	65.97	27.40	7.32	-
PK	2.484G	58.45	74.00	-15.55	34.73	3	Horizontal	50	1.09	-	23.72	27.40	7.33	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91632G	29.97	54.00	-24.03	6.85	3	Vertical	171	1.83	-	23.12	31.27	9.72	34.14
AV	7.41604G	36.52	54.00	-17.48	13.06	3	Vertical	344	2.42	-	23.46	36.23	11.32	34.49
PK	4.93216G	44.20	74.00	-29.80	6.92	3	Vertical	171	1.83	-	37.28	31.33	9.72	34.13
PK	7.3818G	49.54	74.00	-24.46	13.09	3	Vertical	344	2.42	-	36.45	36.24	11.34	34.49

802.11g_Nss1,(6Mbps)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91648G	29.96	54.00	-24.04	6.85	3	Horizontal	260	1.60	-	23.11	31.27	9.72	34.14
AV	7.40356G	36.53	54.00	-17.47	13.06	3	Horizontal	296	1.32	-	23.47	36.21	11.34	34.49
PK	4.92048G	43.89	74.00	-30.11	6.86	3	Horizontal	260	1.60	-	37.03	31.28	9.72	34.14
PK	7.39476G	49.85	74.00	-24.15	13.06	3	Horizontal	296	1.32	-	36.79	36.21	11.34	34.49

802.11g_Nss1,(6Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	24696G	84.21	Inf	-Inf	34.72	3	Vertical	123	1.14	-	49.49	27.40	7.32	-
AV	24835G	48.35	54.00	-5.65	34.73	3	Vertical	123	1.14	-	13.62	27.40	7.33	-
PK	24742G	94.34	Inf	-Inf	34.72	3	Vertical	123	1.14	-	59.62	27.40	7.32	-
PK	24836G	61.42	74.00	-12.58	34.73	3	Vertical	123	1.14	-	26.69	27.40	7.33	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	24692G	83.59	Inf	-Inf	34.72	3	Horizontal	48	1.06	-	48.87	27.40	7.32	-
AV	24835G	48.16	54.00	-5.84	34.73	3	Horizontal	48	1.06	-	13.43	27.40	7.33	-
PK	24676G	93.61	Inf	-Inf	34.71	3	Horizontal	48	1.06	-	58.90	27.40	7.31	-
PK	24836G	60.42	74.00	-13.58	34.73	3	Horizontal	48	1.06	-	25.69	27.40	7.33	-

802.11g_Nss1,(6Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.96384G	29.85	54.00	-24.15	7.05	3	Vertical	311	2.26	-	22.80	31.43	9.74	34.12
AV	7.4148G	36.54	54.00	-17.46	13.07	3	Vertical	274	2.25	-	23.47	36.23	11.33	34.49
PK	4.95048G	42.86	74.00	-31.14	7.01	3	Vertical	311	2.26	-	35.85	31.40	9.73	34.12
PK	7.42224G	49.34	74.00	-24.66	13.07	3	Vertical	274	2.25	-	36.27	36.24	11.32	34.49

802.11g_Nss1,(6Mbps)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.96312G	29.84	54.00	-24.16	7.05	3	Horizontal	329	1.66	-	22.79	31.43	9.74	34.12
AV	7.4356G	36.52	54.00	-17.48	13.08	3	Horizontal	177	1.11	-	23.44	36.27	11.30	34.49
PK	4.962G	43.37	74.00	-30.63	7.03	3	Horizontal	329	1.66	-	36.34	31.42	9.73	34.12
PK	7.41208G	49.54	74.00	-24.46	13.06	3	Horizontal	177	1.11	-	36.48	36.22	11.33	34.49

802.11g_Nss1,(6Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3896G	51.02	54.00	-2.98	36.00	3	Vertical	159	1.17	-	15.02	27.72	8.28	-
AV	2.417G	99.48	Inf	-Inf	35.90	3	Vertical	159	1.17	-	63.58	27.60	8.30	-
PK	2.387G	62.77	74.00	-11.23	36.01	3	Vertical	159	1.17	-	26.76	27.73	8.28	-
PK	2.4162G	108.16	Inf	-Inf	35.90	3	Vertical	159	1.17	-	72.26	27.60	8.30	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.78	54.00	-3.22	36.00	3	Horizontal	193	1.00	-	14.78	27.72	8.28	-
AV	2.4166G	96.14	Inf	-Inf	35.90	3	Horizontal	193	1.00	-	60.24	27.60	8.30	-
PK	2.3824G	62.25	74.00	-11.75	36.02	3	Horizontal	193	1.00	-	26.23	27.74	8.28	-
PK	2.4162G	104.88	Inf	-Inf	35.90	3	Horizontal	193	1.00	-	68.98	27.60	8.30	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82984G	31.17	54.00	-22.83	6.66	3	Vertical	152	1.81	-	24.51	31.16	9.68	34.18
PK	4.82632G	44.84	74.00	-29.16	6.65	3	Vertical	152	1.81	-	38.19	31.15	9.68	34.18

802.11g_Nss1,(6Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.81708G	31.30	54.00	-22.70	6.62	3	Horizontal	120	1.33	-	24.68	31.13	9.68	34.19
PK	4.83164G	44.20	74.00	-29.80	6.66	3	Horizontal	120	1.33	-	37.54	31.16	9.68	34.18

802.11g_Nss1,(6Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.36	54.00	-1.64	36.00	3	Vertical	158	1.16	-	16.36	27.72	8.28	-
AV	2.4196G	102.24	Inf	-Inf	35.88	3	Vertical	158	1.16	-	66.36	27.58	8.30	-
PK	2.3894G	64.56	74.00	-9.44	36.01	3	Vertical	158	1.16	-	28.56	27.72	8.28	-
PK	2.4212G	110.65	Inf	-Inf	35.87	3	Vertical	158	1.16	-	74.78	27.57	8.30	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	51.26	54.00	-2.74	36.00	3	Horizontal	189	1.50	-	15.26	27.72	8.28	-
AV	2.4196G	98.71	Inf	-Inf	35.88	3	Horizontal	189	1.50	-	62.83	27.58	8.30	-
PK	2.3866G	63.13	74.00	-10.87	36.01	3	Horizontal	189	1.50	-	27.12	27.73	8.28	-
PK	2.421G	107.28	Inf	-Inf	35.87	3	Horizontal	189	1.50	-	71.41	27.57	8.30	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82932G	31.40	54.00	-22.60	6.66	3	Vertical	169	1.03	-	24.74	31.16	9.68	34.18
PK	4.83004G	44.21	74.00	-29.79	6.66	3	Vertical	169	1.03	-	37.55	31.16	9.68	34.18

802.11g_Nss1,(6Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82972G	31.40	54.00	-22.60	6.66	3	Horizontal	335	1.27	-	24.74	31.16	9.68	34.18
PK	4.83156G	43.79	74.00	-30.21	6.66	3	Horizontal	335	1.27	-	37.13	31.16	9.68	34.18

802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.337G	50.44	54.00	-3.56	36.07	3	Vertical	158	1.31	-	14.37	27.83	8.24	-
AV	2.4422G	101.09	Inf	-Inf	35.77	3	Vertical	158	1.31	-	65.32	27.45	8.32	-
AV	2.485G	50.67	54.00	-3.33	35.75	3	Vertical	158	1.31	-	14.92	27.40	8.35	-
PK	2.3486G	62.42	74.00	-11.58	36.05	3	Vertical	158	1.31	-	26.37	27.80	8.25	-
PK	2.4414G	109.34	Inf	-Inf	35.77	3	Vertical	158	1.31	-	73.57	27.45	8.32	-
PK	2.4974G	62.18	74.00	-11.82	35.75	3	Vertical	158	1.31	-	26.43	27.40	8.35	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.337G	50.44	54.00	-3.56	36.07	3	Horizontal	64	1.50	-	14.37	27.83	8.24	-
AV	2.4398G	98.12	Inf	-Inf	35.78	3	Horizontal	64	1.50	-	62.34	27.46	8.32	-
AV	2.485G	50.42	54.00	-3.58	35.75	3	Horizontal	64	1.50	-	14.67	27.40	8.35	-
PK	2.3842G	62.24	74.00	-11.76	36.01	3	Horizontal	64	1.50	-	26.23	27.73	8.28	-
PK	2.4418G	106.44	Inf	-Inf	35.77	3	Horizontal	64	1.50	-	70.67	27.45	8.32	-
PK	2.4838G	61.65	74.00	-12.35	35.74	3	Horizontal	64	1.50	-	25.91	27.40	8.34	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86436G	31.30	54.00	-22.70	6.73	3	Vertical	34	2.18	-	24.57	31.20	9.70	34.17
AV	7.31148G	38.42	54.00	-15.58	13.20	3	Vertical	288	1.24	-	25.22	36.38	11.32	34.50
PK	4.86852G	43.64	74.00	-30.36	6.74	3	Vertical	34	2.18	-	36.90	31.20	9.70	34.16
PK	7.3164G	51.15	74.00	-22.85	13.19	3	Vertical	288	1.24	-	37.96	36.37	11.32	34.50

802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86524G	31.32	54.00	-22.68	6.74	3	Horizontal	250	1.12	-	24.58	31.20	9.70	34.16
AV	7.3112G	38.32	54.00	-15.68	13.20	3	Horizontal	100	2.24	-	25.12	36.38	11.32	34.50
PK	4.8756G	43.92	74.00	-30.08	6.74	3	Horizontal	250	1.12	-	37.18	31.20	9.70	34.16
PK	7.31296G	51.31	74.00	-22.69	13.19	3	Horizontal	100	2.24	-	38.12	36.37	11.32	34.50

802.11g_Nss1,(6Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4534G	100.53	Inf	-Inf	35.72	3	Vertical	160	1.28	-	64.81	27.40	8.32	-
AV	2.4835G	52.08	54.00	-1.92	35.74	3	Vertical	160	1.28	-	16.34	27.40	8.34	-
PK	2.4574G	109.26	Inf	-Inf	35.73	3	Vertical	160	1.28	-	73.53	27.40	8.33	-
PK	2.4838G	66.44	74.00	-7.56	35.74	3	Vertical	160	1.28	-	30.70	27.40	8.34	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4538G	97.81	Inf	-Inf	35.72	3	Horizontal	183	2.10	-	62.09	27.40	8.32	-
AV	2.4848G	51.17	54.00	-2.83	35.75	3	Horizontal	183	2.10	-	15.42	27.40	8.35	-
PK	2.453G	107.15	Inf	-Inf	35.72	3	Horizontal	183	2.10	-	71.43	27.40	8.32	-
PK	2.4842G	63.17	74.00	-10.83	35.74	3	Horizontal	183	2.10	-	27.43	27.40	8.34	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91396G	31.57	54.00	-22.43	6.84	3	Vertical	272	1.50	-	24.73	31.26	9.72	34.14
AV	7.36476G	38.81	54.00	-15.19	13.11	3	Vertical	171	1.41	-	25.70	36.27	11.33	34.49
PK	4.91032G	44.25	74.00	-29.75	6.81	3	Vertical	272	1.50	-	37.44	31.24	9.71	34.14
PK	7.368G	51.60	74.00	-22.40	13.10	3	Vertical	171	1.41	-	38.50	36.26	11.33	34.49

802.11g_Nss1,(6Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91308G	31.66	54.00	-22.34	6.83	3	Horizontal	26	1.50	-	24.83	31.25	9.72	34.14
AV	7.3778G	38.59	54.00	-15.41	13.09	3	Horizontal	27	1.50	-	25.50	36.24	11.34	34.49
PK	4.91148G	44.09	74.00	-29.91	6.82	3	Horizontal	26	1.50	-	37.27	31.25	9.71	34.14
PK	7.36888G	51.80	74.00	-22.20	13.10	3	Horizontal	27	1.50	-	38.70	36.26	11.33	34.49

802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4588G	99.03	Inf	-Inf	35.73	3	Vertical	160	1.18	-	63.30	27.40	8.33	-
AV	2.485G	51.17	54.00	-2.83	35.75	3	Vertical	160	1.18	-	15.42	27.40	8.35	-
PK	2.4608G	108.39	Inf	-Inf	35.73	3	Vertical	160	1.18	-	72.66	27.40	8.33	-
PK	2.4876G	62.86	74.00	-11.14	35.75	3	Vertical	160	1.18	-	27.11	27.40	8.35	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.468G	96.64	Inf	-Inf	35.73	3	Horizontal	184	1.46	-	60.91	27.40	8.33	-
AV	2.4835G	50.92	54.00	-3.08	35.74	3	Horizontal	184	1.46	-	15.18	27.40	8.34	-
PK	2.4662G	105.43	Inf	-Inf	35.73	3	Horizontal	184	1.46	-	69.70	27.40	8.33	-
PK	2.4835G	63.52	74.00	-10.48	35.74	3	Horizontal	184	1.46	-	27.78	27.40	8.34	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9328G	31.49	54.00	-22.51	6.92	3	Vertical	153	2.31	-	24.57	31.33	9.72	34.13
AV	7.37812G	38.07	54.00	-15.93	13.09	3	Vertical	321	1.19	-	24.98	36.24	11.34	34.49
PK	4.91512G	44.17	74.00	-29.83	6.84	3	Vertical	153	2.31	-	37.33	31.26	9.72	34.14
PK	7.3842G	50.71	74.00	-23.29	13.08	3	Vertical	321	1.19	-	37.63	36.23	11.34	34.49

802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93348G	31.49	54.00	-22.51	6.92	3	Horizontal	295	2.30	-	24.57	31.33	9.72	34.13
AV	7.37892G	38.07	54.00	-15.93	13.09	3	Horizontal	137	1.62	-	24.98	36.24	11.34	34.49
PK	4.9304G	44.23	74.00	-29.77	6.91	3	Horizontal	295	2.30	-	37.32	31.32	9.72	34.13
PK	7.37656G	51.19	74.00	-22.81	13.10	3	Horizontal	137	1.62	-	38.09	36.25	11.34	34.49

802.11g_Nss1,(6Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4634G	92.72	Inf	-Inf	35.73	3	Vertical	184	1.12	-	56.99	27.40	8.33	-
AV	2.4835G	47.91	54.00	-6.09	35.74	3	Vertical	184	1.12	-	12.17	27.40	8.34	-
PK	2.4626G	102.80	Inf	-Inf	35.73	3	Vertical	184	1.12	-	67.07	27.40	8.33	-
PK	2.4864G	59.21	74.00	-14.79	35.75	3	Vertical	184	1.12	-	23.46	27.40	8.35	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4694G	91.20	Inf	-Inf	35.74	3	Horizontal	215	1.00	-	55.46	27.40	8.34	-
AV	2.485G	47.89	54.00	-6.11	35.75	3	Horizontal	215	1.00	-	12.14	27.40	8.35	-
PK	2.4692G	101.13	Inf	-Inf	35.73	3	Horizontal	215	1.00	-	65.40	27.40	8.33	-
PK	2.4956G	58.93	74.00	-15.07	35.75	3	Horizontal	215	1.00	-	23.18	27.40	8.35	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91512G	30.10	54.00	-23.90	6.84	3	Vertical	95	2.66	-	23.26	31.26	9.72	34.14
AV	7.4178G	36.65	54.00	-17.35	13.07	3	Vertical	346	1.40	-	23.58	36.24	11.32	34.49
PK	4.9196G	43.17	74.00	-30.83	6.86	3	Vertical	95	2.66	-	36.31	31.28	9.72	34.14
PK	7.41372G	50.57	74.00	-23.43	13.07	3	Vertical	346	1.40	-	37.50	36.23	11.33	34.49

802.11g_Nss1,(6Mbps)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91624G	30.14	54.00	-23.86	6.84	3	Horizontal	150	2.18	-	23.30	31.26	9.72	34.14
AV	7.4082G	36.73	54.00	-17.27	13.06	3	Horizontal	302	2.47	-	23.67	36.22	11.33	34.49
PK	4.94712G	42.83	74.00	-31.17	6.99	3	Horizontal	150	2.18	-	35.84	31.39	9.73	34.13
PK	7.38244G	49.26	74.00	-24.74	13.09	3	Horizontal	302	2.47	-	36.17	36.24	11.34	34.49

802.11g_Nss1,(6Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4672G	84.49	Inf	-Inf	35.73	3	Vertical	185	1.14	-	48.76	27.40	8.33	-
AV	2.4835G	48.99	54.00	-5.01	35.74	3	Vertical	185	1.14	-	13.25	27.40	8.34	-
PK	2.4676G	94.34	Inf	-Inf	35.73	3	Vertical	185	1.14	-	58.61	27.40	8.33	-
PK	2.4835G	61.23	74.00	-12.77	35.74	3	Vertical	185	1.14	-	25.49	27.40	8.34	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4742G	82.23	Inf	-Inf	35.74	3	Horizontal	348	1.26	-	46.49	27.40	8.34	-
AV	2.4835G	48.71	54.00	-5.29	35.74	3	Horizontal	348	1.26	-	12.97	27.40	8.34	-
PK	2.4744G	92.19	Inf	-Inf	35.74	3	Horizontal	348	1.26	-	56.45	27.40	8.34	-
PK	2.4835G	60.94	74.00	-13.06	35.74	3	Horizontal	348	1.26	-	25.20	27.40	8.34	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94736G	30.00	54.00	-24.00	6.99	3	Vertical	101	1.66	-	23.01	31.39	9.73	34.13
AV	7.4352G	36.70	54.00	-17.30	13.08	3	Vertical	234	1.73	-	23.62	36.27	11.30	34.49
PK	4.93992G	42.70	74.00	-31.30	6.96	3	Vertical	101	1.66	-	35.74	31.36	9.73	34.13
PK	7.40456G	49.87	74.00	-24.13	13.06	3	Vertical	234	1.73	-	36.81	36.21	11.34	34.49

802.11g_Nss1,(6Mbps)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.96096G	30.09	54.00	-23.91	7.03	3	Horizontal	304	2.51	-	23.06	31.42	9.73	34.12
AV	7.41552G	36.71	54.00	-17.29	13.06	3	Horizontal	145	1.22	-	23.65	36.23	11.32	34.49
PK	4.96008G	42.62	74.00	-31.38	7.03	3	Horizontal	304	2.51	-	35.59	31.42	9.73	34.12
PK	7.42144G	50.12	74.00	-23.88	13.07	3	Horizontal	145	1.22	-	37.05	36.24	11.32	34.49

802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.34	54.00	-5.66	34.98	3	Vertical	40	1.52	-	13.36	27.72	7.26	-
AV	2.4166G	98.09	Inf	-Inf	34.87	3	Vertical	40	1.52	-	63.22	27.60	7.27	-
PK	2.3878G	58.79	74.00	-15.21	34.97	3	Vertical	40	1.52	-	23.82	27.72	7.25	-
PK	2.4168G	108.33	Inf	-Inf	34.87	3	Vertical	40	1.52	-	73.46	27.60	7.27	-

802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	48.42	54.00	-5.58	34.98	3	Horizontal	310	1.00	-	13.44	27.72	7.26	-
AV	2.4144G	99.73	Inf	-Inf	34.88	3	Horizontal	310	1.00	-	64.85	27.61	7.27	-
PK	2.39G	58.97	74.00	-15.03	34.98	3	Horizontal	310	1.00	-	23.99	27.72	7.26	-
PK	2.4146G	109.81	Inf	-Inf	34.88	3	Horizontal	310	1.00	-	74.93	27.61	7.27	-


802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX



802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.88	54.00	-5.12	34.98	3	Vertical	40	1.76	-	13.90	27.72	7.26	-
AV	2.4162G	99.85	Inf	-Inf	34.87	3	Vertical	40	1.76	-	64.98	27.60	7.27	-
PK	2.3898G	61.14	74.00	-12.86	34.98	3	Vertical	40	1.76	-	26.16	27.72	7.26	-
PK	2.4162G	109.48	Inf	-Inf	34.87	3	Vertical	40	1.76	-	74.61	27.60	7.27	-

802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	49.25	54.00	-4.75	34.98	3	Horizontal	308	1.04	-	14.27	27.72	7.26	-
AV	2.4192G	101.81	Inf	-Inf	34.86	3	Horizontal	308	1.04	-	66.95	27.58	7.28	-
PK	2.3896G	61.96	74.00	-12.04	34.98	3	Horizontal	308	1.04	-	26.98	27.72	7.26	-
PK	2.4192G	111.97	Inf	-Inf	34.86	3	Horizontal	308	1.04	-	77.11	27.58	7.28	-

802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82752G	31.07	54.00	-22.93	6.66	3	Vertical	213	1.37	-	24.41	31.16	9.68	34.18
PK	4.82404G	44.07	74.00	-29.93	6.65	3	Vertical	213	1.37	-	37.42	31.15	9.68	34.18

802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83004G	31.28	54.00	-22.72	6.66	3	Horizontal	249	2.32	-	24.62	31.16	9.68	34.18
PK	4.82512G	44.32	74.00	-29.68	6.65	3	Horizontal	249	2.32	-	37.67	31.15	9.68	34.18

802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.337G	50.44	54.00	-3.56	36.07	3	Vertical	120	1.02	-	14.37	27.83	8.24	-
AV	2.4414G	103.58	Inf	-Inf	35.77	3	Vertical	120	1.02	-	67.81	27.45	8.32	-
AV	2.485G	50.42	54.00	-3.58	35.75	3	Vertical	120	1.02	-	14.67	27.40	8.35	-
PK	2.381G	63.13	74.00	-10.87	36.02	3	Vertical	120	1.02	-	27.11	27.74	8.28	-
PK	2.4414G	111.49	Inf	-Inf	35.77	3	Vertical	120	1.02	-	75.72	27.45	8.32	-
PK	2.4886G	62.60	74.00	-11.40	35.75	3	Vertical	120	1.02	-	26.85	27.40	8.35	-

802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.337G	50.44	54.00	-3.56	36.07	3	Horizontal	64	1.52	-	14.37	27.83	8.24	-
AV	2.4418G	102.53	Inf	-Inf	35.77	3	Horizontal	64	1.52	-	66.76	27.45	8.32	-
AV	2.485G	50.42	54.00	-3.58	35.75	3	Horizontal	64	1.52	-	14.67	27.40	8.35	-
PK	2.3374G	62.77	74.00	-11.23	36.07	3	Horizontal	64	1.52	-	26.70	27.83	8.24	-
PK	2.4418G	110.45	Inf	-Inf	35.77	3	Horizontal	64	1.52	-	74.68	27.45	8.32	-
PK	2.4878G	61.94	74.00	-12.06	35.75	3	Horizontal	64	1.52	-	26.19	27.40	8.35	-

802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87802G	29.80	54.00	-24.20	6.00	3	Vertical	56	1.50	-	23.80	31.20	8.96	34.16
AV	7.3122G	36.06	54.00	-17.94	12.50	3	Vertical	0	1.49	-	23.56	36.38	10.62	34.50
PK	4.86116G	44.33	74.00	-29.67	5.98	3	Vertical	56	1.50	-	38.35	31.20	8.95	34.17
PK	7.31532G	50.37	74.00	-23.63	12.50	3	Vertical	0	1.49	-	37.87	36.37	10.63	34.50

802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.8782G	29.78	54.00	-24.22	6.00	3	Horizontal	246	1.50	-	23.78	31.20	8.96	34.16
AV	7.3098G	38.89	54.00	-15.11	12.50	3	Horizontal	80	1.89	-	26.39	36.38	10.62	34.50
PK	4.8881G	43.70	74.00	-30.30	6.02	3	Horizontal	246	1.50	-	37.68	31.20	8.97	34.15
PK	7.31094G	52.17	74.00	-21.83	12.50	3	Horizontal	80	1.89	-	39.67	36.38	10.62	34.50

802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4578G	101.24	Inf	-Inf	34.71	3	Vertical	179	1.00	-	66.53	27.40	7.31	-
AV	2.4835G	48.67	54.00	-5.33	34.73	3	Vertical	179	1.00	-	13.94	27.40	7.33	-
PK	2.4578G	111.34	Inf	-Inf	34.71	3	Vertical	179	1.00	-	76.63	27.40	7.31	-
PK	2.4835G	60.40	74.00	-13.60	34.73	3	Vertical	179	1.00	-	25.67	27.40	7.33	-

802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4544G	102.77	Inf	-Inf	34.70	3	Horizontal	310	1.00	-	68.07	27.40	7.30	-
AV	2.4844G	48.89	54.00	-5.11	34.73	3	Horizontal	310	1.00	-	14.16	27.40	7.33	-
PK	2.4546G	112.93	Inf	-Inf	34.70	3	Horizontal	310	1.00	-	78.23	27.40	7.30	-
PK	2.484G	61.42	74.00	-12.58	34.73	3	Horizontal	310	1.00	-	26.69	27.40	7.33	-

802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91532G	31.23	54.00	-22.77	6.84	3	Vertical	48	1.73	-	24.39	31.26	9.72	34.14
AV	7.36116G	38.23	54.00	-15.77	13.12	3	Vertical	90	2.00	-	25.11	36.28	11.33	34.49
PK	4.92312G	43.92	74.00	-30.08	6.87	3	Vertical	48	1.73	-	37.05	31.29	9.72	34.14
PK	7.36444G	51.13	74.00	-22.87	13.11	3	Vertical	90	2.00	-	38.02	36.27	11.33	34.49

802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91436G	31.45	54.00	-22.55	6.84	3	Horizontal	309	1.64	-	24.61	31.26	9.72	34.14
AV	7.36108G	38.23	54.00	-15.77	13.12	3	Horizontal	115	1.46	-	25.11	36.28	11.33	34.49
PK	4.90752G	44.03	74.00	-29.97	6.80	3	Horizontal	309	1.64	-	37.23	31.23	9.71	34.14
PK	7.36972G	51.13	74.00	-22.87	13.10	3	Horizontal	115	1.46	-	38.03	36.26	11.33	34.49

802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4574G	99.38	Inf	-Inf	34.71	3	Vertical	178	1.00	-	64.67	27.40	7.31	-
AV	2.4835G	48.13	54.00	-5.87	34.73	3	Vertical	178	1.00	-	13.40	27.40	7.33	-
PK	2.4578G	109.59	Inf	-Inf	34.71	3	Vertical	178	1.00	-	74.88	27.40	7.31	-
PK	2.4838G	60.02	74.00	-13.98	34.73	3	Vertical	178	1.00	-	25.29	27.40	7.33	-

802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4592G	100.43	Inf	-Inf	34.71	3	Horizontal	312	1.00	-	65.72	27.40	7.31	-
AV	2.4844G	48.31	54.00	-5.69	34.73	3	Horizontal	312	1.00	-	13.58	27.40	7.33	-
PK	2.459G	110.32	Inf	-Inf	34.71	3	Horizontal	312	1.00	-	75.61	27.40	7.31	-
PK	2.4835G	60.33	74.00	-13.67	34.73	3	Horizontal	312	1.00	-	25.60	27.40	7.33	-

802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.931G	31.46	54.00	-22.54	6.91	3	Vertical	8	2.24	-	24.55	31.32	9.72	34.13
AV	7.38036G	38.16	54.00	-15.84	13.09	3	Vertical	332	1.19	-	25.07	36.24	11.34	34.49
PK	4.92392G	44.46	74.00	-29.54	6.88	3	Vertical	8	2.24	-	37.58	31.30	9.72	34.14
PK	7.38396G	51.07	74.00	-22.93	13.08	3	Vertical	332	1.19	-	37.99	36.23	11.34	34.49

802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93216G	31.48	54.00	-22.52	6.92	3	Horizontal	95	1.64	-	24.56	31.33	9.72	34.13
AV	7.38152G	38.15	54.00	-15.85	13.09	3	Horizontal	129	1.89	-	25.06	36.24	11.34	34.49
PK	4.9338G	44.77	74.00	-29.23	6.93	3	Horizontal	95	1.64	-	37.84	31.34	9.72	34.13
PK	7.3762G	51.15	74.00	-22.85	13.10	3	Horizontal	129	1.89	-	38.05	36.25	11.34	34.49

802.11g_Nss1,(6Mbps)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4716G	88.82	Inf	-Inf	34.72	3	Vertical	37	1.50	-	54.10	27.40	7.32	-
AV	2.4835G	46.92	54.00	-7.08	34.73	3	Vertical	37	1.50	-	12.19	27.40	7.33	-
PK	2.4716G	99.00	Inf	-Inf	34.72	3	Vertical	37	1.50	-	64.28	27.40	7.32	-
PK	2.4882G	58.37	74.00	-15.63	34.73	3	Vertical	37	1.50	-	23.64	27.40	7.33	-

802.11g_Nss1,(6Mbps)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4692G	90.55	Inf	-Inf	34.72	3	Horizontal	313	1.00	-	55.83	27.40	7.32	-
AV	2.484G	47.07	54.00	-6.93	34.73	3	Horizontal	313	1.00	-	12.34	27.40	7.33	-
PK	2.4694G	100.41	Inf	-Inf	34.72	3	Horizontal	313	1.00	-	65.69	27.40	7.32	-
PK	2.485G	58.74	74.00	-15.26	34.73	3	Horizontal	313	1.00	-	24.01	27.40	7.33	-

802.11g_Nss1,(6Mbps)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9156G	29.95	54.00	-24.05	6.84	3	Vertical	206	2.02	-	23.11	31.26	9.72	34.14
AV	7.41564G	36.52	54.00	-17.48	13.06	3	Vertical	16	2.19	-	23.46	36.23	11.32	34.49
PK	4.91736G	43.36	74.00	-30.64	6.85	3	Vertical	206	2.02	-	36.51	31.27	9.72	34.14
PK	7.41812G	49.58	74.00	-24.42	13.07	3	Vertical	16	2.19	-	36.51	36.24	11.32	34.49

802.11g_Nss1,(6Mbps)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91528G	29.94	54.00	-24.06	6.84	3	Horizontal	213	1.80	-	23.10	31.26	9.72	34.14
AV	7.40828G	36.50	54.00	-17.50	13.06	3	Horizontal	125	1.29	-	23.44	36.22	11.33	34.49
PK	4.93248G	43.34	74.00	-30.66	6.92	3	Horizontal	213	1.80	-	36.42	31.33	9.72	34.13
PK	7.401G	49.76	74.00	-24.24	13.05	3	Horizontal	125	1.29	-	36.71	36.20	11.34	34.49

802.11g_Nss1,(6Mbps)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.471G	82.46	Inf	-Inf	34.72	3	Vertical	40	1.90	-	47.74	27.40	7.32	-
AV	2.4835G	47.37	54.00	-6.63	34.73	3	Vertical	40	1.90	-	12.64	27.40	7.33	-
PK	2.4712G	91.93	Inf	-Inf	34.72	3	Vertical	40	1.90	-	57.21	27.40	7.32	-
PK	2.4836G	59.18	74.00	-14.82	34.73	3	Vertical	40	1.90	-	24.45	27.40	7.33	-

802.11g_Nss1,(6Mbps)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.469G	84.71	Inf	-Inf	34.72	3	Horizontal	309	1.07	-	49.99	27.40	7.32	-
AV	2.4835G	48.46	54.00	-5.54	34.73	3	Horizontal	309	1.07	-	13.73	27.40	7.33	-
PK	2.4694G	94.54	Inf	-Inf	34.72	3	Horizontal	309	1.07	-	59.82	27.40	7.32	-
PK	2.4836G	61.74	74.00	-12.26	34.73	3	Horizontal	309	1.07	-	27.01	27.40	7.33	-

802.11g_Nss1,(6Mbps)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94872G	29.84	54.00	-24.16	7.00	3	Vertical	3	1.25	-	22.84	31.39	9.73	34.12
AV	7.43296G	36.52	54.00	-17.48	13.09	3	Vertical	21	1.62	-	23.43	36.27	11.31	34.49
PK	4.94472G	42.59	74.00	-31.41	6.98	3	Vertical	3	1.25	-	35.61	31.38	9.73	34.13
PK	7.39776G	49.71	74.00	-24.29	13.05	3	Vertical	21	1.62	-	36.66	36.20	11.34	34.49

802.11g_Nss1,(6Mbps)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.96296G	29.84	54.00	-24.16	7.05	3	Horizontal	333	1.46	-	22.79	31.43	9.74	34.12
AV	7.4328G	36.53	54.00	-17.47	13.09	3	Horizontal	117	2.27	-	23.44	36.27	11.31	34.49
PK	4.93232G	43.43	74.00	-30.57	6.92	3	Horizontal	333	1.46	-	36.51	31.33	9.72	34.13
PK	7.41936G	50.19	74.00	-23.81	13.07	3	Horizontal	117	2.27	-	37.12	36.24	11.32	34.49

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	49.96	54.00	-4.04	34.98	3	Vertical	279	1.08	-	14.98	27.72	7.26	-
AV	2.415G	97.45	Inf	-Inf	34.88	3	Vertical	279	1.08	-	62.57	27.61	7.27	-
PK	2.39G	60.61	74.00	-13.39	34.98	3	Vertical	279	1.08	-	25.63	27.72	7.26	-
PK	2.409G	108.61	Inf	-Inf	34.92	3	Vertical	279	1.08	-	73.69	27.65	7.27	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.79	54.00	-3.21	34.98	3	Horizontal	57	1.08	-	15.81	27.72	7.26	-
AV	2.4152G	98.73	Inf	-Inf	34.88	3	Horizontal	57	1.08	-	63.85	27.61	7.27	-
PK	2.3892G	62.43	74.00	-11.57	34.98	3	Horizontal	57	1.08	-	27.45	27.72	7.26	-
PK	2.409G	109.66	Inf	-Inf	34.92	3	Horizontal	57	1.08	-	74.74	27.65	7.27	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.81792G	31.33	54.00	-22.67	6.63	3	Vertical	102	3.00	-	24.70	31.14	9.68	34.19
PK	4.8192G	44.97	74.00	-29.03	6.63	3	Vertical	102	3.00	-	38.34	31.14	9.68	34.19

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.8186G	31.33	54.00	-22.67	6.63	3	Horizontal	0	1.66	-	24.70	31.14	9.68	34.19
PK	4.82272G	44.73	74.00	-29.27	6.64	3	Horizontal	0	1.66	-	38.09	31.15	9.68	34.19

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.85	54.00	-2.15	34.98	3	Vertical	270	1.00	-	16.87	27.72	7.26	-
AV	2.4184G	98.95	Inf	-Inf	34.86	3	Vertical	270	1.00	-	64.09	27.59	7.27	-
PK	2.39G	64.47	74.00	-9.53	34.98	3	Vertical	270	1.00	-	29.49	27.72	7.26	-
PK	2.414G	109.75	Inf	-Inf	34.89	3	Vertical	270	1.00	-	74.86	27.62	7.27	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.00	54.00	-2.00	34.98	3	Horizontal	60	1.26	-	17.02	27.72	7.26	-
AV	2.4186G	100.31	Inf	-Inf	34.86	3	Horizontal	60	1.26	-	65.45	27.59	7.27	-
PK	2.3886G	65.84	74.00	-8.16	34.97	3	Horizontal	60	1.26	-	30.87	27.72	7.25	-
PK	2.4182G	111.06	Inf	-Inf	34.86	3	Horizontal	60	1.26	-	76.20	27.59	7.27	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.84348G	31.32	54.00	-22.68	6.70	3	Vertical	54	1.76	-	24.62	31.19	9.69	34.18
PK	4.83776G	44.95	74.00	-29.05	6.69	3	Vertical	54	1.76	-	38.26	31.18	9.69	34.18

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.84088G	31.33	54.00	-22.67	6.69	3	Horizontal	308	1.53	-	24.64	31.18	9.69	34.18
PK	4.83156G	44.41	74.00	-29.59	6.66	3	Horizontal	308	1.53	-	37.75	31.16	9.68	34.18

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3426G	48.65	54.00	-5.35	36.06	3	Vertical	89	1.05	-	12.59	27.81	8.25	-
AV	2.4398G	103.95	Inf	-Inf	35.78	3	Vertical	89	1.05	-	68.17	27.46	8.32	-
AV	2.4835G	48.45	54.00	-5.55	35.74	3	Vertical	89	1.05	-	12.71	27.40	8.34	-
PK	2.3446G	61.23	74.00	-12.77	36.06	3	Vertical	89	1.05	-	25.17	27.81	8.25	-
PK	2.4398G	115.93	Inf	-Inf	35.78	3	Vertical	89	1.05	-	80.15	27.46	8.32	-
PK	2.485G	60.06	74.00	-13.94	35.75	3	Vertical	89	1.05	-	24.31	27.40	8.35	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.341G	48.66	54.00	-5.34	36.07	3	Horizontal	58	1.21	-	12.59	27.82	8.25	-
AV	2.4402G	102.53	Inf	-Inf	35.78	3	Horizontal	58	1.21	-	66.75	27.46	8.32	-
AV	2.4835G	48.34	54.00	-5.66	35.74	3	Horizontal	58	1.21	-	12.60	27.40	8.34	-
PK	2.3646G	60.78	74.00	-13.22	36.03	3	Horizontal	58	1.21	-	24.75	27.77	8.26	-
PK	2.4342G	112.91	Inf	-Inf	35.80	3	Horizontal	58	1.21	-	77.11	27.49	8.31	-
PK	2.4906G	60.48	74.00	-13.52	35.75	3	Horizontal	58	1.21	-	24.73	27.40	8.35	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87808G	29.89	54.00	-24.11	6.00	3	Vertical	346	1.84	-	23.89	31.20	8.96	34.16
AV	7.31514G	36.25	54.00	-17.75	12.50	3	Vertical	308	1.50	-	23.75	36.37	10.63	34.50
PK	4.87964G	43.59	74.00	-30.41	6.00	3	Vertical	346	1.84	-	37.59	31.20	8.96	34.16
PK	7.32036G	49.81	74.00	-24.19	12.49	3	Vertical	308	1.50	-	37.32	36.36	10.63	34.50

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87964G	29.90	54.00	-24.10	6.00	3	Horizontal	3	1.50	-	23.90	31.20	8.96	34.16
AV	7.3119G	36.26	54.00	-17.74	12.50	3	Horizontal	195	1.50	-	23.76	36.38	10.62	34.50
PK	4.87832G	43.71	74.00	-30.29	6.00	3	Horizontal	3	1.50	-	37.71	31.20	8.96	34.16
PK	7.30614G	49.62	74.00	-24.38	12.51	3	Horizontal	195	1.50	-	37.11	36.39	10.62	34.50

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4546G	99.58	Inf	-Inf	34.70	3	Vertical	131	1.00	-	64.88	27.40	7.30	-
AV	2.4835G	51.99	54.00	-2.01	34.73	3	Vertical	131	1.00	-	17.26	27.40	7.33	-
PK	2.4552G	110.72	Inf	-Inf	34.70	3	Vertical	131	1.00	-	76.02	27.40	7.30	-
PK	2.4842G	67.56	74.00	-6.44	34.73	3	Vertical	131	1.00	-	32.83	27.40	7.33	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4542G	100.17	Inf	-Inf	34.70	3	Horizontal	318	3.00	-	65.47	27.40	7.30	-
AV	2.4835G	51.24	54.00	-2.76	34.73	3	Horizontal	318	3.00	-	16.51	27.40	7.33	-
PK	2.4558G	110.91	Inf	-Inf	34.70	3	Horizontal	318	3.00	-	76.21	27.40	7.30	-
PK	2.4836G	65.47	74.00	-8.53	34.73	3	Horizontal	318	3.00	-	30.74	27.40	7.33	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91472G	31.41	54.00	-22.59	6.84	3	Vertical	239	1.53	-	24.57	31.26	9.72	34.14
AV	7.3804G	37.63	54.00	-16.37	13.09	3	Vertical	280	2.42	-	24.54	36.24	11.34	34.49
PK	4.9228G	45.08	74.00	-28.92	6.87	3	Vertical	239	1.53	-	38.21	31.29	9.72	34.14
PK	7.37892G	50.95	74.00	-23.05	13.09	3	Vertical	280	2.42	-	37.86	36.24	11.34	34.49

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91532G	31.59	54.00	-22.41	6.84	3	Horizontal	322	1.39	-	24.75	31.26	9.72	34.14
AV	7.37864G	37.61	54.00	-16.39	13.09	3	Horizontal	138	2.83	-	24.52	36.24	11.34	34.49
PK	4.91284G	44.98	74.00	-29.02	6.83	3	Horizontal	322	1.39	-	38.15	31.25	9.72	34.14
PK	7.37828G	50.79	74.00	-23.21	13.09	3	Horizontal	138	2.83	-	37.70	36.24	11.34	34.49

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4672G	97.69	Inf	-Inf	34.71	3	Vertical	128	1.13	-	62.98	27.40	7.31	-
AV	2.4835G	47.90	54.00	-6.10	34.73	3	Vertical	128	1.13	-	13.17	27.40	7.33	-
PK	2.4672G	108.18	Inf	-Inf	34.71	3	Vertical	128	1.13	-	73.47	27.40	7.31	-
PK	2.4842G	59.83	74.00	-14.17	34.73	3	Vertical	128	1.13	-	25.10	27.40	7.33	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4566G	97.77	Inf	-Inf	34.71	3	Horizontal	317	3.00	-	63.06	27.40	7.31	-
AV	2.4836G	47.62	54.00	-6.38	34.73	3	Horizontal	317	3.00	-	12.89	27.40	7.33	-
PK	2.466G	109.44	Inf	-Inf	34.71	3	Horizontal	317	3.00	-	74.73	27.40	7.31	-
PK	2.4856G	59.93	74.00	-14.07	34.73	3	Horizontal	317	3.00	-	25.20	27.40	7.33	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91656G	31.53	54.00	-22.47	6.85	3	Vertical	0	1.50	-	24.68	31.27	9.72	34.14
AV	7.3806G	37.76	54.00	-16.24	13.09	3	Vertical	353	2.46	-	24.67	36.24	11.34	34.49
PK	4.93088G	45.00	74.00	-29.00	6.91	3	Vertical	0	1.50	-	38.09	31.32	9.72	34.13
PK	7.38284G	50.51	74.00	-23.49	13.08	3	Vertical	353	2.46	-	37.43	36.23	11.34	34.49

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9158G	31.54	54.00	-22.46	6.84	3	Horizontal	198	2.20	-	24.70	31.26	9.72	34.14
AV	7.39588G	37.70	54.00	-16.30	13.06	3	Horizontal	240	1.80	-	24.64	36.21	11.34	34.49
PK	4.92984G	44.12	74.00	-29.88	6.91	3	Horizontal	198	2.20	-	37.21	31.32	9.72	34.13
PK	7.39456G	51.08	74.00	-22.92	13.06	3	Horizontal	240	1.80	-	38.02	36.21	11.34	34.49

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4698G	90.70	Inf	-Inf	34.72	3	Vertical	118	1.14	-	55.98	27.40	7.32	-
AV	2.4836G	46.97	54.00	-7.03	34.73	3	Vertical	118	1.14	-	12.24	27.40	7.33	-
PK	2.4638G	101.32	Inf	-Inf	34.71	3	Vertical	118	1.14	-	66.61	27.40	7.31	-
PK	2.4852G	58.10	74.00	-15.90	34.73	3	Vertical	118	1.14	-	23.37	27.40	7.33	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4696G	90.49	Inf	-Inf	34.72	3	Horizontal	60	1.10	-	55.77	27.40	7.32	-
AV	2.4835G	46.98	54.00	-7.02	34.73	3	Horizontal	60	1.10	-	12.25	27.40	7.33	-
PK	2.464G	101.76	Inf	-Inf	34.71	3	Horizontal	60	1.10	-	67.05	27.40	7.31	-
PK	2.4948G	58.09	74.00	-15.91	34.74	3	Horizontal	60	1.10	-	23.35	27.40	7.34	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92552G	31.39	54.00	-22.61	6.88	3	Vertical	107	1.33	-	24.51	31.30	9.72	34.14
AV	7.39844G	37.82	54.00	-16.18	13.05	3	Vertical	53	1.71	-	24.77	36.20	11.34	34.49
PK	4.92648G	44.18	74.00	-29.82	6.89	3	Vertical	107	1.33	-	37.29	31.31	9.72	34.14
PK	7.40468G	51.42	74.00	-22.58	13.06	3	Vertical	53	1.71	-	38.36	36.21	11.34	34.49

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92568G	31.37	54.00	-22.63	6.88	3	Horizontal	167	1.19	-	24.49	31.30	9.72	34.14
AV	7.40956G	37.86	54.00	-16.14	13.06	3	Horizontal	139	2.12	-	24.80	36.22	11.33	34.49
PK	4.92552G	44.67	74.00	-29.33	6.88	3	Horizontal	167	1.19	-	37.79	31.30	9.72	34.14
PK	7.39508G	51.04	74.00	-22.96	13.06	3	Horizontal	139	2.12	-	37.98	36.21	11.34	34.49

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4694G	82.03	Inf	-Inf	34.72	3	Vertical	121	1.16	-	47.31	27.40	7.32	-
AV	2.4835G	48.37	54.00	-5.63	34.73	3	Vertical	121	1.16	-	13.64	27.40	7.33	-
PK	2.4702G	93.03	Inf	-Inf	34.72	3	Vertical	121	1.16	-	58.31	27.40	7.32	-
PK	2.4835G	61.35	74.00	-12.65	34.73	3	Vertical	121	1.16	-	26.62	27.40	7.33	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4704G	81.55	Inf	-Inf	34.72	3	Horizontal	49	1.08	-	46.83	27.40	7.32	-
AV	2.4835G	48.53	54.00	-5.47	34.73	3	Horizontal	49	1.08	-	13.80	27.40	7.33	-
PK	2.4688G	91.92	Inf	-Inf	34.72	3	Horizontal	49	1.08	-	57.20	27.40	7.32	-
PK	2.4838G	63.48	74.00	-10.52	34.73	3	Horizontal	49	1.08	-	28.75	27.40	7.33	-

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9482G	31.42	54.00	-22.58	7.00	3	Vertical	242	1.24	-	24.42	31.39	9.73	34.12
AV	7.40868G	37.91	54.00	-16.09	13.06	3	Vertical	90	1.16	-	24.85	36.22	11.33	34.49
PK	4.94948G	45.07	74.00	-28.93	7.01	3	Vertical	242	1.24	-	38.06	31.40	9.73	34.12
PK	7.41292G	50.94	74.00	-23.06	13.07	3	Vertical	90	1.16	-	37.87	36.23	11.33	34.49

802.11n HT20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94656G	31.34	54.00	-22.66	6.99	3	Horizontal	188	1.57	-	24.35	31.39	9.73	34.13
AV	7.4148G	37.89	54.00	-16.11	13.07	3	Horizontal	319	1.01	-	24.82	36.23	11.33	34.49
PK	4.93996G	45.50	74.00	-28.50	6.96	3	Horizontal	188	1.57	-	38.54	31.36	9.73	34.13
PK	7.411G	51.44	74.00	-22.56	13.06	3	Horizontal	319	1.01	-	38.38	36.22	11.33	34.49

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.48	54.00	-3.52	36.00	3	Vertical	159	1.15	-	14.48	27.72	8.28	-
AV	2.4172G	101.27	Inf	-Inf	35.90	3	Vertical	159	1.15	-	65.37	27.60	8.30	-
PK	2.3896G	61.90	74.00	-12.10	36.00	3	Vertical	159	1.15	-	25.90	27.72	8.28	-
PK	2.4152G	111.98	Inf	-Inf	35.91	3	Vertical	159	1.15	-	76.07	27.61	8.30	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.54	54.00	-4.46	36.00	3	Horizontal	201	1.11	-	13.54	27.72	8.28	-
AV	2.4178G	99.23	Inf	-Inf	35.89	3	Horizontal	201	1.11	-	63.34	27.59	8.30	-
PK	2.3896G	61.09	74.00	-12.91	36.00	3	Horizontal	201	1.11	-	25.09	27.72	8.28	-
PK	2.415G	110.06	Inf	-Inf	35.91	3	Horizontal	201	1.11	-	74.15	27.61	8.30	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.81684G	31.23	54.00	-22.77	6.62	3	Vertical	226	2.02	-	24.61	31.13	9.68	34.19
PK	4.81892G	45.12	74.00	-28.88	6.63	3	Vertical	226	2.02	-	38.49	31.14	9.68	34.19

802.11n HT20_Nss1,(MCS0)_1TX(Port2)

2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.81836G	31.28	54.00	-22.72	6.63	3	Horizontal	319	2.34	-	24.65	31.14	9.68	34.19
PK	4.83152G	44.82	74.00	-29.18	6.66	3	Horizontal	319	2.34	-	38.16	31.16	9.68	34.18