


802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.26	54.00	-1.74	36.00	3	Vertical	160	1.15	-	16.26	27.72	8.28	-
AV	2.4198G	103.92	Inf	-Inf	35.88	3	Vertical	160	1.15	-	68.04	27.58	8.30	-
PK	2.3894G	65.84	74.00	-8.16	36.00	3	Vertical	160	1.15	-	29.84	27.72	8.28	-
PK	2.4196G	114.58	Inf	-Inf	35.88	3	Vertical	160	1.15	-	78.70	27.58	8.30	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.74	54.00	-3.26	36.00	3	Horizontal	201	1.12	-	14.74	27.72	8.28	-
AV	2.4194G	101.76	Inf	-Inf	35.88	3	Horizontal	201	1.12	-	65.88	27.58	8.30	-
PK	2.39G	62.36	74.00	-11.64	36.00	3	Horizontal	201	1.12	-	26.36	27.72	8.28	-
PK	2.42G	112.49	Inf	-Inf	35.88	3	Horizontal	201	1.12	-	76.61	27.58	8.30	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.84092G	31.23	54.00	-22.77	6.69	3	Vertical	155	2.55	-	24.54	31.18	9.69	34.18
PK	4.84148G	44.74	74.00	-29.26	6.69	3	Vertical	155	2.55	-	38.05	31.18	9.69	34.18

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.84064G	31.26	54.00	-22.74	6.69	3	Horizontal	63	2.43	-	24.57	31.18	9.69	34.18
PK	4.83532G	44.79	74.00	-29.21	6.67	3	Horizontal	63	2.43	-	38.12	31.17	9.68	34.18

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.339G	48.68	54.00	-5.32	36.06	3	Vertical	107	1.15	-	12.62	27.82	8.24	-
AV	2.4398G	104.20	Inf	-Inf	35.78	3	Vertical	107	1.15	-	68.42	27.46	8.32	-
AV	2.4846G	48.75	54.00	-5.25	35.74	3	Vertical	107	1.15	-	13.01	27.40	8.34	-
PK	2.3462G	60.38	74.00	-13.62	36.06	3	Vertical	107	1.15	-	24.32	27.81	8.25	-
PK	2.439G	114.90	Inf	-Inf	35.79	3	Vertical	107	1.15	-	79.11	27.47	8.32	-
PK	2.4842G	60.74	74.00	-13.26	35.74	3	Vertical	107	1.15	-	25.00	27.40	8.34	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3378G	48.61	54.00	-5.39	36.06	3	Horizontal	201	1.03	-	12.55	27.82	8.24	-
AV	2.4342G	102.10	Inf	-Inf	35.80	3	Horizontal	201	1.03	-	66.30	27.49	8.31	-
AV	2.4835G	48.26	54.00	-5.74	35.74	3	Horizontal	201	1.03	-	12.52	27.40	8.34	-
PK	2.367G	60.64	74.00	-13.36	36.04	3	Horizontal	201	1.03	-	24.60	27.77	8.27	-
PK	2.4386G	113.48	Inf	-Inf	35.79	3	Horizontal	201	1.03	-	77.69	27.47	8.32	-
PK	2.4914G	60.10	74.00	-13.90	35.75	3	Horizontal	201	1.03	-	24.35	27.40	8.35	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86564G	31.41	54.00	-22.59	6.74	3	Vertical	360	1.50	-	24.67	31.20	9.70	34.16
AV	7.31128G	37.59	54.00	-16.41	13.20	3	Vertical	147	1.42	-	24.39	36.38	11.32	34.50
PK	4.87884G	44.96	74.00	-29.04	6.74	3	Vertical	360	1.50	-	38.22	31.20	9.70	34.16
PK	7.31936G	51.03	74.00	-22.97	13.18	3	Vertical	147	1.42	-	37.85	36.36	11.32	34.50

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86792G	31.42	54.00	-22.58	6.74	3	Horizontal	326	2.73	-	24.68	31.20	9.70	34.16
AV	7.3188G	37.60	54.00	-16.40	13.18	3	Horizontal	42	2.42	-	24.42	36.36	11.32	34.50
PK	4.8784G	44.77	74.00	-29.23	6.74	3	Horizontal	326	2.73	-	38.03	31.20	9.70	34.16
PK	7.30788G	50.79	74.00	-23.21	13.20	3	Horizontal	42	2.42	-	37.59	36.38	11.32	34.50

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.454G	103.25	Inf	-Inf	35.73	3	Vertical	105	1.03	-	67.52	27.40	8.33	-
AV	2.4835G	51.86	54.00	-2.14	35.74	3	Vertical	105	1.03	-	16.12	27.40	8.34	-
PK	2.454G	115.03	Inf	-Inf	35.73	3	Vertical	105	1.03	-	79.30	27.40	8.33	-
PK	2.484G	66.80	74.00	-7.20	35.74	3	Vertical	105	1.03	-	31.06	27.40	8.34	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4544G	101.04	Inf	-Inf	35.73	3	Horizontal	202	1.00	-	65.31	27.40	8.33	-
AV	2.4838G	49.52	54.00	-4.48	35.74	3	Horizontal	202	1.00	-	13.78	27.40	8.34	-
PK	2.454G	112.14	Inf	-Inf	35.73	3	Horizontal	202	1.00	-	76.41	27.40	8.33	-
PK	2.4852G	62.82	74.00	-11.18	35.75	3	Horizontal	202	1.00	-	27.07	27.40	8.35	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91552G	31.56	54.00	-22.44	6.84	3	Vertical	23	2.40	-	24.72	31.26	9.72	34.14
AV	7.3792G	37.62	54.00	-16.38	13.09	3	Vertical	276	2.34	-	24.53	36.24	11.34	34.49
PK	4.91284G	44.55	74.00	-29.45	6.83	3	Vertical	23	2.40	-	37.72	31.25	9.72	34.14
PK	7.374G	51.42	74.00	-22.58	13.09	3	Vertical	276	2.34	-	38.33	36.25	11.33	34.49

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9126G	31.53	54.00	-22.47	6.83	3	Horizontal	131	2.10	-	24.70	31.25	9.72	34.14
AV	7.38084G	37.62	54.00	-16.38	13.09	3	Horizontal	61	1.39	-	24.53	36.24	11.34	34.49
PK	4.91036G	45.54	74.00	-28.46	6.81	3	Horizontal	131	2.10	-	38.73	31.24	9.71	34.14
PK	7.3686G	51.48	74.00	-22.52	13.10	3	Horizontal	61	1.39	-	38.38	36.26	11.33	34.49

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.465G	101.73	Inf	-Inf	35.73	3	Vertical	160	1.22	-	66.00	27.40	8.33	-
AV	2.4835G	50.98	54.00	-3.02	35.74	3	Vertical	160	1.22	-	15.24	27.40	8.34	-
PK	2.4664G	112.78	Inf	-Inf	35.73	3	Vertical	160	1.22	-	77.05	27.40	8.33	-
PK	2.484G	63.86	74.00	-10.14	35.74	3	Vertical	160	1.22	-	28.12	27.40	8.34	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.458G	98.68	Inf	-Inf	35.73	3	Horizontal	202	1.00	-	62.95	27.40	8.33	-
AV	2.484G	48.86	54.00	-5.14	35.74	3	Horizontal	202	1.00	-	13.12	27.40	8.34	-
PK	2.459G	110.07	Inf	-Inf	35.73	3	Horizontal	202	1.00	-	74.34	27.40	8.33	-
PK	2.4858G	60.08	74.00	-13.92	35.75	3	Horizontal	202	1.00	-	24.33	27.40	8.35	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91436G	31.45	54.00	-22.55	6.84	3	Vertical	65	2.18	-	24.61	31.26	9.72	34.14
AV	7.39588G	37.63	54.00	-16.37	13.06	3	Vertical	172	2.61	-	24.57	36.21	11.34	34.49
PK	4.92152G	45.05	74.00	-28.95	6.87	3	Vertical	65	2.18	-	38.18	31.29	9.72	34.14
PK	7.39512G	51.13	74.00	-22.87	13.06	3	Vertical	172	2.61	-	38.07	36.21	11.34	34.49

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91464G	31.52	54.00	-22.48	6.84	3	Horizontal	30	2.76	-	24.68	31.26	9.72	34.14
AV	7.379G	37.56	54.00	-16.44	13.09	3	Horizontal	135	2.55	-	24.47	36.24	11.34	34.49
PK	4.91476G	45.58	74.00	-28.42	6.84	3	Horizontal	30	2.76	-	38.74	31.26	9.72	34.14
PK	7.39248G	50.72	74.00	-23.28	13.07	3	Horizontal	135	2.55	-	37.65	36.22	11.34	34.49

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4698G	95.38	Inf	-Inf	35.74	3	Vertical	162	1.00	-	59.64	27.40	8.34	-
AV	2.4835G	48.52	54.00	-5.48	35.74	3	Vertical	162	1.00	-	12.78	27.40	8.34	-
PK	2.47G	106.81	Inf	-Inf	35.74	3	Vertical	162	1.00	-	71.07	27.40	8.34	-
PK	2.4864G	60.51	74.00	-13.49	35.75	3	Vertical	162	1.00	-	24.76	27.40	8.35	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4638G	91.40	Inf	-Inf	35.73	3	Horizontal	203	1.00	-	55.67	27.40	8.33	-
AV	2.4836G	48.18	54.00	-5.82	35.74	3	Horizontal	203	1.00	-	12.44	27.40	8.34	-
PK	2.4626G	102.55	Inf	-Inf	35.73	3	Horizontal	203	1.00	-	66.82	27.40	8.33	-
PK	2.4898G	60.82	74.00	-13.18	35.75	3	Horizontal	203	1.00	-	25.07	27.40	8.35	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92724G	31.32	54.00	-22.68	6.90	3	Vertical	327	1.21	-	24.42	31.31	9.72	34.13
AV	7.4066G	37.83	54.00	-16.17	13.05	3	Vertical	78	2.14	-	24.78	36.21	11.33	34.49
PK	4.92528G	45.85	74.00	-28.15	6.88	3	Vertical	327	1.21	-	38.97	31.30	9.72	34.14
PK	7.39356G	51.53	74.00	-22.47	13.06	3	Vertical	78	2.14	-	38.47	36.21	11.34	34.49

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92492G	31.33	54.00	-22.67	6.88	3	Horizontal	329	1.44	-	24.45	31.30	9.72	34.14
AV	7.4022G	37.84	54.00	-16.16	13.05	3	Horizontal	230	2.40	-	24.79	36.20	11.34	34.49
PK	4.92528G	44.59	74.00	-29.41	6.88	3	Horizontal	329	1.44	-	37.71	31.30	9.72	34.14
PK	7.40316G	52.11	74.00	-21.89	13.06	3	Horizontal	230	2.40	-	39.05	36.21	11.34	34.49

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4746G	85.46	Inf	-Inf	35.74	3	Vertical	163	1.00	-	49.72	27.40	8.34	-
AV	2.4835G	50.63	54.00	-3.37	35.74	3	Vertical	163	1.00	-	14.89	27.40	8.34	-
PK	2.4736G	96.75	Inf	-Inf	35.74	3	Vertical	163	1.00	-	61.01	27.40	8.34	-
PK	2.4835G	64.91	74.00	-9.09	35.74	3	Vertical	163	1.00	-	29.17	27.40	8.34	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4744G	81.67	Inf	-Inf	35.74	3	Horizontal	203	1.28	-	45.93	27.40	8.34	-
AV	2.4835G	49.49	54.00	-4.51	35.74	3	Horizontal	203	1.28	-	13.75	27.40	8.34	-
PK	2.4746G	92.52	Inf	-Inf	35.74	3	Horizontal	203	1.28	-	56.78	27.40	8.34	-
PK	2.4836G	63.29	74.00	-10.71	35.74	3	Horizontal	203	1.28	-	27.55	27.40	8.34	-

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94804G	31.36	54.00	-22.64	7.00	3	Vertical	341	2.73	-	24.36	31.39	9.73	34.12
AV	7.41364G	37.87	54.00	-16.13	13.07	3	Vertical	147	2.37	-	24.80	36.23	11.33	34.49
PK	4.94564G	44.86	74.00	-29.14	6.98	3	Vertical	341	2.73	-	37.88	31.38	9.73	34.13
PK	7.41136G	51.24	74.00	-22.76	13.06	3	Vertical	147	2.37	-	38.18	36.22	11.33	34.49

802.11n HT20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9494G	31.40	54.00	-22.60	7.01	3	Horizontal	6	2.13	-	24.39	31.40	9.73	34.12
AV	7.41544G	37.86	54.00	-16.14	13.06	3	Horizontal	311	2.42	-	24.80	36.23	11.32	34.49
PK	4.9344G	45.11	74.00	-28.89	6.93	3	Horizontal	6	2.13	-	38.18	31.34	9.72	34.13
PK	7.40624G	51.22	74.00	-22.78	13.05	3	Horizontal	311	2.42	-	38.17	36.21	11.33	34.49

802.11n HT20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.52	54.00	-5.48	34.98	3	Vertical	282	1.00	-	13.54	27.72	7.26	-
AV	2.417G	96.88	Inf	-Inf	34.87	3	Vertical	282	1.00	-	62.01	27.60	7.27	-
PK	2.3896G	60.32	74.00	-13.68	34.98	3	Vertical	282	1.00	-	25.34	27.72	7.26	-
PK	2.4134G	108.33	Inf	-Inf	34.89	3	Vertical	282	1.00	-	73.44	27.62	7.27	-

802.11n HT20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.46	54.00	-5.54	34.98	3	Horizontal	314	1.13	-	13.48	27.72	7.26	-
AV	2.416G	97.01	Inf	-Inf	34.87	3	Horizontal	314	1.13	-	62.14	27.60	7.27	-
PK	2.3644G	59.89	74.00	-14.11	35.01	3	Horizontal	314	1.13	-	24.88	27.77	7.24	-
PK	2.418G	108.85	Inf	-Inf	34.86	3	Horizontal	314	1.13	-	73.99	27.59	7.27	-

802.11n HT20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.81808G	31.15	54.00	-22.85	6.63	3	Vertical	236	1.54	-	24.52	31.14	9.68	34.19
PK	4.81688G	44.06	74.00	-29.94	6.62	3	Vertical	236	1.54	-	37.44	31.13	9.68	34.19

802.11n HT20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.81804G	31.13	54.00	-22.87	6.63	3	Horizontal	360	1.50	-	24.50	31.14	9.68	34.19
PK	4.81756G	44.75	74.00	-29.25	6.63	3	Horizontal	360	1.50	-	38.12	31.14	9.68	34.19

802.11n HT20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.16	54.00	-5.84	34.98	3	Vertical	39	1.52	-	13.18	27.72	7.26	-
AV	2.4184G	97.92	Inf	-Inf	34.86	3	Vertical	39	1.52	-	63.06	27.59	7.27	-
PK	2.3858G	58.25	74.00	-15.75	34.98	3	Vertical	39	1.52	-	23.27	27.73	7.25	-
PK	2.4158G	109.67	Inf	-Inf	34.88	3	Vertical	39	1.52	-	74.79	27.61	7.27	-

802.11n HT20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.89	54.00	-5.11	34.98	3	Horizontal	313	1.11	-	13.91	27.72	7.26	-
AV	2.4188G	99.45	Inf	-Inf	34.87	3	Horizontal	313	1.11	-	64.58	27.59	7.28	-
PK	2.3894G	60.65	74.00	-13.35	34.98	3	Horizontal	313	1.11	-	25.67	27.72	7.26	-
PK	2.4194G	111.38	Inf	-Inf	34.86	3	Horizontal	313	1.11	-	76.52	27.58	7.28	-

802.11n HT20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.8436G	31.07	54.00	-22.93	6.70	3	Vertical	332	1.50	-	24.37	31.19	9.69	34.18
PK	4.83728G	44.92	74.00	-29.08	6.67	3	Vertical	332	1.50	-	38.25	31.17	9.68	34.18

802.11n HT20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.83656G	31.24	54.00	-22.76	6.67	3	Horizontal	346	2.22	-	24.57	31.17	9.68	34.18
PK	4.84068G	44.23	74.00	-29.77	6.69	3	Horizontal	346	2.22	-	37.54	31.18	9.69	34.18

802.11n HT20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3374G	48.67	54.00	-5.33	36.07	3	Vertical	104	1.16	-	12.60	27.83	8.24	-
AV	2.435G	107.13	Inf	-Inf	35.80	3	Vertical	104	1.16	-	71.33	27.49	8.31	-
AV	2.4842G	48.44	54.00	-5.56	35.74	3	Vertical	104	1.16	-	12.70	27.40	8.34	-
PK	2.3502G	60.37	74.00	-13.63	36.05	3	Vertical	104	1.16	-	24.32	27.80	8.25	-
PK	2.435G	116.87	Inf	-Inf	35.80	3	Vertical	104	1.16	-	81.07	27.49	8.31	-
PK	2.4962G	60.11	74.00	-13.89	35.75	3	Vertical	104	1.16	-	24.36	27.40	8.35	-

802.11n HT20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3414G	48.63	54.00	-5.37	36.07	3	Horizontal	314	1.30	-	12.56	27.82	8.25	-
AV	2.4402G	103.22	Inf	-Inf	35.78	3	Horizontal	314	1.30	-	67.44	27.46	8.32	-
AV	2.4838G	48.26	54.00	-5.74	35.74	3	Horizontal	314	1.30	-	12.52	27.40	8.34	-
PK	2.3726G	61.47	74.00	-12.53	36.02	3	Horizontal	314	1.30	-	25.45	27.75	8.27	-
PK	2.4406G	113.81	Inf	-Inf	35.78	3	Horizontal	314	1.30	-	78.03	27.46	8.32	-
PK	2.4878G	59.77	74.00	-14.23	35.75	3	Horizontal	314	1.30	-	24.02	27.40	8.35	-

802.11n HT20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87754G	29.70	54.00	-24.30	6.00	3	Vertical	177	2.00	-	23.70	31.20	8.96	34.16
AV	7.31292G	36.24	54.00	-17.76	12.49	3	Vertical	340	1.50	-	23.75	36.37	10.62	34.50
PK	4.86128G	43.91	74.00	-30.09	5.98	3	Vertical	177	2.00	-	37.93	31.20	8.95	34.17
PK	7.30062G	49.89	74.00	-24.11	12.51	3	Vertical	340	1.50	-	37.38	36.40	10.61	34.50

802.11n HT20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86476G	29.80	54.00	-24.20	5.99	3	Horizontal	222	1.24	-	23.81	31.20	8.95	34.16
AV	7.31118G	36.32	54.00	-17.68	12.50	3	Horizontal	184	2.14	-	23.82	36.38	10.62	34.50
PK	4.8785G	43.54	74.00	-30.46	6.00	3	Horizontal	222	1.24	-	37.54	31.20	8.96	34.16
PK	7.314G	50.48	74.00	-23.52	12.49	3	Horizontal	184	2.14	-	37.99	36.37	10.62	34.50

802.11n HT20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4554G	98.82	Inf	-Inf	34.70	3	Vertical	178	1.00	-	64.12	27.40	7.30	-
AV	2.4835G	48.03	54.00	-5.97	34.73	3	Vertical	178	1.00	-	13.30	27.40	7.33	-
PK	2.4588G	111.77	Inf	-Inf	34.71	3	Vertical	178	1.00	-	77.06	27.40	7.31	-
PK	2.4866G	59.31	74.00	-14.69	34.73	3	Vertical	178	1.00	-	24.58	27.40	7.33	-

802.11n HT20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.455G	100.10	Inf	-Inf	34.70	3	Horizontal	313	1.00	-	65.40	27.40	7.30	-
AV	2.4835G	48.30	54.00	-5.70	34.73	3	Horizontal	313	1.00	-	13.57	27.40	7.33	-
PK	2.4584G	111.39	Inf	-Inf	34.71	3	Horizontal	313	1.00	-	76.68	27.40	7.31	-
PK	2.4836G	59.32	74.00	-14.68	34.73	3	Horizontal	313	1.00	-	24.59	27.40	7.33	-

802.11n HT20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9134G	30.87	54.00	-23.13	6.83	3	Vertical	2	1.50	-	24.04	31.25	9.72	34.14
AV	7.38018G	36.96	54.00	-17.04	13.09	3	Vertical	335	1.16	-	23.87	36.24	11.34	34.49
PK	4.92726G	44.54	74.00	-29.46	6.90	3	Vertical	2	1.50	-	37.64	31.31	9.72	34.13
PK	7.38162G	50.84	74.00	-23.16	13.09	3	Vertical	335	1.16	-	37.75	36.24	11.34	34.49

802.11n HT20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91514G	31.02	54.00	-22.98	6.84	3	Horizontal	313	1.50	-	24.18	31.26	9.72	34.14
AV	7.37862G	37.00	54.00	-17.00	13.09	3	Horizontal	268	2.87	-	23.91	36.24	11.34	34.49
PK	4.91274G	44.49	74.00	-29.51	6.83	3	Horizontal	313	1.50	-	37.66	31.25	9.72	34.14
PK	7.36614G	50.28	74.00	-23.72	13.11	3	Horizontal	268	2.87	-	37.17	36.27	11.33	34.49

802.11n HT20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4578G	96.37	Inf	-Inf	34.71	3	Vertical	178	1.01	-	61.66	27.40	7.31	-
AV	2.4835G	47.68	54.00	-6.32	34.73	3	Vertical	178	1.01	-	12.95	27.40	7.33	-
PK	2.4588G	108.93	Inf	-Inf	34.71	3	Vertical	178	1.01	-	74.22	27.40	7.31	-
PK	2.4835G	59.58	74.00	-14.42	34.73	3	Vertical	178	1.01	-	24.85	27.40	7.33	-

802.11n HT20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4564G	97.94	Inf	-Inf	34.71	3	Horizontal	309	1.00	-	63.23	27.40	7.31	-
AV	2.4835G	48.07	54.00	-5.93	34.73	3	Horizontal	309	1.00	-	13.34	27.40	7.33	-
PK	2.4576G	109.64	Inf	-Inf	34.71	3	Horizontal	309	1.00	-	74.93	27.40	7.31	-
PK	2.486G	59.18	74.00	-14.82	34.73	3	Horizontal	309	1.00	-	24.45	27.40	7.33	-

802.11n HT20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91674G	30.98	54.00	-23.02	6.85	3	Vertical	20	2.94	-	24.13	31.27	9.72	34.14
AV	7.40052G	37.13	54.00	-16.87	13.05	3	Vertical	53	1.41	-	24.08	36.20	11.34	34.49
PK	4.91962G	44.13	74.00	-29.87	6.86	3	Vertical	20	2.94	-	37.27	31.28	9.72	34.14
PK	7.3776G	51.26	74.00	-22.74	13.09	3	Vertical	53	1.41	-	38.17	36.24	11.34	34.49

802.11n HT20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91788G	31.09	54.00	-22.91	6.85	3	Horizontal	193	2.41	-	24.24	31.27	9.72	34.14
AV	7.40004G	37.07	54.00	-16.93	13.05	3	Horizontal	18	2.61	-	24.02	36.20	11.34	34.49
PK	4.92508G	44.99	74.00	-29.01	6.88	3	Horizontal	193	2.41	-	38.11	31.30	9.72	34.14
PK	7.374G	49.87	74.00	-24.13	13.09	3	Horizontal	18	2.61	-	36.78	36.25	11.33	34.49

802.11n HT20_Nss1,(MCS0)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.47G	86.61	Inf	-Inf	34.72	3	Vertical	36	1.50	-	51.89	27.40	7.32	-
AV	2.4836G	46.89	54.00	-7.11	34.73	3	Vertical	36	1.50	-	12.16	27.40	7.33	-
PK	2.4722G	98.01	Inf	-Inf	34.72	3	Vertical	36	1.50	-	63.29	27.40	7.32	-
PK	2.49G	57.98	74.00	-16.02	34.73	3	Vertical	36	1.50	-	23.25	27.40	7.33	-

802.11n HT20_Nss1,(MCS0)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4648G	88.51	Inf	-Inf	34.71	3	Horizontal	312	1.00	-	53.80	27.40	7.31	-
AV	2.4835G	47.00	54.00	-7.00	34.73	3	Horizontal	312	1.00	-	12.27	27.40	7.33	-
PK	2.4692G	100.17	Inf	-Inf	34.72	3	Horizontal	312	1.00	-	65.45	27.40	7.32	-
PK	2.4868G	58.23	74.00	-15.77	34.73	3	Horizontal	312	1.00	-	23.50	27.40	7.33	-

802.11n HT20_Nss1,(MCS0)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.919G	30.79	54.00	-23.21	6.86	3	Vertical	331	2.58	-	23.93	31.28	9.72	34.14
AV	7.4025G	37.16	54.00	-16.84	13.06	3	Vertical	1	1.84	-	24.10	36.21	11.34	34.49
PK	4.94228G	43.93	74.00	-30.07	6.97	3	Vertical	331	2.58	-	36.96	31.37	9.73	34.13
PK	7.40112G	51.18	74.00	-22.82	13.05	3	Vertical	1	1.84	-	38.13	36.20	11.34	34.49

802.11n HT20_Nss1,(MCS0)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92326G	30.89	54.00	-23.11	6.87	3	Horizontal	166	1.18	-	24.02	31.29	9.72	34.14
AV	7.40142G	37.19	54.00	-16.81	13.05	3	Horizontal	126	2.40	-	24.14	36.20	11.34	34.49
PK	4.93472G	43.59	74.00	-30.41	6.93	3	Horizontal	166	1.18	-	36.66	31.34	9.72	34.13
PK	7.39992G	50.12	74.00	-23.88	13.05	3	Horizontal	126	2.40	-	37.07	36.20	11.34	34.49

802.11n HT20_Nss1,(MCS0)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4686G	79.74	Inf	-Inf	34.71	3	Vertical	37	1.50	-	45.03	27.40	7.31	-
AV	2.4835G	47.97	54.00	-6.03	34.73	3	Vertical	37	1.50	-	13.24	27.40	7.33	-
PK	2.469G	91.78	Inf	-Inf	34.72	3	Vertical	37	1.50	-	57.06	27.40	7.32	-
PK	2.4836G	59.65	74.00	-14.35	34.73	3	Vertical	37	1.50	-	24.92	27.40	7.33	-

802.11n HT20_Nss1,(MCS0)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4694G	82.70	Inf	-Inf	34.72	3	Horizontal	312	2.94	-	47.98	27.40	7.32	-
AV	2.4835G	48.68	54.00	-5.32	34.73	3	Horizontal	312	2.94	-	13.95	27.40	7.33	-
PK	2.468G	94.10	Inf	-Inf	34.71	3	Horizontal	312	2.94	-	59.39	27.40	7.31	-
PK	2.4835G	63.96	74.00	-10.04	34.73	3	Horizontal	312	2.94	-	29.23	27.40	7.33	-

802.11n HT20_Nss1,(MCS0)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94898G	30.95	54.00	-23.05	7.01	3	Vertical	360	1.50	-	23.94	31.40	9.73	34.12
AV	7.40934G	37.23	54.00	-16.77	13.06	3	Vertical	355	1.51	-	24.17	36.22	11.33	34.49
PK	4.95792G	43.98	74.00	-30.02	7.03	3	Vertical	360	1.50	-	36.95	31.42	9.73	34.12
PK	7.40244G	50.23	74.00	-23.77	13.05	3	Vertical	355	1.51	-	37.18	36.20	11.34	34.49

802.11n HT20_Nss1,(MCS0)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94688G	30.93	54.00	-23.07	6.99	3	Horizontal	121	2.57	-	23.94	31.39	9.73	34.13
AV	7.42284G	37.21	54.00	-16.79	13.08	3	Horizontal	140	2.08	-	24.13	36.25	11.32	34.49
PK	4.94574G	44.03	74.00	-29.97	6.98	3	Horizontal	121	2.57	-	37.05	31.38	9.73	34.13
PK	7.4244G	50.09	74.00	-23.91	13.08	3	Horizontal	140	2.08	-	37.01	36.25	11.32	34.49

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3252G	47.56	54.00	-6.44	35.08	3	Vertical	278	1.48	-	12.48	27.85	7.23	-
AV	2.4172G	84.62	Inf	-Inf	34.87	3	Vertical	278	1.48	-	49.75	27.60	7.27	-
AV	2.4996G	46.92	54.00	-7.08	34.74	3	Vertical	278	1.48	-	12.18	27.40	7.34	-
PK	2.3228G	59.60	74.00	-14.40	35.08	3	Vertical	278	1.48	-	24.52	27.85	7.23	-
PK	2.4132G	94.37	Inf	-Inf	34.89	3	Vertical	278	1.48	-	59.48	27.62	7.27	-
PK	2.4872G	57.86	74.00	-16.14	34.73	3	Vertical	278	1.48	-	23.13	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3252G	47.53	54.00	-6.47	35.08	3	Horizontal	59	1.04	-	12.45	27.85	7.23	-
AV	2.4252G	86.96	Inf	-Inf	34.83	3	Horizontal	59	1.04	-	52.13	27.55	7.28	-
AV	2.4856G	46.91	54.00	-7.09	34.73	3	Horizontal	59	1.04	-	12.18	27.40	7.33	-
PK	2.3368G	59.80	74.00	-14.20	35.06	3	Horizontal	59	1.04	-	24.74	27.83	7.23	-
PK	2.4204G	96.75	Inf	-Inf	34.86	3	Horizontal	59	1.04	-	61.89	27.58	7.28	-
PK	2.4872G	58.03	74.00	-15.97	34.73	3	Horizontal	59	1.04	-	23.30	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83952G	30.99	54.00	-23.01	6.69	3	Vertical	165	3.00	-	24.30	31.18	9.69	34.18
AV	7.26912G	39.20	54.00	-14.80	13.15	3	Vertical	34	1.35	-	26.05	36.34	11.31	34.50
PK	4.83264G	44.70	74.00	-29.30	6.67	3	Vertical	165	3.00	-	38.03	31.17	9.68	34.18
PK	7.26992G	53.13	74.00	-20.87	13.15	3	Vertical	34	1.35	-	39.98	36.34	11.31	34.50

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84288G	30.94	54.00	-23.06	6.70	3	Horizontal	194	1.50	-	24.24	31.19	9.69	34.18
AV	7.25128G	37.69	54.00	-16.31	13.11	3	Horizontal	296	1.50	-	24.58	36.30	11.31	34.50
PK	4.84072G	44.41	74.00	-29.59	6.69	3	Horizontal	194	1.50	-	37.72	31.18	9.69	34.18
PK	7.2516G	50.92	74.00	-23.08	13.11	3	Horizontal	296	1.50	-	37.81	36.30	11.31	34.50

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	50.37	54.00	-3.63	34.98	3	Vertical	279	1.15	-	15.39	27.72	7.26	-
AV	2.4162G	95.73	Inf	-Inf	34.87	3	Vertical	279	1.15	-	60.86	27.60	7.27	-
AV	2.4835G	48.50	54.00	-5.50	34.73	3	Vertical	279	1.15	-	13.77	27.40	7.33	-
PK	2.389G	61.38	74.00	-12.62	34.98	3	Vertical	279	1.15	-	26.40	27.72	7.26	-
PK	2.4154G	106.58	Inf	-Inf	34.88	3	Vertical	279	1.15	-	71.70	27.61	7.27	-
PK	2.4862G	59.75	74.00	-14.25	34.73	3	Vertical	279	1.15	-	25.02	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	51.30	54.00	-2.70	34.98	3	Horizontal	56	1.30	-	16.32	27.72	7.26	-
AV	2.425G	97.05	Inf	-Inf	34.83	3	Horizontal	56	1.30	-	62.22	27.55	7.28	-
AV	2.4835G	49.01	54.00	-4.99	34.73	3	Horizontal	56	1.30	-	14.28	27.40	7.33	-
PK	2.3886G	66.58	74.00	-7.42	34.97	3	Horizontal	56	1.30	-	31.61	27.72	7.25	-
PK	2.429G	107.53	Inf	-Inf	34.81	3	Horizontal	56	1.30	-	72.72	27.53	7.28	-
PK	2.4835G	60.54	74.00	-13.46	34.73	3	Horizontal	56	1.30	-	25.81	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84906G	30.44	54.00	-23.56	6.72	3	Vertical	337	2.33	-	23.72	31.20	9.69	34.17
AV	7.26892G	38.54	54.00	-15.46	13.15	3	Vertical	48	1.35	-	25.39	36.34	11.31	34.50
PK	4.85358G	43.81	74.00	-30.19	6.72	3	Vertical	337	2.33	-	37.09	31.20	9.69	34.17
PK	7.27012G	52.05	74.00	-21.95	13.15	3	Vertical	48	1.35	-	38.90	36.34	11.31	34.50

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8513G	30.41	54.00	-23.59	6.72	3	Horizontal	137	1.50	-	23.69	31.20	9.69	34.17
AV	7.28418G	38.53	54.00	-15.47	13.19	3	Horizontal	265	1.16	-	25.34	36.37	11.32	34.50
PK	4.85862G	44.25	74.00	-29.75	6.72	3	Horizontal	137	1.50	-	37.53	31.20	9.69	34.17
PK	7.27878G	52.10	74.00	-21.90	13.18	3	Horizontal	265	1.16	-	38.92	36.36	11.32	34.50

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	50.60	54.00	-3.40	36.00	3	Vertical	108	1.06	-	14.60	27.72	8.28	-
AV	2.4418G	97.00	Inf	-Inf	35.77	3	Vertical	108	1.06	-	61.23	27.45	8.32	-
AV	2.4835G	51.07	54.00	-2.93	35.74	3	Vertical	108	1.06	-	15.33	27.40	8.34	-
PK	2.3898G	61.77	74.00	-12.23	36.00	3	Vertical	108	1.06	-	25.77	27.72	8.28	-
PK	2.4474G	107.66	Inf	-Inf	35.74	3	Vertical	108	1.06	-	71.92	27.42	8.32	-
PK	2.4838G	63.61	74.00	-10.39	35.74	3	Vertical	108	1.06	-	27.87	27.40	8.34	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	50.20	54.00	-3.80	36.00	3	Horizontal	51	1.20	-	14.20	27.72	8.28	-
AV	2.4414G	96.80	Inf	-Inf	35.77	3	Horizontal	51	1.20	-	61.03	27.45	8.32	-
AV	2.4835G	51.81	54.00	-2.19	35.74	3	Horizontal	51	1.20	-	16.07	27.40	8.34	-
PK	2.3894G	60.50	74.00	-13.50	36.00	3	Horizontal	51	1.20	-	24.50	27.72	8.28	-
PK	2.4394G	107.22	Inf	-Inf	35.78	3	Horizontal	51	1.20	-	71.44	27.46	8.32	-
PK	2.4842G	64.23	74.00	-9.77	35.74	3	Horizontal	51	1.20	-	28.49	27.40	8.34	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8704G	30.74	54.00	-23.26	6.74	3	Vertical	316	2.10	-	24.00	31.20	9.70	34.16
AV	7.30874G	37.39	54.00	-16.61	13.20	3	Vertical	360	1.28	-	24.19	36.38	11.32	34.50
PK	4.87236G	43.98	74.00	-30.02	6.74	3	Vertical	316	2.10	-	37.24	31.20	9.70	34.16
PK	7.31418G	51.80	74.00	-22.20	13.19	3	Vertical	360	1.28	-	38.61	36.37	11.32	34.50

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87736G	30.74	54.00	-23.26	6.74	3	Horizontal	358	1.32	-	24.00	31.20	9.70	34.16
AV	7.31458G	44.75	54.00	-9.25	13.19	3	Horizontal	264	1.28	-	31.56	36.37	11.32	34.50
PK	4.8718G	44.00	74.00	-30.00	6.74	3	Horizontal	358	1.32	-	37.26	31.20	9.70	34.16
PK	7.31488G	57.44	74.00	-16.56	13.19	3	Horizontal	264	1.28	-	44.25	36.37	11.32	34.50

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2447MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	47.73	54.00	-6.27	34.98	3	Vertical	131	1.00	-	12.75	27.72	7.26	-
AV	2.4538G	95.13	Inf	-Inf	34.70	3	Vertical	131	1.00	-	60.43	27.40	7.30	-
AV	2.4835G	50.71	54.00	-3.29	34.73	3	Vertical	131	1.00	-	15.98	27.40	7.33	-
PK	2.3686G	59.16	74.00	-14.84	35.01	3	Vertical	131	1.00	-	24.15	27.76	7.25	-
PK	2.4314G	105.97	Inf	-Inf	34.80	3	Vertical	131	1.00	-	71.17	27.51	7.29	-
PK	2.4835G	64.33	74.00	-9.67	34.73	3	Vertical	131	1.00	-	29.60	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2447MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	47.71	54.00	-6.29	34.98	3	Horizontal	63	3.00	-	12.73	27.72	7.26	-
AV	2.4546G	96.78	Inf	-Inf	34.70	3	Horizontal	63	3.00	-	62.08	27.40	7.30	-
AV	2.4835G	50.32	54.00	-3.68	34.73	3	Horizontal	63	3.00	-	15.59	27.40	7.33	-
PK	2.3882G	58.53	74.00	-15.47	34.97	3	Horizontal	63	3.00	-	23.56	27.72	7.25	-
PK	2.4534G	107.71	Inf	-Inf	34.70	3	Horizontal	63	3.00	-	73.01	27.40	7.30	-
PK	2.4838G	62.67	74.00	-11.33	34.73	3	Horizontal	63	3.00	-	27.94	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8961G	31.02	54.00	-22.98	6.76	3	Vertical	308	2.52	-	24.26	31.20	9.71	34.15
AV	7.34488G	37.01	54.00	-16.99	13.14	3	Vertical	25	1.50	-	23.87	36.31	11.33	34.50
PK	4.8973G	44.93	74.00	-29.07	6.76	3	Vertical	308	2.52	-	38.17	31.20	9.71	34.15
PK	7.33754G	50.67	74.00	-23.33	13.15	3	Vertical	25	1.50	-	37.52	36.32	11.33	34.50

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89514G	30.96	54.00	-23.04	6.76	3	Horizontal	79	1.89	-	24.20	31.20	9.71	34.15
AV	7.34356G	36.95	54.00	-17.05	13.14	3	Horizontal	259	1.24	-	23.81	36.31	11.33	34.50
PK	4.89492G	44.08	74.00	-29.92	6.76	3	Horizontal	79	1.89	-	37.32	31.20	9.71	34.15
PK	7.34338G	51.00	74.00	-23.00	13.14	3	Horizontal	259	1.24	-	37.86	36.31	11.33	34.50

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.47	54.00	-6.53	34.98	3	Vertical	128	1.37	-	12.49	27.72	7.26	-
AV	2.4552G	95.77	Inf	-Inf	34.70	3	Vertical	128	1.37	-	61.07	27.40	7.30	-
AV	2.4835G	50.58	54.00	-3.42	34.73	3	Vertical	128	1.37	-	15.85	27.40	7.33	-
PK	2.366G	59.31	74.00	-14.69	35.01	3	Vertical	128	1.37	-	24.30	27.77	7.24	-
PK	2.4552G	106.45	Inf	-Inf	34.70	3	Vertical	128	1.37	-	71.75	27.40	7.30	-
PK	2.4835G	65.11	74.00	-8.89	34.73	3	Vertical	128	1.37	-	30.38	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.28	54.00	-6.72	34.98	3	Horizontal	315	3.00	-	12.30	27.72	7.26	-
AV	2.4536G	96.55	Inf	-Inf	34.70	3	Horizontal	315	3.00	-	61.85	27.40	7.30	-
AV	2.4835G	50.37	54.00	-3.63	34.73	3	Horizontal	315	3.00	-	15.64	27.40	7.33	-
PK	2.3872G	58.40	74.00	-15.60	34.98	3	Horizontal	315	3.00	-	23.42	27.73	7.25	-
PK	2.4536G	107.57	Inf	-Inf	34.70	3	Horizontal	315	3.00	-	72.87	27.40	7.30	-
PK	2.4835G	66.08	74.00	-7.92	34.73	3	Horizontal	315	3.00	-	31.35	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90844G	30.79	54.00	-23.21	6.80	3	Vertical	199	2.19	-	23.99	31.23	9.71	34.14
AV	7.35312G	36.93	54.00	-17.07	13.13	3	Vertical	223	1.13	-	23.80	36.29	11.33	34.49
PK	4.90768G	43.98	74.00	-30.02	6.80	3	Vertical	199	2.19	-	37.18	31.23	9.71	34.14
PK	7.35816G	51.83	74.00	-22.17	13.12	3	Vertical	223	1.13	-	38.71	36.28	11.33	34.49

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.909G	30.76	54.00	-23.24	6.81	3	Horizontal	346	2.62	-	23.95	31.24	9.71	34.14
AV	7.3525G	36.88	54.00	-17.12	13.13	3	Horizontal	285	1.22	-	23.75	36.29	11.33	34.49
PK	4.90026G	44.71	74.00	-29.29	6.76	3	Horizontal	346	2.62	-	37.95	31.20	9.71	34.15
PK	7.35548G	50.53	74.00	-23.47	13.13	3	Horizontal	285	1.22	-	37.40	36.29	11.33	34.49

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3598G	47.22	54.00	-6.78	35.02	3	Vertical	128	1.39	-	12.20	27.78	7.24	-
AV	2.455G	88.79	Inf	-Inf	34.70	3	Vertical	128	1.39	-	54.09	27.40	7.30	-
AV	2.4835G	47.06	54.00	-6.94	34.73	3	Vertical	128	1.39	-	12.33	27.40	7.33	-
PK	2.3778G	59.73	74.00	-14.27	34.99	3	Vertical	128	1.39	-	24.74	27.74	7.25	-
PK	2.455G	99.04	Inf	-Inf	34.70	3	Vertical	128	1.39	-	64.34	27.40	7.30	-
PK	2.4866G	58.97	74.00	-15.03	34.73	3	Vertical	128	1.39	-	24.24	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3582G	47.23	54.00	-6.77	35.02	3	Horizontal	316	3.00	-	12.21	27.78	7.24	-
AV	2.4546G	89.57	Inf	-Inf	34.70	3	Horizontal	316	3.00	-	54.87	27.40	7.30	-
AV	2.4835G	47.08	54.00	-6.92	34.73	3	Horizontal	316	3.00	-	12.35	27.40	7.33	-
PK	2.3894G	58.70	74.00	-15.30	34.98	3	Horizontal	316	3.00	-	23.72	27.72	7.26	-
PK	2.4494G	100.08	Inf	-Inf	34.70	3	Horizontal	316	3.00	-	65.38	27.40	7.30	-
PK	2.4894G	57.99	74.00	-16.01	34.73	3	Horizontal	316	3.00	-	23.26	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9141G	30.99	54.00	-23.01	6.84	3	Vertical	191	1.32	-	24.15	31.26	9.72	34.14
AV	7.3742G	36.82	54.00	-17.18	13.09	3	Vertical	287	1.61	-	23.73	36.25	11.33	34.49
PK	4.91026G	44.48	74.00	-29.52	6.81	3	Vertical	191	1.32	-	37.67	31.24	9.71	34.14
PK	7.3755G	50.66	74.00	-23.34	13.10	3	Vertical	287	1.61	-	37.56	36.25	11.34	34.49

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91386G	30.98	54.00	-23.02	6.84	3	Horizontal	253	2.68	-	24.14	31.26	9.72	34.14
AV	7.37566G	36.86	54.00	-17.14	13.10	3	Horizontal	107	1.97	-	23.76	36.25	11.34	34.49
PK	4.9104G	44.66	74.00	-29.34	6.81	3	Horizontal	253	2.68	-	37.85	31.24	9.71	34.14
PK	7.3692G	50.14	74.00	-23.86	13.10	3	Horizontal	107	1.97	-	37.04	36.26	11.33	34.49

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.362G	47.18	54.00	-6.82	35.02	3	Vertical	127	1.38	-	12.16	27.78	7.24	-
AV	2.456G	81.66	Inf	-Inf	34.70	3	Vertical	127	1.38	-	46.96	27.40	7.30	-
AV	2.4835G	47.67	54.00	-6.33	34.73	3	Vertical	127	1.38	-	12.94	27.40	7.33	-
PK	2.3796G	58.85	74.00	-15.15	34.99	3	Vertical	127	1.38	-	23.86	27.74	7.25	-
PK	2.4564G	91.78	Inf	-Inf	34.71	3	Vertical	127	1.38	-	57.07	27.40	7.31	-
PK	2.4835G	59.18	74.00	-14.82	34.73	3	Vertical	127	1.38	-	24.45	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3624G	47.20	54.00	-6.80	35.02	3	Horizontal	312	2.95	-	12.18	27.78	7.24	-
AV	2.4672G	82.79	Inf	-Inf	34.71	3	Horizontal	312	2.95	-	48.08	27.40	7.31	-
AV	2.4835G	47.97	54.00	-6.03	34.73	3	Horizontal	312	2.95	-	13.24	27.40	7.33	-
PK	2.3884G	58.93	74.00	-15.07	34.97	3	Horizontal	312	2.95	-	23.96	27.72	7.25	-
PK	2.47G	93.54	Inf	-Inf	34.72	3	Horizontal	312	2.95	-	58.82	27.40	7.32	-
PK	2.4835G	60.47	74.00	-13.53	34.73	3	Horizontal	312	2.95	-	25.74	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91946G	30.91	54.00	-23.09	6.86	3	Vertical	11	2.99	-	24.05	31.28	9.72	34.14
AV	7.38164G	36.97	54.00	-17.03	13.09	3	Vertical	232	1.90	-	23.88	36.24	11.34	34.49
PK	4.92008G	44.42	74.00	-29.58	6.86	3	Vertical	11	2.99	-	37.56	31.28	9.72	34.14
PK	7.38928G	50.71	74.00	-23.29	13.07	3	Vertical	232	1.90	-	37.64	36.22	11.34	34.49

802.11n HT40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92044G	30.89	54.00	-23.11	6.86	3	Horizontal	272	2.85	-	24.03	31.28	9.72	34.14
AV	7.3811G	37.02	54.00	-16.98	13.09	3	Horizontal	343	2.90	-	23.93	36.24	11.34	34.49
PK	4.92186G	44.94	74.00	-29.06	6.87	3	Horizontal	272	2.85	-	38.07	31.29	9.72	34.14
PK	7.38168G	50.59	74.00	-23.41	13.09	3	Horizontal	343	2.90	-	37.50	36.24	11.34	34.49

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.322G	48.49	54.00	-5.51	36.09	3	Vertical	200	1.46	-	12.40	27.86	8.23	-
AV	2.4256G	86.28	Inf	-Inf	35.86	3	Vertical	200	1.46	-	50.42	27.55	8.31	-
AV	2.486G	47.96	54.00	-6.04	35.75	3	Vertical	200	1.46	-	12.21	27.40	8.35	-
PK	2.3528G	59.26	74.00	-14.74	36.04	3	Vertical	200	1.46	-	23.22	27.79	8.25	-
PK	2.4296G	96.63	Inf	-Inf	35.83	3	Vertical	200	1.46	-	60.80	27.52	8.31	-
PK	2.4864G	58.88	74.00	-15.12	35.75	3	Vertical	200	1.46	-	23.13	27.40	8.35	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3224G	48.52	54.00	-5.48	36.09	3	Horizontal	34	1.45	-	12.43	27.86	8.23	-
AV	2.4264G	84.32	Inf	-Inf	35.85	3	Horizontal	34	1.45	-	48.47	27.54	8.31	-
AV	2.4968G	47.89	54.00	-6.11	35.75	3	Horizontal	34	1.45	-	12.14	27.40	8.35	-
PK	2.3304G	59.83	74.00	-14.17	36.08	3	Horizontal	34	1.45	-	23.75	27.84	8.24	-
PK	2.4268G	94.32	Inf	-Inf	35.85	3	Horizontal	34	1.45	-	58.47	27.54	8.31	-
PK	2.4868G	58.55	74.00	-15.45	35.75	3	Horizontal	34	1.45	-	22.80	27.40	8.35	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84196G	30.79	54.00	-23.21	6.69	3	Vertical	200	2.77	-	24.10	31.18	9.69	34.18
AV	7.26608G	36.92	54.00	-17.08	13.14	3	Vertical	328	1.41	-	23.78	36.33	11.31	34.50
PK	4.84372G	44.26	74.00	-29.74	6.70	3	Vertical	200	2.77	-	37.56	31.19	9.69	34.18
PK	7.26302G	50.91	74.00	-23.09	13.14	3	Vertical	328	1.41	-	37.77	36.33	11.31	34.50

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84256G	30.72	54.00	-23.28	6.70	3	Horizontal	228	2.08	-	24.02	31.19	9.69	34.18
AV	7.26168G	36.94	54.00	-17.06	13.13	3	Horizontal	166	1.75	-	23.81	36.32	11.31	34.50
PK	4.84168G	43.91	74.00	-30.09	6.69	3	Horizontal	228	2.08	-	37.22	31.18	9.69	34.18
PK	7.26848G	50.30	74.00	-23.70	13.15	3	Horizontal	166	1.75	-	37.15	36.34	11.31	34.50

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	50.74	54.00	-3.26	36.00	3	Vertical	203	1.50	-	14.74	27.72	8.28	-
AV	2.4238G	96.89	Inf	-Inf	35.87	3	Vertical	203	1.50	-	61.02	27.56	8.31	-
AV	2.4838G	49.29	54.00	-4.71	35.74	3	Vertical	203	1.50	-	13.55	27.40	8.34	-
PK	2.389G	61.04	74.00	-12.96	36.00	3	Vertical	203	1.50	-	25.04	27.72	8.28	-
PK	2.4246G	107.16	Inf	-Inf	35.86	3	Vertical	203	1.50	-	71.30	27.55	8.31	-
PK	2.485G	61.46	74.00	-12.54	35.75	3	Vertical	203	1.50	-	25.71	27.40	8.35	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	51.09	54.00	-2.91	36.00	3	Horizontal	33	1.43	-	15.09	27.72	8.28	-
AV	2.4246G	95.53	Inf	-Inf	35.86	3	Horizontal	33	1.43	-	59.67	27.55	8.31	-
AV	2.4838G	48.93	54.00	-5.07	35.74	3	Horizontal	33	1.43	-	13.19	27.40	8.34	-
PK	2.3886G	60.75	74.00	-13.25	36.00	3	Horizontal	33	1.43	-	24.75	27.72	8.28	-
PK	2.4302G	105.78	Inf	-Inf	35.83	3	Horizontal	33	1.43	-	69.95	27.52	8.31	-
PK	2.4838G	59.57	74.00	-14.43	35.74	3	Horizontal	33	1.43	-	23.83	27.40	8.34	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84966G	30.47	54.00	-23.53	6.72	3	Vertical	169	1.98	-	23.75	31.20	9.69	34.17
AV	7.27716G	36.67	54.00	-17.33	13.17	3	Vertical	208	2.68	-	23.50	36.35	11.32	34.50
PK	4.85702G	43.74	74.00	-30.26	6.72	3	Vertical	169	1.98	-	37.02	31.20	9.69	34.17
PK	7.28588G	50.32	74.00	-23.68	13.19	3	Vertical	208	2.68	-	37.13	36.37	11.32	34.50

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84902G	30.48	54.00	-23.52	6.72	3	Horizontal	162	2.24	-	23.76	31.20	9.69	34.17
AV	7.27778G	36.66	54.00	-17.34	13.18	3	Horizontal	117	2.78	-	23.48	36.36	11.32	34.50
PK	4.85096G	43.95	74.00	-30.05	6.72	3	Horizontal	162	2.24	-	37.23	31.20	9.69	34.17
PK	7.2812G	49.72	74.00	-24.28	13.18	3	Horizontal	117	2.78	-	36.54	36.36	11.32	34.50

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3894G	49.43	54.00	-4.57	36.00	3	Vertical	201	1.48	-	13.43	27.72	8.28	-
AV	2.4266G	97.03	Inf	-Inf	35.85	3	Vertical	201	1.48	-	61.18	27.54	8.31	-
AV	2.4835G	50.55	54.00	-3.45	35.74	3	Vertical	201	1.48	-	14.81	27.40	8.34	-
PK	2.377G	59.23	74.00	-14.77	36.02	3	Vertical	201	1.48	-	23.21	27.75	8.27	-
PK	2.4226G	107.23	Inf	-Inf	35.86	3	Vertical	201	1.48	-	71.37	27.56	8.30	-
PK	2.4838G	61.71	74.00	-12.29	35.74	3	Vertical	201	1.48	-	25.97	27.40	8.34	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	49.22	54.00	-4.78	36.00	3	Horizontal	357	1.10	-	13.22	27.72	8.28	-
AV	2.4458G	94.97	Inf	-Inf	35.75	3	Horizontal	357	1.10	-	59.22	27.43	8.32	-
AV	2.4835G	49.85	54.00	-4.15	35.74	3	Horizontal	357	1.10	-	14.11	27.40	8.34	-
PK	2.3502G	59.71	74.00	-14.29	36.05	3	Horizontal	357	1.10	-	23.66	27.80	8.25	-
PK	2.4454G	105.72	Inf	-Inf	35.75	3	Horizontal	357	1.10	-	69.97	27.43	8.32	-
PK	2.4846G	61.72	74.00	-12.28	35.74	3	Horizontal	357	1.10	-	25.98	27.40	8.34	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87044G	30.80	54.00	-23.20	6.74	3	Vertical	214	2.49	-	24.06	31.20	9.70	34.16
AV	7.31172G	37.02	54.00	-16.98	13.20	3	Vertical	42	1.26	-	23.82	36.38	11.32	34.50
PK	4.86972G	44.22	74.00	-29.78	6.74	3	Vertical	214	2.49	-	37.48	31.20	9.70	34.16
PK	7.31158G	50.77	74.00	-23.23	13.20	3	Vertical	42	1.26	-	37.57	36.38	11.32	34.50

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87322G	30.84	54.00	-23.16	6.74	3	Horizontal	99	1.74	-	24.10	31.20	9.70	34.16
AV	7.31206G	36.88	54.00	-17.12	13.20	3	Horizontal	105	1.45	-	23.68	36.38	11.32	34.50
PK	4.87652G	45.22	74.00	-28.78	6.74	3	Horizontal	99	1.74	-	38.48	31.20	9.70	34.16
PK	7.30636G	50.31	74.00	-23.69	13.21	3	Horizontal	105	1.45	-	37.10	36.39	11.32	34.50

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	49.42	54.00	-4.58	36.00	3	Vertical	77	1.03	-	13.42	27.72	8.28	-
AV	2.4418G	98.34	Inf	-Inf	35.77	3	Vertical	77	1.03	-	62.57	27.45	8.32	-
AV	2.4835G	51.84	54.00	-2.16	35.74	3	Vertical	77	1.03	-	16.10	27.40	8.34	-
PK	2.389G	60.20	74.00	-13.80	36.00	3	Vertical	77	1.03	-	24.20	27.72	8.28	-
PK	2.443G	108.01	Inf	-Inf	35.76	3	Vertical	77	1.03	-	72.25	27.44	8.32	-
PK	2.4842G	66.23	74.00	-7.77	35.74	3	Vertical	77	1.03	-	30.49	27.40	8.34	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.347G	48.38	54.00	-5.62	36.06	3	Horizontal	360	1.07	-	12.32	27.81	8.25	-
AV	2.4438G	94.65	Inf	-Inf	35.76	3	Horizontal	360	1.07	-	58.89	27.44	8.32	-
AV	2.4835G	49.59	54.00	-4.41	35.74	3	Horizontal	360	1.07	-	13.85	27.40	8.34	-
PK	2.3718G	59.43	74.00	-14.57	36.03	3	Horizontal	360	1.07	-	23.40	27.76	8.27	-
PK	2.435G	104.88	Inf	-Inf	35.80	3	Horizontal	360	1.07	-	69.08	27.49	8.31	-
PK	2.4835G	62.70	74.00	-11.30	35.74	3	Horizontal	360	1.07	-	26.96	27.40	8.34	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89598G	31.00	54.00	-23.00	6.76	3	Vertical	327	2.95	-	24.24	31.20	9.71	34.15
AV	7.3439G	36.97	54.00	-17.03	13.14	3	Vertical	58	1.45	-	23.83	36.31	11.33	34.50
PK	4.89128G	44.23	74.00	-29.77	6.76	3	Vertical	327	2.95	-	37.47	31.20	9.71	34.15
PK	7.34408G	50.76	74.00	-23.24	13.14	3	Vertical	58	1.45	-	37.62	36.31	11.33	34.50

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8962G	31.00	54.00	-23.00	6.76	3	Horizontal	288	1.43	-	24.24	31.20	9.71	34.15
AV	7.34214G	37.02	54.00	-16.98	13.15	3	Horizontal	82	1.81	-	23.87	36.32	11.33	34.50
PK	4.8907G	44.71	74.00	-29.29	6.76	3	Horizontal	288	1.43	-	37.95	31.20	9.71	34.15
PK	7.34254G	51.47	74.00	-22.53	13.14	3	Horizontal	82	1.81	-	38.33	36.31	11.33	34.50

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	48.49	54.00	-5.51	36.00	3	Vertical	181	1.53	-	12.49	27.72	8.28	-
AV	2.4536G	96.83	Inf	-Inf	35.72	3	Vertical	181	1.53	-	61.11	27.40	8.32	-
AV	2.4835G	51.28	54.00	-2.72	35.74	3	Vertical	181	1.53	-	15.54	27.40	8.34	-
PK	2.3544G	59.76	74.00	-14.24	36.05	3	Vertical	181	1.53	-	23.71	27.79	8.26	-
PK	2.4536G	106.52	Inf	-Inf	35.72	3	Vertical	181	1.53	-	70.80	27.40	8.32	-
PK	2.4844G	63.92	74.00	-10.08	35.74	3	Vertical	181	1.53	-	28.18	27.40	8.34	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.352G	48.21	54.00	-5.79	36.05	3	Horizontal	347	1.52	-	12.16	27.80	8.25	-
AV	2.4472G	93.66	Inf	-Inf	35.74	3	Horizontal	347	1.52	-	57.92	27.42	8.32	-
AV	2.4835G	50.17	54.00	-3.83	35.74	3	Horizontal	347	1.52	-	14.43	27.40	8.34	-
PK	2.3792G	59.32	74.00	-14.68	36.01	3	Horizontal	347	1.52	-	23.31	27.74	8.27	-
PK	2.4372G	103.77	Inf	-Inf	35.79	3	Horizontal	347	1.52	-	67.98	27.48	8.31	-
PK	2.486G	64.14	74.00	-9.86	35.75	3	Horizontal	347	1.52	-	28.39	27.40	8.35	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89918G	30.83	54.00	-23.17	6.76	3	Vertical	83	1.28	-	24.07	31.20	9.71	34.15
AV	7.35286G	36.86	54.00	-17.14	13.13	3	Vertical	172	2.35	-	23.73	36.29	11.33	34.49
PK	4.89998G	44.04	74.00	-29.96	6.76	3	Vertical	83	1.28	-	37.28	31.20	9.71	34.15
PK	7.35172G	50.98	74.00	-23.02	13.14	3	Vertical	172	2.35	-	37.84	36.30	11.33	34.49

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89902G	30.83	54.00	-23.17	6.76	3	Horizontal	344	2.35	-	24.07	31.20	9.71	34.15
AV	7.35294G	36.88	54.00	-17.12	13.13	3	Horizontal	16	1.66	-	23.75	36.29	11.33	34.49
PK	4.90196G	44.02	74.00	-29.98	6.77	3	Horizontal	344	2.35	-	37.25	31.21	9.71	34.15
PK	7.3572G	50.55	74.00	-23.45	13.13	3	Horizontal	16	1.66	-	37.42	36.29	11.33	34.49

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.28	54.00	-5.72	36.00	3	Vertical	179	1.10	-	12.28	27.72	8.28	-
AV	2.4542G	97.51	Inf	-Inf	35.73	3	Vertical	179	1.10	-	61.78	27.40	8.33	-
AV	2.4854G	51.59	54.00	-2.41	35.75	3	Vertical	179	1.10	-	15.84	27.40	8.35	-
PK	2.3802G	60.78	74.00	-13.22	36.02	3	Vertical	179	1.10	-	24.76	27.74	8.28	-
PK	2.4538G	107.67	Inf	-Inf	35.72	3	Vertical	179	1.10	-	71.95	27.40	8.32	-
PK	2.4882G	66.38	74.00	-7.62	35.75	3	Vertical	179	1.10	-	30.63	27.40	8.35	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.28	54.00	-5.72	36.00	3	Horizontal	210	1.00	-	12.28	27.72	8.28	-
AV	2.463G	94.19	Inf	-Inf	35.73	3	Horizontal	210	1.00	-	58.46	27.40	8.33	-
AV	2.4835G	50.12	54.00	-3.88	35.74	3	Horizontal	210	1.00	-	14.38	27.40	8.34	-
PK	2.357G	59.30	74.00	-14.70	36.05	3	Horizontal	210	1.00	-	23.25	27.79	8.26	-
PK	2.4534G	104.40	Inf	-Inf	35.72	3	Horizontal	210	1.00	-	68.68	27.40	8.32	-
PK	2.4838G	62.68	74.00	-11.32	35.74	3	Horizontal	210	1.00	-	26.94	27.40	8.34	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91376G	30.86	54.00	-23.14	6.84	3	Vertical	37	1.39	-	24.02	31.26	9.72	34.14
AV	7.37598G	36.84	54.00	-17.16	13.10	3	Vertical	31	1.28	-	23.74	36.25	11.34	34.49
PK	4.91268G	44.61	74.00	-29.39	6.83	3	Vertical	37	1.39	-	37.78	31.25	9.72	34.14
PK	7.3754G	49.71	74.00	-24.29	13.10	3	Vertical	31	1.28	-	36.61	36.25	11.34	34.49

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91388G	31.00	54.00	-23.00	6.84	3	Horizontal	162	1.37	-	24.16	31.26	9.72	34.14
AV	7.37528G	36.84	54.00	-17.16	13.10	3	Horizontal	73	1.69	-	23.74	36.25	11.34	34.49
PK	4.9159G	43.99	74.00	-30.01	6.84	3	Horizontal	162	1.37	-	37.15	31.26	9.72	34.14
PK	7.37164G	50.77	74.00	-23.23	13.10	3	Horizontal	73	1.69	-	37.67	36.26	11.33	34.49

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.366G	48.15	54.00	-5.85	36.03	3	Vertical	181	1.09	-	12.12	27.77	8.26	-
AV	2.456G	93.85	Inf	-Inf	35.73	3	Vertical	181	1.09	-	58.12	27.40	8.33	-
AV	2.4835G	52.43	54.00	-1.57	35.74	3	Vertical	181	1.09	-	16.69	27.40	8.34	-
PK	2.38G	59.41	74.00	-14.59	36.01	3	Vertical	181	1.09	-	23.40	27.74	8.27	-
PK	2.4548G	103.84	Inf	-Inf	35.73	3	Vertical	181	1.09	-	68.11	27.40	8.33	-
PK	2.4835G	66.50	74.00	-7.50	35.74	3	Vertical	181	1.09	-	30.76	27.40	8.34	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3628G	48.14	54.00	-5.86	36.03	3	Horizontal	216	1.00	-	12.11	27.77	8.26	-
AV	2.468G	91.02	Inf	-Inf	35.73	3	Horizontal	216	1.00	-	55.29	27.40	8.33	-
AV	2.4835G	51.65	54.00	-2.35	35.74	3	Horizontal	216	1.00	-	15.91	27.40	8.34	-
PK	2.3828G	59.67	74.00	-14.33	36.01	3	Horizontal	216	1.00	-	23.66	27.73	8.28	-
PK	2.4752G	101.09	Inf	-Inf	35.74	3	Horizontal	216	1.00	-	65.35	27.40	8.34	-
PK	2.4835G	66.23	74.00	-7.77	35.74	3	Horizontal	216	1.00	-	30.49	27.40	8.34	-

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91904G	30.96	54.00	-23.04	6.86	3	Vertical	126	1.14	-	24.10	31.28	9.72	34.14
AV	7.381G	37.02	54.00	-16.98	13.09	3	Vertical	240	2.79	-	23.93	36.24	11.34	34.49
PK	4.92542G	44.37	74.00	-29.63	6.88	3	Vertical	126	1.14	-	37.49	31.30	9.72	34.14
PK	7.38908G	50.45	74.00	-23.55	13.07	3	Vertical	240	2.79	-	37.38	36.22	11.34	34.49

802.11n HT40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92288G	30.92	54.00	-23.08	6.87	3	Horizontal	161	1.63	-	24.05	31.29	9.72	34.14
AV	7.38322G	36.94	54.00	-17.06	13.08	3	Horizontal	206	1.97	-	23.86	36.23	11.34	34.49
PK	4.92068G	44.86	74.00	-29.14	6.86	3	Horizontal	161	1.63	-	38.00	31.28	9.72	34.14
PK	7.3818G	50.66	74.00	-23.34	13.09	3	Horizontal	206	1.97	-	37.57	36.24	11.34	34.49

802.11n HT40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3224G	47.44	54.00	-6.56	35.09	3	Vertical	278	1.01	-	12.35	27.86	7.23	-
AV	2.4172G	83.06	Inf	-Inf	34.87	3	Vertical	278	1.01	-	48.19	27.60	7.27	-
AV	2.4972G	46.82	54.00	-7.18	34.74	3	Vertical	278	1.01	-	12.08	27.40	7.34	-
PK	2.322G	59.32	74.00	-14.68	35.08	3	Vertical	278	1.01	-	24.24	27.86	7.22	-
PK	2.4168G	94.11	Inf	-Inf	34.87	3	Vertical	278	1.01	-	59.24	27.60	7.27	-
PK	2.492G	58.26	74.00	-15.74	34.73	3	Vertical	278	1.01	-	23.53	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3224G	47.44	54.00	-6.56	35.09	3	Horizontal	310	1.04	-	12.35	27.86	7.23	-
AV	2.4252G	84.70	Inf	-Inf	34.83	3	Horizontal	310	1.04	-	49.87	27.55	7.28	-
AV	2.5G	46.84	54.00	-7.16	34.74	3	Horizontal	310	1.04	-	12.10	27.40	7.34	-
PK	2.3424G	58.99	74.00	-15.01	35.05	3	Horizontal	310	1.04	-	23.94	27.82	7.23	-
PK	2.4236G	95.62	Inf	-Inf	34.84	3	Horizontal	310	1.04	-	60.78	27.56	7.28	-
PK	2.4976G	58.26	74.00	-15.74	34.74	3	Horizontal	310	1.04	-	23.52	27.40	7.34	-

802.11n HT40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8429G	30.75	54.00	-23.25	6.70	3	Vertical	128	2.57	-	24.05	31.19	9.69	34.18
AV	7.26876G	37.14	54.00	-16.86	13.15	3	Vertical	29	2.50	-	23.99	36.34	11.31	34.50
PK	4.84182G	44.54	74.00	-29.46	6.69	3	Vertical	128	2.57	-	37.85	31.18	9.69	34.18
PK	7.2681G	51.22	74.00	-22.78	13.15	3	Vertical	29	2.50	-	38.07	36.34	11.31	34.50

802.11n HT40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83936G	30.72	54.00	-23.28	6.69	3	Horizontal	27	1.22	-	24.03	31.18	9.69	34.18
AV	7.2697G	37.05	54.00	-16.95	13.15	3	Horizontal	294	1.98	-	23.90	36.34	11.31	34.50
PK	4.84068G	44.53	74.00	-29.47	6.69	3	Horizontal	27	1.22	-	37.84	31.18	9.69	34.18
PK	7.26714G	51.04	74.00	-22.96	13.14	3	Horizontal	294	1.98	-	37.90	36.33	11.31	34.50

802.11n HT40_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	49.17	54.00	-4.83	34.98	3	Vertical	35	1.57	-	14.19	27.72	7.26	-
AV	2.425G	94.32	Inf	-Inf	34.83	3	Vertical	35	1.57	-	59.49	27.55	7.28	-
AV	2.4835G	47.22	54.00	-6.78	34.73	3	Vertical	35	1.57	-	12.49	27.40	7.33	-
PK	2.389G	59.71	74.00	-14.29	34.98	3	Vertical	35	1.57	-	24.73	27.72	7.26	-
PK	2.435G	105.95	Inf	-Inf	34.78	3	Vertical	35	1.57	-	71.17	27.49	7.29	-
PK	2.4946G	57.97	74.00	-16.03	34.74	3	Vertical	35	1.57	-	23.23	27.40	7.34	-

802.11n HT40_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	50.24	54.00	-3.76	34.98	3	Horizontal	310	1.01	-	15.26	27.72	7.26	-
AV	2.425G	97.07	Inf	-Inf	34.83	3	Horizontal	310	1.01	-	62.24	27.55	7.28	-
AV	2.4835G	47.81	54.00	-6.19	34.73	3	Horizontal	310	1.01	-	13.08	27.40	7.33	-
PK	2.3898G	60.78	74.00	-13.22	34.98	3	Horizontal	310	1.01	-	25.80	27.72	7.26	-
PK	2.4354G	109.05	Inf	-Inf	34.78	3	Horizontal	310	1.01	-	74.27	27.49	7.29	-
PK	2.4835G	58.74	74.00	-15.26	34.73	3	Horizontal	310	1.01	-	24.01	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84944G	30.62	54.00	-23.38	6.72	3	Vertical	196	1.22	-	23.90	31.20	9.69	34.17
AV	7.28598G	36.51	54.00	-17.49	13.19	3	Vertical	171	1.15	-	23.32	36.37	11.32	34.50
PK	4.85862G	43.43	74.00	-30.57	6.72	3	Vertical	196	1.22	-	36.71	31.20	9.69	34.17
PK	7.2857G	50.06	74.00	-23.94	13.19	3	Vertical	171	1.15	-	36.87	36.37	11.32	34.50

802.11n HT40_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84916G	30.44	54.00	-23.56	6.72	3	Horizontal	243	2.62	-	23.72	31.20	9.69	34.17
AV	7.28544G	36.57	54.00	-17.43	13.19	3	Horizontal	181	2.71	-	23.38	36.37	11.32	34.50
PK	4.84938G	43.73	74.00	-30.27	6.72	3	Horizontal	243	2.62	-	37.01	31.20	9.69	34.17
PK	7.27698G	49.95	74.00	-24.05	13.17	3	Horizontal	181	2.71	-	36.78	36.35	11.32	34.50

802.11n HT40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3878G	49.08	54.00	-4.92	36.00	3	Vertical	78	1.00	-	13.08	27.72	8.28	-
AV	2.435G	100.69	Inf	-Inf	35.80	3	Vertical	78	1.00	-	64.89	27.49	8.31	-
AV	2.4835G	49.75	54.00	-4.25	35.74	3	Vertical	78	1.00	-	14.01	27.40	8.34	-
PK	2.385G	60.57	74.00	-13.43	36.01	3	Vertical	78	1.00	-	24.56	27.73	8.28	-
PK	2.435G	110.36	Inf	-Inf	35.80	3	Vertical	78	1.00	-	74.56	27.49	8.31	-
PK	2.485G	62.35	74.00	-11.65	35.75	3	Vertical	78	1.00	-	26.60	27.40	8.35	-

802.11n HT40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	48.76	54.00	-5.24	36.00	3	Horizontal	312	1.14	-	12.76	27.72	8.28	-
AV	2.441G	98.24	Inf	-Inf	35.77	3	Horizontal	312	1.14	-	62.47	27.45	8.32	-
AV	2.4835G	48.68	54.00	-5.32	35.74	3	Horizontal	312	1.14	-	12.94	27.40	8.34	-
PK	2.361G	60.33	74.00	-13.67	36.04	3	Horizontal	312	1.14	-	24.29	27.78	8.26	-
PK	2.4414G	108.01	Inf	-Inf	35.77	3	Horizontal	312	1.14	-	72.24	27.45	8.32	-
PK	2.4858G	60.15	74.00	-13.85	35.75	3	Horizontal	312	1.14	-	24.40	27.40	8.35	-

802.11n HT40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87772G	29.66	54.00	-24.34	6.00	3	Vertical	126	2.48	-	23.66	31.20	8.96	34.16
AV	7.32462G	35.94	54.00	-18.06	12.48	3	Vertical	25	1.03	-	23.46	36.35	10.63	34.50
PK	4.88492G	43.12	74.00	-30.88	6.00	3	Vertical	126	2.48	-	37.12	31.20	8.96	34.16
PK	7.31754G	50.23	74.00	-23.77	12.49	3	Vertical	25	1.03	-	37.74	36.36	10.63	34.50

802.11n HT40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88G	29.65	54.00	-24.35	6.00	3	Horizontal	296	1.50	-	23.65	31.20	8.96	34.16
AV	7.31346G	35.96	54.00	-18.04	12.49	3	Horizontal	290	1.50	-	23.47	36.37	10.62	34.50
PK	4.87574G	44.07	74.00	-29.93	6.00	3	Horizontal	296	1.50	-	38.07	31.20	8.96	34.16
PK	7.3164G	49.66	74.00	-24.34	12.50	3	Horizontal	290	1.50	-	37.16	36.37	10.63	34.50

802.11n HT40_Nss1,(MCS0)_2TX


2447MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	47.67	54.00	-6.33	34.98	3	Vertical	118	1.13	-	12.69	27.72	7.26	-
AV	2.4398G	96.45	Inf	-Inf	34.75	3	Vertical	118	1.13	-	61.70	27.46	7.29	-
AV	2.4835G	48.81	54.00	-5.19	34.73	3	Vertical	118	1.13	-	14.08	27.40	7.33	-
PK	2.3774G	58.71	74.00	-15.29	35.00	3	Vertical	118	1.13	-	23.71	27.75	7.25	-
PK	2.4346G	108.39	Inf	-Inf	34.78	3	Vertical	118	1.13	-	73.61	27.49	7.29	-
PK	2.4862G	60.12	74.00	-13.88	34.73	3	Vertical	118	1.13	-	25.39	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_2TX


2447MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	47.63	54.00	-6.37	34.98	3	Horizontal	313	1.00	-	12.65	27.72	7.26	-
AV	2.4538G	96.42	Inf	-Inf	34.70	3	Horizontal	313	1.00	-	61.72	27.40	7.30	-
AV	2.4835G	48.90	54.00	-5.10	34.73	3	Horizontal	313	1.00	-	14.17	27.40	7.33	-
PK	2.3846G	58.61	74.00	-15.39	34.98	3	Horizontal	313	1.00	-	23.63	27.73	7.25	-
PK	2.4394G	108.10	Inf	-Inf	34.75	3	Horizontal	313	1.00	-	73.35	27.46	7.29	-
PK	2.4846G	60.82	74.00	-13.18	34.73	3	Horizontal	313	1.00	-	26.09	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89558G	30.98	54.00	-23.02	6.76	3	Vertical	56	2.68	-	24.22	31.20	9.71	34.15
AV	7.3445G	36.90	54.00	-17.10	13.14	3	Vertical	97	1.77	-	23.76	36.31	11.33	34.50
PK	4.88982G	44.68	74.00	-29.32	6.76	3	Vertical	56	2.68	-	37.92	31.20	9.71	34.15
PK	7.34498G	50.10	74.00	-23.90	13.14	3	Vertical	97	1.77	-	36.96	36.31	11.33	34.50

802.11n HT40_Nss1,(MCS0)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8946G	31.03	54.00	-22.97	6.76	3	Horizontal	83	2.50	-	24.27	31.20	9.71	34.15
AV	7.34392G	36.91	54.00	-17.09	13.14	3	Horizontal	99	2.14	-	23.77	36.31	11.33	34.50
PK	4.89476G	44.70	74.00	-29.30	6.76	3	Horizontal	83	2.50	-	37.94	31.20	9.71	34.15
PK	7.3379G	50.10	74.00	-23.90	13.15	3	Horizontal	99	2.14	-	36.95	36.32	11.33	34.50

802.11n HT40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	47.44	54.00	-6.56	34.98	3	Vertical	179	1.17	-	12.46	27.72	7.26	-
AV	2.4552G	95.58	Inf	-Inf	34.70	3	Vertical	179	1.17	-	60.88	27.40	7.30	-
AV	2.4835G	48.90	54.00	-5.10	34.73	3	Vertical	179	1.17	-	14.17	27.40	7.33	-
PK	2.3832G	59.17	74.00	-14.83	34.98	3	Vertical	179	1.17	-	24.19	27.73	7.25	-
PK	2.4572G	107.80	Inf	-Inf	34.71	3	Vertical	179	1.17	-	73.09	27.40	7.31	-
PK	2.484G	59.89	74.00	-14.11	34.73	3	Vertical	179	1.17	-	25.16	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	47.64	54.00	-6.36	34.98	3	Horizontal	312	1.00	-	12.66	27.72	7.26	-
AV	2.4552G	97.32	Inf	-Inf	34.70	3	Horizontal	312	1.00	-	62.62	27.40	7.30	-
AV	2.4835G	49.64	54.00	-4.36	34.73	3	Horizontal	312	1.00	-	14.91	27.40	7.33	-
PK	2.3604G	59.58	74.00	-14.42	35.02	3	Horizontal	312	1.00	-	24.56	27.78	7.24	-
PK	2.4588G	109.19	Inf	-Inf	34.71	3	Horizontal	312	1.00	-	74.48	27.40	7.31	-
PK	2.4835G	61.68	74.00	-12.32	34.73	3	Horizontal	312	1.00	-	26.95	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89906G	30.83	54.00	-23.17	6.76	3	Vertical	154	2.04	-	24.07	31.20	9.71	34.15
AV	7.35232G	36.75	54.00	-17.25	13.14	3	Vertical	295	1.53	-	23.61	36.30	11.33	34.49
PK	4.90852G	44.17	74.00	-29.83	6.80	3	Vertical	154	2.04	-	37.37	31.23	9.71	34.14
PK	7.35112G	50.30	74.00	-23.70	13.14	3	Vertical	295	1.53	-	37.16	36.30	11.33	34.49

802.11n HT40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90888G	30.78	54.00	-23.22	6.81	3	Horizontal	138	1.50	-	23.97	31.24	9.71	34.14
AV	7.35408G	36.89	54.00	-17.11	13.13	3	Horizontal	158	2.12	-	23.76	36.29	11.33	34.49
PK	4.90702G	44.90	74.00	-29.10	6.80	3	Horizontal	138	1.50	-	38.10	31.23	9.71	34.14
PK	7.35758G	50.91	74.00	-23.09	13.12	3	Horizontal	158	2.12	-	37.79	36.28	11.33	34.49

802.11n HT40_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3586G	47.23	54.00	-6.77	35.02	3	Vertical	179	1.00	-	12.21	27.78	7.24	-
AV	2.4554G	85.82	Inf	-Inf	34.70	3	Vertical	179	1.00	-	51.12	27.40	7.30	-
AV	2.4835G	47.09	54.00	-6.91	34.73	3	Vertical	179	1.00	-	12.36	27.40	7.33	-
PK	2.3646G	58.53	74.00	-15.47	35.01	3	Vertical	179	1.00	-	23.52	27.77	7.24	-
PK	2.4618G	97.59	Inf	-Inf	34.71	3	Vertical	179	1.00	-	62.88	27.40	7.31	-
PK	2.4854G	58.94	74.00	-15.06	34.73	3	Vertical	179	1.00	-	24.21	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.357G	47.25	54.00	-6.75	35.03	3	Horizontal	313	1.00	-	12.22	27.79	7.24	-
AV	2.4546G	87.37	Inf	-Inf	34.70	3	Horizontal	313	1.00	-	52.67	27.40	7.30	-
AV	2.4835G	47.20	54.00	-6.80	34.73	3	Horizontal	313	1.00	-	12.47	27.40	7.33	-
PK	2.3582G	58.18	74.00	-15.82	35.02	3	Horizontal	313	1.00	-	23.16	27.78	7.24	-
PK	2.453G	98.53	Inf	-Inf	34.70	3	Horizontal	313	1.00	-	63.83	27.40	7.30	-
PK	2.4842G	58.56	74.00	-15.44	34.73	3	Horizontal	313	1.00	-	23.83	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91396G	30.84	54.00	-23.16	6.84	3	Vertical	341	2.25	-	24.00	31.26	9.72	34.14
AV	7.376G	36.67	54.00	-17.33	13.10	3	Vertical	281	1.88	-	23.57	36.25	11.34	34.49
PK	4.91848G	44.46	74.00	-29.54	6.85	3	Vertical	341	2.25	-	37.61	31.27	9.72	34.14
PK	7.3749G	50.84	74.00	-23.16	13.09	3	Vertical	281	1.88	-	37.75	36.25	11.33	34.49

802.11n HT40_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91476G	31.06	54.00	-22.94	6.84	3	Horizontal	95	1.22	-	24.22	31.26	9.72	34.14
AV	7.37596G	36.90	54.00	-17.10	13.10	3	Horizontal	154	1.13	-	23.80	36.25	11.34	34.49
PK	4.91554G	44.23	74.00	-29.77	6.84	3	Horizontal	95	1.22	-	37.39	31.26	9.72	34.14
PK	7.36696G	50.33	74.00	-23.67	13.11	3	Horizontal	154	1.13	-	37.22	36.27	11.33	34.49

802.11n HT40_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3624G	47.19	54.00	-6.81	35.02	3	Vertical	178	1.00	-	12.17	27.78	7.24	-
AV	2.4568G	80.54	Inf	-Inf	34.71	3	Vertical	178	1.00	-	45.83	27.40	7.31	-
AV	2.4835G	47.57	54.00	-6.43	34.73	3	Vertical	178	1.00	-	12.84	27.40	7.33	-
PK	2.3656G	58.74	74.00	-15.26	35.01	3	Vertical	178	1.00	-	23.73	27.77	7.24	-
PK	2.4672G	92.74	Inf	-Inf	34.71	3	Vertical	178	1.00	-	58.03	27.40	7.31	-
PK	2.4876G	58.93	74.00	-15.07	34.73	3	Vertical	178	1.00	-	24.20	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.364G	47.18	54.00	-6.82	35.01	3	Horizontal	311	1.12	-	12.17	27.77	7.24	-
AV	2.4548G	81.48	Inf	-Inf	34.70	3	Horizontal	311	1.12	-	46.78	27.40	7.30	-
AV	2.4835G	47.80	54.00	-6.20	34.73	3	Horizontal	311	1.12	-	13.07	27.40	7.33	-
PK	2.3836G	59.43	74.00	-14.57	34.98	3	Horizontal	311	1.12	-	24.45	27.73	7.25	-
PK	2.4588G	92.84	Inf	-Inf	34.71	3	Horizontal	311	1.12	-	58.13	27.40	7.31	-
PK	2.4835G	59.03	74.00	-14.97	34.73	3	Horizontal	311	1.12	-	24.30	27.40	7.33	-

802.11n HT40_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91926G	30.86	54.00	-23.14	6.86	3	Vertical	90	2.13	-	24.00	31.28	9.72	34.14
AV	7.3812G	36.93	54.00	-17.07	13.09	3	Vertical	191	1.00	-	23.84	36.24	11.34	34.49
PK	4.92758G	44.52	74.00	-29.48	6.90	3	Vertical	90	2.13	-	37.62	31.31	9.72	34.13
PK	7.38148G	50.27	74.00	-23.73	13.09	3	Vertical	191	1.00	-	37.18	36.24	11.34	34.49

802.11n HT40_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91938G	30.93	54.00	-23.07	6.86	3	Horizontal	54	1.46	-	24.07	31.28	9.72	34.14
AV	7.38214G	36.95	54.00	-17.05	13.09	3	Horizontal	351	1.71	-	23.86	36.24	11.34	34.49
PK	4.9238G	44.17	74.00	-29.83	6.88	3	Horizontal	54	1.46	-	37.29	31.30	9.72	34.14
PK	7.38782G	49.89	74.00	-24.11	13.07	3	Horizontal	351	1.71	-	36.82	36.22	11.34	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.362G	50.27	54.00	-3.73	36.04	3	Vertical	281	2.38	-	14.23	27.78	8.26	-
AV	2.4164G	93.73	Inf	-Inf	35.90	3	Vertical	281	2.38	-	57.83	27.60	8.30	-
PK	2.377G	62.32	74.00	-11.68	36.02	3	Vertical	281	2.38	-	26.30	27.75	8.27	-
PK	2.413G	105.63	Inf	-Inf	35.92	3	Vertical	281	2.38	-	69.71	27.62	8.30	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.362G	50.27	54.00	-3.73	36.04	3	Horizontal	63	1.19	-	14.23	27.78	8.26	-
AV	2.4152G	94.56	Inf	-Inf	35.91	3	Horizontal	63	1.19	-	58.65	27.61	8.30	-
PK	2.373G	61.85	74.00	-12.15	36.02	3	Horizontal	63	1.19	-	25.83	27.75	8.27	-
PK	2.4156G	106.56	Inf	-Inf	35.91	3	Horizontal	63	1.19	-	70.65	27.61	8.30	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.81792G	31.63	54.00	-22.37	6.63	3	Vertical	78	1.02	-	25.00	31.14	9.68	34.19
PK	4.83108G	44.48	74.00	-29.52	6.66	3	Vertical	78	1.02	-	37.82	31.16	9.68	34.18

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82856G	31.72	54.00	-22.28	6.66	3	Horizontal	32	2.25	-	25.06	31.16	9.68	34.18
PK	4.8276G	44.64	74.00	-29.36	6.66	3	Horizontal	32	2.25	-	37.98	31.16	9.68	34.18

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.26	54.00	-2.74	36.00	3	Vertical	283	3.00	-	15.26	27.72	8.28	-
AV	2.4198G	99.59	Inf	-Inf	35.88	3	Vertical	283	3.00	-	63.71	27.58	8.30	-
PK	2.3896G	63.83	74.00	-10.17	36.00	3	Vertical	283	3.00	-	27.83	27.72	8.28	-
PK	2.4222G	111.70	Inf	-Inf	35.87	3	Vertical	283	3.00	-	75.83	27.57	8.30	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.94	54.00	-2.06	36.00	3	Horizontal	61	1.12	-	15.94	27.72	8.28	-
AV	2.4188G	101.15	Inf	-Inf	35.89	3	Horizontal	61	1.12	-	65.26	27.59	8.30	-
PK	2.39G	64.52	74.00	-9.48	36.00	3	Horizontal	61	1.12	-	28.52	27.72	8.28	-
PK	2.418G	113.23	Inf	-Inf	35.89	3	Horizontal	61	1.12	-	77.34	27.59	8.30	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82896G	31.72	54.00	-22.28	6.66	3	Vertical	112	1.07	-	25.06	31.16	9.68	34.18
PK	4.84068G	44.53	74.00	-29.47	6.69	3	Vertical	112	1.07	-	37.84	31.18	9.69	34.18

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82752G	31.62	54.00	-22.38	6.66	3	Horizontal	221	1.62	-	24.96	31.16	9.68	34.18
PK	4.84112G	45.00	74.00	-29.00	6.69	3	Horizontal	221	1.62	-	38.31	31.18	9.69	34.18

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3894G	50.52	54.00	-3.48	36.00	3	Vertical	120	1.06	-	14.52	27.72	8.28	-
AV	2.4418G	101.42	Inf	-Inf	35.77	3	Vertical	120	1.06	-	65.65	27.45	8.32	-
AV	2.485G	50.67	54.00	-3.33	35.75	3	Vertical	120	1.06	-	14.92	27.40	8.35	-
PK	2.3798G	62.05	74.00	-11.95	36.01	3	Vertical	120	1.06	-	26.04	27.74	8.27	-
PK	2.4394G	113.62	Inf	-Inf	35.78	3	Vertical	120	1.06	-	77.84	27.46	8.32	-
PK	2.4962G	62.18	74.00	-11.82	35.75	3	Vertical	120	1.06	-	26.43	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3894G	50.52	54.00	-3.48	36.00	3	Horizontal	63	1.13	-	14.52	27.72	8.28	-
AV	2.4398G	101.49	Inf	-Inf	35.78	3	Horizontal	63	1.13	-	65.71	27.46	8.32	-
AV	2.4835G	50.67	54.00	-3.33	35.74	3	Horizontal	63	1.13	-	14.93	27.40	8.34	-
PK	2.3402G	62.43	74.00	-11.57	36.07	3	Horizontal	63	1.13	-	26.36	27.82	8.25	-
PK	2.4394G	112.99	Inf	-Inf	35.78	3	Horizontal	63	1.13	-	77.21	27.46	8.32	-
PK	2.4835G	61.80	74.00	-12.20	35.74	3	Horizontal	63	1.13	-	26.06	27.40	8.34	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86468G	31.65	54.00	-22.35	6.74	3	Vertical	112	1.40	-	24.91	31.20	9.70	34.16
AV	7.3118G	38.63	54.00	-15.37	13.20	3	Vertical	245	2.48	-	25.43	36.38	11.32	34.50
PK	4.88392G	44.35	74.00	-29.65	6.74	3	Vertical	112	1.40	-	37.61	31.20	9.70	34.16
PK	7.3116G	51.34	74.00	-22.66	13.20	3	Vertical	245	2.48	-	38.14	36.38	11.32	34.50

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86668G	31.55	54.00	-22.45	6.74	3	Horizontal	162	2.46	-	24.81	31.20	9.70	34.16
AV	7.31108G	38.63	54.00	-15.37	13.20	3	Horizontal	340	1.15	-	25.43	36.38	11.32	34.50
PK	4.8692G	44.60	74.00	-29.40	6.74	3	Horizontal	162	2.46	-	37.86	31.20	9.70	34.16
PK	7.30536G	51.48	74.00	-22.52	13.21	3	Horizontal	340	1.15	-	38.27	36.39	11.32	34.50

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4542G	100.60	Inf	-Inf	35.73	3	Vertical	277	1.04	-	64.87	27.40	8.33	-
AV	2.4835G	51.40	54.00	-2.60	35.74	3	Vertical	277	1.04	-	15.66	27.40	8.34	-
PK	2.4546G	112.58	Inf	-Inf	35.73	3	Vertical	277	1.04	-	76.85	27.40	8.33	-
PK	2.4842G	65.39	74.00	-8.61	35.74	3	Vertical	277	1.04	-	29.65	27.40	8.34	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.454G	100.36	Inf	-Inf	35.73	3	Horizontal	64	1.42	-	64.63	27.40	8.33	-
AV	2.4835G	51.63	54.00	-2.37	35.74	3	Horizontal	64	1.42	-	15.89	27.40	8.34	-
PK	2.4598G	112.40	Inf	-Inf	35.73	3	Horizontal	64	1.42	-	76.67	27.40	8.33	-
PK	2.4848G	65.94	74.00	-8.06	35.75	3	Horizontal	64	1.42	-	30.19	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91344G	31.78	54.00	-22.22	6.83	3	Vertical	187	1.82	-	24.95	31.25	9.72	34.14
AV	7.361G	38.44	54.00	-15.56	13.12	3	Vertical	256	1.39	-	25.32	36.28	11.33	34.49
PK	4.9194G	44.66	74.00	-29.34	6.86	3	Vertical	187	1.82	-	37.80	31.28	9.72	34.14
PK	7.36268G	51.02	74.00	-22.98	13.11	3	Vertical	256	1.39	-	37.91	36.27	11.33	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91352G	31.78	54.00	-22.22	6.83	3	Horizontal	201	1.12	-	24.95	31.25	9.72	34.14
AV	7.36124G	38.44	54.00	-15.56	13.12	3	Horizontal	123	1.29	-	25.32	36.28	11.33	34.49
PK	4.9162G	45.51	74.00	-28.49	6.84	3	Horizontal	201	1.12	-	38.67	31.26	9.72	34.14
PK	7.36796G	50.95	74.00	-23.05	13.10	3	Horizontal	123	1.29	-	37.85	36.26	11.33	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.456G	96.60	Inf	-Inf	35.73	3	Vertical	277	1.04	-	60.87	27.40	8.33	-
AV	2.4848G	50.42	54.00	-3.58	35.75	3	Vertical	277	1.04	-	14.67	27.40	8.35	-
PK	2.4558G	108.60	Inf	-Inf	35.73	3	Vertical	277	1.04	-	72.87	27.40	8.33	-
PK	2.4838G	62.01	74.00	-11.99	35.74	3	Vertical	277	1.04	-	26.27	27.40	8.34	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4592G	96.92	Inf	-Inf	35.73	3	Horizontal	50	1.92	-	61.19	27.40	8.33	-
AV	2.4835G	50.67	54.00	-3.33	35.74	3	Horizontal	50	1.92	-	14.93	27.40	8.34	-
PK	2.4572G	109.28	Inf	-Inf	35.73	3	Horizontal	50	1.92	-	73.55	27.40	8.33	-
PK	2.4912G	62.33	74.00	-11.67	35.75	3	Horizontal	50	1.92	-	26.58	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93312G	31.73	54.00	-22.27	6.92	3	Vertical	203	2.16	-	24.81	31.33	9.72	34.13
AV	7.37876G	38.38	54.00	-15.62	13.09	3	Vertical	322	1.50	-	25.29	36.24	11.34	34.49
PK	4.93076G	44.38	74.00	-29.62	6.91	3	Vertical	203	2.16	-	37.47	31.32	9.72	34.13
PK	7.37884G	50.95	74.00	-23.05	13.09	3	Vertical	322	1.50	-	37.86	36.24	11.34	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92952G	31.80	54.00	-22.20	6.91	3	Horizontal	203	1.50	-	24.89	31.32	9.72	34.13
AV	7.37856G	38.28	54.00	-15.72	13.09	3	Horizontal	34	1.27	-	25.19	36.24	11.34	34.49
PK	4.92896G	44.78	74.00	-29.22	6.91	3	Horizontal	203	1.50	-	37.87	31.32	9.72	34.13
PK	7.37808G	51.45	74.00	-22.55	13.09	3	Horizontal	34	1.27	-	38.36	36.24	11.34	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4644G	93.38	Inf	-Inf	35.73	3	Vertical	115	1.00	-	57.65	27.40	8.33	-
AV	2.4835G	47.94	54.00	-6.06	35.74	3	Vertical	115	1.00	-	12.20	27.40	8.34	-
PK	2.4664G	106.07	Inf	-Inf	35.73	3	Vertical	115	1.00	-	70.34	27.40	8.33	-
PK	2.4852G	58.32	74.00	-15.68	35.75	3	Vertical	115	1.00	-	22.57	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4626G	92.31	Inf	-Inf	35.73	3	Horizontal	49	1.09	-	56.58	27.40	8.33	-
AV	2.4844G	47.95	54.00	-6.05	35.74	3	Horizontal	49	1.09	-	12.21	27.40	8.34	-
PK	2.462G	105.97	Inf	-Inf	35.73	3	Horizontal	49	1.09	-	70.24	27.40	8.33	-
PK	2.4962G	58.94	74.00	-15.06	35.75	3	Horizontal	49	1.09	-	23.19	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91528G	30.09	54.00	-23.91	6.84	3	Vertical	205	2.46	-	23.25	31.26	9.72	34.14
AV	7.41556G	36.74	54.00	-17.26	13.06	3	Vertical	234	1.34	-	23.68	36.23	11.32	34.49
PK	4.91656G	43.20	74.00	-30.80	6.85	3	Vertical	205	2.46	-	36.35	31.27	9.72	34.14
PK	7.4062G	51.06	74.00	-22.94	13.05	3	Vertical	234	1.34	-	38.01	36.21	11.33	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91632G	30.08	54.00	-23.92	6.85	3	Horizontal	351	1.96	-	23.23	31.27	9.72	34.14
AV	7.41844G	36.70	54.00	-17.30	13.07	3	Horizontal	22	2.51	-	23.63	36.24	11.32	34.49
PK	4.94392G	43.56	74.00	-30.44	6.98	3	Horizontal	351	1.96	-	36.58	31.38	9.73	34.13
PK	7.40132G	49.47	74.00	-24.53	13.05	3	Horizontal	22	2.51	-	36.42	36.20	11.34	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.4692G	87.87	Inf	-Inf	35.73	3	Vertical	274	1.17	-	52.14	27.40	8.33	-
AV	2.4835G	51.62	54.00	-2.38	35.74	3	Vertical	274	1.17	-	15.88	27.40	8.34	-
PK	2.4672G	100.17	Inf	-Inf	35.73	3	Vertical	274	1.17	-	64.44	27.40	8.33	-
PK	2.4835G	68.15	74.00	-5.85	35.74	3	Vertical	274	1.17	-	32.41	27.40	8.34	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.4688G	88.50	Inf	-Inf	35.73	3	Horizontal	52	1.37	-	52.77	27.40	8.33	-
AV	2.4835G	52.24	54.00	-1.76	35.74	3	Horizontal	52	1.37	-	16.50	27.40	8.34	-
PK	2.4676G	101.25	Inf	-Inf	35.73	3	Horizontal	52	1.37	-	65.52	27.40	8.33	-
PK	2.4835G	70.25	74.00	-3.75	35.74	3	Horizontal	52	1.37	-	34.51	27.40	8.34	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.96344G	30.02	54.00	-23.98	7.05	3	Vertical	97	1.15	-	22.97	31.43	9.74	34.12
AV	7.41352G	36.71	54.00	-17.29	13.07	3	Vertical	15	2.81	-	23.64	36.23	11.33	34.49
PK	4.94248G	43.79	74.00	-30.21	6.97	3	Vertical	97	1.15	-	36.82	31.37	9.73	34.13
PK	7.40288G	50.26	74.00	-23.74	13.06	3	Vertical	15	2.81	-	37.20	36.21	11.34	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.96384G	30.00	54.00	-24.00	7.05	3	Horizontal	305	1.64	-	22.95	31.43	9.74	34.12
AV	7.4104G	36.70	54.00	-17.30	13.06	3	Horizontal	186	1.60	-	23.64	36.22	11.33	34.49
PK	4.93264G	43.43	74.00	-30.57	6.92	3	Horizontal	305	1.64	-	36.51	31.33	9.72	34.13
PK	7.4184G	49.84	74.00	-24.16	13.07	3	Horizontal	186	1.60	-	36.77	36.24	11.32	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.362G	50.27	54.00	-3.73	36.04	3	Vertical	158	1.17	-	14.23	27.78	8.26	-
AV	2.4166G	94.24	Inf	-Inf	35.90	3	Vertical	158	1.17	-	58.34	27.60	8.30	-
PK	2.3756G	62.19	74.00	-11.81	36.02	3	Vertical	158	1.17	-	26.17	27.75	8.27	-
PK	2.4174G	106.40	Inf	-Inf	35.90	3	Vertical	158	1.17	-	70.50	27.60	8.30	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.362G	50.27	54.00	-3.73	36.04	3	Horizontal	189	1.52	-	14.23	27.78	8.26	-
AV	2.4168G	90.58	Inf	-Inf	35.90	3	Horizontal	189	1.52	-	54.68	27.60	8.30	-
PK	2.3812G	62.26	74.00	-11.74	36.02	3	Horizontal	189	1.52	-	26.24	27.74	8.28	-
PK	2.4174G	102.87	Inf	-Inf	35.90	3	Horizontal	189	1.52	-	66.97	27.60	8.30	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.81796G	31.63	54.00	-22.37	6.63	3	Vertical	168	2.09	-	25.00	31.14	9.68	34.19
PK	4.83344G	44.81	74.00	-29.19	6.67	3	Vertical	168	2.09	-	38.14	31.17	9.68	34.18

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.81656G	31.73	54.00	-22.27	6.62	3	Horizontal	307	1.19	-	25.11	31.13	9.68	34.19
PK	4.8198G	44.85	74.00	-29.15	6.63	3	Horizontal	307	1.19	-	38.22	31.14	9.68	34.19

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	52.15	54.00	-1.85	36.00	3	Vertical	159	1.16	-	16.15	27.72	8.28	-
AV	2.419G	101.90	Inf	-Inf	35.89	3	Vertical	159	1.16	-	66.01	27.59	8.30	-
PK	2.39G	64.96	74.00	-9.04	36.00	3	Vertical	159	1.16	-	28.96	27.72	8.28	-
PK	2.4178G	114.01	Inf	-Inf	35.89	3	Vertical	159	1.16	-	78.12	27.59	8.30	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.26	54.00	-2.74	36.00	3	Horizontal	188	1.50	-	15.26	27.72	8.28	-
AV	2.42G	98.60	Inf	-Inf	35.88	3	Horizontal	188	1.50	-	62.72	27.58	8.30	-
PK	2.3866G	62.52	74.00	-11.48	36.01	3	Horizontal	188	1.50	-	26.51	27.73	8.28	-
PK	2.4206G	110.66	Inf	-Inf	35.88	3	Horizontal	188	1.50	-	74.78	27.58	8.30	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82856G	31.72	54.00	-22.28	6.66	3	Vertical	217	2.47	-	25.06	31.16	9.68	34.18
PK	4.835G	43.92	74.00	-30.08	6.67	3	Vertical	217	2.47	-	37.25	31.17	9.68	34.18

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82808G	31.73	54.00	-22.27	6.66	3	Horizontal	261	2.43	-	25.07	31.16	9.68	34.18
PK	4.83096G	44.58	74.00	-29.42	6.66	3	Horizontal	261	2.43	-	37.92	31.16	9.68	34.18

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	50.52	54.00	-3.48	36.00	3	Vertical	158	1.30	-	14.52	27.72	8.28	-
AV	2.4426G	101.50	Inf	-Inf	35.76	3	Vertical	158	1.30	-	65.74	27.44	8.32	-
AV	2.485G	50.67	54.00	-3.33	35.75	3	Vertical	158	1.30	-	14.92	27.40	8.35	-
PK	2.3762G	62.45	74.00	-11.55	36.02	3	Vertical	158	1.30	-	26.43	27.75	8.27	-
PK	2.4386G	113.54	Inf	-Inf	35.79	3	Vertical	158	1.30	-	77.75	27.47	8.32	-
PK	2.4958G	63.50	74.00	-10.50	35.75	3	Vertical	158	1.30	-	27.75	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.337G	50.44	54.00	-3.56	36.07	3	Horizontal	63	1.50	-	14.37	27.83	8.24	-
AV	2.4402G	98.33	Inf	-Inf	35.78	3	Horizontal	63	1.50	-	62.55	27.46	8.32	-
AV	2.485G	50.67	54.00	-3.33	35.75	3	Horizontal	63	1.50	-	14.92	27.40	8.35	-
PK	2.347G	62.70	74.00	-11.30	36.06	3	Horizontal	63	1.50	-	26.64	27.81	8.25	-
PK	2.4382G	110.09	Inf	-Inf	35.78	3	Horizontal	63	1.50	-	74.31	27.47	8.31	-
PK	2.4854G	62.01	74.00	-11.99	35.75	3	Horizontal	63	1.50	-	26.26	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8668G	31.55	54.00	-22.45	6.74	3	Vertical	210	1.47	-	24.81	31.20	9.70	34.16
AV	7.31132G	38.63	54.00	-15.37	13.20	3	Vertical	33	1.91	-	25.43	36.38	11.32	34.50
PK	4.87512G	44.13	74.00	-29.87	6.74	3	Vertical	210	1.47	-	37.39	31.20	9.70	34.16
PK	7.32096G	51.46	74.00	-22.54	13.18	3	Vertical	33	1.91	-	38.28	36.36	11.32	34.50

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86704G	31.55	54.00	-22.45	6.74	3	Horizontal	77	2.02	-	24.81	31.20	9.70	34.16
AV	7.31284G	38.62	54.00	-15.38	13.19	3	Horizontal	162	2.06	-	25.43	36.37	11.32	34.50
PK	4.87356G	44.20	74.00	-29.80	6.74	3	Horizontal	77	2.02	-	37.46	31.20	9.70	34.16
PK	7.31188G	51.48	74.00	-22.52	13.20	3	Horizontal	162	2.06	-	38.28	36.38	11.32	34.50

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4554G	100.06	Inf	-Inf	35.73	3	Vertical	160	1.20	-	64.33	27.40	8.33	-
AV	2.4835G	51.86	54.00	-2.14	35.74	3	Vertical	160	1.20	-	16.12	27.40	8.34	-
PK	2.4598G	112.25	Inf	-Inf	35.73	3	Vertical	160	1.20	-	76.52	27.40	8.33	-
PK	2.4836G	65.01	74.00	-8.99	35.74	3	Vertical	160	1.20	-	29.27	27.40	8.34	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4542G	97.12	Inf	-Inf	35.73	3	Horizontal	184	2.07	-	61.39	27.40	8.33	-
AV	2.4848G	51.17	54.00	-2.83	35.75	3	Horizontal	184	2.07	-	15.42	27.40	8.35	-
PK	2.454G	109.39	Inf	-Inf	35.73	3	Horizontal	184	2.07	-	73.66	27.40	8.33	-
PK	2.4836G	64.14	74.00	-9.86	35.74	3	Horizontal	184	2.07	-	28.40	27.40	8.34	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.914G	31.79	54.00	-22.21	6.84	3	Vertical	130	1.80	-	24.95	31.26	9.72	34.14
AV	7.361G	38.44	54.00	-15.56	13.12	3	Vertical	172	1.04	-	25.32	36.28	11.33	34.49
PK	4.92044G	44.00	74.00	-30.00	6.86	3	Vertical	130	1.80	-	37.14	31.28	9.72	34.14
PK	7.37876G	51.00	74.00	-23.00	13.09	3	Vertical	172	1.04	-	37.91	36.24	11.34	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91364G	31.78	54.00	-22.22	6.83	3	Horizontal	136	1.90	-	24.95	31.25	9.72	34.14
AV	7.36252G	38.42	54.00	-15.58	13.11	3	Horizontal	78	2.21	-	25.31	36.27	11.33	34.49
PK	4.92188G	45.12	74.00	-28.88	6.87	3	Horizontal	136	1.90	-	38.25	31.29	9.72	34.14
PK	7.37968G	50.78	74.00	-23.22	13.09	3	Horizontal	78	2.21	-	37.69	36.24	11.34	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4588G	96.29	Inf	-Inf	35.73	3	Vertical	159	1.19	-	60.56	27.40	8.33	-
AV	2.485G	50.67	54.00	-3.33	35.75	3	Vertical	159	1.19	-	14.92	27.40	8.35	-
PK	2.4568G	108.66	Inf	-Inf	35.73	3	Vertical	159	1.19	-	72.93	27.40	8.33	-
PK	2.4988G	62.44	74.00	-11.56	35.75	3	Vertical	159	1.19	-	26.69	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4676G	93.98	Inf	-Inf	35.73	3	Horizontal	185	1.46	-	58.25	27.40	8.33	-
AV	2.4848G	50.42	54.00	-3.58	35.75	3	Horizontal	185	1.46	-	14.67	27.40	8.35	-
PK	2.4668G	106.78	Inf	-Inf	35.73	3	Horizontal	185	1.46	-	71.05	27.40	8.33	-
PK	2.4882G	61.94	74.00	-12.06	35.75	3	Horizontal	185	1.46	-	26.19	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93292G	31.84	54.00	-22.16	6.92	3	Vertical	183	1.43	-	24.92	31.33	9.72	34.13
AV	7.37964G	38.37	54.00	-15.63	13.09	3	Vertical	228	1.65	-	25.28	36.24	11.34	34.49
PK	4.92132G	44.16	74.00	-29.84	6.87	3	Vertical	183	1.43	-	37.29	31.29	9.72	34.14
PK	7.37812G	51.40	74.00	-22.60	13.09	3	Vertical	228	1.65	-	38.31	36.24	11.34	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91416G	31.80	54.00	-22.20	6.84	3	Horizontal	146	1.24	-	24.96	31.26	9.72	34.14
AV	7.37948G	38.27	54.00	-15.73	13.09	3	Horizontal	311	1.88	-	25.18	36.24	11.34	34.49
PK	4.91876G	44.17	74.00	-29.83	6.86	3	Horizontal	146	1.24	-	37.31	31.28	9.72	34.14
PK	7.37656G	50.79	74.00	-23.21	13.10	3	Horizontal	311	1.88	-	37.69	36.25	11.34	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4634G	92.38	Inf	-Inf	35.73	3	Vertical	182	1.11	-	56.65	27.40	8.33	-
AV	2.4844G	47.96	54.00	-6.04	35.74	3	Vertical	182	1.11	-	12.22	27.40	8.34	-
PK	2.4628G	104.95	Inf	-Inf	35.73	3	Vertical	182	1.11	-	69.22	27.40	8.33	-
PK	2.4874G	58.89	74.00	-15.11	35.75	3	Vertical	182	1.11	-	23.14	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4656G	89.61	Inf	-Inf	35.73	3	Horizontal	28	1.79	-	53.88	27.40	8.33	-
AV	2.4848G	47.89	54.00	-6.11	35.75	3	Horizontal	28	1.79	-	12.14	27.40	8.35	-
PK	2.4704G	102.23	Inf	-Inf	35.74	3	Horizontal	28	1.79	-	66.49	27.40	8.34	-
PK	2.4904G	58.53	74.00	-15.47	35.75	3	Horizontal	28	1.79	-	22.78	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91536G	30.04	54.00	-23.96	6.84	3	Vertical	253	2.95	-	23.20	31.26	9.72	34.14
AV	7.40732G	36.72	54.00	-17.28	13.05	3	Vertical	353	2.56	-	23.67	36.21	11.33	34.49
PK	4.94464G	43.26	74.00	-30.74	6.98	3	Vertical	253	2.95	-	36.28	31.38	9.73	34.13
PK	7.4098G	49.74	74.00	-24.26	13.06	3	Vertical	353	2.56	-	36.68	36.22	11.33	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91552G	30.08	54.00	-23.92	6.84	3	Horizontal	166	1.18	-	23.24	31.26	9.72	34.14
AV	7.41228G	36.66	54.00	-17.34	13.06	3	Horizontal	337	1.07	-	23.60	36.22	11.33	34.49
PK	4.9256G	42.75	74.00	-31.25	6.88	3	Horizontal	166	1.18	-	35.87	31.30	9.72	34.14
PK	7.39148G	49.72	74.00	-24.28	13.07	3	Horizontal	337	1.07	-	36.65	36.22	11.34	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.469G	89.28	Inf	-Inf	35.73	3	Vertical	186	1.13	-	53.55	27.40	8.33	-
AV	2.4835G	52.26	54.00	-1.74	35.74	3	Vertical	186	1.13	-	16.52	27.40	8.34	-
PK	2.4674G	102.07	Inf	-Inf	35.73	3	Vertical	186	1.13	-	66.34	27.40	8.33	-
PK	2.4835G	69.90	74.00	-4.10	35.74	3	Vertical	186	1.13	-	34.16	27.40	8.34	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.4734G	86.75	Inf	-Inf	35.74	3	Horizontal	347	1.26	-	51.01	27.40	8.34	-
AV	2.4835G	51.46	54.00	-2.54	35.74	3	Horizontal	347	1.26	-	15.72	27.40	8.34	-
PK	2.475G	99.91	Inf	-Inf	35.74	3	Horizontal	347	1.26	-	64.17	27.40	8.34	-
PK	2.4835G	69.43	74.00	-4.57	35.74	3	Horizontal	347	1.26	-	33.69	27.40	8.34	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9444G	30.00	54.00	-24.00	6.98	3	Vertical	320	1.22	-	23.02	31.38	9.73	34.13
AV	7.43288G	36.67	54.00	-17.33	13.09	3	Vertical	258	2.89	-	23.58	36.27	11.31	34.49
PK	4.9332G	42.98	74.00	-31.02	6.92	3	Vertical	320	1.22	-	36.06	31.33	9.72	34.13
PK	7.43336G	49.72	74.00	-24.28	13.09	3	Vertical	258	2.89	-	36.63	36.27	11.31	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9284G	29.99	54.00	-24.01	6.90	3	Horizontal	341	2.77	-	23.09	31.31	9.72	34.13
AV	7.4312G	36.69	54.00	-17.31	13.08	3	Horizontal	309	1.71	-	23.61	36.26	11.31	34.49
PK	4.93224G	42.71	74.00	-31.29	6.92	3	Horizontal	341	2.77	-	35.79	31.33	9.72	34.13
PK	7.42616G	50.09	74.00	-23.91	13.07	3	Horizontal	309	1.71	-	37.02	36.25	11.31	34.49

802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.15	54.00	-1.85	36.00	3	Vertical	118	1.03	-	16.15	27.72	8.28	-
AV	2.4106G	102.28	Inf	-Inf	35.94	3	Vertical	118	1.03	-	66.34	27.64	8.30	-
PK	2.3896G	63.83	74.00	-10.17	36.00	3	Vertical	118	1.03	-	27.83	27.72	8.28	-
PK	2.4112G	114.24	Inf	-Inf	35.93	3	Vertical	118	1.03	-	78.31	27.63	8.30	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.94	54.00	-2.06	36.00	3	Horizontal	61	1.21	-	15.94	27.72	8.28	-
AV	2.4128G	101.70	Inf	-Inf	35.92	3	Horizontal	61	1.21	-	65.78	27.62	8.30	-
PK	2.3692G	62.96	74.00	-11.04	36.03	3	Horizontal	61	1.21	-	26.93	27.76	8.27	-
PK	2.413G	114.25	Inf	-Inf	35.92	3	Horizontal	61	1.21	-	78.33	27.62	8.30	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.81624G	31.63	54.00	-22.37	6.62	3	Vertical	202	1.02	-	25.01	31.13	9.68	34.19
PK	4.82792G	44.89	74.00	-29.11	6.66	3	Vertical	202	1.02	-	38.23	31.16	9.68	34.18

802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.81756G	31.63	54.00	-22.37	6.63	3	Horizontal	157	2.18	-	25.00	31.14	9.68	34.19
PK	4.81564G	44.93	74.00	-29.07	6.62	3	Horizontal	157	2.18	-	38.31	31.13	9.68	34.19

802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3866G	51.25	54.00	-2.75	36.01	3	Vertical	118	1.04	-	15.24	27.73	8.28	-
AV	2.4154G	105.95	Inf	-Inf	35.91	3	Vertical	118	1.04	-	70.04	27.61	8.30	-
PK	2.3872G	63.25	74.00	-10.75	36.01	3	Vertical	118	1.04	-	27.24	27.73	8.28	-
PK	2.415G	117.04	Inf	-Inf	35.91	3	Vertical	118	1.04	-	81.13	27.61	8.30	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3886G	51.71	54.00	-2.29	36.00	3	Horizontal	64	1.22	-	15.71	27.72	8.28	-
AV	2.4162G	104.69	Inf	-Inf	35.90	3	Horizontal	64	1.22	-	68.79	27.60	8.30	-
PK	2.3898G	64.10	74.00	-9.90	36.00	3	Horizontal	64	1.22	-	28.10	27.72	8.28	-
PK	2.4186G	116.35	Inf	-Inf	35.89	3	Horizontal	64	1.22	-	80.46	27.59	8.30	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82696G	31.72	54.00	-22.28	6.65	3	Vertical	40	1.18	-	25.07	31.15	9.68	34.18
PK	4.8276G	44.49	74.00	-29.51	6.66	3	Vertical	40	1.18	-	37.83	31.16	9.68	34.18

802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82456G	31.73	54.00	-22.27	6.65	3	Horizontal	231	1.27	-	25.08	31.15	9.68	34.18
PK	4.8432G	44.64	74.00	-29.36	6.70	3	Horizontal	231	1.27	-	37.94	31.19	9.69	34.18

802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3374G	50.44	54.00	-3.56	36.07	3	Vertical	122	1.00	-	14.37	27.83	8.24	-
AV	2.4358G	105.30	Inf	-Inf	35.80	3	Vertical	122	1.00	-	69.50	27.49	8.31	-
AV	2.4854G	50.67	54.00	-3.33	35.75	3	Vertical	122	1.00	-	14.92	27.40	8.35	-
PK	2.3894G	62.07	74.00	-11.93	36.00	3	Vertical	122	1.00	-	26.07	27.72	8.28	-
PK	2.4362G	116.79	Inf	-Inf	35.79	3	Vertical	122	1.00	-	81.00	27.48	8.31	-
PK	2.4918G	62.06	74.00	-11.94	35.75	3	Vertical	122	1.00	-	26.31	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	50.52	54.00	-3.48	36.00	3	Horizontal	64	1.50	-	14.52	27.72	8.28	-
AV	2.4362G	104.06	Inf	-Inf	35.79	3	Horizontal	64	1.50	-	68.27	27.48	8.31	-
AV	2.485G	50.42	54.00	-3.58	35.75	3	Horizontal	64	1.50	-	14.67	27.40	8.35	-
PK	2.3586G	61.38	74.00	-12.62	36.04	3	Horizontal	64	1.50	-	25.34	27.78	8.26	-
PK	2.4358G	115.44	Inf	-Inf	35.80	3	Horizontal	64	1.50	-	79.64	27.49	8.31	-
PK	2.4874G	61.73	74.00	-12.27	35.75	3	Horizontal	64	1.50	-	25.98	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86484G	31.65	54.00	-22.35	6.74	3	Vertical	346	2.49	-	24.91	31.20	9.70	34.16
AV	7.31108G	38.73	54.00	-15.27	13.20	3	Vertical	80	2.34	-	25.53	36.38	11.32	34.50
PK	4.87848G	44.77	74.00	-29.23	6.74	3	Vertical	346	2.49	-	38.03	31.20	9.70	34.16
PK	7.30164G	51.44	74.00	-22.56	13.22	3	Vertical	80	2.34	-	38.22	36.40	11.32	34.50

802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8646G	31.64	54.00	-22.36	6.74	3	Horizontal	190	1.08	-	24.90	31.20	9.70	34.16
AV	7.31572G	38.73	54.00	-15.27	13.19	3	Horizontal	299	2.36	-	25.54	36.37	11.32	34.50
PK	4.87396G	44.04	74.00	-29.96	6.74	3	Horizontal	190	1.08	-	37.30	31.20	9.70	34.16
PK	7.31588G	51.51	74.00	-22.49	13.19	3	Horizontal	299	2.36	-	38.32	36.37	11.32	34.50

802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4556G	105.58	Inf	-Inf	35.73	3	Vertical	124	1.04	-	69.85	27.40	8.33	-
AV	2.4848G	52.30	54.00	-1.70	35.75	3	Vertical	124	1.04	-	16.55	27.40	8.35	-
PK	2.4552G	117.59	Inf	-Inf	35.73	3	Vertical	124	1.04	-	81.86	27.40	8.33	-
PK	2.4846G	67.35	74.00	-6.65	35.74	3	Vertical	124	1.04	-	31.61	27.40	8.34	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	103.97	Inf	-Inf	35.73	3	Horizontal	63	1.42	-	68.24	27.40	8.33	-
AV	2.4848G	51.87	54.00	-2.13	35.75	3	Horizontal	63	1.42	-	16.12	27.40	8.35	-
PK	2.458G	116.14	Inf	-Inf	35.73	3	Horizontal	63	1.42	-	80.41	27.40	8.33	-
PK	2.485G	66.24	74.00	-7.76	35.75	3	Horizontal	63	1.42	-	30.49	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91312G	31.89	54.00	-22.11	6.83	3	Vertical	295	1.66	-	25.06	31.25	9.72	34.14
AV	7.36144G	38.54	54.00	-15.46	13.12	3	Vertical	85	2.07	-	25.42	36.28	11.33	34.49
PK	4.90832G	44.53	74.00	-29.47	6.80	3	Vertical	295	1.66	-	37.73	31.23	9.71	34.14
PK	7.36548G	51.38	74.00	-22.62	13.11	3	Vertical	85	2.07	-	38.27	36.27	11.33	34.49

802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9128G	31.88	54.00	-22.12	6.83	3	Horizontal	190	1.22	-	25.05	31.25	9.72	34.14
AV	7.36132G	38.54	54.00	-15.46	13.12	3	Horizontal	191	1.18	-	25.42	36.28	11.33	34.49
PK	4.92364G	44.12	74.00	-29.88	6.87	3	Horizontal	190	1.22	-	37.25	31.29	9.72	34.14
PK	7.36144G	51.21	74.00	-22.79	13.12	3	Horizontal	191	1.18	-	38.09	36.28	11.33	34.49

802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4688G	101.11	Inf	-Inf	35.73	3	Vertical	280	1.00	-	65.38	27.40	8.33	-
AV	2.486G	50.67	54.00	-3.33	35.75	3	Vertical	280	1.00	-	14.92	27.40	8.35	-
PK	2.4598G	112.94	Inf	-Inf	35.73	3	Vertical	280	1.00	-	77.21	27.40	8.33	-
PK	2.4856G	62.74	74.00	-11.26	35.75	3	Vertical	280	1.00	-	26.99	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4628G	101.05	Inf	-Inf	35.73	3	Horizontal	61	1.08	-	65.32	27.40	8.33	-
AV	2.4835G	51.16	54.00	-2.84	35.74	3	Horizontal	61	1.08	-	15.42	27.40	8.34	-
PK	2.463G	113.68	Inf	-Inf	35.73	3	Horizontal	61	1.08	-	77.95	27.40	8.33	-
PK	2.494G	63.50	74.00	-10.50	35.75	3	Horizontal	61	1.08	-	27.75	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93176G	31.95	54.00	-22.05	6.92	3	Vertical	19	1.50	-	25.03	31.33	9.72	34.13
AV	7.3782G	38.49	54.00	-15.51	13.09	3	Vertical	360	1.50	-	25.40	36.24	11.34	34.49
PK	4.92492G	44.68	74.00	-29.32	6.88	3	Vertical	19	1.50	-	37.80	31.30	9.72	34.14
PK	7.3804G	50.97	74.00	-23.03	13.09	3	Vertical	360	1.50	-	37.88	36.24	11.34	34.49

802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93008G	31.92	54.00	-22.08	6.91	3	Horizontal	338	1.40	-	25.01	31.32	9.72	34.13
AV	7.3814G	38.46	54.00	-15.54	13.09	3	Horizontal	128	1.91	-	25.37	36.24	11.34	34.49
PK	4.9168G	45.73	74.00	-28.27	6.85	3	Horizontal	338	1.40	-	38.88	31.27	9.72	34.14
PK	7.38936G	51.02	74.00	-22.98	13.07	3	Horizontal	128	1.91	-	37.95	36.22	11.34	34.49

802.11ax HEW20_Nss1,(MCS0)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.47G	95.75	Inf	-Inf	35.74	3	Vertical	188	1.17	-	60.01	27.40	8.34	-
AV	2.4835G	48.16	54.00	-5.84	35.74	3	Vertical	188	1.17	-	12.42	27.40	8.34	-
PK	2.469G	108.00	Inf	-Inf	35.73	3	Vertical	188	1.17	-	72.27	27.40	8.33	-
PK	2.4944G	59.41	74.00	-14.59	35.75	3	Vertical	188	1.17	-	23.66	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4682G	95.98	Inf	-Inf	35.73	3	Horizontal	49	1.12	-	60.25	27.40	8.33	-
AV	2.4866G	48.04	54.00	-5.96	35.75	3	Horizontal	49	1.12	-	12.29	27.40	8.35	-
PK	2.468G	109.26	Inf	-Inf	35.73	3	Horizontal	49	1.12	-	73.53	27.40	8.33	-
PK	2.4864G	59.79	74.00	-14.21	35.75	3	Horizontal	49	1.12	-	24.04	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92024G	30.09	54.00	-23.91	6.86	3	Vertical	147	1.07	-	23.23	31.28	9.72	34.14
AV	7.4014G	36.67	54.00	-17.33	13.05	3	Vertical	68	1.72	-	23.62	36.20	11.34	34.49
PK	4.9236G	42.68	74.00	-31.32	6.87	3	Vertical	147	1.07	-	35.81	31.29	9.72	34.14
PK	7.4034G	49.41	74.00	-24.59	13.06	3	Vertical	68	1.72	-	36.35	36.21	11.34	34.49

802.11ax HEW20_Nss1,(MCS0)_2TX


2467MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91648G	30.04	54.00	-23.96	6.85	3	Horizontal	112	2.82	-	23.19	31.27	9.72	34.14
AV	7.403G	36.68	54.00	-17.32	13.06	3	Horizontal	48	1.13	-	23.62	36.21	11.34	34.49
PK	4.93144G	43.60	74.00	-30.40	6.92	3	Horizontal	112	2.82	-	36.68	31.33	9.72	34.13
PK	7.39348G	49.35	74.00	-24.65	13.06	3	Horizontal	48	1.13	-	36.29	36.21	11.34	34.49

802.11ax HEW20_Nss1,(MCS0)_2TX


2472MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.4656G	90.66	Inf	-Inf	35.73	3	Vertical	190	1.26	-	54.93	27.40	8.33	-
AV	2.4835G	49.92	54.00	-4.08	35.74	3	Vertical	190	1.26	-	14.18	27.40	8.34	-
PK	2.466G	102.44	Inf	-Inf	35.73	3	Vertical	190	1.26	-	66.71	27.40	8.33	-
PK	2.4835G	66.47	74.00	-7.53	35.74	3	Vertical	190	1.26	-	30.73	27.40	8.34	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2472MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.4734G	90.69	Inf	-Inf	35.74	3	Horizontal	47	1.14	-	54.95	27.40	8.34	-
AV	2.4835G	52.23	54.00	-1.77	35.74	3	Horizontal	47	1.14	-	16.49	27.40	8.34	-
PK	2.4732G	103.26	Inf	-Inf	35.74	3	Horizontal	47	1.14	-	67.52	27.40	8.34	-
PK	2.4835G	68.15	74.00	-5.85	35.74	3	Horizontal	47	1.14	-	32.41	27.40	8.34	-

802.11ax HEW20_Nss1,(MCS0)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.96376G	30.05	54.00	-23.95	7.05	3	Vertical	18	1.44	-	23.00	31.43	9.74	34.12
AV	7.4316G	36.71	54.00	-17.29	13.08	3	Vertical	174	2.37	-	23.63	36.26	11.31	34.49
PK	4.93176G	42.91	74.00	-31.09	6.92	3	Vertical	18	1.44	-	35.99	31.33	9.72	34.13
PK	7.40592G	49.65	74.00	-24.35	13.05	3	Vertical	174	2.37	-	36.60	36.21	11.33	34.49

802.11ax HEW20_Nss1,(MCS0)_2TX


2472MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.94832G	30.01	54.00	-23.99	7.00	3	Horizontal	297	1.59	-	23.01	31.39	9.73	34.12
AV	7.41056G	36.75	54.00	-17.25	13.06	3	Horizontal	275	1.53	-	23.69	36.22	11.33	34.49
PK	4.92832G	43.15	74.00	-30.85	6.90	3	Horizontal	297	1.59	-	36.25	31.31	9.72	34.13
PK	7.42864G	49.75	74.00	-24.25	13.08	3	Horizontal	275	1.53	-	36.67	36.26	11.31	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.322G	50.52	54.00	-3.48	36.09	3	Vertical	279	2.38	-	14.43	27.86	8.23	-
AV	2.4204G	86.93	Inf	-Inf	35.88	3	Vertical	279	2.38	-	51.05	27.58	8.30	-
AV	2.4848G	50.42	54.00	-3.58	35.75	3	Vertical	279	2.38	-	14.67	27.40	8.35	-
PK	2.3244G	62.64	74.00	-11.36	36.08	3	Vertical	279	2.38	-	26.56	27.85	8.23	-
PK	2.4176G	98.53	Inf	-Inf	35.89	3	Vertical	279	2.38	-	62.64	27.59	8.30	-
PK	2.4835G	62.86	74.00	-11.14	35.74	3	Vertical	279	2.38	-	27.12	27.40	8.34	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.322G	50.52	54.00	-3.48	36.09	3	Horizontal	62	1.12	-	14.43	27.86	8.23	-
AV	2.4188G	87.00	Inf	-Inf	35.89	3	Horizontal	62	1.12	-	51.11	27.59	8.30	-
AV	2.4848G	50.42	54.00	-3.58	35.75	3	Horizontal	62	1.12	-	14.67	27.40	8.35	-
PK	2.3868G	62.19	74.00	-11.81	36.01	3	Horizontal	62	1.12	-	26.18	27.73	8.28	-
PK	2.4276G	98.61	Inf	-Inf	35.84	3	Horizontal	62	1.12	-	62.77	27.53	8.31	-
PK	2.4928G	61.57	74.00	-12.43	35.75	3	Horizontal	62	1.12	-	25.82	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82928G	31.72	54.00	-22.28	6.66	3	Vertical	88	1.61	-	25.06	31.16	9.68	34.18
AV	7.26456G	38.82	54.00	-15.18	13.14	3	Vertical	97	2.19	-	25.68	36.33	11.31	34.50
PK	4.86352G	43.66	74.00	-30.34	6.73	3	Vertical	88	1.61	-	36.93	31.20	9.70	34.17
PK	7.25648G	51.04	74.00	-22.96	13.12	3	Vertical	97	2.19	-	37.92	36.31	11.31	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86392G	31.63	54.00	-22.37	6.73	3	Horizontal	337	1.93	-	24.90	31.20	9.70	34.17
AV	7.26G	38.75	54.00	-15.25	13.13	3	Horizontal	228	1.19	-	25.62	36.32	11.31	34.50
PK	4.82848G	43.59	74.00	-30.41	6.66	3	Horizontal	337	1.93	-	36.93	31.16	9.68	34.18
PK	7.28144G	51.96	74.00	-22.04	13.18	3	Horizontal	228	1.19	-	38.78	36.36	11.32	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	52.15	54.00	-1.85	36.00	3	Vertical	280	1.39	-	16.15	27.72	8.28	-
AV	2.4282G	96.66	Inf	-Inf	35.84	3	Vertical	280	1.39	-	60.82	27.53	8.31	-
AV	2.485G	50.67	54.00	-3.33	35.75	3	Vertical	280	1.39	-	14.92	27.40	8.35	-
PK	2.3898G	63.14	74.00	-10.86	36.00	3	Vertical	280	1.39	-	27.14	27.72	8.28	-
PK	2.4338G	108.11	Inf	-Inf	35.81	3	Vertical	280	1.39	-	72.30	27.50	8.31	-
PK	2.4942G	62.26	74.00	-11.74	35.75	3	Vertical	280	1.39	-	26.51	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	52.15	54.00	-1.85	36.00	3	Horizontal	50	1.50	-	16.15	27.72	8.28	-
AV	2.4254G	96.58	Inf	-Inf	35.86	3	Horizontal	50	1.50	-	60.72	27.55	8.31	-
AV	2.4838G	50.92	54.00	-3.08	35.74	3	Horizontal	50	1.50	-	15.18	27.40	8.34	-
PK	2.3866G	63.42	74.00	-10.58	36.01	3	Horizontal	50	1.50	-	27.41	27.73	8.28	-
PK	2.4234G	108.28	Inf	-Inf	35.87	3	Horizontal	50	1.50	-	72.41	27.56	8.31	-
PK	2.4854G	62.74	74.00	-11.26	35.75	3	Horizontal	50	1.50	-	26.99	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.86656G	31.65	54.00	-22.35	6.74	3	Vertical	183	1.97	-	24.91	31.20	9.70	34.16
AV	7.26124G	38.84	54.00	-15.16	13.13	3	Vertical	262	1.15	-	25.71	36.32	11.31	34.50
PK	4.86544G	43.90	74.00	-30.10	6.74	3	Vertical	183	1.97	-	37.16	31.20	9.70	34.16
PK	7.2626G	51.43	74.00	-22.57	13.14	3	Vertical	262	1.15	-	38.29	36.33	11.31	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.86648G	31.65	54.00	-22.35	6.74	3	Horizontal	267	2.66	-	24.91	31.20	9.70	34.16
AV	7.26252G	38.84	54.00	-15.16	13.14	3	Horizontal	80	1.16	-	25.70	36.33	11.31	34.50
PK	4.83448G	43.90	74.00	-30.10	6.67	3	Horizontal	267	2.66	-	37.23	31.17	9.68	34.18
PK	7.29884G	50.75	74.00	-23.25	13.22	3	Horizontal	80	1.16	-	37.53	36.40	11.32	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.26	54.00	-2.74	36.00	3	Vertical	120	1.05	-	15.26	27.72	8.28	-
AV	2.4434G	97.70	Inf	-Inf	35.76	3	Vertical	120	1.05	-	61.94	27.44	8.32	-
AV	2.4835G	51.63	54.00	-2.37	35.74	3	Vertical	120	1.05	-	15.89	27.40	8.34	-
PK	2.3886G	63.20	74.00	-10.80	36.00	3	Vertical	120	1.05	-	27.20	27.72	8.28	-
PK	2.4446G	109.72	Inf	-Inf	35.75	3	Vertical	120	1.05	-	73.97	27.43	8.32	-
PK	2.4866G	62.74	74.00	-11.26	35.75	3	Vertical	120	1.05	-	26.99	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.72	54.00	-2.28	36.00	3	Horizontal	62	1.50	-	15.72	27.72	8.28	-
AV	2.4434G	97.65	Inf	-Inf	35.76	3	Horizontal	62	1.50	-	61.89	27.44	8.32	-
AV	2.4835G	51.63	54.00	-2.37	35.74	3	Horizontal	62	1.50	-	15.89	27.40	8.34	-
PK	2.3894G	63.88	74.00	-10.12	36.00	3	Horizontal	62	1.50	-	27.88	27.72	8.28	-
PK	2.4426G	110.09	Inf	-Inf	35.76	3	Horizontal	62	1.50	-	74.33	27.44	8.32	-
PK	2.4854G	62.74	74.00	-11.26	35.75	3	Horizontal	62	1.50	-	26.99	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86584G	31.65	54.00	-22.35	6.74	3	Vertical	335	2.88	-	24.91	31.20	9.70	34.16
AV	7.32324G	38.74	54.00	-15.26	13.17	3	Vertical	174	2.93	-	25.57	36.35	11.32	34.50
PK	4.88456G	44.24	74.00	-29.76	6.74	3	Vertical	335	2.88	-	37.50	31.20	9.70	34.16
PK	7.31076G	51.17	74.00	-22.83	13.20	3	Vertical	174	2.93	-	37.97	36.38	11.32	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86584G	31.65	54.00	-22.35	6.74	3	Horizontal	115	1.51	-	24.91	31.20	9.70	34.16
AV	7.31956G	38.74	54.00	-15.26	13.18	3	Horizontal	46	1.01	-	25.56	36.36	11.32	34.50
PK	4.87064G	44.77	74.00	-29.23	6.74	3	Horizontal	115	1.51	-	38.03	31.20	9.70	34.16
PK	7.3106G	51.02	74.00	-22.98	13.20	3	Horizontal	46	1.01	-	37.82	36.38	11.32	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2447MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3886G	50.52	54.00	-3.48	36.00	3	Vertical	120	1.05	-	14.52	27.72	8.28	-
AV	2.4442G	97.74	Inf	-Inf	35.75	3	Vertical	120	1.05	-	61.99	27.43	8.32	-
AV	2.4835G	51.86	54.00	-2.14	35.74	3	Vertical	120	1.05	-	16.12	27.40	8.34	-
PK	2.3794G	62.44	74.00	-11.56	36.01	3	Vertical	120	1.05	-	26.43	27.74	8.27	-
PK	2.4454G	109.56	Inf	-Inf	35.75	3	Vertical	120	1.05	-	73.81	27.43	8.32	-
PK	2.4835G	64.91	74.00	-9.09	35.74	3	Vertical	120	1.05	-	29.17	27.40	8.34	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2447MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	50.78	54.00	-3.22	36.00	3	Horizontal	63	1.39	-	14.78	27.72	8.28	-
AV	2.4446G	97.63	Inf	-Inf	35.75	3	Horizontal	63	1.39	-	61.88	27.43	8.32	-
AV	2.4835G	52.08	54.00	-1.92	35.74	3	Horizontal	63	1.39	-	16.34	27.40	8.34	-
PK	2.3794G	62.57	74.00	-11.43	36.01	3	Horizontal	63	1.39	-	26.56	27.74	8.27	-
PK	2.4454G	109.64	Inf	-Inf	35.75	3	Horizontal	63	1.39	-	73.89	27.43	8.32	-
PK	2.4835G	66.40	74.00	-7.60	35.74	3	Horizontal	63	1.39	-	30.66	27.40	8.34	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89928G	31.78	54.00	-22.22	6.76	3	Vertical	62	2.71	-	25.02	31.20	9.71	34.15
AV	7.34076G	38.86	54.00	-15.14	13.15	3	Vertical	72	2.69	-	25.71	36.32	11.33	34.50
PK	4.89688G	44.10	74.00	-29.90	6.76	3	Vertical	62	2.71	-	37.34	31.20	9.71	34.15
PK	7.33572G	50.44	74.00	-23.56	13.16	3	Vertical	72	2.69	-	37.28	36.33	11.33	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89952G	31.79	54.00	-22.21	6.76	3	Horizontal	191	2.36	-	25.03	31.20	9.71	34.15
AV	7.3434G	38.75	54.00	-15.25	13.14	3	Horizontal	302	1.71	-	25.61	36.31	11.33	34.50
PK	4.90144G	43.47	74.00	-30.53	6.77	3	Horizontal	191	2.36	-	36.70	31.21	9.71	34.15
PK	7.35292G	50.53	74.00	-23.47	13.13	3	Horizontal	302	1.71	-	37.40	36.29	11.33	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3888G	50.52	54.00	-3.48	36.00	3	Vertical	279	1.05	-	14.52	27.72	8.28	-
AV	2.454G	97.80	Inf	-Inf	35.73	3	Vertical	279	1.05	-	62.07	27.40	8.33	-
AV	2.4835G	51.63	54.00	-2.37	35.74	3	Vertical	279	1.05	-	15.89	27.40	8.34	-
PK	2.374G	61.99	74.00	-12.01	36.02	3	Vertical	279	1.05	-	25.97	27.75	8.27	-
PK	2.438G	109.19	Inf	-Inf	35.78	3	Vertical	279	1.05	-	73.41	27.47	8.31	-
PK	2.4835G	68.59	74.00	-5.41	35.74	3	Vertical	279	1.05	-	32.85	27.40	8.34	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3892G	50.77	54.00	-3.23	36.00	3	Horizontal	63	1.49	-	14.77	27.72	8.28	-
AV	2.4444G	97.54	Inf	-Inf	35.75	3	Horizontal	63	1.49	-	61.79	27.43	8.32	-
AV	2.4848G	51.87	54.00	-2.13	35.75	3	Horizontal	63	1.49	-	16.12	27.40	8.35	-
PK	2.382G	63.31	74.00	-10.69	36.02	3	Horizontal	63	1.49	-	27.29	27.74	8.28	-
PK	2.4476G	109.23	Inf	-Inf	35.73	3	Horizontal	63	1.49	-	73.50	27.41	8.32	-
PK	2.4848G	68.57	74.00	-5.43	35.75	3	Horizontal	63	1.49	-	32.82	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91544G	31.80	54.00	-22.20	6.84	3	Vertical	226	2.96	-	24.96	31.26	9.72	34.14
AV	7.34216G	38.76	54.00	-15.24	13.15	3	Vertical	342	1.91	-	25.61	36.32	11.33	34.50
PK	4.90264G	43.78	74.00	-30.22	6.77	3	Vertical	226	2.96	-	37.01	31.21	9.71	34.15
PK	7.35248G	50.85	74.00	-23.15	13.14	3	Vertical	342	1.91	-	37.71	36.30	11.33	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.914G	31.90	54.00	-22.10	6.84	3	Horizontal	98	2.40	-	25.06	31.26	9.72	34.14
AV	7.34176G	38.76	54.00	-15.24	13.15	3	Horizontal	284	2.03	-	25.61	36.32	11.33	34.50
PK	4.89896G	43.44	74.00	-30.56	6.76	3	Horizontal	98	2.40	-	36.68	31.20	9.71	34.15
PK	7.3392G	50.57	74.00	-23.43	13.15	3	Horizontal	284	2.03	-	37.42	36.32	11.33	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3574G	48.18	54.00	-5.82	36.05	3	Vertical	113	1.01	-	12.13	27.79	8.26	-
AV	2.4558G	92.11	Inf	-Inf	35.73	3	Vertical	113	1.01	-	56.38	27.40	8.33	-
AV	2.4835G	48.09	54.00	-5.91	35.74	3	Vertical	113	1.01	-	12.35	27.40	8.34	-
PK	2.3794G	59.10	74.00	-14.90	36.01	3	Vertical	113	1.01	-	23.09	27.74	8.27	-
PK	2.461G	104.27	Inf	-Inf	35.73	3	Vertical	113	1.01	-	68.54	27.40	8.33	-
PK	2.4994G	58.32	74.00	-15.68	35.75	3	Vertical	113	1.01	-	22.57	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3622G	48.18	54.00	-5.82	36.04	3	Horizontal	50	1.11	-	12.14	27.78	8.26	-
AV	2.4554G	91.39	Inf	-Inf	35.73	3	Horizontal	50	1.11	-	55.66	27.40	8.33	-
AV	2.4838G	48.08	54.00	-5.92	35.74	3	Horizontal	50	1.11	-	12.34	27.40	8.34	-
PK	2.3582G	59.23	74.00	-14.77	36.04	3	Horizontal	50	1.11	-	23.19	27.78	8.26	-
PK	2.455G	103.12	Inf	-Inf	35.73	3	Horizontal	50	1.11	-	67.39	27.40	8.33	-
PK	2.4878G	58.62	74.00	-15.38	35.75	3	Horizontal	50	1.11	-	22.87	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91528G	30.12	54.00	-23.88	6.84	3	Vertical	234	2.49	-	23.28	31.26	9.72	34.14
AV	7.37828G	36.48	54.00	-17.52	13.09	3	Vertical	218	2.61	-	23.39	36.24	11.34	34.49
PK	4.93144G	44.05	74.00	-29.95	6.92	3	Vertical	234	2.49	-	37.13	31.33	9.72	34.13
PK	7.3874G	49.71	74.00	-24.29	13.08	3	Vertical	218	2.61	-	36.63	36.23	11.34	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89432G	30.15	54.00	-23.85	6.76	3	Horizontal	125	1.47	-	23.39	31.20	9.71	34.15
AV	7.38324G	36.46	54.00	-17.54	13.08	3	Horizontal	113	2.92	-	23.38	36.23	11.34	34.49
PK	4.92456G	43.39	74.00	-30.61	6.88	3	Horizontal	125	1.47	-	36.51	31.30	9.72	34.14
PK	7.38676G	49.24	74.00	-24.76	13.08	3	Horizontal	113	2.92	-	36.16	36.23	11.34	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3652G	48.15	54.00	-5.85	36.03	3	Vertical	112	1.00	-	12.12	27.77	8.26	-
AV	2.458G	85.09	Inf	-Inf	35.73	3	Vertical	112	1.00	-	49.36	27.40	8.33	-
AV	2.4835G	48.77	54.00	-5.23	35.74	3	Vertical	112	1.00	-	13.03	27.40	8.34	-
PK	2.3852G	59.39	74.00	-14.61	36.01	3	Vertical	112	1.00	-	23.38	27.73	8.28	-
PK	2.4612G	98.39	Inf	-Inf	35.73	3	Vertical	112	1.00	-	62.66	27.40	8.33	-
PK	2.4835G	60.60	74.00	-13.40	35.74	3	Vertical	112	1.00	-	24.86	27.40	8.34	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3684G	48.14	54.00	-5.86	36.03	3	Horizontal	50	1.11	-	12.11	27.76	8.27	-
AV	2.4576G	84.28	Inf	-Inf	35.73	3	Horizontal	50	1.11	-	48.55	27.40	8.33	-
AV	2.4835G	48.63	54.00	-5.37	35.74	3	Horizontal	50	1.11	-	12.89	27.40	8.34	-
PK	2.3812G	58.99	74.00	-15.01	36.02	3	Horizontal	50	1.11	-	22.97	27.74	8.28	-
PK	2.4688G	96.55	Inf	-Inf	35.73	3	Horizontal	50	1.11	-	60.82	27.40	8.33	-
PK	2.4835G	60.07	74.00	-13.93	35.74	3	Horizontal	50	1.11	-	24.33	27.40	8.34	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91392G	30.10	54.00	-23.90	6.84	3	Vertical	176	2.66	-	23.26	31.26	9.72	34.14
AV	7.40544G	36.75	54.00	-17.25	13.05	3	Vertical	59	2.06	-	23.70	36.21	11.33	34.49
PK	4.90568G	43.57	74.00	-30.43	6.78	3	Vertical	176	2.66	-	36.79	31.22	9.71	34.15
PK	7.40408G	49.40	74.00	-24.60	13.06	3	Vertical	59	2.06	-	36.34	36.21	11.34	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9156G	30.16	54.00	-23.84	6.84	3	Horizontal	141	2.28	-	23.32	31.26	9.72	34.14
AV	7.40344G	36.74	54.00	-17.26	13.06	3	Horizontal	333	1.67	-	23.68	36.21	11.34	34.49
PK	4.92808G	43.55	74.00	-30.45	6.90	3	Horizontal	141	2.28	-	36.65	31.31	9.72	34.13
PK	7.38096G	49.38	74.00	-24.62	13.09	3	Horizontal	333	1.67	-	36.29	36.24	11.34	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3232G	50.72	54.00	-3.28	36.08	3	Vertical	118	1.00	-	14.64	27.85	8.23	-
AV	2.4204G	84.43	Inf	-Inf	35.88	3	Vertical	118	1.00	-	48.55	27.58	8.30	-
AV	2.4848G	50.63	54.00	-3.37	35.75	3	Vertical	118	1.00	-	14.88	27.40	8.35	-
PK	2.382G	62.14	74.00	-11.86	36.02	3	Vertical	118	1.00	-	26.12	27.74	8.28	-
PK	2.4136G	95.92	Inf	-Inf	35.92	3	Vertical	118	1.00	-	60.00	27.62	8.30	-
PK	2.486G	61.95	74.00	-12.05	35.75	3	Vertical	118	1.00	-	26.20	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3356G	50.67	54.00	-3.33	36.07	3	Horizontal	34	1.43	-	14.60	27.83	8.24	-
AV	2.4268G	83.62	Inf	-Inf	35.85	3	Horizontal	34	1.43	-	47.77	27.54	8.31	-
AV	2.4852G	50.63	54.00	-3.37	35.75	3	Horizontal	34	1.43	-	14.88	27.40	8.35	-
PK	2.3716G	62.01	74.00	-11.99	36.03	3	Horizontal	34	1.43	-	25.98	27.76	8.27	-
PK	2.426G	95.48	Inf	-Inf	35.85	3	Horizontal	34	1.43	-	59.63	27.54	8.31	-
PK	2.4936G	61.93	74.00	-12.07	35.75	3	Horizontal	34	1.43	-	26.18	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82768G	31.62	54.00	-22.38	6.66	3	Vertical	81	2.53	-	24.96	31.16	9.68	34.18
AV	7.26552G	38.81	54.00	-15.19	13.14	3	Vertical	292	1.01	-	25.67	36.33	11.31	34.50
PK	4.85296G	43.10	74.00	-30.90	6.72	3	Vertical	81	2.53	-	36.38	31.20	9.69	34.17
PK	7.26176G	50.52	74.00	-23.48	13.13	3	Vertical	292	1.01	-	37.39	36.32	11.31	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82768G	31.62	54.00	-22.38	6.66	3	Horizontal	177	2.05	-	24.96	31.16	9.68	34.18
AV	7.26328G	38.83	54.00	-15.17	13.14	3	Horizontal	154	1.02	-	25.69	36.33	11.31	34.50
PK	4.85448G	44.03	74.00	-29.97	6.72	3	Horizontal	177	2.05	-	37.31	31.20	9.69	34.17
PK	7.26304G	50.73	74.00	-23.27	13.14	3	Horizontal	154	1.02	-	37.59	36.33	11.31	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	52.15	54.00	-1.85	36.00	3	Vertical	126	1.00	-	16.15	27.72	8.28	-
AV	2.4386G	96.94	Inf	-Inf	35.79	3	Vertical	126	1.00	-	61.15	27.47	8.32	-
AV	2.485G	51.14	54.00	-2.86	35.75	3	Vertical	126	1.00	-	15.39	27.40	8.35	-
PK	2.3434G	62.14	74.00	-11.86	36.06	3	Vertical	126	1.00	-	26.08	27.81	8.25	-
PK	2.4158G	108.21	Inf	-Inf	35.91	3	Vertical	126	1.00	-	72.30	27.61	8.30	-
PK	2.4942G	62.27	74.00	-11.73	35.75	3	Vertical	126	1.00	-	26.52	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	51.24	54.00	-2.76	36.00	3	Horizontal	33	1.42	-	15.24	27.72	8.28	-
AV	2.4258G	94.20	Inf	-Inf	35.86	3	Horizontal	33	1.42	-	58.34	27.55	8.31	-
AV	2.485G	50.63	54.00	-3.37	35.75	3	Horizontal	33	1.42	-	14.88	27.40	8.35	-
PK	2.3466G	62.92	74.00	-11.08	36.06	3	Horizontal	33	1.42	-	26.86	27.81	8.25	-
PK	2.423G	106.36	Inf	-Inf	35.86	3	Horizontal	33	1.42	-	70.50	27.56	8.30	-
PK	2.4846G	61.35	74.00	-12.65	35.74	3	Horizontal	33	1.42	-	25.61	27.40	8.34	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86816G	31.55	54.00	-22.45	6.74	3	Vertical	101	2.22	-	24.81	31.20	9.70	34.16
AV	7.26124G	38.73	54.00	-15.27	13.13	3	Vertical	258	1.21	-	25.60	36.32	11.31	34.50
PK	4.83904G	43.80	74.00	-30.20	6.69	3	Vertical	101	2.22	-	37.11	31.18	9.69	34.18
PK	7.28708G	51.25	74.00	-22.75	13.19	3	Vertical	258	1.21	-	38.06	36.37	11.32	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86392G	31.63	54.00	-22.37	6.73	3	Horizontal	41	1.87	-	24.90	31.20	9.70	34.17
AV	7.27172G	38.75	54.00	-15.25	13.15	3	Horizontal	299	2.56	-	25.60	36.34	11.31	34.50
PK	4.85144G	43.19	74.00	-30.81	6.72	3	Horizontal	41	1.87	-	36.47	31.20	9.69	34.17
PK	7.2658G	51.35	74.00	-22.65	13.14	3	Horizontal	299	2.56	-	38.21	36.33	11.31	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	51.24	54.00	-2.76	36.00	3	Vertical	130	1.14	-	15.24	27.72	8.28	-
AV	2.4434G	98.33	Inf	-Inf	35.76	3	Vertical	130	1.14	-	62.57	27.44	8.32	-
AV	2.4835G	52.29	54.00	-1.71	35.74	3	Vertical	130	1.14	-	16.55	27.40	8.34	-
PK	2.389G	62.61	74.00	-11.39	36.00	3	Vertical	130	1.14	-	26.61	27.72	8.28	-
PK	2.4434G	110.04	Inf	-Inf	35.76	3	Vertical	130	1.14	-	74.28	27.44	8.32	-
PK	2.485G	65.75	74.00	-8.25	35.75	3	Vertical	130	1.14	-	30.00	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3894G	50.74	54.00	-3.26	36.00	3	Horizontal	58	1.57	-	14.74	27.72	8.28	-
AV	2.441G	95.00	Inf	-Inf	35.77	3	Horizontal	58	1.57	-	59.23	27.45	8.32	-
AV	2.485G	51.39	54.00	-2.61	35.75	3	Horizontal	58	1.57	-	15.64	27.40	8.35	-
PK	2.3578G	62.89	74.00	-11.11	36.04	3	Horizontal	58	1.57	-	26.85	27.78	8.26	-
PK	2.4362G	105.98	Inf	-Inf	35.79	3	Horizontal	58	1.57	-	70.19	27.48	8.31	-
PK	2.4866G	63.27	74.00	-10.73	35.75	3	Horizontal	58	1.57	-	27.52	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86888G	31.55	54.00	-22.45	6.74	3	Vertical	19	2.71	-	24.81	31.20	9.70	34.16
AV	7.293G	38.70	54.00	-15.30	13.21	3	Vertical	139	2.77	-	25.49	36.39	11.32	34.50
PK	4.88128G	43.76	74.00	-30.24	6.74	3	Vertical	19	2.71	-	37.02	31.20	9.70	34.16
PK	7.3206G	50.75	74.00	-23.25	13.18	3	Vertical	139	2.77	-	37.57	36.36	11.32	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86504G	31.64	54.00	-22.36	6.74	3	Horizontal	346	1.34	-	24.90	31.20	9.70	34.16
AV	7.29532G	38.67	54.00	-15.33	13.21	3	Horizontal	354	1.98	-	25.46	36.39	11.32	34.50
PK	4.86904G	43.09	74.00	-30.91	6.74	3	Horizontal	346	1.34	-	36.35	31.20	9.70	34.16
PK	7.31156G	51.08	74.00	-22.92	13.20	3	Horizontal	354	1.98	-	37.88	36.38	11.32	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3882G	50.73	54.00	-3.27	36.00	3	Vertical	130	1.14	-	14.73	27.72	8.28	-
AV	2.4438G	97.86	Inf	-Inf	35.76	3	Vertical	130	1.14	-	62.10	27.44	8.32	-
AV	2.4835G	52.29	54.00	-1.71	35.74	3	Vertical	130	1.14	-	16.55	27.40	8.34	-
PK	2.3534G	62.93	74.00	-11.07	36.05	3	Vertical	130	1.14	-	26.88	27.79	8.26	-
PK	2.4434G	108.83	Inf	-Inf	35.76	3	Vertical	130	1.14	-	73.07	27.44	8.32	-
PK	2.4835G	67.22	74.00	-6.78	35.74	3	Vertical	130	1.14	-	31.48	27.40	8.34	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3498G	50.56	54.00	-3.44	36.05	3	Horizontal	56	1.57	-	14.51	27.80	8.25	-
AV	2.4426G	95.13	Inf	-Inf	35.76	3	Horizontal	56	1.57	-	59.37	27.44	8.32	-
AV	2.4854G	51.14	54.00	-2.86	35.75	3	Horizontal	56	1.57	-	15.39	27.40	8.35	-
PK	2.381G	62.54	74.00	-11.46	36.02	3	Horizontal	56	1.57	-	26.52	27.74	8.28	-
PK	2.442G	106.68	Inf	-Inf	35.75	3	Horizontal	56	1.57	-	70.93	27.43	8.32	-
PK	2.4862G	62.96	74.00	-11.04	35.75	3	Horizontal	56	1.57	-	27.21	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8996G	31.79	54.00	-22.21	6.76	3	Vertical	252	2.66	-	25.03	31.20	9.71	34.15
AV	7.34764G	38.85	54.00	-15.15	13.13	3	Vertical	334	1.95	-	25.72	36.30	11.33	34.50
PK	4.90384G	44.43	74.00	-29.57	6.78	3	Vertical	252	2.66	-	37.65	31.22	9.71	34.15
PK	7.32548G	51.43	74.00	-22.57	13.18	3	Vertical	334	1.95	-	38.25	36.35	11.33	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9124G	31.75	54.00	-22.25	6.82	3	Horizontal	341	1.50	-	24.93	31.25	9.71	34.14
AV	7.34316G	38.75	54.00	-15.25	13.14	3	Horizontal	260	1.87	-	25.61	36.31	11.33	34.50
PK	4.8932G	43.53	74.00	-30.47	6.76	3	Horizontal	341	1.50	-	36.77	31.20	9.71	34.15
PK	7.34188G	51.09	74.00	-22.91	13.15	3	Horizontal	260	1.87	-	37.94	36.32	11.33	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3528G	50.53	54.00	-3.47	36.04	3	Vertical	129	1.15	-	14.49	27.79	8.25	-
AV	2.4444G	97.24	Inf	-Inf	35.75	3	Vertical	129	1.15	-	61.49	27.43	8.32	-
AV	2.4848G	51.86	54.00	-2.14	35.75	3	Vertical	129	1.15	-	16.11	27.40	8.35	-
PK	2.362G	62.43	74.00	-11.57	36.04	3	Vertical	129	1.15	-	26.39	27.78	8.26	-
PK	2.444G	108.70	Inf	-Inf	35.76	3	Vertical	129	1.15	-	72.94	27.44	8.32	-
PK	2.4868G	66.50	74.00	-7.50	35.75	3	Vertical	129	1.15	-	30.75	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3524G	50.54	54.00	-3.46	36.05	3	Horizontal	58	1.50	-	14.49	27.80	8.25	-
AV	2.4452G	94.13	Inf	-Inf	35.75	3	Horizontal	58	1.50	-	58.38	27.43	8.32	-
AV	2.4848G	51.14	54.00	-2.86	35.75	3	Horizontal	58	1.50	-	15.39	27.40	8.35	-
PK	2.3632G	63.12	74.00	-10.88	36.03	3	Horizontal	58	1.50	-	27.09	27.77	8.26	-
PK	2.4416G	105.32	Inf	-Inf	35.77	3	Horizontal	58	1.50	-	69.55	27.45	8.32	-
PK	2.4868G	63.86	74.00	-10.14	35.75	3	Horizontal	58	1.50	-	28.11	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90128G	31.81	54.00	-22.19	6.77	3	Vertical	332	1.82	-	25.04	31.21	9.71	34.15
AV	7.34096G	38.75	54.00	-15.25	13.15	3	Vertical	285	1.97	-	25.60	36.32	11.33	34.50
PK	4.91392G	44.35	74.00	-29.65	6.84	3	Vertical	332	1.82	-	37.51	31.26	9.72	34.14
PK	7.36832G	50.77	74.00	-23.23	13.10	3	Vertical	285	1.97	-	37.67	36.26	11.33	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90032G	31.79	54.00	-22.21	6.76	3	Horizontal	112	2.05	-	25.03	31.20	9.71	34.15
AV	7.34688G	38.76	54.00	-15.24	13.14	3	Horizontal	216	1.63	-	25.62	36.31	11.33	34.50
PK	4.90296G	44.14	74.00	-29.86	6.77	3	Horizontal	112	2.05	-	37.37	31.21	9.71	34.15
PK	7.35152G	50.47	74.00	-23.53	13.14	3	Horizontal	216	1.63	-	37.33	36.30	11.33	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.359G	48.19	54.00	-5.81	36.04	3	Vertical	179	1.10	-	12.15	27.78	8.26	-
AV	2.455G	91.15	Inf	-Inf	35.73	3	Vertical	179	1.10	-	55.42	27.40	8.33	-
AV	2.485G	48.02	54.00	-5.98	35.75	3	Vertical	179	1.10	-	12.27	27.40	8.35	-
PK	2.3806G	59.24	74.00	-14.76	36.02	3	Vertical	179	1.10	-	23.22	27.74	8.28	-
PK	2.453G	103.63	Inf	-Inf	35.72	3	Vertical	179	1.10	-	67.91	27.40	8.32	-
PK	2.487G	59.04	74.00	-14.96	35.75	3	Vertical	179	1.10	-	23.29	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3594G	48.18	54.00	-5.82	36.04	3	Horizontal	216	1.00	-	12.14	27.78	8.26	-
AV	2.4674G	87.98	Inf	-Inf	35.73	3	Horizontal	216	1.00	-	52.25	27.40	8.33	-
AV	2.4842G	47.94	54.00	-6.06	35.74	3	Horizontal	216	1.00	-	12.20	27.40	8.34	-
PK	2.3818G	59.06	74.00	-14.94	36.02	3	Horizontal	216	1.00	-	23.04	27.74	8.28	-
PK	2.465G	101.83	Inf	-Inf	35.73	3	Horizontal	216	1.00	-	66.10	27.40	8.33	-
PK	2.4978G	59.06	74.00	-14.94	35.75	3	Horizontal	216	1.00	-	23.31	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9168G	30.17	54.00	-23.83	6.85	3	Vertical	105	2.07	-	23.32	31.27	9.72	34.14
AV	7.38228G	36.58	54.00	-17.42	13.09	3	Vertical	15	1.32	-	23.49	36.24	11.34	34.49
PK	4.8948G	43.75	74.00	-30.25	6.76	3	Vertical	105	2.07	-	36.99	31.20	9.71	34.15
PK	7.3862G	49.95	74.00	-24.05	13.08	3	Vertical	15	1.32	-	36.87	36.23	11.34	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91792G	30.13	54.00	-23.87	6.85	3	Horizontal	48	1.54	-	23.28	31.27	9.72	34.14
AV	7.37868G	36.57	54.00	-17.43	13.09	3	Horizontal	230	2.58	-	23.48	36.24	11.34	34.49
PK	4.93136G	42.70	74.00	-31.30	6.92	3	Horizontal	48	1.54	-	35.78	31.33	9.72	34.13
PK	7.3586G	49.78	74.00	-24.22	13.12	3	Horizontal	230	2.58	-	36.66	36.28	11.33	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.366G	48.16	54.00	-5.84	36.03	3	Vertical	182	1.10	-	12.13	27.77	8.26	-
AV	2.4604G	83.96	Inf	-Inf	35.73	3	Vertical	182	1.10	-	48.23	27.40	8.33	-
AV	2.4835G	48.65	54.00	-5.35	35.74	3	Vertical	182	1.10	-	12.91	27.40	8.34	-
PK	2.37G	58.93	74.00	-15.07	36.03	3	Vertical	182	1.10	-	22.90	27.76	8.27	-
PK	2.4696G	95.64	Inf	-Inf	35.74	3	Vertical	182	1.10	-	59.90	27.40	8.34	-
PK	2.4835G	61.25	74.00	-12.75	35.74	3	Vertical	182	1.10	-	25.51	27.40	8.34	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3704G	48.18	54.00	-5.82	36.03	3	Horizontal	26	1.80	-	12.15	27.76	8.27	-
AV	2.4676G	81.29	Inf	-Inf	35.73	3	Horizontal	26	1.80	-	45.56	27.40	8.33	-
AV	2.4835G	48.52	54.00	-5.48	35.74	3	Horizontal	26	1.80	-	12.78	27.40	8.34	-
PK	2.3624G	59.82	74.00	-14.18	36.04	3	Horizontal	26	1.80	-	23.78	27.78	8.26	-
PK	2.4704G	93.29	Inf	-Inf	35.74	3	Horizontal	26	1.80	-	57.55	27.40	8.34	-
PK	2.4856G	58.77	74.00	-15.23	35.75	3	Horizontal	26	1.80	-	23.02	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.916G	30.18	54.00	-23.82	6.84	3	Vertical	193	2.88	-	23.34	31.26	9.72	34.14
AV	7.40088G	36.76	54.00	-17.24	13.05	3	Vertical	358	1.03	-	23.71	36.20	11.34	34.49
PK	4.90544G	43.17	74.00	-30.83	6.78	3	Vertical	193	2.88	-	36.39	31.22	9.71	34.15
PK	7.38104G	49.64	74.00	-24.36	13.09	3	Vertical	358	1.03	-	36.55	36.24	11.34	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91672G	30.12	54.00	-23.88	6.85	3	Horizontal	308	2.13	-	23.27	31.27	9.72	34.14
AV	7.40336G	36.79	54.00	-17.21	13.06	3	Horizontal	304	1.47	-	23.73	36.21	11.34	34.49
PK	4.92528G	43.32	74.00	-30.68	6.88	3	Horizontal	308	2.13	-	36.44	31.30	9.72	34.14
PK	7.39736G	49.81	74.00	-24.19	13.06	3	Horizontal	304	1.47	-	36.75	36.21	11.34	34.49