




OCC_5G_n66_15KHz_256QAM_15M CH343500




OCC_5G_n66_15KHz_256QAM_15M CH349000




OCC_5G_n66_15KHz_256QAM_15M CH354500




OCC_5G_n66_15KHz_256QAM_20M CH344000




OCC_5G_n66_15KHz_256QAM_20M CH349000




OCC_5G_n66_15KHz_256QAM_20M CH354000




OCC_5G_n66_15KHz_256QAM_25M CH344500




OCC_5G_n66_15KHz_256QAM_25M CH349000




OCC_5G_n66_15KHz_256QAM_25M CH353500



OCC_5G_n66_15KHz_256QAM_30M CH345000




OCC_5G_n66_15KHz_256QAM_30M CH349000




OCC_5G_n66_15KHz_256QAM_30M CH353000




OCC_5G_n66_15KHz_256QAM_35M CH345500




OCC_5G_n66_15KHz_256QAM_35M CH349000




OCC_5G_n66_15KHz_256QAM_35M CH352500




OCC_5G_n66_15KHz_256QAM_40M CH346000



OCC_5G_n66_15KHz_256QAM_40M CH349000




OCC_5G_n66_15KHz_256QAM_40M CH352000



A1.10 NR n71

NR n71												
BW	Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)					26 dB bandwidth (MHz)				
			BPSK	QPSK	16QAM	64QAM	256QAM	BPSK	QPSK	16QAM	64QAM	256QAM
5M	133100	665.5	4.4699	4.4674	4.4773	4.4895	4.4841	5.005	5.021	5.014	5.035	5.003
5M	136100	680.5	4.4874	4.4805	4.4589	4.4740	4.4803	4.970	5.008	4.980	4.845	5.038
5M	139100	695.5	4.4536	4.4616	4.4764	4.4674	4.4752	4.987	4.918	5.059	4.992	5.059
10M	133600	668	8.9122	8.9277	8.9161	8.9436	8.9008	9.441	9.515	9.426	9.520	9.507
10M	136100	680.5	8.9359	8.9397	8.9051	8.9196	8.9383	9.457	9.519	9.479	9.488	9.645
10M	138600	693	8.9311	8.9470	8.9125	8.9244	8.9198	9.582	9.643	9.726	9.594	9.600
15M	134100	670.5	13.360	13.389	13.370	13.369	13.374	14.04	14.19	14.13	14.25	14.09
15M	136100	680.5	13.417	13.406	13.398	13.401	13.419	14.15	14.12	14.16	14.02	14.10
15M	138100	690.5	13.344	13.380	13.321	13.399	13.368	14.27	14.30	14.19	14.24	14.20
20M	134600	673	17.817	17.762	17.813	17.860	17.760	18.72	18.66	18.64	18.57	18.48
20M	136100	680.5	17.916	17.843	17.894	17.845	17.895	18.58	18.67	18.77	18.76	18.83
20M	137600	688	17.793	17.830	17.817	17.808	17.802	18.57	18.65	18.58	18.65	18.55

OCC_5G_n71_15KHz_.PI2-BPSK_5M CH133100



OCC_5G_n71_15KHz_.PI2-BPSK_5M CH136100



OCC_5G_n71_15KHz_.PI2-BPSK_5M CH139100




OCC_5G_n71_15KHz_.PI2-BPSK_10M CH133600



OCC_5G_n71_15KHz_.PI2-BPSK_10M CH136100




OCC_5G_n71_15KHz_.PI2-BPSK_10M CH138600




OCC_5G_n71_15KHz_..PI2-BPSK_15M CH134100




OCC_5G_n71_15KHz_..PI2-BPSK_15M CH136100



OCC_5G_n71_15KHz_..PI2-BPSK_15M CH138100




OCC_5G_n71_15KHz_..PI2-BPSK_20M CH134600




OCC_5G_n71_15KHz_..PI2-BPSK_20M CH136100



OCC_5G_n71_15KHz_..PI2-BPSK_20M CH137600




OCC_5G_n71_15KHz_.QPSK_5M CH133100



OCC_5G_n71_15KHz_.QPSK_5M CH136100




OCC_5G_n71_15KHz_.QPSK_5M CH139100




OCC_5G_n71_15KHz_.QPSK_10M CH133600




OCC_5G_n71_15KHz_.QPSK_10M CH136100



OCC_5G_n71_15KHz_.QPSK_10M CH138600



OCC_5G_n71_15KHz_.QPSK_15M CH134100



OCC_5G_n71_15KHz_.QPSK_15M CH136100




OCC_5G_n71_15KHz_.QPSK_15M CH138100




OCC_5G_n71_15KHz_.QPSK_20M CH134600



OCC_5G_n71_15KHz_.QPSK_20M CH136100



OCC_5G_n71_15KHz_.QPSK_20M CH137600




OCC_5G_n71_15KHz_16QAM_5M CH133100



OCC_5G_n71_15KHz_16QAM_5M CH136100




OCC_5G_n71_15KHz_16QAM_5M CH139100




OCC_5G_n71_15KHz_16QAM_10M CH133600




OCC_5G_n71_15KHz_16QAM_10M CH136100



OCC_5G_n71_15KHz_16QAM_10M CH138600




OCC_5G_n71_15KHz_16QAM_15M CH134100



OCC_5G_n71_15KHz_16QAM_15M CH136100




OCC_5G_n71_15KHz_16QAM_15M CH138100




OCC_5G_n71_15KHz_16QAM_20M CH134600




OCC_5G_n71_15KHz_16QAM_20M CH136100




OCC_5G_n71_15KHz_16QAM_20M CH137600




OCC_5G_n71_15KHz_64QAM_5M CH133100




OCC_5G_n71_15KHz_64QAM_5M CH136100




OCC_5G_n71_15KHz_64QAM_5M CH139100




OCC_5G_n71_15KHz_64QAM_10M CH133600



OCC_5G_n71_15KHz_64QAM_10M CH136100



OCC_5G_n71_15KHz_64QAM_10M CH138600




OCC_5G_n71_15KHz_64QAM_15M CH134100



OCC_5G_n71_15KHz_64QAM_15M CH136100




OCC_5G_n71_15KHz_64QAM_15M CH138100




OCC_5G_n71_15KHz_64QAM_20M CH134600




OCC_5G_n71_15KHz_64QAM_20M CH136100



OCC_5G_n71_15KHz_64QAM_20M CH137600




OCC_5G_n71_15KHz_256QAM_5M CH133100



OCC_5G_n71_15KHz_256QAM_5M CH136100




OCC_5G_n71_15KHz_256QAM_5M CH139100



OCC_5G_n71_15KHz_256QAM_10M CH133600




OCC_5G_n71_15KHz_256QAM_10M CH136100



OCC_5G_n71_15KHz_256QAM_10M CH138600




OCC_5G_n71_15KHz_256QAM_15M CH134100




OCC_5G_n71_15KHz_256QAM_15M CH136100




OCC_5G_n71_15KHz_256QAM_15M CH138100



OCC_5G_n71_15KHz_256QAM_20M CH134600



OCC_5G_n71_15KHz_256QAM_20M CH136100



OCC_5G_n71_15KHz_256QAM_20M CH137600



A2. Frequency Stability Test Result

A2.1 NR n7

Test Site	SR3	Test Engineer	Wen Lee
Test Date	12/25/2024	Test Band	NR n7 40M

Temperature vs. Frequency Stability						
Voltage (%)	Power (VAC)	Temp (°C)	Declared Frequency (MHz)	Measured Frequency (Hz)	Frequency Tolerance (ppm)	Limit (ppm)
100%	DC 3.6V	-30	2535	-22.53	-0.009	±2.5
		-20	2535	-21.53	-0.008	±2.5
		-10	2535	-20.55	-0.008	±2.5
		0	2535	-21.97	-0.009	±2.5
		10	2535	-21.27	-0.008	±2.5
		+ 20 (Ref)	2535	-20.72	-0.008	±2.5
		30	2535	-20.42	-0.008	±2.5
		40	2535	-21.26	-0.008	±2.5
		50	2535	-21.90	-0.009	±2.5
Voltage vs. Frequency Stability						
Voltage (%)	Power (VAC)	Temp (°C)	Declared Frequency (MHz)	Measured Frequency (Hz)	Frequency Tolerance (ppm)	Limit (ppm)
100%	DC 3.6V	20	2535	-20.72	-0.008	±2.5
115%	DC 4.14V	20	2535	-21.83	-0.009	±2.5
97%	DC 3.49V	20	2535	-22.36	-0.009	±2.5

DC Current

DC Current (A)	Link	1.74 A	IDLE	0.13 A
----------------	------	--------	------	--------

A2.2 NR n12

Test Site	SR3	Test Engineer	Wen Lee
Test Date	12/25/2024	Test Band	NR n12 15M

Temperature vs. Frequency Stability						
Voltage (%)	Power (VAC)	Temp (°C)	Declared Frequency (MHz)	Measured Frequency (Hz)	Frequency Tolerance (ppm)	Limit (ppm)
100%	DC 3.6V	-30	707.5	-5.51	-0.008	±2.5
		-20	707.5	-5.53	-0.008	±2.5
		-10	707.5	-5.41	-0.008	±2.5
		0	707.5	-5.45	-0.008	±2.5
		10	707.5	-6.08	-0.009	±2.5
		+ 20 (Ref)	707.5	-5.63	-0.008	±2.5
		30	707.5	-6.58	-0.009	±2.5
		40	707.5	-6.29	-0.009	±2.5
		50	707.5	-5.11	-0.007	±2.5
Voltage vs. Frequency Stability						
Voltage (%)	Power (VAC)	Temp (°C)	Declared Frequency (MHz)	Measured Frequency (Hz)	Frequency Tolerance (ppm)	Limit (ppm)
100%	DC 3.6V	20	707.5	-5.63	-0.008	±2.5
115%	DC 4.14V	20	707.5	-6.52	-0.009	±2.5
97%	DC 3.49V	20	707.5	-5.55	-0.008	±2.5

DC Current

DC Current (A)	Link	0.79 A	IDLE	0.12 A
----------------	------	--------	------	--------

A2.3 NR n13

Test Site	SR3	Test Engineer	Wen Lee
Test Date	12/25/2024	Test Band	NR n13 10M

Temperature vs. Frequency Stability						
Voltage	Power	Temp	Declared Frequency	Measured Frequency	Frequency Tolerance	Limit
(%)	(VAC)	(°C)	(MHz)	(Hz)	(ppm)	(ppm)
100%	DC 3.6V	-30	782	-7.80	-0.010	±2.5
		-20	782	-7.76	-0.010	±2.5
		-10	782	-7.05	-0.009	±2.5
		0	782	-6.99	-0.009	±2.5
		10	782	-7.00	-0.009	±2.5
		+ 20 (Ref)	782	-7.29	-0.009	±2.5
		30	782	-7.57	-0.010	±2.5
		40	782	-7.62	-0.010	±2.5
		50	782	-8.08	-0.010	±2.5
Voltage vs. Frequency Stability						
Voltage	Power	Temp	Declared Frequency	Measured Frequency	Frequency Tolerance	Limit
(%)	(VAC)	(°C)	(MHz)	(Hz)	(ppm)	(ppm)
100%	DC 3.6V	20	782	-7.29	-0.009	±2.5
115%	DC 4.14V	20	782	-7.48	-0.010	±2.5
97%	DC 3.49V	20	782	-7.19	-0.009	±2.5

DC Current

DC Current (A)	Link	0.95 A	IDLE	0.13 A
----------------	------	--------	------	--------

A2.4 NR n25 (Cover n2)

Test Site	SR3	Test Engineer	Wen Lee
Test Date	12/25/2024	Test Band	NR n25 40M

Temperature vs. Frequency Stability						
Voltage	Power	Temp	Declared Frequency	Measured Frequency	Frequency Tolerance	Limit
(%)	(VAC)	(°C)	(MHz)	(Hz)	(ppm)	(ppm)
100%	DC 3.6V	-30	1882.5	-21.00	-0.011	±2.5
		-20	1882.5	-21.57	-0.011	±2.5
		-10	1882.5	-21.36	-0.011	±2.5
		0	1882.5	-20.89	-0.011	±2.5
		10	1882.5	-21.32	-0.011	±2.5
		+ 20 (Ref)	1882.5	-21.07	-0.011	±2.5
		30	1882.5	-20.73	-0.011	±2.5
		40	1882.5	-20.91	-0.011	±2.5
		50	1882.5	-21.52	-0.011	±2.5
Voltage vs. Frequency Stability						
Voltage	Power	Temp	Declared Frequency	Measured Frequency	Frequency Tolerance	Limit
(%)	(VAC)	(°C)	(MHz)	(Hz)	(ppm)	(ppm)
100%	DC 3.6V	20	1882.5	-21.07	-0.011	±2.5
115%	DC 4.14V	20	1882.5	-20.59	-0.011	±2.5
97%	DC 3.49V	20	1882.5	-21.84	-0.012	±2.5

DC Current

DC Current (A)	Link	1.25 A	IDLE	0.16 A
----------------	------	--------	------	--------

A2.5 NR n26 (Cover n5)

Test Site	SR3	Test Engineer	Wen Lee
Test Date	12/25/2024	Test Band	NR n26 20M

Temperature vs. Frequency Stability						
Voltage	Power	Temp	Declared Frequency	Measured Frequency	Frequency Tolerance	Limit
(%)	(VAC)	(°C)	(MHz)	(Hz)	(ppm)	(ppm)
100%	DC 3.6V	-30	836.5	-13.25	-0.016	±2.5
		-20	836.5	-14.47	-0.017	±2.5
		-10	836.5	-14.11	-0.017	±2.5
		0	836.5	-14.24	-0.017	±2.5
		10	836.5	-13.04	-0.016	±2.5
		+ 20 (Ref)	836.5	-13.31	-0.016	±2.5
		30	836.5	-13.00	-0.016	±2.5
		40	836.5	-11.89	-0.014	±2.5
		50	836.5	-13.09	-0.016	±2.5
Voltage vs. Frequency Stability						
Voltage	Power	Temp	Declared Frequency	Measured Frequency	Frequency Tolerance	Limit
(%)	(VAC)	(°C)	(MHz)	(Hz)	(ppm)	(ppm)
100%	DC 3.6V	20	836.5	-13.31	-0.016	±2.5
115%	DC 4.14V	20	836.5	-13.63	-0.016	±2.5
97%	DC 3.49V	20	836.5	-13.68	-0.016	±2.5

DC Current

DC Current (A)	Link	0.58 A	IDLE	0.11 A
----------------	------	--------	------	--------

A2.6 NR n30

Test Site	SR3	Test Engineer	Wen Lee
Test Date	12/25/2024	Test Band	NR n30 10M

Temperature vs. Frequency Stability						
Voltage	Power	Temp	Declared Frequency	Measured Frequency	Frequency Tolerance	Limit
(%)	(VAC)	(°C)	(MHz)	(Hz)	(ppm)	(ppm)
100%	DC 3.6V	-30	2310	0.28649	0.000	±2.5
		-20	2310	-0.92351	0.000	±2.5
		-10	2310	1.05	0.000	±2.5
		0	2310	-1.41	-0.001	±2.5
		10	2310	0.05311	0.000	±2.5
		+ 20 (Ref)	2310	-0.32201	0.000	±2.5
		30	2310	-1.69	-0.001	±2.5
		40	2310	-1.03	0.000	±2.5
		50	2310	1.82	0.001	±2.5
Voltage vs. Frequency Stability						
Voltage	Power	Temp	Declared Frequency	Measured Frequency	Frequency Tolerance	Limit
(%)	(VAC)	(°C)	(MHz)	(Hz)	(ppm)	(ppm)
100%	DC 3.6V	20	2310	-0.32201	0.000	±2.5
115%	DC 4.14V	20	2310	-0.31844	0.000	±2.5
97%	DC 3.49V	20	2310	-0.49932	0.000	±2.5

DC Current

DC Current (A)	Link	1.19 A	IDLE	0.11 A
----------------	------	--------	------	--------

A2.7 NR n38

Test Site	SR3	Test Engineer	Wen Lee
Test Date	12/25/2024	Test Band	NR n38 40M

Temperature vs. Frequency Stability						
Voltage (%)	Power (VAC)	Temp (°C)	Declared Frequency (MHz)	Measured Frequency (Hz)	Frequency Tolerance (ppm)	Limit (ppm)
100%	DC 3.6V	-30	2595	-3.11	-0.001	±2.5
		-20	2595	-3.22	-0.001	±2.5
		-10	2595	-2.66	-0.001	±2.5
		0	2595	-4.11	-0.002	±2.5
		10	2595	-2.49	-0.001	±2.5
		+ 20 (Ref)	2595	-2.84	-0.001	±2.5
		30	2595	-5.58	-0.002	±2.5
		40	2595	-3.32	-0.001	±2.5
		50	2595	-2.08	-0.001	±2.5
Voltage vs. Frequency Stability						
Voltage (%)	Power (VAC)	Temp (°C)	Declared Frequency (MHz)	Measured Frequency (Hz)	Frequency Tolerance (ppm)	Limit (ppm)
100%	DC 3.6V	20	2595	-2.84	-0.001	±2.5
115%	DC 4.14V	20	2595	-3.52	-0.001	±2.5
97%	DC 3.49V	20	2595	-3.19	-0.001	±2.5

DC Current

DC Current (A)	Link	0.39 A	IDLE	0.12 A
----------------	------	--------	------	--------

A2.8 NR n41

Test Site	SR3	Test Engineer	Wen Lee
Test Date	12/25/2024	Test Band	NR n41 100M

Temperature vs. Frequency Stability						
Voltage	Power	Temp	Declared Frequency	Measured Frequency	Frequency Tolerance	Limit
(%)	(VAC)	(°C)	(MHz)	(Hz)	(ppm)	(ppm)
100%	DC 3.6V	-30	2595	-4.62	-0.002	±2.5
		-20	2595	-1.63	-0.001	±2.5
		-10	2595	-5.75	-0.002	±2.5
		0	2595	-1.22	0.000	±2.5
		10	2595	-2.97	-0.001	±2.5
		+ 20 (Ref)	2595	-1.08	0.000	±2.5
		30	2595	-2.84	-0.001	±2.5
		40	2595	-7.38	-0.003	±2.5
		50	2595	-2.63	-0.001	±2.5
Voltage vs. Frequency Stability						
Voltage	Power	Temp	Declared Frequency	Measured Frequency	Frequency Tolerance	Limit
(%)	(VAC)	(°C)	(MHz)	(Hz)	(ppm)	(ppm)
100%	DC 3.6V	20	2595	-1.08	0.000	±2.5
115%	DC 4.14V	20	2595	-2.44	-0.001	±2.5
97%	DC 3.49V	20	2595	-1.30	-0.001	±2.5

DC Current

DC Current (A)	Link	0.61 A	IDLE	0.12 A
----------------	------	--------	------	--------

A2.9 NR n66

Test Site	SR3	Test Engineer	Wen Lee
Test Date	12/25/2024	Test Band	NR n66 40M

Temperature vs. Frequency Stability						
Voltage	Power	Temp	Declared Frequency	Measured Frequency	Frequency Tolerance	Limit
(%)	(VAC)	(°C)	(MHz)	(Hz)	(ppm)	(ppm)
100%	DC 3.6V	-30	1745	0.94437	0.001	±2.5
		-20	1745	-0.76816	0.000	±2.5
		-10	1745	-0.44309	0.000	±2.5
		0	1745	1.56	0.001	±2.5
		10	1745	0.72711	0.000	±2.5
		+ 20 (Ref)	1745	0.39598	0.000	±2.5
		30	1745	0.46394	0.000	±2.5
		40	1745	0.31091	0.000	±2.5
		50	1745	0.12054	0.000	±2.5
Voltage vs. Frequency Stability						
Voltage	Power	Temp	Declared Frequency	Measured Frequency	Frequency Tolerance	Limit
(%)	(VAC)	(°C)	(MHz)	(Hz)	(ppm)	(ppm)
100%	DC 3.6V	20	1745	0.39598	0.000	±2.5
115%	DC 4.14V	20	1745	0.44224	0.000	±2.5
97%	DC 3.49V	20	1745	0.06901	0.000	±2.5

DC Current

DC Current (A)	Link	1.13 A	IDLE	0.11 A
----------------	------	--------	------	--------

A2.10 NR n71

Test Site	SR3	Test Engineer	Wen Lee
Test Date	12/25/2024	Test Band	NR n71 20M

Temperature vs. Frequency Stability						
Voltage	Power	Temp	Declared Frequency	Measured Frequency	Frequency Tolerance	Limit
(%)	(VAC)	(°C)	(MHz)	(Hz)	(ppm)	(ppm)
100%	DC 3.6V	-30	680.5	3.82	0.006	±2.5
		-20	680.5	3.16	0.005	±2.5
		-10	680.5	3.61	0.005	±2.5
		0	680.5	3.56	0.005	±2.5
		10	680.5	3.78	0.006	±2.5
		+ 20 (Ref)	680.5	4.27	0.006	±2.5
		30	680.5	2.82	0.004	±2.5
		40	680.5	3.24	0.005	±2.5
		50	680.5	3.86	0.006	±2.5
Voltage vs. Frequency Stability						
Voltage	Power	Temp	Declared Frequency	Measured Frequency	Frequency Tolerance	Limit
(%)	(VAC)	(°C)	(MHz)	(Hz)	(ppm)	(ppm)
100%	DC 3.6V	20	680.5	4.27	0.006	±2.5
115%	DC 4.14V	20	680.5	3.48	0.005	±2.5
97%	DC 3.49V	20	680.5	3.42	0.005	±2.5

DC Current

DC Current (A)	Link	0.73 A	IDLE	0.13 A
----------------	------	--------	------	--------

A3. Transmitter Output Power Test Result

A3.1 NR n7

NR N7		Maximum Conducted Output Power (Channel / Frequency (MHz))																	
SCS 15kHz	Modulation	DFT_BPSK			DFT_QPSK			DFT_16QAM			DFT_64QAM			DFT_256QAM			CP_QPSK		
Bandwidth	RB Allocation	500500	507000	513500	500500	507000	513500	500500	507000	513500	500500	507000	513500	500500	507000	513500	500500	507000	513500
	No. @ Offset	2502.5	2535	2567.5	2502.5	2535	2567.5	2502.5	2535	2567.5	2502.5	2535	2567.5	2502.5	2535	2567.5	2502.5	2535	2567.5
5MHz	1@0	23.56	23.72	23.98	23.10	23.14	23.43	22.00	22.28	22.30	21.49	21.70	22.22	18.88	19.26	19.96	20.74	21.49	21.74
	1@1	24.22	24.35	24.58	24.26	24.20	24.30	23.08	23.31	23.22	21.53	21.70	22.23	18.86	19.28	19.95	22.25	23.01	23.04
	1@23	24.38	24.42	24.20	24.25	24.21	23.74	23.12	23.34	22.67	21.61	21.87	21.84	18.96	19.34	20.06	22.34	23.05	22.55
	1@24	23.84	24.00	23.70	23.14	23.25	22.89	22.09	22.33	21.81	21.57	21.88	21.78	18.94	19.34	20.03	20.98	21.84	21.42
	12@6	24.25	24.29	24.14	24.35	24.37	23.85	23.34	23.39	23.03	21.76	21.81	21.70	19.75	19.90	20.09	22.78	23.02	22.40
	25@0	23.69	23.87	23.66	23.17	23.37	23.05	22.29	22.44	22.20	21.82	21.92	21.91	19.77	19.77	19.99	21.10	21.54	21.21
Bandwidth	RB Allocation	501000	507000	513000	501000	507000	513000	501000	507000	513000	501000	507000	513000	501000	507000	513000	501000	507000	513000
	No. @ Offset	2505	2535	2565	2505	2535	2565	2505	2535	2565	2505	2535	2565	2505	2535	2565	2505	2535	2565
10MHz	1@0	23.58	23.98	23.93	23.02	23.58	23.09	22.20	22.50	22.36	21.60	21.86	22.10	19.52	19.82	19.55	21.24	21.21	21.16
	1@1	24.14	24.48	24.37	24.31	24.57	24.12	23.29	23.54	23.50	21.62	21.87	21.81	19.56	19.80	19.56	22.71	22.62	22.66
	1@50	23.99	24.47	23.72	24.32	24.68	23.49	23.34	23.65	22.94	21.73	22.06	22.12	19.71	20.03	19.69	22.76	22.90	22.12
	1@51	23.50	23.96	23.15	23.26	23.70	22.99	22.35	22.61	22.46	21.77	22.07	22.02	19.65	19.94	19.68	21.31	21.24	21.32
	25@12	24.26	24.43	24.50	24.22	24.36	24.24	23.33	23.47	23.37	21.92	21.92	21.98	19.79	19.95	20.04	22.85	22.80	22.66
	50@0	23.75	23.93	24.05	23.21	23.39	23.41	22.27	22.37	22.54	21.84	21.98	22.06	19.76	19.85	20.03	21.28	21.37	21.50
Bandwidth	RB Allocation	501500	507000	512500	501500	507000	512500	501500	507000	512500	501500	507000	512500	501500	507000	512500	501500	507000	512500
	No. @ Offset	2507.5	2535	2562.5	2507.5	2535	2562.5	2507.5	2535	2562.5	2507.5	2535	2562.5	2507.5	2535	2562.5	2507.5	2535	2562.5
15MHz	1@0	23.80	23.79	23.78	23.09	23.64	23.17	22.39	22.44	22.52	21.82	21.58	22.29	19.68	19.88	20.11	21.36	21.45	21.35
	1@1	24.37	24.30	24.39	24.19	24.65	24.31	23.45	23.40	23.53	21.84	21.58	22.33	19.65	19.30	20.06	22.49	23.14	22.95
	1@77	24.52	24.52	23.73	24.21	24.76	23.63	23.53	23.56	22.91	21.91	21.84	22.34	19.80	19.84	20.30	23.09	23.26	22.02
	1@78	23.95	24.03	23.18	23.25	23.80	23.17	22.58	22.58	22.43	21.91	21.83	22.25	19.85	19.80	20.16	21.39	21.51	21.49
	36@18	24.31	24.36	24.50	24.30	24.43	24.48	23.23	23.43	23.47	21.91	21.96	21.96	19.81	19.84	20.04	22.83	22.84	22.88
	75@0	23.84	23.85	23.95	23.34	23.42	23.58	22.41	22.35	22.54	21.85	21.90	22.04	19.82	19.86	20.02	21.24	21.44	21.42

Bandwidth	RB Allocation	502000	507000	512000	502000	507000	512000	502000	507000	512000	502000	507000	512000	502000	507000	512000	502000	507000	512000
	No. @ Offset	2510	2535	2560	2510	2535	2560	2510	2535	2560	2510	2535	2560	2510	2535	2560	2510	2535	2560
20MHz	1@0	23.67	23.86	23.98	23.33	23.40	23.57	22.32	22.31	22.66	21.78	21.73	22.09	19.38	20.13	19.60	21.07	21.30	21.37
	1@1	24.28	24.34	24.52	24.32	24.40	24.54	23.32	23.42	23.65	21.80	21.71	22.09	19.44	20.11	19.62	22.57	22.94	23.23
	1@104	24.52	24.57	24.06	24.53	24.57	23.76	23.34	23.61	23.01	22.04	21.87	22.07	19.31	20.10	19.75	22.67	23.17	22.33
	1@105	24.02	24.07	23.52	23.29	23.55	23.65	22.32	22.56	22.70	21.78	21.87	22.02	19.35	20.02	19.73	21.06	21.52	21.63
	50@25	24.38	24.36	24.59	24.35	24.42	24.49	23.41	23.35	23.50	21.75	21.86	21.96	19.78	19.94	19.98	22.71	23.00	22.95
	100@0	23.84	23.82	23.94	23.36	23.40	23.47	22.31	22.42	22.47	21.73	21.84	21.98	19.74	19.89	20.03	21.36	21.42	21.48
Bandwidth	RB Allocation	502500	507000	511500	502500	507000	511500	502500	507000	511500	502500	507000	511500	502500	507000	511500	502500	507000	511500
	No. @ Offset	2512.5	2535	2557.5	2512.5	2535	2557.5	2512.5	2535	2557.5	2512.5	2535	2557.5	2512.5	2535	2557.5	2512.5	2535	2557.5
25MHz	1@0	23.73	23.86	24.04	23.31	23.51	23.53	22.15	22.49	22.75	21.68	21.96	22.24	20.22	20.53	20.64	21.20	21.36	21.40
	1@1	23.88	24.08	24.40	23.55	23.77	24.03	22.61	22.91	23.28	21.23	21.47	21.85	19.39	19.84	20.06	21.98	22.40	22.44
	1@131	24.05	24.12	22.99	23.75	23.85	22.71	22.83	22.98	22.00	21.48	21.55	20.65	19.84	20.15	19.07	22.16	22.42	21.15
	1@132	23.51	23.59	22.38	23.40	23.55	22.62	22.35	22.49	21.48	21.87	22.01	21.07	19.93	20.34	19.99	21.37	21.63	20.68
	64@32	24.27	24.34	23.77	23.99	24.10	23.48	23.11	23.23	22.58	21.71	21.79	21.19	19.93	19.89	19.83	22.41	22.52	21.97
	128@0	23.64	23.68	23.13	22.99	23.05	22.52	22.06	22.13	21.56	21.59	21.64	21.15	19.84	19.80	19.71	20.95	21.12	20.54
Bandwidth	RB Allocation	503000	507000	511000	503000	507000	511000	503000	507000	511000	503000	507000	511000	503000	507000	511000	503000	507000	511000
	No. @ Offset	2515	2535	2555	2515	2535	2555	2515	2535	2555	2515	2535	2555	2515	2535	2555	2515	2535	2555
30MHz	1@0	23.68	23.73	24.01	23.20	23.29	23.41	22.14	22.26	22.61	21.70	21.84	22.11	19.54	19.81	19.99	21.21	21.28	21.29
	1@1	23.91	23.98	24.51	23.54	23.66	24.22	22.62	22.77	23.48	21.74	22.02	22.23	19.61	19.74	20.02	22.14	22.31	22.62
	1@158	24.37	23.92	22.86	24.04	23.68	22.58	23.12	22.75	21.88	21.83	21.53	20.96	19.66	19.79	19.54	22.60	22.32	21.08
	1@159	23.86	23.39	22.26	23.49	23.19	22.05	22.39	22.03	21.35	21.85	21.81	20.90	19.69	19.92	19.46	21.24	21.47	20.55
	80@40	24.21	24.33	23.70	23.99	24.11	23.51	23.14	23.19	22.58	21.63	21.78	21.18	19.77	19.90	19.73	22.49	22.47	22.02
	160@0	23.66	23.63	23.16	23.02	23.00	22.56	22.09	22.07	21.64	21.63	21.58	21.21	19.96	19.88	19.74	21.08	21.00	20.60

Bandwidth	RB Allocation	504000	507000	510000	504000	507000	510000	504000	507000	510000	504000	507000	510000	504000	507000	510000	504000	507000	510000
	No. @ Offset	2520	2535	2550	2520	2535	2550	2520	2535	2550	2520	2535	2550	2520	2535	2550	2520	2535	2550
40MHz	1@0	23.67	23.84	23.93	23.05	23.15	23.34	22.06	22.37	22.56	21.59	21.75	22.05	19.50	19.71	19.83	21.16	21.24	21.17
	1@1	23.85	24.27	24.39	23.50	23.91	24.20	22.55	23.01	23.53	21.62	21.78	22.09	19.47	19.73	19.89	21.97	22.55	22.60
	1@214	24.54	23.88	23.00	24.32	23.59	22.68	23.35	22.72	21.99	21.91	21.81	21.07	19.94	20.07	19.93	22.66	22.08	21.14
	1@215	23.94	23.34	22.37	23.41	23.09	22.15	22.52	22.25	21.44	21.94	21.75	20.98	19.84	19.94	19.87	21.40	21.29	20.16
	108@54	24.10	24.32	24.03	23.83	24.10	23.78	22.99	23.19	22.88	21.62	21.79	21.47	19.90	19.91	20.04	22.20	22.47	22.11
	216@0	23.83	23.68	23.55	23.19	23.02	22.93	22.18	22.09	21.99	21.78	21.66	21.52	19.91	19.98	19.97	21.15	21.07	20.91

A3.2 NR n12

NR N12		Maximum Conducted Output Power (Channel / Frequency (MHz))																	
SCS 15kHz	Modulation	DFT_BPSK			DFT_QPSK			DFT_16QAM			DFT_64QAM			DFT_256QAM			CP_QPSK		
Bandwidth	RB Allocation	140300	141500	142700	140300	141500	142700	140300	141500	142700	140300	141500	142700	140300	141500	142700	140300	141500	142700
	No. @ Offset	701.5	707.5	713.5	701.5	707.5	713.5	701.5	707.5	713.5	701.5	707.5	713.5	701.5	707.5	713.5	701.5	707.5	713.5
5MHz	1@0	23.52	23.52	23.68	23.03	22.82	23.11	22.01	22.00	21.93	21.48	21.48	21.81	18.91	18.99	19.63	20.74	21.39	21.39
	1@1	24.33	24.11	24.16	24.23	23.92	24.06	23.01	23.00	22.91	21.49	21.51	21.80	18.90	19.00	19.59	22.12	22.92	22.82
	1@23	24.19	24.18	24.16	24.12	23.93	23.94	23.00	23.09	22.87	21.49	21.49	21.75	18.81	19.07	19.57	22.09	22.72	22.88
	1@24	23.74	23.73	23.61	23.05	22.98	22.98	21.99	22.05	21.82	21.44	21.54	21.70	18.90	19.04	19.55	20.82	21.48	21.41
	12@6	24.20	24.16	24.10	24.08	24.04	24.15	23.21	23.05	23.13	21.70	21.57	21.51	19.61	19.63	19.59	22.69	22.57	22.69
	25@0	23.60	23.51	23.64	23.12	23.05	23.07	22.16	22.14	22.10	21.74	21.59	21.78	19.73	19.56	19.56	20.98	21.24	21.05
Bandwidth	RB Allocation	140800	141500	142200	140800	141500	142200	140800	141500	142200	140800	141500	142200	140800	141500	142200	140800	141500	142200
	No. @ Offset	704	707.5	711	704	707.5	711	704	707.5	711	704	707.5	711	704	707.5	711	704	707.5	711
10MHz	1@0	23.69	23.77	23.53	23.01	23.40	22.71	22.25	22.27	22.10	21.62	21.74	21.64	19.50	19.70	19.16	21.11	20.81	20.78
	1@1	24.20	24.11	23.74	24.06	24.28	23.80	23.22	23.30	23.14	21.57	21.72	21.64	19.48	19.67	19.20	22.70	22.50	22.30
	1@50	24.11	24.07	23.70	24.03	24.26	23.68	23.15	23.29	23.03	21.54	21.64	21.63	19.58	19.68	19.19	22.58	22.51	22.36
	1@51	23.63	23.63	23.15	23.02	23.37	22.65	22.18	22.27	22.08	21.59	21.63	21.61	19.61	19.76	19.27	21.07	20.80	20.76
	25@12	24.11	24.12	24.10	24.10	24.03	24.19	23.13	23.06	23.19	21.78	21.49	21.65	19.59	19.58	19.61	22.64	22.48	22.61
	50@0	23.57	23.65	23.68	23.13	23.06	23.18	22.12	22.03	22.17	21.63	21.58	21.70	19.61	19.47	19.69	21.11	20.99	21.02
Bandwidth	RB Allocation	141300	141500	141700	141300	141500	141700	141300	141500	141700	141300	141500	141700	141300	141500	141700	141300	141500	141700
	No. @ Offset	706.5	707.5	708.5	706.5	707.5	708.5	706.5	707.5	708.5	706.5	707.5	708.5	706.5	707.5	708.5	706.5	707.5	708.5
15MHz	1@0	23.78	23.60	23.53	23.01	23.50	22.96	22.38	22.25	22.26	21.77	22.02	22.01	19.80	19.80	19.83	21.38	21.36	20.90
	1@1	24.30	24.14	24.06	24.04	24.51	24.05	23.32	23.45	23.21	21.71	21.78	22.06	19.77	19.68	19.87	22.50	22.50	22.70
	1@77	24.26	23.98	23.63	23.93	24.30	23.88	23.21	23.49	23.03	21.57	21.60	21.76	19.65	19.80	19.77	22.67	22.28	22.31
	1@78	23.74	23.50	23.18	22.91	23.27	22.85	22.31	21.82	21.98	21.57	21.68	21.75	19.63	19.87	19.74	21.12	21.30	20.92
	36@18	24.15	24.30	24.10	24.12	24.19	24.16	23.08	23.13	23.18	21.72	21.64	21.69	19.69	19.65	19.74	22.67	22.72	22.65
	75@0	23.70	23.70	23.65	23.22	23.18	23.26	22.22	22.15	22.28	21.73	21.79	21.67	19.69	19.83	19.71	21.23	21.25	21.20

A3.3 NR n13

NR N13		Maximum Conducted Output Power (Channel / Frequency (MHz))																	
SCS 15kHz	Modulation	DFT_BPSK			DFT_QPSK			DFT_16QAM			DFT_64QAM			DFT_256QAM			CP_QPSK		
Bandwidth	RB Allocation	155900	156400	156900	155900	156400	156900	155900	156400	156900	155900	156400	156900	155900	156400	156900	155900	156400	156900
	No. @ Offset	779.5	782	784.5	779.5	782	784.5	779.5	782	784.5	779.5	782	784.5	779.5	782	784.5	779.5	782	784.5
5MHz	1@0	23.31	23.33	23.43	22.70	22.74	22.91	21.59	21.83	21.76	21.15	21.25	21.64	18.49	18.74	19.39	20.33	21.14	21.22
	1@1	23.79	23.92	24.10	23.76	23.73	23.99	22.55	22.84	22.80	21.15	21.31	21.62	18.55	18.84	19.36	21.86	22.70	22.73
	1@23	24.02	24.00	24.07	23.70	23.78	23.96	22.64	22.80	22.69	21.16	21.31	21.66	18.60	18.81	19.37	21.82	22.56	22.76
	1@24	23.50	23.54	23.46	22.68	22.77	22.84	21.87	21.78	21.73	21.16	21.35	21.64	18.55	18.85	19.40	20.52	21.27	21.24
	12@6	23.85	23.78	23.89	23.90	23.82	23.97	22.91	22.88	22.99	21.38	21.35	21.32	19.22	19.42	19.47	22.29	22.46	22.45
	25@0	23.28	23.44	23.42	22.81	22.97	22.95	21.90	21.90	21.94	21.49	21.37	21.55	19.43	19.27	19.40	20.80	20.95	20.94
Bandwidth	RB Allocation	--	156400	--	--	156400	--	--	156400	--	--	156400	--	--	156400	--	--	156400	--
	No. @ Offset	--	782	--	--	782	--	--	782	--	--	782	--	--	782	--	--	782	--
10MHz	1@0	--	23.28	--	--	22.68	--	--	21.84	--	--	21.25	--	--	19.16	--	--	20.70	--
	1@1	--	23.54	--	--	23.74	--	--	22.80	--	--	21.16	--	--	19.18	--	--	22.37	--
	1@50	--	23.59	--	--	23.80	--	--	22.89	--	--	21.29	--	--	19.32	--	--	22.36	--
	1@51	--	23.04	--	--	22.73	--	--	21.95	--	--	21.32	--	--	19.26	--	--	20.92	--
	25@12	--	23.84	--	--	23.81	--	--	22.89	--	--	21.54	--	--	19.30	--	--	22.37	--
	50@0	--	23.36	--	--	22.92	--	--	21.85	--	--	21.40	--	--	19.32	--	--	20.90	--

A3.4 NR n25 (Cover n2)

NR N25		Maximum Conducted Output Power (Channel / Frequency (MHz))																	
SCS 15kHz	Modulation	DFT_BPSK			DFT_QPSK			DFT_16QAM			DFT_64QAM			DFT_256QAM			CP_QPSK		
Bandwidth	RB Allocation	370500	376500	382500	370500	376500	382500	370500	376500	382500	370500	376500	382500	370500	376500	382500	370500	376500	382500
	No. @ Offset	1852.5	1882.5	1912.5	1852.5	1882.5	1912.5	1852.5	1882.5	1912.5	1852.5	1882.5	1912.5	1852.5	1882.5	1912.5	1852.5	1882.5	1912.5
5MHz	1@0	23.74	23.70	23.59	23.19	23.10	23.03	22.16	22.16	21.93	21.49	21.67	21.82	18.91	19.21	19.61	20.77	21.56	21.34
	1@1	24.28	24.34	24.19	24.27	24.08	24.04	23.09	23.18	22.93	21.79	21.67	21.83	18.96	19.23	19.71	22.08	23.11	22.09
	1@23	24.23	24.29	24.22	24.27	24.07	24.10	23.09	23.19	22.91	21.50	21.58	21.79	18.98	19.16	19.65	22.15	22.88	22.38
	1@24	23.71	23.81	23.68	23.23	23.05	23.26	22.16	22.15	21.98	21.50	21.67	21.82	18.85	19.15	19.59	20.84	21.55	20.97
	12@6	24.29	24.19	24.06	24.23	24.16	24.14	23.17	23.17	23.22	21.76	21.66	21.55	19.59	19.78	19.67	22.76	22.74	22.74
	25@0	23.72	23.68	23.66	23.22	23.20	23.22	22.18	22.24	22.17	21.81	21.69	21.76	19.73	19.66	19.56	21.04	21.35	21.21
Bandwidth	RB Allocation	371000	376500	382000	371000	376500	382000	371000	376500	382000	371000	376500	382000	371000	376500	382000	371000	376500	382000
	No. @ Offset	1855	1882.5	1910	1855	1882.5	1910	1855	1882.5	1910	1855	1882.5	1910	1855	1882.5	1910	1855	1882.5	1910
10MHz	1@0	23.58	23.81	23.57	22.79	23.14	22.84	22.35	22.60	22.24	21.30	21.44	21.75	19.54	19.75	19.31	21.29	21.06	20.73
	1@1	24.05	24.15	23.79	24.06	24.40	23.86	23.19	23.30	23.24	21.74	21.97	21.74	19.56	19.73	19.99	22.58	22.51	22.74
	1@50	23.87	24.20	23.74	24.22	24.47	23.81	23.25	23.40	23.22	21.83	21.79	22.01	19.52	19.78	19.40	22.53	22.33	22.40
	1@51	23.37	23.73	23.21	23.20	23.40	22.56	22.19	22.39	22.46	21.29	21.69	21.46	19.46	19.80	18.85	20.67	21.01	20.81
	25@12	24.26	24.28	24.14	24.15	24.31	24.22	23.28	23.33	23.22	21.79	21.68	21.64	19.70	19.79	19.65	22.77	22.71	22.74
	50@0	23.68	23.76	23.71	23.18	23.25	23.26	22.24	22.22	22.16	21.69	21.79	21.73	19.65	19.71	19.73	21.19	21.23	21.19
Bandwidth	RB Allocation	371500	376500	381500	371500	376500	381500	371500	376500	381500	371500	376500	381500	371500	376500	381500	371500	376500	381500
	No. @ Offset	1857.5	1882.5	1907.5	1857.5	1882.5	1907.5	1857.5	1882.5	1907.5	1857.5	1882.5	1907.5	1857.5	1882.5	1907.5	1857.5	1882.5	1907.5
15MHz	1@0	23.81	23.71	23.55	23.00	23.61	22.99	22.22	22.30	22.35	21.70	21.55	22.04	19.67	19.43	19.89	21.29	21.34	20.86
	1@1	24.33	24.27	24.15	24.05	24.60	24.06	23.25	23.31	23.38	21.72	21.55	22.05	19.70	19.87	19.90	22.41	22.99	22.82
	1@77	24.31	24.34	23.95	24.16	24.59	23.89	23.37	23.35	23.27	21.79	21.63	21.66	19.78	19.89	19.74	22.93	23.17	22.48
	1@78	23.81	23.85	23.41	23.20	23.52	22.91	22.40	22.35	22.28	21.79	21.63	21.94	19.79	19.89	19.70	21.38	21.48	21.27
	36@18	24.25	24.28	24.20	24.19	24.24	24.21	23.23	23.31	23.21	21.73	21.87	21.70	19.72	19.72	19.83	22.72	22.76	22.74
	75@0	23.84	23.76	23.68	23.32	23.27	23.28	22.31	22.19	22.27	21.78	21.77	21.71	19.67	19.71	19.76	21.23	21.25	21.17

Bandwidth	RB Allocation	372000	376500	381000	372000	376500	381000	372000	376500	381000	372000	376500	381000	372000	376500	381000	372000	376500	381000
	No. @ Offset	1860	1882.5	1905	1860	1882.5	1905	1860	1882.5	1905	1860	1882.5	1905	1860	1882.5	1905	1860	1882.5	1905
20MHz	1@0	23.57	23.76	23.68	23.20	23.41	23.40	22.09	22.38	22.41	21.73	21.74	21.82	19.45	19.86	19.48	21.03	21.36	21.33
	1@1	24.11	24.26	24.19	24.24	24.36	24.36	23.14	23.37	23.45	21.74	21.64	21.84	19.46	19.86	19.40	22.50	23.02	22.73
	1@104	24.50	24.28	24.22	24.37	24.21	23.98	23.27	23.37	23.29	21.84	21.71	21.77	19.61	19.68	19.31	22.79	22.80	22.58
	1@105	24.01	23.78	23.70	23.42	23.26	23.00	22.28	22.33	22.28	21.80	21.70	21.77	19.64	20.13	19.37	21.30	21.20	21.04
	50@25	24.35	24.31	24.23	24.26	24.26	24.26	23.31	23.28	23.29	21.72	21.77	21.76	19.75	19.73	19.69	22.69	22.85	22.77
	100@0	23.80	23.78	23.71	23.23	23.31	23.28	22.19	22.28	22.23	21.68	21.73	21.77	19.64	19.71	19.77	21.18	21.25	21.26
Bandwidth	RB Allocation	372500	376500	380500	372500	376500	380500	372500	376500	380500	372500	376500	380500	372500	376500	380500	372500	376500	380500
	No. @ Offset	1862.5	1882.5	1902.5	1862.5	1882.5	1902.5	1862.5	1882.5	1902.5	1862.5	1882.5	1902.5	1862.5	1882.5	1902.5	1862.5	1882.5	1902.5
25MHz	1@0	23.63	23.87	23.77	23.18	23.34	23.23	22.13	22.38	22.41	21.65	21.91	21.93	19.97	20.27	20.18	21.25	21.32	21.14
	1@1	24.21	24.38	24.34	24.23	24.42	24.24	23.19	23.41	23.41	21.70	21.95	21.95	19.82	20.19	20.04	22.68	23.14	22.73
	1@131	24.29	24.34	24.15	24.41	24.35	24.09	23.26	23.37	23.42	21.78	21.90	21.96	19.90	20.11	19.97	22.74	22.95	22.72
	1@132	23.80	23.88	23.63	23.31	23.39	23.11	22.33	22.32	22.36	21.76	21.89	21.95	20.19	20.22	20.08	21.16	21.36	21.17
	64@32	24.17	24.26	24.26	24.25	24.27	24.30	23.29	23.32	23.37	21.70	21.81	21.39	19.73	19.74	19.78	22.82	22.80	22.84
	128@0	23.87	23.84	23.76	23.28	23.35	23.28	22.36	22.32	22.25	21.80	21.72	21.73	19.73	19.73	19.78	21.27	21.23	21.29
Bandwidth	RB Allocation	373000	376500	380000	373000	376500	380000	373000	376500	380000	373000	376500	380000	373000	376500	380000	373000	376500	380000
	No. @ Offset	1865	1882.5	1900	1865	1882.5	1900	1865	1882.5	1900	1865	1882.5	1900	1865	1882.5	1900	1865	1882.5	1900
30MHz	1@0	23.57	23.78	23.67	23.13	23.24	23.17	22.07	22.21	22.40	21.58	21.73	21.90	19.50	20.02	19.93	21.09	21.18	21.12
	1@1	24.16	24.29	24.14	24.21	24.21	24.08	23.13	23.26	23.34	21.63	21.75	21.93	19.55	19.52	19.95	22.74	22.78	22.57
	1@158	24.20	24.28	24.05	24.29	24.36	23.99	23.13	23.29	23.28	21.75	21.83	21.88	19.60	19.81	19.51	22.68	22.79	22.65
	1@159	23.68	23.78	23.51	23.26	23.24	23.06	22.18	22.34	22.31	21.73	21.81	21.86	19.59	19.78	19.43	21.12	21.39	21.12
	80@40	24.35	24.31	24.31	24.36	24.33	24.39	23.40	23.32	23.28	21.78	21.75	21.83	19.65	19.76	19.73	22.79	22.74	22.87
	160@0	23.80	23.78	23.81	23.29	23.29	23.32	22.39	22.27	22.29	21.78	21.83	21.88	19.84	19.77	19.77	21.35	21.24	21.32

Bandwidth	RB Allocation	373500	376500	379500	373500	376500	379500	373500	376500	379500	373500	376500	379500	373500	376500	379500	373500	376500	379500
	No. @ Offset	1867.5	1882.5	1897.5	1867.5	1882.5	1897.5	1867.5	1882.5	1897.5	1867.5	1882.5	1897.5	1867.5	1882.5	1897.5	1867.5	1882.5	1897.5
35MHz	1@0	23.70	23.81	23.73	23.25	23.29	23.17	22.20	22.36	22.45	21.72	21.78	22.01	19.49	19.57	20.04	21.13	21.30	21.18
	1@1	24.20	24.24	24.18	24.34	24.30	24.16	23.16	23.39	23.50	21.66	21.79	22.02	19.53	19.61	20.06	22.56	22.85	22.81
	1@186	24.31	24.34	24.09	24.41	24.36	24.12	23.25	23.44	23.35	21.78	21.87	21.97	19.57	19.83	19.93	22.71	22.88	22.71
	1@187	23.82	23.85	23.57	23.33	23.27	23.13	22.22	22.42	22.37	21.78	21.97	21.98	19.56	19.84	19.57	21.27	21.37	21.20
	94@47	24.31	24.26	24.38	24.39	24.36	24.36	23.36	23.32	23.38	21.90	21.84	21.82	19.68	19.73	19.83	22.80	22.83	22.91
	188@0	23.82	23.82	23.84	23.41	23.30	23.32	22.34	22.35	22.36	21.91	21.78	21.83	19.90	19.80	19.87	21.39	21.29	21.32
Bandwidth	RB Allocation	374000	376500	379000	374000	376500	379000	374000	376500	379000	374000	376500	379000	374000	376500	379000	374000	376500	379000
	No. @ Offset	1870	1882.5	1895	1870	1882.5	1895	1870	1882.5	1895	1870	1882.5	1895	1870	1882.5	1895	1870	1882.5	1895
40MHz	1@0	23.64	23.75	23.76	23.17	23.25	23.25	22.10	22.20	22.42	21.64	21.73	21.95	19.56	19.84	19.84	21.04	21.15	21.14
	1@1	24.25	24.19	24.26	24.26	24.15	24.22	23.09	23.23	23.50	21.60	21.78	22.00	19.53	19.88	19.89	22.49	22.86	22.96
	1@214	24.34	24.28	24.06	24.36	24.32	23.92	23.15	23.30	23.25	21.68	21.75	21.86	19.60	19.89	19.63	22.68	22.86	22.60
	1@215	23.77	23.75	23.52	23.31	23.19	23.08	22.10	22.26	22.34	21.63	21.82	21.84	19.57	19.88	19.54	21.14	21.26	21.13
	108@54	24.25	24.28	24.33	24.36	24.29	24.33	23.42	23.37	23.38	21.91	21.82	21.89	19.84	19.80	19.84	22.87	22.85	22.89
	216@0	23.83	23.81	23.87	23.36	23.34	23.38	22.31	22.34	22.29	21.85	21.86	21.84	19.84	19.87	19.86	21.30	21.35	21.37

A3.5 NR n26 (Cover n5)

NR N26		Maximum Conducted Output Power (Channel / Frequency (MHz))																	
SCS 15kHz	Modulation	DFT_BPSK			DFT_QPSK			DFT_16QAM			DFT_64QAM			DFT_256QAM			CP_QPSK		
Bandwidth	RB Allocation	165300	167300	169300	165300	167300	169300	165300	167300	169300	165300	167300	169300	165300	167300	169300	165300	167300	169300
	No. @ Offset	826.5	836.5	846.5	826.5	836.5	846.5	826.5	836.5	846.5	826.5	836.5	846.5	826.5	836.5	846.5	826.5	836.5	846.5
5MHz	1@0	23.42	23.46	23.59	22.87	22.80	23.11	21.80	21.97	21.93	21.27	21.44	21.84	18.69	18.94	19.60	20.54	20.97	21.46
	1@1	24.10	24.04	24.16	24.00	23.79	24.17	22.72	23.04	22.98	21.53	21.45	21.83	18.70	18.93	19.56	21.76	22.64	22.95
	1@23	24.13	24.13	24.29	24.08	23.86	24.20	22.76	22.95	23.00	21.33	21.53	21.80	18.72	18.96	19.66	21.96	22.74	22.93
	1@24	23.60	23.72	23.74	22.96	22.90	23.14	21.81	22.08	22.00	21.32	21.53	21.88	18.78	19.07	19.64	20.66	21.22	21.46
	12@6	23.97	24.06	24.14	23.87	24.05	24.18	22.97	23.07	23.22	21.52	21.59	21.62	19.48	19.65	19.74	22.47	22.61	22.73
	25@0	23.37	23.57	23.69	22.92	23.04	23.24	21.98	22.13	22.17	21.61	21.55	21.89	19.44	19.45	19.61	20.77	21.23	21.24
Bandwidth	RB Allocation	165800	167300	168800	165800	167300	168800	165800	167300	168800	165800	167300	168800	165800	167300	168800	165800	167300	168800
	No. @ Offset	829	836.5	844	829	836.5	844	829	836.5	844	829	836.5	844	829	836.5	844	829	836.5	844
10MHz	1@0	23.44	23.62	23.54	22.78	23.27	22.74	21.95	22.20	22.14	21.34	21.65	21.69	19.27	19.62	19.19	20.84	21.39	20.85
	1@1	23.96	24.04	24.03	24.03	24.27	23.78	22.94	23.20	23.14	21.38	21.64	21.70	19.31	19.64	19.23	22.57	22.77	22.39
	1@50	23.71	24.07	23.73	24.09	24.31	23.80	23.03	23.25	23.16	21.44	21.63	21.71	19.36	19.74	19.28	22.37	22.72	22.51
	1@51	23.19	23.58	23.30	22.88	23.30	22.81	22.03	22.19	22.14	21.42	21.64	21.79	19.32	19.73	19.26	20.86	21.30	21.12
	25@12	23.99	24.11	24.16	24.02	24.08	24.14	23.02	23.13	23.14	21.61	21.60	21.58	19.49	19.69	19.62	22.53	22.51	22.59
	50@0	23.50	23.56	23.65	23.04	23.05	23.16	21.98	22.04	22.19	21.50	21.62	21.68	19.51	19.53	19.64	20.97	21.12	21.19
Bandwidth	RB Allocation	166300	167300	168300	166300	167300	168300	166300	167300	168300	166300	167300	168300	166300	167300	168300	166300	167300	168300
	No. @ Offset	831.5	836.5	841.5	831.5	836.5	841.5	831.5	836.5	841.5	831.5	836.5	841.5	831.5	836.5	841.5	831.5	836.5	841.5
15MHz	1@0	23.47	23.50	23.45	22.81	23.24	22.71	22.02	22.04	22.22	21.54	21.28	21.98	19.47	19.13	19.67	21.13	20.92	20.82
	1@1	24.03	23.95	23.66	23.89	24.24	23.79	22.98	23.08	23.03	21.55	21.29	21.79	19.49	19.20	19.67	22.49	22.02	22.50
	1@77	24.16	24.07	23.85	23.87	24.38	23.97	23.05	23.25	23.24	21.58	22.10	22.03	19.67	19.83	19.87	22.52	22.92	22.51
	1@78	23.64	23.66	23.32	22.95	23.43	22.87	22.06	22.18	22.25	21.58	21.72	22.01	19.65	19.26	19.84	21.11	21.16	21.16
	36@18	24.01	24.13	24.16	24.03	24.10	24.25	23.14	23.11	23.18	21.53	21.78	21.63	19.47	19.71	19.72	22.50	22.74	22.70
	75@0	23.51	23.67	23.67	23.14	23.16	23.22	22.07	22.12	22.24	21.58	21.64	21.74	19.60	19.70	19.61	21.07	21.20	21.15

Bandwidth	RB Allocation	166800	167300	167800	166800	167300	167800	166800	167300	167800	166800	167300	167800	166800	167300	167800	166800	167300	167800
	No. @ Offset	834	836.5	839	834	836.5	839	834	836.5	839	834	836.5	839	834	836.5	839	834	836.5	839
20MHz	1@0	23.46	23.41	23.49	23.03	23.06	23.01	21.92	22.00	22.17	21.52	21.34	21.60	19.43	19.79	19.28	21.07	21.08	21.09
	1@1	23.84	23.88	24.04	24.08	24.03	24.03	22.90	22.92	23.14	21.57	21.34	21.60	19.44	19.78	19.29	22.47	22.62	22.70
	1@104	24.35	24.13	24.23	24.26	24.23	24.20	23.10	23.15	23.29	21.68	21.58	21.73	19.60	20.01	19.57	22.70	22.78	22.75
	1@105	23.75	23.59	23.69	23.24	23.22	23.22	22.15	22.16	22.38	21.67	21.54	21.82	19.56	19.95	19.45	21.07	21.29	21.20
	50@25	24.16	24.19	24.10	24.12	24.19	24.13	23.10	23.21	23.18	21.60	21.74	21.58	19.59	19.64	19.60	22.51	22.76	22.63
	100@0	23.62	23.72	23.64	23.17	23.18	23.17	22.15	22.20	22.17	21.62	21.70	21.61	19.57	19.62	19.67	21.09	21.14	21.17

A3.6 NR n30

SCS 15kHz	Modulation	DFT_BPSK			DFT_QPSK			DFT_16QAM			DFT_64QAM			DFT_256QAM			CP_QPSK		
Bandwidth	RB Allocation	461500	462000	462500	461500	462000	462500	461500	462000	462500	461500	462000	462500	461500	462000	462500	461500	462000	462500
	No. @ Offset	2307.5	2310	2312.5	2307.5	2310	2312.5	2307.5	2310	2312.5	2307.5	2310	2312.5	2307.5	2310	2312.5	2307.5	2310	2312.5
5MHz	1@0	23.37	23.55	23.65	22.24	22.32	22.48	21.13	21.39	21.27	20.61	20.93	21.20	18.60	19.06	19.60	19.96	20.91	20.88
	1@1	23.36	23.65	23.59	22.99	23.07	23.25	21.99	22.26	22.18	0.00	20.93	21.21	18.65	19.09	19.63	20.92	21.96	22.00
	1@23	23.56	23.91	23.76	23.24	23.38	23.35	22.24	22.56	22.29	20.94	21.28	21.36	18.86	19.03	19.68	21.27	22.12	22.15
	1@24	23.07	23.45	23.29	22.39	22.54	22.51	21.40	21.68	21.38	20.95	21.26	21.35	18.78	19.03	19.69	20.27	21.19	21.01
	12@6	23.34	23.49	23.51	23.01	23.23	23.28	22.21	22.41	22.43	20.97	21.13	21.05	19.55	19.75	19.84	21.39	21.72	21.80
	25@0	22.84	23.04	23.00	22.23	22.44	22.41	21.38	21.67	21.55	21.03	21.18	21.23	19.61	19.52	19.70	20.20	20.65	20.52
Bandwidth	RB Allocation	--	462000	--	--	462000	--	--	462000	--	--	462000	--	--	462000	--	--	462000	--
	No. @ Offset	--	2310	--	--	2310	--	--	2310	--	--	2310	--	--	2310	--	--	2310	--
10MHz	1@0	--	23.51	--	--	22.62	--	--	21.79	--	--	21.17	--	--	19.40	--	--	21.09	--
	1@1	--	23.45	--	--	22.98	--	--	22.20	--	--	21.16	--	--	19.51	--	--	21.55	--
	1@50	--	23.56	--	--	23.46	--	--	22.72	--	--	21.69	--	--	19.65	--	--	21.94	--
	1@51	--	23.05	--	--	23.00	--	--	22.26	--	--	21.67	--	--	19.59	--	--	21.22	--
	25@12	--	23.53	--	--	23.27	--	--	22.45	--	--	21.20	--	--	19.64	--	--	21.84	--
	50@0	--	23.06	--	--	22.45	--	--	21.57	--	--	21.14	--	--	19.70	--	--	20.55	--

A3.7 NR n38

NR N38		Maximum Conducted Output Power (Channel / Frequency (MHz))																	
SCS 30kHz	Modulation	DFT_BPSK			DFT_QPSK			DFT_16QAM			DFT_64QAM			DFT_256QAM			CP_QPSK		
Bandwidth	RB Allocation	515000	519000	523000	515000	519000	523000	515000	519000	523000	515000	519000	523000	515000	519000	523000	515000	519000	523000
	No. @ Offset	2575	2595	2615	2575	2595	2615	2575	2595	2615	2575	2595	2615	2575	2595	2615	2575	2595	2615
10MHz	1@0	24.18	24.28	24.01	23.79	23.68	23.49	22.62	22.63	22.38	21.94	22.14	22.21	19.53	19.85	19.92	21.44	21.78	21.92
	1@1	24.67	24.72	24.66	24.77	24.68	24.48	23.64	23.67	23.41	22.15	22.22	22.30	19.63	19.92	19.91	22.91	23.21	23.43
	1@22	24.67	24.63	24.58	24.65	24.63	24.50	23.55	23.61	23.34	21.92	22.16	22.22	19.58	19.90	19.83	22.94	23.24	23.46
	1@23	24.13	24.18	24.11	23.67	23.63	23.42	22.65	22.63	22.41	21.87	22.11	22.24	19.54	19.84	19.85	21.21	21.80	21.75
	12@6	24.72	24.67	24.63	24.60	24.69	24.54	23.65	23.68	23.60	22.13	22.21	22.02	20.16	20.26	20.11	23.26	23.18	23.04
	24@0	24.22	24.22	24.07	23.70	23.77	23.53	22.66	22.73	22.63	22.15	22.25	22.03	20.27	20.04	20.12	21.54	21.79	21.48
Bandwidth	RB Allocation	515500	519000	522500	515500	519000	522500	515500	519000	522500	515500	519000	522500	515500	519000	522500	515500	519000	522500
	No. @ Offset	2577.5	2595	2612.5	2577.5	2595	2612.5	2577.5	2595	2612.5	2577.5	2595	2612.5	2577.5	2595	2612.5	2577.5	2595	2612.5
15MHz	1@0	24.19	24.23	24.00	23.44	23.73	23.35	22.72	22.89	22.86	22.15	22.08	22.36	19.90	20.04	20.22	21.88	22.32	21.95
	1@1	24.65	24.85	24.48	24.49	24.72	24.45	23.68	23.91	23.85	22.15	22.09	22.36	20.00	20.14	20.22	23.59	23.61	23.73
	1@36	24.59	24.82	24.49	24.46	24.71	24.43	23.65	23.84	23.76	22.17	22.11	22.38	19.91	20.17	20.33	23.50	23.79	23.25
	1@37	24.14	24.27	23.99	23.47	23.65	23.34	22.74	22.85	22.84	22.09	22.03	22.38	19.83	20.09	20.20	21.58	22.14	21.85
	18@9	24.78	24.69	24.63	24.76	24.70	24.71	23.76	23.79	23.58	22.18	22.19	22.12	20.16	20.17	20.14	23.26	23.23	23.19
	36@0	24.24	24.28	24.15	23.71	23.71	23.74	22.76	22.90	22.64	22.27	22.42	22.16	20.27	20.28	20.23	21.74	21.75	21.73
Bandwidth	RB Allocation	516000	519000	522000	516000	519000	522000	516000	519000	522000	516000	519000	522000	516000	519000	522000	516000	519000	522000
	No. @ Offset	2580	2595	2610	2580	2595	2610	2580	2595	2610	2580	2595	2610	2580	2595	2610	2580	2595	2610
20MHz	1@0	24.09	24.22	23.97	23.60	23.60	23.49	22.59	22.53	22.66	22.04	22.12	22.31	19.83	20.07	20.31	21.49	21.58	21.54
	1@1	24.53	24.60	24.44	24.61	24.59	24.48	23.61	23.55	23.68	22.11	22.09	22.37	19.91	20.14	20.16	22.95	23.29	23.04
	1@49	24.70	24.59	24.42	24.69	24.59	24.48	23.69	23.54	23.66	22.20	22.17	22.34	19.95	20.13	20.05	23.14	23.23	22.97
	1@50	24.17	24.09	23.98	23.62	23.52	23.47	22.71	22.45	22.65	22.17	22.03	22.28	19.98	20.02	20.09	21.59	21.54	21.66
	25@12	24.74	24.76	24.74	24.64	24.68	24.71	23.69	23.73	23.66	22.21	22.22	22.15	20.19	20.27	20.18	23.12	23.19	23.17
	50@0	24.20	24.16	24.15	23.66	23.72	23.56	22.70	22.63	22.71	22.15	22.22	22.12	20.18	20.15	20.11	21.74	21.70	21.60

Bandwidth	RB Allocation	517000	519000	521000	517000	519000	521000	517000	519000	521000	517000	519000	521000	517000	519000	521000	517000	519000	521000
	No. @ Offset	2585	2595	2605	2585	2595	2605	2585	2595	2605	2585	2595	2605	2585	2595	2605	2585	2595	2605
30MHz	1@0	24.13	24.24	24.26	23.60	23.62	23.73	22.65	22.64	22.87	22.07	22.23	22.36	19.93	20.17	20.07	21.55	21.55	21.76
	1@1	24.63	24.64	24.72	24.64	24.63	24.74	23.52	23.67	23.89	22.07	22.25	22.37	19.95	20.27	20.20	23.29	23.26	23.15
	1@76	24.65	24.60	24.59	24.83	24.64	24.62	23.66	23.68	23.76	22.15	22.29	22.32	19.97	20.20	19.93	23.16	23.23	22.95
	1@77	24.19	24.04	24.10	23.70	23.65	23.61	22.74	22.66	22.73	22.17	22.27	22.30	19.97	20.21	19.94	21.53	21.58	21.71
	36@18	24.73	24.71	24.70	24.66	24.73	24.66	23.77	23.73	23.64	22.28	22.36	22.06	20.12	20.24	20.11	23.28	23.17	23.12
	75@0	24.26	24.24	24.16	23.73	23.69	23.68	22.72	22.71	22.67	22.26	22.22	22.10	20.20	20.23	20.06	21.78	21.65	21.60
Bandwidth	RB Allocation	518000	519000	520000	518000	519000	520000	518000	519000	520000	518000	519000	520000	518000	519000	520000	518000	519000	520000
	No. @ Offset	2590	2595	2600	2590	2595	2600	2590	2595	2600	2590	2595	2600	2590	2595	2600	2590	2595	2600
40MHz	1@0	24.11	24.09	24.29	23.59	23.80	23.72	22.49	22.85	22.83	22.15	22.32	22.40	19.98	20.10	20.05	21.57	21.83	21.59
	1@1	24.78	24.59	24.62	24.57	24.80	24.70	23.45	23.74	23.84	22.13	22.30	22.48	19.96	20.20	20.13	23.36	23.28	23.41
	1@104	24.73	24.61	24.67	24.54	24.74	24.57	23.42	23.66	23.81	22.13	22.23	22.32	19.90	20.13	19.89	23.24	23.28	23.23
	1@105	24.20	24.07	24.08	23.47	23.65	23.67	22.48	22.74	22.86	22.17	22.25	22.33	19.82	20.17	19.89	21.40	21.72	21.48
	50@25	24.71	24.77	24.67	24.71	24.66	24.70	23.73	23.64	23.73	22.24	22.14	22.22	20.17	20.12	20.25	23.12	23.21	23.21
	100@0	24.25	24.19	24.15	23.71	23.75	23.69	22.73	22.73	22.76	22.18	22.17	22.09	20.17	20.19	20.14	21.71	21.65	21.69

A3.8 NR n41

NR N41		Maximum Conducted Output Power (Channel / Frequency (MHz))																	
SCS 30kHz	Modulation	DFT_BPSK			DFT_QPSK			DFT_16QAM			DFT_64QAM			DFT_256QAM			CP_QPSK		
Bandwidth	RB Allocation	500202	519000	537000	500202	519000	537000	500202	519000	537000	500202	519000	537000	500202	519000	537000	500202	519000	537000
	No. @ Offset	2501.01	2595	2685	2501.01	2595	2685	2501.01	2595	2685	2501.01	2595	2685	2501.01	2595	2685	2501.01	2595	2685
10MHz	1@0	23.71	24.00	23.86	23.68	23.94	23.71	23.61	23.92	23.75	23.16	23.37	23.63	21.70	22.32	22.26	23.73	23.80	23.98
	1@1	27.02	27.50	27.32	27.14	27.35	27.33	26.08	26.53	26.21	23.49	24.47	26.80	21.69	22.30	22.35	25.55	25.72	25.38
	1@22	27.23	27.51	27.50	27.26	27.43	27.15	25.76	25.92	25.71	24.20	24.31	26.58	21.97	22.29	22.36	25.87	25.57	25.37
	1@23	23.65	23.86	23.93	23.80	24.09	23.79	23.23	23.40	23.27	23.13	23.43	23.60	21.76	22.24	22.37	23.46	23.61	23.30
	12@6	27.32	27.36	27.28	26.96	27.51	27.29	25.84	26.04	26.11	24.28	24.52	24.57	22.35	22.71	22.62	25.43	25.60	25.52
	24@0	26.85	26.86	26.83	26.20	26.42	26.28	24.68	24.88	25.07	24.29	24.55	24.45	22.27	22.60	22.65	23.50	24.05	23.87
Bandwidth	RB Allocation	500700	519000	536499	500700	519000	536499	500700	519000	536499	500700	519000	536499	500700	519000	536499	500700	519000	536499
	No. @ Offset	2503.5	2595	2682.5	2503.5	2595	2682.5	2503.5	2595	2682.5	2503.5	2595	2682.5	2503.5	2595	2682.5	2503.5	2595	2682.5
15MHz	1@0	23.76	23.83	23.73	23.80	23.90	23.58	23.67	23.98	24.12	23.26	23.52	23.81	22.05	22.44	22.66	23.30	23.87	23.75
	1@1	26.98	27.56	27.20	27.24	27.46	27.21	26.15	26.46	26.54	24.35	23.84	24.06	22.06	22.44	22.64	25.51	25.80	25.75
	1@36	27.31	27.45	27.24	27.33	27.74	27.28	25.76	25.79	26.32	24.49	24.26	26.49	22.26	22.57	22.82	25.57	25.32	25.72
	1@37	23.80	24.11	23.83	23.89	23.77	23.78	23.39	23.43	23.86	23.40	23.38	23.80	22.23	22.59	22.79	23.07	23.74	25.75
	18@9	27.32	27.48	27.47	27.16	27.57	27.42	25.72	26.08	25.89	24.33	24.67	24.56	22.28	22.56	22.62	25.39	25.59	25.46
	36@0	26.64	27.04	26.94	26.36	26.41	26.41	24.67	24.90	25.00	24.42	24.66	24.66	22.41	22.69	22.68	23.84	24.08	24.07
Bandwidth	RB Allocation	501204	519000	535998	501204	519000	535998	501204	519000	535998	501204	519000	535998	501204	519000	535998	501204	519000	535998
	No. @ Offset	2506.02	2595	2679.99	2506.02	2595	2679.99	2506.02	2595	2679.99	2506.02	2595	2679.99	2506.02	2595	2679.99	2506.02	2595	2679.99
20MHz	1@0	23.64	23.88	23.78	23.49	23.85	23.84	23.71	23.78	24.02	23.05	23.40	23.66	22.08	22.49	22.69	23.17	23.64	23.53
	1@1	27.16	27.29	27.36	27.04	27.41	27.37	26.01	26.17	26.45	24.17	24.47	24.71	22.07	22.56	22.65	25.11	25.51	25.55
	1@49	27.25	27.46	27.38	27.39	27.44	27.30	25.91	25.86	26.19	24.49	24.43	26.73	22.26	22.74	22.78	25.36	25.60	25.68
	1@50	23.78	23.95	23.92	23.81	24.02	23.88	23.36	23.34	23.65	23.30	23.42	23.86	22.23	22.59	22.78	23.30	23.67	23.81
	25@12	27.27	27.53	27.30	27.28	27.54	27.47	25.92	26.03	26.10	24.50	24.56	24.64	22.34	22.68	22.79	25.34	25.60	25.65
	50@0	26.67	27.01	26.97	26.30	26.51	26.40	24.68	25.03	24.96	24.36	24.56	24.65	22.37	22.68	22.68	23.75	24.07	24.09

Bandwidth	RB Allocation	502200	519000	534996	502200	519000	534996	502200	519000	534996	502200	519000	534996	502200	519000	534996	502200	519000	534996
	No. @ Offset	2511	2595	2674.98	2511	2595	2674.98	2511	2595	2674.98	2511	2595	2674.98	2511	2595	2674.98	2511	2595	2674.98
30MHz	1@0	23.66	24.05	23.94	23.66	23.89	23.94	23.67	24.07	24.13	22.95	23.64	23.75	22.06	22.61	22.42	23.19	23.36	23.41
	1@1	27.17	27.39	27.30	27.07	27.41	27.30	25.99	26.45	26.68	24.19	23.70	23.82	22.07	22.61	22.43	25.29	25.58	25.51
	1@76	27.38	27.44	27.48	27.35	27.48	27.56	25.88	26.00	26.15	24.49	24.61	26.31	22.35	22.71	22.60	25.34	25.66	25.55
	1@77	23.83	23.97	24.09	24.06	23.85	24.04	23.35	23.48	23.70	23.35	23.80	23.69	22.34	22.73	22.56	23.41	23.64	25.67
	36@18	27.38	27.53	27.35	27.25	27.52	27.45	25.91	25.85	25.97	24.49	24.73	24.54	22.41	22.70	22.65	25.44	25.43	25.46
	75@0	26.90	26.93	26.90	26.36	26.50	26.49	24.87	24.92	24.97	24.57	24.44	24.60	22.49	22.60	22.62	23.95	24.20	24.01
Bandwidth	RB Allocation	503202	519000	534000	503202	519000	534000	503202	519000	534000	503202	519000	534000	503202	519000	534000	503202	519000	534000
	No. @ Offset	2516.01	2595	2670	2516.01	2595	2670	2516.01	2595	2670	2516.01	2595	2670	2516.01	2595	2670	2516.01	2595	2670
40MHz	1@0	23.65	23.85	24.08	23.80	23.93	23.99	23.60	24.02	24.12	23.29	23.52	23.81	22.18	22.56	22.38	23.12	23.57	23.47
	1@1	27.22	27.14	27.42	27.34	27.28	27.52	26.08	26.47	26.62	24.39	26.63	26.71	22.20	22.56	22.36	25.38	25.64	25.60
	1@104	27.53	27.41	27.53	27.55	27.39	27.51	25.71	26.15	26.22	24.57	24.74	23.90	22.48	22.67	22.45	25.68	25.71	25.69
	1@105	24.11	24.05	24.06	24.00	24.16	23.86	23.37	23.64	23.84	23.49	23.88	23.85	22.48	22.72	22.48	23.37	23.64	23.51
	50@25	27.22	27.34	27.46	27.27	27.33	27.35	26.01	26.06	26.08	24.35	24.59	24.60	22.58	22.65	22.62	25.49	25.51	25.71
	100@0	26.89	27.05	26.87	26.43	26.52	26.33	24.89	24.92	25.06	24.40	24.62	24.66	22.56	22.60	22.68	23.94	24.04	23.99
Bandwidth	RB Allocation	504204	519000	532998	504204	519000	532998	504204	519000	532998	504204	519000	532998	504204	519000	532998	504204	519000	532998
	No. @ Offset	2521.02	2595	2664.99	2521.02	2595	2664.99	2521.02	2595	2664.99	2521.02	2595	2664.99	2521.02	2595	2664.99	2521.02	2595	2664.99
50MHz	1@0	23.66	23.71	23.79	23.61	23.75	23.72	23.66	23.88	24.02	23.46	23.30	23.57	22.15	22.35	22.55	23.28	23.24	23.34
	1@1	27.19	27.35	27.30	27.01	27.37	27.31	25.96	26.20	26.38	24.33	26.39	26.67	22.14	22.35	22.43	25.17	25.43	25.46
	1@131	27.47	27.46	27.43	27.38	27.48	27.36	25.87	25.85	26.02	24.40	24.52	23.70	22.20	22.60	22.64	25.36	25.54	25.49
	1@132	23.88	23.93	23.80	23.84	23.90	23.82	23.39	23.40	23.65	23.49	23.59	23.71	22.31	22.62	22.60	23.70	23.42	25.53
	64@32	27.33	27.35	27.26	27.28	27.26	27.35	25.91	25.92	26.01	24.44	24.58	23.79	22.47	22.57	22.59	25.45	25.58	25.33
	128@0	26.84	26.82	26.72	26.29	26.20	26.38	24.80	24.86	24.05	24.47	24.42	23.60	22.46	22.48	22.53	23.90	25.86	25.70

Bandwidth	RB Allocation	505200	519000	531996	505200	519000	531996	505200	519000	531996	505200	519000	531996	505200	519000	531996	505200	519000	531996
	No. @ Offset	2526	2595	2659.98	2526	2595	2659.98	2526	2595	2659.98	2526	2595	2659.98	2526	2595	2659.98	2526	2595	2659.98
60MHz	1@0	23.46	23.52	23.69	23.54	23.53	23.66	23.49	23.55	23.80	23.23	23.19	23.54	22.07	22.17	22.30	23.04	23.15	23.39
	1@1	26.97	27.08	27.16	27.07	27.12	27.03	25.99	26.02	26.34	24.14	23.38	24.59	22.12	22.30	22.35	25.19	25.18	25.33
	1@160	27.10	27.45	27.38	27.18	27.38	27.20	25.51	25.86	26.16	24.34	24.49	23.95	22.22	22.58	22.46	25.22	25.47	25.59
	1@161	23.68	23.84	23.86	23.66	23.83	23.71	23.22	23.38	23.50	23.23	23.43	23.65	22.19	22.46	22.62	23.18	23.42	23.52
	81@40	27.36	27.21	27.18	27.51	27.37	27.35	26.01	26.06	25.89	24.49	24.36	24.48	22.51	22.50	22.48	25.49	25.23	25.51
	162@0	26.83	26.75	26.83	26.37	26.39	26.39	24.89	24.82	24.84	24.43	24.40	24.51	22.46	22.59	22.42	23.87	23.84	24.03
Bandwidth	RB Allocation	506202	519000	531000	506202	519000	531000	506202	519000	531000	506202	519000	531000	506202	519000	531000	506202	519000	531000
	No. @ Offset	2531.01	2595	2655	2531.01	2595	2655	2531.01	2595	2655	2531.01	2595	2655	2531.01	2595	2655	2531.01	2595	2655
70MHz	1@0	23.47	23.54	23.57	23.45	23.63	23.57	23.43	23.60	23.80	23.07	23.14	23.43	21.99	22.20	22.29	23.08	23.27	23.16
	1@1	27.06	27.07	27.07	26.97	26.94	26.98	25.76	26.07	26.25	24.13	24.26	24.46	22.04	22.13	22.32	24.96	25.39	25.40
	1@187	27.13	27.42	27.29	27.20	27.42	27.29	25.50	25.82	26.17	24.33	24.51	24.78	22.25	22.50	22.19	25.28	25.55	25.73
	1@188	23.68	23.85	23.80	23.64	23.85	23.80	23.09	23.31	23.62	23.24	23.50	23.66	22.15	22.48	22.61	23.22	23.35	23.47
	90@45	27.24	27.26	27.41	27.39	27.14	27.28	25.82	25.93	25.99	24.42	24.37	24.55	22.50	22.37	22.60	25.43	25.38	25.58
	180@0	26.81	26.69	26.74	26.33	26.13	26.37	24.82	24.71	24.79	24.33	24.34	24.49	22.50	22.30	22.51	24.09	23.72	23.92
Bandwidth	RB Allocation	507204	519000	529998	507204	519000	529998	507204	519000	529998	507204	519000	529998	507204	519000	529998	507204	519000	529998
	No. @ Offset	2536.02	2595	2649.99	2536.02	2595	2649.99	2536.02	2595	2649.99	2536.02	2595	2649.99	2536.02	2595	2649.99	2536.02	2595	2649.99
80MHz	1@0	23.39	23.60	23.51	23.50	23.52	23.49	23.53	23.57	23.74	23.03	23.09	23.37	21.82	22.16	22.11	23.14	23.28	23.14
	1@1	26.97	27.01	27.13	26.92	27.13	27.00	25.74	26.13	26.28	24.12	24.25	24.48	22.14	22.22	22.28	25.58	25.41	25.14
	1@215	27.24	27.42	27.37	27.05	27.26	27.19	25.50	25.83	26.14	24.25	24.53	24.76	22.17	22.42	22.92	25.30	25.43	25.52
	1@216	23.63	23.83	23.76	23.65	23.84	23.75	23.06	23.32	23.55	23.17	23.50	23.60	22.10	22.36	22.15	23.13	23.42	23.48
	108@54	27.40	27.38	27.28	27.24	27.31	27.33	25.96	25.95	25.87	24.48	24.40	24.41	22.52	22.36	22.54	25.46	25.37	25.49
	216@0	26.80	26.88	26.87	26.33	26.32	26.33	24.78	24.89	24.72	24.43	24.36	24.36	22.52	22.36	22.43	23.77	23.73	24.00

Bandwidth	RB Allocation	508200	519000	528996	508200	519000	528996	508200	519000	528996	508200	519000	528996	508200	519000	528996	508200	519000	528996
	No. @ Offset	2541	2595	2644.98	2541	2595	2644.98	2541	2595	2644.98	2541	2595	2644.98	2541	2595	2644.98	2541	2595	2644.98
90MHz	1@0	23.38	23.49	23.59	23.43	23.60	23.55	23.45	23.56	23.80	23.08	23.18	23.38	21.99	22.12	22.15	23.04	23.32	23.26
	1@1	27.14	27.21	27.15	27.10	27.20	27.09	25.86	26.19	26.38	24.12	24.31	24.61	22.04	22.25	22.36	25.90	25.48	25.55
	1@243	27.02	27.27	27.30	27.19	27.34	27.19	25.46	25.78	26.16	24.27	24.46	24.84	22.22	22.51	22.63	25.30	25.50	25.67
	1@244	23.60	23.72	23.72	23.55	23.72	23.69	23.05	23.26	23.51	23.20	23.42	23.63	22.11	22.35	22.47	23.17	23.29	23.40
	120@60	27.34	27.20	27.18	27.33	27.25	27.28	26.06	25.82	25.81	24.43	24.33	24.37	22.52	22.41	22.50	25.46	25.47	25.43
	240@0	26.78	26.77	26.81	26.31	26.19	26.23	24.77	24.76	24.71	24.43	24.42	24.48	22.48	22.45	22.49	23.92	23.67	23.93
Bandwidth	RB Allocation	509202	519000	528000	509202	519000	528000	509202	519000	528000	509202	519000	528000	509202	519000	528000	509202	519000	528000
	No. @ Offset	2546.01	2595	2640	2546.01	2595	2640	2546.01	2595	2640	2546.01	2595	2640	2546.01	2595	2640	2546.01	2595	2640
100MHz	1@0	23.30	23.48	23.33	23.35	23.45	23.32	23.24	23.51	23.58	22.89	23.12	23.19	21.93	22.06	22.04	22.91	23.19	23.12
	1@1	27.10	27.18	27.14	26.70	27.11	27.10	25.77	26.05	26.12	24.10	24.41	24.47	22.14	22.25	22.34	25.51	25.43	25.51
	1@271	27.17	27.36	27.21	27.18	27.29	27.11	25.36	25.80	26.09	24.19	24.52	24.73	22.09	22.40	22.96	25.42	25.30	25.45
	1@272	23.44	23.61	23.57	23.39	23.62	23.55	22.88	23.14	23.39	23.07	23.30	23.52	21.97	22.33	21.97	22.92	23.13	23.11
	135@67	27.40	27.25	27.28	27.40	27.26	27.30	25.98	25.82	25.92	24.53	24.34	24.40	22.48	22.51	22.45	25.51	25.32	25.41
	270@0	26.68	26.71	26.77	26.30	26.24	26.31	24.71	24.70	24.88	24.41	24.32	24.42	22.48	22.45	22.48	23.89	23.70	23.86

A3.9 NR n66

NR N66		Maximum Conducted Output Power (Channel / Frequency (MHz))																	
SCS 15kHz	Modulation	DFT_BPSK			DFT_QPSK			DFT_16QAM			DFT_64QAM			DFT_256QAM			CP_QPSK		
Bandwidth	RB Allocation	342500	349000	355500	342500	349000	355500	342500	349000	355500	342500	349000	355500	342500	349000	355500	342500	349000	355500
	No. @ Offset	1712.5	1745	1777.5	1712.5	1745	1777.5	1712.5	1745	1777.5	1712.5	1745	1777.5	1712.5	1745	1777.5	1712.5	1745	1777.5
5MHz	1@0	23.78	23.89	24.23	23.33	23.27	23.15	22.27	22.41	21.98	21.64	21.93	21.82	19.13	19.43	20.06	20.88	21.82	21.46
	1@1	24.48	24.50	24.32	24.38	24.27	24.00	23.18	23.47	22.89	21.91	21.94	21.81	19.06	19.44	20.07	22.20	23.28	22.63
	1@23	24.41	24.60	24.37	24.35	24.41	24.01	23.19	23.53	22.90	21.67	22.03	21.85	19.09	19.51	20.02	22.33	23.20	22.69
	1@24	23.98	24.16	23.89	23.20	23.37	23.11	22.19	22.48	21.98	21.59	22.00	21.85	19.05	19.50	20.04	21.10	21.84	21.04
	12@6	24.35	24.46	24.06	24.31	24.43	23.84	23.36	23.44	22.95	21.86	21.92	21.49	19.79	20.01	20.09	22.61	23.00	22.26
	25@0	23.82	23.95	23.58	23.29	23.43	22.97	22.39	22.50	22.05	22.02	21.95	21.68	19.85	19.93	20.00	21.21	21.65	20.96
Bandwidth	RB Allocation	343000	349000	355000	343000	349000	355000	343000	349000	355000	343000	349000	355000	343000	349000	355000	343000	349000	355000
	No. @ Offset	1715	1745	1775	1715	1745	1775	1715	1745	1775	1715	1745	1775	1715	1745	1775	1715	1745	1775
10MHz	1@0	23.81	24.08	24.06	23.15	23.76	23.30	22.37	22.70	22.65	21.78	22.08	22.22	19.64	20.02	19.70	21.21	21.22	21.35
	1@1	23.99	24.58	24.22	24.36	24.81	24.29	23.37	23.73	23.67	21.74	22.06	22.19	19.65	20.10	19.80	22.80	22.56	22.89
	1@50	24.01	24.49	23.97	24.34	24.76	23.84	23.34	23.65	23.22	21.70	22.01	22.10	19.67	20.09	19.60	22.64	23.03	22.62
	1@51	23.45	24.07	23.47	23.24	23.49	23.12	22.28	22.69	22.49	21.71	22.02	22.11	19.60	20.10	19.54	21.16	21.31	21.47
	25@12	24.32	24.53	24.09	24.33	24.46	23.92	23.35	23.47	22.98	21.96	21.98	21.57	19.78	20.07	20.08	22.83	22.88	22.27
	50@0	23.84	23.97	23.68	23.35	23.45	23.06	22.32	22.49	22.14	21.88	22.00	21.73	19.76	19.90	20.12	21.31	21.47	21.13
Bandwidth	RB Allocation	343500	349000	354500	343500	349000	354500	343500	349000	354500	343500	349000	354500	343500	349000	354500	343500	349000	354500
	No. @ Offset	1717.5	1745	1772.5	1717.5	1745	1772.5	1717.5	1745	1772.5	1717.5	1745	1772.5	1717.5	1745	1772.5	1717.5	1745	1772.5
15MHz	1@0	23.90	24.06	24.11	23.39	23.90	23.47	22.52	22.66	22.80	21.92	21.81	22.43	19.92	19.86	20.29	21.52	21.68	21.30
	1@1	24.54	24.63	24.59	24.40	24.89	24.57	23.48	23.62	23.87	21.89	21.81	22.45	19.92	19.87	20.32	22.63	23.25	23.06
	1@77	24.40	24.51	23.90	24.32	24.89	23.82	23.49	23.62	23.15	21.81	21.86	22.35	19.83	19.83	20.19	22.96	23.40	22.36
	1@78	23.95	24.00	23.36	23.21	23.77	23.32	22.53	22.58	22.57	21.88	21.85	22.32	19.88	19.84	20.19	21.29	21.77	21.62
	36@18	24.45	24.52	24.25	24.34	24.53	24.04	23.30	23.53	23.11	21.84	22.14	21.75	19.87	19.96	20.34	22.80	22.96	22.34
	75@0	23.95	23.99	23.84	23.42	23.61	23.24	22.38	22.53	22.32	21.92	22.08	21.83	19.93	20.00	20.22	21.40	21.60	21.23

Bandwidth	RB Allocation	344000	349000	354000	344000	349000	354000	344000	349000	354000	344000	349000	354000	344000	349000	354000	344000	349000	354000
	No. @ Offset	1720	1745	1770	1720	1745	1770	1720	1745	1770	1720	1745	1770	1720	1745	1770	1720	1745	1770
20MHz	1@0	23.76	23.98	24.08	23.35	23.61	23.76	22.41	22.58	22.85	21.95	21.94	22.27	19.67	20.09	19.87	21.24	21.61	21.69
	1@1	24.28	24.45	24.70	24.52	24.46	24.50	23.36	23.61	23.84	21.95	21.94	22.28	19.66	20.09	19.90	22.88	23.14	23.35
	1@104	24.57	24.47	24.51	24.53	24.47	24.10	23.48	23.60	23.49	22.06	21.90	22.10	19.75	20.14	19.70	22.85	23.19	22.76
	1@105	24.03	24.06	23.97	23.50	23.39	23.35	22.48	22.54	22.64	22.01	21.90	22.07	19.71	20.03	19.72	21.47	21.41	21.50
	50@25	24.44	24.59	24.62	24.40	24.56	24.44	23.42	23.59	23.54	21.90	21.98	22.09	19.88	20.06	20.19	22.81	23.09	22.72
	100@0	23.89	24.01	24.20	23.46	23.52	23.57	22.39	22.58	22.61	21.88	22.04	22.16	19.82	20.01	20.21	21.31	21.54	21.56
Bandwidth	RB Allocation	344500	349000	353500	344500	349000	353500	344500	349000	353500	344500	349000	353500	344500	349000	353500	344500	349000	353500
	No. @ Offset	1722.5	1745	1767.5	1722.5	1745	1767.5	1722.5	1745	1767.5	1722.5	1745	1767.5	1722.5	1745	1767.5	1722.5	1745	1767.5
25MHz	1@0	23.56	24.22	24.06	23.51	23.77	23.77	22.00	22.80	22.79	21.54	22.30	22.30	19.95	20.25	20.28	21.45	21.83	21.74
	1@1	23.71	24.70	24.27	23.42	24.38	23.91	22.46	23.45	23.25	21.05	22.02	21.81	19.39	20.17	20.11	21.76	22.94	22.56
	1@131	24.69	24.25	23.24	24.45	24.02	23.01	23.47	23.10	22.30	22.08	21.70	20.91	20.14	20.16	19.22	22.74	22.59	21.61
	1@132	24.18	23.74	22.73	23.93	24.00	23.00	22.81	22.63	21.84	22.40	22.17	21.40	20.14	20.57	20.22	21.78	22.09	21.19
	64@32	24.15	23.94	23.99	23.92	23.73	23.76	23.04	22.88	22.81	21.63	21.42	21.40	19.91	19.97	20.00	22.35	22.13	22.13
	128@0	23.65	23.53	23.29	23.03	22.92	22.69	22.07	21.96	21.73	21.61	21.45	21.32	19.82	20.03	19.84	20.97	20.88	20.65
Bandwidth	RB Allocation	345000	349000	353000	345000	349000	353000	345000	349000	353000	345000	349000	353000	345000	349000	353000	345000	349000	353000
	No. @ Offset	1725	1745	1765	1725	1745	1765	1725	1745	1765	1725	1745	1765	1725	1745	1765	1725	1745	1765
30MHz	1@0	23.52	23.92	23.79	23.04	23.48	23.27	21.99	22.41	22.51	21.55	21.91	22.03	19.77	20.02	20.13	21.23	21.48	21.48
	1@1	23.73	24.41	23.96	23.35	24.41	23.69	22.46	23.48	22.97	21.55	21.96	22.02	19.78	20.04	20.25	21.86	22.84	22.29
	1@158	24.33	24.31	23.15	24.02	24.09	22.94	23.10	23.15	22.24	21.92	22.04	21.31	19.91	20.13	19.61	22.57	22.53	21.55
	1@159	23.80	23.79	22.64	23.45	23.51	22.46	22.45	22.59	21.77	21.92	22.12	21.31	19.81	20.13	19.61	21.35	21.60	21.11
	80@40	24.26	23.96	24.02	24.11	23.79	23.84	23.21	22.87	22.90	21.75	21.42	21.42	19.74	19.97	19.98	22.54	22.15	22.28
	160@0	23.62	23.58	23.29	23.02	22.96	22.69	22.08	21.99	21.72	21.59	21.52	21.27	19.93	20.11	19.80	21.05	20.95	20.69

Bandwidth	RB Allocation	345500	349000	352500	345500	349000	352500	345500	349000	352500	345500	349000	352500	345500	349000	352500	345500	349000	352500
	No. @ Offset	1727.5	1745	1762.5	1727.5	1745	1762.5	1727.5	1745	1762.5	1727.5	1745	1762.5	1727.5	1745	1762.5	1727.5	1745	1762.5
35MHz	1@0	23.48	23.96	23.87	23.01	23.53	23.33	21.96	22.58	22.59	21.45	22.07	22.11	19.82	19.93	20.12	21.43	21.62	21.59
	1@1	23.72	24.50	24.01	23.35	24.30	23.77	22.41	23.44	23.04	21.45	21.99	22.11	19.75	19.95	20.13	21.74	22.89	22.34
	1@186	24.19	24.41	23.18	23.89	24.15	22.98	22.98	23.31	22.26	21.94	22.27	21.35	19.84	20.16	19.68	22.34	22.73	21.57
	1@187	23.67	23.89	22.67	23.43	23.68	22.49	22.49	22.73	21.81	21.91	22.16	21.34	19.84	20.16	19.67	21.54	21.74	21.14
	94@47	24.34	23.91	24.03	24.13	23.74	23.82	23.21	22.83	22.88	21.83	21.46	21.48	19.87	19.99	20.05	22.52	22.22	22.21
	188@0	23.64	23.53	23.30	23.02	22.96	22.68	22.10	22.04	21.71	21.66	21.56	21.23	20.01	20.12	19.83	21.06	21.00	20.59
Bandwidth	RB Allocation	346000	349000	352000	346000	349000	352000	346000	349000	352000	346000	349000	352000	346000	349000	352000	346000	349000	352000
	No. @ Offset	1730	1745	1760	1730	1745	1760	1730	1745	1760	1730	1745	1760	1730	1745	1760	1730	1745	1760
40MHz	1@0	23.47	23.72	23.91	23.25	23.39	23.44	22.09	22.32	22.68	21.57	21.83	22.19	19.76	19.97	20.18	21.01	21.25	21.25
	1@1	23.68	24.36	24.27	23.69	24.28	23.97	22.53	23.31	23.24	21.59	21.88	22.21	19.84	19.91	20.12	21.81	22.70	22.49
	1@214	23.90	24.33	23.22	23.89	24.16	22.98	22.82	23.17	22.26	21.88	22.06	21.34	19.92	20.08	19.88	22.08	22.46	21.57
	1@215	23.36	23.78	22.68	23.36	23.58	22.51	22.33	22.59	21.77	21.83	22.02	21.31	19.91	20.09	19.87	21.27	21.66	20.61
	108@54	24.24	24.00	24.11	24.21	23.82	23.87	23.30	22.89	22.97	21.91	21.54	21.55	20.01	20.06	20.08	22.45	22.13	22.16
	216@0	23.61	23.67	23.37	23.18	23.06	22.78	22.14	22.15	21.82	21.67	21.70	21.35	20.03	20.13	19.86	21.00	21.01	20.74

A3.10 NR n71

NR N71		Maximum Conducted Output Power (Channel / Frequency (MHz))																	
SCS 15kHz	Modulation	DFT_BPSK			DFT_QPSK			DFT_16QAM			DFT_64QAM			DFT_256QAM			CP_QPSK		
Bandwidth	RB Allocation	133100	136100	139100	133100	136100	139100	133100	136100	139100	133100	136100	139100	133100	136100	139100	133100	136100	139100
	No. @ Offset	665.5	680.5	695.5	665.5	680.5	695.5	665.5	680.5	695.5	665.5	680.5	695.5	665.5	680.5	695.5	665.5	680.5	695.5
5MHz	1@0	23.62	23.45	23.47	23.06	22.83	23.02	22.05	21.95	21.85	21.52	21.43	21.73	18.92	18.93	19.44	20.87	21.34	21.24
	1@1	24.26	23.94	24.15	24.04	23.88	23.99	23.06	22.98	22.86	21.48	21.50	21.71	18.83	18.97	19.51	21.99	22.83	22.83
	1@23	24.26	24.16	23.99	24.18	23.90	24.00	22.86	23.00	22.72	21.44	21.49	21.61	18.78	18.88	19.37	22.08	22.70	22.74
	1@24	23.63	23.58	23.50	22.96	22.86	22.87	21.98	22.04	21.80	21.42	21.54	21.58	18.67	18.95	19.40	20.82	21.36	21.33
	12@6	24.15	24.00	23.96	24.12	24.04	24.06	23.17	22.99	23.00	21.66	21.60	21.46	19.66	19.64	19.58	22.70	22.63	22.55
	25@0	23.55	23.54	23.42	23.10	23.06	22.97	22.15	22.07	22.00	21.72	21.61	21.65	19.59	19.48	19.49	20.98	21.16	21.06
Bandwidth	RB Allocation	133600	136100	138600	133600	136100	138600	133600	136100	138600	133600	136100	138600	133600	136100	138600	133600	136100	138600
	No. @ Offset	668	680.5	693	668	680.5	693	668	680.5	693	668	680.5	693	668	680.5	693	668	680.5	693
10MHz	1@0	23.60	23.76	23.57	23.00	23.36	22.78	22.21	22.32	22.11	21.62	21.63	21.76	19.43	19.49	19.11	21.23	20.66	20.74
	1@1	23.87	24.22	24.03	24.03	24.35	23.82	23.24	23.31	23.07	21.56	21.70	21.74	19.45	19.56	19.06	22.62	22.51	22.34
	1@50	23.80	24.07	23.56	24.18	24.36	23.63	23.13	23.30	23.01	21.55	21.67	21.57	19.43	19.66	18.98	22.34	22.60	22.39
	1@51	23.28	23.62	23.05	23.10	23.33	22.69	22.13	22.29	21.99	21.54	21.71	21.56	19.37	19.59	18.99	20.97	21.08	20.88
	25@12	24.02	23.98	23.98	24.00	24.06	24.08	23.11	22.99	23.01	21.73	21.45	21.53	19.50	19.62	19.47	22.61	22.41	22.48
	50@0	23.65	23.52	23.49	23.06	23.04	23.01	22.05	22.01	22.04	21.63	21.57	21.57	19.47	19.45	19.53	21.13	20.95	21.03
Bandwidth	RB Allocation	134100	136100	138100	134100	136100	138100	134100	136100	138100	134100	136100	138100	134100	136100	138100	134100	136100	138100
	No. @ Offset	670.5	680.5	690.5	670.5	680.5	690.5	670.5	680.5	690.5	670.5	680.5	690.5	670.5	680.5	690.5	670.5	680.5	690.5
15MHz	1@0	23.76	23.44	23.47	23.01	23.37	22.81	22.29	22.18	22.09	21.75	21.44	21.85	19.57	19.27	19.46	21.34	21.12	20.73
	1@1	24.23	24.10	24.03	24.05	24.38	23.86	23.33	23.15	23.14	21.73	21.43	21.81	19.58	19.24	19.45	22.42	22.92	22.46
	1@77	24.15	24.06	23.72	23.99	24.31	23.74	23.24	23.05	23.06	21.67	21.40	21.83	19.62	19.35	19.55	22.85	22.85	22.41
	1@78	23.63	23.54	23.15	22.94	23.32	22.85	22.28	22.02	22.06	21.65	21.40	21.85	19.59	19.30	19.49	21.39	21.00	21.12
	36@18	24.09	24.06	24.11	24.06	24.11	24.16	23.05	23.13	23.10	0.00	21.67	21.52	19.57	19.51	19.61	22.57	22.53	22.53
	75@0	23.68	23.52	23.57	23.08	23.08	23.10	22.08	22.05	22.13	21.60	21.65	21.53	19.48	19.55	19.53	21.03	21.09	21.01

Bandwidth	RB Allocation	134600	136100	137600	134600	136100	137600	134600	136100	137600	134600	136100	137600	134600	136100	137600	134600	136100	137600
	No. @ Offset	673	680.5	688	673	680.5	688	673	680.5	688	673	680.5	688	673	680.5	688	673	680.5	688
20MHz	1@0	23.59	23.57	23.51	23.19	23.18	23.08	22.15	22.15	22.29	21.79	21.45	21.67	19.28	19.36	19.10	21.10	21.12	21.12
	1@1	24.39	24.03	23.99	24.22	24.13	24.10	23.16	23.18	23.25	21.78	21.50	21.68	19.18	19.40	19.06	22.53	22.86	22.63
	1@104	24.28	24.14	24.00	24.14	24.24	23.96	23.06	23.04	23.20	21.67	21.49	21.63	19.27	19.49	19.09	22.37	22.83	22.59
	1@105	23.79	23.58	23.51	23.18	23.23	22.96	22.10	22.16	22.20	21.61	21.50	21.55	19.17	19.46	19.10	20.85	21.15	21.00
	50@25	24.15	24.12	24.12	24.16	24.19	24.11	23.13	23.13	23.21	21.65	21.64	21.58	19.64	19.62	19.52	22.53	22.69	22.54
	100@0	23.61	23.55	23.56	23.18	23.09	23.09	22.08	22.02	22.09	21.56	21.54	21.62	19.55	19.52	19.56	21.09	21.05	21.01

A3.11 NR n41 MIMO

N41		30kHz		Maximum Conducted Output Power (dBm)																	
RB Allocation		No. @ Offset		1@0			1@1			1@22			1@23			12@6			24@0		
Bandwidth	Modulation	Channel	Frequency	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL
10MHz	CP_QPSK	500202	2501.01	20.97	21.00	23.99	22.90	23.34	26.13	22.85	23.18	26.03	20.69	21.06	23.89	22.90	22.76	25.84	21.23	21.27	24.26
		519000	2595	20.91	20.71	23.82	22.89	22.69	25.80	22.95	22.77	25.87	21.02	20.71	23.88	23.00	22.92	25.97	21.46	21.33	24.40
		537000	2685	20.99	20.70	23.86	23.06	22.84	25.96	23.01	22.63	25.83	20.84	20.65	23.76	22.82	22.83	25.83	21.35	21.15	24.26
	CP_16QAM	500202	2501.01	20.49	20.77	23.64	21.93	22.47	25.22	21.97	22.47	25.24	20.35	20.65	23.51	22.34	22.47	25.42	21.24	21.36	24.31
		519000	2595	20.61	21.31	23.99	22.02	22.78	25.43	21.83	22.80	25.35	20.50	21.21	23.88	22.60	22.30	25.46	21.58	21.33	24.47
		537000	2685	21.12	20.74	23.94	22.51	22.21	25.37	22.48	22.18	25.34	20.92	20.60	23.77	22.48	22.33	25.42	21.32	21.26	24.30
	CP_64QAM	500202	2501.01	20.74	20.88	23.82	20.64	21.06	23.87	20.81	21.15	23.99	20.58	20.94	23.77	20.86	20.77	23.83	20.79	20.92	23.87
		519000	2595	20.62	20.55	23.60	20.58	20.66	23.63	20.42	20.68	23.57	20.60	20.59	23.61	21.06	21.08	24.08	21.11	20.84	23.99
		537000	2685	21.00	21.62	24.33	21.04	21.61	24.35	21.01	21.66	24.36	20.91	21.60	24.28	20.72	20.75	23.75	20.90	20.71	23.81
	CP_256QAM	500202	2501.01	17.97	17.91	20.95	17.79	18.01	20.91	17.97	18.23	21.11	17.77	17.90	20.85	18.04	17.76	20.91	17.80	17.66	20.74
		519000	2595	17.86	17.73	20.80	17.93	17.75	20.85	17.74	17.88	20.82	17.94	17.79	20.88	18.02	17.72	20.88	18.01	17.95	20.99
		537000	2685	17.80	17.94	20.88	17.83	17.94	20.90	17.79	17.97	20.89	17.70	17.93	20.83	17.80	17.98	20.90	17.98	17.75	20.88
RB Allocation		No. @ Offset		1@0			1@1			1@36			1@37			19@9			38@0		
Bandwidth	Modulation	Channel	Frequency	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL
15MHz	CP_QPSK	500700	2503.5	20.69	20.45	23.58	22.88	22.61	25.76	22.96	22.87	25.93	20.61	20.34	23.49	22.74	22.81	25.78	21.31	21.20	24.26
		519000	2595	21.00	20.78	23.90	23.43	22.91	26.19	23.08	22.59	25.85	21.17	20.77	23.98	22.97	22.92	25.96	21.62	21.42	24.54
		536496	2682.48	20.86	20.84	23.86	23.16	23.21	26.19	22.49	22.69	25.60	20.78	20.82	23.81	22.96	22.72	25.85	21.48	21.30	24.40
	CP_16QAM	500700	2503.5	20.28	20.75	23.53	21.90	22.45	25.19	21.91	22.64	25.30	20.16	20.82	23.51	22.29	22.31	25.31	21.38	21.18	24.29
		519000	2595	20.59	21.55	24.10	22.34	23.29	25.85	22.01	22.89	25.48	20.71	21.63	24.21	22.46	22.41	25.44	21.45	21.48	24.48
		536496	2682.48	20.98	20.42	23.72	22.80	22.34	25.59	22.09	21.79	24.95	20.72	20.40	23.57	22.52	22.09	25.32	21.46	21.50	24.49
	CP_64QAM	500700	2503.5	21.06	20.36	23.74	21.14	20.41	23.80	21.15	20.77	23.97	20.92	20.63	23.79	20.75	20.79	23.78	20.87	20.84	23.86
		519000	2595	21.00	20.97	24.00	21.26	21.23	24.26	20.95	20.86	23.91	21.15	21.04	24.10	20.98	21.06	24.03	21.13	20.93	24.04
		536496	2682.48	21.09	21.23	24.17	21.48	21.60	24.55	20.71	21.18	23.96	20.89	21.29	24.10	20.89	20.67	23.79	21.04	20.84	23.95
	CP_256QAM	500700	2503.5	18.29	18.10	21.20	18.36	18.14	21.26	18.34	18.36	21.36	18.15	18.21	21.19	17.91	17.85	20.89	17.95	17.83	20.90
		519000	2595	18.43	18.24	21.35	18.68	18.50	21.60	18.33	18.06	21.21	18.54	18.31	21.44	18.09	18.03	21.07	18.25	17.99	21.13
		536496	2682.48	17.87	17.93	20.91	18.21	18.15	21.19	17.59	17.79	20.70	17.78	17.91	20.86	18.02	17.76	20.91	18.13	17.81	20.98

RB Allocation		No. @ Offset		1@0			1@1			1@49			1@50			25@12			51@0		
Bandwidth	Modulation	Channel	Frequency	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL
20MHz	CP_QPSK	501204	2506.02	20.78	20.64	23.72	22.72	22.61	25.68	22.94	22.73	25.85	20.90	20.90	23.91	22.87	22.80	25.84	21.31	21.22	24.28
		519000	2595	21.05	20.66	23.87	22.95	22.71	25.84	23.19	22.90	26.06	21.12	20.90	24.02	23.09	22.93	26.02	21.58	21.36	24.48
		535998	2679.99	20.94	20.88	23.92	23.03	22.88	25.97	22.68	22.95	25.83	20.95	20.88	23.92	23.10	22.72	25.92	21.49	21.32	24.42
	CP_16QAM	501204	2506.02	20.30	20.65	23.49	21.83	22.14	25.00	22.22	22.25	25.25	20.47	20.92	23.71	22.37	22.25	25.32	21.36	21.37	24.37
		519000	2595	20.62	21.14	23.90	21.87	22.59	25.26	22.19	22.79	25.51	20.59	21.34	23.99	22.37	22.36	25.38	21.52	21.34	24.44
		535998	2679.99	20.85	20.84	23.86	22.41	22.20	25.32	22.10	22.43	25.28	20.89	20.90	23.91	22.38	22.42	25.41	21.49	21.31	24.41
	CP_64QAM	501204	2506.02	20.84	20.61	23.74	20.72	20.89	23.81	21.05	20.83	23.95	20.87	21.02	23.96	20.81	20.76	23.80	20.90	20.92	23.92
		519000	2595	20.89	20.66	23.79	20.67	20.66	23.67	20.87	20.75	23.82	20.87	20.73	23.81	20.98	21.02	24.01	21.10	20.88	24.00
		535998	2679.99	21.11	21.31	24.22	21.12	21.09	24.12	20.73	21.37	24.07	20.95	21.28	24.13	21.09	20.79	23.95	21.03	20.83	23.94
	CP_256QAM	501204	2506.02	18.15	17.68	20.93	18.14	17.74	20.95	18.38	17.91	21.16	18.35	18.12	21.25	17.90	17.77	20.85	17.88	17.81	20.85
		519000	2595	18.39	17.93	21.17	18.18	18.03	21.12	18.39	18.13	21.28	18.45	18.01	21.24	18.14	17.99	21.08	18.16	18.02	21.10
		535998	2679.99	17.98	17.80	20.90	17.99	17.70	20.85	17.75	17.91	20.84	18.00	17.80	20.91	18.09	17.87	20.99	18.03	17.81	20.93
RB Allocation		No. @ Offset		1@0			1@1			1@76			1@77			39@19			78@0		
Bandwidth	Modulation	Channel	Frequency	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL
30MHz	CP_QPSK	502200	2511	20.98	20.53	23.77	22.97	22.75	25.87	23.07	22.96	26.03	21.12	20.91	24.03	22.92	22.81	25.88	21.43	21.33	24.39
		519000	2595	20.71	20.60	23.66	22.88	22.69	25.80	23.24	22.98	26.12	21.26	20.99	24.14	22.96	22.85	25.92	21.50	21.54	24.53
		534996	2674.98	20.98	20.64	23.83	22.97	22.81	25.90	22.72	22.62	25.68	21.02	20.97	24.01	23.07	22.73	25.92	21.56	21.41	24.49
	CP_16QAM	502200	2511	20.67	20.57	23.63	22.11	22.09	25.11	22.20	22.40	25.31	20.86	20.78	23.83	22.44	22.13	25.30	21.44	21.30	24.38
		519000	2595	20.45	20.92	23.70	22.17	22.53	25.36	22.58	22.88	25.74	21.05	21.38	24.23	22.59	22.44	25.53	21.62	21.47	24.56
		534996	2674.98	20.94	20.91	23.94	22.43	22.37	25.41	22.25	22.22	25.24	21.03	20.93	23.99	22.47	22.36	25.42	21.59	21.36	24.49
	CP_64QAM	502200	2511	20.86	20.51	23.70	20.82	20.67	23.75	21.05	20.94	24.00	21.10	20.87	24.00	20.88	20.78	23.84	20.95	20.90	23.93
		519000	2595	20.62	20.40	23.52	20.76	20.54	23.66	21.10	20.84	23.98	20.99	20.85	23.93	20.99	20.90	23.96	20.96	21.03	24.01
		534996	2674.98	21.00	21.27	24.15	20.95	21.30	24.14	20.92	21.28	24.11	21.13	21.45	24.30	21.04	20.87	23.97	21.10	20.86	23.99
	CP_256QAM	502200	2511	18.29	17.58	20.96	18.23	17.56	20.92	18.37	17.81	21.11	18.46	17.90	21.20	17.97	17.86	20.92	18.07	17.85	20.97
		519000	2595	17.94	17.82	20.89	18.23	17.96	21.11	18.48	18.22	21.36	18.49	18.15	21.34	18.04	18.07	21.06	18.09	18.09	21.10
		534996	2674.98	18.21	17.75	20.99	18.15	17.78	20.98	17.91	17.65	20.79	18.25	17.89	21.08	18.14	17.85	21.00	18.12	17.87	21.01

RB Allocation		No. @ Offset		1@0			1@1			1@104			1@105			53@26			106@0		
Bandwidth	Modulation	Channel	Frequency	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL
40MHz	CP_QPSK	503202	2516.01	20.91	20.76	23.85	22.81	22.94	25.89	22.99	23.11	26.06	20.88	21.20	24.05	22.98	22.86	25.93	21.45	21.39	24.43
		519000	2595	20.83	20.85	23.85	22.85	22.73	25.80	23.24	23.03	26.15	21.26	21.19	24.23	22.86	22.85	25.87	21.57	21.42	24.51
		534000	2670	21.03	20.86	23.96	23.23	22.95	26.10	23.02	22.81	25.93	20.88	20.82	23.86	23.15	22.81	25.99	21.51	21.42	24.48
	CP_16QAM	503202	2516.01	20.63	20.57	23.61	22.16	22.19	25.18	22.28	22.41	25.35	20.70	20.95	23.84	22.50	22.27	25.40	21.48	21.30	24.40
		519000	2595	20.82	21.06	23.95	22.30	22.51	25.42	22.67	22.69	25.69	21.06	21.33	24.20	22.30	22.44	25.38	21.47	21.52	24.50
		534000	2670	21.24	20.86	24.06	22.71	22.36	25.55	22.45	22.28	25.37	21.05	20.76	23.92	22.55	22.32	25.45	21.55	21.35	24.46
	CP_64QAM	503202	2516.01	21.14	20.88	24.02	21.16	20.89	24.04	21.34	21.19	24.28	21.18	21.27	24.23	20.85	20.99	23.93	20.96	20.93	23.96
		519000	2595	20.87	20.37	23.64	20.92	20.45	23.70	21.31	20.56	23.96	21.22	20.64	23.95	20.94	20.91	23.94	21.05	20.95	24.01
		534000	2670	21.31	21.46	24.40	21.20	21.49	24.36	21.11	21.33	24.23	21.09	21.38	24.25	21.07	20.84	23.96	21.13	20.91	24.03
	CP_256QAM	503202	2516.01	18.44	17.70	21.09	18.46	17.62	21.07	18.59	17.97	21.30	18.53	17.99	21.28	17.98	17.90	20.95	18.08	18.03	21.07
		519000	2595	18.00	17.96	20.99	17.98	17.95	20.97	18.41	18.16	21.30	18.42	18.14	21.29	18.05	17.95	21.01	18.12	18.02	21.08
		534000	2670	18.32	17.81	21.08	18.33	17.70	21.04	18.42	17.71	21.09	18.29	17.79	21.06	18.04	17.84	20.95	18.18	17.94	21.07

RB Allocation		No. @ Offset		1@0			1@1			1@131			1@132			67@33			133@0		
Bandwidth	Modulation	Channel	Frequency	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL
50MHz	CP_QPSK	504204	2521.02	20.83	20.70	23.77	22.92	22.91	25.92	22.77	22.92	25.86	20.89	20.92	23.92	22.90	22.86	25.89	21.32	21.33	24.34
		519000	2595	20.78	20.84	23.82	22.86	22.58	25.74	23.33	22.97	26.16	21.31	21.08	24.20	22.99	22.76	25.89	21.49	21.39	24.45
		532998	2664.99	21.23	20.90	24.08	23.14	22.87	26.02	22.80	22.75	25.78	20.87	21.11	24.00	23.04	22.71	25.89	21.46	21.18	24.33
	CP_16QAM	504204	2521.02	20.58	20.79	23.70	22.02	22.35	25.20	21.89	22.54	25.24	20.48	20.90	23.71	22.35	22.48	25.43	21.34	21.39	24.37
		519000	2595	20.42	21.08	23.78	21.93	22.55	25.26	22.45	22.91	25.70	20.87	21.49	24.20	22.33	22.30	25.33	21.35	21.23	24.30
		532998	2664.99	21.16	20.89	24.04	22.54	22.34	25.45	22.48	22.34	25.42	20.88	20.78	23.84	22.59	22.19	25.41	21.49	21.30	24.40
	CP_64QAM	504204	2521.02	20.93	20.72	23.83	20.99	20.83	23.92	20.86	21.04	23.96	20.90	20.96	23.94	20.98	20.86	23.93	20.92	20.94	23.94
		519000	2595	20.56	20.58	23.58	20.49	20.38	23.45	20.92	20.81	23.88	21.11	20.89	24.01	21.02	20.79	23.92	20.91	20.73	23.84
		532998	2664.99	21.35	21.33	24.35	21.22	21.28	24.26	20.91	21.22	24.08	20.92	21.29	24.12	20.95	20.71	23.84	20.95	20.74	23.86
	CP_256QAM	504204	2521.02	18.32	17.75	21.06	18.29	17.83	21.08	18.24	18.01	21.14	18.23	17.96	21.11	17.99	17.78	20.89	17.94	17.91	20.93
		519000	2595	17.95	17.88	20.93	17.96	17.86	20.92	18.40	18.23	21.33	18.39	18.25	21.33	18.00	17.93	20.97	17.98	17.86	20.93
		532998	2664.99	18.07	17.83	20.96	18.07	17.78	20.94	17.92	17.74	20.84	18.06	17.74	20.91	18.03	17.79	20.92	18.00	17.84	20.93

RB Allocation		No. @ Offset		1@0			1@1			1@160			1@161			81@40			162@0		
Bandwidth	Modulation	Channel	Frequency	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL
60MHz	CP_QPSK	505200	2526	20.76	20.75	23.76	22.81	22.89	25.86	22.94	23.12	26.04	20.67	20.87	23.78	22.86	22.96	25.92	21.28	21.45	24.37
		519000	2595	20.68	20.60	23.65	22.56	22.52	25.55	23.24	22.82	26.05	21.15	21.00	24.08	22.94	22.86	25.91	21.40	21.26	24.34
		531996	2659.98	20.86	20.72	23.80	22.88	22.70	25.80	22.72	22.75	25.75	20.66	20.70	23.69	23.00	22.85	25.94	21.50	21.23	24.38
	CP_16QAM	505200	2526	20.38	20.55	23.48	21.92	22.20	25.07	21.88	22.34	25.13	20.29	20.98	23.66	22.37	22.47	25.43	21.30	21.37	24.35
		519000	2595	20.22	20.96	23.62	21.78	22.40	25.11	22.38	22.70	25.55	20.80	21.29	24.07	22.50	22.26	25.39	21.42	21.38	24.41
		531996	2659.98	20.91	20.71	23.82	22.31	22.18	25.26	22.27	22.36	25.32	20.85	20.85	23.86	22.47	22.27	25.38	21.57	21.26	24.43
	CP_64QAM	505200	2526	20.74	20.61	23.69	20.80	20.80	23.81	20.82	20.92	23.88	20.75	20.99	23.88	20.84	20.90	23.88	20.85	20.90	23.89
		519000	2595	20.32	20.46	23.40	20.35	20.49	23.43	20.92	20.77	23.86	21.00	20.75	23.88	20.94	20.80	23.88	21.04	20.78	23.92
		531996	2659.98	20.79	21.18	24.00	21.18	21.16	24.18	21.09	21.18	24.15	21.11	21.19	24.16	20.95	20.75	23.86	21.06	20.84	23.96
	CP_256QAM	505200	2526	18.16	17.69	20.95	18.12	17.79	20.97	18.09	17.89	21.00	18.12	17.83	20.99	17.94	18.01	20.99	17.86	17.97	20.93
		519000	2595	17.85	17.62	20.75	17.89	17.66	20.79	18.39	18.08	21.25	18.35	18.03	21.20	18.05	17.98	21.03	18.09	17.93	21.02
		531996	2659.98	17.97	17.55	20.78	18.01	17.62	20.83	18.00	17.79	20.91	17.94	17.49	20.73	18.12	17.76	20.95	18.22	17.77	21.01
RB Allocation		No. @ Offset		1@0			1@1			1@187			1@188			95@47			189@0		
Bandwidth	Modulation	Channel	Frequency	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL
70MHz	CP_QPSK	506202	2531.01	20.71	20.65	23.69	22.87	22.81	25.85	22.67	22.71	25.70	20.68	20.82	23.76	22.84	22.87	25.86	21.28	21.32	24.31
		519000	2595	20.58	20.53	23.56	22.87	22.34	25.62	23.30	22.84	26.09	21.29	20.92	24.12	22.93	22.79	25.87	21.30	21.29	24.31
		531000	2655	20.78	20.70	23.75	22.92	22.76	25.85	22.79	22.71	25.76	20.92	20.70	23.82	22.97	22.78	25.88	21.44	21.30	24.38
	CP_16QAM	506202	2531.01	20.44	20.59	23.53	21.90	21.45	24.69	21.74	22.24	25.01	20.56	20.68	23.63	22.26	22.34	25.31	21.33	21.45	24.40
		519000	2595	20.37	20.82	23.61	21.71	22.39	25.07	22.41	22.75	25.59	20.76	21.31	24.06	22.35	22.25	25.31	21.41	21.18	24.31
		531000	2655	20.91	20.62	23.78	22.34	22.18	25.27	22.34	22.26	25.31	20.86	20.72	23.80	22.36	22.29	25.34	21.44	21.31	24.39
	CP_64QAM	506202	2531.01	20.75	20.61	23.69	20.75	20.69	23.73	20.79	20.87	23.84	20.76	20.82	23.80	21.00	20.90	23.96	20.86	20.84	23.86
		519000	2595	20.31	20.33	23.33	20.42	20.34	23.39	21.06	20.75	23.91	21.02	20.81	23.93	20.91	20.69	23.81	20.80	20.73	23.77
		531000	2655	20.95	21.07	24.02	20.97	21.07	24.03	20.95	21.30	24.14	20.86	21.19	24.04	20.92	20.80	23.87	20.93	20.63	23.79
	CP_256QAM	506202	2531.01	18.00	17.53	20.78	18.10	17.64	20.88	18.08	17.80	20.95	18.04	17.74	20.90	17.87	18.03	20.96	17.87	18.08	20.99
		519000	2595	17.81	17.74	20.79	17.73	17.68	20.72	18.42	18.12	21.29	18.41	18.09	21.26	17.97	17.79	20.89	17.87	17.77	20.83
		531000	2655	18.07	17.57	20.84	17.92	17.56	20.75	18.02	17.74	20.89	17.98	17.44	20.73	18.09	17.80	20.95	18.03	17.93	20.99


RB Allocation		No. @ Offset		1@0			1@1			1@215			1@216			109@54			217@0		
Bandwidth	Modulation	Channel	Frequency	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL
80MHz	CP_QPSK	507204	2536.02	20.68	20.55	23.63	22.84	22.63	25.75	22.65	22.75	25.71	20.68	20.68	23.69	22.85	23.01	25.94	21.34	21.37	24.36
		519000	2595	20.53	20.52	23.54	22.65	22.48	25.57	23.43	22.89	26.18	21.20	20.88	24.06	22.85	22.63	25.75	21.39	21.29	24.35
		529998	2649.99	20.71	20.61	23.67	22.77	22.61	25.70	22.79	23.04	25.93	20.83	20.72	23.79	23.07	22.76	25.92	21.45	21.29	24.38
	CP_16QAM	507204	2536.02	20.32	20.66	23.50	21.91	22.21	25.07	21.78	22.14	24.97	20.33	20.66	23.51	22.34	22.45	25.41	21.37	21.39	24.39
		519000	2595	20.25	20.85	23.57	21.81	22.44	25.15	22.53	22.79	25.67	20.76	21.26	24.03	22.29	22.22	25.27	21.35	21.26	24.32
		529998	2649.99	20.77	20.58	23.69	22.36	22.14	25.26	22.27	22.29	25.29	20.83	20.75	23.80	22.45	22.31	25.39	21.43	21.33	24.39
	CP_64QAM	507204	2536.02	20.76	20.52	23.65	20.83	20.74	23.79	20.71	20.88	23.81	20.76	20.75	23.77	20.82	20.98	23.91	20.89	20.87	23.89
		519000	2595	20.38	20.34	23.37	20.43	20.38	23.42	21.03	20.54	23.80	21.04	20.54	23.81	20.82	20.73	23.79	20.84	20.72	23.79
		529998	2649.99	20.81	21.03	23.93	20.96	20.98	23.98	21.15	21.20	24.19	20.92	21.17	24.06	21.07	20.75	23.92	20.97	20.69	23.84
	CP_256QAM	507204	2536.02	18.06	17.46	20.78	18.09	17.59	20.86	18.10	17.74	20.94	18.16	17.72	20.95	17.84	17.94	20.90	17.95	17.90	20.94
		519000	2595	17.76	17.64	20.71	17.83	17.82	20.84	18.42	18.10	21.27	18.45	17.91	21.20	17.93	17.66	20.81	18.02	17.80	20.92
		529998	2649.99	17.84	17.46	20.66	17.84	17.50	20.68	17.97	17.69	20.84	17.91	17.71	20.82	18.12	17.85	21.00	18.02	17.82	20.94

RB Allocation		No. @ Offset		1@0			1@1			1@243			1@244			123@61			245@0		
Bandwidth	Modulation	Channel	Frequency	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL
90MHz	CP_QPSK	508200	2541	20.76	20.54	23.67	22.78	22.78	25.79	22.72	22.58	25.66	20.79	20.60	23.71	22.82	22.85	25.85	21.33	21.35	24.35
		519000	2595	20.65	20.49	23.58	22.83	22.52	25.69	23.26	22.83	26.06	21.03	20.95	24.00	22.84	22.61	25.74	21.34	21.21	24.29
		528996	2644.98	20.69	20.52	23.62	22.86	22.62	25.75	22.95	22.78	25.88	20.72	20.61	23.68	23.03	22.85	25.95	21.52	21.31	24.42
	CP_16QAM	508200	2541	20.34	20.41	23.38	21.94	22.17	25.07	21.93	22.29	25.12	20.41	20.67	23.55	22.29	22.40	25.35	21.28	21.34	24.32
		519000	2595	20.14	20.89	23.54	21.85	22.57	25.24	22.24	22.81	25.55	20.67	21.24	23.97	22.28	22.15	25.23	21.32	21.25	24.30
		528996	2644.98	20.70	20.50	23.61	22.31	22.10	25.22	22.51	22.30	25.42	20.78	20.72	23.76	22.53	22.26	25.41	21.49	21.27	24.39
	CP_64QAM	508200	2541	20.69	20.64	23.67	20.75	20.61	23.69	20.87	20.84	23.87	20.75	20.61	23.69	20.92	20.83	23.88	20.87	20.81	23.85
		519000	2595	20.34	20.38	23.37	20.47	20.50	23.50	21.05	20.62	23.85	20.91	20.65	23.79	20.87	20.71	23.80	20.81	20.73	23.78
		528996	2644.98	20.78	21.00	23.90	20.93	21.11	24.03	21.31	21.23	24.28	21.06	21.15	24.12	21.10	20.88	24.00	21.04	20.84	23.95
	CP_256QAM	508200	2541	18.17	17.49	20.85	18.20	17.59	20.92	18.25	17.79	21.04	18.14	17.66	20.92	17.96	17.90	20.94	18.09	17.89	21.00
		519000	2595	17.74	17.79	20.78	17.88	17.83	20.86	18.31	18.06	21.20	18.35	18.03	21.20	17.95	17.81	20.89	17.90	17.79	20.86
		528996	2644.98	17.88	17.50	20.70	18.06	17.52	20.81	18.16	17.78	20.99	17.88	17.61	20.76	18.11	17.83	20.98	17.96	18.00	20.99


RB Allocation		No. @ Offset		1@0			1@1			1@271			1@272			137@68			273@0		
Bandwidth	Modulation	Channel	Frequency	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL	ANT1	ANT2	TOTAL
100MHz	CP_QPSK	509202	2546.01	20.57	20.46	23.52	22.83	22.87	25.86	22.76	22.55	25.67	20.69	20.48	23.60	22.83	22.84	25.84	21.34	21.30	24.33
		519000	2595	20.39	20.85	23.64	22.48	22.64	25.57	23.15	22.77	25.98	20.87	20.71	23.80	22.72	22.66	25.70	21.36	21.21	24.30
		528000	2640	20.44	20.38	23.42	22.61	22.47	25.55	22.78	22.64	25.72	20.54	20.53	23.54	22.95	22.86	25.91	21.49	21.36	24.44
	CP_16QAM	509202	2546.01	20.23	20.37	23.31	21.97	22.20	25.10	21.90	22.20	25.07	20.28	20.39	23.34	22.45	22.43	25.45	21.33	21.31	24.33
		519000	2595	20.06	20.79	23.45	21.74	22.47	25.13	22.27	22.74	25.53	20.51	21.13	23.84	22.39	22.25	25.33	21.43	21.27	24.36
		528000	2640	20.62	20.43	23.54	22.14	21.99	25.08	22.33	22.15	25.25	20.66	20.49	23.58	22.52	22.38	25.46	21.46	21.28	24.38
	CP_64QAM	509202	2546.01	20.58	20.49	23.54	20.79	20.63	23.72	20.83	20.76	23.80	20.70	20.49	23.60	20.96	20.82	23.91	20.90	20.87	23.90
		519000	2595	20.25	20.38	23.32	20.46	20.48	23.48	21.01	20.78	23.91	20.76	20.44	23.61	20.93	20.77	23.86	20.87	20.76	23.83
		528000	2640	20.61	20.79	23.71	20.78	21.07	23.94	20.91	21.24	24.09	20.90	20.99	23.96	21.04	20.88	23.97	21.03	20.83	23.95
	CP_256QAM	509202	2546.01	17.97	17.43	20.72	18.11	17.60	20.87	18.10	17.59	20.86	18.05	17.54	20.81	18.03	17.87	20.96	17.90	17.92	20.92
		519000	2595	17.64	17.64	20.65	17.85	17.86	20.87	18.41	18.05	21.24	18.07	17.93	21.01	17.93	17.84	20.89	17.94	17.77	20.87
		528000	2640	17.61	17.40	20.52	17.84	17.58	20.72	18.03	17.78	20.92	17.72	17.55	20.64	18.09	17.90	21.01	18.05	17.80	20.94

A4. Peak to Average Ratio Test Result


A4.1 NR n7




PAPR_5G_n7_15KHz_10M_2535MHz-PI2-BPSK




PAPR_5G_n7_15KHz_10M_2535MHz-QPSK




PAPR_5G_n7_15KHz_10M_2535MHz-16QAM




PAPR_5G_n7_15KHz_10M_2535MHz-64QAM




PAPR_5G_n7_15KHz_10M_2535MHz-256QAM




PAPR_5G_n7_15KHz_15M_2535MHz-PI2-BPSK




PAPR_5G_n7_15KHz_15M_2535MHz-QPSK




PAPR_5G_n7_15KHz_15M_2535MHz-16QAM




PAPR_5G_n7_15KHz_15M_2535MHz-64QAM




PAPR_5G_n7_15KHz_15M_2535MHz-256QAM




PAPR_5G_n7_15KHz_20M_2535MHz-PI2-BPSK




PAPR_5G_n7_15KHz_20M_2535MHz-QPSK




PAPR_5G_n7_15KHz_20M_2535MHz-16QAM




PAPR_5G_n7_15KHz_20M_2535MHz-64QAM




PAPR_5G_n7_15KHz_20M_2535MHz-256QAM




PAPR_5G_n7_15KHz_25M_2535MHz-PI2-BPSK




PAPR_5G_n7_15KHz_25M_2535MHz-QPSK




PAPR_5G_n7_15KHz_25M_2535MHz-16QAM




PAPR_5G_n7_15KHz_25M_2535MHz-64QAM




PAPR_5G_n7_15KHz_25M_2535MHz-256QAM




PAPR_5G_n7_15KHz_30M_2535MHz-PI2-BPSK




PAPR_5G_n7_15KHz_30M_2535MHz-QPSK




PAPR_5G_n7_15KHz_30M_2535MHz-16QAM




PAPR_5G_n7_15KHz_30M_2535MHz-64QAM




PAPR_5G_n7_15KHz_30M_2535MHz-256QAM




PAPR_5G_n7_15KHz_40M_2535MHz-PI2-BPSK




PAPR_5G_n7_15KHz_40M_2535MHz-QPSK




PAPR_5G_n7_15KHz_40M_2535MHz-16QAM




PAPR_5G_n7_15KHz_40M_2535MHz-64QAM




PAPR_5G_n7_15KHz_40M_2535MHz-256QAM




A4.2 NR n12




PAPR_5G_n12_15KHz_10M_707.5-MHz-PI2-BPSK




PAPR_5G_n12_15KHz_10M_707.5-MHz-QPSK




PAPR_5G_n12_15KHz_10M_707.5MHz-16QAM




PAPR_5G_n12_15KHz_10M_707.5MHz-64QAM




PAPR_5G_n12_15KHz_10M_707.5MHz-256QAM




PAPR_5G_n12_15KHz_15M_707.5-MHz-PI2-BPSK




PAPR_5G_n12_15KHz_15M_707.5-MHz-QPSK




PAPR_5G_n12_15KHz_15M_707.5MHz-16QAM




PAPR_5G_n12_15KHz_15M_707.5MHz-64QAM




PAPR_5G_n12_15KHz_15M_707.5MHz-256QAM





A4.3 NR n13








A4.4 NR n25 (Cover n2)























A4.5 NR n26 (Cover n5)




PAPR_5G_n26_15KHz_10M_836.5MHz-.PI2-BPSK




PAPR_5G_n26_15KHz_10M_836.5MHz-.QPSK




PAPR_5G_n26_15KHz_10M_836.5MHz-16QAM




PAPR_5G_n26_15KHz_10M_836.5MHz-64QAM




PAPR_5G_n26_15KHz_10M_836.5MHz-256QAM




PAPR_5G_n26_15KHz_15M_836.5MHz-.PI2-BPSK




PAPR_5G_n26_15KHz_15M_836.5MHz-.QPSK




PAPR_5G_n26_15KHz_15M_836.5MHz-16QAM




PAPR_5G_n26_15KHz_15M_836.5MHz-64QAM




PAPR_5G_n26_15KHz_15M_836.5MHz-256QAM




PAPR_5G_n26_15KHz_20M_836.5MHz-.PI2-BPSK




PAPR_5G_n26_15KHz_20M_836.5MHz-.QPSK




PAPR_5G_n26_15KHz_20M_836.5MHz-16QAM




PAPR_5G_n26_15KHz_20M_836.5MHz-64QAM




PAPR_5G_n26_15KHz_20M_836.5MHz-256QAM




A4.6 NR n30




PAPR_5G_n30_15KHz_10M_2310MHz-.PI2-BPSK




PAPR_5G_n30_15KHz_10M_2310MHz-.QPSK




PAPR_5G_n30_15KHz_10M_2310MHz-16QAM




PAPR_5G_n30_15KHz_10M_2310MHz-64QAM




PAPR_5G_n30_15KHz_10M_2310MHz-256QAM




A4.7 NR n38




PAPR_5G_n38_30KHz_15M_2595MHz-.PI2-BPSK




PAPR_5G_n38_30KHz_15M_2595MHz-.QPSK




PAPR_5G_n38_30KHz_15M_2595MHz-016QAM




PAPR_5G_n38_30KHz_15M_2595MHz-064QAM




PAPR_5G_n38_30KHz_15M_2595MHz-256QAM




PAPR_5G_n38_30KHz_20M_2595MHz-.PI2-BPSK




PAPR_5G_n38_30KHz_20M_2595MHz-.QPSK




PAPR_5G_n38_30KHz_20M_2595MHz-016QAM




PAPR_5G_n38_30KHz_20M_2595MHz-064QAM




PAPR_5G_n38_30KHz_20M_2595MHz-256QAM




PAPR_5G_n38_30KHz_30M_2595MHz-.PI2-BPSK




PAPR_5G_n38_30KHz_30M_2595MHz-.QPSK




PAPR_5G_n38_30KHz_30M_2595MHz-016QAM



PAPR_5G_n38_30KHz_30M_2595MHz-064QAM



PAPR_5G_n38_30KHz_30M_2595MHz-256QAM



PAPR_5G_n38_30KHz_40M_2595MHz-.PI2-BPSK




PAPR_5G_n38_30KHz_40M_2595MHz-.QPSK



PAPR_5G_n38_30KHz_40M_2595MHz-016QAM




PAPR_5G_n38_30KHz_40M_2595MHz-064QAM



PAPR_5G_n38_30KHz_40M_2595MHz-256QAM



A4.8 NR n41



PAPR_5G_n41_30KHz_15M_2595MHz-.PI2-BPSK




PAPR_5G_n41_30KHz_15M_2595MHz-.QPSK



PAPR_5G_n41_30KHz_15M_2595MHz-16QAM



PAPR_5G_n41_30KHz_15M_2595MHz-64QAM



PAPR_5G_n41_30KHz_15M_2595MHz-256QAM



PAPR_5G_n41_30KHz_20M_2595MHz-.PI2-BPSK



PAPR_5G_n41_30KHz_20M_2595MHz-.QPSK



PAPR_5G_n41_30KHz_20M_2595MHz-16QAM



PAPR_5G_n41_30KHz_20M_2595MHz-64QAM




PAPR_5G_n41_30KHz_20M_2595MHz-256QAM



PAPR_5G_n41_30KHz_30M_2595MHz-.PI2-BPSK



PAPR_5G_n41_30KHz_30M_2595MHz-.QPSK



PAPR_5G_n41_30KHz_30M_2595MHz-16QAM



PAPR_5G_n41_30KHz_30M_2595MHz-64QAM



PAPR_5G_n41_30KHz_30M_2595MHz-256QAM



PAPR_5G_n41_30KHz_40M_2595MHz-.PI2-BPSK




PAPR_5G_n41_30KHz_40M_2595MHz-.QPSK




PAPR_5G_n41_30KHz_40M_2595MHz-16QAM



PAPR_5G_n41_30KHz_40M_2595MHz-64QAM



PAPR_5G_n41_30KHz_40M_2595MHz-256QAM



PAPR_5G_n41_30KHz_50M_2595MHz-.PI2-BPSK




PAPR_5G_n41_30KHz_50M_2595MHz-.QPSK



PAPR_5G_n41_30KHz_50M_2595MHz-16QAM




PAPR_5G_n41_30KHz_50M_2595MHz-64QAM



PAPR_5G_n41_30KHz_50M_2595MHz-256QAM




PAPR_5G_n41_30KHz_60M_2595MHz-.PI2-BPSK



PAPR_5G_n41_30KHz_60M_2595MHz-.QPSK



PAPR_5G_n41_30KHz_60M_2595MHz-16QAM




PAPR_5G_n41_30KHz_60M_2595MHz-64QAM



PAPR_5G_n41_30KHz_60M_2595MHz-256QAM




PAPR_5G_n41_30KHz_70M_2595MHz-.PI2-BPSK



PAPR_5G_n41_30KHz_70M_2595MHz-.QPSK




PAPR_5G_n41_30KHz_70M_2595MHz-16QAM



PAPR_5G_n41_30KHz_70M_2595MHz-64QAM



PAPR_5G_n41_30KHz_70M_2595MHz-256QAM



PAPR_5G_n41_30KHz_80M_2595MHz-.PI2-BPSK



PAPR_5G_n41_30KHz_80M_2595MHz-.QPSK



PAPR_5G_n41_30KHz_80M_2595MHz-16QAM



PAPR_5G_n41_30KHz_80M_2595MHz-64QAM



PAPR_5G_n41_30KHz_80M_2595MHz-256QAM

