




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5580MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant2_NTNV




802.11ac(VHT20) HHCH 5720MHz Ant1 NTN




802.11ac(VHT20) HHCH 5720MHz Ant2 NTN




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant2_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant2_NTNV




802.11ac(VHT40)_HHCH_5710MHz_Ant1_NTNV




802.11ac(VHT40)_HHCH_5710MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant2_NTNV




802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV




802.11ac(VHT80)_LCH_5530MHz_Ant2_NTNV




802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV




802.11ac(VHT80)_HCH_5610MHz_Ant2_NTNV




802.11ac(VHT80)_HHCH_5690MHz_Ant1_NTNV




802.11ac(VHT80)_HHCH_5690MHz_Ant2_NTNV




802.11ax(HEW20)_LCH_5180MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5180MHz_Ant2_NTNV




802.11ax(HEW20)_MCH_5200MHz_Ant1_NTNV




802.11ax(HEW20)_MCH_5200MHz_Ant2_NTNV




802.11ax(HEW20)_HCH_5240MHz_Ant1_NTNV




802.11ax(HEW20)_HCH_5240MHz_Ant2_NTNV




802.11ax(HEW20)_LCH_5260MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5260MHz_Ant2_NTNV




802.11ax(HEW20)_MCH_5300MHz_Ant1_NTNV




802.11ax(HEW20)_MCH_5300MHz_Ant2_NTNV




802.11ax(HEW20)_HCH_5320MHz_Ant1_NTNV




802.11ax(HEW20)_HCH_5320MHz_Ant2_NTNV




802.11ax(HEW20)_LCH_5500MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5500MHz_Ant2_NTNV




802.11ax(HEW20)_MCH_5580MHz_Ant1_NTNV




802.11ax(HEW20)_MCH_5580MHz_Ant2_NTNV




802.11ax(HEW20)_HCH_5700MHz_Ant1_NTNV




802.11ax(HEW20)_HCH_5700MHz_Ant2_NTNV




802.11ax(HEW20)_HHCH_5720MHz_Ant1_NTNV




802.11ax(HEW20)_HHCH_5720MHz_Ant2_NTNV




802.11ax(HEW40)_LCH_5190MHz_Ant1_NTNV




802.11ax(HEW40)_LCH_5190MHz_Ant2_NTNV




802.11ax(HEW40)_HCH_5230MHz_Ant1_NTNV




802.11ax(HEW40)_HCH_5230MHz_Ant2_NTNV




802.11ax(HEW40)_LCH_5270MHz_Ant1_NTNV




802.11ax(HEW40)_LCH_5270MHz_Ant2_NTNV




802.11ax(HEW40)_HCH_5310MHz_Ant1_NTNV




802.11ax(HEW40)_HCH_5310MHz_Ant2_NTNV




802.11ax(HEW40)_LCH_5510MHz_Ant1_NTNV




802.11ax(HEW40)_LCH_5510MHz_Ant2_NTNV




802.11ax(HEW40)_MCH_5550MHz_Ant1_NTNV




802.11ax(HEW40)_MCH_5550MHz_Ant2_NTNV




802.11ax(HEW40)_HCH_5670MHz_Ant1_NTNV




802.11ax(HEW40)_HCH_5670MHz_Ant2_NTNV




802.11ax(HEW40) HHCH 5710MHz Ant1 NTN




802.11ax(HEW40) HHCH 5710MHz Ant2 NTN




802.11ax(HEW80)_MCH_5210MHz_Ant1_NTNV




802.11ax(HEW80)_MCH_5210MHz_Ant2_NTNV




802.11ax(HEW80)_MCH_5290MHz_Ant1_NTNV




802.11ax(HEW80)_MCH_5290MHz_Ant2_NTNV




802.11ax(HEW80)_LCH_5530MHz_Ant1_NTNV




802.11ax(HEW80)_LCH_5530MHz_Ant2_NTNV




802.11ax(HEW80)_HCH_5610MHz_Ant1_NTNV




802.11ax(HEW80)_HCH_5610MHz_Ant2_NTNV



802.11ax(HEW80) HHCH 5690MHz Ant1 NTN



802.11ax(HEW80) HHCH 5690MHz Ant2 NTN



3. Maximum Conducted Output Power

3.1 Power

3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Conducted Output Power (dBm)				Verdict
					Ant1	Ant2	MIMO	Limit	
802.11a	SISO	5180	/	/	16.43	13.20	/	<=23.98	Pass
		5200	/	/	16.44	13.17	/	<=23.98	Pass
		5240	/	/	16.49	13.05	/	<=23.98	Pass
		5260	/	/	15.84	12.56	/	<=23.98	Pass
		5300	/	/	16.03	12.58	/	<=23.98	Pass
		5320	/	/	15.75	12.61	/	<=23.98	Pass
		5500	/	/	15.93	12.80	/	<=23.98	Pass
		5580	/	/	15.84	12.61	/	<=23.98	Pass
		5700	/	/	15.81	12.75	/	<=23.98	Pass
		5720	/	/	16.48	12.61	/	<=23.98	Pass
		5720	/	/	12.18	11.70	/	<=30	Pass
		5745	/	/	12.04	11.91	/	<=30	Pass
		5785	/	/	11.70	11.78	/	<=30	Pass
		5825	/	/	12.22	12.35	/	<=30	Pass
802.11n (HT20)	SISO	5180	/	/	16.31	13.04	/	<=23.98	Pass
		5200	/	/	16.40	12.96	/	<=23.98	Pass
		5240	/	/	16.47	12.91	/	<=23.98	Pass
		5260	/	/	15.70	13.27	/	<=23.98	Pass
		5300	/	/	15.77	13.38	/	<=23.98	Pass
		5320	/	/	15.62	13.38	/	<=23.98	Pass
		5500	/	/	15.72	12.81	/	<=23.98	Pass
		5580	/	/	15.60	12.58	/	<=23.98	Pass
		5700	/	/	15.71	12.57	/	<=23.98	Pass
		5720	/	/	16.37	12.54	/	<=23.98	Pass
		5720	/	/	12.08	12.41	/	<=30	Pass
		5745	/	/	11.93	11.89	/	<=30	Pass
		5785	/	/	11.68	11.57	/	<=30	Pass
		5825	/	/	12.11	12.17	/	<=30	Pass
802.11n (HT40)	SISO	5190	/	/	15.18	12.33	/	<=23.98	Pass
		5230	/	/	15.26	12.30	/	<=23.98	Pass
		5270	/	/	14.58	11.70	/	<=23.98	Pass
		5310	/	/	15.30	11.62	/	<=23.98	Pass
		5510	/	/	15.48	12.11	/	<=23.98	Pass
		5550	/	/	15.40	11.85	/	<=23.98	Pass
		5670	/	/	15.37	11.95	/	<=23.98	Pass
		5710	/	/	15.33	11.90	/	<=23.98	Pass
		5710	/	/	12.45	11.85	/	<=30	Pass
		5755	/	/	12.05	12.35	/	<=30	Pass
		5795	/	/	11.80	12.06	/	<=30	Pass
802.11ac (VHT20)	SISO	5180	/	/	15.22	12.16	/	<=23.98	Pass
		5200	/	/	15.30	12.08	/	<=23.98	Pass
		5240	/	/	15.35	11.92	/	<=23.98	Pass

		5260	/	/	14.70	12.30	/	<=23.98	Pass
		5300	/	/	14.75	12.37	/	<=23.98	Pass
		5320	/	/	14.57	12.40	/	<=23.98	Pass
		5500	/	/	14.80	11.91	/	<=23.98	Pass
		5580	/	/	14.86	11.72	/	<=23.98	Pass
		5700	/	/	14.68	11.65	/	<=23.98	Pass
		5720	/	/	14.70	11.63		<=23.98	Pass
		5720	/	/	12.08	12.43		<=30	Pass
		5745	/	/	11.88	11.81	/	<=30	Pass
		5785	/	/	11.65	11.54	/	<=30	Pass
		5825	/	/	12.14	12.15	/	<=30	Pass
802.11ac (VHT40)	SISO	5190	/	/	13.03	10.35	/	<=23.98	Pass
		5230	/	/	13.13	10.17	/	<=23.98	Pass
		5270	/	/	12.59	9.81	/	<=23.98	Pass
		5310	/	/	13.33	9.80	/	<=23.98	Pass
		5510	/	/	12.60	9.97	/	<=23.98	Pass
		5550	/	/	13.23	9.74	/	<=23.98	Pass
		5670	/	/	13.24	9.93	/	<=23.98	Pass
		5710	/	/	13.27	9.82	/	<=23.98	Pass
		5710	/	/	12.44	9.82	/	<=30	Pass
		5755	/	/	12.04	9.99	/	<=30	Pass
		5795	/	/	11.73	9.90	/	<=30	Pass
802.11ac (VHT80)	SISO	5210	/	/	11.14	8.49	/	<=23.98	Pass
		5290	/	/	11.39	7.85	/	<=23.98	Pass
		5530	/	/	10.94	8.21	/	<=23.98	Pass
		5610	/	/	10.88	7.95	/	<=23.98	Pass
		5690	/	/	10.83	7.81	/	<=23.98	Pass
		5690	/	/	10.70	7.95	/	<=30	Pass
		5775	/	/	11.16	8.13	/	<=30	Pass
802.11ac (VHT20)	MIMO	5180	/	/	11.01	13.57	15.49	<=23.98	Pass
		5200	/	/	10.83	13.50	15.38	<=23.98	Pass
		5240	/	/	10.98	13.59	15.49	<=23.98	Pass
		5260	/	/	10.52	13.19	15.07	<=23.98	Pass
		5300	/	/	10.72	13.07	15.06	<=23.98	Pass
		5320	/	/	10.52	13.03	14.96	<=23.98	Pass
		5500	/	/	10.80	13.32	15.25	<=23.98	Pass
		5580	/	/	10.82	13.02	15.07	<=23.98	Pass
		5700	/	/	10.66	12.70	14.81	<=23.98	Pass
		5720	/	/	10.67	12.82	14.89	<=23.98	Pass
		5720	/	/	7.86	10.11	12.14	<=30	Pass
		5745	/	/	7.73	10.26	12.19	<=30	Pass
		5785	/	/	7.53	10.22	12.09	<=30	Pass
		5825	/	/	7.39	10.03	11.92	<=30	Pass
802.11ac (VHT40)	MIMO	5190	/	/	8.99	11.47	13.41	<=23.98	Pass
		5230	/	/	9.10	11.52	13.49	<=23.98	Pass
		5270	/	/	8.62	11.05	13.01	<=23.98	Pass
		5310	/	/	8.52	10.90	12.88	<=23.98	Pass
		5510	/	/	8.87	11.45	13.36	<=23.98	Pass
		5550	/	/	8.69	11.36	13.24	<=23.98	Pass
		5670	/	/	8.60	10.90	12.91	<=23.98	Pass
		5710	/	/	8.54	11.02	12.96	<=23.98	Pass

		5710	/	/	7.57	10.03	11.98	<=30	Pass
		5755	/	/	7.36	10.32	12.10	<=30	Pass
		5795	/	/	7.30	10.28	12.05	<=30	Pass
802.11ac (VHT80)	MIMO	5210	/	/	6.02	8.63	10.53	<=23.98	Pass
		5290	/	/	6.33	9.30	11.07	<=23.98	Pass
		5530	/	/	6.02	8.60	10.51	<=23.98	Pass
		5610	/	/	6.93	9.40	11.35	<=23.98	Pass
		5690	/	/	6.94	9.01	11.11	<=23.98	Pass
		5690	/	/	7.00	9.12	11.20	<=30	Pass
		5775	/	/	6.40	9.34	11.12	<=30	Pass
802.11ax (HEW20)	SISO	5180	/	/	14.15	12.30	/	<=23.98	Pass
		5200	/	/	14.27	12.15	/	<=23.98	Pass
		5240	/	/	14.38	12.06	/	<=23.98	Pass
		5260	/	/	13.84	11.56	/	<=23.98	Pass
		5300	/	/	13.73	11.57	/	<=23.98	Pass
		5320	/	/	13.71	11.57	/	<=23.98	Pass
		5500	/	/	14.10	11.92	/	<=23.98	Pass
		5580	/	/	13.95	11.80	/	<=23.98	Pass
		5700	/	/	13.93	11.72	/	<=23.98	Pass
		5720	/	/	13.84	11.80	/	<=23.98	Pass
		5720	/	/	12.26	11.78	/	<=30	Pass
		5745	/	/	11.85	11.94	/	<=30	Pass
		5785	/	/	11.71	11.66	/	<=30	Pass
		5825	/	/	12.05	12.14	/	<=30	Pass
802.11ax (HEW40)	SISO	5190	/	/	12.07	10.40	/	<=23.98	Pass
		5230	/	/	12.23	10.34	/	<=23.98	Pass
		5270	/	/	11.61	9.91	/	<=23.98	Pass
		5310	/	/	12.36	9.86	/	<=23.98	Pass
		5510	/	/	11.70	10.12	/	<=23.98	Pass
		5550	/	/	11.57	9.97	/	<=23.98	Pass
		5670	/	/	11.60	10.03	/	<=23.98	Pass
		5710	/	/	11.54	9.86	/	<=23.98	Pass
		5710	/	/	12.47	9.95	/	<=30	Pass
		5755	/	/	12.11	10.06	/	<=30	Pass
		5795	/	/	11.80	9.80	/	<=30	Pass
802.11ax (HEW80)	SISO	5210	/	/	9.41	7.41	/	<=23.98	Pass
		5290	/	/	9.48	6.83	/	<=23.98	Pass
		5530	/	/	9.21	7.18	/	<=23.98	Pass
		5610	/	/	9.07	7.00	/	<=23.98	Pass
		5690	/	/	9.00	7.05	/	<=23.98	Pass
		5690	/	/	9.02	7.01	/	<=30	Pass
		5775	/	/	9.28	6.93	/	<=30	Pass
802.11ax (HEW20)	MIMO	5180	/	/	9.01	11.75	13.60	<=23.98	Pass
		5200	/	/	8.82	11.75	13.54	<=23.98	Pass
		5240	/	/	9.18	11.62	13.58	<=23.98	Pass
		5260	/	/	9.52	12.21	14.08	<=23.98	Pass
		5300	/	/	9.51	12.06	13.98	<=23.98	Pass
		5320	/	/	9.52	12.01	13.95	<=23.98	Pass
		5500	/	/	10.03	12.41	14.39	<=23.98	Pass
		5580	/	/	10.02	12.14	14.22	<=23.98	Pass
		5700	/	/	9.90	11.90	14.02	<=23.98	Pass

		5720	/	/	9.75	11.81	13.91	<=23.98	Pass
		5720	/	/	7.84	10.02	12.08	<=30	Pass
		5745	/	/	7.76	10.21	12.17	<=30	Pass
		5785	/	/	7.45	10.13	12.00	<=30	Pass
		5825	/	/	7.21	9.90	11.77	<=30	Pass
802.11ax (HEW40)	MIMO	5190	/	/	7.90	10.63	12.49	<=23.98	Pass
		5230	/	/	8.01	10.57	12.49	<=23.98	Pass
		5270	/	/	7.60	10.01	11.98	<=23.98	Pass
		5310	/	/	7.61	9.91	11.92	<=23.98	Pass
		5510	/	/	7.76	10.50	12.35	<=23.98	Pass
		5550	/	/	7.69	10.33	12.22	<=23.98	Pass
		5670	/	/	7.63	10.11	12.05	<=23.98	Pass
		5710	/	/	7.66	10.09	12.05	<=23.98	Pass
		5710	/	/	7.51	10.08	11.99	<=30	Pass
		5755	/	/	7.49	10.32	12.14	<=30	Pass
		5795	/	/	7.16	10.26	11.99	<=30	Pass
802.11ax (HEW80)	MIMO	5210	/	/	4.07	6.70	8.59	<=23.98	Pass
		5290	/	/	4.57	7.21	9.10	<=23.98	Pass
		5530	/	/	5.00	7.48	9.42	<=23.98	Pass
		5610	/	/	4.82	7.13	9.14	<=23.98	Pass
		5690	/	/	4.60	7.02	8.99	<=23.98	Pass
		5690	/	/	4.62	7.05	9.01	<=30	Pass
		5775	/	/	4.50	7.51	9.27	<=30	Pass
Note1: Antenna Gain: Ant1: 1.50dBi for Band 1;1.7dBi for Band 2;1.6dBi for Band 3;1.5dBi for Band 4 Ant2: 2.30dBi for Band 1;2.2dBi for Band 2;1.7dBi for Band 3;1.2dBi for Band 4 Note2: Conducted Power=Measured Power +Duty Cycle Factor									

4. Maximum Power Spectral Density

4.1 PSD


4.1.1 Test Result

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)				Verdict
					Ant1	Ant2	MIMO	Limit	
802.11a	SISO	5180	/	/	4.79	1.64	/	<=11	Pass
		5200	/	/	5.04	1.66	/	<=11	Pass
		5240	/	/	5.48	1.88	/	<=11	Pass
		5260	/	/	4.89	1.50	/	<=11	Pass
		5300	/	/	4.99	1.60	/	<=11	Pass
		5320	/	/	4.72	1.53	/	<=11	Pass
		5500	/	/	4.49	0.88	/	<=11	Pass
		5580	/	/	4.33	1.62	/	<=11	Pass
		5700	/	/	5.02	0.90	/	<=11	Pass
		5720	/	/	5.71	1.93	/	<=11	Pass
802.11n (HT20)	SISO	5180	/	/	4.55	1.06	/	<=11	Pass
		5200	/	/	4.58	0.94	/	<=11	Pass
		5240	/	/	4.99	1.18	/	<=11	Pass
		5260	/	/	4.20	1.25	/	<=11	Pass
		5300	/	/	4.17	1.49	/	<=11	Pass
		5320	/	/	4.20	1.45	/	<=11	Pass
		5500	/	/	3.93	1.63	/	<=11	Pass
		5580	/	/	3.88	1.55	/	<=11	Pass
		5700	/	/	4.38	0.93	/	<=11	Pass
		5720	/	/	5.31	1.39	/	<=11	Pass
802.11n (HT40)	SISO	5190	/	/	-0.89	-5.09	/	<=11	Pass
		5230	/	/	-0.67	-4.52	/	<=11	Pass
		5270	/	/	-0.05	-3.43	/	<=11	Pass
		5310	/	/	-0.15	-3.52	/	<=11	Pass
		5510	/	/	-1.32	-4.08	/	<=11	Pass
		5550	/	/	-1.39	-4.12	/	<=11	Pass
		5670	/	/	-0.91	-3.99	/	<=11	Pass
		5710	/	/	0.39	-2.99	/	<=11	Pass
802.11ac (VHT20)	SISO	5180	/	/	3.17	0.46	/	<=11	Pass
		5200	/	/	3.20	0.29	/	<=11	Pass
		5240	/	/	3.64	0.84	/	<=11	Pass
		5260	/	/	2.99	0.29	/	<=11	Pass
		5300	/	/	3.13	0.46	/	<=11	Pass
		5320	/	/	2.80	0.25	/	<=11	Pass
		5500	/	/	2.84	0.66	/	<=11	Pass
		5580	/	/	2.76	0.48	/	<=11	Pass
		5700	/	/	3.18	0.06	/	<=11	Pass
802.11ac (VHT40)	SISO	5720	/	/	4.25	0.85	/	<=11	Pass
		5190	/	/	-3.34	-6.44	/	<=11	Pass
		5230	/	/	-2.77	-5.20	/	<=11	Pass
		5270	/	/	-2.45	-5.44	/	<=11	Pass
		5310	/	/	-2.64	-5.96	/	<=11	Pass
		5510	/	/	-3.38	-6.27	/	<=11	Pass
		5550	/	/	-3.49	-6.28	/	<=11	Pass
		5670	/	/	-3.06	-5.76	/	<=11	Pass
	SISO	5710	/	/	-1.34	-4.81	/	<=11	Pass
		5210	/	/	-7.41	-10.43	/	<=11	Pass


802.11ac (VHT80)		5290	/	/	-7.32	-9.96	/	<=11	Pass
		5530	/	/	-7.55	-10.68	/	<=11	Pass
		5610	/	/	-6.25	-9.98	/	<=11	Pass
		5690	/	/	-6.49	-10.01	/	<=11	Pass
802.11ac (VHT20)	MIMO	5180	/	/	-1.47	1.82	3.43	<=11	Pass
		5200	/	/	-1.67	1.68	3.30	<=11	Pass
		5240	/	/	-1.14	2.00	3.68	<=11	Pass
		5260	/	/	-1.44	1.74	3.43	<=11	Pass
		5300	/	/	-1.22	1.73	3.50	<=11	Pass
		5320	/	/	-1.19	1.52	3.36	<=11	Pass
		5500	/	/	-1.53	1.06	2.97	<=11	Pass
		5580	/	/	-1.33	0.82	2.83	<=11	Pass
		5700	/	/	-1.24	1.02	3.02	<=11	Pass
802.11ac (VHT40)	MIMO	5720	/	/	0.19	2.39	4.43	<=11	Pass
		5190	/	/	-9.73	-7.24	-5.35	<=11	Pass
		5230	/	/	-7.59	-4.95	-3.09	<=11	Pass
		5270	/	/	-7.91	-5.11	-3.32	<=11	Pass
		5310	/	/	-7.93	-5.21	-3.37	<=11	Pass
		5510	/	/	-8.57	-5.77	-4.02	<=11	Pass
		5550	/	/	-8.45	-5.53	-3.77	<=11	Pass
		5670	/	/	-8.12	-5.63	-3.75	<=11	Pass
		5710	/	/	-6.61	-3.89	-2.03	<=11	Pass
802.11ac (VHT80)	MIMO	5210	/	/	-14.18	-11.27	-9.48	<=11	Pass
		5290	/	/	-14.67	-9.58	-8.44	<=11	Pass
		5530	/	/	-12.63	-10.57	-8.50	<=11	Pass
		5610	/	/	-10.92	-8.60	-6.63	<=11	Pass
802.11ax (HEW20)	SISO	5690	/	/	-11.68	-9.02	-7.13	<=11	Pass
		5180	/	/	2.55	0.52	/	<=11	Pass
		5200	/	/	2.83	0.42	/	<=11	Pass
		5240	/	/	3.30	0.80	/	<=11	Pass
		5260	/	/	2.71	0.34	/	<=11	Pass
		5300	/	/	2.76	0.28	/	<=11	Pass
		5320	/	/	2.75	0.08	/	<=11	Pass
		5500	/	/	2.86	0.64	/	<=11	Pass
		5580	/	/	2.81	0.56	/	<=11	Pass
802.11ax (HEW40)	SISO	5700	/	/	2.19	0.00	/	<=11	Pass
		5720	/	/	2.97	0.99	/	<=11	Pass
		5190	/	/	-4.06	-5.70	/	<=11	Pass
		5230	/	/	-3.50	-6.45	/	<=11	Pass
		5270	/	/	-2.78	-5.76	/	<=11	Pass
		5310	/	/	-2.85	-5.93	/	<=11	Pass
		5510	/	/	-3.78	-6.40	/	<=11	Pass
		5550	/	/	-3.80	-6.32	/	<=11	Pass
		5670	/	/	-4.58	-7.07	/	<=11	Pass
802.11ax (HEW80)	SISO	5710	/	/	-2.54	-4.78	/	<=11	Pass
		5210	/	/	-9.51	-12.30	/	<=11	Pass
		5290	/	/	-8.91	-11.31	/	<=11	Pass
		5530	/	/	-9.89	-11.88	/	<=11	Pass
		5610	/	/	-10.62	-12.20	/	<=11	Pass
802.11ax (HEW20)	MIMO	5690	/	/	-7.67	-9.97	/	<=11	Pass
		5180	/	/	-3.36	-0.85	1.05	<=11	Pass
		5200	/	/	-3.41	-0.90	1.01	<=11	Pass
		5240	/	/	-2.98	-0.65	1.24	<=11	Pass
		5260	/	/	-1.94	-0.19	1.97	<=11	Pass
		5300	/	/	-1.77	-0.28	1.97	<=11	Pass
		5320	/	/	-1.82	-0.18	2.07	<=11	Pass

		5500	/	/	-2.41	-0.49	1.57	<=11	Pass
		5580	/	/	-2.66	-0.82	1.28	<=11	Pass
		5700	/	/	-3.10	-1.17	0.92	<=11	Pass
		5720	/	/	-2.58	-0.28	1.73	<=11	Pass
802.11ax (HEW40)	MIMO	5190	/	/	-7.97	-6.28	-4.12	<=11	Pass
		5230	/	/	-7.48	-5.95	-3.72	<=11	Pass
		5270	/	/	-7.90	-6.11	-3.99	<=11	Pass
		5310	/	/	-7.84	-6.42	-4.14	<=11	Pass
		5510	/	/	-9.16	-7.06	-5.04	<=11	Pass
		5550	/	/	-9.23	-6.86	-4.95	<=11	Pass
		5670	/	/	-8.57	-6.71	-4.62	<=11	Pass
		5710	/	/	-7.46	-4.65	-2.82	<=11	Pass
802.11ax (HEW80)	MIMO	5210	/	/	-14.49	-12.44	-10.39	<=11	Pass
		5290	/	/	-13.91	-11.35	-9.57	<=11	Pass
		5530	/	/	-14.85	-12.51	-10.60	<=11	Pass
		5610	/	/	-15.48	-12.79	-11.02	<=11	Pass
		5690	/	/	-12.63	-10.32	-8.50	<=11	Pass
Note1: Antenna Gain: Ant1: 1.50dBi for Band 1; Ant2: 2.30dBi for Band 1									

4.1.2 Test Graph



802.11a_MCH_5200MHz_Ant1_NTNV



802.11a_MCH_5200MHz_Ant2_NTNV

