



## 1.4MHz Channel Bandwidth


### Channel 131979 (1710.7MHz)



### Channel 132322 (1745MHz)




### Channel 132665 (1779.3MHz)




## 3MHz Channel Bandwidth


### Channel 131987 (1711.5MHz)



### Channel 132322 (1745MHz)




### Channel 132657 (1778.5MHz)




## 5MHz Channel Bandwidth


### Channel 131997 (1712.5MHz)



### Channel 132322 (1745MHz)




### Channel 132647 (1777.5MHz)




## 10MHz Channel Bandwidth


### Channel 132022 (1715MHz)



### Channel 132322 (1745MHz)




### Channel 132622 (1775MHz)




## 15MHz Channel Bandwidth


### Channel 132047 (1717.5MHz)



### Channel 132322 (1745MHz)




### Channel 132597 (1772.5Hz)




## 20MHz Channel Bandwidth


### Channel 132072 (1720MHz)



### Channel 132322 (1745MHz)



### Channel 132572 (1770Hz)




|           |                 |               |           |
|-----------|-----------------|---------------|-----------|
| Product   | Mobile Computer | Test Engineer | Candy Luo |
| Test Date | 2020/11/10      | Test Site     | SIP-SR6   |
| Test Band | Band 5          | Test Result   | Pass      |


| Channel | Frequency (MHz) | Channel Bandwidth (MHz) | Frequency Range (MHz) | Max Spurious Emissions (dBm) | Limit (dBm) | Result |
|---------|-----------------|-------------------------|-----------------------|------------------------------|-------------|--------|
| 20407   | 814.7           | 1.4                     | 30 ~ 10000            | -42.87                       | ≤ -13.00    | Pass   |
| 20525   | 831.5           | 1.4                     | 30 ~ 10000            | -41.35                       | ≤ -13.00    | Pass   |
| 20643   | 848.3           | 1.4                     | 30 ~ 10000            | -40.69                       | ≤ -13.00    | Pass   |
| 20415   | 815.5           | 3                       | 30 ~ 10000            | -41.93                       | ≤ -13.00    | Pass   |
| 20525   | 831.5           | 3                       | 30 ~ 10000            | -42.18                       | ≤ -13.00    | Pass   |
| 20635   | 847.5           | 3                       | 30 ~ 10000            | -43.06                       | ≤ -13.00    | Pass   |
| 20425   | 816.5           | 5                       | 30 ~ 10000            | -42.52                       | ≤ -13.00    | Pass   |
| 20525   | 831.5           | 5                       | 30 ~ 10000            | -42.66                       | ≤ -13.00    | Pass   |
| 20625   | 846.5           | 5                       | 30 ~ 10000            | -42.05                       | ≤ -13.00    | Pass   |
| 20450   | 819.0           | 10                      | 30 ~ 10000            | -42.52                       | ≤ -13.00    | Pass   |
| 20525   | 831.5           | 10                      | 30 ~ 10000            | -43.09                       | ≤ -13.00    | Pass   |
| 20600   | 844.0           | 10                      | 30 ~ 10000            | -42.79                       | ≤ -13.00    | Pass   |

## 1.4MHz Channel Bandwidth


### Channel 26697 (814.7MHz)



### Channel 25865 (831.5MHz)




### Channel 27033 (848.3MHz)




## 3MHz Channel Bandwidth


### Channel 26705 (815.5MHz)



### Channel 26865 (831.5MHz)




### Channel 27025 (847.5MHz)




## 5MHz Channel Bandwidth


### Channel 26715 (816.5MHz)



### Channel 26865 (831.5MHz)




### Channel 27015 (846.5MHz)




## 10MHz Channel Bandwidth


### Channel 26740 (819MHz)



### Channel 26865 (831.5MHz)



### Channel 26990 (844MHz)



|           |                 |               |           |
|-----------|-----------------|---------------|-----------|
| Product   | Mobile Computer | Test Engineer | Candy Luo |
| Test Date | 2020/11/10      | Test Site     | SIP-SR6   |
| Test Band | Band 7          | Test Result   | Pass      |


| Channel | Frequency (MHz) | Channel Bandwidth (MHz) | Frequency Range (MHz) | Max Spurious Emissions (dBm) | Limit (dBm) | Result |
|---------|-----------------|-------------------------|-----------------------|------------------------------|-------------|--------|
| 20775   | 2502.5          | 5                       | 30 ~ 26000            | -40.15                       | ≤ -25.00    | Pass   |
| 21100   | 2535.0          | 5                       | 30 ~ 26000            | -40.41                       | ≤ -25.00    | Pass   |
| 21425   | 2567.5          | 5                       | 30 ~ 26000            | -40.55                       | ≤ -25.00    | Pass   |
| 20800   | 2505.0          | 10                      | 30 ~ 26000            | -39.72                       | ≤ -25.00    | Pass   |
| 21100   | 2535.0          | 10                      | 30 ~ 26000            | -39.95                       | ≤ -25.00    | Pass   |
| 21400   | 2565.0          | 10                      | 30 ~ 26000            | -40.77                       | ≤ -25.00    | Pass   |
| 20825   | 2507.5          | 15                      | 30 ~ 26000            | -40.16                       | ≤ -25.00    | Pass   |
| 21100   | 2535.0          | 15                      | 30 ~ 26000            | -39.77                       | ≤ -25.00    | Pass   |
| 21375   | 2562.5          | 15                      | 30 ~ 26000            | -39.36                       | ≤ -25.00    | Pass   |
| 20850   | 2510.0          | 20                      | 30 ~ 26000            | -40.36                       | ≤ -25.00    | Pass   |
| 21100   | 2535.0          | 20                      | 30 ~ 26000            | -39.84                       | ≤ -25.00    | Pass   |
| 21350   | 2560.0          | 20                      | 30 ~ 26000            | -38.98                       | ≤ -25.00    | Pass   |

## 5MHz Channel Bandwidth


### Channel 20775 (2502.5MHz) /



### Channel 21100 (2535MHz)




### Channel 21425 (2567.5MHz)




## 10MHz Channel Bandwidth


### Channel 20800 (2505MHz)



### Channel 21100 (2535MHz)




### Channel 21400 (2565MHz)




## 15MHz Channel Bandwidth


### Channel 20825 (2507.5MHz)



### Channel 21100 (2535MHz)




### Channel 21375 (2562.5MHz)




## 20MHz Channel Bandwidth


### Channel 20850 (2510MHz)



### Channel 21100 (2535MHz)



### Channel 21350 (2560MHz)




|           |                 |               |           |
|-----------|-----------------|---------------|-----------|
| Product   | Mobile Computer | Test Engineer | Candy Luo |
| Test Date | 2020/11/10      | Test Site     | SIP-SR6   |
| Test Band | Band 12         | Test Result   | Pass      |


| Channel | Frequency (MHz) | Channel Bandwidth (MHz) | Frequency Range (MHz) | Max Spurious Emissions (dBm) | Limit (dBm) | Result |
|---------|-----------------|-------------------------|-----------------------|------------------------------|-------------|--------|
| 23017   | 699.7           | 1.4                     | 30 ~ 10000            | -42.86                       | ≤ -13.00    | Pass   |
| 23095   | 707.5           | 1.4                     | 30 ~ 10000            | -42.28                       | ≤ -13.00    | Pass   |
| 23173   | 715.3           | 1.4                     | 30 ~ 10000            | -42.61                       | ≤ -13.00    | Pass   |
| 23025   | 700.5           | 3                       | 30 ~ 10000            | -42.92                       | ≤ -13.00    | Pass   |
| 23095   | 707.5           | 3                       | 30 ~ 10000            | -41.99                       | ≤ -13.00    | Pass   |
| 23165   | 714.5           | 3                       | 30 ~ 10000            | -42.23                       | ≤ -13.00    | Pass   |
| 23035   | 701.5           | 5                       | 30 ~ 10000            | -42.84                       | ≤ -13.00    | Pass   |
| 23095   | 707.5           | 5                       | 30 ~ 10000            | -42.00                       | ≤ -13.00    | Pass   |
| 23155   | 713.5           | 5                       | 30 ~ 10000            | -42.96                       | ≤ -13.00    | Pass   |
| 23060   | 704.0           | 10                      | 30 ~ 10000            | -41.61                       | ≤ -13.00    | Pass   |
| 23095   | 707.5           | 10                      | 30 ~ 10000            | -43.63                       | ≤ -13.00    | Pass   |
| 23130   | 711.0           | 10                      | 30 ~ 10000            | -42.31                       | ≤ -13.00    | Pass   |

## 1.4MHz Channel Bandwidth


### Channel 23017 (699.7MHz)



### Channel 23095 (707.5MHz)




### Channel 23173 (715.3MHz)



## 3MHz Channel Bandwidth


### Channel 23025 (700.5MHz)



### Channel 23095 (707.5MHz)




### Channel 23165 (714.5MHz)




## 5MHz Channel Bandwidth


### Channel 23035 (701.5MHz)



### Channel 23095 (707.5MHz)




### Channel 23165 (714.5MHz)




## 10MHz Channel Bandwidth


### Channel 23060 (704.0MHz)



### Channel 23095 (707.5MHz)



### Channel 23130 (711.0MHz)



|           |                 |               |           |
|-----------|-----------------|---------------|-----------|
| Product   | Mobile Computer | Test Engineer | Candy Luo |
| Test Date | 2020/11/10      | Test Site     | SIP-SR6   |
| Test Band | Band 13         | Test Result   | Pass      |

| Channel | Frequency (MHz) | Channel Bandwidth (MHz) | Frequency Range (MHz) | Max Spurious Emissions (dBm) | Limit (dBm) | Result |
|---------|-----------------|-------------------------|-----------------------|------------------------------|-------------|--------|
| 23205   | 779.5           | 5                       | 30 ~ 10000            | -41.44                       | ≤ -13.00    | Pass   |
| 23230   | 782.0           | 5                       | 30 ~ 10000            | -43.29                       | ≤ -13.00    | Pass   |
| 23255   | 784.5           | 5                       | 30 ~ 10000            | -41.63                       | ≤ -13.00    | Pass   |
| 23230   | 782.0           | 10                      | 30 ~ 10000            | -42.60                       | ≤ -13.00    | Pass   |