


# 802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 85  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.3224G      | 119.79            | Inf               | -Inf           | 112.73        | 3           | Vertical  | 67             | 1.78          | -       | 33.84      | 5.36       | 32.14      |  |
| AV   | 5.3224G      | 106.58            | Inf               | -Inf           | 99.52         | 3           | Vertical  | 67             | 1.78          | -       | 33.84      | 5.36       | 32.14      |  |
| PK   | 5.352G       | 73.91             | 74.00             | -0.09          | 66.77         | 3           | Vertical  | 67             | 1.78          | -       | 33.90      | 5.38       | 32.14      |  |
| AV   | 5.3504G      | 52.29             | 54.00             | -1.71          | 45.15         | 3           | Vertical  | 67             | 1.78          | -       | 33.90      | 5.38       | 32.14      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 85  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3172G      | 115.77            | Inf               | -Inf           | 108.72        | 3           | Horizontal | 72             | 1.81          | -       | 33.83      | 5.36       | 32.14      |
| AV   | 5.3172G      | 101.99            | Inf               | -Inf           | 94.94         | 3           | Horizontal | 72             | 1.81          | -       | 33.83      | 5.36       | 32.14      |
| PK   | 5.352G       | 66.52             | 74.00             | -7.48          | 59.38         | 3           | Horizontal | 72             | 1.81          | -       | 33.90      | 5.38       | 32.14      |
| AV   | 5.352G       | 48.32             | 54.00             | -5.68          | 41.18         | 3           | Horizontal | 72             | 1.81          | -       | 33.90      | 5.38       | 32.14      |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 85  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 15.96342G    | 51.86             | 74.00             | -22.14         | 38.28         | 3           | Vertical  | 21             | 1.79          | -       | 37.30      | 9.98       | 33.70      |  |
| AV   | 15.95566G    | 37.95             | 54.00             | -16.05         | 24.36         | 3           | Vertical  | 21             | 1.79          | -       | 37.30      | 9.98       | 33.69      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 85  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.95734G    | 52.18             | 74.00             | -21.82         | 38.59         | 3           | Horizontal | 46             | 1.06          | -       | 37.30      | 9.98       | 33.69      |
| AV   | 15.95524G    | 37.89             | 54.00             | -16.11         | 24.30         | 3           | Horizontal | 46             | 1.06          | -       | 37.30      | 9.98       | 33.69      |

# 802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 75  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.4564G      | 59.36             | 74.00             | -14.64         | 52.03         | 3           | Vertical  | 106            | 1.80          | -       | 34.00      | 5.46       | 32.13      |  |
| AV   | 5.4584G      | 46.30             | 54.00             | -7.70          | 38.97         | 3           | Vertical  | 106            | 1.80          | -       | 34.00      | 5.46       | 32.13      |  |
| PK   | 5.4676G      | 67.97             | 68.20             | -0.23          | 60.63         | 3           | Vertical  | 106            | 1.80          | -       | 34.00      | 5.47       | 32.13      |  |
| PK   | 5.498G       | 118.34            | Inf               | -Inf           | 110.97        | 3           | Vertical  | 106            | 1.80          | -       | 34.00      | 5.50       | 32.13      |  |
| AV   | 5.508G       | 104.72            | Inf               | -Inf           | 97.34         | 3           | Vertical  | 106            | 1.80          | -       | 34.00      | 5.51       | 32.13      |  |

# 802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5500MHz\_TnomVnom




EUT\_V\_4TX  
Setting 75  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.4276G      | 57.15             | 74.00             | -16.85         | 49.85         | 3           | Horizontal | 76             | 1.86          | -       | 34.00      | 5.43       | 32.13      |  |
| PK   | 5.4676G      | 61.37             | 68.20             | -6.83          | 54.03         | 3           | Horizontal | 76             | 1.86          | -       | 34.00      | 5.47       | 32.13      |  |
| AV   | 5.458G       | 44.40             | 54.00             | -9.60          | 37.07         | 3           | Horizontal | 76             | 1.86          | -       | 34.00      | 5.46       | 32.13      |  |
| PK   | 5.5024G      | 111.65            | Inf               | -Inf           | 104.28        | 3           | Horizontal | 76             | 1.86          | -       | 34.00      | 5.50       | 32.13      |  |
| AV   | 5.5072G      | 98.39             | Inf               | -Inf           | 91.01         | 3           | Horizontal | 76             | 1.86          | -       | 34.00      | 5.51       | 32.13      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 75  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.00228G    | 51.39             | 74.00             | -22.61         | 38.36         | 3           | Vertical  | 148            | 1.47          | -       | 38.60      | 7.70       | 33.27      |
| AV   | 11.003G      | 36.67             | 54.00             | -17.33         | 23.64         | 3           | Vertical  | 148            | 1.47          | -       | 38.60      | 7.70       | 33.27      |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 75  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.00434G    | 50.85             | 74.00             | -23.15         | 37.82         | 3           | Horizontal | 331            | 2.80          | -       | 38.60      | 7.70       | 33.27      |
| AV   | 11.00482G    | 36.61             | 54.00             | -17.39         | 23.58         | 3           | Horizontal | 331            | 2.80          | -       | 38.60      | 7.70       | 33.27      |

# 802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5580MHz\_TnomVnom




EUT V\_4TX  
Setting 108  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3888G      | 60.24             | 74.00             | -13.76         | 53.01         | 3           | Vertical  | 74             | 1.25          | -       | 33.98      | 5.39       | 32.14      |
| AV   | 5.384G       | 46.79             | 54.00             | -7.21          | 39.57         | 3           | Vertical  | 74             | 1.25          | -       | 33.97      | 5.39       | 32.14      |
| PK   | 5.468G       | 59.68             | 68.20             | -8.52          | 52.34         | 3           | Vertical  | 74             | 1.25          | -       | 34.00      | 5.47       | 32.13      |
| PK   | 5.5872G      | 124.16            | Inf               | -Inf           | 116.78        | 3           | Vertical  | 74             | 1.25          | -       | 33.93      | 5.59       | 32.14      |
| AV   | 5.5768G      | 111.30            | Inf               | -Inf           | 103.90        | 3           | Vertical  | 74             | 1.25          | -       | 33.95      | 5.58       | 32.13      |
| PK   | 5.7752G      | 59.31             | 68.20             | -8.89          | 52.06         | 3           | Vertical  | 74             | 1.25          | -       | 33.80      | 5.60       | 32.15      |

# 802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5580MHz\_TnomVnom




EUT V\_4TX  
Setting 108  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4304G      | 57.95             | 74.00             | -16.05         | 50.65         | 3           | Horizontal | 311            | 1.53          | -       | 34.00      | 5.43       | 32.13      |
| AV   | 5.4288G      | 44.38             | 54.00             | -9.62          | 37.08         | 3           | Horizontal | 311            | 1.53          | -       | 34.00      | 5.43       | 32.13      |
| PK   | 5.4608G      | 56.55             | 68.20             | -11.65         | 49.22         | 3           | Horizontal | 311            | 1.53          | -       | 34.00      | 5.46       | 32.13      |
| PK   | 5.5848G      | 117.91            | Inf               | -Inf           | 110.54        | 3           | Horizontal | 311            | 1.53          | -       | 33.93      | 5.58       | 32.14      |
| AV   | 5.5848G      | 104.58            | Inf               | -Inf           | 97.21         | 3           | Horizontal | 311            | 1.53          | -       | 33.93      | 5.58       | 32.14      |
| PK   | 5.7752G      | 58.15             | 68.20             | -10.05         | 50.90         | 3           | Horizontal | 311            | 1.53          | -       | 33.80      | 5.60       | 32.15      |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.16368G    | 51.29             | 74.00             | -22.71         | 38.01         | 3           | Vertical  | 67             | 2.69          | -       | 38.76      | 7.77       | 33.25      |
| AV   | 11.1551G     | 36.89             | 54.00             | -17.11         | 23.62         | 3           | Vertical  | 67             | 2.69          | -       | 38.76      | 7.76       | 33.25      |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.15592G    | 50.73             | 74.00             | -23.27         | 37.46         | 3           | Horizontal | 194            | 2.42          | -       | 38.76      | 7.76       | 33.25      |
| AV   | 11.16014G    | 36.83             | 54.00             | -17.17         | 23.56         | 3           | Horizontal | 194            | 2.42          | -       | 38.76      | 7.76       | 33.25      |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 66  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.705G       | 115.90            | Inf               | -Inf           | 108.55        | 3           | Vertical  | 61             | 1.76          | -       | 33.89      | 5.60       | 32.14      |
| AV   | 5.705G       | 103.13            | Inf               | -Inf           | 95.78         | 3           | Vertical  | 61             | 1.76          | -       | 33.89      | 5.60       | 32.14      |
| PK   | 5.7254G      | 67.97             | 68.20             | -0.23          | 60.66         | 3           | Vertical  | 61             | 1.76          | -       | 33.85      | 5.60       | 32.14      |

# 802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 66  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.7024G      | 111.25            | Inf               | -Inf           | 103.89        | 3           | Horizontal | 116            | 1.83          | -       | 33.90      | 5.60       | 32.14      |
| AV   | 5.7024G      | 97.74             | Inf               | -Inf           | 90.38         | 3           | Horizontal | 116            | 1.83          | -       | 33.90      | 5.60       | 32.14      |
| PK   | 5.727G       | 60.27             | 68.20             | -7.93          | 52.96         | 3           | Horizontal | 116            | 1.83          | -       | 33.85      | 5.60       | 32.14      |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 66  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.4032G     | 52.44             | 74.00             | -21.56         | 39.00         | 3           | Vertical  | 360            | 1.48          | -       | 38.81      | 7.86       | 33.23      |  |
| AV   | 11.39536G    | 37.23             | 54.00             | -16.77         | 23.80         | 3           | Vertical  | 360            | 1.48          | -       | 38.80      | 7.86       | 33.23      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 66  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.40366G    | 51.22             | 74.00             | -22.78         | 37.78         | 3           | Horizontal | 216            | 1.81          | -       | 38.81      | 7.86       | 33.23      |
| AV   | 11.3989G     | 37.21             | 54.00             | -16.79         | 23.78         | 3           | Horizontal | 216            | 1.81          | -       | 38.80      | 7.86       | 33.23      |

# 802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_4TX  
Setting 108  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4464G      | 58.58             | 74.00             | -15.42         | 51.26         | 3           | Vertical  | 67             | 1.75          | -       | 34.00      | 5.45       | 32.13      |
| PK   | 5.4644G      | 57.72             | 68.20             | -10.48         | 50.39         | 3           | Vertical  | 67             | 1.75          | -       | 34.00      | 5.46       | 32.13      |
| AV   | 5.4572G      | 45.32             | 54.00             | -8.68          | 37.99         | 3           | Vertical  | 67             | 1.75          | -       | 34.00      | 5.46       | 32.13      |
| PK   | 5.72G        | 123.24            | Inf               | -Inf           | 115.92        | 3           | Vertical  | 67             | 1.75          | -       | 33.86      | 5.60       | 32.14      |
| AV   | 5.7248G      | 110.03            | Inf               | -Inf           | 102.72        | 3           | Vertical  | 67             | 1.75          | -       | 33.85      | 5.60       | 32.14      |
| PK   | 5.9156G      | 59.77             | 68.20             | -8.43          | 52.07         | 3           | Vertical  | 67             | 1.75          | -       | 34.13      | 5.72       | 32.15      |

# 802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_4TX  
Setting 108  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4476G      | 56.90             | 74.00             | -17.10         | 49.58         | 3           | Horizontal | 118            | 1.79          | -       | 34.00      | 5.45       | 32.13      |
| AV   | 5.456G       | 44.20             | 54.00             | -9.80          | 36.87         | 3           | Horizontal | 118            | 1.79          | -       | 34.00      | 5.46       | 32.13      |
| PK   | 5.4668G      | 57.13             | 68.20             | -11.07         | 49.79         | 3           | Horizontal | 118            | 1.79          | -       | 34.00      | 5.47       | 32.13      |
| PK   | 5.7128G      | 117.30            | Inf               | -Inf           | 109.97        | 3           | Horizontal | 118            | 1.79          | -       | 33.87      | 5.60       | 32.14      |
| AV   | 5.7176G      | 104.96            | Inf               | -Inf           | 97.64         | 3           | Horizontal | 118            | 1.79          | -       | 33.86      | 5.60       | 32.14      |
| PK   | 5.8544G      | 57.96             | 68.20             | -10.24         | 50.63         | 3           | Horizontal | 118            | 1.79          | -       | 33.83      | 5.65       | 32.15      |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5720MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.43566G    | 51.68             | 74.00             | -22.32         | 38.17         | 3           | Vertical  | 80             | 1.60          | -       | 38.87      | 7.87       | 33.23      |
| AV   | 11.43958G    | 37.46             | 54.00             | -16.54         | 23.93         | 3           | Vertical  | 80             | 1.60          | -       | 38.88      | 7.88       | 33.23      |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5720MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.44246G    | 51.54             | 74.00             | -22.46         | 38.01         | 3           | Horizontal | 178            | 2.87          | -       | 38.88      | 7.88       | 33.23      |
| AV   | 11.44256G    | 37.42             | 54.00             | -16.58         | 23.88         | 3           | Horizontal | 178            | 2.87          | -       | 38.89      | 7.88       | 33.23      |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.55G        | 60.21             | 68.20             | -7.99          | 52.79         | 3           | Vertical  | 77             | 1.83          | -       | 34.00      | 5.55       | 32.13      |
| PK   | 5.748G       | 122.14            | Inf               | -Inf           | 114.88        | 3           | Vertical  | 77             | 1.83          | -       | 33.80      | 5.60       | 32.14      |
| AV   | 5.743G       | 111.46            | Inf               | -Inf           | 104.19        | 3           | Vertical  | 77             | 1.83          | -       | 33.81      | 5.60       | 32.14      |
| PK   | 5.938G       | 59.69             | 68.20             | -8.51          | 51.93         | 3           | Vertical  | 77             | 1.83          | -       | 34.18      | 5.74       | 32.16      |

# 802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5745MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.629G       | 58.29             | 68.20             | -9.91          | 50.99         | 3           | Horizontal | 102            | 2.52          | -       | 33.84      | 5.60       | 32.14      |  |
| PK   | 5.744G       | 118.31            | Inf               | -Inf           | 111.04        | 3           | Horizontal | 102            | 2.52          | -       | 33.81      | 5.60       | 32.14      |  |
| AV   | 5.749G       | 106.29            | Inf               | -Inf           | 99.03         | 3           | Horizontal | 102            | 2.52          | -       | 33.80      | 5.60       | 32.14      |  |
| PK   | 5.966G       | 57.69             | 68.20             | -10.51         | 49.88         | 3           | Horizontal | 102            | 2.52          | -       | 34.20      | 5.77       | 32.16      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.48766G    | 52.05             | 74.00             | -21.95         | 38.39         | 3           | Vertical  | 253            | 2.73          | -       | 38.98      | 7.90       | 33.22      |  |
| AV   | 11.49046G    | 37.99             | 54.00             | -16.01         | 24.33         | 3           | Vertical  | 253            | 2.73          | -       | 38.98      | 7.90       | 33.22      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5745MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.48824G    | 51.95             | 74.00             | -22.05         | 38.29         | 3           | Horizontal | 174            | 2.80          | -       | 38.98      | 7.90       | 33.22      |
| AV   | 11.48952G    | 38.09             | 54.00             | -15.91         | 24.43         | 3           | Horizontal | 174            | 2.80          | -       | 38.98      | 7.90       | 33.22      |

# 802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5785MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.582G       | 60.10             | 68.20             | -8.10          | 52.71         | 3           | Vertical  | 69             | 1.80          | -       | 33.94      | 5.58       | 32.13      |  |
| PK   | 5.78G        | 123.32            | Inf               | -Inf           | 116.07        | 3           | Vertical  | 69             | 1.80          | -       | 33.80      | 5.60       | 32.15      |  |
| AV   | 5.78G        | 111.04            | Inf               | -Inf           | 103.79        | 3           | Vertical  | 69             | 1.80          | -       | 33.80      | 5.60       | 32.15      |  |
| PK   | 5.986G       | 59.38             | 68.20             | -8.82          | 51.55         | 3           | Vertical  | 69             | 1.80          | -       | 34.20      | 5.79       | 32.16      |  |

# 802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5785MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.589G       | 57.63             | 68.20             | -10.57         | 50.26         | 3           | Horizontal | 105            | 2.89          | -       | 33.92      | 5.59       | 32.14      |  |
| PK   | 5.784G       | 118.32            | Inf               | -Inf           | 111.07        | 3           | Horizontal | 105            | 2.89          | -       | 33.80      | 5.60       | 32.15      |  |
| AV   | 5.784G       | 106.58            | Inf               | -Inf           | 99.33         | 3           | Horizontal | 105            | 2.89          | -       | 33.80      | 5.60       | 32.15      |  |
| PK   | 5.955G       | 57.86             | 68.20             | -10.34         | 50.07         | 3           | Horizontal | 105            | 2.89          | -       | 34.20      | 5.75       | 32.16      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.57254G    | 51.43             | 74.00             | -22.57         | 37.52         | 3           | Vertical  | 301            | 1.73          | -       | 39.22      | 7.93       | 33.24      |  |
| AV   | 11.56764G    | 38.23             | 54.00             | -15.77         | 24.34         | 3           | Vertical  | 301            | 1.73          | -       | 39.20      | 7.93       | 33.24      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5785MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.56748G    | 52.36             | 74.00             | -21.64         | 38.47         | 3           | Horizontal | 123            | 1.68          | -       | 39.20      | 7.93       | 33.24      |
| AV   | 11.569G      | 38.43             | 54.00             | -15.57         | 24.53         | 3           | Horizontal | 123            | 1.68          | -       | 39.21      | 7.93       | 33.24      |

# 802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5825MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
02-B-S-5-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.618G    | 59.81          | 68.20          | -8.39       | 52.49      | 3        | Vertical  | 107         | 1.57       | -       | 33.86   | 5.60    | 32.14   |
| PK   | 5.833G    | 122.90         | Inf            | -Inf        | 115.62     | 3        | Vertical  | 107         | 1.57       | -       | 33.80   | 5.63    | 32.15   |
| AV   | 5.823G    | 111.17         | Inf            | -Inf        | 103.90     | 3        | Vertical  | 107         | 1.57       | -       | 33.80   | 5.62    | 32.15   |
| PK   | 5.973G    | 59.86          | 68.20          | -8.34       | 52.05      | 3        | Vertical  | 107         | 1.57       | -       | 34.20   | 5.77    | 32.16   |

# 802.11ax HEW20\_Nss1,(MCS0)\_4TX

## 5825MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.62G        | 57.72             | 68.20             | -10.48         | 50.40         | 3           | Horizontal | 116            | 2.41          | -       | 33.86      | 5.60       | 32.14      |  |
| PK   | 5.819G       | 117.33            | Inf               | -Inf           | 110.06        | 3           | Horizontal | 116            | 2.41          | -       | 33.80      | 5.62       | 32.15      |  |
| AV   | 5.82G        | 105.82            | Inf               | -Inf           | 98.55         | 3           | Horizontal | 116            | 2.41          | -       | 33.80      | 5.62       | 32.15      |  |
| PK   | 6.027G       | 58.20             | 68.20             | -10.00         | 50.31         | 3           | Horizontal | 116            | 2.41          | -       | 34.25      | 5.80       | 32.16      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.64932G    | 55.14             | 74.00             | -18.86         | 41.04         | 3           | Vertical  | 173            | 2.13          | -       | 39.40      | 7.96       | 33.26      |
| AV   | 11.64964G    | 42.57             | 54.00             | -11.43         | 28.47         | 3           | Vertical  | 173            | 2.13          | -       | 39.40      | 7.96       | 33.26      |
| PK   | 17.47936G    | 60.74             | 68.20             | -7.46          | 39.26         | 3           | Vertical  | 54             | 1.14          | -       | 43.73      | 10.74      | 32.99      |

## 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5825MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.64368G    | 58.09             | 74.00             | -15.91         | 44.00         | 3           | Horizontal | 236            | 1.91          | -       | 39.39      | 7.96       | 33.26      |
| AV   | 11.64708G    | 45.24             | 54.00             | -8.76          | 31.15         | 3           | Horizontal | 236            | 1.91          | -       | 39.39      | 7.96       | 33.26      |
| PK   | 17.48472G    | 60.55             | 68.20             | -7.65          | 39.02         | 3           | Horizontal | 38             | 1.74          | -       | 43.78      | 10.74      | 32.99      |

# 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5190MHz\_TnomVnom




EUT Y\_4TX  
Setting 69  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1496G      | 67.28             | 74.00             | -6.72          | 60.58         | 3           | Vertical  | 82             | 1.50          | -       | 33.60      | 5.25       | 32.15      |
| AV   | 5.1496G      | 53.88             | 54.00             | -0.12          | 47.18         | 3           | Vertical  | 82             | 1.50          | -       | 33.60      | 5.25       | 32.15      |
| PK   | 5.18G        | 113.29            | Inf               | -Inf           | 106.50        | 3           | Vertical  | 82             | 1.50          | -       | 33.66      | 5.28       | 32.15      |
| AV   | 5.1848G      | 101.51            | Inf               | -Inf           | 94.71         | 3           | Vertical  | 82             | 1.50          | -       | 33.67      | 5.28       | 32.15      |

# 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5190MHz\_TnomVnom




EUT\_Y\_4TX  
Setting 69  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.1468G      | 63.80             | 74.00             | -10.20         | 57.11         | 3           | Horizontal | 69             | 2.54          | -       | 33.59      | 5.25       | 32.15      |  |
| AV   | 5.1472G      | 51.32             | 54.00             | -2.68          | 44.63         | 3           | Horizontal | 69             | 2.54          | -       | 33.59      | 5.25       | 32.15      |  |
| PK   | 5.1968G      | 110.12            | Inf               | -Inf           | 103.28        | 3           | Horizontal | 69             | 2.54          | -       | 33.69      | 5.30       | 32.15      |  |
| AV   | 5.192G       | 97.97             | Inf               | -Inf           | 91.15         | 3           | Horizontal | 69             | 2.54          | -       | 33.68      | 5.29       | 32.15      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TnomVnom




EUT Y\_4TX  
Setting 69  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.57304G    | 52.35             | 74.00             | -21.65         | 38.12         | 3           | Vertical  | 126            | 2.77          | -       | 37.66      | 9.81       | 33.24      |
| AV   | 15.5741G     | 40.44             | 54.00             | -13.56         | 26.21         | 3           | Vertical  | 126            | 2.77          | -       | 37.66      | 9.81       | 33.24      |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5190MHz\_TnomVnom




EUT Y\_4TX  
Setting 69  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.56838G    | 52.77             | 74.00             | -21.23         | 38.50         | 3           | Horizontal | 212            | 2.03          | -       | 37.69      | 9.81       | 33.23      |
| AV   | 15.57248G    | 40.00             | 54.00             | -14.00         | 25.76         | 3           | Horizontal | 212            | 2.03          | -       | 37.67      | 9.81       | 33.24      |

# 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5230MHz\_TnomVnom




EUT Y\_4TX  
Setting 90  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.15G        | 69.20             | 74.00             | -4.80          | 62.50         | 3           | Vertical  | 86             | 2.61          | -       | 33.60      | 5.25       | 32.15      |
| AV   | 5.15G        | 53.87             | 54.00             | -0.13          | 47.17         | 3           | Vertical  | 86             | 2.61          | -       | 33.60      | 5.25       | 32.15      |
| PK   | 5.2354G      | 117.31            | Inf               | -Inf           | 110.44        | 3           | Vertical  | 86             | 2.61          | -       | 33.70      | 5.32       | 32.15      |
| AV   | 5.2456G      | 106.14            | Inf               | -Inf           | 99.27         | 3           | Vertical  | 86             | 2.61          | -       | 33.70      | 5.32       | 32.15      |
| PK   | 5.374G       | 60.01             | 74.00             | -13.99         | 52.81         | 3           | Vertical  | 86             | 2.61          | -       | 33.95      | 5.39       | 32.14      |
| AV   | 5.3728G      | 47.75             | 54.00             | -6.25          | 40.55         | 3           | Vertical  | 86             | 2.61          | -       | 33.95      | 5.39       | 32.14      |

# 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5230MHz\_TnomVnom




EUT\_V\_4TX  
Setting 90  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1472G      | 60.69             | 74.00             | -13.31         | 54.00         | 3           | Horizontal | 71             | 2.71          | -       | 33.59      | 5.25       | 32.15      |
| AV   | 5.1472G      | 47.81             | 54.00             | -6.19          | 41.12         | 3           | Horizontal | 71             | 2.71          | -       | 33.59      | 5.25       | 32.15      |
| PK   | 5.2216G      | 113.85            | Inf               | -Inf           | 106.99        | 3           | Horizontal | 71             | 2.71          | -       | 33.70      | 5.31       | 32.15      |
| AV   | 5.2216G      | 102.42            | Inf               | -Inf           | 95.56         | 3           | Horizontal | 71             | 2.71          | -       | 33.70      | 5.31       | 32.15      |
| PK   | 5.3626G      | 57.78             | 74.00             | -16.22         | 50.61         | 3           | Horizontal | 71             | 2.71          | -       | 33.93      | 5.38       | 32.14      |
| AV   | 5.356G       | 46.10             | 54.00             | -7.90          | 38.95         | 3           | Horizontal | 71             | 2.71          | -       | 33.91      | 5.38       | 32.14      |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT Y\_4TX  
Setting 90  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.68768G    | 52.86             | 74.00             | -21.14         | 38.87         | 3           | Vertical  | 173            | 1.83          | -       | 37.50      | 9.86       | 33.37      |
| AV   | 15.68916G    | 39.84             | 54.00             | -14.16         | 25.85         | 3           | Vertical  | 173            | 1.83          | -       | 37.50      | 9.86       | 33.37      |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5230MHz\_TnomVnom




EUT Y\_4TX  
Setting 90  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 15.68962G    | 52.03             | 74.00             | -21.97         | 38.04         | 3           | Horizontal | 314            | 2.43          | -       | 37.50      | 9.86       | 33.37      |  |
| AV   | 15.69282G    | 39.64             | 54.00             | -14.36         | 25.66         | 3           | Horizontal | 314            | 2.43          | -       | 37.50      | 9.86       | 33.38      |  |

# 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5270MHz\_TnomVnom




EUT V\_4TX  
Setting 92  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1368G      | 61.37             | 74.00             | -12.63         | 54.71         | 3           | Vertical  | 69             | 1.61          | -       | 33.57      | 5.24       | 32.15      |
| AV   | 5.1482G      | 48.38             | 54.00             | -5.62          | 41.68         | 3           | Vertical  | 69             | 1.61          | -       | 33.60      | 5.25       | 32.15      |
| PK   | 5.2628G      | 117.93            | Inf               | -Inf           | 111.01        | 3           | Vertical  | 69             | 1.61          | -       | 33.73      | 5.33       | 32.14      |
| AV   | 5.2772G      | 106.77            | Inf               | -Inf           | 99.82         | 3           | Vertical  | 69             | 1.61          | -       | 33.75      | 5.34       | 32.14      |
| PK   | 5.357G       | 68.89             | 74.00             | -5.11          | 61.74         | 3           | Vertical  | 69             | 1.61          | -       | 33.91      | 5.38       | 32.14      |
| AV   | 5.3522G      | 53.85             | 54.00             | -0.15          | 46.71         | 3           | Vertical  | 69             | 1.61          | -       | 33.90      | 5.38       | 32.14      |

# 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5270MHz\_TnomVnom




EUT\_V\_4TX  
Setting 92  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1368G      | 58.50             | 74.00             | -15.50         | 51.84         | 3           | Horizontal | 71             | 2.00          | -       | 33.57      | 5.24       | 32.15      |
| AV   | 5.1368G      | 46.28             | 54.00             | -7.72          | 39.62         | 3           | Horizontal | 71             | 2.00          | -       | 33.57      | 5.24       | 32.15      |
| PK   | 5.2724G      | 115.06            | Inf               | -Inf           | 108.12        | 3           | Horizontal | 71             | 2.00          | -       | 33.74      | 5.34       | 32.14      |
| AV   | 5.2724G      | 103.12            | Inf               | -Inf           | 96.17         | 3           | Horizontal | 71             | 2.00          | -       | 33.75      | 5.34       | 32.14      |
| PK   | 5.3522G      | 63.00             | 74.00             | -11.00         | 55.86         | 3           | Horizontal | 71             | 2.00          | -       | 33.90      | 5.38       | 32.14      |
| AV   | 5.3522G      | 48.60             | 54.00             | -5.40          | 41.46         | 3           | Horizontal | 71             | 2.00          | -       | 33.90      | 5.38       | 32.14      |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Y\_4TX  
Setting 92  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.80936G    | 52.98             | 74.00             | -21.02         | 39.11         | 3           | Vertical  | 28             | 2.12          | -       | 37.48      | 9.91       | 33.52      |
| AV   | 15.8074G     | 40.01             | 54.00             | -13.99         | 26.12         | 3           | Vertical  | 28             | 2.12          | -       | 37.49      | 9.91       | 33.51      |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Y\_4TX  
Setting 92  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 15.8081G     | 52.51             | 74.00             | -21.49         | 38.63         | 3           | Horizontal | 330            | 2.92          | -       | 37.48      | 9.91       | 33.51      |  |
| AV   | 15.80912G    | 40.34             | 54.00             | -13.66         | 26.46         | 3           | Horizontal | 330            | 2.92          | -       | 37.48      | 9.91       | 33.51      |  |

# 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5310MHz\_TnomVnom




EUT Y\_4TX  
Setting 71  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.2948G      | 114.43            | Inf               | -Inf           | 107.43        | 3           | Vertical  | 86             | 1.63          | -       | 33.79      | 5.35       | 32.14      |  |
| AV   | 5.3048G      | 102.31            | Inf               | -Inf           | 95.29         | 3           | Vertical  | 86             | 1.63          | -       | 33.81      | 5.35       | 32.14      |  |
| PK   | 5.3552G      | 67.77             | 74.00             | -6.23          | 60.62         | 3           | Vertical  | 86             | 1.63          | -       | 33.91      | 5.38       | 32.14      |  |
| AV   | 5.35G        | 53.82             | 54.00             | -0.18          | 46.69         | 3           | Vertical  | 86             | 1.63          | -       | 33.90      | 5.37       | 32.14      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
Setting 71  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.302G       | 110.69            | Inf               | -Inf           | 103.68        | 3           | Horizontal | 70             | 2.53          | -       | 33.80      | 5.35       | 32.14      |  |
| AV   | 5.302G       | 97.76             | Inf               | -Inf           | 90.75         | 3           | Horizontal | 70             | 2.53          | -       | 33.80      | 5.35       | 32.14      |  |
| PK   | 5.3572G      | 63.53             | 74.00             | -10.47         | 56.38         | 3           | Horizontal | 70             | 2.53          | -       | 33.91      | 5.38       | 32.14      |  |
| AV   | 5.352G       | 48.41             | 54.00             | -5.59          | 41.27         | 3           | Horizontal | 70             | 2.53          | -       | 33.90      | 5.38       | 32.14      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
Setting 71  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.92904G    | 51.95             | 74.00             | -22.05         | 38.34         | 3           | Vertical  | 209            | 1.72          | -       | 37.30      | 9.97       | 33.66      |
| AV   | 15.92558G    | 39.68             | 54.00             | -14.32         | 26.06         | 3           | Vertical  | 209            | 1.72          | -       | 37.30      | 9.97       | 33.65      |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
Setting 71  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.92692G    | 52.38             | 74.00             | -21.62         | 38.76         | 3           | Horizontal | 245            | 2.64          | -       | 37.30      | 9.97       | 33.65      |
| AV   | 15.9338G     | 39.57             | 54.00             | -14.43         | 25.96         | 3           | Horizontal | 245            | 2.64          | -       | 37.30      | 9.97       | 33.66      |

# 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5510MHz\_TnomVnom




EUT\_V\_4TX  
Setting 68  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.4584G      | 61.97             | 74.00             | -12.03         | 54.64         | 3           | Vertical  | 107            | 1.80          | -       | 34.00      | 5.46       | 32.13      |  |
| AV   | 5.4584G      | 47.96             | 54.00             | -6.04          | 40.63         | 3           | Vertical  | 107            | 1.80          | -       | 34.00      | 5.46       | 32.13      |  |
| PK   | 5.468G       | 67.72             | 68.20             | -0.48          | 60.38         | 3           | Vertical  | 107            | 1.80          | -       | 34.00      | 5.47       | 32.13      |  |
| PK   | 5.5232G      | 113.23            | Inf               | -Inf           | 105.84        | 3           | Vertical  | 107            | 1.80          | -       | 34.00      | 5.52       | 32.13      |  |
| AV   | 5.5132G      | 102.19            | Inf               | -Inf           | 94.81         | 3           | Vertical  | 107            | 1.80          | -       | 34.00      | 5.51       | 32.13      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT\_V\_4TX  
Setting 68  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4308G      | 57.39             | 74.00             | -16.61         | 50.09         | 3           | Horizontal | 290            | 1.68          | -       | 34.00      | 5.43       | 32.13      |
| AV   | 5.4432G      | 45.77             | 54.00             | -8.23          | 38.46         | 3           | Horizontal | 290            | 1.68          | -       | 34.00      | 5.44       | 32.13      |
| PK   | 5.47G        | 60.64             | 68.20             | -7.56          | 53.30         | 3           | Horizontal | 290            | 1.68          | -       | 34.00      | 5.47       | 32.13      |
| PK   | 5.5148G      | 107.48            | Inf               | -Inf           | 100.10        | 3           | Horizontal | 290            | 1.68          | -       | 34.00      | 5.51       | 32.13      |
| AV   | 5.5144G      | 96.04             | Inf               | -Inf           | 88.66         | 3           | Horizontal | 290            | 1.68          | -       | 34.00      | 5.51       | 32.13      |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 68  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.01816G    | 51.25             | 74.00             | -22.75         | 38.19         | 3           | Vertical  | 322            | 1.40          | -       | 38.62      | 7.71       | 33.27      |
| AV   | 11.01864G    | 38.67             | 54.00             | -15.33         | 25.61         | 3           | Vertical  | 322            | 1.40          | -       | 38.62      | 7.71       | 33.27      |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 68  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.02018G    | 50.95             | 74.00             | -23.05         | 37.89         | 3           | Horizontal | 121            | 2.55          | -       | 38.62      | 7.71       | 33.27      |
| AV   | 11.02304G    | 38.34             | 54.00             | -15.66         | 25.28         | 3           | Horizontal | 121            | 2.55          | -       | 38.62      | 7.71       | 33.27      |

# 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5550MHz\_TnomVnom




EUT\_Y\_4TX  
Setting 93  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.458G       | 67.12             | 74.00             | -6.88          | 59.79         | 3           | Vertical  | 76             | 2.21          | -       | 34.00      | 5.46       | 32.13      |  |
| AV   | 5.4584G      | 52.13             | 54.00             | -1.87          | 44.80         | 3           | Vertical  | 76             | 2.21          | -       | 34.00      | 5.46       | 32.13      |  |
| PK   | 5.468G       | 67.97             | 68.20             | -0.23          | 60.63         | 3           | Vertical  | 76             | 2.21          | -       | 34.00      | 5.47       | 32.13      |  |
| PK   | 5.548G       | 120.22            | Inf               | -Inf           | 112.80        | 3           | Vertical  | 76             | 2.21          | -       | 34.00      | 5.55       | 32.13      |  |
| AV   | 5.5432G      | 108.55            | Inf               | -Inf           | 101.14        | 3           | Vertical  | 76             | 2.21          | -       | 34.00      | 5.54       | 32.13      |  |

# 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5550MHz\_TnomVnom




EUT\_V\_4TX  
Setting 93  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.4544G      | 62.61             | 74.00             | -11.39         | 55.29         | 3           | Horizontal | 290            | 1.65          | -       | 34.00      | 5.45       | 32.13      |  |
| AV   | 5.46G        | 47.88             | 54.00             | -6.12          | 40.55         | 3           | Horizontal | 290            | 1.65          | -       | 34.00      | 5.46       | 32.13      |  |
| PK   | 5.47G        | 62.33             | 68.20             | -5.87          | 54.99         | 3           | Horizontal | 290            | 1.65          | -       | 34.00      | 5.47       | 32.13      |  |
| PK   | 5.5548G      | 114.57            | Inf               | -Inf           | 107.16        | 3           | Horizontal | 290            | 1.65          | -       | 33.99      | 5.55       | 32.13      |  |
| AV   | 5.5596G      | 103.14            | Inf               | -Inf           | 95.73         | 3           | Horizontal | 290            | 1.65          | -       | 33.98      | 5.56       | 32.13      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Y\_4TX  
Setting 93  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.09514G    | 50.85             | 74.00             | -23.15         | 37.67         | 3           | Vertical  | 116            | 1.51          | -       | 38.70      | 7.74       | 33.26      |
| AV   | 11.10498G    | 38.31             | 54.00             | -15.69         | 25.13         | 3           | Vertical  | 116            | 1.51          | -       | 38.70      | 7.74       | 33.26      |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Y\_4TX  
Setting 93  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.09936G    | 51.19             | 74.00             | -22.81         | 38.01         | 3           | Horizontal | 118            | 2.45          | -       | 38.70      | 7.74       | 33.26      |
| AV   | 11.09884G    | 38.55             | 54.00             | -15.45         | 25.37         | 3           | Horizontal | 118            | 2.45          | -       | 38.70      | 7.74       | 33.26      |

# 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5670MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.6748G      | 117.08            | Inf               | -Inf           | 109.77        | 3           | Vertical  | 89             | 1.28          | -       | 33.85      | 5.60       | 32.14      |
| AV   | 5.6748G      | 105.47            | Inf               | -Inf           | 98.16         | 3           | Vertical  | 89             | 1.28          | -       | 33.85      | 5.60       | 32.14      |
| PK   | 5.7252G      | 67.99             | 68.20             | -0.21          | 60.68         | 3           | Vertical  | 89             | 1.28          | -       | 33.85      | 5.60       | 32.14      |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.662G       | 111.41            | Inf               | -Inf           | 104.13        | 3           | Horizontal | 121            | 1.87          | -       | 33.82      | 5.60       | 32.14      |
| AV   | 5.6628G      | 99.54             | Inf               | -Inf           | 92.25         | 3           | Horizontal | 121            | 1.87          | -       | 33.83      | 5.60       | 32.14      |
| PK   | 5.7272G      | 61.66             | 68.20             | -6.54          | 54.35         | 3           | Horizontal | 121            | 1.87          | -       | 33.85      | 5.60       | 32.14      |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.33962G    | 51.90             | 74.00             | -22.10         | 38.50         | 3           | Vertical  | 260            | 2.08          | -       | 38.80      | 7.84       | 33.24      |
| AV   | 11.3405G     | 38.06             | 54.00             | -15.94         | 24.66         | 3           | Vertical  | 260            | 2.08          | -       | 38.80      | 7.84       | 33.24      |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.33534G    | 50.77             | 74.00             | -23.23         | 37.38         | 3           | Horizontal | 136            | 2.30          | -       | 38.80      | 7.83       | 33.24      |
| AV   | 11.33962G    | 38.03             | 54.00             | -15.97         | 24.63         | 3           | Horizontal | 136            | 2.30          | -       | 38.80      | 7.84       | 33.24      |

# 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4532G      | 58.32             | 74.00             | -15.68         | 51.00         | 3           | Vertical  | 90             | 1.52          | -       | 34.00      | 5.45       | 32.13      |
| AV   | 5.4556G      | 46.78             | 54.00             | -7.22          | 39.45         | 3           | Vertical  | 90             | 1.52          | -       | 34.00      | 5.46       | 32.13      |
| PK   | 5.4664G      | 58.06             | 68.20             | -10.14         | 50.72         | 3           | Vertical  | 90             | 1.52          | -       | 34.00      | 5.47       | 32.13      |
| PK   | 5.7256G      | 121.80            | Inf               | -Inf           | 114.49        | 3           | Vertical  | 90             | 1.52          | -       | 33.85      | 5.60       | 32.14      |
| AV   | 5.7052G      | 110.41            | Inf               | -Inf           | 103.06        | 3           | Vertical  | 90             | 1.52          | -       | 33.89      | 5.60       | 32.14      |
| PK   | 5.8576G      | 66.11             | 68.20             | -2.09          | 58.75         | 3           | Vertical  | 90             | 1.52          | -       | 33.85      | 5.66       | 32.15      |

# 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.4484G      | 57.95             | 74.00             | -16.05         | 50.63         | 3           | Horizontal | 92             | 1.41          | -       | 34.00      | 5.45       | 32.13      |  |
| AV   | 5.458G       | 46.58             | 54.00             | -7.42          | 39.25         | 3           | Horizontal | 92             | 1.41          | -       | 34.00      | 5.46       | 32.13      |  |
| PK   | 5.4688G      | 57.94             | 68.20             | -10.26         | 50.60         | 3           | Horizontal | 92             | 1.41          | -       | 34.00      | 5.47       | 32.13      |  |
| PK   | 5.7052G      | 120.40            | Inf               | -Inf           | 113.05        | 3           | Horizontal | 92             | 1.41          | -       | 33.89      | 5.60       | 32.14      |  |
| AV   | 5.7052G      | 110.08            | Inf               | -Inf           | 102.73        | 3           | Horizontal | 92             | 1.41          | -       | 33.89      | 5.60       | 32.14      |  |
| PK   | 5.8528G      | 63.52             | 68.20             | -4.68          | 56.20         | 3           | Horizontal | 92             | 1.41          | -       | 33.82      | 5.65       | 32.15      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5710MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.41876G    | 51.56             | 74.00             | -22.44         | 38.08         | 3           | Vertical  | 33             | 1.48          | -       | 38.84      | 7.87       | 33.23      |
| AV   | 11.41854G    | 38.92             | 54.00             | -15.08         | 25.44         | 3           | Vertical  | 33             | 1.48          | -       | 38.84      | 7.87       | 33.23      |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5710MHz\_TnomVnom




EUT Y\_4TX  
Setting 108  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.42438G    | 51.33             | 74.00             | -22.67         | 37.84         | 3           | Horizontal | 316            | 1.49          | -       | 38.85      | 7.87       | 33.23      |
| AV   | 11.41732G    | 38.88             | 54.00             | -15.12         | 25.41         | 3           | Horizontal | 316            | 1.49          | -       | 38.83      | 7.87       | 33.23      |

# 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5755MHz\_TnomVnom




EUT Y\_4TX  
Setting 98  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.65G        | 67.96             | 68.20             | -0.24          | 60.70         | 3           | Vertical  | 63             | 1.80          | -       | 33.80      | 5.60       | 32.14      |  |
| PK   | 5.765G       | 119.91            | Inf               | -Inf           | 112.66        | 3           | Vertical  | 63             | 1.80          | -       | 33.80      | 5.60       | 32.15      |  |
| AV   | 5.765G       | 108.74            | Inf               | -Inf           | 101.49        | 3           | Vertical  | 63             | 1.80          | -       | 33.80      | 5.60       | 32.15      |  |
| PK   | 5.957G       | 59.19             | 68.20             | -9.01          | 51.39         | 3           | Vertical  | 63             | 1.80          | -       | 34.20      | 5.76       | 32.16      |  |

# 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5755MHz\_TnomVnom




EUT\_V\_4TX  
Setting 98  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.646G       | 60.50             | 68.20             | -7.70          | 53.23         | 3           | Horizontal | 121            | 1.87          | -       | 33.81      | 5.60       | 32.14      |  |
| PK   | 5.752G       | 115.22            | Inf               | -Inf           | 107.97        | 3           | Horizontal | 121            | 1.87          | -       | 33.80      | 5.60       | 32.15      |  |
| AV   | 5.753G       | 103.15            | Inf               | -Inf           | 95.90         | 3           | Horizontal | 121            | 1.87          | -       | 33.80      | 5.60       | 32.15      |  |
| PK   | 5.947G       | 57.59             | 68.20             | -10.61         | 49.81         | 3           | Horizontal | 121            | 1.87          | -       | 34.19      | 5.75       | 32.16      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TnomVnom




EUT Y\_4TX  
Setting 98  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.50758G    | 51.40             | 74.00             | -22.60         | 37.70         | 3           | Vertical  | 187            | 1.09          | -       | 39.02      | 7.90       | 33.22      |
| AV   | 11.5074G     | 38.93             | 54.00             | -15.07         | 25.23         | 3           | Vertical  | 187            | 1.09          | -       | 39.02      | 7.90       | 33.22      |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5755MHz\_TnomVnom




EUT Y\_4TX  
Setting 98  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.50828G    | 51.82             | 74.00             | -22.18         | 38.12         | 3           | Horizontal | 69             | 2.11          | -       | 39.02      | 7.90       | 33.22      |  |
| AV   | 11.50906G    | 38.92             | 54.00             | -15.08         | 25.21         | 3           | Horizontal | 69             | 2.11          | -       | 39.03      | 7.90       | 33.22      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TnomVnom




EUT Y\_4TX  
Setting 98  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.634G       | 60.76             | 68.20             | -7.44          | 53.47         | 3           | Vertical  | 65             | 1.88          | -       | 33.83      | 5.60       | 32.14      |
| PK   | 5.79G        | 119.91            | Inf               | -Inf           | 112.66        | 3           | Vertical  | 65             | 1.88          | -       | 33.80      | 5.60       | 32.15      |
| AV   | 5.785G       | 108.89            | Inf               | -Inf           | 101.64        | 3           | Vertical  | 65             | 1.88          | -       | 33.80      | 5.60       | 32.15      |
| PK   | 5.929G       | 61.44             | 68.20             | -6.76          | 53.71         | 3           | Vertical  | 65             | 1.88          | -       | 34.16      | 5.73       | 32.16      |

# 802.11ax HEW40\_Nss1,(MCS0)\_4TX

## 5795MHz\_TnomVnom




EUT Y\_4TX  
Setting 98  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.604G       | 59.19             | 68.20             | -9.01          | 51.84         | 3           | Horizontal | 102            | 1.80          | -       | 33.89      | 5.60       | 32.14      |
| PK   | 5.804G       | 115.25            | Inf               | -Inf           | 108.00        | 3           | Horizontal | 102            | 1.80          | -       | 33.80      | 5.60       | 32.15      |
| AV   | 5.789G       | 103.02            | Inf               | -Inf           | 95.77         | 3           | Horizontal | 102            | 1.80          | -       | 33.80      | 5.60       | 32.15      |
| PK   | 5.925G       | 58.44             | 68.20             | -9.76          | 50.72         | 3           | Horizontal | 102            | 1.80          | -       | 34.15      | 5.73       | 32.16      |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TnomVnom




EUT Y\_4TX  
Setting 98  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.58596G    | 52.13             | 74.00             | -21.87         | 38.18         | 3           | Vertical  | 143            | 1.24          | -       | 39.26      | 7.93       | 33.24      |
| AV   | 11.58966G    | 39.23             | 54.00             | -14.77         | 25.26         | 3           | Vertical  | 143            | 1.24          | -       | 39.27      | 7.94       | 33.24      |

## 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5795MHz\_TnomVnom




EUT Y\_4TX  
Setting 98  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.59074G    | 51.97             | 74.00             | -22.03         | 38.00         | 3           | Horizontal | 96             | 2.18          | -       | 39.27      | 7.94       | 33.24      |  |
| AV   | 11.5947G     | 39.17             | 54.00             | -14.83         | 25.19         | 3           | Horizontal | 96             | 2.18          | -       | 39.28      | 7.94       | 33.24      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 5210MHz\_TnomVnom




EUT V\_4TX  
Setting 68  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.119G       | 65.17             | 74.00             | -8.83          | 58.56         | 3           | Vertical  | 81             | 1.63          | -       | 33.54      | 5.22       | 32.15      |
| AV   | 5.15G        | 53.89             | 54.00             | -0.11          | 47.19         | 3           | Vertical  | 81             | 1.63          | -       | 33.60      | 5.25       | 32.15      |
| PK   | 5.24G        | 110.56            | Inf               | -Inf           | 103.69        | 3           | Vertical  | 81             | 1.63          | -       | 33.70      | 5.32       | 32.15      |
| AV   | 5.24G        | 98.52             | Inf               | -Inf           | 91.65         | 3           | Vertical  | 81             | 1.63          | -       | 33.70      | 5.32       | 32.15      |
| PK   | 5.381G       | 58.43             | 74.00             | -15.57         | 51.22         | 3           | Vertical  | 81             | 1.63          | -       | 33.96      | 5.39       | 32.14      |
| AV   | 5.351G       | 46.47             | 54.00             | -7.53          | 39.33         | 3           | Vertical  | 81             | 1.63          | -       | 33.90      | 5.38       | 32.14      |

# 802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 5210MHz\_TnomVnom




EUT\_V\_4TX  
Setting 68  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.137G       | 63.58             | 74.00             | -10.42         | 56.92         | 3           | Horizontal | 74             | 2.72          | -       | 33.57      | 5.24       | 32.15      |
| AV   | 5.148G       | 51.68             | 54.00             | -2.32          | 44.98         | 3           | Horizontal | 74             | 2.72          | -       | 33.60      | 5.25       | 32.15      |
| PK   | 5.207G       | 105.92            | Inf               | -Inf           | 99.07         | 3           | Horizontal | 74             | 2.72          | -       | 33.70      | 5.30       | 32.15      |
| AV   | 5.222G       | 94.87             | Inf               | -Inf           | 88.01         | 3           | Horizontal | 74             | 2.72          | -       | 33.70      | 5.31       | 32.15      |
| PK   | 5.434G       | 57.25             | 74.00             | -16.75         | 49.95         | 3           | Horizontal | 74             | 2.72          | -       | 34.00      | 5.43       | 32.13      |
| AV   | 5.358G       | 45.44             | 54.00             | -8.56          | 38.28         | 3           | Horizontal | 74             | 2.72          | -       | 33.92      | 5.38       | 32.14      |

## 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TnomVnom




EUT Y\_4TX  
Setting 68  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.6337G     | 52.51             | 74.00             | -21.49         | 38.48         | 3           | Vertical  | 252            | 2.47          | -       | 37.50      | 9.84       | 33.31      |
| AV   | 15.6298G     | 39.89             | 54.00             | -14.11         | 25.86         | 3           | Vertical  | 252            | 2.47          | -       | 37.50      | 9.83       | 33.30      |

## 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5210MHz\_TnomVnom




EUT Y\_4TX  
Setting 68  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.63228G    | 52.51             | 74.00             | -21.49         | 38.49         | 3           | Horizontal | 329            | 1.22          | -       | 37.50      | 9.83       | 33.31      |
| AV   | 15.62796G    | 40.03             | 54.00             | -13.97         | 26.00         | 3           | Horizontal | 329            | 1.22          | -       | 37.50      | 9.83       | 33.30      |

# 802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 5290MHz\_TnomVnom




EUT Y\_4TX  
Setting 68  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.04G        | 57.31             | 74.00             | -16.69         | 50.85         | 3           | Vertical  | 70             | 1.02          | -       | 33.48      | 5.14       | 32.16      |
| AV   | 5.078G       | 45.94             | 54.00             | -8.06          | 39.42         | 3           | Vertical  | 70             | 1.02          | -       | 33.50      | 5.18       | 32.16      |
| PK   | 5.304G       | 109.25            | Inf               | -Inf           | 102.23        | 3           | Vertical  | 70             | 1.02          | -       | 33.81      | 5.35       | 32.14      |
| AV   | 5.279G       | 97.44             | Inf               | -Inf           | 90.48         | 3           | Vertical  | 70             | 1.02          | -       | 33.76      | 5.34       | 32.14      |
| PK   | 5.354G       | 64.79             | 74.00             | -9.21          | 57.64         | 3           | Vertical  | 70             | 1.02          | -       | 33.91      | 5.38       | 32.14      |
| AV   | 5.354G       | 52.29             | 54.00             | -1.71          | 45.14         | 3           | Vertical  | 70             | 1.02          | -       | 33.91      | 5.38       | 32.14      |
| PK   | 5.521G       | 58.32             | 68.20             | -9.88          | 50.93         | 3           | Vertical  | 70             | 1.02          | -       | 34.00      | 5.52       | 32.13      |

# 802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 5290MHz\_TnomVnom




EUT\_V\_4TX  
Setting 68  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.105G       | 57.85             | 74.00             | -16.15         | 51.29         | 3           | Horizontal | 69             | 2.54          | -       | 33.51      | 5.20       | 32.15      |
| AV   | 5.143G       | 45.55             | 54.00             | -8.45          | 38.87         | 3           | Horizontal | 69             | 2.54          | -       | 33.59      | 5.24       | 32.15      |
| PK   | 5.302G       | 106.48            | Inf               | -Inf           | 99.47         | 3           | Horizontal | 69             | 2.54          | -       | 33.80      | 5.35       | 32.14      |
| AV   | 5.302G       | 94.18             | Inf               | -Inf           | 87.17         | 3           | Horizontal | 69             | 2.54          | -       | 33.80      | 5.35       | 32.14      |
| PK   | 5.362G       | 60.89             | 74.00             | -13.11         | 53.73         | 3           | Horizontal | 69             | 2.54          | -       | 33.92      | 5.38       | 32.14      |
| AV   | 5.352G       | 48.73             | 54.00             | -5.27          | 41.59         | 3           | Horizontal | 69             | 2.54          | -       | 33.90      | 5.38       | 32.14      |
| PK   | 5.483G       | 57.08             | 68.20             | -11.12         | 49.73         | 3           | Horizontal | 69             | 2.54          | -       | 34.00      | 5.48       | 32.13      |

## 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT Y\_4TX  
Setting 68  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.86896G    | 52.05             | 74.00             | -21.95         | 38.34         | 3           | Vertical  | 310            | 1.24          | -       | 37.36      | 9.94       | 33.59      |
| AV   | 15.86604G    | 39.78             | 54.00             | -14.22         | 26.05         | 3           | Vertical  | 310            | 1.24          | -       | 37.37      | 9.94       | 33.58      |

## 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT Y\_4TX  
Setting 68  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.86724G    | 52.26             | 74.00             | -21.74         | 38.53         | 3           | Horizontal | 104            | 2.07          | -       | 37.37      | 9.94       | 33.58      |
| AV   | 15.86514G    | 39.73             | 54.00             | -14.27         | 26.00         | 3           | Horizontal | 104            | 2.07          | -       | 37.37      | 9.94       | 33.58      |

# 802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 5530MHz\_TnomVnom




EUT\_V\_4TX  
Setting 71  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.28G        | 57.83             | 68.20             | -10.37         | 50.87         | 3           | Vertical  | 94             | 2.52          | -       | 33.76      | 5.34       | 32.14      |
| PK   | 5.456G       | 66.01             | 74.00             | -7.99          | 58.68         | 3           | Vertical  | 94             | 2.52          | -       | 34.00      | 5.46       | 32.13      |
| AV   | 5.456G       | 52.90             | 54.00             | -1.10          | 45.57         | 3           | Vertical  | 94             | 2.52          | -       | 34.00      | 5.46       | 32.13      |
| PK   | 5.466G       | 67.99             | 68.20             | -0.21          | 60.65         | 3           | Vertical  | 94             | 2.52          | -       | 34.00      | 5.47       | 32.13      |
| PK   | 5.541G       | 111.63            | Inf               | -Inf           | 104.22        | 3           | Vertical  | 94             | 2.52          | -       | 34.00      | 5.54       | 32.13      |
| AV   | 5.546G       | 100.08            | Inf               | -Inf           | 92.66         | 3           | Vertical  | 94             | 2.52          | -       | 34.00      | 5.55       | 32.13      |
| PK   | 5.772G       | 58.44             | 68.20             | -9.76          | 51.19         | 3           | Vertical  | 94             | 2.52          | -       | 33.80      | 5.60       | 32.15      |

# 802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 5530MHz\_TnomVnom




EUT V\_4TX  
Setting 71  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.345G       | 56.68             | 68.20             | -11.52         | 49.56         | 3           | Horizontal | 129            | 1.73          | -       | 33.89      | 5.37       | 32.14      |
| PK   | 5.458G       | 60.59             | 74.00             | -13.41         | 53.26         | 3           | Horizontal | 129            | 1.73          | -       | 34.00      | 5.46       | 32.13      |
| AV   | 5.458G       | 48.71             | 54.00             | -5.29          | 41.38         | 3           | Horizontal | 129            | 1.73          | -       | 34.00      | 5.46       | 32.13      |
| PK   | 5.468G       | 64.47             | 68.20             | -3.73          | 57.13         | 3           | Horizontal | 129            | 1.73          | -       | 34.00      | 5.47       | 32.13      |
| PK   | 5.543G       | 105.42            | Inf               | -Inf           | 98.01         | 3           | Horizontal | 129            | 1.73          | -       | 34.00      | 5.54       | 32.13      |
| AV   | 5.543G       | 94.04             | Inf               | -Inf           | 86.63         | 3           | Horizontal | 129            | 1.73          | -       | 34.00      | 5.54       | 32.13      |
| PK   | 5.762G       | 57.26             | 68.20             | -10.94         | 50.01         | 3           | Horizontal | 129            | 1.73          | -       | 33.80      | 5.60       | 32.15      |

## 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT Y\_4TX  
Setting 71  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.05806G    | 50.52             | 74.00             | -23.48         | 37.40         | 3           | Vertical  | 291            | 1.24          | -       | 38.66      | 7.72       | 33.26      |
| AV   | 11.05568G    | 38.06             | 54.00             | -15.94         | 24.94         | 3           | Vertical  | 291            | 1.24          | -       | 38.66      | 7.72       | 33.26      |

## 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT Y\_4TX  
Setting 71  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.05738G    | 50.43             | 74.00             | -23.57         | 37.31         | 3           | Horizontal | 224            | 2.26          | -       | 38.66      | 7.72       | 33.26      |
| AV   | 11.06384G    | 38.07             | 54.00             | -15.93         | 24.94         | 3           | Horizontal | 224            | 2.26          | -       | 38.66      | 7.73       | 33.26      |

# 802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 5610MHz\_TnomVnom




EUT\_V\_4TX  
Setting 83  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.46G        | 61.75             | 74.00             | -12.25         | 54.42         | 3           | Vertical  | 93             | 1.54          | -       | 34.00      | 5.46       | 32.13      |
| AV   | 5.46G        | 50.06             | 54.00             | -3.94          | 42.73         | 3           | Vertical  | 93             | 1.54          | -       | 34.00      | 5.46       | 32.13      |
| PK   | 5.465G       | 63.52             | 68.20             | -4.68          | 56.19         | 3           | Vertical  | 93             | 1.54          | -       | 34.00      | 5.46       | 32.13      |
| PK   | 5.64G        | 115.45            | Inf               | -Inf           | 108.17        | 3           | Vertical  | 93             | 1.54          | -       | 33.82      | 5.60       | 32.14      |
| AV   | 5.625G       | 103.56            | Inf               | -Inf           | 96.25         | 3           | Vertical  | 93             | 1.54          | -       | 33.85      | 5.60       | 32.14      |
| PK   | 5.726G       | 68.00             | 68.20             | -0.20          | 60.69         | 3           | Vertical  | 93             | 1.54          | -       | 33.85      | 5.60       | 32.14      |

# 802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 5610MHz\_TnomVnom




EUT\_V\_4TX  
Setting 83  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.448G       | 57.90             | 74.00             | -16.10         | 50.58         | 3           | Horizontal | 312            | 1.80          | -       | 34.00      | 5.45       | 32.13      |
| AV   | 5.447G       | 46.12             | 54.00             | -7.88          | 38.80         | 3           | Horizontal | 312            | 1.80          | -       | 34.00      | 5.45       | 32.13      |
| PK   | 5.464G       | 57.57             | 68.20             | -10.63         | 50.24         | 3           | Horizontal | 312            | 1.80          | -       | 34.00      | 5.46       | 32.13      |
| PK   | 5.6G         | 108.32            | Inf               | -Inf           | 100.96        | 3           | Horizontal | 312            | 1.80          | -       | 33.90      | 5.60       | 32.14      |
| AV   | 5.605G       | 96.69             | Inf               | -Inf           | 89.34         | 3           | Horizontal | 312            | 1.80          | -       | 33.89      | 5.60       | 32.14      |
| PK   | 5.725G       | 61.35             | 68.20             | -6.85          | 54.04         | 3           | Horizontal | 312            | 1.80          | -       | 33.85      | 5.60       | 32.14      |

## 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT Y\_4TX  
Setting 83  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.21934G    | 50.65             | 74.00             | -23.35         | 37.31         | 3           | Vertical  | 153            | 1.46          | -       | 38.80      | 7.79       | 33.25      |
| AV   | 11.22276G    | 38.60             | 54.00             | -15.40         | 25.26         | 3           | Vertical  | 153            | 1.46          | -       | 38.80      | 7.79       | 33.25      |

## 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT Y\_4TX  
Setting 83  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.21874G    | 51.66             | 74.00             | -22.34         | 38.32         | 3           | Horizontal | 127            | 1.49          | -       | 38.80      | 7.79       | 33.25      |
| AV   | 11.22198G    | 38.40             | 54.00             | -15.60         | 25.06         | 3           | Horizontal | 127            | 1.49          | -       | 38.80      | 7.79       | 33.25      |

# 802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
Setting 90  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.454G       | 59.50             | 74.00             | -14.50         | 52.18         | 3           | Vertical  | 92             | 1.52          | -       | 34.00      | 5.45       | 32.13      |
| PK   | 5.465G       | 61.30             | 68.20             | -6.90          | 53.97         | 3           | Vertical  | 92             | 1.52          | -       | 34.00      | 5.46       | 32.13      |
| AV   | 5.46G        | 48.59             | 54.00             | -5.41          | 41.26         | 3           | Vertical  | 92             | 1.52          | -       | 34.00      | 5.46       | 32.13      |
| PK   | 5.67G        | 116.67            | Inf               | -Inf           | 109.37        | 3           | Vertical  | 92             | 1.52          | -       | 33.84      | 5.60       | 32.14      |
| AV   | 5.68G        | 105.55            | Inf               | -Inf           | 98.23         | 3           | Vertical  | 92             | 1.52          | -       | 33.86      | 5.60       | 32.14      |
| PK   | 5.85G        | 68.04             | 68.20             | -0.16          | 60.74         | 3           | Vertical  | 92             | 1.52          | -       | 33.80      | 5.65       | 32.15      |

# 802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Y\_4TX  
Setting 90  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.457G       | 57.38             | 74.00             | -16.62         | 50.05         | 3           | Horizontal | 103            | 2.65          | -       | 34.00      | 5.46       | 32.13      |
| AV   | 5.446G       | 45.86             | 54.00             | -8.14          | 38.54         | 3           | Horizontal | 103            | 2.65          | -       | 34.00      | 5.45       | 32.13      |
| PK   | 5.466G       | 57.51             | 68.20             | -10.69         | 50.17         | 3           | Horizontal | 103            | 2.65          | -       | 34.00      | 5.47       | 32.13      |
| PK   | 5.699G       | 111.49            | Inf               | -Inf           | 104.13        | 3           | Horizontal | 103            | 2.65          | -       | 33.90      | 5.60       | 32.14      |
| AV   | 5.699G       | 99.58             | Inf               | -Inf           | 92.22         | 3           | Horizontal | 103            | 2.65          | -       | 33.90      | 5.60       | 32.14      |
| PK   | 5.861G       | 59.55             | 68.20             | -8.65          | 52.17         | 3           | Horizontal | 103            | 2.65          | -       | 33.87      | 5.66       | 32.15      |

## 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5690MHz\_TnomVnom




EUT Y\_4TX  
Setting 90  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.37926G    | 51.69             | 74.00             | -22.31         | 38.27         | 3           | Vertical  | 245            | 1.37          | -       | 38.80      | 7.85       | 33.23      |
| AV   | 11.38298G    | 38.88             | 54.00             | -15.12         | 25.46         | 3           | Vertical  | 245            | 1.37          | -       | 38.80      | 7.85       | 33.23      |

## 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5690MHz\_TnomVnom




EUT Y\_4TX  
Setting 90  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.37542G    | 51.32             | 74.00             | -22.68         | 37.90         | 3           | Horizontal | 63             | 2.43          | -       | 38.80      | 7.85       | 33.23      |
| AV   | 11.38496G    | 38.82             | 54.00             | -15.18         | 25.40         | 3           | Horizontal | 63             | 2.43          | -       | 38.80      | 7.85       | 33.23      |

## 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TnomVnom




EUT Y\_4TX  
Setting 85  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.65G        | 67.99             | 68.20             | -0.21          | 60.73         | 3           | Vertical  | 63             | 1.80          | -       | 33.80      | 5.60       | 32.14      |  |
| PK   | 5.755G       | 114.77            | Inf               | -Inf           | 107.52        | 3           | Vertical  | 63             | 1.80          | -       | 33.80      | 5.60       | 32.15      |  |
| AV   | 5.77G        | 103.33            | Inf               | -Inf           | 96.08         | 3           | Vertical  | 63             | 1.80          | -       | 33.80      | 5.60       | 32.15      |  |
| PK   | 5.95G        | 63.14             | 68.20             | -5.06          | 55.35         | 3           | Vertical  | 63             | 1.80          | -       | 34.20      | 5.75       | 32.16      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 5775MHz\_TnomVnom




EUT Y\_4TX  
Setting 85  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.639G       | 60.29             | 68.20             | -7.91          | 53.01         | 3           | Horizontal | 102            | 2.49          | -       | 33.82      | 5.60       | 32.14      |  |
| PK   | 5.759G       | 109.13            | Inf               | -Inf           | 101.88        | 3           | Horizontal | 102            | 2.49          | -       | 33.80      | 5.60       | 32.15      |  |
| AV   | 5.749G       | 97.30             | Inf               | -Inf           | 90.04         | 3           | Horizontal | 102            | 2.49          | -       | 33.80      | 5.60       | 32.14      |  |
| PK   | 5.974G       | 58.49             | 68.20             | -9.71          | 50.68         | 3           | Horizontal | 102            | 2.49          | -       | 34.20      | 5.77       | 32.16      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TnomVnom




EUT Y\_4TX  
Setting 85  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.5538G     | 51.61             | 74.00             | -22.39         | 37.76         | 3           | Vertical  | 324            | 2.09          | -       | 39.16      | 7.92       | 33.23      |
| AV   | 11.55218G    | 39.07             | 54.00             | -14.93         | 25.22         | 3           | Vertical  | 324            | 2.09          | -       | 39.16      | 7.92       | 33.23      |

## 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5775MHz\_TnomVnom




EUT Y\_4TX  
Setting 85  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.55246G    | 51.39             | 74.00             | -22.61         | 37.54         | 3           | Horizontal | 236            | 2.84          | -       | 39.16      | 7.92       | 33.23      |
| AV   | 11.55398G    | 39.11             | 54.00             | -14.89         | 25.26         | 3           | Horizontal | 236            | 2.84          | -       | 39.16      | 7.92       | 33.23      |

# 802.11ax HEW160\_Nss1,(MCS0)\_4TX

## 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT Y\_4TX  
Setting 64  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1444G      | 63.30             | 74.00             | -10.70         | 56.62         | 3           | Vertical  | 72             | 1.02          | -       | 33.59      | 5.24       | 32.15      |
| AV   | 5.138G       | 53.47             | 54.00             | -0.53          | 46.80         | 3           | Vertical  | 72             | 1.02          | -       | 33.58      | 5.24       | 32.15      |
| PK   | 5.2596G      | 106.33            | Inf               | -Inf           | 99.42         | 3           | Vertical  | 72             | 1.02          | -       | 33.72      | 5.33       | 32.14      |
| AV   | 5.2692G      | 95.60             | Inf               | -Inf           | 88.67         | 3           | Vertical  | 72             | 1.02          | -       | 33.74      | 5.33       | 32.14      |
| PK   | 5.3844G      | 65.66             | 74.00             | -8.34          | 58.44         | 3           | Vertical  | 72             | 1.02          | -       | 33.97      | 5.39       | 32.14      |
| AV   | 5.3844G      | 53.86             | 54.00             | -0.14          | 46.64         | 3           | Vertical  | 72             | 1.02          | -       | 33.97      | 5.39       | 32.14      |
| PK   | 5.538G       | 58.67             | 68.20             | -9.53          | 51.26         | 3           | Vertical  | 72             | 1.02          | -       | 34.00      | 5.54       | 32.13      |

# 802.11ax HEW160\_Nss1,(MCS0)\_4TX

## 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_V\_4TX  
Setting 64  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1444G      | 61.40             | 74.00             | -12.60         | 54.72         | 3           | Horizontal | 91             | 1.98          | -       | 33.59      | 5.24       | 32.15      |
| AV   | 5.1268G      | 50.45             | 54.00             | -3.55          | 43.82         | 3           | Horizontal | 91             | 1.98          | -       | 33.55      | 5.23       | 32.15      |
| PK   | 5.186G       | 99.37             | Inf               | -Inf           | 92.56         | 3           | Horizontal | 91             | 1.98          | -       | 33.67      | 5.29       | 32.15      |
| AV   | 5.186G       | 88.18             | Inf               | -Inf           | 81.37         | 3           | Horizontal | 91             | 1.98          | -       | 33.67      | 5.29       | 32.15      |
| PK   | 5.3844G      | 57.43             | 74.00             | -16.57         | 50.21         | 3           | Horizontal | 91             | 1.98          | -       | 33.97      | 5.39       | 32.14      |
| AV   | 5.3828G      | 47.48             | 54.00             | -6.52          | 40.26         | 3           | Horizontal | 91             | 1.98          | -       | 33.97      | 5.39       | 32.14      |
| PK   | 5.6276G      | 57.37             | 68.20             | -10.83         | 50.07         | 3           | Horizontal | 91             | 1.98          | -       | 33.84      | 5.60       | 32.14      |

## 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 5250MHz\_TnomVnom




EUT\_Y\_4TX  
Setting 64  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.75282G    | 52.41             | 74.00             | -21.59         | 38.47         | 3           | Vertical  | 157            | 2.41          | -       | 37.50      | 9.89       | 33.45      |
| AV   | 15.74614G    | 41.85             | 54.00             | -12.15         | 27.90         | 3           | Vertical  | 157            | 2.41          | -       | 37.50      | 9.89       | 33.44      |

# 802.11ax HEW160\_Nss1,(MCS0)\_4TX

## 5250MHz\_TnomVnom




EUT Y\_4TX  
Setting 64  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 15.7521G     | 52.88             | 74.00             | -21.12         | 38.94         | 3           | Horizontal | 15             | 2.74          | -       | 37.50      | 9.89       | 33.45      |
| AV   | 15.74964G    | 41.50             | 54.00             | -12.50         | 27.55         | 3           | Horizontal | 15             | 2.74          | -       | 37.50      | 9.89       | 33.44      |

# 802.11ax HEW160\_Nss1,(MCS0)\_4TX

## 5570MHz\_TnomVnom




EUT Y\_4TX  
Setting 66  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.2884G      | 58.24             | 68.20             | -9.96          | 51.26         | 3           | Vertical  | 94             | 2.50          | -       | 33.78      | 5.34       | 32.14      |
| PK   | 5.442G       | 65.36             | 74.00             | -8.64          | 58.05         | 3           | Vertical  | 94             | 2.50          | -       | 34.00      | 5.44       | 32.13      |
| PK   | 5.4612G      | 66.24             | 68.20             | -1.96          | 58.91         | 3           | Vertical  | 94             | 2.50          | -       | 34.00      | 5.46       | 32.13      |
| AV   | 5.4596G      | 53.97             | 54.00             | -0.03          | 46.64         | 3           | Vertical  | 94             | 2.50          | -       | 34.00      | 5.46       | 32.13      |
| PK   | 5.5508G      | 107.43            | Inf               | -Inf           | 100.01        | 3           | Vertical  | 94             | 2.50          | -       | 34.00      | 5.55       | 32.13      |
| AV   | 5.5412G      | 97.03             | Inf               | -Inf           | 89.62         | 3           | Vertical  | 94             | 2.50          | -       | 34.00      | 5.54       | 32.13      |
| PK   | 5.7748G      | 62.16             | 68.20             | -6.04          | 54.91         | 3           | Vertical  | 94             | 2.50          | -       | 33.80      | 5.60       | 32.15      |

# 802.11ax HEW160\_Nss1,(MCS0)\_4TX

## 5570MHz\_TnomVnom




EUT Y\_4TX  
Setting 66  
02-B-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3284G      | 56.55             | 68.20             | -11.65         | 49.47         | 3           | Horizontal | 310            | 1.80          | -       | 33.86      | 5.36       | 32.14      |
| PK   | 5.426G       | 59.66             | 74.00             | -14.34         | 52.36         | 3           | Horizontal | 310            | 1.80          | -       | 34.00      | 5.43       | 32.13      |
| PK   | 5.466G       | 60.18             | 68.20             | -8.02          | 52.84         | 3           | Horizontal | 310            | 1.80          | -       | 34.00      | 5.47       | 32.13      |
| AV   | 5.4468G      | 50.13             | 54.00             | -3.87          | 42.81         | 3           | Horizontal | 310            | 1.80          | -       | 34.00      | 5.45       | 32.13      |
| PK   | 5.6052G      | 101.37            | Inf               | -Inf           | 94.02         | 3           | Horizontal | 310            | 1.80          | -       | 33.89      | 5.60       | 32.14      |
| AV   | 5.6052G      | 91.13             | Inf               | -Inf           | 83.78         | 3           | Horizontal | 310            | 1.80          | -       | 33.89      | 5.60       | 32.14      |
| PK   | 5.7268G      | 59.91             | 68.20             | -8.29          | 52.60         | 3           | Horizontal | 310            | 1.80          | -       | 33.85      | 5.60       | 32.14      |

## 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 5570MHz\_TnomVnom




EUT\_Y\_4TX  
Setting 66  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.13656G    | 51.01             | 74.00             | -22.99         | 37.78         | 3           | Vertical  | 316            | 2.64          | -       | 38.74      | 7.75       | 33.26      |
| AV   | 11.13856G    | 39.97             | 54.00             | -14.03         | 26.73         | 3           | Vertical  | 316            | 2.64          | -       | 38.74      | 7.76       | 33.26      |

## 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 5570MHz\_TnomVnom



EUT\_Y\_4TX  
Setting 66  
02-B-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.13508G    | 51.25             | 74.00             | -22.75         | 38.02         | 3           | Horizontal | 222            | 1.74          | -       | 38.74      | 7.75       | 33.26      |
| AV   | 11.1386G     | 40.05             | 54.00             | -13.95         | 26.81         | 3           | Horizontal | 222            | 1.74          | -       | 38.74      | 7.76       | 33.26      |