


# FCC Test Report


**FCC ID** : I88NBG6818  
**Equipment** : AC2600 Multi-Gigabit Security WiFi Router  
**Model No.** : NBG6818  
**Brand Name** : ZYXEL  
**Applicant** : Zyxel Communications Corporation  
**Address** : No.2 Industry East RD. IX, Hsinchu Science  
Park, Hsinchu 30075, Taiwan, R.O.C  
**Standard** : 47 CFR FCC Part 15.247  
**Received Date** : Sep. 23, 2019  
**Tested Date** : Oct. 19 ~ Nov. 11, 2019

We, International Certification Corp., would like to declare that the tested sample has been evaluated and in compliance with the requirement of the above standards. The test results contained in this report refer exclusively to the product. It may be duplicated completely for legal use with the approval of the applicant. It shall not be reproduced except in full without the written approval of our laboratory.

Reviewed by:

  
Along Chen / Assistant Manager

Approved by:

  
Gary Chang / Manager



---

## Table of Contents

|          |                                                             |           |
|----------|-------------------------------------------------------------|-----------|
| <b>1</b> | <b>GENERAL DESCRIPTION .....</b>                            | <b>5</b>  |
| 1.1      | Information.....                                            | 5         |
| 1.2      | Local Support Equipment List .....                          | 7         |
| 1.3      | Test Setup Chart .....                                      | 7         |
| 1.4      | Test Equipment List and Calibration Data.....               | 8         |
| 1.5      | Test Standards .....                                        | 10        |
| 1.6      | Deviation from Test Standard and Measurement Procedure..... | 10        |
| 1.7      | Measurement Uncertainty .....                               | 10        |
| <b>2</b> | <b>TEST CONFIGURATION.....</b>                              | <b>11</b> |
| 2.1      | Testing Condition .....                                     | 11        |
| 2.2      | The Worst Test Modes and Channel Details .....              | 11        |
| <b>3</b> | <b>TRANSMITTER TEST RESULTS .....</b>                       | <b>12</b> |
| 3.1      | Conducted Emissions.....                                    | 12        |
| 3.2      | 6dB and Occupied Bandwidth.....                             | 15        |
| 3.3      | RF Output Power.....                                        | 18        |
| 3.4      | Power Spectral Density .....                                | 20        |
| 3.5      | Emissions in Restricted Frequency Bands.....                | 23        |
| 3.6      | Emissions in non-restricted Frequency Bands.....            | 33        |
| <b>4</b> | <b>TEST LABORATORY INFORMATION .....</b>                    | <b>35</b> |

---

## Release Record

| Report No. | Version | Description   | Issued Date   |
|------------|---------|---------------|---------------|
| FR992302AE | Rev. 01 | Initial issue | Jan. 07, 2020 |

## Summary of Test Results

| FCC Rules           | Test Items                        | Measured                                                | Result |
|---------------------|-----------------------------------|---------------------------------------------------------|--------|
| 15.207              | AC Power Line Conducted Emissions | [dBuV]: 0.270MHz<br>45.59 (Margin -15.53dB) - QP        | Pass   |
| 15.247(d)<br>15.209 | Radiated Emissions                | [dBuV/m at 3m]: 54.25MHz<br>35.12 (Margin -4.88dB) - PK | Pass   |
| 15.247(b)(3)        | Maximum Output Power              | Power [dBm]: 3.18                                       | Pass   |
| 15.247(a)(2)        | 6dB Bandwidth                     | Meet the requirement of limit                           | Pass   |
| 15.247(e)           | Power Spectral Density            | Meet the requirement of limit                           | Pass   |
| 15.203              | Antenna Requirement               | Meet the requirement of limit                           | Pass   |

### Declaration of Conformity:

The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.

### Comments and Explanations:

The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.

# 1 General Description

## 1.1 Information

### 1.1.1 Specification of the Equipment under Test (EUT)

| RF General Information                                  |                |                 |                |           |
|---------------------------------------------------------|----------------|-----------------|----------------|-----------|
| Frequency Range (MHz)                                   | Bluetooth Mode | Ch. Freq. (MHz) | Channel Number | Data Rate |
| 2400-2483.5                                             | V4.0 LE        | 2402-2480       | 0-39 [40]      | 1 Mbps    |
| Note 1: Bluetooth LE (Low energy) uses GFSK modulation. |                |                 |                |           |

### 1.1.2 Antenna Details

| Ant. No. | Type                     | Connector | Gain (dBi) | Remarks |
|----------|--------------------------|-----------|------------|---------|
| 1        | Printed Monopole Antenna | N/A       | 4          | ---     |

### 1.1.3 Power Supply Type of Equipment under Test (EUT)

|                   |                    |
|-------------------|--------------------|
| Power Supply Type | 12Vdc from adapter |
|-------------------|--------------------|


### 1.1.4 Accessories

| Accessories |            |                                                                                                                                                    |
|-------------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| No.         | Equipment  | Description                                                                                                                                        |
| 1           | Adapter    | Brand: APD<br>Model: WA-36N12R<br>Power Rating:<br>I/P: 100-240Vac, 50-60Hz 0.9Max<br>O/P: 12Vdc, 3A<br>Power Line: 1.8m non-shielded without core |
| 2           | RJ45 cable | Brand: EKSON<br>Model: ZP01-C333<br>Power Line: 2.15m non-shielded without core                                                                    |

### 1.1.5 Channel List

| Frequency band (MHz) |                 |         |                 | 2400~2483.5 |                 |         |                 |
|----------------------|-----------------|---------|-----------------|-------------|-----------------|---------|-----------------|
| Channel              | Frequency (MHz) | Channel | Frequency (MHz) | Channel     | Frequency (MHz) | Channel | Frequency (MHz) |
| 37                   | 2402            | 9       | 2422            | 18          | 2442            | 28      | 2462            |
| 0                    | 2404            | 10      | 2424            | 19          | 2444            | 29      | 2464            |
| 1                    | 2406            | 38      | 2426            | 20          | 2446            | 30      | 2466            |
| 2                    | 2408            | 11      | 2428            | 21          | 2448            | 31      | 2468            |
| 3                    | 2410            | 12      | 2430            | 22          | 2450            | 32      | 2470            |
| 4                    | 2412            | 13      | 2432            | 23          | 2452            | 33      | 2472            |
| 5                    | 2414            | 14      | 2434            | 24          | 2454            | 34      | 2474            |
| 6                    | 2416            | 15      | 2436            | 25          | 2456            | 35      | 2476            |
| 7                    | 2418            | 16      | 2438            | 26          | 2458            | 36      | 2478            |
| 8                    | 2420            | 17      | 2440            | 27          | 2460            | 39      | 2480            |

### 1.1.6 Test Tool and Duty Cycle




### 1.1.7 Power Index of Test Tool

| Modulation Mode | Test Frequency (MHz) |      |      |
|-----------------|----------------------|------|------|
|                 | 2402                 | 2440 | 2480 |
| GFSK/1Mbps      | 0x0F                 | 0x0F | 0x0F |

## 1.2 Local Support Equipment List

| Support Equipment List |           |           |                  |        |         |
|------------------------|-----------|-----------|------------------|--------|---------|
| No.                    | Equipment | Brand     | Model            | FCC ID | Remarks |
| 1                      | USB Flash | Transcend | JetFlash 500 16G | ---    | ---     |
| 2                      | Notebook  | DELL      | Latitude E6430   | DoC    | ---     |
| 3                      | Notebook  | DELL      | Latitude E6440   | DoC    | ---     |
| 4                      | RJ45 load | ---       | ---              | ---    | ---     |

## 1.3 Test Setup Chart



## 1.4 Test Equipment List and Calibration Data

|                                                                     |                               |                  |                   |                         |                          |
|---------------------------------------------------------------------|-------------------------------|------------------|-------------------|-------------------------|--------------------------|
| <b>Test Item</b>                                                    | Conducted Emission            |                  |                   |                         |                          |
| <b>Test Site</b>                                                    | Conduction room 1 / (CO01-WS) |                  |                   |                         |                          |
| <b>Tested Date</b>                                                  | Nov. 11, 2019                 |                  |                   |                         |                          |
| <b>Instrument</b>                                                   | <b>Manufacturer</b>           | <b>Model No.</b> | <b>Serial No.</b> | <b>Calibration Date</b> | <b>Calibration Until</b> |
| Receiver                                                            | R&S                           | ESR3             | 101657            | Jan. 08, 2019           | Jan. 07, 2020            |
| LISN                                                                | R&S                           | ENV216           | 101579            | Mar. 08, 2019           | Mar. 07, 2020            |
| RF Cable-CON                                                        | Woken                         | CFD200-NL        | CFD200-NL-001     | Oct. 22, 2019           | Oct. 21, 2020            |
| Measurement Software                                                | AUDIX                         | e3               | 6.120210k         | NA                      | NA                       |
| Note: Calibration Interval of instruments listed above is one year. |                               |                  |                   |                         |                          |

|                                                                     |                            |                      |                   |                         |                          |
|---------------------------------------------------------------------|----------------------------|----------------------|-------------------|-------------------------|--------------------------|
| <b>Test Item</b>                                                    | Radiated Emission          |                      |                   |                         |                          |
| <b>Test Site</b>                                                    | 966 chamber1 / (03CH01-WS) |                      |                   |                         |                          |
| <b>Tested Date</b>                                                  | Oct. 19, 2019              |                      |                   |                         |                          |
| <b>Instrument</b>                                                   | <b>Manufacturer</b>        | <b>Model No.</b>     | <b>Serial No.</b> | <b>Calibration Date</b> | <b>Calibration Until</b> |
| Spectrum Analyzer                                                   | R&S                        | FSV40                | 101498            | Dec. 27, 2018           | Dec. 26, 2019            |
| Receiver                                                            | R&S                        | ESR3                 | 101658            | Dec. 11, 2018           | Dec. 10, 2019            |
| Bilog Antenna                                                       | SCHWARZBECK                | VULB9168             | VULB9168-522      | Jul. 12, 2019           | Jul. 11, 2020            |
| Horn Antenna 1G-18G                                                 | SCHWARZBECK                | BBHA 9120 D          | BBHA 9120 D 1096  | Dec. 18, 2018           | Dec. 17, 2019            |
| Horn Antenna 18G-40G                                                | SCHWARZBECK                | BBHA 9170            | BBHA 9170517      | Nov. 15, 2018           | Nov. 14, 2019            |
| Loop Antenna                                                        | R&S                        | HFH2-Z2              | 100315            | Jan. 11, 2019           | Jan. 10, 2020            |
| Loop Antenna Cable                                                  | KOAX KABEL                 | 101354-BW            | 101354-BW         | Oct. 07, 2019           | Oct. 06, 2020            |
| Preamplifier                                                        | EMC                        | EMC02325             | 980225            | Jul. 09, 2019           | Jul. 08, 2020            |
| Preamplifier                                                        | Agilent                    | 83017A               | MY39501308        | Oct. 08, 2019           | Oct. 07, 2020            |
| Preamplifier                                                        | EMC                        | EMC184045B           | 980192            | Aug. 01, 2019           | Jul. 31, 2020            |
| RF Cable                                                            | EMC                        | EMC104-SM-SM-8000    | 181106            | Oct. 07, 2019           | Oct. 06, 2020            |
| RF Cable                                                            | HUBER+SUHNER               | SUCOFLEX104          | MY16019/4         | Oct. 07, 2019           | Oct. 06, 2020            |
| RF Cable                                                            | HUBER+SUHNER               | SUCOFLEX104          | MY16014/4         | Oct. 07, 2019           | Oct. 06, 2020            |
| LF cable 1M                                                         | EMC                        | EMCCFD400-NM-NM-1000 | 160502            | Oct. 07, 2019           | Oct. 06, 2020            |
| LF cable 3M                                                         | Woken                      | CFD400NL-LW          | CFD400NL-001      | Oct. 07, 2019           | Oct. 06, 2020            |
| LF cable 10M                                                        | Woken                      | CFD400NL-LW          | CFD400NL-002      | Oct. 07, 2019           | Oct. 06, 2020            |
| Measurement Software                                                | AUDIX                      | e3                   | 6.120210g         | NA                      | NA                       |
| Note: Calibration Interval of instruments listed above is one year. |                            |                      |                   |                         |                          |

|                                                                     |                            |                          |                   |                         |                          |
|---------------------------------------------------------------------|----------------------------|--------------------------|-------------------|-------------------------|--------------------------|
| <b>Test Item</b>                                                    | Radiated Emission          |                          |                   |                         |                          |
| <b>Test Site</b>                                                    | 966 chamber1 / (03CH01-WS) |                          |                   |                         |                          |
| <b>Tested Date</b>                                                  | Nov. 11, 2019              |                          |                   |                         |                          |
| <b>Instrument</b>                                                   | <b>Manufacturer</b>        | <b>Model No.</b>         | <b>Serial No.</b> | <b>Calibration Date</b> | <b>Calibration Until</b> |
| Spectrum Analyzer                                                   | R&S                        | FSV40                    | 101498            | Dec. 27, 2018           | Dec. 26, 2019            |
| Receiver                                                            | R&S                        | ESR3                     | 101658            | Dec. 11, 2018           | Dec. 10, 2019            |
| Bilog Antenna                                                       | SCHWARZBECK                | VULB9168                 | VULB9168-522      | Jul. 12, 2019           | Jul. 11, 2020            |
| Horn Antenna<br>1G-18G                                              | SCHWARZBECK                | BBHA 9120 D              | BBHA 9120 D 1096  | Dec. 18, 2018           | Dec. 17, 2019            |
| Horn Antenna<br>18G-40G                                             | SCHWARZBECK                | BBHA 9170                | BBHA 9170517      | Nov. 15, 2018           | Nov. 14, 2019            |
| Loop Antenna                                                        | R&S                        | HFH2-Z2                  | 100315            | Jan. 11, 2019           | Jan. 10, 2020            |
| Loop Antenna Cable                                                  | KOAX KABEL                 | 101354-BW                | 101354-BW         | Oct. 07, 2019           | Oct. 06, 2020            |
| Preamplifier                                                        | EMC                        | EMC02325                 | 980225            | Jul. 09, 2019           | Jul. 08, 2020            |
| Preamplifier                                                        | Agilent                    | 83017A                   | MY39501308        | Oct. 08, 2019           | Oct. 07, 2020            |
| Preamplifier                                                        | EMC                        | EMC184045B               | 980192            | Aug. 01, 2019           | Jul. 31, 2020            |
| RF Cable                                                            | EMC                        | EMC104-SM-SM-80<br>00    | 181106            | Oct. 07, 2019           | Oct. 06, 2020            |
| RF Cable                                                            | HUBER+SUHNER               | SUCOFLEX104              | MY16019/4         | Oct. 07, 2019           | Oct. 06, 2020            |
| RF Cable                                                            | HUBER+SUHNER               | SUCOFLEX104              | MY16014/4         | Oct. 07, 2019           | Oct. 06, 2020            |
| LF cable 1M                                                         | EMC                        | EMCCFD400-NM-N<br>M-1000 | 160502            | Oct. 07, 2019           | Oct. 06, 2020            |
| LF cable 3M                                                         | Woken                      | CFD400NL-LW              | CFD400NL-001      | Oct. 07, 2019           | Oct. 06, 2020            |
| LF cable 10M                                                        | Woken                      | CFD400NL-LW              | CFD400NL-002      | Oct. 07, 2019           | Oct. 06, 2020            |
| Measurement<br>Software                                             | AUDIX                      | e3                       | 6.120210g         | NA                      | NA                       |
| Note: Calibration Interval of instruments listed above is one year. |                            |                          |                   |                         |                          |

|                                                                     |                     |                  |                   |                         |                          |
|---------------------------------------------------------------------|---------------------|------------------|-------------------|-------------------------|--------------------------|
| <b>Test Item</b>                                                    | RF Conducted        |                  |                   |                         |                          |
| <b>Test Site</b>                                                    | (TH01-WS)           |                  |                   |                         |                          |
| <b>Tested Date</b>                                                  | Nov. 01, 2019       |                  |                   |                         |                          |
| <b>Instrument</b>                                                   | <b>Manufacturer</b> | <b>Model No.</b> | <b>Serial No.</b> | <b>Calibration Date</b> | <b>Calibration Until</b> |
| Spectrum Analyzer                                                   | R&S                 | FSV40            | 101063            | Apr. 17, 2019           | Apr. 16, 2020            |
| Power Meter                                                         | Anritsu             | ML2495A          | 1241002           | Oct. 23, 2019           | Oct. 22, 2020            |
| Power Sensor                                                        | Anritsu             | MA2411B          | 1207366           | Oct. 23, 2019           | Oct. 22, 2020            |
| AC POWER<br>SOURCE                                                  | APC                 | AFC-500W         | F312060012        | Nov. 29, 2018           | Nov. 28, 2019            |
| Measurement<br>Software                                             | Sporton             | Sporton_1        | 1.3.30            | NA                      | NA                       |
| Note: Calibration Interval of instruments listed above is one year. |                     |                  |                   |                         |                          |

## 1.5 Test Standards

According to the specification of EUT, the EUT must comply with following standards and KDB documents.

47 CFR FCC Part 15.247

ANSI C63.10-2013

FCC KDB 558074 D01 15.247 Meas Guidance v05r02

## 1.6 Deviation from Test Standard and Measurement Procedure

None

## 1.7 Measurement Uncertainty

ISO/IEC 17025 requires that an estimate of the measurement uncertainties associated with the emissions test results be included in the report. The measurement uncertainties given below are based on a 95% confidence level (based on a coverage factor ( $k=2$ )).

| Measurement Uncertainty        |                 |
|--------------------------------|-----------------|
| Parameters                     | Uncertainty     |
| Bandwidth                      | $\pm 34.130$ Hz |
| Conducted power                | $\pm 0.808$ dB  |
| Power density                  | $\pm 0.583$ dB  |
| Conducted emission             | $\pm 2.715$ dB  |
| AC conducted emission          | $\pm 2.92$ dB   |
| Radiated emission $\leq 1$ GHz | $\pm 3.41$ dB   |
| Radiated emission $> 1$ GHz    | $\pm 4.59$ dB   |

## 2 Test Configuration

### 2.1 Testing Condition

| Test Item          | Test Site | Ambient Condition | Tested By              |
|--------------------|-----------|-------------------|------------------------|
| AC Conduction      | CO01-WS   | 23°C / 68%        | Akun Chung             |
| Radiated Emissions | 03CH01-WS | 23-24°C / 63-64%  | Roger Lu<br>Aska Huang |
| RF Conducted       | TH01-WS   | 22°C / 64%        | Brad Wu                |

- FCC Designation No.: TW2732
- FCC site registration No.: 181692
- ISSED#: 10807A
- CAB identifier: TW2732

### 2.2 The Worst Test Modes and Channel Details

| Test item                                                                                                                                                                                                                          | Mode  | Test Frequency (MHz) | Data Rate | Test Configuration |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----------------------|-----------|--------------------|
| AC Power Line Conducted Emissions<br>Radiated Emissions ≤ 1GHz                                                                                                                                                                     | BT LE | 2480                 | 1Mbps     | ---                |
| Maximum Output Power<br>6dB bandwidth<br>Power spectral density<br>Radiated Emissions > 1GHz                                                                                                                                       | BT LE | 2402, 2440, 2480     | 1Mbps     | ---                |
| <b>NOTE:</b><br>1. The EUT was pretested with 3 orientations placed on the table for the radiated emission measurement – X, Y, and Z-plane. The <b>X-plane</b> results were found as the worst case and were shown in this report. |       |                      |           |                    |

### 3 Transmitter Test Results

#### 3.1 Conducted Emissions

##### 3.1.1 Limit of Conducted Emissions


| Conducted Emissions Limit |            |           |
|---------------------------|------------|-----------|
| Frequency Emission (MHz)  | Quasi-Peak | Average   |
| 0.15-0.5                  | 66 - 56 *  | 56 - 46 * |
| 0.5-5                     | 56         | 46        |
| 5-30                      | 60         | 50        |

Note 1: \* Decreases with the logarithm of the frequency.

##### 3.1.2 Test Procedures

1. The device is placed on a test table, raised 80 cm above the reference ground plane. The vertical conducting plane is located 40 cm to the rear of the device.
2. The device is connected to line impedance stabilization network (LISN) and other accessories are connected to other LISN. Measured levels of AC power line conducted emission are across the 50  $\Omega$  LISN port.
3. AC conducted emission measurements is made over frequency range from 150 kHz to 30 MHz.
4. This measurement was performed with AC 120V/60Hz


##### 3.1.3 Test Setup



- Note: 1. Support units were connected to second LISN.
2. Both of LISNs (AMN) are 80 cm from EUT and at least 80 cm from other units and other metal planes

### 3.1.4 Test Result of Conducted Emissions

|                 |      |                  |      |
|-----------------|------|------------------|------|
| Modulation Mode | GFSK | Test Freq. (MHz) | 2480 |
| Power Phase     | Line |                  |      |


  


|    | Freq   | Level | Limit | Over   | Read  | LISN   | cable | Remark  |
|----|--------|-------|-------|--------|-------|--------|-------|---------|
|    | MHz    | dBuV  | Line  | Limit  | Level | factor | loss  |         |
|    |        |       | dBuV  | dB     | dBuV  | dB     | dB    |         |
| 1  | 0.177  | 30.89 | 54.64 | -23.75 | 21.11 | 9.54   | 0.06  | Average |
| 2  | 0.177  | 46.12 | 64.64 | -18.52 | 36.34 | 9.54   | 0.06  | QP      |
| 3  | 0.192  | 35.77 | 53.93 | -18.16 | 25.98 | 9.54   | 0.06  | Average |
| 4  | 0.192  | 47.12 | 63.93 | -16.81 | 37.33 | 9.54   | 0.06  | QP      |
| 5  | 0.270  | 32.82 | 51.12 | -18.30 | 22.98 | 9.55   | 0.07  | Average |
| 6* | 0.270  | 45.59 | 61.12 | -15.53 | 35.75 | 9.55   | 0.07  | QP      |
| 7  | 0.433  | 21.78 | 47.20 | -25.42 | 11.87 | 9.57   | 0.08  | Average |
| 8  | 0.433  | 35.81 | 57.20 | -21.39 | 25.90 | 9.57   | 0.08  | QP      |
| 9  | 3.346  | 20.00 | 46.00 | -26.00 | 9.77  | 9.61   | 0.26  | Average |
| 10 | 3.346  | 31.83 | 56.00 | -24.17 | 21.60 | 9.61   | 0.26  | QP      |
| 11 | 21.830 | 25.18 | 50.00 | -24.82 | 14.21 | 9.65   | 0.68  | Average |
| 12 | 21.830 | 32.34 | 60.00 | -27.66 | 21.37 | 9.65   | 0.68  | QP      |

Note 1: Level (dBuV) = Read Level (dBuV) + LISN Factor (dB) + Cable Loss (dB).  
 2: Over Limit (dB) = Level (dBuV) – Limit Line (dBuV).

|                 |         |                  |      |
|-----------------|---------|------------------|------|
| Modulation Mode | GFSK    | Test Freq. (MHz) | 2480 |
| Power Phase     | Neutral |                  |      |



|    | Freq   | Level | Limit | Over   | Read  | LISN   | cable |         |
|----|--------|-------|-------|--------|-------|--------|-------|---------|
|    | MHz    | dBuV  | Line  | Limit  | Level | factor | loss  | Remark  |
|    |        |       | dBuV  | dB     | dBuV  | dB     | dB    |         |
| 1  | 0.189  | 35.13 | 54.06 | -18.93 | 25.35 | 9.58   | 0.06  | Average |
| 2* | 0.189  | 47.62 | 64.06 | -16.44 | 37.84 | 9.58   | 0.06  | QP      |
| 3  | 0.201  | 34.32 | 53.58 | -19.26 | 24.53 | 9.58   | 0.06  | Average |
| 4  | 0.201  | 46.30 | 63.58 | -17.28 | 36.51 | 9.58   | 0.06  | QP      |
| 5  | 0.267  | 31.39 | 51.20 | -19.81 | 21.57 | 9.59   | 0.07  | Average |
| 6  | 0.267  | 43.60 | 61.20 | -17.60 | 33.78 | 9.59   | 0.07  | QP      |
| 7  | 3.090  | 23.72 | 46.00 | -22.28 | 13.55 | 9.66   | 0.25  | Average |
| 8  | 3.090  | 33.85 | 56.00 | -22.15 | 23.68 | 9.66   | 0.25  | QP      |
| 9  | 3.346  | 23.34 | 46.00 | -22.66 | 13.16 | 9.66   | 0.26  | Average |
| 10 | 3.346  | 35.18 | 56.00 | -20.82 | 25.00 | 9.66   | 0.26  | QP      |
| 11 | 20.056 | 26.12 | 50.00 | -23.88 | 15.13 | 9.81   | 0.66  | Average |
| 12 | 20.056 | 33.40 | 60.00 | -26.60 | 22.41 | 9.81   | 0.66  | QP      |

Note 1: Level (dBuV) = Read Level (dBuV) + LISN Factor (dB) + Cable Loss (dB).  
 Note 2: Over Limit (dB) = Level (dBuV) – Limit Line (dBuV).

## 3.2 6dB and Occupied Bandwidth

### 3.2.1 Limit of 6dB Bandwidth

The minimum 6dB bandwidth shall be at least 500 kHz.

### 3.2.2 Test Procedures


#### 6dB Bandwidth

1. Set resolution bandwidth (RBW) = 100 kHz, Video bandwidth = 300 kHz.
2. Detector = Peak, Trace mode = max hold.
3. Sweep = auto couple, Allow the trace to stabilize.
4. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower) that are attenuated by 6dB relative to the maximum level measured in the fundamental emission.

#### Occupied Bandwidth

1. Set resolution bandwidth (RBW) = 1% ~ 5 % of OBW, Video bandwidth = 3 x RBW
2. Detector = Sample, Trace mode = max hold.
3. Sweep = auto couple, Allow the trace to stabilize.
4. Use the OBW measurement function of spectrum analyzer to measure the occupied bandwidth.

### 3.2.3 Test Setup



### 3.2.4 Test Result of 6dB and Occupied Bandwidth

#### Summary

| Mode          | Max-N dB<br>(Hz) | Max-OBW<br>(Hz) | ITU-Code | Min-N dB<br>(Hz) | Min-OBW<br>(Hz) |
|---------------|------------------|-----------------|----------|------------------|-----------------|
| 2.4-2.4835GHz | -                | -               | -        | -                | -               |
| BT-LE(1Mbps)  | 568.841k         | 1.042M          | 1M04F1D  | 565.217k         | 1.042M          |

**Max-N dB** = Maximum 6dB down bandwidth; **Max-OBW** = Maximum 99% occupied bandwidth;

**Min-N dB** = Minimum 6dB down bandwidth; **Min-OBW** = Minimum 99% occupied bandwidth;

#### Result


| Mode         | Result | Limit<br>(Hz) | Port 1-N dB<br>(Hz) | Port 1-OBW<br>(Hz) |
|--------------|--------|---------------|---------------------|--------------------|
| BT-LE(1Mbps) | -      | -             | -                   | -                  |
| 2402MHz      | Pass   | 500k          | 568.841k            | 1.042M             |
| 2440MHz      | Pass   | 500k          | 565.217k            | 1.042M             |
| 2480MHz      | Pass   | 500k          | 565.217k            | 1.042M             |

**Port X-N dB** = Port X 6dB down bandwidth; **Port X-OBW** = Port X 99% occupied bandwidth;

## BT-LE(1Mbps)

EBW


2402MHz



## BT-LE(1Mbps)

EBW

2440MHz



## BT-LE(1Mbps)

EBW

2480MHz



### 3.3 RF Output Power

#### 3.3.1 Limit of RF Output Power


Conducted power shall not exceed 1Watt.

Antenna gain  $\leq 6\text{dBi}$ , no any corresponding reduction is in output power limit.

#### 3.3.2 Test Procedures

A broadband RF power meter is used for output power measurement. The video bandwidth of power meter is greater than DTS bandwidth of EUT. If duty cycle of test signal is not 100 %, trigger and gating function of power meter will be enabled to capture transmission burst for measuring output power.

#### 3.3.3 Test Setup



### 3.3.4 Test Result of Maximum Output Power

#### Summary of Peak Conducted Output Power

| Mode          | Power<br>(dBm) | Power<br>(W) |
|---------------|----------------|--------------|
| 2.4-2.4835GHz | -              | -            |
| BT-LE(1Mbps)  | <b>3.18</b>    | 0.00208      |

#### Result

| Mode         | Result | Gain<br>(dBi) | Power<br>(dBm) | Power Limit<br>(dBm) |
|--------------|--------|---------------|----------------|----------------------|
| BT-LE(1Mbps) | -      | -             | -              | -                    |
| 2402MHz      | Pass   | 4.00          | 1.82           | 30.00                |
| 2440MHz      | Pass   | 4.00          | 1.76           | 30.00                |
| 2480MHz      | Pass   | 4.00          | <b>3.18</b>    | 30.00                |

#### Summary of Conducted (Average) Output Power

| Mode          | Power<br>(dBm) | Power<br>(W) |
|---------------|----------------|--------------|
| 2.4-2.4835GHz | -              | -            |
| BT-LE(1Mbps)  | 2.76           | 0.00189      |

#### Result

| Mode         | Result | Gain<br>(dBi) | Power<br>(dBm) | Power Limit<br>(dBm) |
|--------------|--------|---------------|----------------|----------------------|
| BT-LE(1Mbps) | -      | -             | -              | -                    |
| 2402MHz      | Pass   | 4.00          | 1.35           | -                    |
| 2440MHz      | Pass   | 4.00          | 1.32           | -                    |
| 2480MHz      | Pass   | 4.00          | 2.76           | -                    |

Note: Average power is for reference only.

### 3.4 Power Spectral Density


#### 3.4.1 Limit of Power Spectral Density

Power spectral density shall not be greater than 8 dBm in any 3 kHz band.

#### 3.4.2 Test Procedures

1. Set the RBW = 3 kHz, VBW = 10 kHz.
2. Detector = Peak, Sweep time = auto couple.
3. Trace mode = max hold, allow trace to fully stabilize.
4. Use the peak marker function to determine the maximum amplitude level.

#### 3.4.3 Test Setup



### 3.4.4 Test Result of Power Spectral Density

#### Summary

| Mode          | PD<br>(dBm/RBW) |
|---------------|-----------------|
| 2.4-2.4835GHz | -               |
| BT-LE(1Mbps)  | 1.28            |


#### Result

| Mode         | Result | Gain<br>(dBi) | PD<br>(dBm/RBW) | PD Limit<br>(dBm/RBW) |
|--------------|--------|---------------|-----------------|-----------------------|
| BT-LE(1Mbps) | -      | -             | -               | -                     |
| 2402MHz      | Pass   | 4.00          | -0.30           | 8.00                  |
| 2440MHz      | Pass   | 4.00          | 0.09            | 8.00                  |
| 2480MHz      | Pass   | 4.00          | 1.28            | 8.00                  |

### BT-LE(1Mbps)

PSD


2402MHz



### BT-LE(1Mbps)

PSD


2440MHz



### BT-LE(1Mbps)

PSD

2480MHz



## 3.5 Emissions in Restricted Frequency Bands

### 3.5.1 Limit of Emissions in Restricted Frequency Bands

| Restricted Band Emissions Limit |                       |                         |                      |
|---------------------------------|-----------------------|-------------------------|----------------------|
| Frequency Range (MHz)           | Field Strength (uV/m) | Field Strength (dBuV/m) | Measure Distance (m) |
| 0.009~0.490                     | 2400/F(kHz)           | 48.5 - 13.8             | 300                  |
| 0.490~1.705                     | 24000/F(kHz)          | 33.8 - 23               | 30                   |
| 1.705~30.0                      | 30                    | 29                      | 30                   |
| 30~88                           | 100                   | 40                      | 3                    |
| 88~216                          | 150                   | 43.5                    | 3                    |
| 216~960                         | 200                   | 46                      | 3                    |
| Above 960                       | 500                   | 54                      | 3                    |

**Note 1:**  
Qusai-Peak value is measured for frequency below 1GHz except for 9~90 kHz, 110~490 kHz frequency band. Peak and average value are measured for frequency above 1GHz. The limit on average radio frequency emission is as above table. The limit on peak radio frequency emissions is 20 dB above the maximum permitted average emission limit

**Note 2:**  
Measurements may be performed at a distance other than what is specified provided. When performing measurements at a distance other than that specified, the results shall be extrapolated to the specified distance using an extrapolation factor as below, Frequency at or above 30 MHz: 20 dB/decade Frequency below 30 MHz: 40 dB/decade.

### 3.5.2 Test Procedures


1. Measurement is made at a semi-anechoic chamber that incorporates a turntable allowing a EUT rotation of 360°. A continuously-rotating, remotely-controlled turntable is installed at the test site to support the EUT and facilitate determination of the direction of maximum radiation for each EUT emission frequency. The EUT is placed at test table. For emissions testing at or below 1 GHz, the table height is 80 cm above the reference ground plane. For emission measurements above 1 GHz, the table height is 1.5 m
2. Measurement is made with the antenna positioned in both the horizontal and vertical planes of polarization. The measurement antenna is varied in height (1m ~ 4m) above the reference ground plane to obtain the maximum signal strength. Distance between EUT and antenna is 3 m.
3. This investigation is performed with the EUT rotated 360°, the antenna height scanned between 1 m and 4 m, and the antenna rotated to repeat the measurements for both the horizontal and vertical antenna polarizations.

Note:


1. 120kHz measurement bandwidth of test receiver and Quasi-peak detector is for radiated emission below 1GHz.
2. RBW=1MHz, VBW=3MHz and Peak detector is for peak measured value of radiated emission above 1GHz.
3. RBW=1MHz, VBW=1/T and Peak detector is for average measured value of radiated emission above 1GHz.

### 3.5.3 Test Setup


#### Radiated Emissions below 1 GHz




#### Radiated Emissions above 1 GHz



### 3.5.4 Transmitter Radiated Unwanted Emissions (Below 1GHz)

| Modulation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | GFSK         | Test Freq. (MHz)            | 2480            |              |                       |                             |                 |                   |                       |              |        |                   |                      |   |       |       |       |        |       |        |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |        |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |       |      |     |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------|-----------------|--------------|-----------------------|-----------------------------|-----------------|-------------------|-----------------------|--------------|--------|-------------------|----------------------|---|-------|-------|-------|--------|-------|--------|------|-----|-----|---|--------|-------|-------|--------|-------|-------|------|-----|-----|---|--------|-------|-------|--------|-------|-------|------|-----|-----|---|--------|-------|-------|--------|-------|--------|------|-----|-----|---|--------|-------|-------|--------|-------|-------|------|-----|-----|---|--------|-------|-------|--------|-------|-------|------|-----|-----|
| Polarization                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Horizontal   |                             |                 |              |                       |                             |                 |                   |                       |              |        |                   |                      |   |       |       |       |        |       |        |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |        |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |       |      |     |     |
| <div><div><div>Level (dBuV/m)</div><div></div></div><table><thead><tr><th></th><th>Freq.<br/>MHz</th><th>Emission<br/>level<br/>dBuV/m</th><th>Limit<br/>dBuV/m</th><th>Margin<br/>dB</th><th>SA<br/>reading<br/>dBuV</th><th>Factor<br/>dB</th><th>Remark</th><th>ANT<br/>High<br/>cm</th><th>Turn<br/>Table<br/>deg</th></tr></thead><tbody><tr><td>1</td><td>96.93</td><td>27.98</td><td>43.50</td><td>-15.52</td><td>41.31</td><td>-13.33</td><td>Peak</td><td>---</td><td>---</td></tr><tr><td>2</td><td>148.34</td><td>27.56</td><td>43.50</td><td>-15.94</td><td>36.00</td><td>-8.44</td><td>Peak</td><td>---</td><td>---</td></tr><tr><td>3</td><td>174.53</td><td>25.13</td><td>43.50</td><td>-18.37</td><td>34.41</td><td>-9.28</td><td>Peak</td><td>---</td><td>---</td></tr><tr><td>4</td><td>223.03</td><td>26.89</td><td>46.00</td><td>-19.11</td><td>38.87</td><td>-11.98</td><td>Peak</td><td>---</td><td>---</td></tr><tr><td>5</td><td>246.31</td><td>27.86</td><td>46.00</td><td>-18.14</td><td>37.83</td><td>-9.97</td><td>Peak</td><td>---</td><td>---</td></tr><tr><td>6</td><td>439.34</td><td>27.49</td><td>46.00</td><td>-18.51</td><td>31.83</td><td>-4.34</td><td>Peak</td><td>---</td><td>---</td></tr></tbody></table></div> |              |                             |                 |              | Freq.<br>MHz          | Emission<br>level<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB      | SA<br>reading<br>dBuV | Factor<br>dB | Remark | ANT<br>High<br>cm | Turn<br>Table<br>deg | 1 | 96.93 | 27.98 | 43.50 | -15.52 | 41.31 | -13.33 | Peak | --- | --- | 2 | 148.34 | 27.56 | 43.50 | -15.94 | 36.00 | -8.44 | Peak | --- | --- | 3 | 174.53 | 25.13 | 43.50 | -18.37 | 34.41 | -9.28 | Peak | --- | --- | 4 | 223.03 | 26.89 | 46.00 | -19.11 | 38.87 | -11.98 | Peak | --- | --- | 5 | 246.31 | 27.86 | 46.00 | -18.14 | 37.83 | -9.97 | Peak | --- | --- | 6 | 439.34 | 27.49 | 46.00 | -18.51 | 31.83 | -4.34 | Peak | --- | --- |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Freq.<br>MHz | Emission<br>level<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | SA<br>reading<br>dBuV | Factor<br>dB                | Remark          | ANT<br>High<br>cm | Turn<br>Table<br>deg  |              |        |                   |                      |   |       |       |       |        |       |        |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |        |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |       |      |     |     |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 96.93        | 27.98                       | 43.50           | -15.52       | 41.31                 | -13.33                      | Peak            | ---               | ---                   |              |        |                   |                      |   |       |       |       |        |       |        |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |        |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |       |      |     |     |
| 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 148.34       | 27.56                       | 43.50           | -15.94       | 36.00                 | -8.44                       | Peak            | ---               | ---                   |              |        |                   |                      |   |       |       |       |        |       |        |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |        |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |       |      |     |     |
| 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 174.53       | 25.13                       | 43.50           | -18.37       | 34.41                 | -9.28                       | Peak            | ---               | ---                   |              |        |                   |                      |   |       |       |       |        |       |        |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |        |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |       |      |     |     |
| 4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 223.03       | 26.89                       | 46.00           | -19.11       | 38.87                 | -11.98                      | Peak            | ---               | ---                   |              |        |                   |                      |   |       |       |       |        |       |        |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |        |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |       |      |     |     |
| 5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 246.31       | 27.86                       | 46.00           | -18.14       | 37.83                 | -9.97                       | Peak            | ---               | ---                   |              |        |                   |                      |   |       |       |       |        |       |        |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |        |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |       |      |     |     |
| 6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 439.34       | 27.49                       | 46.00           | -18.51       | 31.83                 | -4.34                       | Peak            | ---               | ---                   |              |        |                   |                      |   |       |       |       |        |       |        |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |        |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |       |      |     |     |
| <div>Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor* (dB)<br/>*Factor includes antenna factor , cable loss and amplifier gain<br/>Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).<br/>Note 3: All spurious emissions below 30MHz are more than 20 dB below the limit.</div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |              |                             |                 |              |                       |                             |                 |                   |                       |              |        |                   |                      |   |       |       |       |        |       |        |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |        |      |     |     |   |        |       |       |        |       |       |      |     |     |   |        |       |       |        |       |       |      |     |     |

|              |          |                  |      |
|--------------|----------|------------------|------|
| Modulation   | GFSK     | Test Freq. (MHz) | 2480 |
| Polarization | Vertical |                  |      |



|   | Freq.<br>MHz | Emission<br>level<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | SA<br>reading<br>dBuV | Factor<br>dB | Remark | ANT<br>High<br>cm | Turn<br>Table<br>deg |
|---|--------------|-----------------------------|-----------------|--------------|-----------------------|--------------|--------|-------------------|----------------------|
| 1 | 54.25        | 35.12                       | 40.00           | -4.88        | 43.66                 | -8.54        | Peak   | ---               | ---                  |
| 2 | 97.90        | 34.68                       | 43.50           | -8.82        | 47.99                 | -13.31       | Peak   | ---               | ---                  |
| 3 | 151.25       | 29.16                       | 43.50           | -14.34       | 37.53                 | -8.37        | Peak   | ---               | ---                  |
| 4 | 233.70       | 25.17                       | 46.00           | -20.83       | 36.18                 | -11.01       | Peak   | ---               | ---                  |
| 5 | 339.43       | 23.88                       | 46.00           | -22.12       | 30.99                 | -7.11        | Peak   | ---               | ---                  |
| 6 | 443.22       | 27.38                       | 46.00           | -18.62       | 31.56                 | -4.18        | Peak   | ---               | ---                  |

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor\* (dB)


\*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: All spurious emissions below 30MHz are more than 20 dB below the limit.

### 3.5.5 Transmitter Radiated Unwanted Emissions (Above 1GHz) for GFSK


|              |            |  |                  |  |      |  |
|--------------|------------|--|------------------|--|------|--|
| Modulation   | GFSK       |  | Test Freq. (MHz) |  | 2402 |  |
| Polarization | Horizontal |  |                  |  |      |  |



|     | Freq.<br>MHz | Emission<br>level<br>dBUV/m | Limit<br>dBUV/m | Margin<br>dB | SA<br>reading<br>dBUV | Factor<br>dB | Remark  | ANT<br>High<br>cm | Turn<br>Table<br>deg |
|-----|--------------|-----------------------------|-----------------|--------------|-----------------------|--------------|---------|-------------------|----------------------|
| 1   | 2390.00      | 38.66                       | 54.00           | -15.34       | 41.48                 | -2.82        | Average | 108               | 39                   |
| 2   | 2390.00      | 51.97                       | 74.00           | -22.03       | 54.79                 | -2.82        | Peak    | 108               | 39                   |
| 3 * | 2402.00      | 99.50                       |                 |              | 102.34                | -2.84        | Average | 108               | 39                   |
| 4 * | 2402.00      | 100.25                      |                 |              | 103.09                | -2.84        | Peak    | 108               | 39                   |
| 5   | 4804.00      | 32.88                       | 54.00           | -21.12       | 29.36                 | 3.52         | Average | 114               | 51                   |
| 6   | 4804.00      | 46.03                       | 74.00           | -27.97       | 42.51                 | 3.52         | Peak    | 114               | 51                   |
| 7   | 12010.00     | 45.46                       | 54.00           | -8.54        | 31.66                 | 13.80        | Average | 113               | 46                   |
| 8   | 12010.00     | 58.49                       | 74.00           | -15.51       | 44.69                 | 13.80        | Peak    | 113               | 46                   |

Note 1: Emission Level (dBUV/m) = SA Reading (dBUV/m) + Factor\* (dB)  
\*Factor includes antenna factor , cable loss and amplifier gain  
Note 2: Margin (dB) = Emission level (dBUV/m) – Limit (dBUV/m).  
Note 3: "\*" is Peak / Average value of fundamental frequency


|              |          |                  |      |
|--------------|----------|------------------|------|
| Modulation   | GFSK     | Test Freq. (MHz) | 2402 |
| Polarization | Vertical |                  |      |

|     | Freq.<br>MHz | Emission<br>level<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | SA<br>reading<br>dBuV | Factor<br>dB | Remark  | ANT<br>High<br>cm | Turn<br>Table<br>deg |
|-----|--------------|-----------------------------|-----------------|--------------|-----------------------|--------------|---------|-------------------|----------------------|
| 1   | 2390.00      | 43.92                       | 54.00           | -10.08       | 46.74                 | -2.82        | Average | 106               | 138                  |
| 2   | 2390.00      | 58.82                       | 74.00           | -15.18       | 61.64                 | -2.82        | Peak    | 106               | 138                  |
| 3 * | 2402.00      | 91.71                       |                 |              | 94.55                 | -2.84        | Average | 106               | 138                  |
| 4 * | 2402.00      | 92.78                       |                 |              | 95.62                 | -2.84        | Peak    | 106               | 138                  |
| 5   | 4804.00      | 33.96                       | 54.00           | -20.04       | 30.44                 | 3.52         | Average | 114               | 321                  |
| 6   | 4804.00      | 46.64                       | 74.00           | -27.36       | 43.12                 | 3.52         | Peak    | 114               | 321                  |
| 7   | 12010.00     | 45.99                       | 54.00           | -8.01        | 32.19                 | 13.80        | Average | 109               | 116                  |
| 8   | 12010.00     | 58.65                       | 74.00           | -15.35       | 44.85                 | 13.80        | Peak    | 109               | 116                  |

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor\* (dB)  
\*Factor includes antenna factor , cable loss and amplifier gain  
Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).  
Note 3: "\*" is Peak / Average value of fundamental frequency


|              |            |                  |      |
|--------------|------------|------------------|------|
| Modulation   | GFSK       | Test Freq. (MHz) | 2440 |
| Polarization | Horizontal |                  |      |

|     | Freq.<br>MHz | Emission<br>level<br>dBUV/m | Limit<br>dBUV/m | Margin<br>dB | SA<br>reading<br>dBUV | Factor<br>dB | Remark  | ANT<br>High<br>cm | Turn<br>Table<br>deg |
|-----|--------------|-----------------------------|-----------------|--------------|-----------------------|--------------|---------|-------------------|----------------------|
| 1   | 2390.00      | 40.36                       | 54.00           | -13.64       | 43.18                 | -2.82        | Average | 102               | 41                   |
| 2   | 2390.00      | 52.79                       | 74.00           | -21.21       | 55.61                 | -2.82        | Peak    | 102               | 41                   |
| 3 * | 2440.00      | 99.95                       |                 |              | 102.82                | -2.87        | Average | 102               | 41                   |
| 4 * | 2440.00      | 100.73                      |                 |              | 103.60                | -2.87        | Peak    | 102               | 41                   |
| 5   | 2483.50      | 39.51                       | 54.00           | -14.49       | 42.47                 | -2.96        | Average | 102               | 41                   |
| 6   | 2483.50      | 52.93                       | 74.00           | -21.07       | 55.89                 | -2.96        | Peak    | 102               | 41                   |
| 7   | 4880.00      | 33.16                       | 54.00           | -20.84       | 29.57                 | 3.59         | Average | 110               | 28                   |
| 8   | 4880.00      | 45.89                       | 74.00           | -28.11       | 42.30                 | 3.59         | Peak    | 110               | 28                   |
| 9   | 7320.00      | 39.74                       | 54.00           | -14.26       | 30.58                 | 9.16         | Average | 126               | 44                   |
| 10  | 7320.00      | 53.12                       | 74.00           | -20.88       | 43.96                 | 9.16         | Peak    | 126               | 44                   |

Note 1: Emission Level (dBUV/m) = SA Reading (dBUV/m) + Factor\* (dB)  
 \*Factor includes antenna factor , cable loss and amplifier gain  
 Note 2: Margin (dB) = Emission level (dBUV/m) – Limit (dBUV/m).  
 Note 3: "\*" is Peak / Average value of fundamental frequency

|              |          |                  |      |
|--------------|----------|------------------|------|
| Modulation   | GFSK     | Test Freq. (MHz) | 2440 |
| Polarization | Vertical |                  |      |


|     | Freq.<br>MHz | Emission<br>level<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | SA<br>reading<br>dBuV | Factor<br>dB | Remark  | ANT<br>High<br>cm | Turn<br>Table<br>deg |
|-----|--------------|-----------------------------|-----------------|--------------|-----------------------|--------------|---------|-------------------|----------------------|
| 1   | 2390.00      | 40.58                       | 54.00           | -13.42       | 43.40                 | -2.82        | Average | 100               | 138                  |
| 2   | 2390.00      | 53.94                       | 74.00           | -20.06       | 56.76                 | -2.82        | Peak    | 100               | 138                  |
| 3 * | 2440.00      | 90.55                       |                 |              | 93.42                 | -2.87        | Average | 100               | 138                  |
| 4 * | 2440.00      | 91.59                       |                 |              | 94.46                 | -2.87        | Peak    | 100               | 138                  |
| 5   | 2483.50      | 40.28                       | 54.00           | -13.72       | 43.24                 | -2.96        | Average | 100               | 138                  |
| 6   | 2483.50      | 53.89                       | 74.00           | -20.11       | 56.85                 | -2.96        | Peak    | 100               | 138                  |
| 7   | 4880.00      | 32.98                       | 54.00           | -21.02       | 29.39                 | 3.59         | Average | 115               | 36                   |
| 8   | 4880.00      | 46.74                       | 74.00           | -27.26       | 43.15                 | 3.59         | Peak    | 115               | 36                   |
| 9   | 7320.00      | 40.72                       | 54.00           | -13.28       | 31.56                 | 9.16         | Average | 116               | 47                   |
| 10  | 7320.00      | 53.08                       | 74.00           | -20.92       | 43.92                 | 9.16         | Peak    | 116               | 47                   |

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor\* (dB)  
 \*Factor includes antenna factor , cable loss and amplifier gain  
 Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).  
 Note 3: "\*" is Peak / Average value of fundamental frequency

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |            |  |  |                  |  |      |  |  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------|--|--|------------------|--|------|--|--|--|
| Modulation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  | GFSK       |  |  | Test Freq. (MHz) |  | 2480 |  |  |  |
| Polarization                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  | Horizontal |  |  |                  |  |      |  |  |  |
| <div><div><div>Level (dBUV/m)</div><div><div><div><div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div></div></div></div></div></div></div> |  |            |  |  |                  |  |      |  |  |  |

|              |  |          |  |  |                  |  |      |  |  |
|--------------|--|----------|--|--|------------------|--|------|--|--|
| Modulation   |  | GFSK     |  |  | Test Freq. (MHz) |  | 2480 |  |  |
| Polarization |  | Vertical |  |  |                  |  |      |  |  |



|   |   | Freq.<br>MHz | Emission<br>level<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | SA<br>reading<br>dBuV | Factor<br>dB | Remark  | ANT<br>High<br>cm | Turn<br>Table<br>deg |
|---|---|--------------|-----------------------------|-----------------|--------------|-----------------------|--------------|---------|-------------------|----------------------|
| 1 | * | 2480.00      | 90.68                       |                 |              | 93.63                 | -2.95        | Average | 100               | 84                   |
| 2 | * | 2480.00      | 91.56                       |                 |              | 94.51                 | -2.95        | Peak    | 100               | 84                   |
| 3 |   | 2483.50      | 40.29                       | 54.00           | -13.71       | 43.25                 | -2.96        | Average | 100               | 84                   |
| 4 |   | 2483.50      | 53.01                       | 74.00           | -20.99       | 55.97                 | -2.96        | Peak    | 100               | 84                   |
| 5 |   | 4960.00      | 33.65                       | 54.00           | -20.35       | 29.84                 | 3.81         | Average | 105               | 66                   |
| 6 |   | 4960.00      | 47.50                       | 74.00           | -26.50       | 43.69                 | 3.81         | Peak    | 105               | 66                   |
| 7 |   | 7440.00      | 40.88                       | 54.00           | -13.12       | 31.95                 | 8.93         | Average | 110               | 82                   |
| 8 |   | 7440.00      | 53.76                       | 74.00           | -20.24       | 44.83                 | 8.93         | Peak    | 110               | 82                   |

Note 1: Emission Level (dBuV/m) = SA Reading (dBuV/m) + Factor\* (dB)  
\*Factor includes antenna factor , cable loss and amplifier gain

Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).

Note 3: "\*" is Peak / Average value of fundamental frequency

## 3.6 Emissions in non-restricted Frequency Bands

### 3.6.1 Emissions in non-restricted frequency bands limit

Peak power in any 100 kHz bandwidth outside of the authorized frequency band shall be attenuated by at least 20 dB relative to the maximum in-band peak PSD level in 100 kHz.

### 3.6.2 Test Procedures


#### Reference level measurement

1. Set RBW=100kHz, VBW = 300kHz , Detector = Peak, Sweep time = Auto
2. Trace = max hold , Allow Trace to fully stabilize
3. Use the peak marker function to determine the maximum PSD level


#### Emission level measurement

1. Set RBW=100kHz, VBW = 300kHz , Detector = Peak, Sweep time = Auto
2. Trace = max hold , Allow Trace to fully stabilize
3. Scan Frequency range is up to 25GHz
4. Use the peak marker function to determine the maximum amplitude level

### 3.6.3 Test Setup



### 3.6.4 Test Result of Emissions in non-restricted Frequency Bands



## 4 Test laboratory information

Established in 2012, ICC provides foremost EMC & RF Testing and advisory consultation services by our skilled engineers and technicians. Our services employ a wide variety of advanced edge test equipment and one of the widest certification extents in the business.

International Certification Corp (EMC and Wireless Communication Laboratory), it is our definitive objective is to institute long term, trust-based associations with our clients. The expectation we set up with our clients is based on outstanding service, practical expertise and devotion to a certified value structure. Our passion is to grant our clients with best EMC / RF services by oriented knowledgeable and accommodating staff.

Our Test sites are located at Linkou District and Kwei Shan District. Location map can be found on our website <http://www.icertifi.com.tw>.

### **Linkou**

Tel: 886-2-2601-1640

No. 30-2, Ding Fwu Tsuen, Lin  
Kou District, New Taipei City,  
Taiwan, R.O.C.

### **Kwei Shan**

Tel: 886-3-271-8666

No. 3-1, Lane 6, Wen San 3rd St.,  
Kwei Shan District, Tao Yuan City  
333, Taiwan, R.O.C.

### **Kwei Shan Site II**

Tel: 886-3-271-8640

No. 14-1, Lane 19, Wen San 3rd  
St., Kwei Shan District, Tao Yuan  
City 333, Taiwan, R.O.C.

If you have any suggestion, please feel free to contact us as below information.

Tel: 886-3-271-8666

Fax: 886-3-318-0155

Email: ICC\_Service@icertifi.com.tw

==END==