

Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5422.7 PK	61.2	74	-12.8	-44.89	-41.93	6.09	-34.06
2	5424.1 AV	48.19	54	-5.81	-56.15	-56.19	6.09	-47.07

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 60

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3532.81 PK	54.96	74	-19.04	-48.49	-50.56	6.09	-40.3
2	3532.81 AV	44.57	54	-9.43	-59.68	-59.9	6.09	-50.69
3	7067.18 PK	58.48	68.2	-9.72	-46.92	-45.04	6.09	-36.78
4	10600 PK	56.92	74	-17.08	-46.29	-49.01	6.09	-38.34
5	10600 AV	46.63	54	-7.37	-57.83	-57.64	6.09	-48.63
6	15847.43 PK	62.81	74	-11.19	-42.29	-40.92	6.09	-32.45
7	15900.62 AV	43.56	54	-10.44	-60.1	-61.63	6.09	-51.7
8	21197.81 PK	57.94	74	-16.06	-45.22	-48.08	6.09	-37.32
9	21199.25 AV	44.48	54	-9.52	-58.73	-61.45	6.09	-50.78

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table



No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5350.1 PK	71.22	74	-2.78	-33.15	-33.14	6.09	-24.04
2	5350.45 AV	49.21	54	-4.79	-55.27	-55.04	6.09	-46.05

Note :



Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 64

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3545.31 PK	54.63	74	-19.37	-49.18	-50.35	6.09	-40.63
2	3546.87 AV	44.78	54	-9.22	-59.47	-59.7	6.09	-50.48
3	7093.75 PK	59.04	68.2	-9.16	-46.98	-44.12	6.09	-36.22
4	10656.25 PK	58.9	74	-15.1	-44.83	-46.19	6.09	-36.36
5	10632.81 AV	47.13	54	-6.87	-57.42	-57.05	6.09	-48.13
6	15961 PK	58.06	74	-15.94	-46.16	-46.45	6.09	-37.2
7	15961 AV	40.13	54	-13.87	-63.79	-64.72	6.09	-55.13

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5350 PK	76.6	74	* 2.6	-28.04	-27.49	6.09	-18.66
2	5350.2 AV	55.26	54	* 1.26	-50.31	-48.15	6.09	-40

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.


* The unwanted emission was verified and the test result was passed by radiated measurement.

(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 100

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3665.62 PK	56.63	74	-17.37	-48.64	-50.34	7.77	-38.63
2	3665.62 AV	46.2	54	-7.8	-59.89	-59.8	7.77	-49.06
3	7332.81 PK	60.84	74	-13.16	-46.67	-44.11	7.77	-34.42
4	7332.81 AV	53.47	54	*-0.53	-54.2	-49.94	7.77	-41.79
5	10989.06 PK	58.93	74	-15.07	-47.07	-47.16	7.77	-36.33
6	11000 AV	47.5	54	-6.5	-58.45	-58.64	7.77	-47.76
7	16501.5 PK	60	68.2	-8.2	-46.59	-45.55	7.77	-35.26


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5459.03 PK	63.9	74	-10.1	-41.51	-42.87	7.77	-31.36
2	5450 AV	48.98	54	-5.02	-57.11	-57.02	7.77	-46.28
3	5468.84 PK	72.75	68.2	* 4.55	-32.26	-34.64	7.77	-22.51


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 116

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3720.31 PK	56.1	74	-17.9	-50.01	-49.88	7.77	-39.16
2	3718.75 AV	46.11	54	-7.89	-59.97	-59.9	7.77	-49.15
3	7440.62 PK	58.56	74	-15.44	-47.83	-47.16	7.77	-36.7
4	7440.62 AV	51.63	54	-2.37	-56.9	-52.84	7.77	-43.63
5	11140.62 PK	59.06	74	-14.94	-47.98	-46.17	7.77	-36.2
6	11179.68 AV	47.62	54	-6.38	-58.38	-58.46	7.77	-47.64
7	16740.12 PK	71.19	68.2	* 2.99	-32.58	-39.87	7.77	-24.07


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5405.4 PK	62.97	74	-11.03	-42.04	-44.43	7.77	-32.29
2	5440.9 AV	49.78	54	-4.22	-56.12	-56.41	7.77	-45.48
3	5464 PK	62.42	68.2	-5.78	-44.08	-43.2	7.77	-32.84

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 140

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3800 PK	55.95	74	-18.05	-50.03	-50.16	7.77	-39.31
2	3800 AV	46.07	54	-7.93	-60.04	-59.91	7.77	-49.19
3	7600 PK	57.28	74	-16.72	-48.6	-48.92	7.77	-37.98
4	7600 AV	49.61	54	-4.39	-57.88	-55.34	7.77	-45.65
5	11392.18 PK	59.01	74	-14.99	-47.58	-46.54	7.77	-36.25
6	11404.68 AV	47.81	54	-6.19	-58.03	-58.45	7.77	-47.45
7	17099.5 PK	61.49	68.2	-6.71	-43.24	-46.45	7.77	-33.77

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5728.37 PK	76.7	68.2	* 8.5	-28	-31.3	7.77	-18.56


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 144

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3812.5 PK	55.71	74	-18.29	-50.48	-50.18	7.77	-39.55
2	3812.5 AV	46.21	54	-7.79	-59.71	-59.96	7.77	-49.05
3	7626.56 PK	57.07	74	-16.93	-50.05	-48.11	7.77	-38.19
4	7626.56 AV	49.36	54	-4.64	-58.21	-55.55	7.77	-45.9
5	11453.12 PK	58.68	74	-15.32	-46.02	-49.3	7.77	-36.58
6	11453.12 AV	47.92	54	-6.08	-58.08	-58.17	7.77	-47.34
7	17161.31 PK	68.76	68.2	* 0.56	-37.25	-37.32	7.77	-26.5


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5858.12 PK	63.76	68.2	-4.44	-40.82	-44.5	7.77	-31.5

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 149

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3831.25 PK	56.35	74	-17.65	-48.75	-50.89	7.77	-38.91
2	3829.68 AV	46.26	54	-7.74	-59.73	-59.84	7.77	-49
3	7660.93 PK	58.03	74	-15.97	-47.89	-48.14	7.77	-37.23
4	7659.37 AV	49.62	54	-4.38	-58.07	-55.23	7.77	-45.64
5	11485.93 PK	58.92	74	-15.08	-47.63	-46.67	7.77	-36.34
6	11489.06 AV	47.8	54	-6.2	-58.28	-58.2	7.77	-47.46
7	17234.62 PK	71.77	68.2	* 3.57	-36.87	-32.65	7.77	-23.49


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement. (Please refer APPENDIX B)

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



Channel 157

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3856.25 PK	56.57	74	-17.43	-50.36	-48.74	7.77	-38.69
2	3857.81 AV	46.32	54	-7.68	-59.85	-59.6	7.77	-48.94
3	7714.06 PK	58.21	74	-15.79	-48.47	-47.28	7.77	-37.05
4	7714.06 AV	49.09	54	-4.91	-58.07	-56.06	7.77	-46.17
5	11564.06 PK	57.85	74	-16.15	-47.58	-48.9	7.77	-37.41
6	11573.43 AV	47.4	54	-6.6	-58.3	-59.01	7.77	-47.86
7	17353.93 PK	68.51	68.2	* 0.31	-36.55	-38.8	7.77	-26.75


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement. (Please refer APPENDIX B)

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



Channel 165

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3884.37 PK	56.67	74	-17.33	-51.4	-47.99	7.77	-38.59
2	3884.37 AV	46.39	54	-7.61	-59.57	-59.73	7.77	-48.87
3	7767.18 PK	56.55	68.2	-11.65	-49.9	-49.12	7.77	-38.71
4	11645.31 PK	58.58	74	-15.42	-48.27	-46.77	7.77	-36.68
5	11650 AV	47.94	54	-6.06	-58.02	-58.19	7.77	-47.32
6	17476.12 PK	62.93	68.2	-5.27	-41.16	-46.74	7.77	-32.33

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



40MHz Preamble

RU26 (Conducted spurious emission) + RU242 (Bandedge)

Channel 38

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3465.62 PK	55.88	68.2	-12.32	-49.01	-48.01	6.09	-39.38
2	6920.31 PK	62.13	68.2	-6.07	-44.21	-40.87	6.09	-33.13
3	10378.12 PK	57.46	68.2	-10.74	-46.82	-46.99	6.09	-37.8
4	15555.62 PK	60.84	74	-13.16	-45.19	-42.32	6.09	-34.42
5	15572.87 AV	39.53	54	-14.47	-64.51	-65.18	6.09	-55.73

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5149.92 PK	80.19	74	* 6.19	-24.78	-23.63	6.09	-15.07
2	5149.85 AV	46.95	54	-7.05	-57.43	-57.4	6.09	-48.31

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.


* The unwanted emission was verified and the test result was passed by radiated measurement.

(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 46

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3475 PK	56.09	68.2	-12.11	-47.99	-48.57	6.09	-38.63
2	6973.43 PK	61.51	68.2	-6.69	-45.07	-41.39	6.09	-33.21
3	10462.5 PK	58.19	68.2	-10.01	-47.14	-45.38	6.09	-36.53
4	15693.62 PK	66.29	74	-7.71	-36.55	-40.44	6.09	-28.43
5	15693.62 AV	40.63	54	-13.37	-63.21	-64.33	6.09	-54.09

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5134.82 PK	64.94	74	-9.06	-39.88	-39	6.09	-30.32
2	5057.32 AV	47.19	54	-6.81	-57.2	-57.15	6.09	-48.07

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 54

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3500 PK	56.25	74	-17.75	-48.95	-47.4	6.09	-38.47
2	3520.31 AV	44.6	54	-9.4	-59.98	-59.56	6.09	-50.12
3	7026.56 PK	60.97	68.2	-7.23	-44.17	-42.73	6.09	-33.75
4	10539.06 PK	57.92	68.2	-10.28	-45.95	-46.99	6.09	-36.8
5	15825.87 PK	62.24	74	-11.76	-42.77	-41.55	6.09	-32.48
6	15812.93 AV	41.28	54	-12.72	-62.73	-63.47	6.09	-53.44

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5353.45 PK	71.87	74	-2.13	-31.68	-33.48	6.09	-23.39
2	5439.02 AV	48.17	54	-5.83	-55.9	-56.51	6.09	-47.09

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 62

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3521.87 PK	56.47	74	-17.53	-48.21	-47.6	6.09	-38.79
2	3525 AV	44.68	54	-9.32	-59.57	-59.79	6.09	-50.58
3	7079.68 PK	60.16	68.2	-8.04	-47.14	-42.46	6.09	-35.1
4	10623.43 PK	58.59	74	-15.41	-46.51	-45.14	6.09	-36.67
5	10623.43 AV	46.91	54	-7.09	-57.58	-57.32	6.09	-48.35
6	15912.12 PK	60.67	74	-13.33	-43	-44.5	6.09	-34.59
7	15933.68 AV	39.51	54	-14.49	-64.71	-64.99	6.09	-55.75

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5350.1 PK	77.73	74	* 3.73	-27.4	-25.98	6.09	-17.53
2	5449.02 AV	47.25	54	-6.75	-57.21	-57.02	6.09	-48.01

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.


* The unwanted emission was verified and the test result was passed by radiated measurement.

(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 102

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (Db)	Raw Value (dBm)		Correction Factor (Db)	EIRP Level (dBm)
					Chain0	Chain1		
1	3673.43 PK	57.83	74	-16.17	-48.06	-48.37	7.77	-37.43
2	3673.43 AV	46.23	54	-7.77	-59.89	-59.74	7.77	-49.03
3	7343.75 PK	58.21	74	-15.79	-48.42	-47.31	7.77	-37.05
4	7346.87 AV	48.51	54	-5.49	-57.39	-57.68	7.77	-46.75
5	11007.81 PK	59	74	-15	-46.76	-47.34	7.77	-36.26
6	11009.37 AV	47.49	54	-6.51	-58.63	-58.47	7.77	-47.77
7	16533.12 PK	60.82	68.2	-7.38	-47.38	-43.79	7.77	-34.44

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5457.18 PK	68.13	74	-5.87	-36.5	-40	7.77	-27.13
2	5458.46 AV	48.5	54	-5.5	-57.57	-57.52	7.77	-46.76
3	5469.62 PK	71.28	68.2	* 3.08	-33.08	-37.54	7.77	-23.98


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 110

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3710.93 PK	58.18	74	-15.82	-47.87	-47.86	7.77	-37.08
2	3703.12 AV	46.37	54	-7.63	-59.66	-59.69	7.77	-48.89
3	7400 PK	58.49	74	-15.51	-46.76	-48.51	7.77	-36.77
4	7400 AV	48.64	54	-5.36	-57.41	-57.39	7.77	-46.62
5	11101.56 PK	59.63	74	-14.37	-48.08	-45.2	7.77	-35.63
6	11104.68 AV	47.42	54	-6.58	-58.63	-58.62	7.77	-47.84
7	16653.87 PK	64.49	68.2	-3.71	-40.63	-42.72	7.77	-30.77

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5459 PK	72.7	74	-1.3	-32.69	-34.1	7.77	-22.56
2	5376.21 AV	49.74	54	-4.26	-56.26	-56.34	7.77	-45.52
3	5462 PK	72.76	68.2	* 4.56	-32.5	-34.24	7.77	-22.5


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 134

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3768.75 PK	57.89	74	-16.11	-49.98	-46.87	7.77	-37.37
2	3767.18 AV	46.23	54	-7.77	-60.05	-59.58	7.77	-49.03
3	7557.81 PK	59.08	74	-14.92	-46.68	-47.27	7.77	-36.18
4	7559.37 AV	49.08	54	-4.92	-58.56	-55.8	7.77	-46.18
5	11326.56 PK	59.12	74	-14.88	-47.07	-46.77	7.77	-36.14
6	11329.68 AV	47.68	54	-6.32	-58.35	-58.37	7.77	-47.58
7	17013.25 PK	62.02	68.2	-6.18	-42.71	-45.9	7.77	-33.24

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5729.52 PK	75.02	68.2	* 6.82	-29.84	-32.65	7.77	-20.24


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 142

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3821.87 PK	57.74	74	-16.26	-47.48	-49.3	7.77	-37.52
2	3804.68 AV	46.21	54	-7.79	-59.87	-59.79	7.77	-49.05
3	7614.06 PK	58.86	74	-15.14	-48.9	-45.95	7.77	-36.4
4	7614.06 AV	48.96	54	-5.04	-58.71	-55.9	7.77	-46.3
5	11434.37 PK	59.65	74	-14.35	-46.25	-46.53	7.77	-35.61
6	11439.06 AV	47.71	54	-6.29	-58.52	-58.15	7.77	-47.55
7	17144.06 PK	60.6	68.2	-7.6	-47	-44.3	7.77	-34.66

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5866.97 PK	65.4	68.2	-2.8	-40.38	-40.91	7.77	-29.86

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 151

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3882.81 PK	68.19	74	-5.81	-37.83	-37.87	7.77	-27.07
2	3895.31 AV	46.75	54	-7.25	-58.76	-59.89	7.77	-48.51
3	7660.93 PK	68.99	74	-5.01	-37.25	-36.85	7.77	-26.27
4	7673.43 AV	49.13	54	-4.87	-57.71	-56.24	7.77	-46.13
5	11454.68 PK	69.56	74	-4.44	-34.99	-38.78	7.77	-25.7
6	11457.81 AV	48.04	54	-5.96	-57.87	-58.14	7.77	-47.22
7	17267.68 PK	73.65	68.2	* 5.45	-41.17	-29.68	7.77	-21.61


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



Channel 159

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3910.93 PK	68.35	74	-5.65	-38.51	-37	7.77	-26.91
2	3914.06 AV	46.82	54	-7.18	-58.87	-59.61	7.77	-48.44
3	7700 PK	69.68	74	-4.32	-36.62	-36.12	7.77	-25.58
4	7726.56 AV	48.37	54	-5.63	-58.11	-57.28	7.77	-46.89
5	11650 PK	69.26	74	-4.74	-36.85	-36.72	7.77	-26
6	11646.87 AV	48.1	54	-5.9	-57.53	-58.4	7.77	-47.16
7	17388.43 PK	69.07	68.2	* 0.87	-38.46	-35.87	7.77	-26.19

Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)