

802.11ax (HE80) – Channel 155


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3832.81	58.35 PK	74	-15.65	-48.24	-47.94	8.17	-36.91
2	3867.18	46.45 AV	54	-7.55	-59.91	-60.08	8.17	-48.81
3	7714.06	59.23 PK	74	-14.77	-47.71	-46.77	8.17	-36.03
4	7682.81	47.47 AV	54	-6.53	-59.06	-58.88	8.17	-47.79
5	11567.18	61.47 PK	74	-12.53	-46.36	-43.92	8.17	-33.79
6	11567.18	49.09 AV	54	-4.91	-57.61	-57.11	8.17	-46.17
7	#17310.81	52.7 PK	68.2	-15.5	-54.46	-53.13	8.17	-42.56


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



Note: The unwanted emission was verified and the test result was passed by radiated measurement. (Please refer Appendix B)

802.11ax (HE160) – Channel 50


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3485.93	57.28 PK	68.2	-10.92	-48.6	-49.8	8.17	-37.98
2	#6995.31	62.24 PK	68.2	-5.96	-43.27	-45.39	8.17	-33.02
3	#10510.93	60.98 PK	68.2	-7.22	-46.95	-44.35	8.17	-34.28
4	15766.93	53.92 PK	74	-20.08	-53.96	-51.44	8.17	-41.34
5	15765.5	42.95 AV	54	-11.05	-63.46	-63.52	8.17	-52.31


Remarks:

- Margin value = Emission Level – Limit value
- The other emission levels were very low against the limit.
- " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5123.45	71.46 PK	74	-2.54	-33.39	-33.09	6.43	-23.80
2	5117.65	56.44 AV	54	! 2.44	-48.78	-47.8	6.43	-38.82


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



802.11ax (HE160) – Channel 114


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3696.87	57.42 PK	74	-16.58	-49.17	-48.87	8.17	-37.84
2	3720.31	46.41 AV	54	-7.59	-60	-60.07	8.17	-48.85
3	7415.62	59.19 PK	74	-14.81	-45.84	-49.35	8.17	-36.07
4	7414.06	47.81 AV	54	-6.19	-58.54	-58.73	8.17	-47.45
5	11156.25	60.63 PK	74	-13.37	-46.68	-45.09	8.17	-34.63
6	11132.81	49.37 AV	54	-4.63	-57.05	-57.1	8.17	-45.89
7	#16715.68	52.71 PK	68.2	-15.49	-55.55	-52.45	8.17	-42.55


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5463.71	70.94 PK	68.2	! 2.74	-34.96	-35.34	7.82	-24.32


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Below 1GHz Data:
802.11a – Channel 157


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	64.31	38.93	40	-1.07	-68.46	-66.73	8.17	-56.33
2	201.93	39.64	43.5	-3.86	-65.58	-68.5	8.17	-55.62
3	380.89	39.89	46	-6.11	-65.75	-67.54	8.17	-55.37
4	594.05	40.81	46	-5.19	-65.95	-65.33	8.17	-54.45
5	611.15	40.94	46	-5.06	-63.9	-68.05	8.17	-54.32
6	986.66	41.26	54	-12.74	-65.9	-64.56	8.17	-54.00


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



20MHz Preamble

RU26

Channel 36


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3454.68	57.91 PK	68.2	-10.29	-49.12	-48.01	8.17	-37.35
2	#6893.75	60.95 PK	68.2	-7.25	-45.87	-45.15	8.17	-34.31
3	#10343.75	61.07 PK	68.2	-7.13	-48.14	-43.69	8.17	-34.19
4	15521.12	52.26 PK	74	-21.74	-54.14	-54.22	8.17	-43.00
5	15528.31	41.09 AV	54	-12.91	-65.17	-65.54	8.17	-54.17


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 40


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3462.5	57.82 PK	68.2	-10.38	-47.53	-50.09	8.17	-37.44
2	#6932.81	61.11 PK	68.2	-7.09	-44.54	-46.29	8.17	-34.15
3	#10385.93	58.83 PK	68.2	-9.37	-46.45	-49.2	8.17	-36.43
4	15598.75	57.67 PK	74	-16.33	-47.35	-50.88	8.17	-37.59
5	15600.18	43.17 AV	54	-10.83	-62.37	-64.42	8.17	-52.09


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 48


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3495.31	57.06 PK	68.2	-11.14	-48.74	-50.13	8.17	-38.20
2	#6978.12	61.16 PK	68.2	-7.04	-45.5	-45.08	8.17	-34.10
3	#10500	59.61 PK	68.2	-8.59	-45.42	-48.92	8.17	-35.65
4	15738.18	50.92 PK	74	-23.08	-55.16	-55.91	8.17	-44.34
5	15739.62	40.13 AV	54	-13.87	-66.2	-66.42	8.17	-55.13


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 52







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3512.5	57.31 PK	74	-16.69	-49.58	-48.73	8.17	-37.95
2	3525	46.3 AV	54	-7.7	-60.13	-60.15	8.17	-48.96
3	#6995.31	61.46 PK	68.2	-6.74	-45.14	-44.83	8.17	-33.80
4	#10503.12	59.74 PK	68.2	-8.46	-47.76	-45.85	8.17	-35.52
5	15787.06	54.29 PK	74	-19.71	-51.93	-52.39	8.17	-40.97
6	15788.5	43.24 AV	54	-10.76	-63.08	-63.33	8.17	-52.02


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 60


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3545.31	57.68 PK	74	-16.32	-48.54	-48.99	8.17	-37.58
2	3540.62	46.31 AV	54	-7.69	-60.38	-59.89	8.17	-48.95
3	#7048.43	58.24 PK	68.2	-9.96	-47.67	-48.8	8.17	-37.02
4	#10596.87	59.85 PK	68.2	-8.35	-45.7	-47.7	8.17	-35.41
5	15900.62	55.34 PK	74	-18.66	-51.01	-51.2	8.17	-39.92
6	15900.62	43.64 AV	54	-10.36	-62	-63.78	8.17	-51.62


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 64


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3565.62	57.33 PK	74	-16.67	-49.7	-48.6	8.17	-37.93
2	3554.68	46.21 AV	54	-7.79	-60.29	-60.17	8.17	-49.05
3	#7109.37	59.35 PK	68.2	-8.85	-48.22	-46.2	8.17	-35.91
4	10637.5	60.68 PK	74	-13.32	-46.04	-45.5	8.17	-34.58
5	10656.25	48.66 AV	54	-5.34	-57.48	-58.11	8.17	-46.60
6	15942.31	51.66 PK	74	-22.34	-54.95	-54.62	8.17	-43.60
7	15946.62	40.63 AV	54	-13.37	-65.88	-65.75	8.17	-54.63


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 100


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3668.75	57.67 PK	74	-16.33	-49.11	-48.45	8.17	-37.59
2	3660.93	46.35 AV	54	-7.65	-60.11	-60.08	8.17	-48.91
3	7335.93	58.26 PK	74	-15.74	-49.63	-47.09	8.17	-37.00
4	7326.56	46.58 AV	54	-7.42	-59.96	-59.76	8.17	-48.68
5	11004.68	58.98 PK	74	-15.02	-46.93	-48.06	8.17	-36.28
6	11009.37	47.51 AV	54	-6.49	-58.92	-58.95	8.17	-47.75
7	#16484.25	50.16 PK	68.2	-18.04	-57.26	-55.48	8.17	-45.10


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 116


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3700	57.47 PK	74	-16.53	-48.36	-49.68	8.17	-37.79
2	3700	46.28 AV	54	-7.72	-60.1	-60.22	8.17	-48.98
3	7448.43	59.66 PK	74	-14.34	-45.46	-48.69	8.17	-35.60
4	7451.56	47.05 AV	54	-6.95	-59.61	-59.18	8.17	-48.21
5	11140.62	59.15 PK	74	-14.85	-46.13	-48.88	8.17	-36.11
6	11176.56	47.46 AV	54	-6.54	-59.07	-58.9	8.17	-47.80
7	#16740.12	54.96 PK	68.2	-13.24	-51.31	-51.66	8.17	-40.30


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 140


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3781.25	57.44 PK	74	-16.56	-48.77	-49.25	8.17	-37.82
2	3814.06	46.28 AV	54	-7.72	-60.1	-60.22	8.17	-48.98
3	7618.75	58.23 PK	74	-15.77	-48.27	-48.15	8.17	-37.03
4	7614.06	46.75 AV	54	-7.25	-59.83	-59.56	8.17	-48.51
5	11410.93	59.34 PK	74	-14.66	-47.71	-46.57	8.17	-35.92
6	11381.25	47.94 AV	54	-6.06	-58.61	-58.39	8.17	-47.32
7	#17103.81	50.08 PK	68.2	-18.12	-56.78	-55.98	8.17	-45.18


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 144


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3826.56	57.32 PK	74	-16.68	-48.65	-49.64	8.17	-37.94
2	3806.25	46.29 AV	54	-7.71	-60.03	-60.28	8.17	-48.97
3	7623.43	58.65 PK	74	-15.35	-48.34	-47.31	8.17	-36.61
4	7642.18	47.46 AV	54	-6.54	-59.18	-58.78	8.17	-47.80
5	11456.25	60.14 PK	74	-13.86	-48.11	-45.02	8.17	-35.12
6	11457.81	48.12 AV	54	-5.88	-58.55	-58.1	8.17	-47.14
7	#17155.56	51.07 PK	68.2	-17.13	-54.25	-56.88	8.17	-44.19


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 149


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3810.93	57.6 PK	74	-16.4	-48.79	-48.89	8.17	-37.66
2	3845.31	46.35 AV	54	-7.65	-60.07	-60.11	8.17	-48.91
3	7662.5	59.14 PK	74	-14.86	-46.69	-48.02	8.17	-36.12
4	7679.68	47.78 AV	54	-6.22	-58.82	-58.51	8.17	-47.48
5	11492.18	58.83 PK	74	-15.17	-47.49	-47.74	8.17	-36.43
6	11473.43	47.67 AV	54	-6.33	-58.57	-58.97	8.17	-47.59
7	#17250.43	51.13 PK	68.2	-17.07	-55.58	-55.05	8.17	-44.13


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 157


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3839.06	57.85 PK	74	-16.15	-47.22	-50.59	8.17	-37.41
2	3859.37	46.3 AV	54	-7.7	-60.27	-60.01	8.17	-48.96
3	7709.37	59.71 PK	74	-14.29	-47.96	-45.77	8.17	-35.55
4	7695.31	48.07 AV	54	-5.93	-58.28	-58.47	8.17	-47.19
5	11571.87	59.34 PK	74	-14.66	-46.53	-47.75	8.17	-35.92
6	11570.31	47.44 AV	54	-6.56	-59.13	-58.88	8.17	-47.82
7	#17353.93	52.01 PK	68.2	-16.19	-53.36	-55.84	8.17	-43.25


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



Channel 165







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3889.06	58.26 PK	74	-15.74	-49.31	-47.29	8.17	-37.00
2	3871.87	46.35 AV	54	-7.65	-59.99	-60.2	8.17	-48.91
3	#7767.18	57.61 PK	68.2	-10.59	-49.53	-48.22	8.17	-37.65
4	11650	58.91 PK	74	-15.09	-47.49	-47.57	8.17	-36.35
5	11667.18	48.32 AV	54	-5.68	-58.34	-57.92	8.17	-46.94
6	#17480.43	51.09 PK	68.2	-17.11	-55.54	-55.17	8.17	-44.17


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1



RU106

Channel 36


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5149.7	75.96 PK	74	! 1.96	-38.88	-25.87	6.36	-19.30
2	5149.87	49.53 AV	54	-4.47	-55.69	-54.59	6.36	-45.73


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 40


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5149.8	76.18 PK	74	! 2.18	-33.59	-26.16	6.36	-19.08
2	5149.95	48.53 AV	54	-5.47	-56.19	-56.02	6.36	-46.73


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 48


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5149.67	66.3 PK	74	-7.7	-39.92	-37.17	6.36	-28.96
2	5149.75	47 AV	54	-7	-57.72	-57.54	6.36	-48.26


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



Channel 52


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5351.55	64.95 PK	74	-9.05	-40.48	-39.13	6.43	-30.31
2	5350.65	47.11 AV	54	-6.89	-57.82	-57.38	6.43	-48.15


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



Channel 60


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5350.2	77.21 PK	74	! 3.21	-28.5	-26.67	6.43	-18.05
2	5351.57	48.91 AV	54	-5.09	-56.27	-55.35	6.43	-46.35


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 64


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5351.25	77.2 PK	74	! 3.2	-37.88	-24.69	6.43	-18.06
2	5350	48.47 AV	54	-5.53	-57.15	-55.47	6.43	-46.79


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 100


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5459.87	64.33 PK	74	-9.67	-44.35	-40.15	7.82	-30.93
2	5459.78	49.51 AV	54	-4.49	-57.13	-56.1	7.82	-45.75
3	#5469.4	71.02 PK	68.2	! 2.82	-41.99	-32.52	7.82	-24.24


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 116


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5455.46	65.98 PK	74	-8.02	-44.93	-37.88	7.82	-29.28
2	5459.96	47.65 AV	54	-6.35	-58.49	-58.4	7.82	-47.61
3	#5469.15	68.61 PK	68.2	! 0.41	-41.74	-35.37	7.82	-26.65


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 140


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5725.22	70.29 PK	68.2	! 2.09	-44.27	-33.11	7.82	-24.97


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 144


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5852.2	66.9 PK	68.2	-1.3	-40.71	-38.06	7.82	-28.36


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.


Chain 0




Chain 1




Channel 149
Bandedge table
Chain 0




Chain 1




Channel 157
Bandedge table
Chain 0




Chain 1



Channel 165
Bandedge table
Chain 0



Chain 1



RU242

Channel 36


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3437.5	57.99 PK	68.2	-10.21	-48.06	-48.88	8.17	-37.27
2	#6918.75	61.3 PK	68.2	-6.9	-45.9	-44.5	8.17	-33.96
3	#10378.12	58.97 PK	68.2	-9.23	-47.7	-47.26	8.17	-36.29
4	15541.25	62.25 PK	74	-11.75	-43.68	-44.76	8.17	-33.01
5	15532.62	41.27 AV	54	-12.73	-65.17	-65.17	8.17	-53.99


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5149.6	76.28 PK	74	! 2.28	-33.53	-26.05	6.36	-18.98
2	5149.82	55.41 AV	54	! 1.41	-50.24	-48.39	6.36	-39.85


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 40







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3462.5	58.07 PK	68.2	-10.13	-47.94	-48.84	8.17	-37.19
2	#6932.81	60.97 PK	68.2	-7.23	-45.94	-45.04	8.17	-34.29
3	#10392.18	59.22 PK	68.2	-8.98	-47.53	-46.93	8.17	-36.04
4	15598.75	61.84 PK	74	-12.16	-44.75	-44.45	8.17	-33.42
5	15600.18	41.35 AV	54	-12.65	-64.57	-65.68	8.17	-53.91


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5142.65	74.64 PK	74	! 0.64	-31.28	-29	6.36	-20.62
2	5149.97	50.57 AV	54	-3.43	-54.1	-54.02	6.36	-44.69


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 48


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3479.68	58.4 PK	68.2	-9.8	-48.84	-47.37	8.17	-36.86
2	#6982.81	61.93 PK	68.2	-6.27	-43.79	-45.38	8.17	-33.33
3	#10475	59.32 PK	68.2	-8.88	-46.72	-47.57	8.17	-35.94
4	15722.37	51.51 PK	74	-22.49	-54.49	-55.43	8.17	-43.75
5	15723.81	40.67 AV	54	-13.33	-65.83	-65.72	8.17	-54.59


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5144.17	65.96 PK	74	-8.04	-46.5	-36.03	6.36	-29.30
2	5148.82	46.1 AV	54	-7.9	-58.98	-58.13	6.36	-49.16


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



Channel 52


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3506.25	57.24 PK	74	-16.76	-48.3	-50.34	8.17	-38.02
2	3509.37	46.2 AV	54	-7.8	-59.95	-60.55	8.17	-49.06
3	#6993.75	61.05 PK	68.2	-7.15	-44.97	-45.85	8.17	-34.21
4	#10504.68	60.41 PK	68.2	-7.79	-46.85	-45.34	8.17	-34.85
5	15771.25	55.43 PK	74	-18.57	-49.35	-53.72	8.17	-39.83
6	15782.75	43.61 AV	54	-10.39	-62.71	-62.95	8.17	-51.65







Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5350.17	69.5 PK	74	-4.5	-42	-32.67	6.43	-25.76
2	5350.02	46.16 AV	54	-7.84	-59.13	-58.02	6.43	-49.10


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



Channel 60


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3553.12	58.17 PK	74	-15.83	-47.24	-49.62	8.17	-37.09
2	3525	46.33 AV	54	-7.67	-59.98	-60.25	8.17	-48.93
3	#7078.12	58.95 PK	68.2	-9.25	-47.24	-47.75	8.17	-36.31
4	10603.12	59.89 PK	74	-14.11	-47.59	-45.71	8.17	-35.37
5	10617.18	48.51 AV	54	-5.49	-58.1	-57.77	8.17	-46.75
6	15883.37	62.77 PK	74	-11.23	-43.15	-44.27	8.17	-32.49
7	15900.62	41.82 AV	54	-12.18	-64.34	-64.91	8.17	-53.44


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5354.8	76.32 PK	74	! 2.32	-32.63	-26.27	6.43	-18.94
2	5350	50.54 AV	54	-3.46	-55.31	-53.25	6.43	-44.72


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 64







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3537.5	58.03 PK	74	-15.97	-48.26	-48.57	8.17	-37.23
2	3531.25	46.42 AV	54	-7.58	-60.15	-59.9	8.17	-48.84
3	#7098.43	58.59 PK	68.2	-9.61	-48.08	-47.63	8.17	-36.67
4	10628.12	59.58 PK	74	-14.42	-46.92	-46.8	8.17	-35.68
5	10634.37	48.53 AV	54	-5.47	-57.74	-58.08	8.17	-46.73
6	15968.18	52 PK	74	-22	-55.39	-53.66	8.17	-43.26
7	15948.06	40.72 AV	54	-13.28	-65.69	-65.76	8.17	-54.54


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5350	76.05 PK	74	! 2.05	-28.31	-29.01	6.43	-19.21
2	5350.27	49.33 AV	54	-4.67	-55.75	-55.02	6.43	-45.93


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 100


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3662.5	58.15 PK	74	-15.85	-47.63	-49.08	8.17	-37.11
2	3660.93	46.23 AV	54	-7.77	-60.22	-60.21	8.17	-49.03
3	7332.81	58.43 PK	74	-15.57	-48.87	-47.3	8.17	-36.83
4	7337.5	46.6 AV	54	-7.4	-60.1	-59.6	8.17	-48.66
5	10998.43	59.24 PK	74	-14.76	-46.49	-48.04	8.17	-36.02
6	10989.06	47.46 AV	54	-6.54	-59.1	-58.87	8.17	-47.80
7	#16495.75	50.45 PK	68.2	-17.75	-54.74	-57.75	8.17	-44.81


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5457.71	65.97 PK	74	-8.03	-44.77	-37.93	7.82	-29.29
2	5459.96	48.48 AV	54	-5.52	-58.25	-57.06	7.82	-46.78
3	#5462.06	69.67 PK	68.2	! 1.47	-38.61	-34.97	7.82	-25.59


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 116


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3728.12	58.2 PK	74	-15.8	-47.95	-48.56	8.17	-37.06
2	3701.56	46.29 AV	54	-7.71	-60.12	-60.19	8.17	-48.97
3	7437.5	58.81 PK	74	-15.19	-46.31	-49.53	8.17	-36.45
4	7459.37	47.08 AV	54	-6.92	-59.38	-59.34	8.17	-48.18
5	11165.62	59.08 PK	74	-14.92	-47.39	-47.33	8.17	-36.18
6	11167.18	47.39 AV	54	-6.61	-59.17	-58.94	8.17	-47.87
7	#16750.18	62.43 PK	68.2	-5.77	-45.28	-43.03	8.17	-32.83


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5459.81	71.38 PK	74	-2.62	-45.54	-31.88	7.82	-23.88
2	5459.93	47.91 AV	54	-6.09	-58.52	-57.87	7.82	-47.35
3	#5466	72 PK	68.2	! 3.8	-41.67	-31.48	7.82	-23.26


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 140







Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3782.81	57.62 PK	74	-16.38	-47.43	-50.88	8.17	-37.64
2	3800	46.2 AV	54	-7.8	-60.35	-60.13	8.17	-49.06
3	7584.37	57.58 PK	74	-16.42	-48.82	-48.91	8.17	-37.68
4	7606.25	46.82 AV	54	-7.18	-59.51	-59.73	8.17	-48.44
5	11404.68	59.26 PK	74	-14.74	-46.08	-48.66	8.17	-36.00
6	11410.93	47.8 AV	54	-6.2	-58.68	-58.6	8.17	-47.46
7	#17089.43	50.24 PK	68.2	-17.96	-56.96	-55.56	8.17	-45.02


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5725.85	72.19 PK	68.2	! 3.99	-37.75	-31.89	7.82	-23.07


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 144


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3800	57.87 PK	74	-16.13	-47.63	-49.76	8.17	-37.39
2	3826.56	46.35 AV	54	-7.65	-59.89	-60.29	8.17	-48.91
3	7625	58.56 PK	74	-15.44	-48.27	-47.53	8.17	-36.70
4	7640.62	47.28 AV	54	-6.72	-59.07	-59.26	8.17	-47.98
5	11450	59.54 PK	74	-14.46	-49.61	-45.25	8.17	-35.72
6	11451.56	48.07 AV	54	-5.93	-58.37	-58.37	8.17	-47.19
7	#17146.93	60.3 PK	68.2	-7.9	-46.44	-45.86	8.17	-34.96


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#5850.36	69.4 PK	68.2	! 1.2	-40.28	-34.75	7.82	-25.86


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.
4. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer Appendix B)

Chain 0



Chain 1



Channel 149


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3823.43	58.35 PK	74	-15.65	-47.54	-48.73	8.17	-36.91
2	3826.56	46.33 AV	54	-7.67	-60.1	-60.12	8.17	-48.93
3	7662.5	59.07 PK	74	-14.93	-46.5	-48.45	8.17	-36.19
4	7670.31	47.73 AV	54	-6.27	-58.82	-58.6	8.17	-47.53
5	11481.25	59.62 PK	74	-14.38	-47.29	-46.4	8.17	-35.64
6	11470.31	47.81 AV	54	-6.19	-58.7	-58.57	8.17	-47.45
7	#17237.5	60.84 PK	68.2	-7.36	-44.94	-46.39	8.17	-34.42


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



Channel 157


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3876.56	58.37 PK	74	-15.63	-48.77	-47.47	8.17	-36.89
2	3871.87	46.36 AV	54	-7.64	-59.92	-60.25	8.17	-48.90
3	7704.68	59.57 PK	74	-14.43	-47.53	-46.3	8.17	-35.69
4	7695.31	47.94 AV	54	-6.06	-58.29	-58.73	8.17	-47.32
5	11564.06	58.64 PK	74	-15.36	-49.22	-46.73	8.17	-36.62
6	11562.5	47.33 AV	54	-6.67	-59.18	-59.05	8.17	-47.93
7	#17339.56	60.6 PK	68.2	-7.6	-46.09	-45.61	8.17	-34.66


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



Channel 165


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3890.62	57.94 PK	74	-16.06	-48.79	-48.22	8.17	-37.32
2	3873.43	46.5 AV	54	-7.5	-60.06	-59.82	8.17	-48.76
3	#7770.31	58.67 PK	68.2	-9.53	-47.96	-47.58	8.17	-36.59
4	11654.68	59.6 PK	74	-14.4	-47.27	-46.45	8.17	-35.66
5	11648.43	47.99 AV	54	-6.01	-58.45	-58.46	8.17	-47.27
6	#17474.68	60.78 PK	68.2	-7.42	-44.68	-46.94	8.17	-34.48


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0




Chain 1




Bandedge table

Chain 0



Chain 1



40MHz Preamble

RU26

Channel 38


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	#3445.31	58.31 PK	68.2	-9.89	-48.17	-48.1	8.17	-36.95
2	#6920.31	62.68 PK	68.2	-5.52	-42.99	-44.69	8.17	-32.58
3	#10385.93	60.48 PK	68.2	-7.72	-45.04	-47.12	8.17	-34.78
4	15572.87	56.69 PK	74	-17.31	-50.62	-49.03	8.17	-38.57
5	15574.31	43.72 AV	54	-10.28	-62.57	-62.87	8.17	-51.54

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " # " : The frequency is out of the restricted band.

Chain 0



Chain 1

