File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/98062520_SAR.VLT
Start : 25-Jun-98 01:30:26 pm End : 25-Jun-98 01:36:15 pm

Radio Type   : QUALCOMM
Model Number   : Q 1900
Serial Number   : 1047
Frequency   : 1851.25 MHz
Peak Trans. Pwr : 0.350 W
Start Trans. Pwr: 0.350 W
Antenna Type   : Helical
Antenna Posn.   : In
Phantom Type   : Head
Phantom Posn.   : Left Ear
Scan Type   : ZOOM/SAR 10g
Probe Name   : PCTEST
Field Type   : E Field
Orientation   : 0 Degrees

Mixture Type   = Muscle
Mixture Dielectric Constant = 54.200
Mixture Conductivity   = 1.450

Comment :
    CHAN 0025
    PCS CDMA PHONE
    PCTEST ENGINEERING LABORATORY

Robot   : PCTEST

Probe Offset   = 0.25 cm
Sensor Factor   = 0.0108
Conversion Factor   = 1.380

PCTEST   Amplifier Channel Settings : 0.250   0.233   0.225

Max Location : X =   7.000, Y = -1.000, Z =   0.000   (cm) Value = 21.783

Ave. SAR over 10 g (mW/g)   = 1.056

X-Z Plane Slice Y=-1.000
File : 98062520_SAR
Start : 25-Jun-98 01:30:26 pm End : 25-Jun-98 01:36:15 pm
QUALCOMM/Q 1900/1047;1851.25MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR 10g;PCTEST/E Field/0 DegreesMuscle/54.200/1.450



File : 98062520_SAR
Start : 25-Jun-98 01:30:26 pm End : 25-Jun-98 01:36:15 pm
QUALCOMM/Q 1900/1047;1851.25MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR 10g;PCTEST/E Field/0 DegreesMuscle/54.200/1.450



File : 98062520_SAR
Start : 25-Jun-98 01:30:26 pm End : 25-Jun-98 01:36:15 pm
QUALCOMM/Q 1900/1047;1851.25MHz;W;Helical/In;
Head/Left Ear;ZOOM/SAR 10g;PCTEST/E Field/0 DegreesMuscle/54.200/1.450



File : c:/idx3/SYSTEM/SARMEAS3/data/Normal/98062521_SAR.VLT
Start : 25-Jun-98 01:56:44 pm End : 25-Jun-98 02:02:41 pm

Radio Type   : QUALCOMM
Model Number   : Q 1900
Serial Number   : 1047
Frequency   : 1851.25 MHz
Peak Trans. Pwr : 0.350 W
Start Trans. Pwr: 0.350 W
Antenna Type   : Helical
Antenna Posn.   : Out
Phantom Type   : Head
Phantom Posn.   : Left Ear
Scan Type   : ZOOM/SAR 10g
Probe Name   : PCTEST
Field Type   : E Field
Orientation   : 0 Degrees

Mixture Type   = Muscle
Mixture Dielectric Constant = 54.200
Mixture Conductivity   = 1.450

Comment :
    CHAN 0025
    PCS CDMA PHONE
    PCTEST ENGINEERING LABORATORY

Robot   : PCTEST

Probe Offset   = 0.25 cm
Sensor Factor   = 0.0108
Conversion Factor   = 1.380

PCTEST   Amplifier Channel Settings : 0.250   0.233   0.225

Max Location : X =   7.000, Y = -1.250, Z =   0.000   (cm) Value = 26.706

Ave. SAR over 10 g (mW/g)   = 1.3263

X-Z Plane Slice Y=-1.250
File : 98062521_SAR
Start : 25-Jun-98 01:56:44 pm End : 25-Jun-98 02:02:41 pm
QUALCOMM/Q 1900/1047;1851.25MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR 10g;PCTEST/E Field/0 DegreesMuscle/54.200/1.450



File : 98062521_SAR
Start : 25-Jun-98 01:56:44 pm End : 25-Jun-98 02:02:41 pm
QUALCOMM/Q 1900/1047;1851.25MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR 10g;PCTEST/E Field/0 DegreesMuscle/54.200/1.450



File : 98062521_SAR
Start : 25-Jun-98 01:56:44 pm End : 25-Jun-98 02:02:41 pm
QUALCOMM/Q 1900/1047;1851.25MHz;W;Helical/Out;
Head/Left Ear;ZOOM/SAR 10g;PCTEST/E Field/0 DegreesMuscle/54.200/1.450