

*ATTEN 40dB VAVG 25 ΔMKR -.16dB CHANNEL 25
RL 22.5dBm 10dB/ 1.273MHz 99% OCCUPIED BANDWIDTH

J9CPDQ-1960
QUALCOMM INC.

OCCUPIED BW
%OCC 99.00
1.273MHz


D
R

CENTER 1.851250GHz SPAN 2.000MHz
*RBW 30kHz *VBW 30kHz SWP 50.0ms

*ATTEN 40dB VAVG 25
RL 22.5dBm 10dB/

CHANNEL 25 BANDEDGE

J9CPDQ-1960
QUALCOMM INC.




CENTER 1.849750GHz
*RBW 30kHz *VBW 30kHz

SPAN 5.000MHz
SWP 50.0ms

19:40:47 DEC 30, 1998

QUALCOMM INC. PDQ 1900 FCC ID: J9CPDQ-1900-

REF 22.5 dBm AT 40 dB



19:45:36 DEC 30, 1998

~~HP~~ QUALCOMM INC. PDQ 1900 FCC ID: J9CPDQ-1900-

REF 22.5 dBm

AT 40 dB

CHANNEL 25

PEAK

LOG

10

dB/

OFFST

.8

dB

VA SB

SC FC

CORR

MARKER
NORMAL


MARKER
△

MARKER
AMPTD

SELECT
1 2 3 4

MARKER 1
ON OFF

More
1 of 2



START 1.800 GHz

#RES BW 30 kHz

#VBW 30 kHz

STOP 2.900 GHz

SWP 3.67 sec

19:59:40 DEC 30, 1998

~~HP~~ QUALCOMM INC. PDQ 1900 FCC ID: J9CPDQ-1900-

REF 22.5 dBm

AT 40 dB

CHANNEL 25

PEAK

LOG

10

dB/

OFFST

.8

dB

VA SB

SC FC

CORR

MARKER
NORMAL


MARKER
△

MARKER
AMPTD

SELECT
1 2 3 4

MARKER 1
ON OFF

More
1 of 2



START 2.90 GHz


#RES BW 30 kHz

#VBW 30 kHz

STOP 22.00 GHz

SWP 63.7 sec

*ATTEN 40dB VAVG 25 ΔMKR .33dB CHANNEL 600
RL 22.5dBm 10dB/ 1.270MHz OCCUPIED BANDWIDTH



CENTER 1.880000GHz SPAN 2.000MHz
*RBW 30kHz *VBW 30kHz SWP 50.0ms

20:05:32 DEC 30, 1998

QUALCOMM INC. PDQ 1900 FCC ID: J9CPDQ-1900-

REF 22.5 dBm

AT 40 dB

CHANNEL 600

PEAK

LOG

10

dB/

OFFST

.8

dB

VA SB

SC FC

CORR

CLEAR
WRITE A


MAX
HOLD A

VIEW A

BLANK A

Trace
A B C

More
1 of 3



START 0 Hz

#RES BW 30 kHz

#VBW 30 kHz

STOP 1.975 GHz

SWP 6.58 sec

20:08:59 DEC 30, 1998

QUALCOMM INC. PDQ 1900 FCC ID: J9CPDQ-1900-

REF 22.5 dBm

AT 40 dB

CHANNEL 600

PEAK

LOG

10

dB/

OFFST

.8

dB

VA SB

SC FC

CORR

MARKER
NORMAL


MARKER
△

MARKER
AMPTD

SELECT
1 2 3 4

MARKER 1
ON OFF

More
1 of 2



START 1.825 GHz

#RES BW 30 kHz

#VBW 30 kHz

STOP 2.900 GHz

SWP 3.58 sec

20: 13: 44 DEC 30, 1998

QUALCOMM INC. PDQ 1900 FCC ID: J9CPDQ-1900-

REF 22.5 dBm

AT 40 dB

CHANNEL 600

PEAK

LOG

10

dB/

OFFST

.8

dB

VA SB

SC FC

CORR

MARKER
NORMAL


MARKER
△

MARKER
AMPTD

SELECT
1 2 3 4

MARKER 1
ON OFF

More
1 of 2



START 2.90 GHz

#RES BW 30 kHz

#VBW 30 kHz

STOP 22.00 GHz

SWP 63.7 sec

*ATTEN 40dB

VAVG 25

ΔMKR .50dB CHANNEL 1175

RL 22.5dBm

10dB/

1.273MHz 99% OCCUPIED BANDWIDTH

J9CPDQ-1960
QUALCOMM INC.

OCCUPIED BW
%OCC 99.00
1.273MHz

D

D

CENTER 1.908750GHz

SPAN 2.000MHz

*RBW 30kHz


*VBW 30kHz

SWP 50.0ms

*ATTEN 40dB VAVG 25
RL 22.5dBm 10dB/

CHANNEL 115
BAND EDGE

J9CPDQ-1960
QUALCOMM INC.



CENTER 1.910250GHz
*RBW 30kHz *VBW 30kHz

SPAN 5.000MHz
SWP 50.0ms

20: 17: 56 DEC 30, 1998

QUALCOMM INC. PDQ 1900 FCC ID: J9CPDQ-1900-

REF 22.5 dBm

AT 40 dB

CHANNEL 1175

PEAK

LOG

10

dB/

OFFST

.8

dB

VA SB

SC FC

CORR

MARKER
NORMAL


MARKER
△

MARKER
AMPTD

SELECT
1 2 3 4

MARKER 1
ON OFF

More
1 of 2



START 0 Hz

#RES BW 30 kHz

#VBW 30 kHz

STOP 2.010 GHz

SWP 6.70 sec

20: 22: 26 DEC 30, 1998

QUALCOMM INC. PDQ 1900 FCC ID: J9CPDQ-1900-

REF 22.5 dBm

AT 40 dB

CHANNEL 1175

PEAK

LOG

10

dB/

OFFST

.8

dB

VA SB

SC FC

CORR

MARKER
NORMAL


MARKER
△

MARKER
AMPTD

SELECT
1 2 3 4

MARKER 1
ON OFF

More
1 of 2



START 1.875 GHz

#RES BW 30 kHz

#VBW 30 kHz

STOP 2.900 GHz

SWP 3.42 sec

20:28:01 DEC 30, 1998

QUALCOMM INC. PDQ 1900 FCC ID: J9CPDQ-1900-

REF 22.5 dBm

AT 40 dB

CHANNEL 175

PEAK

LOG

10

dB/

OFFST


.8

dB

VA SB

SC FC

CORR



MARKER
NORMAL

MARKER
△

MARKER
AMPTD

SELECT
1 2 3 4

MARKER 1
ON OFF

More
1 of 2

START 2.90 GHz

#RES BW 30 kHz

#VBW 30 kHz

STOP 22.00 GHz

SWP 63.7 sec