


Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	41.70	36.80
46	5230	42.40	37.00

CH38




Date: 7.JAN.2020 13:32:31

CH46




Date: 7.JAN.2020 13:34:59


Test Mode		UNII-2A_TX A Mode	
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	21.51	17.30
60	5300	21.80	17.30
64	5320	21.69	17.30



Date: 7.JAN.2020 10:40:19




Date: 7.JAN.2020 10:42:27




Date: 7.JAN.2020 10:50:28


Test Mode		UNII-2A_TX N (HT20) Mode	
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	22.15	18.30
60	5300	21.95	18.20
64	5320	21.79	18.20



Date: 7.JAN.2020 11:02:44



Date: 7.JAN.2020 11:03:23




Date: 7.JAN.2020 11:04:00

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	57.99	37.00
62	5310	58.39	37.00

CH54



Date: 7.JAN.2020 13:35:39


CH62




Date: 7.JAN.2020 13:36:48

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	21.90	17.30
116	5580	21.69	17.30
140	5700	21.59	17.30



Date: 7.JAN.2020 10:51:24




Date: 7.JAN.2020 10:52:19




Date: 7.JAN.2020 10:53:06

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	21.85	18.20
116	5580	21.85	18.20
140	5700	21.85	18.30



Date: 7.JAN.2020 11:04:39




Date: 7.JAN.2020 11:05:15




Date: 7.JAN.2020 11:05:53

Test Mode			
UNII-2C_TX N (HT40) Mode			
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	41.30	37.00
110	5550	41.60	36.80
134	5670	41.30	36.80




Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.35	500	Complies
157	5785	16.45	500	Complies
165	5825	16.35	500	Complies



Date: 7.JAN.2020 10:53:54




Date: 7.JAN.2020 10:54:40




Date: 7.JAN.2020 10:49:44


Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
149	5745	19.00	Complies
157	5785	19.00	Complies
165	5825	18.90	Complies



Date: 7.JAN.2020 16:09:13




Date: 7.JAN.2020 16:10:07




Date: 7.JAN.2020 16:10:45

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.39	500	Complies
157	5785	17.39	500	Complies
165	5825	17.59	500	Complies



Date: 7.JAN.2020 11:06:32




Date: 7.JAN.2020 11:07:10




Date: 7.JAN.2020 11:07:57


Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
149	5745	19.80	Complies
157	5785	19.60	Complies
165	5825	19.70	Complies



Date: 8.JAN.2020 09:27:01



Date: 8.JAN.2020 09:27:58




Date: 8.JAN.2020 09:29:06

Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.00	500	Complies
159	5795	36.00	500	Complies

CH151



Date: 7.JAN.2020 13:41:00


CH159



Date: 7.JAN.2020 13:40:55


Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
151	5755	37.00	Complies
159	5795	37.00	Complies

CH151




Date: 8.JAN.2020 09:43:33

CH159




Date: 8.JAN.2020 09:43:59


Test Mode		UNII-1_TX AC (VHT20) Mode	
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	21.99	18.20
40	5200	21.80	18.20
48	5240	21.85	18.20



Date: 7.JAN.2020 13:52:21




Date: 7.JAN.2020 13:53:01




Date: 7.JAN.2020 13:53:37

Test Mode		UNII-1_TX AC (VHT40) Mode	
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	41.30	36.80
46	5230	41.40	36.80




Date: 7.JAN.2020 14:07:16




Date: 7.JAN.2020 14:08:20

Test Mode		UNII-2A_TX AC (VHT20) Mode	
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	21.85	18.20
60	5300	21.85	18.20
64	5320	22.10	18.20




Test Mode		UNII-2A_TX AC (VHT40) Mode	
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	41.50	36.60
62	5310	41.60	36.80



Test Mode	UNII-2A_TX AC (VHT80)
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	82.20	75.60

CH58




Date: 7.JAN.2020 14:29:13


Test Mode		UNII-2C_TX AC (VHT20) Mode	
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	21.89	18.20
116	5580	21.95	18.20
140	5700	21.89	18.20



Date: 7.JAN.2020 13:56:06




Date: 7.JAN.2020 13:56:50




Date: 7.JAN.2020 13:57:26


Test Mode		UNII-2C_TX AC (VHT40) Mode	
Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	41.50	36.80
110	5550	41.60	36.80
134	5670	41.39	36.80



Date: 7.JAN.2020 14:11:10




Date: 7.JAN.2020 14:12:06




Date: 7.JAN.2020 14:13:05

Test Mode	UNII-2C_TX AC (VHT80)
-----------	-----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	83.00	76.00
122	5610	82.20	76.00




Date: 7.JAN.2020 14:30:02




Date: 7.JAN.2020 14:30:50

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.65	500	Complies
157	5785	17.65	500	Complies
165	5825	17.65	500	Complies



Date: 7.JAN.2020 13:58:04




Date: 7.JAN.2020 13:58:45




Date: 7.JAN.2020 13:59:23


Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
149	5745	19.60	Complies
157	5785	19.50	Complies
165	5825	19.60	Complies



Date: 8.JAN.2020 09:56:53




Date: 8.JAN.2020 09:57:12




Date: 8.JAN.2020 09:57:39

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.00	500	Complies
159	5795	35.80	500	Complies




Date: 7.JAN.2020 14:14:00




Date: 7.JAN.2020 14:14:55

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
151	5755	36.80	Complies
159	5795	36.80	Complies




Date: 8.JAN.2020 10:04:14




Date: 8.JAN.2020 10:04:52

Test Mode	UNII-3_TX AC (VHT80)			
Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	75.40	500	Complies



Date: 7.JAN.2020 14:31:37

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)	Result
155	5775	76.00	Complies



Date: 8.JAN.2020 10:17:38

APPENDIX F - CONDUCTED OUTPUT POWER

For 1TX

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.38	0.31	12.69	24.00	0.25	Complies
40	5200	12.18	0.31	12.49	24.00	0.25	Complies
48	5240	12.14	0.31	12.45	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	9.41	0.31	9.72	24.00	0.25	Complies
40	5200	9.31	0.31	9.62	24.00	0.25	Complies
48	5240	9.05	0.31	9.36	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.98	0.64	9.62	24.00	0.25	Complies
46	5230	8.56	0.64	9.20	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.02	0.31	12.33	24.00	0.25	Complies
60	5300	11.93	0.31	12.24	24.00	0.25	Complies
64	5320	12.11	0.31	12.42	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.98	0.31	9.29	24.00	0.25	Complies
60	5300	9.15	0.31	9.46	24.00	0.25	Complies
64	5320	9.18	0.31	9.49	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	8.53	0.64	9.17	24.00	0.25	Complies
62	5310	8.97	0.64	9.61	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.22	0.31	15.53	24.00	0.25	Complies
116	5580	15.88	0.31	16.19	24.00	0.25	Complies
140	5700	15.13	0.31	15.44	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.13	0.31	12.44	24.00	0.25	Complies
116	5580	12.96	0.31	13.27	24.00	0.25	Complies
140	5700	11.97	0.31	12.28	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.17	0.64	12.81	24.00	0.25	Complies
110	5550	12.58	0.64	13.22	24.00	0.25	Complies
134	5670	12.11	0.64	12.75	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.33	0.31	14.64	30.00	1.00	Complies
157	5785	13.92	0.31	14.23	30.00	1.00	Complies
165	5825	13.90	0.31	14.21	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	11.34	0.31	11.65	30.00	1.00	Complies
157	5785	11.26	0.31	11.57	30.00	1.00	Complies
165	5825	10.96	0.31	11.27	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	12.04	0.64	12.68	30.00	1.00	Complies
159	5795	11.06	0.64	11.70	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	8.61	0.31	8.92	24.00	0.25	Complies
40	5200	8.33	0.31	8.64	24.00	0.25	Complies
48	5240	8.16	0.31	8.47	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.07	0.63	8.70	24.00	0.25	Complies
46	5230	7.96	0.63	8.59	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	7.49	1.27	8.76	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	8.17	0.31	8.48	24.00	0.25	Complies
60	5300	8.11	0.31	8.42	24.00	0.25	Complies
64	5320	8.15	0.31	8.46	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	7.92	0.63	8.55	24.00	0.25	Complies
62	5310	8.03	0.63	8.66	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	7.35	1.27	8.62	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.19	0.31	11.50	24.00	0.25	Complies
116	5580	12.04	0.31	12.35	24.00	0.25	Complies
140	5700	11.07	0.31	11.38	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.36	0.63	11.99	24.00	0.25	Complies
110	5550	11.72	0.63	12.35	24.00	0.25	Complies
134	5670	11.38	0.63	12.01	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.85	1.27	12.12	24.00	0.25	Complies
122	5610	11.19	1.27	12.46	24.00	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	10.51	0.31	10.82	30.00	1.00	Complies
157	5785	10.37	0.31	10.68	30.00	1.00	Complies
165	5825	10.12	0.31	10.43	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	10.30	0.63	10.93	30.00	1.00	Complies
159	5795	10.13	0.63	10.76	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	9.67	1.27	10.94	30.00	1.00	Complies

APPENDIX G - POWER SPECTRAL DENSITY


For 1TX

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.47	0.31	2.78	11.00	Complies
40	5200	2.02	0.31	2.33	11.00	Complies
48	5240	1.30	0.31	1.61	11.00	Complies



Date: 7.JAN.2020 10:37:29




Date: 7.JAN.2020 10:38:00




Date: 7.JAN.2020 10:35:43

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-0.93	0.31	-0.62	11.00	Complies
40	5200	-1.36	0.31	-1.05	11.00	Complies
48	5240	-2.18	0.31	-1.87	11.00	Complies



Date: 7.JAN.2020 11:11:27



Date: 7.JAN.2020 11:11:14




Date: 7.JAN.2020 11:10:55

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-4.58	0.64	-3.94	11.00	Complies
46	5230	-5.21	0.64	-4.57	11.00	Complies

CH38



Date: 7, JAN, 2020 13:24:58


CH46




Date: 7, JAN, 2020 13:25:25

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.90	0.31	1.21	11.00	Complies
60	5300	0.97	0.31	1.28	11.00	Complies
64	5320	0.85	0.31	1.16	11.00	Complies



Date: 7.JAN.2020 10:38:45




Date: 7.JAN.2020 10:43:01




Date: 7.JAN.2020 10:43:35

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.33	0.31	-2.02	11.00	Complies
60	5300	-2.34	0.31	-2.03	11.00	Complies
64	5320	-2.52	0.31	-2.21	11.00	Complies



Date: 7.JAN.2020 11:10:44





Date: 7.JAN.2020 11:10:33



Date: 7.JAN.2020 11:10:21


Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-5.58	0.64	-4.94	11.00	Complies
62	5310	-5.71	0.64	-5.07	11.00	Complies




Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.39	0.31	3.70	11.00	Complies
116	5580	4.27	0.31	4.58	11.00	Complies
140	5700	4.39	0.31	4.70	11.00	Complies



Date: 7.JAN.2020 10:45:43




Date: 7.JAN.2020 10:46:02




Date: 7.JAN.2020 10:45:09

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.21	0.31	0.52	11.00	Complies
116	5580	0.91	0.31	1.22	11.00	Complies
140	5700	0.89	0.31	1.20	11.00	Complies



Date: 7.JAN.2020 11:10:08



Date: 7.JAN.2020 11:09:56



Date: 7.JAN.2020 11:09:45