




FRONT VIEW

SILVUS TECHNOLOGIES
STREAMCASTER 4200 TACTICAL MIMO RADIO
MODEL: SC4210E-245-EB
FCC SUBPART B AND C; AND RSS-247 – RADIATED EMISSIONS – 2.15 dBi ANTENNAS
BELOW 1 GHz


**PHOTOGRAPH SHOWING THE EUT CONFIGURATION
FOR MAXIMUM EMISSIONS**



REAR VIEW

SILVUS TECHNOLOGIES
STREAMCASTER 4200 TACTICAL MIMO RADIO
MODEL: SC4210E-245-EB
FCC SUBPART B AND C; AND RSS-247 – RADIATED EMISSIONS – 2.15 dBi ANTENNAS
BELOW 1 GHz


**PHOTOGRAPH SHOWING THE EUT CONFIGURATION
FOR MAXIMUM EMISSIONS**



FRONT VIEW

SILVUS TECHNOLOGIES
STREAMCASTER 4200 TACTICAL MIMO RADIO
MODEL: SC4210E-245-EB
FCC SUBPART B AND C; AND RSS-247 – RADIATED EMISSIONS – 4 dBi ANTENNAS
BELOW 1 GHz


**PHOTOGRAPH SHOWING THE EUT CONFIGURATION
FOR MAXIMUM EMISSIONS**



REAR VIEW

SILVUS TECHNOLOGIES
STREAMCASTER 4200 TACTICAL MIMO RADIO
MODEL: SC4210E-245-EB
FCC SUBPART B AND C; AND RSS-247 – RADIATED EMISSIONS – 4 dBi ANTENNAS
BELOW 1 GHz


**PHOTOGRAPH SHOWING THE EUT CONFIGURATION
FOR MAXIMUM EMISSIONS**



FRONT VIEW

SILVUS TECHNOLOGIES
STREAMCASTER 4200 TACTICAL MIMO RADIO
MODEL: SC4210E-245-EB
FCC SUBPART B AND C; AND RSS-247 – RADIATED EMISSIONS – 2.15 dBi ANTENNAS
ABOVE 1 GHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION
FOR MAXIMUM EMISSIONS**



REAR VIEW

SILVUS TECHNOLOGIES
STREAMCASTER 4200 TACTICAL MIMO RADIO
MODEL: SC4210E-245-EB
FCC SUBPART B AND C; AND RSS-247 – RADIATED EMISSIONS – 2.15 dBi ANTENNAS
ABOVE 1 GHz


**PHOTOGRAPH SHOWING THE EUT CONFIGURATION
FOR MAXIMUM EMISSIONS**



FRONT VIEW

SILVUS TECHNOLOGIES
STREAMCASTER 4200 TACTICAL MIMO RADIO
MODEL: SC4210E-245-EB
FCC SUBPART B AND C; AND RSS-247 – RADIATED EMISSIONS – 4 dBi ANTENNAS
ABOVE 1 GHz


**PHOTOGRAPH SHOWING THE EUT CONFIGURATION
FOR MAXIMUM EMISSIONS**



REAR VIEW

SILVUS TECHNOLOGIES
STREAMCASTER 4200 TACTICAL MIMO RADIO
MODEL: SC4210E-245-EB
FCC SUBPART B AND C; AND RSS-247 – RADIATED EMISSIONS – 4 dBi ANTENNAS
ABOVE 1 GHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION
FOR MAXIMUM EMISSIONS**




FRONT VIEW

SILVUS TECHNOLOGIES
STREAMCASTER 4200 TACTICAL MIMO RADIO
MODEL: SC4210E-245-EB

FCC SUBPART B AND C; AND RSS-GEN – 2.15 dBi ANTENNAS – CONDUCTED EMISSIONS

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION
FOR MAXIMUM EMISSIONS**




REAR VIEW

SILVUS TECHNOLOGIES
STREAMCASTER 4200 TACTICAL MIMO RADIO
MODEL: SC4210E-245-EB

FCC SUBPART B AND C; AND RSS-GEN – 2.15 dBi ANTENNAS – CONDUCTED EMISSIONS


**PHOTOGRAPH SHOWING THE EUT CONFIGURATION
FOR MAXIMUM EMISSIONS**



FRONT VIEW

SILVUS TECHNOLOGIES
STREAMCASTER 4200 TACTICAL MIMO RADIO
MODEL: SC4210E-245-EB
FCC SUBPART B AND C; AND RSS-GEN – 4 dBi ANTENNAS – CONDUCTED EMISSIONS

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION
FOR MAXIMUM EMISSIONS**



REAR VIEW

SILVUS TECHNOLOGIES
STREAMCASTER 4200 TACTICAL MIMO RADIO
MODEL: SC4210E-245-EB

FCC SUBPART B AND C; AND RSS-GEN – 4 dBi ANTENNAS – CONDUCTED EMISSIONS

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION
FOR MAXIMUM EMISSIONS**