







Modulation Mode	802.11ac (VHT20) MCS0/Nss1 / UNII-3	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5720		










Modulation Mode	802.11ac (VHT20) MCS0/Nss1 / UNII-3	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5745		






RE TX above 1GHz;Band:5.8G;VHT20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5745MHz;TX



20161111
EUT_Y_4TX_Non-TXBF
Setting 112
03-S-5

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4891G	47.80	54.00	-6.20	16.30	3	V	58	1.61	-
PK	11.48922G	61.44	74.00	-12.56	16.30	3	V	58	1.61	-


RE TX above 1GHz;Band:5.8G;VHT20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5745MHz;TX





20161111
EUT_Y_4TX_Non-TXBF
Setting 112
03-S-5


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.48918G	50.71	54.00	-3.29	16.30	3	H	34	1.50	-
PK	11.48894G	63.58	74.00	-10.42	16.30	3	H	34	1.50	-

Modulation Mode	802.11ac (VHT20) MCS0/Nss1 / UNII-3	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5785		






RE TX above 1GHz;Band:5.8G;VHT20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5785MHz;TX



20161111
EUT Y_4TX_Non-TXBF
Setting 112
03-S-5

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	11.56998G	49.55	54.00	-4.45	16.33	3	V	332	1.08	-
PK	11.56968G	63.03	74.00	-10.97	16.33	3	V	332	1.08	-


RE TX above 1GHz;Band:5.8G;VHT20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5785MHz;TX







20161111
EUT Y_4TX_Non-TXBF
Setting 112
03-S-5

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	11.56982G	50.68	54.00	-3.32	16.33	3	H	33	1.50	-
PK	11.57494G	64.50	74.00	-9.50	16.33	3	H	33	1.50	-


Modulation Mode	802.11ac (VHT20) MCS0/Nss1 / UNII-3	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5825		








Modulation Mode	802.11ac (VHT40) MCS0/Nss1 / UNII-1	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5190		




RE TX above 1GHz;Band:5.2G;VHT40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5190MHz;TX



20161110
EUT_Y_4TX_Non-TXBF
Setting 60
03-S-5-10



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	53.95	54.00	-0.05	7.70	3	V	212	1.63	-
AV	5.1978G	102.53	Inf	-Inf	7.82	3	V	212	1.63	-
PK	5.1426G	66.64	74.00	-7.36	7.69	3	V	212	1.63	-
PK	5.1978G	112.42	Inf	-Inf	7.82	3	V	212	1.63	-

RE TX above 1GHz;Band:5.2G;VHT40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5190MHz;TX




20161110
EUT_Y_4TX_Non-TXBF
Setting 60
03-S-5-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1462G	53.53	54.00	-0.47	7.70	3	H	148	2.93	-
AV	5.1858G	101.19	Inf	-Inf	7.79	3	H	148	2.93	-
PK	5.1462G	64.79	74.00	-9.21	7.70	3	H	148	2.93	-
PK	5.181G	111.27	Inf	-Inf	7.78	3	H	148	2.93	-



Modulation Mode	802.11ac (VHT40) MCS0/Nss1 / UNII-1	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5230		




RE TX above 1GHz;Band:5.2G;VHT40;BWch:40MHz;Nss:1;(M0);Nant:4;Ch:5230MHz;TX



20161110
EUT Y_4TX_Non-TXBF
Setting 91
03-S-5-10



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1496G	53.90	54.00	-0.10	7.71	3	V	208	1.50	-
AV	5.2378G	110.27	Inf	-Inf	7.88	3	V	208	1.50	-
AV	5.3686G	49.88	54.00	-4.12	8.05	3	V	208	1.50	-
PK	5.1442G	67.83	74.00	-6.17	7.70	3	V	208	1.50	-
PK	5.2426G	118.77	Inf	-Inf	7.88	3	V	208	1.50	-
PK	5.3758G	61.13	74.00	-12.87	8.06	3	V	208	1.50	-

RE TX above 1GHz;Band:5.2G;VHT40;BWch:40MHz;Nss:1;(M0);Nant:4;Ch:5230MHz;TX




20161110
EUT Y_4TX_Non-TXBF
Setting 91
03-S-5-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1466G	51.42	54.00	-2.58	7.70	3	H	229	2.61	-
AV	5.2372G	106.47	Inf	-Inf	7.88	3	H	229	2.61	-
AV	5.3632G	48.57	54.00	-5.43	8.04	3	H	229	2.61	-
PK	5.146G	66.17	74.00	-7.83	7.70	3	H	229	2.61	-
PK	5.2366G	116.54	Inf	-Inf	7.87	3	H	229	2.61	-
PK	5.368G	61.02	74.00	-12.98	8.05	3	H	229	2.61	-



Modulation Mode	802.11ac (VHT40) MCS0/Nss1 / UNII-2A	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5270		




RE TX above 1GHz;Band:5.3G;VHT40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5270MHz;TX



20161110
EUT_Y_4TX_Non-TXBF
Setting 93
03-5-5-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1452G	49.75	54.00	-4.25	7.70	3	V	209	1.60	-
AV	5.258G	109.23	Inf	-Inf	7.90	3	V	209	1.60	-
AV	5.3528G	53.88	54.00	-0.12	8.03	3	V	209	1.60	-
PK	5.1416G	62.32	74.00	-11.68	7.69	3	V	209	1.60	-
PK	5.2676G	118.56	Inf	-Inf	7.92	3	V	209	1.60	-
PK	5.3528G	68.23	74.00	-5.77	8.03	3	V	209	1.60	-


RE TX above 1GHz;Band:5.3G;VHT40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5270MHz;TX



20161110
EUT_Y_4TX_Non-TXBF
Setting 93
03-5-5-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1464G	48.38	54.00	-5.62	7.70	3	H	228	2.54	-
AV	5.2622G	105.63	Inf	-Inf	7.91	3	H	228	2.54	-
AV	5.3522G	51.61	54.00	-2.39	8.03	3	H	228	2.54	-
PK	5.1494G	61.41	74.00	-12.59	7.71	3	H	228	2.54	-
PK	5.2568G	116.73	Inf	-Inf	7.90	3	H	228	2.54	-
PK	5.3564G	64.45	74.00	-9.55	8.03	3	H	228	2.54	-


RE TX above 1GHz;Band:5.3G;VHT40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5270MHz;TX



20161111
EUT_Y_4TX_Non-TXBF
Setting 93
03-S-5

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.81478G	48.20	54.00	-5.80	16.70	3	V	103	1.40	-
PK	15.8142G	61.59	74.00	-12.41	16.70	3	V	103	1.40	-

RE TX above 1GHz;Band:5.3G;VHT40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5270MHz;TX






20161111
EUT_Y_4TX_Non-TXBF
Setting 93
03-S-5



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.8116G	48.28	54.00	-5.72	16.71	3	H	94	1.39	-
PK	15.80724G	61.49	74.00	-12.51	16.72	3	H	94	1.39	-




Modulation Mode	802.11ac (VHT40) MCS0/Nss1 / UNII-2A	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5310		












Modulation Mode	802.11ac (VHT40) MCS0/Nss1 / UNII-2C	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5510		








Modulation Mode	802.11ac (VHT40) MCS0/Nss1 / UNII-2C	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5550		



RE TX above 1GHz;Band:5.6G;VHT40;BWch:40MHz;Nss:1;(M0);Nant:4;Ch:5550MHz;TX



20161110
EUT Y_4TX_Non-TXBF
Setting 89
03-5-5-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4564G	52.82	54.00	-1.18	8.22	3	V	177	1.44	-
AV	5.4666G	53.78	54.00	-0.22	8.24	3	V	177	1.44	-
AV	5.5572G	107.54	Inf	-Inf	8.39	3	V	177	1.44	-
PK	5.4564G	63.71	74.00	-10.29	8.22	3	V	177	1.44	-
PK	5.4618G	66.56	74.00	-7.44	8.23	3	V	177	1.44	-
PK	5.5416G	116.96	Inf	-Inf	8.37	3	V	177	1.44	-


RE TX above 1GHz;Band:5.6G;VHT40;BWch:40MHz;Nss:1;(M0);Nant:4;Ch:5550MHz;TX



20161110
EUT Y_4TX_Non-TXBF
Setting 89
03-5-5-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4582G	52.29	54.00	-1.71	8.22	3	H	162	3.00	-
AV	5.4684G	52.80	54.00	-1.20	8.24	3	H	162	3.00	-
AV	5.5554G	107.39	Inf	-Inf	8.39	3	H	162	3.00	-
PK	5.4582G	63.69	74.00	-10.31	8.22	3	H	162	3.00	-
PK	5.4678G	65.68	74.00	-8.32	8.24	3	H	162	3.00	-
PK	5.5608G	116.42	Inf	-Inf	8.39	3	H	162	3.00	-

RE TX above 1GHz;Band:5.6G;VHT40;BWch:40MHz;Nss:1;(M0);Nant:4;Ch:5550MHz;TX




20161111
EUT Y_4TX_Non-TXBF
Setting 89
03-S-5

RE TX above 1GHz;Band:5.6G;VHT40;BWch:40MHz;Nss:1;(M0);Nant:4;Ch:5550MHz;TX




20161111
EUT Y_4TX_Non-TXBF
Setting 89
03-S-5

Modulation Mode	802.11ac (VHT40) MCS0/Nss1 / UNII-2C	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5670		




RE TX above 1GHz;Band:5.6G;VHT40;BWch:40MHz;Nss:1.(M0);Nant:4;Ch:5670MHz;TX



20161110
EUT_Y_4TX_Non-TX8F
Setting 84
03-S-5-10



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6772G	106.43	Inf	-Inf	8.46	3	V	173	1.45	-
AV	5.7324G	53.83	54.00	-0.17	8.48	3	V	173	1.45	-
PK	5.6766G	116.31	Inf	-Inf	8.46	3	V	173	1.45	-
PK	5.7276G	70.39	74.00	-3.61	8.48	3	V	173	1.45	-

RE TX above 1GHz;Band:5.6G;VHT40;BWch:40MHz;Nss:1.(M0);Nant:4;Ch:5670MHz;TX






20161110
EUT_Y_4TX_Non-TX8F
Setting 84
03-S-5-10



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6754G	105.18	Inf	-Inf	8.46	3	H	252	2.06	-
AV	5.7252G	53.63	54.00	-0.37	8.48	3	H	252	2.06	-
AV	5.6598G	115.04	Inf	-Inf	8.46	3	H	252	2.06	-
PK	5.7252G	68.39	74.00	-5.61	8.48	3	H	252	2.06	-




Modulation Mode	802.11ac (VHT40) MCS0/Nss1 / UNII-2C	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5710		











Modulation Mode	802.11ac (VHT40) MCS0/Nss1 / UNII-3	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5710		














Modulation Mode	802.11ac (VHT40) MCS0/Nss1 / UNII-3	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5755		













Modulation Mode	802.11ac (VHT40) MCS0/Nss1 / UNII-3	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5795		






RE TX above 1GHz;Band:5.8G;VHT40;BWch:40MHz;Nss:1.(M0);Nant:4;Ch:5795MHz;TX



20161111
EUT_Y_4TX_Non-TXBF
Setting 109
03-S-5

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.58504G	48.45	54.00	-5.55	16.34	3	V	329	1.50	-
PK	11.58744G	61.54	74.00	-12.46	16.34	3	V	329	1.50	-


RE TX above 1GHz;Band:5.8G;VHT40;BWch:40MHz;Nss:1.(M0);Nant:4;Ch:5795MHz;TX




20161111
EUT_Y_4TX_Non-TXBF
Setting 109
03-S-5

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5946G	50.70	54.00	-3.30	16.34	3	H	35	1.50	-
PK	11.59116G	63.45	74.00	-10.55	16.34	3	H	35	1.50	-

Modulation Mode	802.11ac (VHT80) MCS0/Nss1 / UNII-1	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5210		




RE TX above 1GHz;Band:5.2G;VHT80;BWch:80MHz;Nss:1;(M0);Nant:4;Ch:5210MHz;TX



20161111
EUT Y_4TX_Non-TXBF
Setting 64
03-J-5-10



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	53.49	54.00	-0.51	7.70	3	V	31	1.63	-
AV	5.223G	100.44	Inf	-Inf	7.85	3	V	31	1.63	-
AV	5.42G	49.43	54.00	-4.57	8.13	3	V	31	1.63	-
PK	5.142G	66.07	74.00	-7.93	7.69	3	V	31	1.63	-
PK	5.194G	111.44	Inf	-Inf	7.81	3	V	31	1.63	-
PK	5.428G	62.06	74.00	-11.94	8.15	3	V	31	1.63	-

RE TX above 1GHz;Band:5.2G;VHT80;BWch:80MHz;Nss:1;(M0);Nant:4;Ch:5210MHz;TX




20161111
EUT Y_4TX_Non-TXBF
Setting 64
03-J-5-10



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.146G	51.34	54.00	-2.66	7.70	3	H	72	1.52	-
AV	5.221G	97.97	Inf	-Inf	7.85	3	H	72	1.52	-
AV	5.454G	49.20	54.00	-4.80	8.21	3	H	72	1.52	-
PK	5.146G	64.08	74.00	-9.92	7.70	3	H	72	1.52	-
PK	5.221G	108.43	Inf	-Inf	7.85	3	H	72	1.52	-
PK	5.386G	61.48	74.00	-12.52	8.07	3	H	72	1.52	-






Modulation Mode	802.11ac (VHT80) MCS0/Nss1 / UNII-2A	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5290		






RE TX above 1GHz;Band:5.3G;VHT80;BWch:80MHz;Nss:1;(M0);Nant:4;Ch:5290MHz;TX



20161111
EUT Y_4TX_Non-TXBF
Setting 58
03-S-5

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.87322G	50.26	54.00	-3.74	16.57	3	V	105	1.33	-
PK	15.8691G	62.30	74.00	-11.70	16.57	3	V	105	1.33	-


RE TX above 1GHz;Band:5.3G;VHT80;BWch:80MHz;Nss:1;(M0);Nant:4;Ch:5290MHz;TX




20161111
EUT Y_4TX_Non-TXBF
Setting 58
03-S-5

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.87118G	50.19	54.00	-3.81	16.57	3	H	92	1.20	-
PK	15.86806G	62.81	74.00	-11.19	16.58	3	H	92	1.20	-

Modulation Mode	802.11ac (VHT80) MCS0/Nss1 / UNII-2C	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5530		




RE TX above 1GHz;Band:5.6G;VHT80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5530MHz;TX



20161111
EUT_Y_4TX_Non-TXBF
Setting 58
03-5-5-10



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.466G	53.83	54.00	-0.17	8.24	3	V	327	1.58	-
AV	5.547G	95.82	Inf	-Inf	8.38	3	V	327	1.58	-
AV	5.772G	49.69	54.00	-4.31	8.49	3	V	327	1.58	-
PK	5.341G	60.48	68.20	-7.72	8.01	3	V	327	1.58	-
PK	5.462G	67.01	74.00	-6.99	8.23	3	V	327	1.58	-
PK	5.551G	105.07	Inf	-Inf	8.38	3	V	327	1.58	-
PK	5.737G	61.27	74.00	-12.73	8.48	3	V	327	1.58	-

RE TX above 1GHz;Band:5.6G;VHT80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5530MHz;TX




20161111
EUT_Y_4TX_Non-TXBF
Setting 58
03-5-5-10



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.466G	53.76	54.00	-0.24	8.24	3	H	65	2.98	-
AV	5.546G	97.43	Inf	-Inf	8.38	3	H	65	2.98	-
AV	5.733G	49.67	54.00	-4.33	8.48	3	H	65	2.98	-
PK	5.324G	59.92	68.20	-8.28	7.99	3	H	65	2.98	-
PK	5.466G	64.99	74.00	-9.01	8.24	3	H	65	2.98	-
PK	5.546G	106.88	Inf	-Inf	8.38	3	H	65	2.98	-
PK	5.77G	61.11	74.00	-12.89	8.49	3	H	65	2.98	-




Modulation Mode	802.11ac (VHT80) MCS0/Nss1 / UNII-2C	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5610		








Modulation Mode	802.11ac (VHT80) MCS0/Nss1 / UNII-2C	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5690		




RE TX above 1GHz;Band:5.6G;VHT80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5690MHz;TX



20161111
EUT_Y_4TX_Non-TXBF
Setting 99
03-S-5-10



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.46G	51.30	54.00	-2.70	8.22	3	V	0	1.53	-
AV	5.469G	51.35	54.00	-2.65	8.25	3	V	0	1.53	-
AV	5.707G	106.39	Inf	-Inf	8.47	3	V	0	1.53	-
AV	5.853G	53.81	54.00	-0.19	8.57	3	V	0	1.53	-
PK	5.459G	62.47	74.00	-11.53	8.22	3	V	0	1.53	-
PK	5.468G	62.48	74.00	-11.52	8.24	3	V	0	1.53	-
PK	5.702G	115.98	Inf	-Inf	8.47	3	V	0	1.53	-
PK	5.858G	65.96	74.00	-8.04	8.58	3	V	0	1.53	-

RE TX above 1GHz;Band:5.6G;VHT80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5690MHz;TX




20161111
EUT_Y_4TX_Non-TXBF
Setting 99
03-S-5-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.458G	50.25	54.00	-3.75	8.22	3	H	80	2.47	-
AV	5.469G	50.56	54.00	-3.44	8.25	3	H	80	2.47	-
AV	5.702G	104.29	Inf	-Inf	8.47	3	H	80	2.47	-
AV	5.852G	53.02	54.00	-0.98	8.57	3	H	80	2.47	-
PK	5.444G	62.40	74.00	-11.60	8.19	3	H	80	2.47	-
PK	5.464G	63.98	74.00	-10.02	8.23	3	H	80	2.47	-
PK	5.708G	113.78	Inf	-Inf	8.47	3	H	80	2.47	-
PK	5.857G	64.44	74.00	-9.56	8.58	3	H	80	2.47	-



Modulation Mode	802.11ac (VHT80) MCS0/Nss1 / UNII-3	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5690		




RE TX above 1GHz;Band:5.8G;VHT80;BWch:80MHz;Nss:1.(M0);Nant:4;Ch:5690MHz;TX



20161111
EUT_Y_4TX_Non-TXBF
Setting 99
03-S-5-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.697G	107.02	Inf	-Inf	8.47	3	V	360	1.56	-
AV	5.852G	53.79	54.00	-0.21	8.57	3	V	360	1.56	-
PK	5.672G	116.55	Inf	-Inf	8.46	3	V	360	1.56	-
PK	5.861G	64.63	74.00	-9.37	8.58	3	V	360	1.56	-


RE TX above 1GHz;Band:5.8G;VHT80;BWch:80MHz;Nss:1.(M0);Nant:4;Ch:5690MHz;TX



20161111
EUT_Y_4TX_Non-TXBF
Setting 99
03-S-5-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.673G	104.97	Inf	-Inf	8.46	3	H	80	2.47	-
AV	5.859G	53.77	54.00	-0.23	8.58	3	H	80	2.47	-
PK	5.674G	115.56	Inf	-Inf	8.46	3	H	80	2.47	-
PK	5.853G	65.24	74.00	-8.76	8.57	3	H	80	2.47	-


RE TX above 1GHz;Band:5.8G;VHT80;BWch:80MHz;Nss:1.(M0);Nant:4;Ch:5690MHz;TX



20161111
EUT Y_4TX_Non-TXBF
Setting 99
03-S-5

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38232G	47.14	54.00	-6.86	16.25	3	V	89	1.76	-
PK	11.37996G	60.11	74.00	-13.89	16.25	3	V	89	1.76	-


RE TX above 1GHz;Band:5.8G;VHT80;BWch:80MHz;Nss:1.(M0);Nant:4;Ch:5690MHz;TX







20161111
EUT Y_4TX_Non-TXBF
Setting 99
03-S-5

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3835G	47.15	54.00	-6.85	16.25	3	H	108	1.78	-
PK	11.38004G	59.18	74.00	-14.82	16.25	3	H	108	1.78	-

Modulation Mode	802.11ac (VHT80) MCS0/Nss1 / UNII-3	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5775		












For beamforming mode

Modulation Mode	802.11ac (VHT20) (BF) MCS0/Nss1 / UNII-1	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5180		













Modulation Mode	802.11ac (VHT20) (BF) MCS0/Nss1 / UNII-1	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5200		






RE TX above 1GHz;Band:5.2G;VHT20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5200MHz;TX



20161112
EUT_Y_4TX_TXBF
Setting 100
03-P-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	15.60412G	49.45	54.00	-4.55	13.51	3	V	138	1.77	-
PK	15.60492G	64.48	74.00	-9.52	13.51	3	V	138	1.77	-


RE TX above 1GHz;Band:5.2G;VHT20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5200MHz;TX







20161112
EUT_Y_4TX_TXBF
Setting 100
03-P-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	15.6058G	52.69	54.00	-1.31	13.51	3	H	79	1.44	-
PK	15.60452G	68.55	74.00	-5.45	13.51	3	H	79	1.44	-


Modulation Mode	802.11ac (VHT20) (BF) MCS0/Nss1 / UNII-1	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5240		












Modulation Mode	802.11ac (VHT20) (BF) MCS0/Nss1 / UNII-2A	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5260		












Modulation Mode	802.11ac (VHT20) (BF) MCS0/Nss1 / UNII-2A	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5300		










Modulation Mode	802.11ac (VHT20) (BF) MCS0/Nss1 / UNII-2A	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5320		






RE TX above 1GHz;Band:5.3G;VHT20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5320MHz;TX



20161114
EUT_Y_4TX_TXBF
Setting 84
01-P-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.64016G	40.06	54.00	-13.94	10.93	3	V	215	2.08	-
AV	15.95712G	45.84	54.00	-8.16	13.10	3	V	217	1.74	-
PK	10.63638G	53.62	74.00	-20.38	10.92	3	V	215	2.08	-
PK	15.95922G	59.84	74.00	-14.16	13.10	3	V	217	1.74	-


RE TX above 1GHz;Band:5.3G;VHT20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5320MHz;TX







20161114
EUT_Y_4TX_TXBF
Setting 84
01-P-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.63834G	40.10	54.00	-13.90	10.93	3	H	107	2.31	-
AV	15.9584G	45.84	54.00	-8.16	13.10	3	H	5	1.56	-
PK	10.64184G	54.04	74.00	-19.96	10.93	3	H	107	2.31	-
PK	15.96174G	59.78	74.00	-14.22	13.09	3	H	5	1.56	-


Modulation Mode	802.11ac (VHT20) (BF) MCS0/Nss1 / UNII-2C	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5500		








Modulation Mode	802.11ac (VHT20) (BF) MCS0/Nss1 / UNII-2C	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5580		




RE TX above 1GHz;Band:5.6G;VHT20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5580MHz;TX



20161112
EUT_Y_4TX_TXBF
Setting 96
03-P-2-10



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.356G	53.94	54.00	-0.06	8.03	3	V	18	1.50	-
AV	5.583G	110.23	Inf	-Inf	8.42	3	V	18	1.50	-
AV	5.805G	49.89	54.00	-4.11	8.50	3	V	18	1.50	-
PK	5.339G	64.14	68.20	-4.06	8.01	3	V	18	1.50	-
PK	5.464G	62.11	74.00	-11.89	8.23	3	V	18	1.50	-
PK	5.583G	120.33	Inf	-Inf	8.42	3	V	18	1.50	-
PK	5.772G	61.26	74.00	-12.74	8.49	3	V	18	1.50	-

RE TX above 1GHz;Band:5.6G;VHT20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5580MHz;TX






20161112
EUT_Y_4TX_TXBF
Setting 96
03-P-2-10



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.355G	52.01	54.00	-1.99	8.03	3	H	76	1.50	-
AV	5.583G	110.61	Inf	-Inf	8.42	3	H	76	1.50	-
AV	5.82G	53.25	54.00	-0.75	8.52	3	H	76	1.50	-
PK	5.339G	60.55	68.20	-7.65	8.01	3	H	76	1.50	-
PK	5.461G	62.00	74.00	-12.00	8.23	3	H	76	1.50	-
PK	5.582G	120.53	Inf	-Inf	8.42	3	H	76	1.50	-
PK	5.819G	64.07	74.00	-9.93	8.52	3	H	76	1.50	-




Modulation Mode	802.11ac (VHT20) (BF) MCS0/Nss1 / UNII-2C	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5700		












Modulation Mode	802.11ac (VHT20) (BF) MCS0/Nss1 / UNII-2C	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5720		











Modulation Mode	802.11ac (VHT20) (BF) MCS0/Nss1 / UNII-3	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5720		







Modulation Mode	802.11ac (VHT20) (BF) MCS0/Nss1 / UNII-3	Test Chain	1 + 2 + 3 + 4
Test Freq. (MHz)	5745		

