

Intertek Testing Services


RF VOLTAGE

EUT: LM-WP210RB
Manuf: DNI
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:825788/014
120V 60Hz 24'C 64%RH tx at low channel
Date: 03. Jan 03 14:15

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	10dBLN	OFF

Final Measurement: x QP / + AV
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: LM-WP210RB
Manuf: DNI
Op Cond: LISN-N
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:825788/014
120V 60Hz 24'C 64%RH tx at low channel
Date: 03. Jan 03 14:09

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	10dBLN	OFF

Final Measurement: x QP / + AV
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: LM-WP210RB
Manuf: DNI
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:825788/014
120V 60Hz 24'C 64%RH tx at middle channel
Date: 03. Jan 03 14:22

Scan Settings (1 Range)

----- Frequencies -----			Receiver Settings -----				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	10dBLN	OFF

Final Measurement: x QP / + AV
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: LM-WP210RB
Manuf: DNI
Op Cond: LISN-N
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:825788/014
120V 60Hz 24°C 64%RH tx at middle channel
Date: 03. Jan 03 14:28

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	10dBLN	OFF

Final Measurement: x QP / + AV
Meas Time: 1 s



Intertek Testing Services


RF VOLTAGE

EUT: LM-WP210RB
Manuf: DNI
Op Cond: LISN-L
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:825788/014
120V 60Hz 24'C 64%RH tx at high channel
Date: 03. Jan 03 14:48

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	10dBLN	OFF

Final Measurement: x QP / + AV
Meas Time: 1 s



Intertek Testing Services

RF VOLTAGE

EUT: LM-WP210RB
Manuf: DNI
Op Cond: LISN-N
Operator: kaysi
Test Spec: FCC Class B
Comment: EMI RCV:825788/014
120V 60Hz 24'C 64%RH tx at high channel
Date: 03. Jan 03 14:42

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	30M	8k	9k	PK	20ms	10dBLN	OFF

Final Measurement: x QP / + AV
Meas Time: 1 s

