









Band 2 5250~5350MHz
WIFI 802.11ac VHT20 (Band Edge @ 3m)

WIFI	Band 2 5250~5350MHz Band Edge @ 3m																																																																							
ANT	802.11ac VHT20 CH52 5260MHz - L																																																																							
1+2	Horizontal	Fundamental																																																																						
Peak	Site Condition : 83CH03-K5 : 5G BAND 1-3 3m HF ANT-2015813-91280 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5118.48</td><td>47.04</td><td>-26.96</td><td>74.00</td><td>43.85</td><td>31.83</td><td>7.91</td><td>36.55</td><td>318</td><td>92 Peak HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 5118.48	47.04	-26.96	74.00	43.85	31.83	7.91	36.55	318	92 Peak HORIZONTAL	Site Condition : 83CH03-K5 : 5G BAND 1-3 3m HF ANT-2015813-91280 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 * 5262.00</td><td>187.84</td><td></td><td></td><td>183.54</td><td>31.88</td><td>8.12</td><td>36.58</td><td>318</td><td>92 Peak HORIZONTAL</td></tr><tr><td>2 * 5262.00</td><td>99.91</td><td></td><td></td><td>96.41</td><td>31.88</td><td>8.12</td><td>36.58</td><td>318</td><td>92 Average HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 * 5262.00	187.84			183.54	31.88	8.12	36.58	318	92 Peak HORIZONTAL	2 * 5262.00	99.91			96.41	31.88	8.12	36.58	318	92 Average HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
1 5118.48	47.04	-26.96	74.00	43.85	31.83	7.91	36.55	318	92 Peak HORIZONTAL																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
1 * 5262.00	187.84			183.54	31.88	8.12	36.58	318	92 Peak HORIZONTAL																																																															
2 * 5262.00	99.91			96.41	31.88	8.12	36.58	318	92 Average HORIZONTAL																																																															
Avg.	Site Condition : 83CH03-K5 : 5G BAND 1-3 3m HF ANT-2015813-91280 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5148.00</td><td>37.38</td><td>-16.62</td><td>54.00</td><td>34.15</td><td>31.84</td><td>7.92</td><td>36.53</td><td>318</td><td>92 Average HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 5148.00	37.38	-16.62	54.00	34.15	31.84	7.92	36.53	318	92 Average HORIZONTAL																																									
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
1 5148.00	37.38	-16.62	54.00	34.15	31.84	7.92	36.53	318	92 Average HORIZONTAL																																																															



WIFI	Band 2 5250~5350MHz Band Edge @ 3m																																																																																												
ANT	802.11ac VHT20 CH52 5260MHz - L																																																																																												
1+2	Vertical	Fundamental																																																																																											
Peak	 Site : 83CH03-KS Condition : SG BAND 1----3 3m HF ANT-2015813-91200 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5123.68</td><td>46.72</td><td>-27.28</td><td>74.00</td><td>43.53</td><td>31.84</td><td>7.91</td><td>36.54</td><td>325</td><td>155</td><td>Peak</td><td>VERTICAL</td></tr></table>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	Line	Level Factor	Loss Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5123.68	46.72	-27.28	74.00	43.53	31.84	7.91	36.54	325	155	Peak	VERTICAL	 Site : 83CH03-KS Condition : SG BAND 1----3 3m HF ANT-2015813-91200 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 *</td><td>5262.00</td><td>100.66</td><td></td><td>105.16</td><td>31.88</td><td>8.12</td><td>36.50</td><td>325</td><td>155</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2 *</td><td>5262.00</td><td>101.31</td><td></td><td>97.81</td><td>31.88</td><td>8.12</td><td>36.50</td><td>325</td><td>155</td><td>Average</td><td>VERTICAL</td></tr></table>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	Line	Level Factor	Loss Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 *	5262.00	100.66		105.16	31.88	8.12	36.50	325	155	Peak	VERTICAL	2 *	5262.00	101.31		97.81	31.88	8.12	36.50	325	155	Average	VERTICAL
		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
	Freq	Level	Line	Level Factor	Loss Factor																																																																																								
	MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5123.68	46.72	-27.28	74.00	43.53	31.84	7.91	36.54	325	155	Peak	VERTICAL																																																																																	
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																					
	Freq	Level	Line	Level Factor	Loss Factor																																																																																								
	MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1 *	5262.00	100.66		105.16	31.88	8.12	36.50	325	155	Peak	VERTICAL																																																																																		
2 *	5262.00	101.31		97.81	31.88	8.12	36.50	325	155	Average	VERTICAL																																																																																		
Avg.	 Site : 83CH03-KS Condition : SG BAND 1----3 (AVG) 3m HF ANT-2015813-91200 VERTICAL RBW:1000.000KHz VBW:1.000KHz SMT:Auto <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5138.56</td><td>37.23</td><td>-16.77</td><td>54.00</td><td>34.82</td><td>31.84</td><td>7.91</td><td>36.54</td><td>325</td><td>155</td><td>Average</td><td>VERTICAL</td></tr></table>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	Line	Level Factor	Loss Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5138.56	37.23	-16.77	54.00	34.82	31.84	7.91	36.54	325	155	Average	VERTICAL																																																				
		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
	Freq	Level	Line	Level Factor	Loss Factor																																																																																								
	MHz	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5138.56	37.23	-16.77	54.00	34.82	31.84	7.91	36.54	325	155	Average	VERTICAL																																																																																	



WIFI	Band 2 5250~5350MHz Band Edge @ 3m																																																																																							
ANT	802.11ac VHT20 CH60 5300MHz - L																																																																																							
1+2	Horizontal					Fundamental																																																																																		
Peak	 Site : 83CH83-KS Condition : SG BAND 1----3 3m HF ANT-2015813-91280 HORIZONTAL dBu:1000.000MHz VSW:1.000MHz SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5132.64</td><td>46.70</td><td>-27.30</td><td>74.00</td><td>43.49</td><td>31.84</td><td>7.91</td><td>36.54</td><td>396</td><td>92 Peak</td><td>HORIZONTAL</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5132.64	46.70	-27.30	74.00	43.49	31.84	7.91	36.54	396	92 Peak	HORIZONTAL	 Site : 83CH83-KS Condition : SG BAND 1----3 3m HF ANT-2015813-91280 HORIZONTAL dBu:1000.000MHz VSW:1.000MHz SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5300.00</td><td>100.02</td><td></td><td>189.22</td><td>31.89</td><td>8.21</td><td>36.50</td><td>396</td><td>92 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5298.00</td><td>100.74</td><td></td><td>97.14</td><td>31.89</td><td>8.21</td><td>36.50</td><td>396</td><td>92 Average</td><td>HORIZONTAL</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5300.00	100.02		189.22	31.89	8.21	36.50	396	92 Peak	HORIZONTAL	2	5298.00	100.74		97.14	31.89	8.21	36.50	396	92 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	5132.64	46.70	-27.30	74.00	43.49	31.84	7.91	36.54	396	92 Peak	HORIZONTAL																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	5300.00	100.02		189.22	31.89	8.21	36.50	396	92 Peak	HORIZONTAL																																																																														
2	5298.00	100.74		97.14	31.89	8.21	36.50	396	92 Average	HORIZONTAL																																																																														
Avg.	 Site : 83CH83-KS Condition : SG BAND 1----3 (AVG) 3m HF ANT-2015813-91280 HORIZONTAL dBu:1000.000MHz VSW:1.000MHz SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5141.12</td><td>37.35</td><td>-16.65</td><td>54.00</td><td>34.12</td><td>31.84</td><td>7.92</td><td>36.53</td><td>396</td><td>92 Average</td><td>HORIZONTAL</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5141.12	37.35	-16.65	54.00	34.12	31.84	7.92	36.53	396	92 Average	HORIZONTAL																																																	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	5141.12	37.35	-16.65	54.00	34.12	31.84	7.92	36.53	396	92 Average	HORIZONTAL																																																																													





WIFI	Band 2 5250~5350MHz Band Edge @ 3m																																		
ANT	802.11ac VHT20 CH60 5300MHz - R																																		
1+2	Horizontal	Fundamental																																	
Peak	Site : 83CH03-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91200 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5363.28</td><td>46.18</td><td>-27.82</td><td>74.00</td><td>42.38</td><td>31.91</td><td>8.39</td><td>36.50</td><td>92 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5363.28	46.18	-27.82	74.00	42.38	31.91	8.39	36.50	92 Peak	HORIZONTAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																											
1	5363.28	46.18	-27.82	74.00	42.38	31.91	8.39	36.50	92 Peak	HORIZONTAL																									
Avg.	Site : 83CH03-KS Condition : 5G BAND 1-3 (AVG) 3m HF ANT-2015813-91200 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5359.48</td><td>38.13</td><td>-15.87</td><td>54.00</td><td>34.38</td><td>31.91</td><td>8.34</td><td>36.50</td><td>92 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5359.48	38.13	-15.87	54.00	34.38	31.91	8.34	36.50	92 Average	HORIZONTAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																											
1	5359.48	38.13	-15.87	54.00	34.38	31.91	8.34	36.50	92 Average	HORIZONTAL																									



WIFI	Band 2 5250~5350MHz Band Edge @ 3m																																																																														
ANT	802.11ac VHT20 CH60 5300MHz - L																																																																														
1+2	Vertical	Fundamental																																																																													
Peak	Site : 83CH83-KS Condition : SG BAND 1-3 3m HF ANT-2015813-91280 VERTICAL : dBuV:1000.000MHz VSW:3.000.000MHz SUT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5137.28</td><td>46.38</td><td>-27.62</td><td>74.00</td><td>43.17</td><td>31.84</td><td>7.91</td><td>36.54</td><td>298</td><td>166 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5137.28	46.38	-27.62	74.00	43.17	31.84	7.91	36.54	298	166 Peak VERTICAL	Site : 83CH83-KS Condition : SG BAND 1-3 3m HF ANT-2015813-91280 VERTICAL : dBuV:1000.000MHz VSW:3.000.000MHz SUT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5302.00</td><td>100.29</td><td></td><td>182.69</td><td>33.69</td><td>8.21</td><td>36.58</td><td>298</td><td>166 Peak VERTICAL</td><td></td></tr><tr><td>2</td><td>5302.00</td><td>99.67</td><td></td><td>95.87</td><td>31.89</td><td>8.21</td><td>36.58</td><td>298</td><td>166 Average VERTICAL</td><td></td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5302.00	100.29		182.69	33.69	8.21	36.58	298	166 Peak VERTICAL		2	5302.00	99.67		95.87	31.89	8.21	36.58	298	166 Average VERTICAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																							
1	5137.28	46.38	-27.62	74.00	43.17	31.84	7.91	36.54	298	166 Peak VERTICAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																							
1	5302.00	100.29		182.69	33.69	8.21	36.58	298	166 Peak VERTICAL																																																																						
2	5302.00	99.67		95.87	31.89	8.21	36.58	298	166 Average VERTICAL																																																																						
Avg.	Site : 83CH83-KS Condition : SG BAND 1-3 (AVG) 3m HF ANT-2015813-91280 VERTICAL : dBuV:1000.000MHz VSW:1.000MHz SUT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5144.32</td><td>36.76</td><td>-17.24</td><td>54.00</td><td>33.53</td><td>31.84</td><td>7.92</td><td>36.53</td><td>298</td><td>166 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5144.32	36.76	-17.24	54.00	33.53	31.84	7.92	36.53	298	166 Average VERTICAL																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																							
1	5144.32	36.76	-17.24	54.00	33.53	31.84	7.92	36.53	298	166 Average VERTICAL																																																																					



WIFI	Band 2 5250~5350MHz Band Edge @ 3m																																											
ANT	802.11ac VHT20 CH60 5300MHz - R																																											
1+2	Vertical					Fundamental																																						
Peak	 Site : 83CH03-KS Condition : 5G BAND 1----3 3m HF ANT-2015813-91200 VERTICAL : 0dBu/1000.000MHz VSWR:1.000MHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5366.70</td><td>46.13</td><td>-27.87</td><td>74.00</td><td>42.33</td><td>31.91</td><td>8.39</td><td>36.50</td><td>298</td><td>166 Peak</td><td>VERTICAL</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5366.70	46.13	-27.87	74.00	42.33	31.91	8.39	36.50	298	166 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																				
1	5366.70	46.13	-27.87	74.00	42.33	31.91	8.39	36.50	298	166 Peak	VERTICAL																																	
Avg.	 Site : 83CH03-KS Condition : 5G BAND 1----3 (AVG) 3m HF ANT-2015813-91200 VERTICAL : 0dBu/1000.000MHz VSWR:1.000MHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5350.50</td><td>37.90</td><td>-16.10</td><td>54.00</td><td>34.15</td><td>31.91</td><td>8.34</td><td>36.50</td><td>298</td><td>166 Average</td><td>VERTICAL</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5350.50	37.90	-16.10	54.00	34.15	31.91	8.34	36.50	298	166 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																				
1	5350.50	37.90	-16.10	54.00	34.15	31.91	8.34	36.50	298	166 Average	VERTICAL																																	






WIFI	Band 2 5250~5350MHz Band Edge @ 3m																																																																																
ANT	802.11ac VHT20 CH64 5320MHz																																																																																
1+2	Horizontal	Fundamental																																																																															
Peak	Site : 83CH03-KS Condition : 5G BAND 1-3 3m HF ANT-2015013-91200 HORIZONTAL : 802.11ac VHT20 CH64 5320MHz SMT:Auto <table><tr><th>~</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1 5351.68</td><td>49.00</td><td>-25.00</td><td>74.00</td><td>45.25</td><td>31.91</td><td>8.34</td><td>36.50</td><td>297 102 Peak HORIZONTAL</td></tr></table>	~	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Loss	Factor	cm	deg		MHz	dBuV/m	dB	dBuV/m	dB/m	dB				1 5351.68	49.00	-25.00	74.00	45.25	31.91	8.34	36.50	297 102 Peak HORIZONTAL	Site : 83CH03-KS Condition : 5G BAND 1-3 3m HF ANT-2015013-91200 HORIZONTAL : 802.11ac VHT20 CH64 5320MHz SMT:Auto <table><tr><th>~</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1 * 5322.00</td><td>103.61</td><td></td><td>99.05</td><td>31.90</td><td>8.26</td><td>36.50</td><td>297 102 Peak HORIZONTAL</td></tr><tr><td>2 * 5322.00</td><td>96.54</td><td></td><td>92.88</td><td>31.90</td><td>8.26</td><td>36.50</td><td>297 102 Average HORIZONTAL</td></tr></table>	~	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Loss	Factor	cm	deg		MHz	dBuV/m	dB	dBuV/m	dB/m	dB				1 * 5322.00	103.61		99.05	31.90	8.26	36.50	297 102 Peak HORIZONTAL	2 * 5322.00	96.54		92.88	31.90	8.26	36.50	297 102 Average HORIZONTAL
	~	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
Freq	Level	Line	Level	Loss	Factor	cm	deg																																																																										
MHz	dBuV/m	dB	dBuV/m	dB/m	dB																																																																												
1 5351.68	49.00	-25.00	74.00	45.25	31.91	8.34	36.50	297 102 Peak HORIZONTAL																																																																									
~	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
Freq	Level	Line	Level	Loss	Factor	cm	deg																																																																										
MHz	dBuV/m	dB	dBuV/m	dB/m	dB																																																																												
1 * 5322.00	103.61		99.05	31.90	8.26	36.50	297 102 Peak HORIZONTAL																																																																										
2 * 5322.00	96.54		92.88	31.90	8.26	36.50	297 102 Average HORIZONTAL																																																																										
Avg.	Site : 83CH03-KS Condition : 5G BAND 1-3 3m HF ANT-2015013-91200 HORIZONTAL : 802.11ac VHT20 CH64 5320MHz SMT:Auto <table><tr><th>~</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1 5350.70</td><td>41.30</td><td>-12.70</td><td>54.00</td><td>37.55</td><td>31.91</td><td>8.34</td><td>36.50</td><td>297 102 Average HORIZONTAL</td></tr></table>	~	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Loss	Factor	cm	deg		MHz	dBuV/m	dB	dBuV/m	dB/m	dB				1 5350.70	41.30	-12.70	54.00	37.55	31.91	8.34	36.50	297 102 Average HORIZONTAL																																												
~	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																									
Freq	Level	Line	Level	Loss	Factor	cm	deg																																																																										
MHz	dBuV/m	dB	dBuV/m	dB/m	dB																																																																												
1 5350.70	41.30	-12.70	54.00	37.55	31.91	8.34	36.50	297 102 Average HORIZONTAL																																																																									





WIFI	Band 2 5250~5350MHz Band Edge @ 3m																																																																																	
ANT	802.11ac VHT20 CH64 5320MHz																																																																																	
1+2	Vertical	Fundamental																																																																																
Peak	Site : 83CH83-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 VERTICAL : dBuV:1000.000MHz VSW:3.000.000Hz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5353.68</td><td>49.19</td><td>-24.81</td><td>74.00</td><td>45.44</td><td>31.91</td><td>8.34</td><td>36.58</td><td>319</td><td>154 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5353.68	49.19	-24.81	74.00	45.44	31.91	8.34	36.58	319	154 Peak	VERTICAL	Site : 83CH83-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 VERTICAL : dBuV:1000.000MHz VSW:3.000.000Hz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5318.00</td><td>105.11</td><td></td><td>0</td><td>181.45</td><td>31.90</td><td>8.26</td><td>36.58</td><td>319</td><td>154 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5318.00</td><td>97.95</td><td></td><td>0</td><td>94.29</td><td>31.90</td><td>8.26</td><td>36.58</td><td>319</td><td>154 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5318.00	105.11		0	181.45	31.90	8.26	36.58	319	154 Peak	VERTICAL	2	5318.00	97.95		0	94.29	31.90	8.26	36.58	319	154 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	5353.68	49.19	-24.81	74.00	45.44	31.91	8.34	36.58	319	154 Peak	VERTICAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	5318.00	105.11		0	181.45	31.90	8.26	36.58	319	154 Peak	VERTICAL																																																																							
2	5318.00	97.95		0	94.29	31.90	8.26	36.58	319	154 Average	VERTICAL																																																																							
Avg.	Site : 83CH83-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 VERTICAL : dBuV:1000.000MHz VSW:1.000Hz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5358.18</td><td>48.91</td><td>-13.89</td><td>54.00</td><td>37.16</td><td>31.91</td><td>8.34</td><td>36.58</td><td>319</td><td>154 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5358.18	48.91	-13.89	54.00	37.16	31.91	8.34	36.58	319	154 Average	VERTICAL																																															
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	5358.18	48.91	-13.89	54.00	37.16	31.91	8.34	36.58	319	154 Average	VERTICAL																																																																							



Band 2 5250~5350MHz
WIFI 802.11ac VHT40 (Band Edge @ 3m)

WIFI	Band 2 5250~5350MHz Band Edge @ 3m																																																																																							
ANT	802.11ac VHT40 CH54 5270 - L																																																																																							
1+2	Horizontal					Fundamental																																																																																		
Peak	 Site Condition : 83CH03-K5 : 5G BAND 1----3 3e HF ANT-2015813-91280 HORIZONTAL : RSW:1000.0000KHz VSW:3000.0000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5147.84</td><td>53.91</td><td>-20.89</td><td>74.80</td><td>50.68</td><td>31.84</td><td>7.92</td><td>36.53</td><td>389</td><td>117 Peak</td><td>HORIZONTAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5147.84	53.91	-20.89	74.80	50.68	31.84	7.92	36.53	389	117 Peak	HORIZONTAL	 Site Condition : 83CH03-K5 : 5G BAND 1----3 3e HF ANT-2015813-91280 HORIZONTAL : RSW:1000.0000KHz VSW:3000.0000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 *</td><td>5270.00</td><td>187.11</td><td></td><td>183.55</td><td>31.89</td><td>8.17</td><td>36.50</td><td>389</td><td>117 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 *</td><td>5270.00</td><td>188.03</td><td></td><td>96.47</td><td>31.89</td><td>8.17</td><td>36.50</td><td>389</td><td>117 Average</td><td>HORIZONTAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 *	5270.00	187.11		183.55	31.89	8.17	36.50	389	117 Peak	HORIZONTAL	2 *	5270.00	188.03		96.47	31.89	8.17	36.50	389	117 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	5147.84	53.91	-20.89	74.80	50.68	31.84	7.92	36.53	389	117 Peak	HORIZONTAL																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1 *	5270.00	187.11		183.55	31.89	8.17	36.50	389	117 Peak	HORIZONTAL																																																																														
2 *	5270.00	188.03		96.47	31.89	8.17	36.50	389	117 Average	HORIZONTAL																																																																														
Avg.	 Site Condition : 83CH03-K5 : 5G BAND 1----3 (AVG) 3e HF ANT-2015813-91280 HORIZONTAL : RSW:1000.0000KHz VSW:3.0000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5135.52</td><td>39.71</td><td>-14.29</td><td>54.80</td><td>36.50</td><td>31.84</td><td>7.91</td><td>36.54</td><td>389</td><td>117 Average</td><td>HORIZONTAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5135.52	39.71	-14.29	54.80	36.50	31.84	7.91	36.54	389	117 Average	HORIZONTAL																																																	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	5135.52	39.71	-14.29	54.80	36.50	31.84	7.91	36.54	389	117 Average	HORIZONTAL																																																																													



WIFI	Band 2 5250~5350MHz Band Edge @ 3m																																			
ANT	802.11ac VHT40 CH54 5270 - R																																			
1+2	Horizontal	Fundamental																																		
Peak	 Site : 85CM83-KS Condition : 5G BAND 1----3 3m HP ANT-2015813-91280 HORIZONTAL : BW:1000.000KHz VSW:3.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5365.40</td><td>56.30</td><td>-17.70</td><td>74.00</td><td>52.50</td><td>31.91</td><td>8.39</td><td>36.50</td><td>309</td><td>117 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5365.40	56.30	-17.70	74.00	52.50	31.91	8.39	36.50	309	117 Peak	HORIZONTAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																												
1	5365.40	56.30	-17.70	74.00	52.50	31.91	8.39	36.50	309	117 Peak	HORIZONTAL																									
Avg.	 Site : 85CM83-KS Condition : 5G BAND 1----3 (AVG) 3m HP ANT-2015813-91280 HORIZONTAL : BW:1000.000KHz VSW:3.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5360.30</td><td>41.91</td><td>-12.09</td><td>54.00</td><td>38.16</td><td>31.91</td><td>8.34</td><td>36.50</td><td>309</td><td>117 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5360.30	41.91	-12.09	54.00	38.16	31.91	8.34	36.50	309	117 Average	HORIZONTAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																												
1	5360.30	41.91	-12.09	54.00	38.16	31.91	8.34	36.50	309	117 Average	HORIZONTAL																									






WIFI	Band 2 5250~5350MHz Band Edge @ 3m																																																																											
ANT	802.11ac VHT40 CH54 5270 - L																																																																											
1+2	Vertical	Fundamental																																																																										
Peak	Site Condition : 83CH03-KS : 5G BAND 1-3 3m HF ANT-2015813-91280 VERTICAL : BW:1000.000kHz VSW:3.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5143.36</td><td>52.05</td><td>-21.95</td><td>74.00</td><td>48.82</td><td>31.84</td><td>7.92</td><td>36.53</td><td>316</td><td>326 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over Limit	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5143.36	52.05	-21.95	74.00	48.82	31.84	7.92	36.53	316	326 Peak	VERTICAL	Site Condition : 83CH03-KS : 5G BAND 1-3 3m HF ANT-2015813-91280 VERTICAL : BW:1000.000kHz VSW:3.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5270.00</td><td>105.02</td><td></td><td>101.46</td><td>31.89</td><td>8.17</td><td>36.50</td><td>316</td><td>326 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5270.00</td><td>97.97</td><td></td><td>94.41</td><td>31.89</td><td>8.17</td><td>36.50</td><td>316</td><td>326 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over Limit	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5270.00	105.02		101.46	31.89	8.17	36.50	316	326 Peak	VERTICAL	2	5270.00	97.97		94.41	31.89	8.17	36.50	316	326 Average	VERTICAL
	Freq	Level	Over Limit	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	5143.36	52.05	-21.95	74.00	48.82	31.84	7.92	36.53	316	326 Peak	VERTICAL																																																																	
Freq	Level	Over Limit	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	5270.00	105.02		101.46	31.89	8.17	36.50	316	326 Peak	VERTICAL																																																																		
2	5270.00	97.97		94.41	31.89	8.17	36.50	316	326 Average	VERTICAL																																																																		
Avg.	Site Condition : 83CH03-KS : 5G BAND 1-3 3m HF ANT-2015813-91280 VERTICAL : BW:1000.000kHz VSW:3.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5147.28</td><td>37.85</td><td>-16.15</td><td>54.00</td><td>34.62</td><td>31.84</td><td>7.92</td><td>36.53</td><td>316</td><td>326 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over Limit	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5147.28	37.85	-16.15	54.00	34.62	31.84	7.92	36.53	316	326 Average	VERTICAL																																											
Freq	Level	Over Limit	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1	5147.28	37.85	-16.15	54.00	34.62	31.84	7.92	36.53	316	326 Average	VERTICAL																																																																	



WIFI	Band 2 5250~5350MHz Band Edge @ 3m									
ANT	802.11ac VHT40 CH54 5270 - R									
1+2	Vertical					Fundamental				
Peak	<									






WIFI	Band 2 5250~5350MHz Band Edge @ 3m																																																																																							
ANT	802.11ac VHT40 CH62 5310 - L																																																																																							
1+2	Horizontal					Fundamental																																																																																		
Peak	 Site Condition : 83CH03-K5 : SG BAND 1-3 3m HF ANT-2015813-91280 HORIZONTAL : BW:1000.000KHz VBW:3000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5316.88</td><td>46.82</td><td>-27.18</td><td>74.88</td><td>43.63</td><td>31.83</td><td>7.91</td><td>36.55</td><td>312</td><td>138 Peak</td><td>HORIZONTAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5316.88	46.82	-27.18	74.88	43.63	31.83	7.91	36.55	312	138 Peak	HORIZONTAL	 Site Condition : 83CH03-K5 : SG BAND 1-3 3m HF ANT-2015813-91280 HORIZONTAL : BW:1000.000KHz VBW:3000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5316.88</td><td>183.65</td><td></td><td>99.99</td><td>31.98</td><td>8.26</td><td>36.58</td><td>312</td><td>138 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5316.88</td><td>96.67</td><td></td><td>93.81</td><td>31.98</td><td>8.26</td><td>36.58</td><td>312</td><td>138 Average</td><td>HORIZONTAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5316.88	183.65		99.99	31.98	8.26	36.58	312	138 Peak	HORIZONTAL	2	5316.88	96.67		93.81	31.98	8.26	36.58	312	138 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	5316.88	46.82	-27.18	74.88	43.63	31.83	7.91	36.55	312	138 Peak	HORIZONTAL																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	5316.88	183.65		99.99	31.98	8.26	36.58	312	138 Peak	HORIZONTAL																																																																														
2	5316.88	96.67		93.81	31.98	8.26	36.58	312	138 Average	HORIZONTAL																																																																														
Avg.	 Site Condition : 83CH03-K5 : SG BAND 1-3 3m HF ANT-2015813-91280 HORIZONTAL : BW:1000.000KHz VBW:3.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5143.68</td><td>38.73</td><td>-15.27</td><td>54.88</td><td>35.58</td><td>31.84</td><td>7.92</td><td>36.53</td><td>312</td><td>138 Average</td><td>HORIZONTAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5143.68	38.73	-15.27	54.88	35.58	31.84	7.92	36.53	312	138 Average	HORIZONTAL																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	5143.68	38.73	-15.27	54.88	35.58	31.84	7.92	36.53	312	138 Average	HORIZONTAL																																																																													





WIFI	Band 2 5250~5350MHz Band Edge @ 3m																																			
ANT	802.11ac VHT40 CH62 5310 - R																																			
1+2	Horizontal	Fundamental																																		
Peak	Site : 65CM83-KS Condition : 5G BAND 1----3 3m HF ANT-2015813-91280 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5361.68</td><td>63.55</td><td>-18.45</td><td>74.88</td><td>59.75</td><td>31.91</td><td>8.39</td><td>36.50</td><td>312</td><td>138 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5361.68	63.55	-18.45	74.88	59.75	31.91	8.39	36.50	312	138 Peak	HORIZONTAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																												
1	5361.68	63.55	-18.45	74.88	59.75	31.91	8.39	36.50	312	138 Peak	HORIZONTAL																									
Avg.	Site : 65CM83-KS Condition : 5G BAND 1----3 (AVG) 3m HF ANT-2015813-91280 HORIZONTAL : RBW:1000.000KHz VBW:3.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5357.68</td><td>47.53</td><td>-6.47</td><td>54.88</td><td>43.78</td><td>31.91</td><td>8.34</td><td>36.50</td><td>312</td><td>138 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5357.68	47.53	-6.47	54.88	43.78	31.91	8.34	36.50	312	138 Average	HORIZONTAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																												
1	5357.68	47.53	-6.47	54.88	43.78	31.91	8.34	36.50	312	138 Average	HORIZONTAL																									



WIFI	Band 2 5250~5350MHz Band Edge @ 3m																																																																																																	
ANT	802.11ac VHT40 CH62 5310 - L																																																																																																	
1+2	Vertical					Fundamental																																																																																												
Peak	 Site : 83CH83-KS Condition : 5G BAND 1----3 3m HF ANT-2015813-51280 VERTICAL : BW:1000.000KHz VSW:3.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5130.32</td><td>46.00</td><td>-28.00</td><td>74.00</td><td>42.83</td><td>31.83</td><td>7.91</td><td>36.55</td><td>306</td><td>327 Peak</td><td>VERTICAL</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5130.32	46.00	-28.00	74.00	42.83	31.83	7.91	36.55	306	327 Peak	VERTICAL	 Site : 83CH83-KS Condition : 5G BAND 1----3 3m HF ANT-2015813-51280 VERTICAL : BW:1000.000KHz VSW:3.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5302.00</td><td>102.92</td><td></td><td>99.32</td><td>31.69</td><td>8.21</td><td>36.50</td><td>306</td><td>327 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5302.00</td><td>95.74</td><td></td><td>92.14</td><td>31.89</td><td>8.21</td><td>36.50</td><td>306</td><td>327 Average</td><td>VERTICAL</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5302.00	102.92		99.32	31.69	8.21	36.50	306	327 Peak	VERTICAL	2	5302.00	95.74		92.14	31.89	8.21	36.50	306	327 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																										
1	5130.32	46.00	-28.00	74.00	42.83	31.83	7.91	36.55	306	327 Peak	VERTICAL																																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																										
1	5302.00	102.92		99.32	31.69	8.21	36.50	306	327 Peak	VERTICAL																																																																																								
2	5302.00	95.74		92.14	31.89	8.21	36.50	306	327 Average	VERTICAL																																																																																								
Avg.	 Site : 83CH83-KS Condition : 5G BAND 1----3 (AVG) 3m HF ANT-2015813-51280 VERTICAL : BW:1000.000KHz VSW:3.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5136.96</td><td>37.55</td><td>-16.45</td><td>54.00</td><td>34.34</td><td>31.84</td><td>7.91</td><td>36.54</td><td>306</td><td>327 Average</td><td>VERTICAL</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5136.96	37.55	-16.45	54.00	34.34	31.84	7.91	36.54	306	327 Average	VERTICAL																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																										
1	5136.96	37.55	-16.45	54.00	34.34	31.84	7.91	36.54	306	327 Average	VERTICAL																																																																																							



WIFI	Band 2 5250~5350MHz Band Edge @ 3m																																									
ANT	802.11ac VHT40 CH62 5310 - R																																									
1+2	Vertical	Fundamental																																								
Peak	 Site : 83CH83-KS Condition : 5G BAND 1-3 3m HP ANT-2015813-91280 VERTICAL : RSU:1000.000MHz VSW:3.000MHz SWT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5372.88</td><td>57.32</td><td>-16.68</td><td>74.00</td><td>53.52</td><td>31.91</td><td>8.39</td><td>36.50</td><td>306</td><td>327</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5372.88	57.32	-16.68	74.00	53.52	31.91	8.39	36.50	306	327	Peak	VERTICAL	
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																	
Freq	Level	Line	Level	Factor	Loss	Factor																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																			
1	5372.88	57.32	-16.68	74.00	53.52	31.91	8.39	36.50	306	327	Peak	VERTICAL																														
Avg.	 Site : 83CH83-KS Condition : 5G BAND 1-3 (AVG) 3m HP ANT-2015813-91280 VERTICAL : RSU:1000.000MHz VSW:3.000MHz SWT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5358.01</td><td>46.74</td><td>-7.26</td><td>54.00</td><td>42.99</td><td>31.91</td><td>8.34</td><td>36.50</td><td>306</td><td>327</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5358.01	46.74	-7.26	54.00	42.99	31.91	8.34	36.50	306	327	Average	VERTICAL	
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																	
Freq	Level	Line	Level	Factor	Loss	Factor																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																			
1	5358.01	46.74	-7.26	54.00	42.99	31.91	8.34	36.50	306	327	Average	VERTICAL																														






Band 2 5250~5350MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)

WIFI	Band 2 5250~5350MHz Band Edge @ 3m																																																																															
ANT	802.11ac VHT80 CH58 5290MHz - L																																																																															
1+2	Horizontal	Fundamental																																																																														
Peak	Site Condition : 83CH03-K5 : 5G BAND 1----3 3m HF ANT-2015013-91200 HORIZONTAL : 80uV/m 1000.000000Hz VSW:3.000000 SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5147.20</td><td>51.64</td><td>-22.36</td><td>74.00</td><td>48.43</td><td>31.84</td><td>7.92</td><td>36.53</td><td>318</td><td>82 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5147.20	51.64	-22.36	74.00	48.43	31.84	7.92	36.53	318	82 Peak	HORIZONTAL	Site Condition : 83CH03-K5 : 5G BAND 1----3 3m HF ANT-2015013-91200 HORIZONTAL : 80uV/m 1000.000000Hz VSW:3.000000 SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5272.00</td><td>98.06</td><td>:</td><td>94.56</td><td>31.88</td><td>8.12</td><td>36.50</td><td>318</td><td>82 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5272.00</td><td>98.97</td><td>:</td><td>87.47</td><td>31.88</td><td>6.12</td><td>36.50</td><td>318</td><td>82 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5272.00	98.06	:	94.56	31.88	8.12	36.50	318	82 Peak	HORIZONTAL	2	5272.00	98.97	:	87.47	31.88	6.12	36.50	318	82 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																								
1	5147.20	51.64	-22.36	74.00	48.43	31.84	7.92	36.53	318	82 Peak	HORIZONTAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																								
1	5272.00	98.06	:	94.56	31.88	8.12	36.50	318	82 Peak	HORIZONTAL																																																																						
2	5272.00	98.97	:	87.47	31.88	6.12	36.50	318	82 Average	HORIZONTAL																																																																						
Avg.	Site Condition : 83CH03-K5 : 5G BAND 1----3 (AVG) 3m HF ANT-2015013-91200 HORIZONTAL : 80uV/m 1000.000000Hz VSW:3.000000 SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5146.24</td><td>43.18</td><td>-18.82</td><td>54.00</td><td>39.95</td><td>31.84</td><td>7.92</td><td>36.53</td><td>318</td><td>82 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5146.24	43.18	-18.82	54.00	39.95	31.84	7.92	36.53	318	82 Average	HORIZONTAL																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																								
1	5146.24	43.18	-18.82	54.00	39.95	31.84	7.92	36.53	318	82 Average	HORIZONTAL																																																																					



WIFI	Band 2 5250~5350MHz Band Edge @ 3m																																						
ANT	802.11ac VHT80 CH58 5290MHz - R																																						
1+2	Horizontal	Fundamental																																					
Peak	Site : 83CH03-KS Condition : 5G BAND 1-3 3m HP ANT-2015013-91280 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Level</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5386.60</td><td>54.47</td><td>-19.53</td><td>74.00</td><td>50.62</td><td>31.92</td><td>8.43</td><td>36.50</td><td>318</td><td>82</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Level	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	5386.60	54.47	-19.53	74.00	50.62	31.92	8.43	36.50	318	82	Peak	HORIZONTAL	
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																															
Freq	Level	Level	Level Factor	Loss Factor																																			
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																
1	5386.60	54.47	-19.53	74.00	50.62	31.92	8.43	36.50	318	82	Peak	HORIZONTAL																											
Avg.	Site : 83CH03-KS Condition : 5G BAND 1-3 (AVG) 3m HP ANT-2015013-91280 HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SMT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Level</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.50</td><td>46.37</td><td>-7.63</td><td>54.00</td><td>42.57</td><td>31.91</td><td>8.39</td><td>36.50</td><td>318</td><td>82</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Level	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	5364.50	46.37	-7.63	54.00	42.57	31.91	8.39	36.50	318	82	Average	HORIZONTAL	
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																															
Freq	Level	Level	Level Factor	Loss Factor																																			
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																
1	5364.50	46.37	-7.63	54.00	42.57	31.91	8.39	36.50	318	82	Average	HORIZONTAL																											





WIFI	Band 2 5250~5350MHz Band Edge @ 3m																																																																										
ANT	802.11ac VHT80 CH58 5290MHz - L																																																																										
1+2	Vertical	Fundamental																																																																									
Peak	 Site Condition : 83CH83-KS : 5G BAND 1-3 3m HF ANT-2015813-91200 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5145.92</td><td>58.16</td><td>-23.84</td><td>74.00</td><td>46.93</td><td>31.84</td><td>7.92</td><td>36.53</td><td>339</td><td>294</td><td>Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg		1	5145.92	58.16	-23.84	74.00	46.93	31.84	7.92	36.53	339	294	Peak	VERTICAL	 Site Condition : 83CH83-KS : 5G BAND 1-3 3m HF ANT-2015813-91200 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5278.00</td><td>98.25</td><td></td><td>94.69</td><td>31.89</td><td>8.17</td><td>36.50</td><td>339</td><td>294</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5278.00</td><td>91.37</td><td></td><td>87.81</td><td>31.89</td><td>8.17</td><td>36.50</td><td>339</td><td>294</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg		1	5278.00	98.25		94.69	31.89	8.17	36.50	339	294	Peak	VERTICAL	2	5278.00	91.37		87.81	31.89	8.17	36.50	339	294	Average	VERTICAL
	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																				
1	5145.92	58.16	-23.84	74.00	46.93	31.84	7.92	36.53	339	294	Peak	VERTICAL																																																															
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																			
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																				
1	5278.00	98.25		94.69	31.89	8.17	36.50	339	294	Peak	VERTICAL																																																																
2	5278.00	91.37		87.81	31.89	8.17	36.50	339	294	Average	VERTICAL																																																																
Avg.	 Site Condition : 83CH83-KS : 5G BAND 1-3 3m HF ANT-2015813-91200 VERTICAL : RBW:1000.000KHz VBW:3.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5145.92</td><td>41.87</td><td>-12.13</td><td>54.00</td><td>38.64</td><td>31.84</td><td>7.92</td><td>36.53</td><td>339</td><td>294</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg		1	5145.92	41.87	-12.13	54.00	38.64	31.84	7.92	36.53	339	294	Average	VERTICAL																																											
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																			
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																				
1	5145.92	41.87	-12.13	54.00	38.64	31.84	7.92	36.53	339	294	Average	VERTICAL																																																															



WIFI	Band 2 5250~5350MHz Band Edge @ 3m																																											
ANT	802.11ac VHT80 CH58 5290MHz - R																																											
1+2	Vertical	Fundamental																																										
Peak	Site : 83CM83-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91200 VERTICAL : dBuV:1000.000MHz VSW:3.000MHz SMT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5381.58</td><td>54.22</td><td>-19.78</td><td>74.88</td><td>58.37</td><td>31.92</td><td>8.43</td><td>36.58</td><td>339</td><td>294 Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5381.58	54.22	-19.78	74.88	58.37	31.92	8.43	36.58	339	294 Peak	VERTICAL					
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																				
Freq	Level	Line	Level Factor	Loss Factor																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																				
1	5381.58	54.22	-19.78	74.88	58.37	31.92	8.43	36.58	339	294 Peak	VERTICAL																																	
Avg.	Site : 83CM83-KS Condition : 5G BAND 1-3 (AVG) 3m HF ANT-2015813-91200 VERTICAL : dBuV:1000.000MHz VSW:3.000MHz SMT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5386.18</td><td>46.28</td><td>-7.72</td><td>54.88</td><td>42.43</td><td>31.92</td><td>8.43</td><td>36.58</td><td>339</td><td>294 Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor							MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5386.18	46.28	-7.72	54.88	42.43	31.92	8.43	36.58	339	294 Average	VERTICAL	
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																				
Freq	Level	Line	Level Factor	Loss Factor																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																				
1	5386.18	46.28	-7.72	54.88	42.43	31.92	8.43	36.58	339	294 Average	VERTICAL																																	



Band 2 - 5250~5350MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 2 5250~5350MHz Harmonic @ 3m																																																																							
ANT	802.11a CH52 5260MHz																																																																							
1+2	Horizontal	Vertical																																																																						
Peak	 Site : 83CH83-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 HORIZONTAL : RSW:1000.000Hz VSW:3000.000Hz SUT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10520.00</td><td>42.17</td><td>-31.73</td><td>74.00</td><td>49.17</td><td>38.11</td><td>11.94</td><td>56.95</td><td>180</td><td>360 Peak</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1 10520.00	42.17	-31.73	74.00	49.17	38.11	11.94	56.95	180	360 Peak	HORIZONTAL	 Site : 83CH83-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 VERTICAL : RSW:1000.000Hz VSW:3000.000Hz SUT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10520.00</td><td>43.49</td><td>-38.51</td><td>74.00</td><td>50.39</td><td>38.11</td><td>11.94</td><td>56.95</td><td>180</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1 10520.00	43.49	-38.51	74.00	50.39	38.11	11.94	56.95	180	360 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																
Freq	Level	Line	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																	
1 10520.00	42.17	-31.73	74.00	49.17	38.11	11.94	56.95	180	360 Peak	HORIZONTAL																																																														
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
Freq	Level	Line	Level Factor	Loss Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																	
1 10520.00	43.49	-38.51	74.00	50.39	38.11	11.94	56.95	180	360 Peak	VERTICAL																																																														



WIFI	Band 2 5250~5350MHz Harmonic @ 3m																																																																			
ANT	802.11a CH60 5300MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak	Site : 83CH03-K5 Condition : 5G BAND 1-3 3m HP ANT-2015813-91280 HORIZONTAL : RBW:100K, 00000Hz VBW:3000, 0000Hz SWT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10600.00</td><td>42.96</td><td>-31.04</td><td>74.00</td><td>49.58</td><td>38.16</td><td>12.00</td><td>56.78</td><td>100</td><td>300 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 10600.00	42.96	-31.04	74.00	49.58	38.16	12.00	56.78	100	300 Peak	HORIZONTAL	Site : 83CH03-K5 Condition : 5G BAND 1-3 3m HP ANT-2015813-91280 VERTICAL : RBW:100K, 00000Hz VBW:3000, 0000Hz SWT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10600.00</td><td>43.00</td><td>-31.00</td><td>74.00</td><td>49.62</td><td>38.16</td><td>12.00</td><td>56.78</td><td>200</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 10600.00	43.00	-31.00	74.00	49.62	38.16	12.00	56.78	200	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1 10600.00	42.96	-31.04	74.00	49.58	38.16	12.00	56.78	100	300 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1 10600.00	43.00	-31.00	74.00	49.62	38.16	12.00	56.78	200	0 Peak	VERTICAL																																																										



WIFI	Band 2 5250~5350MHz Harmonic @ 3m																																																																			
ANT	802.11a CH64 5320MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak	Site : 83CH03-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-01200 HORIZONTAL Date: 2017-04-07 10:00:00 SGT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10640.00</td><td>42.35</td><td>-31.65</td><td>74.00</td><td>40.86</td><td>38.18</td><td>12.02</td><td>56.71</td><td>200</td><td>300 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 10640.00	42.35	-31.65	74.00	40.86	38.18	12.02	56.71	200	300 Peak	HORIZONTAL	Site : 83CH03-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-01200 VERTICAL Date: 2017-04-07 10:00:00 SGT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10640.00</td><td>42.59</td><td>-31.41</td><td>74.00</td><td>49.18</td><td>38.18</td><td>12.02</td><td>56.71</td><td>200</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 10640.00	42.59	-31.41	74.00	49.18	38.18	12.02	56.71	200	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 10640.00	42.35	-31.65	74.00	40.86	38.18	12.02	56.71	200	300 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 10640.00	42.59	-31.41	74.00	49.18	38.18	12.02	56.71	200	0 Peak	VERTICAL																																																										



Band 2 5250~5350MHz
WIFI 802.11ac VHT20 (Harmonic @ 3m)

WIFI	Band 2 5250~5350MHz Harmonic @ 3m																									
ANT	802.11ac VHT20 CH52 5260MHz																									
1+2	Horizontal	Vertical																								
Peak	Site : 802.11ac VHT20 CH52 5260MHz Condition : SG BAND 1-3 3m HF ANT-2015813-91280 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>1</th><th>10520.00</th><th>43.18</th><th>-30.82</th><th>74.00</th><th>58.88</th><th>38.11</th><th>11.94</th><th>56.95</th><th>200</th><th>0 Peak</th><th>HORIZONTAL</th></tr></table>	1	10520.00	43.18	-30.82	74.00	58.88	38.11	11.94	56.95	200	0 Peak	HORIZONTAL	Site : 802.11ac VHT20 CH52 5260MHz Condition : SG BAND 1-3 3m HF ANT-2015813-91280 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>1</th><th>10520.00</th><th>43.22</th><th>-30.78</th><th>74.00</th><th>58.12</th><th>38.11</th><th>11.94</th><th>56.95</th><th>200</th><th>0 Peak</th><th>VERTICAL</th></tr></table>	1	10520.00	43.22	-30.78	74.00	58.12	38.11	11.94	56.95	200	0 Peak	VERTICAL
	1	10520.00	43.18	-30.82	74.00	58.88	38.11	11.94	56.95	200	0 Peak	HORIZONTAL														
1	10520.00	43.22	-30.78	74.00	58.12	38.11	11.94	56.95	200	0 Peak	VERTICAL															



WIFI	Band 2 5250~5350MHz Harmonic @ 3m																																																																			
ANT	802.11ac VHT20 CH60 5300MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak	Site : 83CH03-K5 Condition : 5G BAND 1-3 3m HF ANT-2015013-01200 HORIZONTAL : 802.11ac VHT20 CH60 5300MHz SMT-Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10600.00</td><td>43.44</td><td>-30.56</td><td>74.00</td><td>50.00</td><td>38.16</td><td>12.00</td><td>56.78</td><td>200</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	Line	Level	Factor	Loss	Factor	cm	deg		1 10600.00	43.44	-30.56	74.00	50.00	38.16	12.00	56.78	200	0 Peak	HORIZONTAL	Site : 83CH03-K5 Condition : 5G BAND 1-3 3m HF ANT-2015013-01200 VERTICAL : 802.11ac VHT20 CH60 5300MHz SMT-Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10600.00</td><td>43.42</td><td>-30.58</td><td>74.00</td><td>50.00</td><td>38.16</td><td>12.00</td><td>56.78</td><td>200</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	Line	Level	Factor	Loss	Factor	cm	deg		1 10600.00	43.42	-30.58	74.00	50.00	38.16	12.00	56.78	200	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	Line	Level	Factor	Loss	Factor	cm	deg																																																											
1 10600.00	43.44	-30.56	74.00	50.00	38.16	12.00	56.78	200	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	Line	Level	Factor	Loss	Factor	cm	deg																																																											
1 10600.00	43.42	-30.58	74.00	50.00	38.16	12.00	56.78	200	0 Peak	VERTICAL																																																										



WIFI	Band 2 5250~5350MHz Harmonic @ 3m																																																																									
ANT	802.11ac VHT20 CH64 5320MHz																																																																									
1+2	Horizontal	Vertical																																																																								
Peak	Site : 83CH83-K5 Condition : 5G BAND 1-3 3m HF ANT-2015013-01200 HORIZONTAL : RSW:1000.000MHz VSW:3000.000Hz SUT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>cm</th><th>deg</th></tr><tr><td>1 10640.00</td><td>43.77</td><td>-30.23</td><td>74.00</td><td>50.28</td><td>38.18</td><td>12.02</td><td>56.71</td><td>200</td><td>360</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	cm	deg	1 10640.00	43.77	-30.23	74.00	50.28	38.18	12.02	56.71	200	360	Peak	HORIZONTAL	Site : 83CH83-K5 Condition : 5G BAND 1-3 3m HF ANT-2015013-01200 VERTICAL : RSW:1000.000MHz VSW:3000.000Hz SUT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>cm</th><th>deg</th></tr><tr><td>1 10640.00</td><td>42.95</td><td>-31.05</td><td>74.00</td><td>49.46</td><td>38.18</td><td>12.02</td><td>56.71</td><td>200</td><td>360</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	cm	deg	1 10640.00	42.95	-31.05	74.00	49.46	38.18	12.02	56.71	200	360	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
Freq	Level	Line	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	cm	deg																																																																			
1 10640.00	43.77	-30.23	74.00	50.28	38.18	12.02	56.71	200	360	Peak	HORIZONTAL																																																															
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																			
Freq	Level	Line	Level Factor	Loss Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	cm	deg																																																																			
1 10640.00	42.95	-31.05	74.00	49.46	38.18	12.02	56.71	200	360	Peak	VERTICAL																																																															



Band 2 5250~5350MHz
WIFI 802.11ac VHT40 (Harmonic @ 3m)

WIFI	Band 2 5250~5350MHz Harmonic @ 3m																																																																			
ANT	802.11ac VHT40 CH54 5270																																																																			
1+2	Horizontal	Vertical																																																																		
Peak	Site : BSCN03-KS Condition : SG BAND 1-3 3m HF ANT-2015013-91200 HORIZONTAL : BW:1000.000KHz VSW:3000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>HeadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10548.00</td><td>42.04</td><td>-31.96</td><td>74.00</td><td>48.89</td><td>38.12</td><td>11.95</td><td>56.92</td><td>100</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	HeadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 10548.00	42.04	-31.96	74.00	48.89	38.12	11.95	56.92	100	0 Peak	HORIZONTAL	Site : BSCN03-KS Condition : SG BAND 1-3 3m HF ANT-2015013-91200 VERTICAL : BW:1000.000KHz VSW:3000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>HeadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10548.00</td><td>42.06</td><td>-31.14</td><td>74.00</td><td>49.71</td><td>38.12</td><td>11.95</td><td>56.92</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	HeadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg			1 10548.00	42.06	-31.14	74.00	49.71	38.12	11.95	56.92	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	HeadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 10548.00	42.04	-31.96	74.00	48.89	38.12	11.95	56.92	100	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	HeadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																												
1 10548.00	42.06	-31.14	74.00	49.71	38.12	11.95	56.92	100	0 Peak	VERTICAL																																																										



WIFI	Band 2 5250~5350MHz Harmonic @ 3m																																																																			
ANT	802.11ac VHT40 CH62 5310																																																																			
1+2	Horizontal	Vertical																																																																		
Peak	Site : 83CH03-K5 Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 HORIZONTAL EIRP Limit: 3000W VSWR:3000.000000 SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>10620.00</td><td>42.41</td><td>-31.59</td><td>74.00</td><td>48.98</td><td>38.17</td><td>12.01</td><td>56.75</td><td>100</td><td>300 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	Limit	Line	Level Factor	Loss Factor	dB	cm	deg			10620.00	42.41	-31.59	74.00	48.98	38.17	12.01	56.75	100	300 Peak	HORIZONTAL	Site : 83CH03-K5 Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 VERTICAL EIRP Limit: 3000W VSWR:3000.000000 SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>10620.00</td><td>42.49</td><td>-31.51</td><td>74.00</td><td>49.06</td><td>38.17</td><td>12.01</td><td>56.75</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	Limit	Line	Level Factor	Loss Factor	dB	cm	deg			10620.00	42.49	-31.51	74.00	49.06	38.17	12.01	56.75	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	Limit	Line	Level Factor	Loss Factor	dB	cm	deg																																																												
10620.00	42.41	-31.59	74.00	48.98	38.17	12.01	56.75	100	300 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	Limit	Line	Level Factor	Loss Factor	dB	cm	deg																																																												
10620.00	42.49	-31.51	74.00	49.06	38.17	12.01	56.75	100	0 Peak	VERTICAL																																																										



Band 2 5250~5350MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)




WIFI	Band 2 5250~5350MHz Harmonic @ 3m																																																																			
ANT	802.11ac VHT80 CH58 5290MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak	Site : 83CH03-K5 Condition : 5G BAND 1-3 3m HF ANT-2015013-91280 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10580.00</td><td>41.75</td><td>-32.25</td><td>74.00</td><td>48.42</td><td>38.15</td><td>11.99</td><td>56.81</td><td>100</td><td>360</td><td>Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	Line	Level	Factor	Loss	dB	dB	cm	deg	1 10580.00	41.75	-32.25	74.00	48.42	38.15	11.99	56.81	100	360	Peak	Site : 83CH03-K5 Condition : 5G BAND 1-3 3m HF ANT-2015013-91280 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10580.00</td><td>42.39</td><td>-31.61</td><td>74.00</td><td>49.06</td><td>38.15</td><td>11.99</td><td>56.81</td><td>100</td><td>0</td><td>Peak</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	Line	Level	Factor	Loss	dB	dB	cm	deg	1 10580.00	42.39	-31.61	74.00	49.06	38.15	11.99	56.81	100	0	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	Line	Level	Factor	Loss	dB	dB	cm	deg																																																										
1 10580.00	41.75	-32.25	74.00	48.42	38.15	11.99	56.81	100	360	Peak																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	Line	Level	Factor	Loss	dB	dB	cm	deg																																																										
1 10580.00	42.39	-31.61	74.00	49.06	38.15	11.99	56.81	100	0	Peak																																																										






Band 3 - 5470~5725MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																															
ANT	802.11a CH100 5500MHz																																																																															
1+2	Horizontal	Fundamental																																																																														
Peak	Site Condition : 83CH03-K5 : SG BAND 1-3 3m HF ANT-2015813-91200 HORIZONTAL : BW:1000.000KHz VSW:3000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5466.00</td><td>49.83</td><td>-24.17</td><td>74.00</td><td>45.93</td><td>31.95</td><td>8.35</td><td>36.40</td><td>292</td><td>69 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5466.00	49.83	-24.17	74.00	45.93	31.95	8.35	36.40	292	69 Peak	HORIZONTAL	Site Condition : 83CH03-K5 : SG BAND 1-3 3m HF ANT-2015813-91200 HORIZONTAL : BW:1000.000KHz VSW:3000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5500.00</td><td>102.25</td><td></td><td>80.35</td><td>31.96</td><td>8.29</td><td>36.35</td><td>292</td><td>69 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5502.00</td><td>96.58</td><td></td><td>82.68</td><td>31.96</td><td>8.29</td><td>36.35</td><td>292</td><td>69 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5500.00	102.25		80.35	31.96	8.29	36.35	292	69 Peak	HORIZONTAL	2	5502.00	96.58		82.68	31.96	8.29	36.35	292	69 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																								
1	5466.00	49.83	-24.17	74.00	45.93	31.95	8.35	36.40	292	69 Peak	HORIZONTAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																								
1	5500.00	102.25		80.35	31.96	8.29	36.35	292	69 Peak	HORIZONTAL																																																																						
2	5502.00	96.58		82.68	31.96	8.29	36.35	292	69 Average	HORIZONTAL																																																																						
Avg.	Site Condition : 83CH03-K5 : SG BAND 1-3 3m HF ANT-2015813-91200 HORIZONTAL : BW:1000.000KHz VSW:1.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5469.68</td><td>42.75</td><td>-11.25</td><td>54.00</td><td>38.85</td><td>31.95</td><td>8.35</td><td>36.40</td><td>292</td><td>69 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5469.68	42.75	-11.25	54.00	38.85	31.95	8.35	36.40	292	69 Average	HORIZONTAL																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																								
1	5469.68	42.75	-11.25	54.00	38.85	31.95	8.35	36.40	292	69 Average	HORIZONTAL																																																																					





WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																							
ANT	802.11a CH100 5500MHz																																																																																							
1+2	Vertical					Fundamental																																																																																		
Peak	 Site : 83CH83-KS Condition : 5G BAND 1----3 3m HF ANT-2015813-91280 VERTICAL : dBu:1000.000MHz VSW:1.000MHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5469.20</td><td>58.66</td><td>-23.34</td><td>74.00</td><td>46.76</td><td>31.95</td><td>8.35</td><td>36.40</td><td>388</td><td>163 Peak</td><td>VERTICAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5469.20	58.66	-23.34	74.00	46.76	31.95	8.35	36.40	388	163 Peak	VERTICAL	 Site : 83CH83-KS Condition : 5G BAND 1----3 3m HF ANT-2015813-91280 VERTICAL : dBu:1000.000MHz VSW:1.000MHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5500.00</td><td>106.26</td><td></td><td>102.36</td><td>31.96</td><td>8.29</td><td>36.35</td><td>388</td><td>163 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5500.00</td><td>99.00</td><td></td><td>95.10</td><td>31.96</td><td>8.29</td><td>36.35</td><td>388</td><td>163 Average</td><td>VERTICAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5500.00	106.26		102.36	31.96	8.29	36.35	388	163 Peak	VERTICAL	2	5500.00	99.00		95.10	31.96	8.29	36.35	388	163 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	5469.20	58.66	-23.34	74.00	46.76	31.95	8.35	36.40	388	163 Peak	VERTICAL																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	5500.00	106.26		102.36	31.96	8.29	36.35	388	163 Peak	VERTICAL																																																																														
2	5500.00	99.00		95.10	31.96	8.29	36.35	388	163 Average	VERTICAL																																																																														
Avg.	 Site : 83CH83-KS Condition : 5G BAND 1----3 (AVG) 3m HF ANT-2015813-91280 VERTICAL : dBu:1000.000MHz VSW:1.000MHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5469.52</td><td>42.91</td><td>-11.09</td><td>54.00</td><td>39.01</td><td>31.95</td><td>8.35</td><td>36.40</td><td>388</td><td>163 Average</td><td>VERTICAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5469.52	42.91	-11.09	54.00	39.01	31.95	8.35	36.40	388	163 Average	VERTICAL																																																	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	5469.52	42.91	-11.09	54.00	39.01	31.95	8.35	36.40	388	163 Average	VERTICAL																																																																													



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																					
ANT	802.11a CH120 5600MHz - L																																																					
1+2	Horizontal	Fundamental																																																				
Peak	 Site Condition : 83CH03-K5 : SG BAND 1----3 3m HF ANT-2015813-91280 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto <table><tr><th>1</th><th>5430.88</th><th>46.29</th><th>-27.71</th><th>74.00</th><th>42.39</th><th>31.94</th><th>8.41</th><th>36.45</th><th>346</th><th>259</th><th>Peak</th><th>HORIZONTAL</th></tr><tr><th>Hz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>ce</th><th>deg</th><th></th><th></th><th></th><th></th></tr></table>	1	5430.88	46.29	-27.71	74.00	42.39	31.94	8.41	36.45	346	259	Peak	HORIZONTAL	Hz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ce	deg					 Site Condition : 83CH03-K5 : SG BAND 1----3 3m HF ANT-2015813-91280 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto <table><tr><th>1</th><th>5598.00</th><th>104.73</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>Peak</th><th>HORIZONTAL</th></tr><tr><th>Hz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>ce</th><th>deg</th><th></th><th></th><th></th><th></th></tr></table>	1	5598.00	104.73									Peak	HORIZONTAL	Hz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ce	deg				
	1	5430.88	46.29	-27.71	74.00	42.39	31.94	8.41	36.45	346	259	Peak	HORIZONTAL																																									
Hz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ce	deg																																														
1	5598.00	104.73									Peak	HORIZONTAL																																										
Hz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ce	deg																																														
Avg.	 Site Condition : 83CH03-K5 : SG BAND 1----3 (AVG) 3m HF ANT-2015813-91280 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SMT:Auto <table><tr><th>1</th><th>5456.88</th><th>37.12</th><th>-16.88</th><th>54.00</th><th>33.22</th><th>31.94</th><th>8.38</th><th>36.42</th><th>346</th><th>259</th><th>Average</th><th>HORIZONTAL</th></tr><tr><th>Hz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>ce</th><th>deg</th><th></th><th></th><th></th><th></th></tr></table>	1	5456.88	37.12	-16.88	54.00	33.22	31.94	8.38	36.42	346	259	Average	HORIZONTAL	Hz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ce	deg																															
1	5456.88	37.12	-16.88	54.00	33.22	31.94	8.38	36.42	346	259	Average	HORIZONTAL																																										
Hz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	ce	deg																																														



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																											
ANT	802.11a CH120 5600MHz - R																																											
1+2	Horizontal					Fundamental																																						
Peak	 Site : 83CH03-K5 Condition : SG BAND 1----3 3m HF ANT-2015813-91280 HORIZONTAL : RSW:1000.0000KHz VSW:1.0000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5740.44</td><td>44.44</td><td>-29.56</td><td>74.00</td><td>40.34</td><td>32.05</td><td>8.34</td><td>36.29</td><td>346</td><td>259 Peak</td><td>HORIZONTAL</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5740.44	44.44	-29.56	74.00	40.34	32.05	8.34	36.29	346	259 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																				
1	5740.44	44.44	-29.56	74.00	40.34	32.05	8.34	36.29	346	259 Peak	HORIZONTAL																																	
Avg.	 Site : 83CH03-K5 Condition : SG BAND 1----3 (AVG) 3m HF ANT-2015813-91280 HORIZONTAL : RSW:1000.0000KHz VSW:1.0000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5765.00</td><td>36.70</td><td>-17.30</td><td>54.00</td><td>32.58</td><td>32.05</td><td>8.37</td><td>36.30</td><td>346</td><td>259 Average</td><td>HORIZONTAL</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5765.00	36.70	-17.30	54.00	32.58	32.05	8.37	36.30	346	259 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																				
1	5765.00	36.70	-17.30	54.00	32.58	32.05	8.37	36.30	346	259 Average	HORIZONTAL																																	






WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11a CH120 5600MHz - L																																																																																				
1+2	Vertical					Fundamental																																																																															
Peak	Site : 83CH03-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5448.56</td><td>45.76</td><td>-28.24</td><td>74.00</td><td>41.86</td><td>31.94</td><td>8.38</td><td>36.42</td><td>314</td><td>181 Peak VERTICAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5448.56	45.76	-28.24	74.00	41.86	31.94	8.38	36.42	314	181 Peak VERTICAL	Site : 83CH03-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5598.00</td><td>101.86</td><td></td><td>99.98</td><td>31.98</td><td>8.13</td><td>36.23</td><td>314</td><td>181 Peak VERTICAL</td></tr><tr><td>2</td><td>5598.00</td><td>98.86</td><td></td><td>94.98</td><td>31.98</td><td>8.13</td><td>36.23</td><td>314</td><td>181 Average VERTICAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5598.00	101.86		99.98	31.98	8.13	36.23	314	181 Peak VERTICAL	2	5598.00	98.86		94.98	31.98	8.13	36.23	314	181 Average VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																													
1	5448.56	45.76	-28.24	74.00	41.86	31.94	8.38	36.42	314	181 Peak VERTICAL																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																													
1	5598.00	101.86		99.98	31.98	8.13	36.23	314	181 Peak VERTICAL																																																																												
2	5598.00	98.86		94.98	31.98	8.13	36.23	314	181 Average VERTICAL																																																																												
Avg.	Site : 83CH03-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 VERTICAL RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5467.28</td><td>37.06</td><td>-16.94</td><td>54.00</td><td>33.16</td><td>31.95</td><td>8.35</td><td>36.40</td><td>314</td><td>181 Average VERTICAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5467.28	37.06	-16.94	54.00	33.16	31.95	8.35	36.40	314	181 Average VERTICAL																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																													
1	5467.28	37.06	-16.94	54.00	33.16	31.95	8.35	36.40	314	181 Average VERTICAL																																																																											






WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																											
ANT	802.11a CH120 5600MHz - R																																											
1+2	Vertical					Fundamental																																						
Peak	Site : 03CH03-KS Condition : 5G BAND 1----3 3m HF ANT-2015813-91280 VERTICAL : 0dBu-1000-000000Hz VSW:1.000000Hz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5744.36</td><td>44.96</td><td>-29.04</td><td>74.00</td><td>40.86</td><td>32.05</td><td>8.34</td><td>36.29</td><td>314</td><td>181 Peak</td><td>VERTICAL</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5744.36	44.96	-29.04	74.00	40.86	32.05	8.34	36.29	314	181 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																				
1	5744.36	44.96	-29.04	74.00	40.86	32.05	8.34	36.29	314	181 Peak	VERTICAL																																	
Avg.	Site : 03CH03-KS Condition : 5G BAND 1----3 (AVG) 3m HF ANT-2015813-91280 VERTICAL : 0dBu-1000-000000Hz VSW:1.000000Hz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5736.92</td><td>36.79</td><td>-17.21</td><td>54.00</td><td>32.69</td><td>32.05</td><td>8.34</td><td>36.29</td><td>314</td><td>181 Average</td><td>VERTICAL</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5736.92	36.79	-17.21	54.00	32.69	32.05	8.34	36.29	314	181 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																				
1	5736.92	36.79	-17.21	54.00	32.69	32.05	8.34	36.29	314	181 Average	VERTICAL																																	



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																							
ANT	802.11a CH140 5700MHz																																																																																							
1+2	Horizontal					Fundamental																																																																																		
Peak	 Site : 03CH03-KS Condition : SG BAND 1----3 3m HF ANT-2015013-91280 HORIZONTAL Rbw:1000.000kHz Vbw:3000.000kHz SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5729.68</td><td>49.23</td><td>-24.77</td><td>74.00</td><td>45.16</td><td>32.04</td><td>8.31</td><td>36.28</td><td>374</td><td>263 Peak</td><td>HORIZONTAL</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5729.68	49.23	-24.77	74.00	45.16	32.04	8.31	36.28	374	263 Peak	HORIZONTAL	 Site : 03CH03-KS Condition : SG BAND 1----3 3m HF ANT-2015013-91280 HORIZONTAL Rbw:1000.000kHz Vbw:3000.000kHz SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5698.00</td><td>182.17</td><td></td><td>98.15</td><td>32.82</td><td>8.25</td><td>36.25</td><td>374</td><td>263 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5698.00</td><td>93.70</td><td></td><td>89.68</td><td>32.82</td><td>8.25</td><td>36.25</td><td>374</td><td>263 Average</td><td>HORIZONTAL</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5698.00	182.17		98.15	32.82	8.25	36.25	374	263 Peak	HORIZONTAL	2	5698.00	93.70		89.68	32.82	8.25	36.25	374	263 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	5729.68	49.23	-24.77	74.00	45.16	32.04	8.31	36.28	374	263 Peak	HORIZONTAL																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	5698.00	182.17		98.15	32.82	8.25	36.25	374	263 Peak	HORIZONTAL																																																																														
2	5698.00	93.70		89.68	32.82	8.25	36.25	374	263 Average	HORIZONTAL																																																																														
Avg.	 Site : 03CH03-KS Condition : SG BAND 1----3 (AVG) 3m HF ANT-2015013-91280 HORIZONTAL Rbw:1000.000kHz Vbw:1.000kHz SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5747.96</td><td>41.51</td><td>-12.49</td><td>54.00</td><td>37.41</td><td>32.05</td><td>8.34</td><td>36.29</td><td>374</td><td>263 Average</td><td>HORIZONTAL</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5747.96	41.51	-12.49	54.00	37.41	32.05	8.34	36.29	374	263 Average	HORIZONTAL																																																	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	5747.96	41.51	-12.49	54.00	37.41	32.05	8.34	36.29	374	263 Average	HORIZONTAL																																																																													






WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																	
ANT	802.11a CH140 5700MHz																																																																																	
1+2	Vertical	Fundamental																																																																																
Peak	 Site : 83CHB3-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91200 VERTICAL : BW:1000.000KHz VSW:3.000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5725.72</td><td>58.13</td><td>-23.87</td><td>74.00</td><td>46.00</td><td>32.04</td><td>8.31</td><td>36.28</td><td>311</td><td>179 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	cm	deg		1	5725.72	58.13	-23.87	74.00	46.00	32.04	8.31	36.28	311	179 Peak	VERTICAL	 Site : 83CHB3-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91200 VERTICAL : BW:1000.000KHz VSW:3.000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5700.00</td><td>58.13</td><td>-23.87</td><td>74.00</td><td>46.00</td><td>32.04</td><td>8.25</td><td>36.25</td><td>311</td><td>179 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5700.00</td><td>58.13</td><td>-23.87</td><td>74.00</td><td>46.00</td><td>32.04</td><td>8.25</td><td>36.25</td><td>311</td><td>179 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	cm	deg		1	5700.00	58.13	-23.87	74.00	46.00	32.04	8.25	36.25	311	179 Peak	VERTICAL	2	5700.00	58.13	-23.87	74.00	46.00	32.04	8.25	36.25	311	179 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	cm	deg																																																																									
1	5725.72	58.13	-23.87	74.00	46.00	32.04	8.31	36.28	311	179 Peak	VERTICAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	cm	deg																																																																									
1	5700.00	58.13	-23.87	74.00	46.00	32.04	8.25	36.25	311	179 Peak	VERTICAL																																																																							
2	5700.00	58.13	-23.87	74.00	46.00	32.04	8.25	36.25	311	179 Average	VERTICAL																																																																							
Avg.	 Site : 83CHB3-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91200 VERTICAL : BW:1000.000KHz VSW:3.000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5725.48</td><td>42.77</td><td>-11.23</td><td>54.00</td><td>38.78</td><td>32.04</td><td>8.31</td><td>36.28</td><td>311</td><td>179 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	cm	deg		1	5725.48	42.77	-11.23	54.00	38.78	32.04	8.31	36.28	311	179 Average	VERTICAL																																															
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	cm	deg																																																																									
1	5725.48	42.77	-11.23	54.00	38.78	32.04	8.31	36.28	311	179 Average	VERTICAL																																																																							






Band 3 5470~5725MHz
WIFI 802.11ac VHT20 (Band Edge @ 3m)

WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ac VHT20 CH100 5500MHz																																																																																									
1+2	Horizontal	Fundamental																																																																																								
Peak	Site : 83CH03-KS Condition : 5G BAND 1-3 3m HF ANT-2015013-91200 HORIZONTAL dBm:1000.000000Hz VSW:3000.000000 SMT:Auto <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5490.56</td><td>49.41</td><td>-24.59</td><td>74.00</td><td>45.51</td><td>31.94</td><td>8.38</td><td>36.42</td><td>304</td><td>72 Peak</td><td>HORIZONTAL</td></tr></table>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	Line	Level Factor	Loss Factor					MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	5490.56	49.41	-24.59	74.00	45.51	31.94	8.38	36.42	304	72 Peak	HORIZONTAL	Site : 83CH03-KS Condition : 5G BAND 1-3 3m HF ANT-2015013-91200 HORIZONTAL dBm:1000.000000Hz VSW:3000.000000 SMT:Auto <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5490.00</td><td>102.79</td><td></td><td>98.90</td><td>31.95</td><td>8.32</td><td>36.38</td><td>304</td><td>72 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5490.00</td><td>96.00</td><td></td><td>92.11</td><td>31.95</td><td>8.32</td><td>36.38</td><td>304</td><td>72 Average</td><td>HORIZONTAL</td></tr></table>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	Line	Level Factor	Loss Factor					MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	5490.00	102.79		98.90	31.95	8.32	36.38	304	72 Peak	HORIZONTAL	2	5490.00	96.00		92.11	31.95	8.32	36.38	304	72 Average	HORIZONTAL
		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																	
	Freq	Level	Line	Level Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																																		
1	5490.56	49.41	-24.59	74.00	45.51	31.94	8.38	36.42	304	72 Peak	HORIZONTAL																																																																															
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
	Freq	Level	Line	Level Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																																		
1	5490.00	102.79		98.90	31.95	8.32	36.38	304	72 Peak	HORIZONTAL																																																																																
2	5490.00	96.00		92.11	31.95	8.32	36.38	304	72 Average	HORIZONTAL																																																																																
Avg.	Site : 83CH03-KS Condition : 5G BAND 1-3 3m HF ANT-2015013-91200 HORIZONTAL dBm:1000.000000Hz VSW:3.000000 SMT:Auto <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5490.99</td><td>42.18</td><td>-11.82</td><td>54.00</td><td>30.28</td><td>31.95</td><td>8.35</td><td>36.40</td><td>304</td><td>72 Average</td><td>HORIZONTAL</td></tr></table>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	Line	Level Factor	Loss Factor					MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	5490.99	42.18	-11.82	54.00	30.28	31.95	8.35	36.40	304	72 Average	HORIZONTAL																																																		
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
	Freq	Level	Line	Level Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																																		
1	5490.99	42.18	-11.82	54.00	30.28	31.95	8.35	36.40	304	72 Average	HORIZONTAL																																																																															



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																							
ANT	802.11ac VHT20 CH100 5500MHz																																																																																							
1+2	Vertical					Fundamental																																																																																		
Peak	 Site : 83CH83-KS Condition : 5G BAND 1----3 3m HF ANT-2015813-91280 VERTICAL : BW:1000.000KHz VSW:3.000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5470.00</td><td>58.61</td><td>-23.39</td><td>74.00</td><td>46.71</td><td>31.95</td><td>8.35</td><td>36.40</td><td>366</td><td>175 Peak</td><td>VERTICAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5470.00	58.61	-23.39	74.00	46.71	31.95	8.35	36.40	366	175 Peak	VERTICAL	 Site : 83CH83-KS Condition : 5G BAND 1----3 3m HF ANT-2015813-91280 VERTICAL : BW:1000.000KHz VSW:3.000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 *</td><td>5480.00</td><td>95.09</td><td></td><td>161.99</td><td>31.96</td><td>8.29</td><td>36.35</td><td>366</td><td>175 Peak</td><td>VERTICAL</td></tr><tr><td>2 *</td><td>5490.00</td><td>99.73</td><td></td><td>95.83</td><td>31.96</td><td>8.29</td><td>36.35</td><td>366</td><td>175 Average</td><td>VERTICAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 *	5480.00	95.09		161.99	31.96	8.29	36.35	366	175 Peak	VERTICAL	2 *	5490.00	99.73		95.83	31.96	8.29	36.35	366	175 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	5470.00	58.61	-23.39	74.00	46.71	31.95	8.35	36.40	366	175 Peak	VERTICAL																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1 *	5480.00	95.09		161.99	31.96	8.29	36.35	366	175 Peak	VERTICAL																																																																														
2 *	5490.00	99.73		95.83	31.96	8.29	36.35	366	175 Average	VERTICAL																																																																														
Avg.	 Site : 83CH83-KS Condition : 5G BAND 1----3 (AVG) 3m HF ANT-2015813-91280 VERTICAL : BW:1000.000KHz VSW:1.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5470.00</td><td>42.78</td><td>-11.22</td><td>54.00</td><td>38.88</td><td>31.95</td><td>8.35</td><td>36.40</td><td>366</td><td>175 Average</td><td>VERTICAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5470.00	42.78	-11.22	54.00	38.88	31.95	8.35	36.40	366	175 Average	VERTICAL																																																	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	5470.00	42.78	-11.22	54.00	38.88	31.95	8.35	36.40	366	175 Average	VERTICAL																																																																													



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																														
ANT	802.11ac VHT20 CH120 5600MHz - L																																																																														
1+2	Horizontal	Fundamental																																																																													
Peak	 Site : 83CH83-KS Condition : SG BAND 1----3 3m HF ANT-2015813-91280 HORIZONTAL dBuV:1000.0000MHz VSW:1.0000MHz SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 5390.16</td><td>44.79</td><td>-29.21</td><td>74.00</td><td>40.94</td><td>31.92</td><td>8.43</td><td>36.50</td><td>326</td><td>200 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 5390.16	44.79	-29.21	74.00	40.94	31.92	8.43	36.50	326	200 Peak	HORIZONTAL	 Site : 83CH83-KS Condition : SG BAND 1----3 3m HF ANT-2015813-91280 HORIZONTAL dBuV:1000.0000MHz VSW:1.0000MHz SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 * 5600.00</td><td>101.76</td><td></td><td></td><td>97.87</td><td>31.99</td><td>8.10</td><td>36.20</td><td>326</td><td>200 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 * 5600.00</td><td>96.15</td><td></td><td></td><td>92.26</td><td>31.99</td><td>8.10</td><td>36.20</td><td>326</td><td>200 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 * 5600.00	101.76			97.87	31.99	8.10	36.20	326	200 Peak	HORIZONTAL	2 * 5600.00	96.15			92.26	31.99	8.10	36.20	326	200 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																							
1 5390.16	44.79	-29.21	74.00	40.94	31.92	8.43	36.50	326	200 Peak	HORIZONTAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																							
1 * 5600.00	101.76			97.87	31.99	8.10	36.20	326	200 Peak	HORIZONTAL																																																																					
2 * 5600.00	96.15			92.26	31.99	8.10	36.20	326	200 Average	HORIZONTAL																																																																					
Avg.	 Site : 83CH83-KS Condition : SG BAND 1----3 (AVG) 3m HF ANT-2015813-91280 HORIZONTAL dBuV:1000.0000MHz VSW:1.0000MHz SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 5468.56</td><td>36.92</td><td>-17.08</td><td>54.00</td><td>33.02</td><td>31.95</td><td>8.35</td><td>36.40</td><td>326</td><td>200 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 5468.56	36.92	-17.08	54.00	33.02	31.95	8.35	36.40	326	200 Average	HORIZONTAL																																													
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																							
1 5468.56	36.92	-17.08	54.00	33.02	31.95	8.35	36.40	326	200 Average	HORIZONTAL																																																																					



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																		
ANT	802.11ac VHT20 CH120 5600MHz - R																																		
1+2	Horizontal	Fundamental																																	
Peak	Site : 83CM03-KS Condition : SG BAND 1----3 3m HF ANT-2015813-91200 HORIZONTAL : BW:1000.000KHz VSW:3.000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5753.88</td><td>45.00</td><td>-29.00</td><td>74.00</td><td>40.88</td><td>32.05</td><td>8.37</td><td>36.30</td><td>326</td><td>200 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 5753.88	45.00	-29.00	74.00	40.88	32.05	8.37	36.30	326	200 Peak	HORIZONTAL	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																											
1 5753.88	45.00	-29.00	74.00	40.88	32.05	8.37	36.30	326	200 Peak	HORIZONTAL																									
Avg.	Site : 83CM03-KS Condition : SG BAND 1----3 (AVG) 3m HF ANT-2015813-91200 HORIZONTAL : BW:1000.000KHz VSW:1.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5757.32</td><td>36.63</td><td>-17.37</td><td>54.00</td><td>32.51</td><td>32.05</td><td>8.37</td><td>36.30</td><td>326</td><td>200 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 5757.32	36.63	-17.37	54.00	32.51	32.05	8.37	36.30	326	200 Average	HORIZONTAL	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																											
1 5757.32	36.63	-17.37	54.00	32.51	32.05	8.37	36.30	326	200 Average	HORIZONTAL																									






WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																														
ANT	802.11ac VHT20 CH120 5600MHz - L																																																																														
1+2	Vertical	Fundamental																																																																													
Peak	Site : 83CH83-K5 Condition : 5G BAND 1-3 3m HF ANT-2015813-91200 VERTICAL BW:1000.000MHz VSW:1.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5495.68</td><td>45.79</td><td>-28.21</td><td>74.00</td><td>41.89</td><td>31.94</td><td>8.38</td><td>36.42</td><td>315</td><td>163 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5495.68	45.79	-28.21	74.00	41.89	31.94	8.38	36.42	315	163 Peak VERTICAL	Site : 83CH83-K5 Condition : 5G BAND 1-3 3m HF ANT-2015813-91200 VERTICAL BW:1000.000MHz VSW:1.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5495.68</td><td>107.18</td><td></td><td>103.30</td><td>31.95</td><td>8.13</td><td>36.23</td><td>315</td><td>163 Peak VERTICAL</td><td></td></tr><tr><td>2</td><td>5495.68</td><td>100.68</td><td></td><td>96.80</td><td>31.98</td><td>8.13</td><td>36.23</td><td>315</td><td>163 Average VERTICAL</td><td></td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5495.68	107.18		103.30	31.95	8.13	36.23	315	163 Peak VERTICAL		2	5495.68	100.68		96.80	31.98	8.13	36.23	315	163 Average VERTICAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																							
1	5495.68	45.79	-28.21	74.00	41.89	31.94	8.38	36.42	315	163 Peak VERTICAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																							
1	5495.68	107.18		103.30	31.95	8.13	36.23	315	163 Peak VERTICAL																																																																						
2	5495.68	100.68		96.80	31.98	8.13	36.23	315	163 Average VERTICAL																																																																						
Avg.	Site : 83CH83-K5 Condition : 5G BAND 1-3 3m HF ANT-2015813-91200 VERTICAL BW:1000.000MHz VSW:1.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5494.32</td><td>37.47</td><td>-16.53</td><td>54.00</td><td>33.57</td><td>31.94</td><td>8.38</td><td>36.42</td><td>315</td><td>163 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5494.32	37.47	-16.53	54.00	33.57	31.94	8.38	36.42	315	163 Average VERTICAL																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																							
1	5494.32	37.47	-16.53	54.00	33.57	31.94	8.38	36.42	315	163 Average VERTICAL																																																																					






WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																										
ANT	802.11ac VHT20 CH120 5600MHz - R																																										
1+2	Vertical					Fundamental																																					
Peak	Site : 63CH03-KS Condition : SG BAND 1-3 3m HF ANT-2015813-91200 VERTICAL : BW:1000.000MHz VSW:1.000MHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5730.36</td><td>45.09</td><td>-28.91</td><td>74.00</td><td>41.02</td><td>32.04</td><td>8.31</td><td>36.28</td><td>315</td><td>163 Peak VERTICAL</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5730.36	45.09	-28.91	74.00	41.02	32.04	8.31	36.28	315	163 Peak VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																			
1	5730.36	45.09	-28.91	74.00	41.02	32.04	8.31	36.28	315	163 Peak VERTICAL																																	
Avg.	Site : 63CH03-KS Condition : SG BAND 1-3 (AVG) 3m HF ANT-2015813-91200 VERTICAL : BW:1000.000MHz VSW:1.000MHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5761.16</td><td>36.08</td><td>-17.12</td><td>54.00</td><td>32.76</td><td>32.05</td><td>8.37</td><td>36.30</td><td>315</td><td>163 Average VERTICAL</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5761.16	36.08	-17.12	54.00	32.76	32.05	8.37	36.30	315	163 Average VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																			
1	5761.16	36.08	-17.12	54.00	32.76	32.05	8.37	36.30	315	163 Average VERTICAL																																	






WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																											
ANT	802.11ac VHT20 CH140 5700MHz																																																																											
1+2	Horizontal	Fundamental																																																																										
Peak	 Site : 83CH03-KS Condition : SG BAND 1----3 3e HF ANT-2015813-91200 HORIZONTAL dBm:1000.00000Hz VSW:1.00000Hz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5730.12</td><td>49.33</td><td>-24.67</td><td>74.00</td><td>45.26</td><td>32.04</td><td>8.31</td><td>36.28</td><td>398</td><td>226 Peak</td><td>HORIZONTAL</td></tr></table>		Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1	5730.12	49.33	-24.67	74.00	45.26	32.04	8.31	36.28	398	226 Peak	HORIZONTAL	 Site : 83CH03-KS Condition : SG BAND 1----3 3e HF ANT-2015813-91200 HORIZONTAL dBm:1000.00000Hz VSW:1.00000Hz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 *</td><td>5698.00</td><td>100.89</td><td></td><td>96.87</td><td>32.62</td><td>8.25</td><td>36.25</td><td>398</td><td>226 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 *</td><td>5698.00</td><td>93.79</td><td></td><td>89.77</td><td>32.62</td><td>8.25</td><td>36.25</td><td>398</td><td>226 Average</td><td>HORIZONTAL</td></tr></table>		Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1 *	5698.00	100.89		96.87	32.62	8.25	36.25	398	226 Peak	HORIZONTAL	2 *	5698.00	93.79		89.77	32.62	8.25	36.25	398	226 Average	HORIZONTAL
		Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																																					
1	5730.12	49.33	-24.67	74.00	45.26	32.04	8.31	36.28	398	226 Peak	HORIZONTAL																																																																	
	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																			
	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																																					
1 *	5698.00	100.89		96.87	32.62	8.25	36.25	398	226 Peak	HORIZONTAL																																																																		
2 *	5698.00	93.79		89.77	32.62	8.25	36.25	398	226 Average	HORIZONTAL																																																																		
Avg.	 Site : 83CH03-KS Condition : SG BAND 1----3 (AVG) 3e HF ANT-2015813-91200 HORIZONTAL dBm:1000.00000Hz VSW:1.00000Hz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5725.24</td><td>48.86</td><td>-13.14</td><td>54.00</td><td>36.79</td><td>32.04</td><td>8.31</td><td>36.28</td><td>398</td><td>226 Average</td><td>HORIZONTAL</td></tr></table>		Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1	5725.24	48.86	-13.14	54.00	36.79	32.04	8.31	36.28	398	226 Average	HORIZONTAL																																											
		Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																																					
1	5725.24	48.86	-13.14	54.00	36.79	32.04	8.31	36.28	398	226 Average	HORIZONTAL																																																																	





WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																															
ANT	802.11ac VHT20 CH140 5700MHz																																																																															
1+2	Vertical	Fundamental																																																																														
Peak	 Site : 03CH83-KS Condition : 5G BAND 1----3 3m HF ANT-2015813-91280 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5726.20</td><td>58.79</td><td>-23.21</td><td>74.00</td><td>46.72</td><td>32.04</td><td>8.31</td><td>36.28</td><td>330</td><td>160 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5726.20	58.79	-23.21	74.00	46.72	32.04	8.31	36.28	330	160 Peak	VERTICAL	 Site : 03CH83-KS Condition : 5G BAND 1----3 3m HF ANT-2015813-91280 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 *</td><td>5702.00</td><td>104.49</td><td></td><td>100.45</td><td>32.03</td><td>8.28</td><td>36.27</td><td>330</td><td>160 Peak</td><td>VERTICAL</td></tr><tr><td>2 *</td><td>5702.00</td><td>97.31</td><td></td><td>93.27</td><td>32.03</td><td>8.28</td><td>36.27</td><td>330</td><td>160 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 *	5702.00	104.49		100.45	32.03	8.28	36.27	330	160 Peak	VERTICAL	2 *	5702.00	97.31		93.27	32.03	8.28	36.27	330	160 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																								
1	5726.20	58.79	-23.21	74.00	46.72	32.04	8.31	36.28	330	160 Peak	VERTICAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																								
1 *	5702.00	104.49		100.45	32.03	8.28	36.27	330	160 Peak	VERTICAL																																																																						
2 *	5702.00	97.31		93.27	32.03	8.28	36.27	330	160 Average	VERTICAL																																																																						
Avg.	 Site : 03CH83-KS Condition : 5G BAND 1----3 (AVG) 3m HF ANT-2015813-91280 VERTICAL RBW:1000.000KHz VBW:1.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5725.01</td><td>43.30</td><td>-10.70</td><td>54.00</td><td>39.23</td><td>32.04</td><td>8.31</td><td>36.28</td><td>330</td><td>160 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5725.01	43.30	-10.70	54.00	39.23	32.04	8.31	36.28	330	160 Average	VERTICAL																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																								
1	5725.01	43.30	-10.70	54.00	39.23	32.04	8.31	36.28	330	160 Average	VERTICAL																																																																					






Band 3 5470~5725MHz
WIFI 802.11ac VHT40 (Band Edge @ 3m)

WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																								
ANT	802.11ac VHT40 CH102 5510MHz - L																																																																								
1+2	Horizontal	Fundamental																																																																							
Peak	 Site Condition : 03SCH03-KS : 5G BAND 1-3 3m HF ANT-2015013-91200 HORIZONTAL : 03SCH03-KS 3m HF ANT-2015013-91200 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5469.84</td><td>55.29</td><td>-18.71</td><td>74.00</td><td>51.39</td><td>31.95</td><td>8.35</td><td>36.40</td><td>302 123 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg			1	5469.84	55.29	-18.71	74.00	51.39	31.95	8.35	36.40	302 123 Peak	HORIZONTAL	 Site Condition : 03SCH03-KS : 5G BAND 1-3 3m HF ANT-2015013-91200 HORIZONTAL : 03SCH03-KS 3m HF ANT-2015013-91200 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5514.00</td><td>184.00</td><td>180.19</td><td>31.96</td><td>8.26</td><td>36.33</td><td>302</td><td>123 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5514.00</td><td>96.50</td><td>92.61</td><td>31.96</td><td>8.26</td><td>36.33</td><td>302</td><td>123 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg			1	5514.00	184.00	180.19	31.96	8.26	36.33	302	123 Peak	HORIZONTAL	2	5514.00	96.50	92.61	31.96	8.26	36.33	302	123 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg																																																																		
1	5469.84	55.29	-18.71	74.00	51.39	31.95	8.35	36.40	302 123 Peak	HORIZONTAL																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg																																																																		
1	5514.00	184.00	180.19	31.96	8.26	36.33	302	123 Peak	HORIZONTAL																																																																
2	5514.00	96.50	92.61	31.96	8.26	36.33	302	123 Average	HORIZONTAL																																																																
Avg.	 Site Condition : 03SCH03-KS : 5G BAND 1-3 (AVG) 3m HF ANT-2015013-91200 HORIZONTAL : 03SCH03-KS 3m HF ANT-2015013-91200 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5469.99</td><td>48.85</td><td>-5.15</td><td>54.00</td><td>44.95</td><td>31.95</td><td>8.35</td><td>36.40</td><td>302 123 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg			1	5469.99	48.85	-5.15	54.00	44.95	31.95	8.35	36.40	302 123 Average	HORIZONTAL																																									
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	cm	deg																																																																		
1	5469.99	48.85	-5.15	54.00	44.95	31.95	8.35	36.40	302 123 Average	HORIZONTAL																																																															



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																
ANT	802.11ac VHT40 CH102 5510MHz - R																																
1+2	Horizontal	Fundamental																															
Peak	 Site : 83CH03-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 HORIZONTAL dBu:1000.000MHz VSW:3.000MHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5731.08</td><td>45.22</td><td>-28.78</td><td>74.00</td><td>41.15</td><td>32.04</td><td>8.31</td><td>36.28</td><td>302</td><td>123</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg		1	5731.08	45.22	-28.78	74.00	41.15	32.04	8.31	36.28	302	123	Peak	HORIZONTAL	
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																										
1	5731.08	45.22	-28.78	74.00	41.15	32.04	8.31	36.28	302	123	Peak	HORIZONTAL																					
Avg.	 Site : 83CH03-KS Condition : 5G BAND 1-3 (AVG) 3m HF ANT-2015813-91280 HORIZONTAL dBu:1000.000MHz VSW:3.000MHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5744.36</td><td>37.54</td><td>-16.46</td><td>54.00</td><td>33.44</td><td>32.05</td><td>8.34</td><td>36.29</td><td>302</td><td>123</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg		1	5744.36	37.54	-16.46	54.00	33.44	32.05	8.34	36.29	302	123	Average	HORIZONTAL	
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																										
1	5744.36	37.54	-16.46	54.00	33.44	32.05	8.34	36.29	302	123	Average	HORIZONTAL																					



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																							
ANT	802.11ac VHT40 CH102 5510MHz - L																																																																																							
1+2	Vertical					Fundamental																																																																																		
Peak	 Site Condition : 03CH03-K5 : 5G BAND 1----3 3m HF ANT-2015813-91280 VERTICAL : dBu:1000, dBm:0.000000 VSW:3.000000 SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5463.60</td><td>58.35</td><td>-15.65</td><td>74.00</td><td>54.45</td><td>31.95</td><td>8.35</td><td>36.40</td><td>313</td><td>331 Peak</td><td>VERTICAL</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5463.60	58.35	-15.65	74.00	54.45	31.95	8.35	36.40	313	331 Peak	VERTICAL	 Site Condition : 03CH03-K5 : 5G BAND 1----3 3m HF ANT-2015813-91280 VERTICAL : dBu:1000, dBm:0.000000 VSW:3.000000 SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5506.00</td><td>182.33</td><td></td><td>98.43</td><td>31.96</td><td>8.29</td><td>36.35</td><td>313</td><td>331 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5506.00</td><td>95.81</td><td></td><td>91.91</td><td>31.96</td><td>8.29</td><td>36.35</td><td>313</td><td>331 Average</td><td>VERTICAL</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5506.00	182.33		98.43	31.96	8.29	36.35	313	331 Peak	VERTICAL	2	5506.00	95.81		91.91	31.96	8.29	36.35	313	331 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	5463.60	58.35	-15.65	74.00	54.45	31.95	8.35	36.40	313	331 Peak	VERTICAL																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	5506.00	182.33		98.43	31.96	8.29	36.35	313	331 Peak	VERTICAL																																																																														
2	5506.00	95.81		91.91	31.96	8.29	36.35	313	331 Average	VERTICAL																																																																														
Avg.	 Site Condition : 03CH03-K5 : 5G BAND 1----3 (AVG) 3m HF ANT-2015813-91280 VERTICAL : dBu:1000, dBm:0.000000 VSW:3.000000 SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5469.99</td><td>48.20</td><td>-5.00</td><td>54.00</td><td>44.30</td><td>31.95</td><td>8.35</td><td>36.40</td><td>313</td><td>331 Average</td><td>VERTICAL</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5469.99	48.20	-5.00	54.00	44.30	31.95	8.35	36.40	313	331 Average	VERTICAL																																																	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																
1	5469.99	48.20	-5.00	54.00	44.30	31.95	8.35	36.40	313	331 Average	VERTICAL																																																																													



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																	
ANT	802.11ac VHT40 CH102 5510MHz - R																																	
1+2	Vertical	Fundamental																																
Peak	Site Condition : 83CH03-K5 : 5G BAND 1----3 3m HF ANT-2015813-9120D VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5761.16</td><td>45.12</td><td>-28.88</td><td>74.00</td><td>41.00</td><td>32.05</td><td>8.37</td><td>36.30</td><td>313</td><td>331 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5761.16	45.12	-28.88	74.00	41.00	32.05	8.37	36.30	313	331 Peak	VERTICAL	
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																										
1	5761.16	45.12	-28.88	74.00	41.00	32.05	8.37	36.30	313	331 Peak	VERTICAL																							
Avg.	Site Condition : 83CH03-K5 : 5G BAND 1----3 (AVG) 3m HF ANT-2015813-9120D VERTICAL : RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5743.24</td><td>37.13</td><td>-16.87</td><td>54.00</td><td>33.03</td><td>32.05</td><td>8.34</td><td>36.29</td><td>313</td><td>331 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5743.24	37.13	-16.87	54.00	33.03	32.05	8.34	36.29	313	331 Average	VERTICAL	
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																										
1	5743.24	37.13	-16.87	54.00	33.03	32.05	8.34	36.29	313	331 Average	VERTICAL																							






WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																															
ANT	802.11ac VHT40 CH110 5550MHz - L																																																																															
1+2	Horizontal	Fundamental																																																																														
Peak	Site : 83CH03-KS Condition : SG BAND 1-3 3m HP ANT-2015013-91200 HORIZONTAL : BW:1000.000KHz VSW:3.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5467.12</td><td>55.54</td><td>-18.46</td><td>74.00</td><td>51.64</td><td>31.95</td><td>8.35</td><td>36.40</td><td>300</td><td>123 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5467.12	55.54	-18.46	74.00	51.64	31.95	8.35	36.40	300	123 Peak	HORIZONTAL	Site : 83CH03-KS Condition : SG BAND 1-3 3m HP ANT-2015013-91200 HORIZONTAL : BW:1000.000KHz VSW:3.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5546.00</td><td>85.34</td><td></td><td>101.45</td><td>31.97</td><td>8.20</td><td>36.20</td><td>300</td><td>123 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5546.00</td><td>90.30</td><td></td><td>94.41</td><td>31.97</td><td>8.20</td><td>36.20</td><td>300</td><td>123 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5546.00	85.34		101.45	31.97	8.20	36.20	300	123 Peak	HORIZONTAL	2	5546.00	90.30		94.41	31.97	8.20	36.20	300	123 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																								
1	5467.12	55.54	-18.46	74.00	51.64	31.95	8.35	36.40	300	123 Peak	HORIZONTAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																								
1	5546.00	85.34		101.45	31.97	8.20	36.20	300	123 Peak	HORIZONTAL																																																																						
2	5546.00	90.30		94.41	31.97	8.20	36.20	300	123 Average	HORIZONTAL																																																																						
Avg.	Site : 83CH03-KS Condition : SG BAND 1-3 3m HP ANT-2015013-91200 HORIZONTAL : BW:1000.000KHz VSW:3.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5453.84</td><td>42.13</td><td>-11.87</td><td>54.00</td><td>38.23</td><td>31.94</td><td>8.38</td><td>36.42</td><td>300</td><td>123 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5453.84	42.13	-11.87	54.00	38.23	31.94	8.38	36.42	300	123 Average	HORIZONTAL																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																								
1	5453.84	42.13	-11.87	54.00	38.23	31.94	8.38	36.42	300	123 Average	HORIZONTAL																																																																					





WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																			
ANT	802.11ac VHT40 CH110 5550MHz - R																																			
1+2	Horizontal	Fundamental																																		
Peak	Site : 83CH03-KS Condition : 5G BAND 1-3 3m HP ANT-2015013-91200 HORIZONTAL : dBu:1000.000MHz VSW:3.000MHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5747.00</td><td>50.02</td><td>-23.98</td><td>74.00</td><td>45.92</td><td>32.05</td><td>8.34</td><td>36.29</td><td>300</td><td>123 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5747.00	50.02	-23.98	74.00	45.92	32.05	8.34	36.29	300	123 Peak	HORIZONTAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																												
1	5747.00	50.02	-23.98	74.00	45.92	32.05	8.34	36.29	300	123 Peak	HORIZONTAL																									
Avg.	Site : 83CH03-KS Condition : 5G BAND 1-3 (AVG) 3m HP ANT-2015013-91200 HORIZONTAL : dBu:1000.000MHz VSW:3.000MHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5733.00</td><td>38.22</td><td>-15.78</td><td>54.00</td><td>34.15</td><td>32.04</td><td>8.31</td><td>36.28</td><td>300</td><td>123 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5733.00	38.22	-15.78	54.00	34.15	32.04	8.31	36.28	300	123 Average	HORIZONTAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																												
1	5733.00	38.22	-15.78	54.00	34.15	32.04	8.31	36.28	300	123 Average	HORIZONTAL																									



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																															
ANT	802.11ac VHT40 CH110 5550MHz - L																																																																															
1+2	Vertical	Fundamental																																																																														
Peak	 Site : 03CH83-KS Condition : SG BAND 1----3 3m HF ANT-2015813-91280 VERTICAL BW:1000.000MHz VSW:3.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5456.56</td><td>53.28</td><td>-29.72</td><td>74.00</td><td>49.38</td><td>31.94</td><td>8.38</td><td>36.42</td><td>312</td><td>331 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5456.56	53.28	-29.72	74.00	49.38	31.94	8.38	36.42	312	331 Peak	VERTICAL	 Site : 03CH83-KS Condition : SG BAND 1----3 3m HF ANT-2015813-91280 VERTICAL BW:1000.000MHz VSW:3.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5554.00</td><td>103.89</td><td>-</td><td>100.00</td><td>31.97</td><td>8.20</td><td>36.28</td><td>312</td><td>331 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5554.00</td><td>97.32</td><td>-</td><td>93.43</td><td>31.97</td><td>8.20</td><td>36.28</td><td>312</td><td>331 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5554.00	103.89	-	100.00	31.97	8.20	36.28	312	331 Peak	VERTICAL	2	5554.00	97.32	-	93.43	31.97	8.20	36.28	312	331 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																								
1	5456.56	53.28	-29.72	74.00	49.38	31.94	8.38	36.42	312	331 Peak	VERTICAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																								
1	5554.00	103.89	-	100.00	31.97	8.20	36.28	312	331 Peak	VERTICAL																																																																						
2	5554.00	97.32	-	93.43	31.97	8.20	36.28	312	331 Average	VERTICAL																																																																						
Avg.	 Site : 03CH83-KS Condition : SG BAND 1----3 (AVG) 3m HF ANT-2015813-91280 VERTICAL BW:1000.000MHz VSW:3.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5462.88</td><td>42.23</td><td>-11.77</td><td>54.00</td><td>38.33</td><td>31.95</td><td>8.35</td><td>36.40</td><td>312</td><td>331 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5462.88	42.23	-11.77	54.00	38.33	31.95	8.35	36.40	312	331 Average	VERTICAL																																													
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																								
1	5462.88	42.23	-11.77	54.00	38.33	31.95	8.35	36.40	312	331 Average	VERTICAL																																																																					



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																			
ANT	802.11ac VHT40 CH110 5550MHz - R																																			
1+2	Vertical	Fundamental																																		
Peak	 Site : 83CH03-KS Condition : 5G BAND 1----3 3m HF ANT-2015813-91280 VERTICAL : BW:1000.000MHz VSW:3.000.000Hz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5754.28</td><td>47.89</td><td>-26.91</td><td>74.80</td><td>42.97</td><td>32.05</td><td>8.37</td><td>36.30</td><td>312</td><td>331 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	cm	deg		1	5754.28	47.89	-26.91	74.80	42.97	32.05	8.37	36.30	312	331 Peak	VERTICAL	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																										
MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	cm	deg																											
1	5754.28	47.89	-26.91	74.80	42.97	32.05	8.37	36.30	312	331 Peak	VERTICAL																									
Avg.	 Site : 83CH03-KS Condition : 5G BAND 1----3 (AVG) 3m HF ANT-2015813-91280 VERTICAL : BW:1000.000MHz VSW:3.000MHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5758.44</td><td>37.23</td><td>-16.77</td><td>54.80</td><td>33.11</td><td>32.05</td><td>8.37</td><td>36.30</td><td>312</td><td>331 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	cm	deg		1	5758.44	37.23	-16.77	54.80	33.11	32.05	8.37	36.30	312	331 Average	VERTICAL	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																										
MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	cm	deg																											
1	5758.44	37.23	-16.77	54.80	33.11	32.05	8.37	36.30	312	331 Average	VERTICAL																									



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																						
ANT	802.11ac VHT40 CH134 5670MHz - L																																																																																						
1+2	Horizontal	Fundamental																																																																																					
Peak	Site : 83CH03-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 HORIZONTAL : dBuV:1000.000000Hz VSW:3.000000 SMT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5468.88</td><td>45.71</td><td>-28.29</td><td>74.00</td><td>41.83</td><td>31.94</td><td>8.38</td><td>36.42</td><td>311</td><td>125</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	5468.88	45.71	-28.29	74.00	41.83	31.94	8.38	36.42	311	125	Peak	HORIZONTAL	Site : 83CH03-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 HORIZONTAL : dBuV:1000.000000Hz VSW:3.000000 SMT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 *</td><td>5674.00</td><td>98.91</td><td></td><td>99.01</td><td>32.82</td><td>8.22</td><td>36.24</td><td>311</td><td>125</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2 *</td><td>5674.00</td><td>98.34</td><td></td><td>94.34</td><td>32.82</td><td>8.22</td><td>36.24</td><td>311</td><td>125</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1 *	5674.00	98.91		99.01	32.82	8.22	36.24	311	125	Peak	HORIZONTAL	2 *	5674.00	98.34		94.34	32.82	8.22	36.24	311	125	Average	HORIZONTAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
Freq	Level	Line	Level Factor	Loss Factor																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																																
1	5468.88	45.71	-28.29	74.00	41.83	31.94	8.38	36.42	311	125	Peak	HORIZONTAL																																																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
Freq	Level	Line	Level Factor	Loss Factor																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																																
1 *	5674.00	98.91		99.01	32.82	8.22	36.24	311	125	Peak	HORIZONTAL																																																																												
2 *	5674.00	98.34		94.34	32.82	8.22	36.24	311	125	Average	HORIZONTAL																																																																												
Avg.	Site : 83CH03-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 HORIZONTAL : dBuV:1000.000000Hz VSW:3.000000 SMT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5468.88</td><td>37.30</td><td>-16.70</td><td>54.00</td><td>33.48</td><td>31.94</td><td>8.38</td><td>36.42</td><td>311</td><td>125</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	5468.88	37.30	-16.70	54.00	33.48	31.94	8.38	36.42	311	125	Average	HORIZONTAL																																																	
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
Freq	Level	Line	Level Factor	Loss Factor																																																																																			
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																																
1	5468.88	37.30	-16.70	54.00	33.48	31.94	8.38	36.42	311	125	Average	HORIZONTAL																																																																											





WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																			
ANT	802.11ac VHT40 CH134 5670MHz - R																																			
1+2	Horizontal	Fundamental																																		
Peak	Site : 83CM03-KS Condition : 5G BAND 1-3 3m HP ANT-2015813-91280 HORIZONTAL : BW:1000.000KHz VSW:3.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5753.72</td><td>57.55</td><td>-16.45</td><td>74.00</td><td>53.43</td><td>32.05</td><td>8.37</td><td>36.30</td><td>311</td><td>125 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5753.72	57.55	-16.45	74.00	53.43	32.05	8.37	36.30	311	125 Peak	HORIZONTAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																												
1	5753.72	57.55	-16.45	74.00	53.43	32.05	8.37	36.30	311	125 Peak	HORIZONTAL																									
Avg.	Site : 83CM03-KS Condition : 5G BAND 1-3 (AVG) 3m HP ANT-2015813-91280 HORIZONTAL : BW:1000.000KHz VSW:3.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5739.84</td><td>45.38</td><td>-8.62</td><td>54.00</td><td>41.31</td><td>32.04</td><td>8.31</td><td>36.28</td><td>311</td><td>125 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5739.84	45.38	-8.62	54.00	41.31	32.04	8.31	36.28	311	125 Average	HORIZONTAL	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																												
1	5739.84	45.38	-8.62	54.00	41.31	32.04	8.31	36.28	311	125 Average	HORIZONTAL																									






WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																				
ANT	802.11ac VHT40 CH134 5670MHz - L																																																																																				
1+2	Vertical					Fundamental																																																																															
Peak	Site : 83CH03-K5 Condition : SG BAND 1-3 3m HF ANT-2015813-91280 VERTICAL : BW:1000.000kHz VSW:3.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5428.56</td><td>58.86</td><td>-23.14</td><td>74.00</td><td>46.96</td><td>31.94</td><td>8.41</td><td>36.45</td><td>316</td><td>321 Peak VERTICAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5428.56	58.86	-23.14	74.00	46.96	31.94	8.41	36.45	316	321 Peak VERTICAL	Site : 83CH03-K5 Condition : SG BAND 1-3 3m HF ANT-2015813-91280 VERTICAL : BW:1000.000kHz VSW:3.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5674.00</td><td>103.69</td><td></td><td>99.69</td><td>32.82</td><td>8.22</td><td>36.24</td><td>316</td><td>321 Peak VERTICAL</td></tr><tr><td>2</td><td>5674.00</td><td>96.54</td><td></td><td>92.54</td><td>32.82</td><td>8.22</td><td>36.24</td><td>316</td><td>321 Average VERTICAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5674.00	103.69		99.69	32.82	8.22	36.24	316	321 Peak VERTICAL	2	5674.00	96.54		92.54	32.82	8.22	36.24	316	321 Average VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																													
1	5428.56	58.86	-23.14	74.00	46.96	31.94	8.41	36.45	316	321 Peak VERTICAL																																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																													
1	5674.00	103.69		99.69	32.82	8.22	36.24	316	321 Peak VERTICAL																																																																												
2	5674.00	96.54		92.54	32.82	8.22	36.24	316	321 Average VERTICAL																																																																												
Avg.	Site : 83CH03-K5 Condition : SG BAND 1-3 (AVG) 3m HF ANT-2015813-91280 VERTICAL : BW:1000.000kHz VSW:3.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5458.32</td><td>37.66</td><td>-16.34</td><td>54.00</td><td>33.76</td><td>31.94</td><td>8.38</td><td>36.42</td><td>316</td><td>321 Average VERTICAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5458.32	37.66	-16.34	54.00	33.76	31.94	8.38	36.42	316	321 Average VERTICAL																																															
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																													
1	5458.32	37.66	-16.34	54.00	33.76	31.94	8.38	36.42	316	321 Average VERTICAL																																																																											



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																									
ANT	802.11ac VHT40 CH134 5670MHz - R																																									
1+2	Vertical					Fundamental																																				
Peak	 Site : 83CH03-KS Condition : SG BAND 1----3 3e HP ANT-2015813-91280 VERTICAL : dBu:1000.0000MHz VSW:3.0000 SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5757.00</td><td>58.40</td><td>-23.00</td><td>74.00</td><td>46.28</td><td>32.05</td><td>8.37</td><td>36.30</td><td>316</td><td>321 Peak</td><td>VERTICAL</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	Limit	Line	Level	Factor	dB	cm	deg		1	5757.00	58.40	-23.00	74.00	46.28	32.05	8.37	36.30	316	321 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
MHz	dBuV/m	Limit	Line	Level	Factor	dB	cm	deg																																		
1	5757.00	58.40	-23.00	74.00	46.28	32.05	8.37	36.30	316	321 Peak	VERTICAL																															
Avg.	 Site : 83CH03-KS Condition : SG BAND 1----3 (AVG) 3e HP ANT-2015813-91280 VERTICAL : dBu:1000.0000MHz VSW:3.0000 SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5727.16</td><td>42.61</td><td>-11.39</td><td>54.00</td><td>38.54</td><td>32.04</td><td>8.31</td><td>36.28</td><td>316</td><td>321 Average</td><td>VERTICAL</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	Limit	Line	Level	Factor	dB	cm	deg		1	5727.16	42.61	-11.39	54.00	38.54	32.04	8.31	36.28	316	321 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
MHz	dBuV/m	Limit	Line	Level	Factor	dB	cm	deg																																		
1	5727.16	42.61	-11.39	54.00	38.54	32.04	8.31	36.28	316	321 Average	VERTICAL																															






Band 3 5470~5725MHz
WIFI 802.11ac VHT80 (Band Edge @ 3m)

WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																									
ANT	802.11ac VHT80 CH106 5530MHz - L																																																																																									
1+2	Horizontal					Fundamental																																																																																				
Peak	 Site : 03CH03-K5 Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 HORIZONTAL : 03CH-1000-000000 VSW:3.0000 SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5466.64</td><td>51.54</td><td>-22.46</td><td>74.00</td><td>47.64</td><td>31.95</td><td>8.35</td><td>36.40</td><td>311</td><td>70 Peak</td><td>HORIZONTAL</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1	5466.64	51.54	-22.46	74.00	47.64	31.95	8.35	36.40	311	70 Peak	HORIZONTAL	 Site : 03CH03-K5 Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 HORIZONTAL : 03CH-1000-000000 VSW:3.0000 SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5510.00</td><td>95.68</td><td></td><td></td><td>91.79</td><td>31.96</td><td>8.26</td><td>36.33</td><td>311</td><td>70 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5510.00</td><td>87.59</td><td></td><td></td><td>83.78</td><td>31.96</td><td>8.26</td><td>36.33</td><td>311</td><td>70 Average</td><td>HORIZONTAL</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1	5510.00	95.68			91.79	31.96	8.26	36.33	311	70 Peak	HORIZONTAL	2	5510.00	87.59			83.78	31.96	8.26	36.33	311	70 Average	HORIZONTAL
		Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																		
1	5466.64	51.54	-22.46	74.00	47.64	31.95	8.35	36.40	311	70 Peak	HORIZONTAL																																																																															
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																		
1	5510.00	95.68			91.79	31.96	8.26	36.33	311	70 Peak	HORIZONTAL																																																																															
2	5510.00	87.59			83.78	31.96	8.26	36.33	311	70 Average	HORIZONTAL																																																																															
Avg.	 Site : 03CH03-K5 Condition : 5G BAND 1-3 (AVG) 3m HF ANT-2015813-91280 HORIZONTAL : 03CH-1000-000000 VSW:3.0000 SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5466.32</td><td>44.68</td><td>-9.32</td><td>54.00</td><td>40.78</td><td>31.95</td><td>8.35</td><td>36.40</td><td>311</td><td>70 Average</td><td>HORIZONTAL</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1	5466.32	44.68	-9.32	54.00	40.78	31.95	8.35	36.40	311	70 Average	HORIZONTAL																																																			
		Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																		
1	5466.32	44.68	-9.32	54.00	40.78	31.95	8.35	36.40	311	70 Average	HORIZONTAL																																																																															



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																											
ANT	802.11ac VHT80 CH106 5530MHz - R																																											
1+2	Horizontal	Fundamental																																										
Peak	Site : 83CH03-K5 Condition : 5G BAND 1-3 3m HP ANT-2015813-91280 HORIZONTAL : Rbw:1000.000KHz Vbw:3000.000KHz SMT:Auto <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.28</td><td>45.42</td><td>-28.58</td><td>74.00</td><td>41.35</td><td>32.04</td><td>8.31</td><td>36.28</td><td>311</td><td>70 Peak</td><td>HORIZONTAL</td></tr></table>		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	Limit	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5728.28	45.42	-28.58	74.00	41.35	32.04	8.31	36.28	311	70 Peak	HORIZONTAL	
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																			
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																			
1	5728.28	45.42	-28.58	74.00	41.35	32.04	8.31	36.28	311	70 Peak	HORIZONTAL																																	
Avg.	Site : 83CH03-K5 Condition : 5G BAND 1-3 (AVG) 3m HP ANT-2015813-91280 HORIZONTAL : Rbw:1000.000KHz Vbw:3.000KHz SMT:Auto <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5748.04</td><td>37.46</td><td>-16.54</td><td>54.00</td><td>33.36</td><td>32.05</td><td>8.34</td><td>36.29</td><td>311</td><td>70 Average</td><td>HORIZONTAL</td></tr></table>		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	Limit	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5748.04	37.46	-16.54	54.00	33.36	32.05	8.34	36.29	311	70 Average	HORIZONTAL	
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																			
	Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																			
1	5748.04	37.46	-16.54	54.00	33.36	32.05	8.34	36.29	311	70 Average	HORIZONTAL																																	



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																											
ANT	802.11ac VHT80 CH106 5530MHz - L																																																																																											
1+2	Vertical	Fundamental																																																																																										
Peak	 Site Condition : 83CH83-K5 : 5G BAND 1-3 3m HF ANT-2015813-91280 VERTICAL : RSW:1000.0000Hz VSW:3.0000Hz SMT:Auto <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5468.08</td><td>56.10</td><td>-17.90</td><td>74.00</td><td>52.20</td><td>31.95</td><td>8.35</td><td>36.40</td><td>367 295 Peak VERTICAL</td></tr></table>		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	Line	Level	Factor	Loss	Factor				MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5468.08	56.10	-17.90	74.00	52.20	31.95	8.35	36.40	367 295 Peak VERTICAL	 Site Condition : 83CH83-K5 : 5G BAND 1-3 3m HF ANT-2015813-91280 VERTICAL : RSW:1000.0000Hz VSW:3.0000Hz SMT:Auto <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5534.00</td><td>96.75</td><td></td><td>92.85</td><td>31.97</td><td>8.23</td><td>36.30</td><td>367 295 Peak VERTICAL</td><td></td></tr><tr><td>2</td><td>5534.00</td><td>90.53</td><td></td><td>86.63</td><td>31.97</td><td>8.23</td><td>36.30</td><td>367 295 Average VERTICAL</td><td></td></tr></table>		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	Line	Level	Factor	Loss	Factor				MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5534.00	96.75		92.85	31.97	8.23	36.30	367 295 Peak VERTICAL		2	5534.00	90.53		86.63	31.97	8.23	36.30	367 295 Average VERTICAL	
		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
	Freq	Level	Line	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																				
1	5468.08	56.10	-17.90	74.00	52.20	31.95	8.35	36.40	367 295 Peak VERTICAL																																																																																			
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																			
	Freq	Level	Line	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																				
1	5534.00	96.75		92.85	31.97	8.23	36.30	367 295 Peak VERTICAL																																																																																				
2	5534.00	90.53		86.63	31.97	8.23	36.30	367 295 Average VERTICAL																																																																																				
Avg.	 Site Condition : 83CH83-K5 : 5G BAND 1-3 (AVG) 3m HF ANT-2015813-91280 VERTICAL : RSW:1000.0000Hz VSW:3.0000Hz SMT:Auto <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5467.76</td><td>47.98</td><td>-6.82</td><td>54.80</td><td>44.88</td><td>31.95</td><td>8.35</td><td>36.40</td><td>367 295 Average VERTICAL</td></tr></table>		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	Line	Level	Factor	Loss	Factor				MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	5467.76	47.98	-6.82	54.80	44.88	31.95	8.35	36.40	367 295 Average VERTICAL																																																			
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																			
	Freq	Level	Line	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																																				
1	5467.76	47.98	-6.82	54.80	44.88	31.95	8.35	36.40	367 295 Average VERTICAL																																																																																			



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																											
ANT	802.11ac VHT80 CH106 5530MHz - R																																											
1+2	Vertical					Fundamental																																						
Peak	Site : 03CH03-KS Condition : 5G BAND 1----3 3m HF ANT-2015813-91280 VERTICAL : BW:1000.000MHz VSW:3.000Hz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5746.20</td><td>45.87</td><td>-28.13</td><td>74.00</td><td>41.77</td><td>32.05</td><td>8.34</td><td>36.29</td><td>367</td><td>295 Peak</td><td>VERTICAL</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5746.20	45.87	-28.13	74.00	41.77	32.05	8.34	36.29	367	295 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																				
1	5746.20	45.87	-28.13	74.00	41.77	32.05	8.34	36.29	367	295 Peak	VERTICAL																																	
Avg.	Site : 03CH03-KS Condition : 5G BAND 1----3 (AVG) 3m HF ANT-2015813-91280 VERTICAL : BW:1000.000MHz VSW:3.000Hz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5732.36</td><td>37.83</td><td>-16.17</td><td>54.00</td><td>33.76</td><td>32.04</td><td>8.31</td><td>36.28</td><td>367</td><td>295 Average</td><td>VERTICAL</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5732.36	37.83	-16.17	54.00	33.76	32.04	8.31	36.28	367	295 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																				
1	5732.36	37.83	-16.17	54.00	33.76	32.04	8.31	36.28	367	295 Average	VERTICAL																																	



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																						
ANT	802.11ac VHT80 CH122 5610MHz - L																																																																																						
1+2	Horizontal	Fundamental																																																																																					
Peak	Site Condition : 03CH03-KS : SG BAND 1----3 3m HF ANT-2015813-91280 HORIZONTAL : RBW:1000.000KHz VSW:3.000KHz SMT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th></th><th></th></tr><tr><td>1</td><td>5466.00</td><td>51.37</td><td>-22.63</td><td>74.00</td><td>47.47</td><td>31.95</td><td>8.35</td><td>36.40</td><td>397</td><td>289</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	dB	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m			1	5466.00	51.37	-22.63	74.00	47.47	31.95	8.35	36.40	397	289	Peak	HORIZONTAL	Site Condition : 03CH03-KS : SG BAND 1----3 3m HF ANT-2015813-91280 HORIZONTAL : RBW:1000.000KHz VSW:3.000KHz SMT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th></th><th></th></tr><tr><td>1 *</td><td>5594.00</td><td>99.59</td><td></td><td>95.71</td><td>31.98</td><td>8.13</td><td>36.23</td><td>397</td><td>289</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2 *</td><td>5594.00</td><td>92.54</td><td></td><td>88.66</td><td>31.98</td><td>8.13</td><td>36.23</td><td>397</td><td>289</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	dB	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m			1 *	5594.00	99.59		95.71	31.98	8.13	36.23	397	289	Peak	HORIZONTAL	2 *	5594.00	92.54		88.66	31.98	8.13	36.23	397	289	Average	HORIZONTAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
Freq	Level	Line	Level Factor	dB	dB	cm	deg																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m																																																																																		
1	5466.00	51.37	-22.63	74.00	47.47	31.95	8.35	36.40	397	289	Peak	HORIZONTAL																																																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
Freq	Level	Line	Level Factor	dB	dB	cm	deg																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m																																																																																		
1 *	5594.00	99.59		95.71	31.98	8.13	36.23	397	289	Peak	HORIZONTAL																																																																												
2 *	5594.00	92.54		88.66	31.98	8.13	36.23	397	289	Average	HORIZONTAL																																																																												
Avg.	Site Condition : 03CH03-KS : SG BAND 1----3 (AVG) 3m HF ANT-2015813-91280 HORIZONTAL : RBW:1000.000KHz VSW:3.000KHz SMT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th></th><th></th></tr><tr><td>1</td><td>5465.68</td><td>44.25</td><td>-9.75</td><td>54.00</td><td>40.35</td><td>31.95</td><td>8.35</td><td>36.40</td><td>397</td><td>289</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	dB	dB	cm	deg	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m			1	5465.68	44.25	-9.75	54.00	40.35	31.95	8.35	36.40	397	289	Average	HORIZONTAL																																																	
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
Freq	Level	Line	Level Factor	dB	dB	cm	deg																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m																																																																																		
1	5465.68	44.25	-9.75	54.00	40.35	31.95	8.35	36.40	397	289	Average	HORIZONTAL																																																																											





WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																										
ANT	802.11ac VHT80 CH122 5610MHz - R																																										
1+2	Horizontal					Fundamental																																					
Peak	Site : 83CH03-K5 Condition : SG BAND 1-3 3m HF ANT-2015813-91280 HORIZONTAL : dBu:1000.000KHz VSW:3.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5726.92</td><td>49.18</td><td>-24.82</td><td>74.00</td><td>45.11</td><td>32.04</td><td>8.31</td><td>36.28</td><td>397</td><td>289 Peak</td><td>HORIZONTAL</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 5726.92	49.18	-24.82	74.00	45.11	32.04	8.31	36.28	397	289 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																			
1 5726.92	49.18	-24.82	74.00	45.11	32.04	8.31	36.28	397	289 Peak	HORIZONTAL																																	
Avg.	Site : 83CH03-K5 Condition : SG BAND 1-3 (AVG) 3m HF ANT-2015813-91280 HORIZONTAL : dBu:1000.000KHz VSW:3.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5726.36</td><td>42.20</td><td>-11.80</td><td>54.00</td><td>38.13</td><td>32.04</td><td>8.31</td><td>36.28</td><td>397</td><td>289 Average</td><td>HORIZONTAL</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 5726.36	42.20	-11.80	54.00	38.13	32.04	8.31	36.28	397	289 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																			
1 5726.36	42.20	-11.80	54.00	38.13	32.04	8.31	36.28	397	289 Average	HORIZONTAL																																	



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																						
ANT	802.11ac VHT80 CH122 5610MHz - L																																																																																						
1+2	Vertical	Fundamental																																																																																					
Peak	Site : 83CH83-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5469.68</td><td>58.29</td><td>-23.71</td><td>74.00</td><td>46.39</td><td>31.95</td><td>8.35</td><td>36.40</td><td>299</td><td>181</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	5469.68	58.29	-23.71	74.00	46.39	31.95	8.35	36.40	299	181	Peak	VERTICAL	Site : 83CH83-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5622.00</td><td>100.03</td><td></td><td>96.12</td><td>31.99</td><td>8.13</td><td>36.21</td><td>299</td><td>181</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5622.00</td><td>93.41</td><td></td><td>89.10</td><td>31.99</td><td>8.13</td><td>36.21</td><td>299</td><td>181</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	5622.00	100.03		96.12	31.99	8.13	36.21	299	181	Peak	VERTICAL	2	5622.00	93.41		89.10	31.99	8.13	36.21	299	181	Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																																
1	5469.68	58.29	-23.71	74.00	46.39	31.95	8.35	36.40	299	181	Peak	VERTICAL																																																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																																
1	5622.00	100.03		96.12	31.99	8.13	36.21	299	181	Peak	VERTICAL																																																																												
2	5622.00	93.41		89.10	31.99	8.13	36.21	299	181	Average	VERTICAL																																																																												
Avg.	Site : 83CH83-KS Condition : 5G BAND 1-3 (AVG) 3m HF ANT-2015813-91280 VERTICAL RBW:1000.000kHz VBW:3.000kHz SMT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5465.84</td><td>42.54</td><td>-11.46</td><td>54.00</td><td>38.64</td><td>31.95</td><td>8.35</td><td>36.40</td><td>299</td><td>181</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	5465.84	42.54	-11.46	54.00	38.64	31.95	8.35	36.40	299	181	Average	VERTICAL																																																	
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
Freq	Level	Line	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																																
1	5465.84	42.54	-11.46	54.00	38.64	31.95	8.35	36.40	299	181	Average	VERTICAL																																																																											





WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																										
ANT	802.11ac VHT80 CH122 5610MHz - R																																																										
1+2	Vertical						Fundamental																																																				
Peak	 Site Condition : 83CH03-K5 : 5G BAND 1----3 3m HF ANT-2015813-91200 VERTICAL : RBU:1000,000Hz VBU:3000,000Hz SUT:Auto <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th><th></th><th></th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5729.88</td><td>58.10</td><td>-23.90</td><td>74.00</td><td>46.03</td><td>32.04</td><td>8.31</td><td>36.28</td><td>299</td><td>181 Peak</td><td>VERTICAL</td></tr></table>												Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos					Freq	Level	Line	Level	Factor	Loss	Factor		cm	deg	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB						1	5729.88	58.10	-23.90	74.00	46.03	32.04	8.31	36.28	299	181 Peak	VERTICAL
		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos																																																			
Freq	Level	Line	Level	Factor	Loss	Factor		cm	deg	Remark	Pol/Phas																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																					
1	5729.88	58.10	-23.90	74.00	46.03	32.04	8.31	36.28	299	181 Peak	VERTICAL																																																
Avg.	 Site Condition : 83CH03-K5 : 5G BAND 1----3 (AVG) 3m HF ANT-2015813-91200 VERTICAL : RBU:1000,000Hz VBU:3,000Hz SUT:Auto <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th></th><th></th><th></th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>5725.01</td><td>42.67</td><td>-11.33</td><td>54.00</td><td>38.68</td><td>32.04</td><td>8.31</td><td>36.28</td><td>299</td><td>181 Average</td><td>VERTICAL</td></tr></table>												Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos					Freq	Level	Line	Level	Factor	Loss	Factor		cm	deg	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB						1	5725.01	42.67	-11.33	54.00	38.68	32.04	8.31	36.28	299	181 Average	VERTICAL
		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos																																																			
Freq	Level	Line	Level	Factor	Loss	Factor		cm	deg	Remark	Pol/Phas																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																					
1	5725.01	42.67	-11.33	54.00	38.68	32.04	8.31	36.28	299	181 Average	VERTICAL																																																



Band 3 - 5470~5725MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 3 5470~5725MHz Harmonic @ 3m																																																													
ANT	802.11a CH100 5500MHz																																																													
1+2	Horizontal	Vertical																																																												
Peak	Site : 83CHB3-K5 Condition : 5G BAND 1-3 3m HF ANT-2015813-91200 HORIZONTAL - 10000.000000 VSWR:3000.000000 SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>11000.00</td><td>43.84</td><td>-30.16</td><td>74.00</td><td>49.19</td><td>38.48</td><td>12.25</td><td>56.00</td><td>100</td><td>0 Peak HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		11000.00	43.84	-30.16	74.00	49.19	38.48	12.25	56.00	100	0 Peak HORIZONTAL	Site : 83CHB3-K5 Condition : 5G BAND 1-3 3m HF ANT-2015813-91200 VERTICAL - 10000.000000 VSWR:3000.000000 SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>11000.00</td><td>43.17</td><td>-30.83</td><td>74.00</td><td>48.52</td><td>38.48</td><td>12.25</td><td>56.00</td><td>200</td><td>360 Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		11000.00	43.17	-30.83	74.00	48.52	38.48	12.25	56.00	200	360 Peak VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
11000.00	43.84	-30.16	74.00	49.19	38.48	12.25	56.00	100	0 Peak HORIZONTAL																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																						
11000.00	43.17	-30.83	74.00	48.52	38.48	12.25	56.00	200	360 Peak VERTICAL																																																					



WIFI	Band 3 5470~5725MHz Harmonic @ 3m																																																																			
ANT	802.11a CH120 5600MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak	 Site : 83CH03-K5 Condition : 5G BAND 1-3 3m HF ANT-2015013-01200 HORIZONTAL : 802.11a CH120 5600MHz VSW:3000.0000Hz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11200.00</td><td>43.37</td><td>-32.63</td><td>74.00</td><td>46.92</td><td>38.48</td><td>12.38</td><td>56.41</td><td>200</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg		1 11200.00	43.37	-32.63	74.00	46.92	38.48	12.38	56.41	200	0 Peak	HORIZONTAL	 Site : 83CH03-K5 Condition : 5G BAND 1-3 3m HF ANT-2015013-01200 VERTICAL : 802.11a CH120 5600MHz VSW:3000.0000Hz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11200.00</td><td>48.90</td><td>-33.10</td><td>74.00</td><td>46.45</td><td>38.48</td><td>12.38</td><td>56.41</td><td>200</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg		1 11200.00	48.90	-33.10	74.00	46.45	38.48	12.38	56.41	200	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg																																																											
1 11200.00	43.37	-32.63	74.00	46.92	38.48	12.38	56.41	200	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg																																																											
1 11200.00	48.90	-33.10	74.00	46.45	38.48	12.38	56.41	200	360 Peak	VERTICAL																																																										





WIFI	Band 3 5470~5725MHz Harmonic @ 3m									
ANT	802.11a CH140 5700MHz									
1+2	Horizontal					Vertical				
Peak										



Band 3 5470~5725MHz
WIFI 802.11ac VHT20 (Harmonic @ 3m)

WIFI	Band 3 5470~5725MHz Harmonic @ 3m																																																																					
ANT	802.11ac VHT20 CH100 5500MHz																																																																					
1+2	Horizontal					Vertical																																																																
Peak	Site : 83CH03-K5 Condition : SG BAND 1-3 3m HF ANT-2015813-91280 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11800.00</td><td>43.27</td><td>-30.73</td><td>74.00</td><td>46.62</td><td>38.40</td><td>12.25</td><td>56.00</td><td>200 360 Peak</td><td>HORIZONTAL</td></tr></table>					Freq	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg			1 11800.00	43.27	-30.73	74.00	46.62	38.40	12.25	56.00	200 360 Peak	HORIZONTAL	Site : 83CH03-K5 Condition : SG BAND 1-3 3m HF ANT-2015813-91280 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11800.00</td><td>43.47</td><td>-30.53</td><td>74.00</td><td>46.82</td><td>38.40</td><td>12.25</td><td>56.00</td><td>200 360 Peak</td><td>VERTICAL</td></tr></table>					Freq	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg			1 11800.00	43.47	-30.53	74.00	46.82	38.40	12.25	56.00	200 360 Peak	VERTICAL
	Freq	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																															
1 11800.00	43.27	-30.73	74.00	46.62	38.40	12.25	56.00	200 360 Peak	HORIZONTAL																																																													
Freq	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																													
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																															
1 11800.00	43.47	-30.53	74.00	46.82	38.40	12.25	56.00	200 360 Peak	VERTICAL																																																													



WIFI	Band 3 5470~5725MHz Harmonic @ 3m																																																																											
ANT	802.11ac VHT20 CH120 5600MHz																																																																											
1+2	Horizontal	Vertical																																																																										
Peak	 Site : 03CH03-K5 Condition : 5G BAND 1----3 3m HF ANT-2015013-01200 HORIZONTAL dBuV/m: 5470~5725 VSW:3000.000000 SUT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11200.00</td><td>42.11</td><td>-31.09</td><td>74.00</td><td>47.66</td><td>38.48</td><td>12.38</td><td>56.41</td><td>200</td><td>360</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	11200.00	42.11	-31.09	74.00	47.66	38.48	12.38	56.41	200	360	Peak	HORIZONTAL	 Site : 03CH03-K5 Condition : 5G BAND 1----3 3m HF ANT-2015013-01200 VERTICAL dBuV/m: 5470~5725 VSW:3000.000000 SUT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11200.00</td><td>41.38</td><td>-32.62</td><td>74.00</td><td>46.93</td><td>38.48</td><td>12.38</td><td>56.41</td><td>200</td><td>360</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	11200.00	41.38	-32.62	74.00	46.93	38.48	12.38	56.41	200	360	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
Freq	Level	Line	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																					
1	11200.00	42.11	-31.09	74.00	47.66	38.48	12.38	56.41	200	360	Peak	HORIZONTAL																																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
Freq	Level	Line	Level Factor	Loss Factor																																																																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																					
1	11200.00	41.38	-32.62	74.00	46.93	38.48	12.38	56.41	200	360	Peak	VERTICAL																																																																



WIFI	Band 3 5470~5725MHz Harmonic @ 3m																																																																																																	
ANT	802.11ac VHT20 CH140 5700MHz																																																																																																	
1+2	Horizontal						Vertical																																																																																											
Peak	Site : 83CH03-K5 Condition : 5G BAND 1-3 3m HF ANT-2015813-01200 HORIZONTAL : 80uV/1000-0000Hz VSW:3000-0000Hz SMT:Auto <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11480.00</td><td>41.74</td><td>-32.26</td><td>74.00</td><td>47.47</td><td>38.56</td><td>32.52</td><td>56.81</td><td>200</td><td>360</td><td>Peak</td><td>HORIZONTAL</td></tr></table>							Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	Line	Level	Factor	Loss	Factor				MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	1	11480.00	41.74	-32.26	74.00	47.47	38.56	32.52	56.81	200	360	Peak	HORIZONTAL	Site : 83CH03-K5 Condition : 5G BAND 1-3 3m HF ANT-2015813-01200 VERTICAL : 80uV/1000-0000Hz VSW:3000-0000Hz SMT:Auto <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11480.00</td><td>41.58</td><td>-32.42</td><td>74.00</td><td>47.31</td><td>38.56</td><td>32.52</td><td>56.81</td><td>200</td><td>360</td><td>Peak</td><td>VERTICAL</td></tr></table>							Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	Line	Level	Factor	Loss	Factor				MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	1	11480.00	41.58	-32.42	74.00	47.31	38.56	32.52	56.81	200	360	Peak	VERTICAL
		Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																								
	Freq	Level	Line	Level	Factor	Loss	Factor																																																																																											
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																																									
1	11480.00	41.74	-32.26	74.00	47.47	38.56	32.52	56.81	200	360	Peak	HORIZONTAL																																																																																						
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																									
	Freq	Level	Line	Level	Factor	Loss	Factor																																																																																											
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																																									
1	11480.00	41.58	-32.42	74.00	47.31	38.56	32.52	56.81	200	360	Peak	VERTICAL																																																																																						





Band 3 5470~5725MHz
WIFI 802.11ac VHT40 (Harmonic @ 3m)

WIFI	Band 3 5470~5725MHz Harmonic @ 3m																																																																			
ANT	802.11ac VHT40 CH102 5510MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak	Site : 83CH03-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 HORIZONTAL RBW: 1000.000kHz VSW: 3000.000kHz SMT: Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11820.00</td><td>42.74</td><td>-31.26</td><td>74.00</td><td>48.18</td><td>38.41</td><td>12.26</td><td>56.83</td><td>100</td><td>360 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1 11820.00	42.74	-31.26	74.00	48.18	38.41	12.26	56.83	100	360 Peak	HORIZONTAL	Site : 83CH03-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 VERTICAL RBW: 1000.000kHz VSW: 3000.000kHz SMT: Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11820.00</td><td>42.97</td><td>-31.83</td><td>74.00</td><td>48.33</td><td>38.41</td><td>12.26</td><td>56.83</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1 11820.00	42.97	-31.83	74.00	48.33	38.41	12.26	56.83	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																												
1 11820.00	42.74	-31.26	74.00	48.18	38.41	12.26	56.83	100	360 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																												
1 11820.00	42.97	-31.83	74.00	48.33	38.41	12.26	56.83	100	0 Peak	VERTICAL																																																										



WIFI	Band 3 5470~5725MHz Harmonic @ 3m																																																																	
ANT	802.11ac VHT40 CH110 5550MHz																																																																	
1+2	Horizontal	Vertical																																																																
Peak	Site : 83CH03-K5 Condition : 5G BAND 1-3 3m HF ANT-2015013-01200 HORIZONTAL : 80uV/1000-0000Hz VDU:3000-0000Hz SMT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pul/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11180.00</td><td>44.35 -29.65</td><td>74.00</td><td>49.79</td><td>38.44</td><td>12.32</td><td>56.20</td><td>100 360 Peak HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pul/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1 11180.00	44.35 -29.65	74.00	49.79	38.44	12.32	56.20	100 360 Peak HORIZONTAL	Site : 83CH03-K5 Condition : 5G BAND 1-3 3m HF ANT-2015013-01200 VERTICAL : 80uV/1000-0000Hz VDU:3000-0000Hz SMT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pul/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11180.00</td><td>42.49 -31.51</td><td>74.00</td><td>47.93</td><td>38.44</td><td>12.32</td><td>56.20</td><td>100 0 Peak VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pul/Phas	Freq	Level	Line	Level Factor	Loss Factor				MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1 11180.00	42.49 -31.51	74.00	47.93	38.44	12.32	56.20	100 0 Peak VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pul/Phas																																																										
Freq	Level	Line	Level Factor	Loss Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																											
1 11180.00	44.35 -29.65	74.00	49.79	38.44	12.32	56.20	100 360 Peak HORIZONTAL																																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pul/Phas																																																											
Freq	Level	Line	Level Factor	Loss Factor																																																														
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																											
1 11180.00	42.49 -31.51	74.00	47.93	38.44	12.32	56.20	100 0 Peak VERTICAL																																																											





WIFI	Band 3 5470~5725MHz Harmonic @ 3m																																																																																								
ANT	802.11ac VHT40 CH134 5670MHz																																																																																								
1+2	Horizontal					Vertical																																																																																			
Peak																																																																																									
	Site : 83CH3-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 HORIZONTAL -----2015813-91280 VHT40 CH134 5670MHz SMT:Auto <table><thead><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11340.00</td><td>40.48</td><td>-33.52</td><td>74.00</td><td>46.16</td><td>38.53</td><td>12.47</td><td>56.68</td><td>100 360 Peak HORIZONTAL</td></tr></tbody></table>						Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	Line	Level	Factor	Loss	Factor				MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	1	11340.00	40.48	-33.52	74.00	46.16	38.53	12.47	56.68	100 360 Peak HORIZONTAL	Site : 83CH3-KS Condition : 5G BAND 1-3 3m HF ANT-2015813-91280 VERTICAL -----2015813-91280 VHT40 CH134 5670MHz SMT:Auto <table><thead><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11340.00</td><td>40.95</td><td>-33.05</td><td>74.00</td><td>46.63</td><td>38.53</td><td>12.47</td><td>56.68</td><td>100 0 Peak VERTICAL</td></tr></tbody></table>						Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	Line	Level	Factor	Loss	Factor				MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	1	11340.00	40.95	-33.05	74.00	46.63	38.53	12.47	56.68
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
	Freq	Level	Line	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																																
1	11340.00	40.48	-33.52	74.00	46.16	38.53	12.47	56.68	100 360 Peak HORIZONTAL																																																																																
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
	Freq	Level	Line	Level	Factor	Loss	Factor																																																																																		
	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																																
1	11340.00	40.95	-33.05	74.00	46.63	38.53	12.47	56.68	100 0 Peak VERTICAL																																																																																



Band 3 5470~5725MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)



WIFI	Band 3 5470~5725MHz Harmonic @ 3m																																																																																									
ANT	802.11ac VHT80 CH106 5530MHz																																																																																									
1+2	Horizontal	Vertical																																																																																								
Peak	<table><tr><td colspan="11">Site Condition : 83CH03-KS : 5G BAND 1----3 3m HF ANT-2015013-91280 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto</td></tr><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11060.00</td><td>43.19</td><td>-30.81</td><td>74.00</td><td>48.68</td><td>38.43</td><td>12.30</td><td>56.14</td><td>100</td><td>360 Peak</td><td>HORIZONTAL</td></tr></table>	Site Condition : 83CH03-KS : 5G BAND 1----3 3m HF ANT-2015013-91280 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto											Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 11060.00	43.19	-30.81	74.00	48.68	38.43	12.30	56.14	100	360 Peak	HORIZONTAL	<table><tr><td colspan="11">Site Condition : 83CH03-KS : 5G BAND 1----3 3m HF ANT-2015013-91280 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto</td></tr><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11060.00</td><td>42.62</td><td>-31.38</td><td>74.00</td><td>48.03</td><td>38.43</td><td>12.30</td><td>56.14</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Site Condition : 83CH03-KS : 5G BAND 1----3 3m HF ANT-2015013-91280 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto											Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 11060.00	42.62	-31.38	74.00	48.03	38.43	12.30	56.14	100	0 Peak	VERTICAL
	Site Condition : 83CH03-KS : 5G BAND 1----3 3m HF ANT-2015013-91280 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto																																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																		
1 11060.00	43.19	-30.81	74.00	48.68	38.43	12.30	56.14	100	360 Peak	HORIZONTAL																																																																																
Site Condition : 83CH03-KS : 5G BAND 1----3 3m HF ANT-2015013-91280 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SMT:Auto																																																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																		
1 11060.00	42.62	-31.38	74.00	48.03	38.43	12.30	56.14	100	0 Peak	VERTICAL																																																																																



WIFI	Band 3 5470~5725MHz Harmonic @ 3m																																																																			
ANT	802.11ac VHT80 CH122 5610MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak	 Site : 83CH83-K5 Condition : 5G BAND 1-3 3m HF ANT-2015013-01200 HORIZONTAL : R00:1000.000MHz V00:3000.000MHz S0T:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11220.00</td><td>41.77</td><td>-32.23</td><td>74.00</td><td>47.33</td><td>38.49</td><td>12.39</td><td>56.44</td><td>100</td><td>360 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 11220.00	41.77	-32.23	74.00	47.33	38.49	12.39	56.44	100	360 Peak	HORIZONTAL	 Site : 83CH83-K5 Condition : 5G BAND 1-3 3m HF ANT-2015013-01200 VERTICAL : R00:1000.000MHz V00:3000.000MHz S0T:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11220.00</td><td>42.28</td><td>-31.00</td><td>74.00</td><td>47.76</td><td>38.49</td><td>12.39</td><td>56.44</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1 11220.00	42.28	-31.00	74.00	47.76	38.49	12.39	56.44	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1 11220.00	41.77	-32.23	74.00	47.33	38.49	12.39	56.44	100	360 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																												
1 11220.00	42.28	-31.00	74.00	47.76	38.49	12.39	56.44	100	0 Peak	VERTICAL																																																										



Band 3 - Straddle Channel
WIFI 802.11a (Fundamental @ 3m)

WIFI	Band 3 Straddle Channel Fundamental @ 3m																																																																																																	
ANT	802.11a CH144 5720MHz																																																																																																	
1+2	Horizontal					Vertical																																																																																												
Peak Avg.	 Site : 03CH03-K5 Condition : 5G BAND 1-3 3m HF ANT-2015013-012ND HORIZONTAL dBm Limit: 81.9, 70.2, 58.5, 46.8, 35.1, 23.4, 11.7, 0.0 VSWR: 3000, 0000Hz, SW: Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 * 5716.00</td><td>99.38</td><td></td><td>95.34</td><td>32.83</td><td>8.28</td><td>36.27</td><td>304</td><td>278</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2 * 5716.00</td><td>92.54</td><td></td><td>88.58</td><td>32.83</td><td>8.28</td><td>36.27</td><td>384</td><td>278</td><td>Average</td><td>HORIZONTAL</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	Limit	Line	Level	Factor	Loss	dB	dB	deg		1 * 5716.00	99.38		95.34	32.83	8.28	36.27	304	278	Peak	HORIZONTAL	2 * 5716.00	92.54		88.58	32.83	8.28	36.27	384	278	Average	HORIZONTAL	 Site : 03CH03-K5 Condition : 5G BAND 1-3 3m HF ANT-2015013-012ND VERTICAL dBm Limit: 81.9, 70.2, 58.5, 46.8, 35.1, 23.4, 11.7, 0.0 VSWR: 3000, 0000Hz, SW: Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 * 5716.00</td><td>102.44</td><td></td><td>98.48</td><td>32.83</td><td>8.28</td><td>36.27</td><td>313</td><td>183</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2 * 5716.00</td><td>94.65</td><td></td><td>90.61</td><td>32.83</td><td>8.28</td><td>36.27</td><td>313</td><td>183</td><td>Average</td><td>VERTICAL</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	Limit	Line	Level	Factor	Loss	dB	dB	deg		1 * 5716.00	102.44		98.48	32.83	8.28	36.27	313	183	Peak	VERTICAL	2 * 5716.00	94.65		90.61	32.83	8.28	36.27	313	183	Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
MHz	dBm	Limit	Line	Level	Factor	Loss	dB	dB	deg																																																																																									
1 * 5716.00	99.38		95.34	32.83	8.28	36.27	304	278	Peak	HORIZONTAL																																																																																								
2 * 5716.00	92.54		88.58	32.83	8.28	36.27	384	278	Average	HORIZONTAL																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																								
MHz	dBm	Limit	Line	Level	Factor	Loss	dB	dB	deg																																																																																									
1 * 5716.00	102.44		98.48	32.83	8.28	36.27	313	183	Peak	VERTICAL																																																																																								
2 * 5716.00	94.65		90.61	32.83	8.28	36.27	313	183	Average	VERTICAL																																																																																								



Band 3 – Straddle Channel
WIFI 802.11ac VHT20 (Fundamental @ 3m)

WIFI	Band 3 Straddle Channel Fundamental @ 3m																																																																																																	
ANT	802.11ac VHT20 CH144 5720MHz																																																																																																	
1+2	Horizontal					Vertical																																																																																												
Peak Avg.	Site Condition 1: 83CH03-K5 2: 5G BAND 1-3 3m HF ANT-2015013-01200 HORIZONTAL 3: 802.11ac VHT20 CH144 5720MHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>HeadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 * 5716.00</td><td>105.46</td><td>96.42</td><td>32.03</td><td>8.28</td><td>36.27</td><td>400</td><td>264</td><td>Peak</td><td>HORIZONTAL</td><td></td></tr><tr><td>2 * 5716.00</td><td>93.18</td><td>85.18</td><td>32.03</td><td>8.28</td><td>36.27</td><td>400</td><td>264</td><td>Average</td><td>HORIZONTAL</td><td></td></tr></table>					Freq	Level	Over	Limit	HeadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1 * 5716.00	105.46	96.42	32.03	8.28	36.27	400	264	Peak	HORIZONTAL		2 * 5716.00	93.18	85.18	32.03	8.28	36.27	400	264	Average	HORIZONTAL		Site Condition 1: 83CH03-K5 2: 5G BAND 1-3 3m HF ANT-2015013-01200 VERTICAL 3: 802.11ac VHT20 CH144 5720MHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>HeadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 * 5724.00</td><td>105.28</td><td>99.13</td><td>32.04</td><td>8.31</td><td>36.28</td><td>321</td><td>177</td><td>Peak</td><td>VERTICAL</td><td></td></tr><tr><td>2 * 5724.00</td><td>95.75</td><td>91.08</td><td>32.04</td><td>8.31</td><td>36.28</td><td>321</td><td>177</td><td>Average</td><td>VERTICAL</td><td></td></tr></table>					Freq	Level	Over	Limit	HeadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1 * 5724.00	105.28	99.13	32.04	8.31	36.28	321	177	Peak	VERTICAL		2 * 5724.00	95.75	91.08	32.04	8.31	36.28	321	177	Average	VERTICAL	
	Freq	Level	Over	Limit	HeadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																																										
1 * 5716.00	105.46	96.42	32.03	8.28	36.27	400	264	Peak	HORIZONTAL																																																																																									
2 * 5716.00	93.18	85.18	32.03	8.28	36.27	400	264	Average	HORIZONTAL																																																																																									
Freq	Level	Over	Limit	HeadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																																										
1 * 5724.00	105.28	99.13	32.04	8.31	36.28	321	177	Peak	VERTICAL																																																																																									
2 * 5724.00	95.75	91.08	32.04	8.31	36.28	321	177	Average	VERTICAL																																																																																									



Band 3 – Straddle Channel
WIFI 802.11ac VHT40 (Fundamental @ 3m)

WIFI	Band 3 Straddle Channel Fundamental @ 3m																																																																																									
ANT	802.11ac VHT40 CH142 5710MHz																																																																																									
1+2	Horizontal	Vertical																																																																																								
Peak Avg.	Site Condition : 83CH03-K5 : 5G BAND 1----3 3m HF ANT-2015813-91280 HORIZONTAL : Rbw:1000.000KHz Vbw:3000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 *</td><td>5704.00</td><td>98.69</td><td></td><td>94.65</td><td>32.03</td><td>8.28</td><td>36.27</td><td>396</td><td>293 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 *</td><td>5704.00</td><td>91.48</td><td></td><td>87.44</td><td>32.03</td><td>8.28</td><td>36.27</td><td>396</td><td>293 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 *	5704.00	98.69		94.65	32.03	8.28	36.27	396	293 Peak	HORIZONTAL	2 *	5704.00	91.48		87.44	32.03	8.28	36.27	396	293 Average	HORIZONTAL	Site Condition : 83CH03-K5 : 5G BAND 1----3 3m HF ANT-2015813-91280 VERTICAL : Rbw:1000.000KHz Vbw:3000.000KHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 *</td><td>5706.00</td><td>99.68</td><td></td><td>95.56</td><td>32.03</td><td>8.28</td><td>36.27</td><td>398</td><td>172 Peak</td><td>VERTICAL</td></tr><tr><td>2 *</td><td>5706.00</td><td>92.79</td><td></td><td>88.75</td><td>32.03</td><td>8.28</td><td>36.27</td><td>398</td><td>172 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 *	5706.00	99.68		95.56	32.03	8.28	36.27	398	172 Peak	VERTICAL	2 *	5706.00	92.79		88.75	32.03	8.28	36.27	398	172 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 *	5704.00	98.69		94.65	32.03	8.28	36.27	396	293 Peak	HORIZONTAL																																																																																
2 *	5704.00	91.48		87.44	32.03	8.28	36.27	396	293 Average	HORIZONTAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 *	5706.00	99.68		95.56	32.03	8.28	36.27	398	172 Peak	VERTICAL																																																																																
2 *	5706.00	92.79		88.75	32.03	8.28	36.27	398	172 Average	VERTICAL																																																																																



Band 3 – Straddle Channel
WIFI 802.11ac VHT80 (Fundamental @ 3m)

WIFI	Band 3 Straddle Channel Fundamental @ 3m																																																																																																	
ANT	802.11ac VHT80 CH138 5690MHz																																																																																																	
1+2	Horizontal					Vertical																																																																																												
Peak Avg.	Site : 83CMB3-K5 Condition : 5G BAND 1----3 3m HF ANT-2815813-91280 HORIZONTAL : RBW:1000.000KHz VSW:3000.000KHz SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 * 5674.00</td><td>91.69</td><td></td><td></td><td>87.69</td><td>32.02</td><td>8.22</td><td>36.24</td><td>299</td><td>216</td><td>Peak HORIZONTAL</td></tr><tr><td>2 * 5674.00</td><td>84.96</td><td></td><td></td><td>80.00</td><td>32.02</td><td>8.22</td><td>36.24</td><td>299</td><td>216</td><td>Average HORIZONTAL</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	cm	deg		1 * 5674.00	91.69			87.69	32.02	8.22	36.24	299	216	Peak HORIZONTAL	2 * 5674.00	84.96			80.00	32.02	8.22	36.24	299	216	Average HORIZONTAL	Site : 83CMB3-K5 Condition : 5G BAND 1----3 3m HF ANT-2815813-91280 VERTICAL : RBW:1000.000KHz VSW:3000.000KHz SMT:Auto <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 * 5690.00</td><td>95.19</td><td></td><td></td><td>91.00</td><td>32.02</td><td>8.25</td><td>36.25</td><td>398</td><td>181</td><td>Peak VERTICAL</td></tr><tr><td>2 * 5690.00</td><td>88.32</td><td></td><td></td><td>84.96</td><td>32.02</td><td>8.25</td><td>36.25</td><td>398</td><td>181</td><td>Average VERTICAL</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	cm	deg		1 * 5690.00	95.19			91.00	32.02	8.25	36.25	398	181	Peak VERTICAL	2 * 5690.00	88.32			84.96	32.02	8.25	36.25	398	181	Average VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	cm	deg																																																																																									
1 * 5674.00	91.69			87.69	32.02	8.22	36.24	299	216	Peak HORIZONTAL																																																																																								
2 * 5674.00	84.96			80.00	32.02	8.22	36.24	299	216	Average HORIZONTAL																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																								
MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor	cm	deg																																																																																									
1 * 5690.00	95.19			91.00	32.02	8.25	36.25	398	181	Peak VERTICAL																																																																																								
2 * 5690.00	88.32			84.96	32.02	8.25	36.25	398	181	Average VERTICAL																																																																																								



Band 3 - Straddle Channel
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 3 Straddle Channel Harmonic @ 3m																																																																											
ANT	802.11a CH144 5720MHz																																																																											
1+2	Horizontal					Vertical																																																																						
Peak	Site : 83CH03-K5 Condition : 5G BAND 1-3 3m HF ANT-2815813-91280 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11448.00</td><td>48.90</td><td>-33.10</td><td>74.00</td><td>46.67</td><td>38.57</td><td>12.54</td><td>56.88</td><td>100</td><td>360 Peak</td><td>HORIZONTAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1 11448.00	48.90	-33.10	74.00	46.67	38.57	12.54	56.88	100	360 Peak	HORIZONTAL	Site : 83CH03-K5 Condition : 5G BAND 1-3 3m HF ANT-2815813-91280 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11448.00</td><td>48.77</td><td>-33.23</td><td>74.00</td><td>46.54</td><td>38.57</td><td>12.54</td><td>56.88</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg			1 11448.00	48.77	-33.23	74.00	46.54	38.57	12.54	56.88	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																				
1 11448.00	48.90	-33.10	74.00	46.67	38.57	12.54	56.88	100	360 Peak	HORIZONTAL																																																																		
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	dB	cm	deg																																																																				
1 11448.00	48.77	-33.23	74.00	46.54	38.57	12.54	56.88	100	0 Peak	VERTICAL																																																																		





Band 3 – Straddle Channel
WIFI 802.11ac VHT20 (Harmonic @ 3m)

WIFI	Band 3 Straddle Channel Harmonic @ 3m																																																																																									
ANT	802.11ac VHT20 CH144 5720MHz																																																																																									
1+2	Horizontal	Vertical																																																																																								
Peak	Site : 03CH03-K5 Condition : SG BAND 1-3 3m HF ANT-2015813-91200 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11448.00</td><td>42.22</td><td>-31.78</td><td>74.00</td><td>47.99</td><td>38.57</td><td>12.54</td><td>56.88</td><td>100</td><td>360 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor					dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			1 11448.00	42.22	-31.78	74.00	47.99	38.57	12.54	56.88	100	360 Peak	HORIZONTAL	Site : 03CH03-K5 Condition : SG BAND 1-3 3m HF ANT-2015813-91200 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11448.00</td><td>41.88</td><td>-32.20</td><td>74.00</td><td>47.57</td><td>38.57</td><td>12.54</td><td>56.88</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor					dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			1 11448.00	41.88	-32.20	74.00	47.57	38.57	12.54	56.88	100	0 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor																																																																																			
	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 11448.00	42.22	-31.78	74.00	47.99	38.57	12.54	56.88	100	360 Peak	HORIZONTAL																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor																																																																																			
	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 11448.00	41.88	-32.20	74.00	47.57	38.57	12.54	56.88	100	0 Peak	VERTICAL																																																																																



Band 3 – Straddle Channel
WIFI 802.11ac VHT40 (Harmonic @ 3m)

WIFI	Band 3 Straddle Channel Harmonic @ 3m																																																																																	
ANT	802.11ac VHT40 CH142 5710MHz																																																																																	
1+2	Horizontal						Vertical																																																																											
Peak																																																																																		
	Site : 03CH03-KS Condition : 5G BAND 1----3 3m HF ANT-2015813-91280 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto						Site : 03CH03-KS Condition : 5G BAND 1----3 3m HF ANT-2015813-91280 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11420.00</td><td>42.55</td><td>-31.45</td><td>74.00</td><td>48.30</td><td>38.57</td><td>12.53</td><td>56.85</td><td>100</td><td>360 Peak</td><td>HORIZONTAL</td></tr></tbody></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11420.00	42.55	-31.45	74.00	48.30	38.57	12.53	56.85	100	360 Peak	HORIZONTAL	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11420.00</td><td>41.57</td><td>-32.43</td><td>74.00</td><td>47.32</td><td>38.57</td><td>12.53</td><td>56.85</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11420.00	41.57	-32.43	74.00	47.32	38.57	12.53	56.85	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	11420.00	42.55	-31.45	74.00	48.30	38.57	12.53	56.85	100	360 Peak	HORIZONTAL																																																																							
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	11420.00	41.57	-32.43	74.00	47.32	38.57	12.53	56.85	100	0 Peak	VERTICAL																																																																							





Band 3 – Straddle Channel
WIFI 802.11ac VHT80 (Harmonic @ 3m)

WIFI	Band 3 Straddle Channel Harmonic @ 3m																																																																											
ANT	802.11ac VHT80 CH138 5690MHz																																																																											
1+2	Horizontal	Vertical																																																																										
Peak	Site : 03CH03-K5 Condition : 5G BAND 1-3 3m HF ANT-2015813-91200 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11380.00</td><td>40.36</td><td>-33.64</td><td>74.00</td><td>46.88</td><td>38.55</td><td>12.51</td><td>56.78</td><td>100</td><td>360 Peak HORIZONTAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 11380.00	40.36	-33.64	74.00	46.88	38.55	12.51	56.78	100	360 Peak HORIZONTAL	Site : 03CH03-K5 Condition : 5G BAND 1-3 3m HF ANT-2015813-91200 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11380.00</td><td>41.55</td><td>-32.45</td><td>74.00</td><td>47.27</td><td>38.55</td><td>12.51</td><td>56.78</td><td>100</td><td>0 Peak VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss	Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 11380.00	41.55	-32.45	74.00	47.27	38.55	12.51	56.78	100	0 Peak VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																			
Freq	Level	Line	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1 11380.00	40.36	-33.64	74.00	46.88	38.55	12.51	56.78	100	360 Peak HORIZONTAL																																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
Freq	Level	Line	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																				
1 11380.00	41.55	-32.45	74.00	47.27	38.55	12.51	56.78	100	0 Peak VERTICAL																																																																			




Emission below 1GHz
5GHz WIFI 802.11ac VHT40 (LF)

WIFI	5GHz WIFI																																																																																																																																																																																																	
ANT	802.11ac VHT40 LF																																																																																																																																																																																																	
1+2	Horizontal	Vertical																																																																																																																																																																																																
QP / Peak	 Site : 03CH03-KS Condition : 5G BAND 1----3 3m LF ANT 608 HORIZONTAL Polar: V-Hz, Antenna: VDU/300, 000MHz, SMT: Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>34.85</td><td>28.86</td><td>-11.94</td><td>48.00</td><td>33.28</td><td>25.58</td><td>0.71</td><td>31.35</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>2</td><td>282.66</td><td>35.73</td><td>-7.77</td><td>43.36</td><td>49.61</td><td>15.88</td><td>1.73</td><td>31.49</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>3</td><td>312.27</td><td>37.65</td><td>-6.35</td><td>46.00</td><td>47.21</td><td>19.59</td><td>1.18</td><td>31.33</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>4</td><td>647.89</td><td>39.97</td><td>-6.03</td><td>46.00</td><td>42.26</td><td>25.65</td><td>3.28</td><td>31.14</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>5</td><td>780.80</td><td>48.74</td><td>-5.26</td><td>46.00</td><td>41.78</td><td>28.73</td><td>3.37</td><td>31.86</td><td>180</td><td>0</td><td>Peak HORIZONTAL</td></tr><tr><td>6</td><td>910.76</td><td>35.62</td><td>-10.38</td><td>46.00</td><td>33.86</td><td>28.71</td><td>3.88</td><td>30.83</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr></tbody></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	34.85	28.86	-11.94	48.00	33.28	25.58	0.71	31.35	---	---	Peak HORIZONTAL	2	282.66	35.73	-7.77	43.36	49.61	15.88	1.73	31.49	---	---	Peak HORIZONTAL	3	312.27	37.65	-6.35	46.00	47.21	19.59	1.18	31.33	---	---	Peak HORIZONTAL	4	647.89	39.97	-6.03	46.00	42.26	25.65	3.28	31.14	---	---	Peak HORIZONTAL	5	780.80	48.74	-5.26	46.00	41.78	28.73	3.37	31.86	180	0	Peak HORIZONTAL	6	910.76	35.62	-10.38	46.00	33.86	28.71	3.88	30.83	---	---	Peak HORIZONTAL	 Site : 03CH03-KS Condition : 5G BAND 1----3 3m LF ANT 608 VERTICAL Polar: V-Hz, Antenna: VDU/300, 000MHz, SMT: Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>31.94</td><td>34.82</td><td>-5.98</td><td>48.00</td><td>38.12</td><td>26.52</td><td>0.68</td><td>31.30</td><td>180</td><td>360</td><td>Peak VERTICAL</td></tr><tr><td>2</td><td>64.92</td><td>29.82</td><td>-18.98</td><td>48.00</td><td>46.23</td><td>13.38</td><td>0.97</td><td>31.48</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>3</td><td>312.27</td><td>35.63</td><td>-10.37</td><td>46.00</td><td>45.19</td><td>19.59</td><td>2.18</td><td>31.33</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>4</td><td>359.89</td><td>35.52</td><td>-10.48</td><td>46.00</td><td>42.74</td><td>21.67</td><td>2.33</td><td>31.22</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>5</td><td>455.83</td><td>34.19</td><td>-11.81</td><td>46.00</td><td>37.53</td><td>25.24</td><td>2.66</td><td>31.24</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>6</td><td>902.83</td><td>38.51</td><td>-7.49</td><td>46.00</td><td>36.95</td><td>28.56</td><td>3.85</td><td>30.85</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr></tbody></table>		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	31.94	34.82	-5.98	48.00	38.12	26.52	0.68	31.30	180	360	Peak VERTICAL	2	64.92	29.82	-18.98	48.00	46.23	13.38	0.97	31.48	---	---	Peak VERTICAL	3	312.27	35.63	-10.37	46.00	45.19	19.59	2.18	31.33	---	---	Peak VERTICAL	4	359.89	35.52	-10.48	46.00	42.74	21.67	2.33	31.22	---	---	Peak VERTICAL	5	455.83	34.19	-11.81	46.00	37.53	25.24	2.66	31.24	---	---	Peak VERTICAL	6	902.83	38.51	-7.49	46.00	36.95	28.56	3.85	30.85	---	---	Peak VERTICAL
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																						
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																								
1	34.85	28.86	-11.94	48.00	33.28	25.58	0.71	31.35	---	---	Peak HORIZONTAL																																																																																																																																																																																							
2	282.66	35.73	-7.77	43.36	49.61	15.88	1.73	31.49	---	---	Peak HORIZONTAL																																																																																																																																																																																							
3	312.27	37.65	-6.35	46.00	47.21	19.59	1.18	31.33	---	---	Peak HORIZONTAL																																																																																																																																																																																							
4	647.89	39.97	-6.03	46.00	42.26	25.65	3.28	31.14	---	---	Peak HORIZONTAL																																																																																																																																																																																							
5	780.80	48.74	-5.26	46.00	41.78	28.73	3.37	31.86	180	0	Peak HORIZONTAL																																																																																																																																																																																							
6	910.76	35.62	-10.38	46.00	33.86	28.71	3.88	30.83	---	---	Peak HORIZONTAL																																																																																																																																																																																							
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																								
1	31.94	34.82	-5.98	48.00	38.12	26.52	0.68	31.30	180	360	Peak VERTICAL																																																																																																																																																																																							
2	64.92	29.82	-18.98	48.00	46.23	13.38	0.97	31.48	---	---	Peak VERTICAL																																																																																																																																																																																							
3	312.27	35.63	-10.37	46.00	45.19	19.59	2.18	31.33	---	---	Peak VERTICAL																																																																																																																																																																																							
4	359.89	35.52	-10.48	46.00	42.74	21.67	2.33	31.22	---	---	Peak VERTICAL																																																																																																																																																																																							
5	455.83	34.19	-11.81	46.00	37.53	25.24	2.66	31.24	---	---	Peak VERTICAL																																																																																																																																																																																							
6	902.83	38.51	-7.49	46.00	36.95	28.56	3.85	30.85	---	---	Peak VERTICAL																																																																																																																																																																																							


Appendix C. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1+2	802.11a	95.32	2.065	0.484	1kHz
1+2	802.11ac VHT20	95.02	1.935	0.517	1kHz
1+2	802.11ac VHT40	90.41	0.957	1.045	3kHz
1+2	802.11ac VHT80	81.63	0.464	2.156	3kHz

802.11a



802.11ac VHT20



802.11ac VHT40

802.11ac VHT80
