


NR

Antenna 0

43 n5


43.1 n5 BW5, PI/2 BPSK, Middle Channel

RSE-H&H n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.798	5.37	40.54	-13.0	18.37	327.00	Horizontal	Horizontal	N/A
881.806	-47.79	40.30	-13.0	-34.79	300.00	Horizontal	Horizontal	N/A
1404.800	-46.86	44.96	-13.0	-33.86	110.00	Horizontal	Horizontal	Pass
2938.300	-40.30	48.14	-13.0	-27.30	154.00	Horizontal	Horizontal	Pass
4901.800	-54.44	7.63	-13.0	-41.44	206.00	Horizontal	Horizontal	Pass
9852.550	-47.21	16.79	-13.0	-34.21	19.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.428	-0.35	40.54	-13.0	12.65	228.00	Horizontal	Vertical	N/A
1404.400	-47.56	44.99	-13.0	-34.56	38.00	Horizontal	Vertical	Pass
2499.700	-42.50	46.40	-13.0	-29.50	360.00	Horizontal	Vertical	Pass
3647.400	-58.23	4.48	-13.0	-45.23	62.00	Horizontal	Vertical	Pass
7000.000	-48.41	13.64	-13.0	-35.41	360.00	Horizontal	Vertical	Pass
9278.950	-48.29	15.11	-13.0	-35.29	350.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.779	6.83	40.53	-13.0	19.83	26.00	Vertical	Vertical	N/A
1394.700	-47.42	45.11	-13.0	-34.42	119.00	Vertical	Vertical	Pass
2646.000	-42.35	46.33	-13.0	-29.35	51.00	Vertical	Vertical	Pass
3694.800	-57.35	5.19	-13.0	-44.35	134.00	Vertical	Vertical	Pass
6994.400	-48.84	13.61	-13.0	-35.84	360.00	Vertical	Vertical	Pass
9852.401	-47.34	16.80	-13.0	-34.34	282.00	Vertical	Vertical	Pass


RSE-V&H n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.537	0.28	40.53	-13.0	13.28	26.00	Vertical	Horizontal	N/A
1406.100	-47.30	44.95	-13.0	-34.30	61.00	Vertical	Horizontal	Pass
2278.700	-42.53	46.96	-13.0	-29.53	111.00	Vertical	Horizontal	Pass
4055.600	-57.24	5.30	-13.0	-44.24	188.00	Vertical	Horizontal	Pass
6779.800	-48.84	11.91	-13.0	-35.84	0.00	Vertical	Horizontal	Pass
9482.200	-48.33	16.01	-13.0	-35.33	123.00	Vertical	Horizontal	Pass


43.2 n5 BW15, PI/2 BPSK, Middle Channel

RSE-H&H n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.167	1.11	40.53	-13.0	14.11	142.00	Horizontal	Horizontal	N/A
876.616	-47.62	40.36	-13.0	-34.62	285.00	Horizontal	Horizontal	N/A
1397.700	-47.23	45.16	-13.0	-34.23	78.00	Horizontal	Horizontal	Pass
2361.700	-42.67	46.46	-13.0	-29.67	109.00	Horizontal	Horizontal	Pass
5078.200	-54.58	7.37	-13.0	-41.58	178.00	Horizontal	Horizontal	Pass
9623.500	-48.35	16.34	-13.0	-35.35	209.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.324	-4.72	40.46	-13.0	8.28	361.00	Horizontal	Vertical	N/A
877.343	-45.56	40.34	-13.0	-32.56	290.00	Horizontal	Vertical	N/A
1395.400	-47.03	45.13	-13.0	-34.03	204.00	Horizontal	Vertical	Pass
2335.400	-42.44	46.28	-13.0	-29.44	246.00	Horizontal	Vertical	Pass
5120.400	-54.00	7.83	-13.0	-41.00	344.00	Horizontal	Vertical	Pass
9443.651	-48.83	16.57	-13.0	-35.83	304.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.887	6.17	40.43	-13.0	19.17	209.00	Vertical	Vertical	N/A
874.676	-51.86	40.24	-13.0	-38.86	290.00	Vertical	Vertical	N/A
1400.300	-47.06	45.16	-13.0	-34.06	270.00	Vertical	Vertical	Pass
2415.200	-42.62	46.50	-13.0	-29.62	-3.00	Vertical	Vertical	Pass
5126.200	-54.31	7.93	-13.0	-41.31	314.00	Vertical	Vertical	Pass
9843.849	-48.26	16.97	-13.0	-35.26	-1.00	Vertical	Vertical	Pass


RSE-V&H n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.215	-1.11	40.53	-13.0	11.89	49.00	Vertical	Horizontal	N/A
1411.600	-47.71	44.80	-13.0	-34.71	173.00	Vertical	Horizontal	Pass
2474.300	-42.64	46.40	-13.0	-29.64	270.00	Vertical	Horizontal	Pass
3694.600	-57.41	5.16	-13.0	-44.41	14.00	Vertical	Horizontal	Pass
6973.200	-48.67	13.67	-13.0	-35.67	171.00	Vertical	Horizontal	Pass
9863.200	-47.70	16.28	-13.0	-34.70	245.00	Vertical	Horizontal	Pass


43.3 n5 BW20, PI/2 BPSK, Middle Channel

RSE-H&H n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.252	0.25	40.52	-13.0	13.25	345.00	Horizontal	Horizontal	N/A
872.542	-52.10	40.17	-13.0	-39.10	308.00	Horizontal	Horizontal	N/A
1398.500	-47.58	45.16	-13.0	-34.58	360.00	Horizontal	Horizontal	Pass
2671.100	-41.92	46.46	-13.0	-28.92	128.00	Horizontal	Horizontal	Pass
5132.800	-54.59	7.79	-13.0	-41.59	363.00	Horizontal	Horizontal	Pass
9215.651	-49.03	15.34	-13.0	-36.03	344.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.331	-3.59	40.54	-13.0	9.41	360.00	Horizontal	Vertical	N/A
873.367	-49.45	40.13	-13.0	-36.45	300.00	Horizontal	Vertical	N/A
1403.700	-46.99	45.06	-13.0	-33.99	252.00	Horizontal	Vertical	Pass
2682.000	-41.88	46.44	-13.0	-28.88	91.00	Horizontal	Vertical	Pass
4915.800	-54.47	7.87	-13.0	-41.47	132.00	Horizontal	Vertical	Pass
9362.350	-49.08	15.08	-13.0	-36.08	178.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW20 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.737	5.91	40.51	-13.0	18.91	224.00	Vertical	Vertical	N/A
1409.900	-47.33	44.86	-13.0	-34.33	0.00	Vertical	Vertical	Pass
2682.200	-41.96	46.42	-13.0	-28.96	163.00	Vertical	Vertical	Pass
3689.400	-57.53	4.98	-13.0	-44.53	335.00	Vertical	Vertical	Pass
6997.000	-48.47	13.60	-13.0	-35.47	267.00	Vertical	Vertical	Pass
9439.300	-48.37	16.45	-13.0	-35.37	185.00	Vertical	Vertical	Pass


RSE-V&H n5 BW20 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.331	-2.24	40.54	-13.0	10.76	363.00	Vertical	Horizontal	N/A
1412.600	-47.01	44.81	-13.0	-34.01	-3.00	Vertical	Horizontal	Pass
2315.300	-42.60	46.70	-13.0	-29.60	102.00	Vertical	Horizontal	Pass
3831.000	-57.48	5.45	-13.0	-44.48	361.00	Vertical	Horizontal	Pass
6981.000	-48.55	13.80	-13.0	-35.55	238.00	Vertical	Horizontal	Pass
9742.300	-48.54	16.12	-13.0	-35.54	7.00	Vertical	Horizontal	Pass


43.4 n5 BW5, QPSK, Middle Channel

RSE-H&H n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
219.684	-64.00	24.77	-13.0	-51.00	211.00	Horizontal	Horizontal	Pass
835.924	3.43	40.53	-13.0	16.43	113.00	Horizontal	Horizontal	N/A
880.496	-49.56	40.24	-13.0	-36.56	170.00	Horizontal	Horizontal	N/A
2904.500	-41.35	47.56	-13.0	-28.35	260.00	Horizontal	Horizontal	Pass
6688.400	-49.56	11.91	-13.0	-36.56	181.00	Horizontal	Horizontal	Pass
9017.349	-48.99	15.39	-13.0	-35.99	360.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.943	5.63	40.54	-13.0	18.63	228.00	Horizontal	Vertical	N/A
882.533	-51.97	40.37	-13.0	-38.97	35.00	Horizontal	Vertical	N/A
1402.300	-47.34	45.14	-13.0	-34.34	306.00	Horizontal	Vertical	Pass
2921.400	-41.28	47.71	-13.0	-28.28	354.00	Horizontal	Vertical	Pass
6999.400	-48.52	13.65	-13.0	-35.52	121.00	Horizontal	Vertical	Pass
9727.150	-48.52	16.28	-13.0	-35.52	153.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.282	7.58	40.54	-13.0	20.58	221.00	Vertical	Vertical	N/A
879.817	-49.02	40.23	-13.0	-36.02	129.00	Vertical	Vertical	N/A
1403.100	-47.62	45.11	-13.0	-34.62	71.00	Vertical	Vertical	Pass
2779.500	-41.02	47.25	-13.0	-28.02	361.00	Vertical	Vertical	Pass
6986.400	-48.73	13.70	-13.0	-35.73	162.00	Vertical	Vertical	Pass
9847.000	-47.51	16.95	-13.0	-34.51	263.00	Vertical	Vertical	Pass


RSE-V&H n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.894	2.80	40.54	-13.0	15.80	335.00	Vertical	Horizontal	N/A
883.115	-52.50	40.45	-13.0	-39.50	138.00	Vertical	Horizontal	N/A
1409.600	-47.20	44.87	-13.0	-34.20	361.00	Vertical	Horizontal	Pass
2908.700	-41.28	47.69	-13.0	-28.28	179.00	Vertical	Horizontal	Pass
6684.000	-49.37	11.95	-13.0	-36.37	156.00	Vertical	Horizontal	Pass
9431.950	-48.73	16.31	-13.0	-35.73	332.00	Vertical	Horizontal	Pass


43.5 n5 BW15, QPSK, Middle Channel

RSE-H&H n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.028	2.65	40.51	-13.0	15.65	185.00	Horizontal	Horizontal	N/A
874.628	-49.97	40.24	-13.0	-36.97	288.00	Horizontal	Horizontal	N/A
1390.500	-47.24	44.97	-13.0	-34.24	251.00	Horizontal	Horizontal	Pass
2482.400	-42.22	46.51	-13.0	-29.22	173.00	Horizontal	Horizontal	Pass
5154.400	-54.10	7.32	-13.0	-41.10	188.00	Horizontal	Horizontal	Pass
9285.100	-48.61	15.22	-13.0	-35.61	50.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.380	-3.55	40.54	-13.0	9.45	201.00	Horizontal	Vertical	N/A
874.919	-49.37	40.27	-13.0	-36.37	270.00	Horizontal	Vertical	N/A
1394.400	-47.14	45.10	-13.0	-34.14	160.00	Horizontal	Vertical	Pass
2449.500	-42.45	46.51	-13.0	-29.45	171.00	Horizontal	Vertical	Pass
5124.000	-53.98	7.96	-13.0	-40.98	179.00	Horizontal	Vertical	Pass
9462.700	-48.45	16.46	-13.0	-35.45	218.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.111	3.17	40.38	-13.0	16.17	191.00	Vertical	Vertical	N/A
1394.300	-47.70	45.09	-13.0	-34.70	361.00	Vertical	Vertical	Pass
2690.300	-42.06	46.48	-13.0	-29.06	361.00	Vertical	Vertical	Pass
3680.200	-57.72	4.59	-13.0	-44.72	209.00	Vertical	Vertical	Pass
6966.000	-48.40	13.19	-13.0	-35.40	305.00	Vertical	Vertical	Pass
9435.099	-48.40	16.37	-13.0	-35.40	76.00	Vertical	Vertical	Pass


RSE-V&H n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.058	-2.73	40.53	-13.0	10.27	343.00	Vertical	Horizontal	N/A
1387.200	-47.18	44.81	-13.0	-34.18	-3.00	Vertical	Horizontal	Pass
2434.400	-41.85	46.19	-13.0	-28.85	165.00	Vertical	Horizontal	Pass
3973.800	-57.01	4.96	-13.0	-44.01	363.00	Vertical	Horizontal	Pass
6762.400	-48.94	11.43	-13.0	-35.94	218.00	Vertical	Horizontal	Pass
9321.700	-48.73	15.64	-13.0	-35.73	334.00	Vertical	Horizontal	Pass


43.6 n5 BW20, QPSK, Middle Channel

RSE-H&H n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.264	0.20	40.53	-13.0	13.20	315.00	Horizontal	Horizontal	N/A
875.500	-48.32	40.34	-13.0	-35.32	272.00	Horizontal	Horizontal	N/A
1389.900	-47.56	44.96	-13.0	-34.56	113.00	Horizontal	Horizontal	Pass
2779.400	-41.40	47.24	-13.0	-28.40	310.00	Horizontal	Horizontal	Pass
5118.000	-54.05	7.82	-13.0	-41.05	202.00	Horizontal	Horizontal	Pass
9435.700	-48.49	16.38	-13.0	-35.49	-3.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW20 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
840.047	-3.23	40.56	-13.0	9.77	225.00	Horizontal	Vertical	N/A
873.076	-51.19	40.14	-13.0	-38.19	102.00	Horizontal	Vertical	N/A
1388.300	-47.65	44.93	-13.0	-34.65	-1.00	Horizontal	Vertical	Pass
2291.300	-42.67	46.73	-13.0	-29.67	133.00	Horizontal	Vertical	Pass
5121.800	-53.91	7.85	-13.0	-40.91	247.00	Horizontal	Vertical	Pass
9842.350	-47.61	16.97	-13.0	-34.61	272.00	Horizontal	Vertical	Pass


RSE-V&V n5 BW20 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.107	3.62	40.53	-13.0	16.62	363.00	Vertical	Vertical	N/A
1401.000	-47.31	45.14	-13.0	-34.31	321.00	Vertical	Vertical	Pass
2476.900	-42.21	46.42	-13.0	-29.21	354.00	Vertical	Vertical	Pass
3643.600	-57.87	4.40	-13.0	-44.87	168.00	Vertical	Vertical	Pass
6969.200	-48.69	13.41	-13.0	-35.69	216.00	Vertical	Vertical	Pass
9843.100	-48.23	16.97	-13.0	-35.23	110.00	Vertical	Vertical	Pass

RSE-V&H n5 BW20 CH176300

RSE (RF)_FCC PART22&24&27 - 5G_5G N5_30M-10GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.107	-2.36	40.53	-13.0	10.64	50.00	Vertical	Horizontal	N/A
1398.000	-47.50	45.16	-13.0	-34.50	74.00	Vertical	Horizontal	Pass
2826.800	-41.62	47.29	-13.0	-28.62	-3.00	Vertical	Horizontal	Pass
3834.600	-57.37	5.53	-13.0	-44.37	178.00	Vertical	Horizontal	Pass
6981.800	-48.56	13.85	-13.0	-35.56	238.00	Vertical	Horizontal	Pass
9042.400	-48.79	15.00	-13.0	-35.79	312.00	Vertical	Horizontal	Pass

44 n7


44.1 n7 BW5, PI/2 BPSK, Middle Channel

RSE-H&H n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
846.692	-53.55	40.44	-25.0	-28.55	133.00	Horizontal	Horizontal	Pass
1407.600	-47.55	44.94	-25.0	-22.55	331.00	Horizontal	Horizontal	Pass
2534.900	17.30	45.72	-25.0	42.30	124.00	Horizontal	Horizontal	N/A
5134.000	-54.43	7.79	-25.0	-29.43	285.00	Horizontal	Horizontal	Pass
11136.838	-47.00	16.68	-25.0	-22.00	177.00	Horizontal	Horizontal	Pass
17423.550	-39.73	22.56	-25.0	-14.73	360.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
900.333	-53.20	41.03	-25.0	-28.20	121.00	Horizontal	Vertical	Pass
1410.500	-47.65	44.83	-25.0	-22.65	-1.00	Horizontal	Vertical	Pass
2535.400	8.16	45.71	-25.0	33.16	316.00	Horizontal	Vertical	N/A
5185.800	-53.99	7.28	-25.0	-28.99	0.00	Horizontal	Vertical	Pass
11511.451	-46.55	17.62	-25.0	-21.55	-3.00	Horizontal	Vertical	Pass
17424.337	-40.72	22.54	-25.0	-15.72	361.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
840.289	-53.96	40.59	-25.0	-28.96	343.00	Vertical	Vertical	Pass
1391.200	-47.65	44.98	-25.0	-22.65	86.00	Vertical	Vertical	Pass
2534.300	11.89	45.74	-25.0	36.89	-3.00	Vertical	Vertical	N/A
5167.400	-54.41	7.41	-25.0	-29.41	126.00	Vertical	Vertical	Pass
10946.224	-46.91	16.60	-25.0	-21.91	230.00	Vertical	Vertical	Pass
17594.175	-40.14	22.03	-25.0	-15.14	345.00	Vertical	Vertical	Pass


RSE-V&H n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
840.435	-53.60	40.61	-25.0	-28.60	361.00	Vertical	Horizontal	Pass
1380.700	-47.00	44.77	-25.0	-22.00	286.00	Vertical	Horizontal	Pass
2535.900	8.55	45.79	-25.0	33.55	4.00	Vertical	Horizontal	N/A
5045.000	-54.78	7.52	-25.0	-29.78	22.00	Vertical	Horizontal	Pass
10900.799	-46.91	17.71	-25.0	-21.91	259.00	Vertical	Horizontal	Pass
17614.125	-40.41	21.84	-25.0	-15.41	102.00	Vertical	Horizontal	Pass


44.2 n7 BW15, PI/2 BPSK, Middle Channel

RSE-H&H n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
821.762	-53.80	40.14	-25.0	-28.80	245.00	Horizontal	Horizontal	Pass
1402.900	-47.25	45.13	-25.0	-22.25	-1.00	Horizontal	Horizontal	Pass
2536.300	11.10	45.85	-25.0	36.10	152.00	Horizontal	Horizontal	N/A
4921.600	-54.09	7.68	-25.0	-29.09	361.00	Horizontal	Horizontal	Pass
11515.763	-46.24	17.56	-25.0	-21.24	-3.00	Horizontal	Horizontal	Pass
17472.901	-40.08	21.72	-25.0	-15.08	184.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
884.085	-52.77	40.58	-25.0	-27.77	242.00	Horizontal	Vertical	Pass
1402.200	-47.68	45.14	-25.0	-22.68	329.00	Horizontal	Vertical	Pass
2534.700	6.84	45.73	-25.0	31.84	0.00	Horizontal	Vertical	N/A
5117.800	-54.17	7.82	-25.0	-29.17	156.00	Horizontal	Vertical	Pass
11510.300	-46.95	17.64	-25.0	-21.95	264.00	Horizontal	Vertical	Pass
17589.449	-40.27	22.09	-25.0	-15.27	99.00	Horizontal	Vertical	Pass


RSE-V&V n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
770.935	-53.75	39.19	-25.0	-28.75	299.00	Vertical	Vertical	Pass
1389.500	-46.90	44.95	-25.0	-21.90	183.00	Vertical	Vertical	Pass
2532.300	7.36	45.84	-25.0	32.36	0.00	Vertical	Vertical	N/A
5072.600	-53.81	7.36	-25.0	-28.81	122.00	Vertical	Vertical	Pass
11486.437	-46.85	17.72	-25.0	-21.85	297.00	Vertical	Vertical	Pass
17598.376	-39.97	21.99	-25.0	-14.97	273.00	Vertical	Vertical	Pass

RSE-V&H n7 BW15 CH531000


RSE (RF)_FCC PART22&24&27 - 5G_5G N7 & N41 30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.869	-53.98	40.38	-25.0	-28.98	360.00	Vertical	Horizontal	Pass
1380.900	-46.33	44.79	-25.0	-21.33	0.00	Vertical	Horizontal	Pass
2536.200	3.03	45.84	-25.0	28.03	27.00	Vertical	Horizontal	N/A
4918.800	-54.33	7.82	-25.0	-29.33	212.00	Vertical	Horizontal	Pass
10908.276	-47.25	17.66	-25.0	-22.25	141.00	Vertical	Horizontal	Pass
17602.050	-40.16	21.95	-25.0	-15.16	215.00	Vertical	Horizontal	Pass


44.3 n7 BW20, PI/2 BPSK, Middle Channel

RSE-H&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.335	-53.66	40.37	-25.0	-28.66	298.00	Horizontal	Horizontal	Pass
1379.900	-46.87	44.71	-25.0	-21.87	49.00	Horizontal	Horizontal	Pass
2531.200	11.37	45.90	-25.0	36.37	143.00	Horizontal	Horizontal	N/A
5126.000	-53.87	7.94	-25.0	-28.87	1.00	Horizontal	Horizontal	Pass
11561.475	-46.66	17.25	-25.0	-21.66	261.00	Horizontal	Horizontal	Pass
17471.324	-39.49	21.72	-25.0	-14.49	220.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
771.614	-53.73	39.20	-25.0	-28.73	2.00	Horizontal	Vertical	Pass
1392.200	-46.61	44.99	-25.0	-21.61	230.00	Horizontal	Vertical	Pass
2537.900	7.58	46.02	-25.0	32.58	326.00	Horizontal	Vertical	N/A
4920.400	-54.60	7.72	-25.0	-29.60	33.00	Horizontal	Vertical	Pass
11525.537	-46.78	17.38	-25.0	-21.78	25.00	Horizontal	Vertical	Pass
17437.198	-40.10	22.22	-25.0	-15.10	104.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW20 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.610	-53.99	40.49	-25.0	-28.99	361.00	Vertical	Vertical	Pass
1400.400	-47.23	45.16	-25.0	-22.23	76.00	Vertical	Vertical	Pass
2538.600	8.58	46.01	-25.0	33.58	-3.00	Vertical	Vertical	N/A
4917.600	-54.39	7.94	-25.0	-29.39	363.00	Vertical	Vertical	Pass
11475.225	-46.73	17.60	-25.0	-21.73	274.00	Vertical	Vertical	Pass
17597.323	-40.47	22.00	-25.0	-15.47	5.00	Vertical	Vertical	Pass


RSE-V&H n7 BW20 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
794.602	-52.50	39.75	-25.0	-27.50	129.00	Vertical	Horizontal	Pass
1404.300	-46.85	45.00	-25.0	-21.85	107.00	Vertical	Horizontal	Pass
2536.300	3.64	45.85	-25.0	28.64	13.00	Vertical	Horizontal	N/A
4787.800	-54.58	7.42	-25.0	-29.58	363.00	Vertical	Horizontal	Pass
11595.975	-47.03	17.93	-25.0	-22.03	-1.00	Vertical	Horizontal	Pass
18651.099	-39.47	24.29	-25.0	-14.47	85.00	Vertical	Horizontal	Pass


44.4 n7 BW5, QPSK, Middle Channel

RSE-H&H n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
810.171	-53.28	39.95	-25.0	-28.28	207.00	Horizontal	Horizontal	Pass
1412.100	-47.45	44.81	-25.0	-22.45	30.00	Horizontal	Horizontal	Pass
2534.300	16.14	45.74	-25.0	41.14	119.00	Horizontal	Horizontal	N/A
5025.000	-53.78	7.16	-25.0	-28.78	335.00	Horizontal	Horizontal	Pass
11598.276	-46.63	17.97	-25.0	-21.63	253.00	Horizontal	Horizontal	Pass
17435.099	-39.85	22.28	-25.0	-14.85	290.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
797.513	-53.91	39.90	-25.0	-28.91	209.00	Horizontal	Vertical	Pass
1399.500	-47.28	45.17	-25.0	-22.28	312.00	Horizontal	Vertical	Pass
2534.900	11.00	45.72	-25.0	36.00	-3.00	Horizontal	Vertical	N/A
5119.600	-53.60	7.83	-25.0	-28.60	63.00	Horizontal	Vertical	Pass
10982.737	-46.91	17.23	-25.0	-21.91	-3.00	Horizontal	Vertical	Pass
17424.599	-39.84	22.54	-25.0	-14.84	361.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
912.652	-52.84	41.24	-25.0	-27.84	316.00	Vertical	Vertical	Pass
1402.100	-46.71	45.14	-25.0	-21.71	250.00	Vertical	Vertical	Pass
2534.200	11.80	45.75	-25.0	36.80	-3.00	Vertical	Vertical	N/A
5122.200	-53.71	7.88	-25.0	-28.71	293.00	Vertical	Vertical	Pass
10997.687	-46.82	17.46	-25.0	-21.82	-3.00	Vertical	Vertical	Pass
17610.449	-40.24	21.88	-25.0	-15.24	361.00	Vertical	Vertical	Pass


RSE-V&H n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
821.084	-54.28	40.09	-25.0	-29.28	69.00	Vertical	Horizontal	Pass
1405.400	-47.40	44.95	-25.0	-22.40	218.00	Vertical	Horizontal	Pass
2535.500	4.84	45.73	-25.0	29.84	355.00	Vertical	Horizontal	N/A
5118.800	-53.98	7.83	-25.0	-28.98	211.00	Vertical	Horizontal	Pass
11598.850	-47.00	17.99	-25.0	-22.00	291.00	Vertical	Horizontal	Pass
17477.626	-40.13	21.70	-25.0	-15.13	6.00	Vertical	Horizontal	Pass


44.5 n7 BW15, QPSK, Middle Channel

RSE-H&H n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
818.756	-53.93	40.08	-25.0	-28.93	269.00	Horizontal	Horizontal	Pass
1402.800	-46.98	45.14	-25.0	-21.98	228.00	Horizontal	Horizontal	Pass
2533.800	10.51	45.76	-25.0	35.51	108.00	Horizontal	Horizontal	N/A
5015.200	-54.59	7.10	-25.0	-29.59	274.00	Horizontal	Horizontal	Pass
10904.250	-47.15	17.69	-25.0	-22.15	104.00	Horizontal	Horizontal	Pass
17600.999	-40.35	21.96	-25.0	-15.35	300.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
850.086	-53.76	40.51	-25.0	-28.76	53.00	Horizontal	Vertical	Pass
1401.000	-47.52	45.14	-25.0	-22.52	143.00	Horizontal	Vertical	Pass
2531.500	5.99	45.88	-25.0	30.99	-3.00	Horizontal	Vertical	N/A
5118.800	-54.19	7.83	-25.0	-29.19	88.00	Horizontal	Vertical	Pass
10859.975	-47.45	17.52	-25.0	-22.45	179.00	Horizontal	Vertical	Pass
17461.875	-40.11	21.74	-25.0	-15.11	363.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
809.298	-53.05	39.93	-25.0	-28.05	340.00	Vertical	Vertical	Pass
1399.800	-47.28	45.18	-25.0	-22.28	147.00	Vertical	Vertical	Pass
2536.800	6.21	45.93	-25.0	31.21	353.00	Vertical	Vertical	N/A
5110.800	-54.15	7.80	-25.0	-29.15	228.00	Vertical	Vertical	Pass
10981.300	-47.43	17.21	-25.0	-22.43	-3.00	Vertical	Vertical	Pass
17472.637	-40.31	21.72	-25.0	-15.31	361.00	Vertical	Vertical	Pass


RSE-V&H n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
889.662	-53.03	40.64	-25.0	-28.03	0.00	Vertical	Horizontal	Pass
1392.400	-47.60	45.00	-25.0	-22.60	269.00	Vertical	Horizontal	Pass
2536.100	4.07	45.82	-25.0	29.07	25.00	Vertical	Horizontal	N/A
4899.000	-54.34	7.53	-25.0	-29.34	221.00	Vertical	Horizontal	Pass
10860.262	-47.22	17.51	-25.0	-22.22	-3.00	Vertical	Horizontal	Pass
17470.800	-40.26	21.72	-25.0	-15.26	12.00	Vertical	Horizontal	Pass


44.6 n7 BW20, QPSK, Middle Channel

RSE-H&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
828.795	-53.89	40.27	-25.0	-28.89	363.00	Horizontal	Horizontal	Pass
1387.700	-46.90	44.89	-25.0	-21.90	222.00	Horizontal	Horizontal	Pass
2538.000	10.33	46.02	-25.0	35.33	139.00	Horizontal	Horizontal	N/A
5113.200	-53.43	7.71	-25.0	-28.43	284.00	Horizontal	Horizontal	Pass
10898.787	-47.45	17.68	-25.0	-22.45	172.00	Horizontal	Horizontal	Pass
17493.375	-40.02	21.29	-25.0	-15.02	138.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
902.078	-53.75	40.96	-25.0	-28.75	71.00	Horizontal	Vertical	Pass
1389.600	-46.79	44.96	-25.0	-21.79	-3.00	Horizontal	Vertical	Pass
2533.600	1.78	45.77	-25.0	26.78	326.00	Horizontal	Vertical	N/A
5121.000	-54.34	7.82	-25.0	-29.34	170.00	Horizontal	Vertical	Pass
10906.550	-47.42	17.67	-25.0	-22.42	0.00	Horizontal	Vertical	Pass
17382.074	-40.07	22.28	-25.0	-15.07	278.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW20 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
804.545	-53.90	40.02	-25.0	-28.90	213.00	Vertical	Vertical	Pass
1400.000	-47.00	45.18	-25.0	-22.00	-1.00	Vertical	Vertical	Pass
2534.200	6.22	45.75	-25.0	31.22	312.00	Vertical	Vertical	N/A
4912.800	-53.94	7.96	-25.0	-28.94	138.00	Vertical	Vertical	Pass
11474.650	-46.96	17.59	-25.0	-21.96	272.00	Vertical	Vertical	Pass
17473.688	-40.63	21.71	-25.0	-15.63	252.00	Vertical	Vertical	Pass

RSE-V&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.305	-54.07	40.39	-25.0	-29.07	188.00	Vertical	Horizontal	Pass
1395.700	-47.35	45.14	-25.0	-22.35	0.00	Vertical	Horizontal	Pass
2537.900	2.86	46.02	-25.0	27.86	19.00	Vertical	Horizontal	N/A
5113.600	-54.25	7.70	-25.0	-29.25	120.00	Vertical	Horizontal	Pass
11596.550	-46.84	17.94	-25.0	-21.84	258.00	Vertical	Horizontal	Pass
17433.262	-40.49	22.32	-25.0	-15.49	361.00	Vertical	Horizontal	Pass

45 n38


45.1 n38 BW10, PI/2 BPSK, Middle Channel

RSE-H&H n38 BW10 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
875.306	-54.10	40.32	-25.0	-29.10	350.00	Horizontal	Horizontal	Pass
1403.900	-47.43	45.04	-25.0	-22.43	237.00	Horizontal	Horizontal	Pass
2592.200	19.53	45.87	-25.0	44.53	89.00	Horizontal	Horizontal	N/A
6774.200	-49.42	11.71	-25.0	-24.42	363.00	Horizontal	Horizontal	Pass
10989.350	-46.98	17.33	-25.0	-21.98	251.00	Horizontal	Horizontal	Pass
17624.625	-40.09	21.70	-25.0	-15.09	361.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW10 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
859.544	-53.20	40.19	-25.0	-28.20	241.00	Horizontal	Vertical	Pass
1378.200	-47.92	44.58	-25.0	-22.92	-1.00	Horizontal	Vertical	Pass
2592.800	13.09	45.88	-25.0	38.09	3.00	Horizontal	Vertical	N/A
6676.800	-49.65	11.73	-25.0	-24.65	88.00	Horizontal	Vertical	Pass
12137.912	-46.41	18.16	-25.0	-21.41	275.00	Horizontal	Vertical	Pass
17467.126	-40.30	21.73	-25.0	-15.30	291.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW10 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
894.318	-53.02	40.82	-25.0	-28.02	86.00	Vertical	Vertical	Pass
1393.700	-47.27	45.06	-25.0	-22.27	231.00	Vertical	Vertical	Pass
2592.700	15.70	45.87	-25.0	40.70	-2.00	Vertical	Vertical	N/A
6992.800	-48.58	13.61	-25.0	-23.58	208.00	Vertical	Vertical	Pass
10901.088	-46.41	17.71	-25.0	-21.41	303.00	Vertical	Vertical	Pass
17586.037	-40.38	22.12	-25.0	-15.38	216.00	Vertical	Vertical	Pass


RSE-V&H n38 BW10 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
841.841	-53.73	40.76	-25.0	-28.73	32.00	Vertical	Horizontal	Pass
1385.600	-47.12	44.58	-25.0	-22.12	230.00	Vertical	Horizontal	Pass
2592.500	9.57	45.87	-25.0	34.57	21.00	Vertical	Horizontal	N/A
6974.800	-47.82	13.71	-25.0	-22.82	110.00	Vertical	Horizontal	Pass
12856.575	-45.58	19.47	-25.0	-20.58	95.00	Vertical	Horizontal	Pass
17467.650	-39.53	21.73	-25.0	-14.53	250.00	Vertical	Horizontal	Pass


45.2 n38 BW15, PI/2 BPSK, Middle Channel

RSE-H&H n38 BW15 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.525	-54.77	40.54	-25.0	-29.77	355.00	Horizontal	Horizontal	Pass
1362.500	-48.09	43.99	-25.0	-23.09	166.00	Horizontal	Horizontal	Pass
2597.200	15.05	45.99	-25.0	40.05	117.00	Horizontal	Horizontal	N/A
6995.000	-48.47	13.57	-25.0	-23.47	269.00	Horizontal	Horizontal	Pass
10896.775	-46.96	17.63	-25.0	-21.96	195.00	Horizontal	Horizontal	Pass
17560.838	-39.93	22.46	-25.0	-14.93	124.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW15 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
911.730	-52.16	41.22	-25.0	-27.16	361.00	Horizontal	Vertical	Pass
1408.700	-47.43	44.91	-25.0	-22.43	215.00	Horizontal	Vertical	Pass
2594.000	10.16	46.06	-25.0	35.16	-1.00	Horizontal	Vertical	N/A
6995.200	-48.24	13.56	-25.0	-23.24	20.00	Horizontal	Vertical	Pass
10989.062	-46.98	17.32	-25.0	-21.98	282.00	Horizontal	Vertical	Pass
17382.074	-40.26	22.28	-25.0	-15.26	317.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW15 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.227	-53.78	40.45	-25.0	-28.78	349.00	Vertical	Vertical	Pass
1406.800	-46.85	44.95	-25.0	-21.85	47.00	Vertical	Vertical	Pass
2595.400	10.57	46.14	-25.0	35.57	-3.00	Vertical	Vertical	N/A
6685.600	-48.93	12.04	-25.0	-23.93	142.00	Vertical	Vertical	Pass
11631.912	-46.47	17.34	-25.0	-21.47	143.00	Vertical	Vertical	Pass
17590.499	-40.21	22.07	-25.0	-15.21	237.00	Vertical	Vertical	Pass


RSE-V&H n38 BW15 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
856.634	-52.96	40.30	-25.0	-27.96	360.00	Vertical	Horizontal	Pass
1410.700	-47.52	44.82	-25.0	-22.52	343.00	Vertical	Horizontal	Pass
2597.600	3.92	46.00	-25.0	28.92	28.00	Vertical	Horizontal	N/A
6964.000	-48.17	13.13	-25.0	-23.17	257.00	Vertical	Horizontal	Pass
11478.963	-46.68	17.66	-25.0	-21.68	337.00	Vertical	Horizontal	Pass
17886.337	-39.95	22.72	-25.0	-14.95	67.00	Vertical	Horizontal	Pass


45.3 n38 BW20, PI/2 BPSK, Middle Channel

RSE-H&H n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
844.364	-54.15	40.48	-25.0	-29.15	182.00	Horizontal	Horizontal	Pass
1398.500	-47.61	45.16	-25.0	-22.61	124.00	Horizontal	Horizontal	Pass
2594.300	12.62	46.11	-25.0	37.62	124.00	Horizontal	Horizontal	N/A
6974.200	-48.35	13.70	-25.0	-23.35	292.00	Horizontal	Horizontal	Pass
11504.263	-46.51	17.73	-25.0	-21.51	281.00	Horizontal	Horizontal	Pass
17469.489	-40.08	21.72	-25.0	-15.08	363.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
797.609	-54.37	39.91	-25.0	-29.37	363.00	Horizontal	Vertical	Pass
1394.800	-47.20	45.11	-25.0	-22.20	205.00	Horizontal	Vertical	Pass
2593.400	6.28	45.97	-25.0	31.28	23.00	Horizontal	Vertical	N/A
6782.600	-49.25	12.10	-25.0	-24.25	196.00	Horizontal	Vertical	Pass
11064.100	-47.08	15.94	-25.0	-22.08	270.00	Horizontal	Vertical	Pass
17593.125	-39.94	22.05	-25.0	-14.94	0.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
891.505	-51.76	40.80	-25.0	-26.76	80.00	Vertical	Vertical	Pass
1382.100	-47.28	44.81	-25.0	-22.28	120.00	Vertical	Vertical	Pass
2595.600	9.57	46.12	-25.0	34.57	324.00	Vertical	Vertical	N/A
6996.800	-47.92	13.59	-25.0	-22.92	266.00	Vertical	Vertical	Pass
11140.287	-46.93	16.71	-25.0	-21.93	304.00	Vertical	Vertical	Pass
17592.863	-40.13	22.05	-25.0	-15.13	112.00	Vertical	Vertical	Pass


RSE-V&H n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
823.703	-53.86	40.19	-25.0	-28.86	216.00	Vertical	Horizontal	Pass
1396.600	-47.82	45.16	-25.0	-22.82	99.00	Vertical	Horizontal	Pass
2597.500	2.97	46.00	-25.0	27.97	25.00	Vertical	Horizontal	N/A
6983.000	-48.65	13.90	-25.0	-23.65	43.00	Vertical	Horizontal	Pass
11511.737	-46.53	17.62	-25.0	-21.53	3.00	Vertical	Horizontal	Pass
17442.974	-40.31	22.09	-25.0	-15.31	361.00	Vertical	Horizontal	Pass


45.4 n38 BW10, QPSK, Middle Channel

RSE-H&H n38 BW10 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
898.635	-52.62	41.07	-25.0	-27.62	36.00	Horizontal	Horizontal	Pass
2591.700	18.62	45.86	-25.0	43.62	137.00	Horizontal	Horizontal	N/A
3663.800	-57.07	3.85	-25.0	-32.07	296.00	Horizontal	Horizontal	Pass
6999.800	-48.24	13.65	-25.0	-23.24	261.00	Horizontal	Horizontal	Pass
10947.951	-46.89	16.55	-25.0	-21.89	-3.00	Horizontal	Horizontal	Pass
17591.550	-40.13	22.06	-25.0	-15.13	62.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW10 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
844.800	-52.97	40.48	-25.0	-27.97	65.00	Horizontal	Vertical	Pass
2593.000	13.47	45.91	-25.0	38.47	142.00	Horizontal	Vertical	N/A
3645.000	-57.83	4.49	-25.0	-32.83	87.00	Horizontal	Vertical	Pass
6999.800	-48.81	13.65	-25.0	-23.81	327.00	Horizontal	Vertical	Pass
11353.037	-46.57	17.19	-25.0	-21.57	301.00	Horizontal	Vertical	Pass
17007.225	-40.26	20.88	-25.0	-15.26	137.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW10 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
964.644	-50.69	42.11	-25.0	-25.69	181.00	Vertical	Vertical	Pass
2591.900	14.76	45.86	-25.0	39.76	11.00	Vertical	Vertical	N/A
3700.800	-57.46	4.96	-25.0	-32.46	361.00	Vertical	Vertical	Pass
6997.000	-48.24	13.60	-25.0	-23.24	0.00	Vertical	Vertical	Pass
11581.887	-46.49	17.64	-25.0	-21.49	252.00	Vertical	Vertical	Pass
17589.713	-39.89	22.08	-25.0	-14.89	322.00	Vertical	Vertical	Pass


RSE-V&H n38 BW10 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
921.430	-52.64	41.37	-25.0	-27.64	361.00	Vertical	Horizontal	Pass
2592.500	8.80	45.87	-25.0	33.80	30.00	Vertical	Horizontal	N/A
4070.200	-56.56	4.83	-25.0	-31.56	0.00	Vertical	Horizontal	Pass
6996.400	-48.79	13.58	-25.0	-23.79	363.00	Vertical	Horizontal	Pass
11600.575	-46.46	18.00	-25.0	-21.46	62.00	Vertical	Horizontal	Pass
17419.874	-39.69	22.65	-25.0	-14.69	12.00	Vertical	Horizontal	Pass


45.5 n38 BW15, QPSK, Middle Channel

RSE-H&H n38 BW15 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
929.675	-52.15	41.47	-25.0	-27.15	215.00	Horizontal	Horizontal	Pass
1391.600	-47.39	44.98	-25.0	-22.39	-3.00	Horizontal	Horizontal	Pass
2595.400	14.08	46.14	-25.0	39.08	107.00	Horizontal	Horizontal	N/A
6604.600	-48.54	12.07	-25.0	-23.54	360.00	Horizontal	Horizontal	Pass
11599.425	-46.43	18.00	-25.0	-21.43	94.00	Horizontal	Horizontal	Pass
17466.337	-40.27	21.73	-25.0	-15.27	150.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW15 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
897.277	-52.97	40.93	-25.0	-27.97	178.00	Horizontal	Vertical	Pass
1373.600	-47.20	44.39	-25.0	-22.20	-3.00	Horizontal	Vertical	Pass
2594.900	9.69	46.18	-25.0	34.69	9.00	Horizontal	Vertical	N/A
6962.800	-48.44	13.03	-25.0	-23.44	363.00	Horizontal	Vertical	Pass
12849.487	-45.50	19.42	-25.0	-20.50	363.00	Horizontal	Vertical	Pass
17423.286	-40.18	22.57	-25.0	-15.18	110.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW15 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
874.676	-53.07	40.24	-25.0	-28.07	148.00	Vertical	Vertical	Pass
1397.400	-47.58	45.16	-25.0	-22.58	36.00	Vertical	Vertical	Pass
2596.300	11.37	46.05	-25.0	36.37	-1.00	Vertical	Vertical	N/A
6681.200	-48.72	11.79	-25.0	-23.72	136.00	Vertical	Vertical	Pass
11519.213	-46.68	17.50	-25.0	-21.68	0.00	Vertical	Vertical	Pass
17639.324	-40.16	21.39	-25.0	-15.16	78.00	Vertical	Vertical	Pass


RSE-V&H n38 BW15 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
926.425	-52.85	41.46	-25.0	-27.85	74.00	Vertical	Horizontal	Pass
1388.300	-47.19	44.93	-25.0	-22.19	2.00	Vertical	Horizontal	Pass
2596.000	5.96	46.08	-25.0	30.96	38.00	Vertical	Horizontal	N/A
6776.400	-49.02	11.84	-25.0	-24.02	363.00	Vertical	Horizontal	Pass
11591.950	-46.48	17.85	-25.0	-21.48	190.00	Vertical	Horizontal	Pass
17756.400	-40.19	21.47	-25.0	-15.19	360.00	Vertical	Horizontal	Pass


45.6 n38 BW20, QPSK, Middle Channel

RSE-H&H n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
869.098	-54.04	40.16	-25.0	-29.04	23.00	Horizontal	Horizontal	Pass
2595.300	13.22	46.15	-25.0	38.22	119.00	Horizontal	Horizontal	N/A
3654.000	-57.55	4.26	-25.0	-32.55	156.00	Horizontal	Horizontal	Pass
6977.600	-48.44	13.86	-25.0	-23.44	156.00	Horizontal	Horizontal	Pass
11519.500	-46.53	17.50	-25.0	-21.53	320.00	Horizontal	Horizontal	Pass
17458.725	-40.08	21.77	-25.0	-15.08	161.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.604	-53.90	40.54	-25.0	-28.90	208.00	Horizontal	Vertical	Pass
1406.400	-46.98	44.95	-25.0	-21.98	227.00	Horizontal	Vertical	Pass
2597.700	5.09	46.00	-25.0	30.09	96.00	Horizontal	Vertical	N/A
6997.200	-48.00	13.61	-25.0	-23.00	0.00	Horizontal	Vertical	Pass
11312.213	-47.09	17.51	-25.0	-22.09	23.00	Horizontal	Vertical	Pass
17309.100	-40.47	21.11	-25.0	-15.47	288.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
821.908	-53.62	40.15	-25.0	-28.62	9.00	Vertical	Vertical	Pass
1391.700	-47.29	44.98	-25.0	-22.29	360.00	Vertical	Vertical	Pass
2598.500	8.87	46.00	-25.0	33.87	333.00	Vertical	Vertical	N/A
6999.400	-48.44	13.65	-25.0	-23.44	117.00	Vertical	Vertical	Pass
11476.375	-46.32	17.62	-25.0	-21.32	139.00	Vertical	Vertical	Pass
17594.438	-39.84	22.03	-25.0	-14.84	218.00	Vertical	Vertical	Pass

RSE-V&H n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
871.620	-52.64	40.21	-25.0	-27.64	270.00	Vertical	Horizontal	Pass
2593.400	1.94	45.97	-25.0	26.94	133.00	Vertical	Horizontal	N/A
4110.000	-56.82	4.69	-25.0	-31.82	227.00	Vertical	Horizontal	Pass
6976.200	-48.44	13.74	-25.0	-23.44	338.00	Vertical	Horizontal	Pass
11643.987	-46.38	17.07	-25.0	-21.38	93.00	Vertical	Horizontal	Pass
17750.886	-39.98	21.49	-25.0	-14.98	323.00	Vertical	Horizontal	Pass

46 n41


46.1 n41 BW10, PI/2 BPSK, Middle Channel

RSE-H&H n41 BW10 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
876.374	-53.53	40.36	-25.0	-28.53	346.00	Horizontal	Horizontal	Pass
2589.100	14.35	46.14	-25.0	39.35	138.00	Horizontal	Horizontal	N/A
3690.000	-57.48	5.01	-25.0	-32.48	74.00	Horizontal	Horizontal	Pass
6978.800	-48.68	13.94	-25.0	-23.68	232.00	Horizontal	Horizontal	Pass
11372.013	-46.70	16.98	-25.0	-21.70	24.00	Horizontal	Horizontal	Pass
17430.901	-40.09	22.38	-25.0	-15.09	274.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW10 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
877.926	-53.24	40.33	-25.0	-28.24	311.00	Horizontal	Vertical	Pass
2596.500	5.68	46.03	-25.0	30.68	129.00	Horizontal	Vertical	N/A
3698.600	-58.00	5.09	-25.0	-33.00	318.00	Horizontal	Vertical	Pass
6993.800	-48.46	13.64	-25.0	-23.46	230.00	Horizontal	Vertical	Pass
11512.025	-46.47	17.61	-25.0	-21.47	293.00	Horizontal	Vertical	Pass
17597.850	-39.57	21.99	-25.0	-14.57	360.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW10 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
940.927	-52.99	41.47	-25.0	-27.99	268.00	Vertical	Vertical	Pass
2594.800	6.34	46.18	-25.0	31.34	339.00	Vertical	Vertical	N/A
3685.600	-57.25	4.80	-25.0	-32.25	239.00	Vertical	Vertical	Pass
6280.000	-49.48	11.28	-25.0	-24.48	306.00	Vertical	Vertical	Pass
10982.737	-47.12	17.23	-25.0	-22.12	77.00	Vertical	Vertical	Pass
17586.825	-40.27	22.11	-25.0	-15.27	89.00	Vertical	Vertical	Pass


RSE-V&H n41 BW10 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
930.209	-53.72	41.42	-25.0	-28.72	-3.00	Vertical	Horizontal	Pass
2589.000	3.11	46.16	-25.0	28.11	361.00	Vertical	Horizontal	N/A
3650.000	-57.93	4.47	-25.0	-32.93	206.00	Vertical	Horizontal	Pass
6999.200	-48.33	13.65	-25.0	-23.33	56.00	Vertical	Horizontal	Pass
10887.862	-47.64	17.37	-25.0	-22.64	61.00	Vertical	Horizontal	Pass
17431.163	-40.35	22.37	-25.0	-15.35	62.00	Vertical	Horizontal	Pass


46.2 n41 BW60, PI/2 BPSK, Middle Channel

RSE-H&H n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
891.457	-53.07	40.80	-25.0	-28.07	96.00	Horizontal	Horizontal	Pass
2599.100	3.86	46.00	-25.0	28.86	357.00	Horizontal	Horizontal	N/A
4054.800	-56.92	5.29	-25.0	-31.92	75.00	Horizontal	Horizontal	Pass
6999.400	-48.39	13.65	-25.0	-23.39	247.00	Horizontal	Horizontal	Pass
10868.312	-46.48	17.36	-25.0	-21.48	363.00	Horizontal	Horizontal	Pass
17433.786	-40.11	22.31	-25.0	-15.11	39.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
850.814	-53.44	40.50	-25.0	-28.44	123.00	Horizontal	Vertical	Pass
2582.000	1.03	45.97	-25.0	26.03	146.00	Horizontal	Vertical	N/A
3638.600	-57.69	4.05	-25.0	-32.69	329.00	Horizontal	Vertical	Pass
6994.800	-48.86	13.59	-25.0	-23.86	299.00	Horizontal	Vertical	Pass
10989.638	-47.15	17.33	-25.0	-22.15	185.00	Horizontal	Vertical	Pass
17391.526	-40.27	22.51	-25.0	-15.27	78.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
917.695	-53.07	41.28	-25.0	-28.07	-1.00	Vertical	Vertical	Pass
2596.400	-2.89	46.04	-25.0	22.11	193.00	Vertical	Vertical	N/A
3936.200	-57.04	4.69	-25.0	-32.04	126.00	Vertical	Vertical	Pass
6998.400	-48.05	13.63	-25.0	-23.05	220.00	Vertical	Vertical	Pass
11010.625	-47.24	17.23	-25.0	-22.24	286.00	Vertical	Vertical	Pass
17883.714	-39.62	22.69	-25.0	-14.62	338.00	Vertical	Vertical	Pass


RSE-V&H n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
888.596	-52.98	40.55	-25.0	-27.98	13.00	Vertical	Horizontal	Pass
2604.900	-2.41	46.00	-25.0	22.59	39.00	Vertical	Horizontal	N/A
3644.400	-57.65	4.48	-25.0	-32.65	327.00	Vertical	Horizontal	Pass
6676.600	-48.61	11.73	-25.0	-23.61	295.00	Vertical	Horizontal	Pass
10848.187	-47.17	17.67	-25.0	-22.17	162.00	Vertical	Horizontal	Pass
17596.013	-40.26	22.01	-25.0	-15.26	228.00	Vertical	Horizontal	Pass


46.3 n41 BW100, PI/2 BPSK, Middle Channel

RSE-H&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
841.987	-53.59	40.74	-25.0	-28.59	275.00	Horizontal	Horizontal	Pass
2577.300	7.28	45.99	-25.0	32.28	162.00	Horizontal	Horizontal	N/A
3653.400	-57.31	4.29	-25.0	-32.31	313.00	Horizontal	Horizontal	Pass
6984.400	-48.60	13.76	-25.0	-23.60	200.00	Horizontal	Horizontal	Pass
10897.925	-47.42	17.66	-25.0	-22.42	354.00	Horizontal	Horizontal	Pass
17609.136	-40.03	21.89	-25.0	-15.03	119.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
905.182	-53.02	40.99	-25.0	-28.02	-1.00	Horizontal	Vertical	Pass
2615.100	2.87	46.10	-25.0	27.87	176.00	Horizontal	Vertical	N/A
3797.800	-57.62	4.59	-25.0	-32.62	150.00	Horizontal	Vertical	Pass
6998.400	-48.84	13.63	-25.0	-23.84	-3.00	Horizontal	Vertical	Pass
11579.875	-46.91	17.60	-25.0	-21.91	214.00	Horizontal	Vertical	Pass
17376.823	-40.15	22.11	-25.0	-15.15	-1.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
843.684	-53.49	40.51	-25.0	-28.49	-3.00	Vertical	Vertical	Pass
2577.500	1.96	46.00	-25.0	26.96	42.00	Vertical	Vertical	N/A
3795.200	-57.76	4.47	-25.0	-32.76	72.00	Vertical	Vertical	Pass
6995.800	-48.30	13.55	-25.0	-23.30	250.00	Vertical	Vertical	Pass
10861.125	-47.29	17.49	-25.0	-22.29	254.00	Vertical	Vertical	Pass
17423.286	-40.41	22.57	-25.0	-15.41	202.00	Vertical	Vertical	Pass


RSE-V&H n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
857.992	-53.66	40.24	-25.0	-28.66	-1.00	Vertical	Horizontal	Pass
2577.200	-1.73	45.98	-25.0	23.27	323.00	Vertical	Horizontal	N/A
3649.600	-57.61	4.48	-25.0	-32.61	124.00	Vertical	Horizontal	Pass
6982.000	-48.41	13.87	-25.0	-23.41	182.00	Vertical	Horizontal	Pass
10992.800	-46.68	17.38	-25.0	-21.68	82.00	Vertical	Horizontal	Pass
17514.375	-40.14	21.31	-25.0	-15.14	-3.00	Vertical	Horizontal	Pass


46.4 n41 BW10, QPSK, Middle Channel

RSE-H&H n41 BW10 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
884.376	-53.45	40.59	-25.0	-28.45	84.00	Horizontal	Horizontal	Pass
2591.800	10.41	45.86	-25.0	35.41	134.00	Horizontal	Horizontal	N/A
3648.200	-57.84	4.48	-25.0	-32.84	10.00	Horizontal	Horizontal	Pass
6634.400	-49.13	12.12	-25.0	-24.13	44.00	Horizontal	Horizontal	Pass
11499.088	-47.16	17.79	-25.0	-22.16	193.00	Horizontal	Horizontal	Pass
17578.426	-39.96	22.21	-25.0	-14.96	226.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW10 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
855.858	-54.02	40.31	-25.0	-29.02	28.00	Horizontal	Vertical	Pass
2589.200	5.35	46.12	-25.0	30.35	140.00	Horizontal	Vertical	N/A
3688.800	-57.60	4.96	-25.0	-32.60	302.00	Horizontal	Vertical	Pass
6986.000	-48.60	13.70	-25.0	-23.60	92.00	Horizontal	Vertical	Pass
10993.375	-47.15	17.39	-25.0	-22.15	231.00	Horizontal	Vertical	Pass
17592.074	-40.34	22.06	-25.0	-15.34	130.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW10 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
899.557	-52.20	41.09	-25.0	-27.20	293.00	Vertical	Vertical	Pass
2595.600	7.91	46.12	-25.0	32.91	-1.00	Vertical	Vertical	N/A
3564.600	-58.08	3.98	-25.0	-33.08	35.00	Vertical	Vertical	Pass
6999.600	-46.91	13.65	-25.0	-21.91	240.00	Vertical	Vertical	Pass
11149.487	-46.67	16.79	-25.0	-21.67	325.00	Vertical	Vertical	Pass
17338.761	-40.30	21.08	-25.0	-15.30	130.00	Vertical	Vertical	Pass


RSE-V&H n41 BW10 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
899.750	-53.54	41.08	-25.0	-28.54	213.00	Vertical	Horizontal	Pass
2596.200	5.64	46.06	-25.0	30.64	36.00	Vertical	Horizontal	N/A
3650.600	-58.00	4.46	-25.0	-33.00	136.00	Vertical	Horizontal	Pass
6997.200	-48.37	13.61	-25.0	-23.37	363.00	Vertical	Horizontal	Pass
10905.113	-47.04	17.68	-25.0	-22.04	348.00	Vertical	Horizontal	Pass
17288.624	-40.43	21.11	-25.0	-15.43	322.00	Vertical	Horizontal	Pass

46.5 n41 BW60, QPSK, Middle Channel

RSE-H&H n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.754	-53.63	40.42	-25.0	-28.63	325.00	Horizontal	Horizontal	Pass
2595.600	8.22	46.12	-25.0	33.22	143.00	Horizontal	Horizontal	N/A
3925.800	-56.75	4.90	-25.0	-31.75	-1.00	Horizontal	Horizontal	Pass
6993.800	-48.05	13.64	-25.0	-23.05	-1.00	Horizontal	Horizontal	Pass
11144.313	-46.63	16.75	-25.0	-21.63	272.00	Horizontal	Horizontal	Pass
17599.427	-39.90	21.98	-25.0	-14.90	361.00	Horizontal	Horizontal	Pass