



RSE-H&V n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
891.312	-53.39	40.78	-25.0	-28.39	286.00	Horizontal	Vertical	Pass
2588.400	1.16	46.26	-25.0	26.16	166.00	Horizontal	Vertical	N/A
3652.400	-57.91	4.35	-25.0	-32.91	-3.00	Horizontal	Vertical	Pass
6977.200	-48.01	13.82	-25.0	-23.01	62.00	Horizontal	Vertical	Pass
10905.400	-46.71	17.68	-25.0	-21.71	75.00	Horizontal	Vertical	Pass
17470.538	-39.85	21.72	-25.0	-14.85	164.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.022	-53.84	40.53	-25.0	-28.84	21.00	Vertical	Vertical	Pass
2588.600	3.07	46.23	-25.0	28.07	363.00	Vertical	Vertical	N/A
3645.800	-57.94	4.48	-25.0	-32.94	-1.00	Vertical	Vertical	Pass
6997.000	-48.68	13.60	-25.0	-23.68	34.00	Vertical	Vertical	Pass
11518.063	-46.49	17.52	-25.0	-21.49	0.00	Vertical	Vertical	Pass
17302.800	-39.57	21.13	-25.0	-14.57	-3.00	Vertical	Vertical	Pass


RSE-V&H n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
840.241	-52.92	40.58	-25.0	-27.92	-3.00	Vertical	Horizontal	Pass
2589.000	0.48	46.16	-25.0	25.48	117.00	Vertical	Horizontal	N/A
3835.400	-57.23	5.61	-25.0	-32.23	264.00	Vertical	Horizontal	Pass
6982.400	-48.16	13.89	-25.0	-23.16	290.00	Vertical	Horizontal	Pass
10988.488	-47.24	17.32	-25.0	-22.24	46.00	Vertical	Horizontal	Pass
17464.762	-40.08	21.73	-25.0	-15.08	341.00	Vertical	Horizontal	Pass


46.6 n41 BW100, QPSK, Middle Channel

RSE-H&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
878.459	-53.66	40.30	-25.0	-28.66	75.00	Horizontal	Horizontal	Pass
2610.400	6.98	46.20	-25.0	31.98	147.00	Horizontal	Horizontal	N/A
3652.400	-57.98	4.35	-25.0	-32.98	132.00	Horizontal	Horizontal	Pass
6995.400	-48.44	13.55	-25.0	-23.44	260.00	Horizontal	Horizontal	Pass
10905.113	-47.14	17.68	-25.0	-22.14	361.00	Horizontal	Horizontal	Pass
17614.125	-40.41	21.84	-25.0	-15.41	-1.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
875.937	-53.47	40.37	-25.0	-28.47	53.00	Horizontal	Vertical	Pass
2584.600	-0.96	45.84	-25.0	24.04	152.00	Horizontal	Vertical	N/A
3972.000	-57.22	5.12	-25.0	-32.22	30.00	Horizontal	Vertical	Pass
6992.000	-48.78	13.55	-25.0	-23.78	-1.00	Horizontal	Vertical	Pass
11517.776	-47.04	17.52	-25.0	-22.04	17.00	Horizontal	Vertical	Pass
17879.511	-39.76	22.64	-25.0	-14.76	-1.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
933.604	-52.35	41.26	-25.0	-27.35	33.00	Vertical	Vertical	Pass
2584.300	2.12	45.80	-25.0	27.12	354.00	Vertical	Vertical	N/A
3647.200	-57.97	4.47	-25.0	-32.97	-1.00	Vertical	Vertical	Pass
6608.800	-49.23	12.26	-25.0	-24.23	142.00	Vertical	Vertical	Pass
10985.037	-47.00	17.26	-25.0	-22.00	299.00	Vertical	Vertical	Pass
17476.575	-40.19	21.71	-25.0	-15.19	-3.00	Vertical	Vertical	Pass

RSE-V&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
880.932	-53.53	40.26	-25.0	-28.53	-3.00	Vertical	Horizontal	Pass
2599.000	-1.76	46.00	-25.0	23.24	363.00	Vertical	Horizontal	N/A
3651.000	-57.18	4.45	-25.0	-32.18	269.00	Vertical	Horizontal	Pass
6987.200	-47.93	13.68	-25.0	-22.93	331.00	Vertical	Horizontal	Pass
10856.237	-47.22	17.58	-25.0	-22.22	107.00	Vertical	Horizontal	Pass
17381.026	-39.65	22.25	-25.0	-14.65	6.00	Vertical	Horizontal	Pass

47 n66


47.1 n66 BW5, PI/2 BPSK, Middle Channel

RSE-H&H n66 BW5 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
921.236	-53.33	41.38	-25.0	-28.33	245.00	Horizontal	Horizontal	Pass
1744.300	11.96	43.24	-25.0	36.96	185.00	Horizontal	Horizontal	N/A
2146.200	-42.90	46.08	-25.0	-17.90	198.00	Horizontal	Horizontal	Pass
6601.800	-49.45	11.80	-25.0	-24.45	316.00	Horizontal	Horizontal	Pass
10986.188	-46.68	17.28	-25.0	-21.68	0.00	Horizontal	Horizontal	Pass
17580.788	-40.19	22.18	-25.0	-15.19	362.00	Horizontal	Horizontal	Pass

RSE-H&V n66 BW5 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
919.393	-52.82	41.33	-25.0	-27.82	363.00	Horizontal	Vertical	Pass
1745.700	12.02	43.28	-25.0	37.02	173.00	Horizontal	Vertical	N/A
2998.300	-40.39	48.07	-25.0	-15.39	223.00	Horizontal	Vertical	Pass
6982.200	-48.09	13.88	-25.0	-23.09	142.00	Horizontal	Vertical	Pass
10538.263	-47.55	16.25	-25.0	-22.55	0.00	Horizontal	Vertical	Pass
17585.775	-40.70	22.13	-25.0	-15.70	157.00	Horizontal	Vertical	Pass

RSE-V&V n66 BW5 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
950.627	-53.35	41.59	-25.0	-28.35	363.00	Vertical	Vertical	Pass
1745.400	9.23	43.29	-25.0	34.23	334.00	Vertical	Vertical	N/A
2403.300	-42.46	46.63	-25.0	-17.46	218.00	Vertical	Vertical	Pass
6994.800	-48.79	13.59	-25.0	-23.79	171.00	Vertical	Vertical	Pass
11513.750	-46.61	17.59	-25.0	-21.61	199.00	Vertical	Vertical	Pass
17584.988	-40.54	22.14	-25.0	-15.54	360.00	Vertical	Vertical	Pass


RSE-V&H n66 BW5 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
937.580	-53.50	41.42	-25.0	-28.50	267.00	Vertical	Horizontal	Pass
1744.600	6.12	43.27	-25.0	31.12	363.00	Vertical	Horizontal	N/A
2779.800	-41.32	47.26	-25.0	-16.32	358.00	Vertical	Horizontal	Pass
6994.800	-48.54	13.59	-25.0	-23.54	251.00	Vertical	Horizontal	Pass
9831.588	-47.57	17.03	-25.0	-22.57	277.00	Vertical	Horizontal	Pass
17597.850	-39.78	21.99	-25.0	-14.78	8.00	Vertical	Horizontal	Pass


47.2 n66 BW15, PI/2 BPSK, Middle Channel

RSE-H&H n66 BW15 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
964.692	-52.82	42.11	-25.0	-27.82	137.00	Horizontal	Horizontal	Pass
1741.800	8.82	43.04	-25.0	33.82	67.00	Horizontal	Horizontal	N/A
2139.100	-42.24	45.90	-25.0	-17.24	147.00	Horizontal	Horizontal	Pass
6999.800	-48.11	13.65	-25.0	-23.11	346.00	Horizontal	Horizontal	Pass
12091.625	-46.31	18.05	-25.0	-21.31	20.00	Horizontal	Horizontal	Pass
17434.575	-40.23	22.29	-25.0	-15.23	47.00	Horizontal	Horizontal	Pass

RSE-H&V n66 BW15 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
926.862	-52.82	41.48	-25.0	-27.82	-1.00	Horizontal	Vertical	Pass
1746.900	6.76	43.26	-25.0	31.76	178.00	Horizontal	Vertical	N/A
2916.100	-40.94	47.62	-25.0	-15.94	339.00	Horizontal	Vertical	Pass
4917.800	-54.09	7.92	-25.0	-29.09	156.00	Horizontal	Vertical	Pass
10903.675	-47.11	17.69	-25.0	-22.11	211.00	Horizontal	Vertical	Pass
17433.262	-40.65	22.32	-25.0	-15.65	256.00	Horizontal	Vertical	Pass

RSE-V&V n66 BW15 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.980	-52.67	40.51	-25.0	-27.67	125.00	Vertical	Vertical	Pass
1746.600	6.99	43.26	-25.0	31.99	244.00	Vertical	Vertical	N/A
2139.800	-43.13	45.94	-25.0	-18.13	309.00	Vertical	Vertical	Pass
3217.400	-57.97	3.92	-25.0	-32.97	208.00	Vertical	Vertical	Pass
8837.412	-49.35	15.24	-25.0	-24.35	109.00	Vertical	Vertical	Pass
17434.051	-39.79	22.30	-25.0	-14.79	110.00	Vertical	Vertical	Pass


RSE-V&H n66 BW15 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
923.952	-52.77	41.36	-25.0	-27.77	239.00	Vertical	Horizontal	Pass
1741.900	2.29	43.05	-25.0	27.29	361.00	Vertical	Horizontal	N/A
2954.300	-40.51	48.05	-25.0	-15.51	50.00	Vertical	Horizontal	Pass
6998.000	-48.08	13.63	-25.0	-23.08	255.00	Vertical	Horizontal	Pass
9841.937	-47.82	16.97	-25.0	-22.82	148.00	Vertical	Horizontal	Pass
17381.812	-39.62	22.27	-25.0	-14.62	211.00	Vertical	Horizontal	Pass


47.3 n66 BW20, PI/2 BPSK, Middle Channel

RSE-H&H n66 BW20 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
820.502	-52.65	40.04	-25.0	-27.65	49.00	Horizontal	Horizontal	Pass
1741.000	7.12	43.00	-25.0	32.12	8.00	Horizontal	Horizontal	N/A
2145.000	-39.06	46.11	-25.0	-14.06	199.00	Horizontal	Horizontal	N/A
3688.600	-57.92	4.96	-25.0	-32.92	213.00	Horizontal	Horizontal	Pass
6998.200	-48.79	13.63	-25.0	-23.79	361.00	Horizontal	Horizontal	Pass
17476.575	-40.09	21.71	-25.0	-15.09	351.00	Horizontal	Horizontal	Pass

RSE-H&V n66 BW20 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
902.709	-53.26	40.97	-25.0	-28.26	0.00	Horizontal	Vertical	Pass
1748.200	7.25	43.07	-25.0	32.25	332.00	Horizontal	Vertical	N/A
2144.000	-40.02	46.08	-25.0	-15.02	205.00	Horizontal	Vertical	N/A
5140.800	-54.12	7.53	-25.0	-29.12	162.00	Horizontal	Vertical	Pass
11306.750	-46.72	17.42	-25.0	-21.72	269.00	Horizontal	Vertical	Pass
17471.062	-39.52	21.72	-25.0	-14.52	360.00	Horizontal	Vertical	Pass

RSE-V&V n66 BW20 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
921.236	-51.97	41.38	-25.0	-26.97	361.00	Vertical	Vertical	Pass
1742.200	4.50	43.06	-25.0	29.50	227.00	Vertical	Vertical	N/A
2401.100	-42.09	46.66	-25.0	-17.09	227.00	Vertical	Vertical	Pass
3695.400	-57.93	5.27	-25.0	-32.93	115.00	Vertical	Vertical	Pass
6680.800	-48.93	11.78	-25.0	-23.93	179.00	Vertical	Vertical	Pass
17470.538	-40.24	21.72	-25.0	-15.24	329.00	Vertical	Vertical	Pass


RSE-V&H n66 BW20 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
894.998	-52.72	40.80	-25.0	-27.72	363.00	Vertical	Horizontal	Pass
1742.200	0.73	43.06	-25.0	25.73	347.00	Vertical	Horizontal	N/A
2408.900	-42.30	46.47	-25.0	-17.30	107.00	Vertical	Horizontal	Pass
3704.200	-57.68	4.86	-25.0	-32.68	141.00	Vertical	Horizontal	Pass
6999.400	-48.29	13.65	-25.0	-23.29	363.00	Vertical	Horizontal	Pass
17595.488	-40.19	22.02	-25.0	-15.19	363.00	Vertical	Horizontal	Pass


47.4 n66 BW5, QPSK, Middle Channel

RSE-H&H n66 BW5 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
933.894	-52.99	41.24	-25.0	-27.99	211.00	Horizontal	Horizontal	Pass
1744.500	15.56	43.26	-25.0	40.56	115.00	Horizontal	Horizontal	N/A
2397.700	-42.92	46.57	-25.0	-17.92	136.00	Horizontal	Horizontal	Pass
4052.600	-57.25	5.31	-25.0	-32.25	53.00	Horizontal	Horizontal	Pass
6685.200	-49.17	12.04	-25.0	-24.17	206.00	Horizontal	Horizontal	Pass
17465.287	-40.01	21.73	-25.0	-15.01	361.00	Horizontal	Horizontal	Pass


RSE-H&V n66 BW5 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.094	-54.26	40.40	-25.0	-29.26	363.00	Horizontal	Vertical	Pass
1745.500	13.14	43.28	-25.0	38.14	171.00	Horizontal	Vertical	N/A
2429.800	-42.38	46.43	-25.0	-17.38	257.00	Horizontal	Vertical	Pass
4103.800	-57.45	4.65	-25.0	-32.45	310.00	Horizontal	Vertical	Pass
6974.600	-48.23	13.71	-25.0	-23.23	111.00	Horizontal	Vertical	Pass
17467.386	-40.29	21.73	-25.0	-15.29	361.00	Horizontal	Vertical	Pass


RSE-V&V n66 BW5 CH429000

RSE (RF) _FCC PART22&24&27 - 5G_5G N4 & N66 30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
914.882	-53.09	41.31	-25.0	-28.09	361.00	Vertical	Vertical	Pass
1744.500	10.43	43.26	-25.0	35.43	238.00	Vertical	Vertical	N/A
2442.200	-42.46	46.59	-25.0	-17.46	90.00	Vertical	Vertical	Pass
4418.800	-55.52	5.60	-25.0	-30.52	169.00	Vertical	Vertical	Pass
6996.800	-48.42	13.59	-25.0	-23.42	83.00	Vertical	Vertical	Pass
17468.963	-39.31	21.72	-25.0	-14.31	339.00	Vertical	Vertical	Pass


RSE-V&H n66 BW5 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
796.009	-53.11	39.82	-25.0	-28.11	329.00	Vertical	Horizontal	Pass
1744.500	6.01	43.26	-25.0	31.01	14.00	Vertical	Horizontal	N/A
2430.600	-42.82	46.36	-25.0	-17.82	-3.00	Vertical	Horizontal	Pass
3924.000	-56.67	4.96	-25.0	-31.67	158.00	Vertical	Horizontal	Pass
6974.000	-48.74	13.69	-25.0	-23.74	0.00	Vertical	Horizontal	Pass
17752.726	-40.15	21.48	-25.0	-15.15	39.00	Vertical	Horizontal	Pass


47.5 n66 BW15, QPSK, Middle Channel

RSE-H&H n66 BW15 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
930.305	-53.18	41.41	-25.0	-28.18	158.00	Horizontal	Horizontal	Pass
1743.700	9.05	43.18	-25.0	34.05	109.00	Horizontal	Horizontal	N/A
2717.300	-41.95	46.75	-25.0	-16.95	362.00	Horizontal	Horizontal	Pass
6684.000	-49.33	11.95	-25.0	-24.33	309.00	Horizontal	Horizontal	Pass
10899.651	-46.35	17.71	-25.0	-21.35	0.00	Horizontal	Horizontal	Pass
17584.200	-39.87	22.14	-25.0	-14.87	189.00	Horizontal	Horizontal	Pass

RSE-H&V n66 BW15 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
925.553	-52.18	41.42	-25.0	-27.18	128.00	Horizontal	Vertical	Pass
1743.000	8.26	43.12	-25.0	33.26	177.00	Horizontal	Vertical	N/A
2896.200	-40.76	47.44	-25.0	-15.76	97.00	Horizontal	Vertical	Pass
6681.200	-49.22	11.79	-25.0	-24.22	180.00	Horizontal	Vertical	Pass
10875.500	-46.97	17.22	-25.0	-21.97	204.00	Horizontal	Vertical	Pass
17471.062	-40.27	21.72	-25.0	-15.27	-3.00	Horizontal	Vertical	Pass

RSE-V&V n66 BW15 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
930.645	-52.25	41.38	-25.0	-27.25	210.00	Vertical	Vertical	Pass
1746.000	7.36	43.27	-25.0	32.36	252.00	Vertical	Vertical	N/A
2138.900	-42.84	45.89	-25.0	-17.84	152.00	Vertical	Vertical	Pass
6981.600	-48.31	13.84	-25.0	-23.31	177.00	Vertical	Vertical	Pass
11481.838	-46.61	17.69	-25.0	-21.61	52.00	Vertical	Vertical	Pass
17383.125	-40.26	22.30	-25.0	-15.26	268.00	Vertical	Vertical	Pass


RSE-V&H n66 BW15 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
891.894	-53.46	40.83	-25.0	-28.46	133.00	Vertical	Horizontal	Pass
1742.600	2.75	43.08	-25.0	27.75	363.00	Vertical	Horizontal	N/A
2291.700	-42.51	46.75	-25.0	-17.51	294.00	Vertical	Horizontal	Pass
6979.400	-48.26	13.89	-25.0	-23.26	241.00	Vertical	Horizontal	Pass
10856.237	-46.70	17.58	-25.0	-21.70	353.00	Vertical	Horizontal	Pass
17580.526	-40.10	22.18	-25.0	-15.10	92.00	Vertical	Horizontal	Pass


47.6 n66 BW20, QPSK, Middle Channel

RSE-H&H n66 BW20 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
931.178	-52.67	41.34	-25.0	-27.67	70.00	Horizontal	Horizontal	Pass
1748.000	8.40	43.10	-25.0	33.40	144.00	Horizontal	Horizontal	N/A
2405.400	-42.53	46.44	-25.0	-17.53	53.00	Horizontal	Horizontal	Pass
3703.600	-56.89	4.88	-25.0	-31.89	24.00	Horizontal	Horizontal	Pass
6987.600	-48.69	13.63	-25.0	-23.69	273.00	Horizontal	Horizontal	Pass
17591.288	-40.49	22.07	-25.0	-15.49	0.00	Horizontal	Horizontal	Pass

RSE-H&V n66 BW20 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
841.211	-53.72	40.70	-25.0	-28.72	240.00	Horizontal	Vertical	Pass
1742.200	7.02	43.06	-25.0	32.02	330.00	Horizontal	Vertical	N/A
2146.400	-40.74	46.08	-25.0	-15.74	201.00	Horizontal	Vertical	N/A
3786.600	-57.78	4.02	-25.0	-32.78	360.00	Horizontal	Vertical	Pass
6996.600	-48.30	13.58	-25.0	-23.30	363.00	Horizontal	Vertical	Pass
17429.324	-40.39	22.42	-25.0	-15.39	163.00	Horizontal	Vertical	Pass

RSE-V&V n66 BW20 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
930.451	-53.12	41.40	-25.0	-28.12	111.00	Vertical	Vertical	Pass
1741.000	3.74	43.00	-25.0	28.74	224.00	Vertical	Vertical	N/A
2427.500	-42.41	46.54	-25.0	-17.41	118.00	Vertical	Vertical	Pass
3694.000	-57.72	5.08	-25.0	-32.72	12.00	Vertical	Vertical	Pass
6688.000	-48.79	11.92	-25.0	-23.79	144.00	Vertical	Vertical	Pass
17391.000	-40.45	22.50	-25.0	-15.45	152.00	Vertical	Vertical	Pass

RSE-V&H n66 BW20 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
912.943	-52.53	41.25	-25.0	-27.53	66.00	Vertical	Horizontal	Pass
1743.600	0.77	43.17	-25.0	25.77	-1.00	Vertical	Horizontal	N/A
2487.000	-42.26	46.44	-25.0	-17.26	265.00	Vertical	Horizontal	Pass
3703.400	-57.84	4.88	-25.0	-32.84	80.00	Vertical	Horizontal	Pass
6763.200	-48.77	11.45	-25.0	-23.77	28.00	Vertical	Horizontal	Pass
17435.888	-40.67	22.26	-25.0	-15.67	65.00	Vertical	Horizontal	Pass

Antenna 1

48 n5


48.1 n5 BW5, PI/2 BPSK, Middle Channel

RSE-H&H n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.488	8.23	40.53	-13.0	21.23	68.00	Horizontal	Horizontal	N/A
879.962	-47.80	40.22	-13.0	-34.80	286.00	Horizontal	Horizontal	N/A
1389.000	-47.54	44.94	-13.0	-34.54	232.00	Horizontal	Horizontal	Pass
2431.500	-41.97	46.30	-13.0	-28.97	-3.00	Horizontal	Horizontal	Pass
5005.600	-54.54	7.21	-13.0	-41.54	211.00	Horizontal	Horizontal	Pass
9291.400	-48.71	15.35	-13.0	-35.71	-3.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.361	1.66	40.53	-13.0	14.66	363.00	Horizontal	Vertical	N/A
879.526	-50.81	40.25	-13.0	-37.81	102.00	Horizontal	Vertical	N/A
1394.300	-47.36	45.09	-13.0	-34.36	-1.00	Horizontal	Vertical	Pass
2472.100	-41.91	46.45	-13.0	-28.91	360.00	Horizontal	Vertical	Pass
4913.800	-53.96	7.94	-13.0	-40.96	205.00	Horizontal	Vertical	Pass
9762.099	-47.48	16.23	-13.0	-34.48	-2.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.022	9.58	40.53	-13.0	22.58	118.00	Vertical	Vertical	N/A
1395.100	-47.43	45.12	-13.0	-34.43	218.00	Vertical	Vertical	Pass
2453.500	-42.09	46.45	-13.0	-29.09	53.00	Vertical	Vertical	Pass
4105.400	-56.38	4.67	-13.0	-43.38	88.00	Vertical	Vertical	Pass
6997.600	-48.31	13.62	-13.0	-35.31	363.00	Vertical	Vertical	Pass
9858.400	-48.24	16.47	-13.0	-35.24	80.00	Vertical	Vertical	Pass


RSE-V&H n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.876	5.28	40.53	-13.0	18.28	363.00	Vertical	Horizontal	N/A
883.358	-52.29	40.48	-13.0	-39.29	236.00	Vertical	Horizontal	N/A
1365.700	-47.15	44.11	-13.0	-34.15	333.00	Vertical	Horizontal	Pass
2160.500	-42.67	46.31	-13.0	-29.67	226.00	Vertical	Horizontal	Pass
5124.000	-54.41	7.96	-13.0	-41.41	156.00	Vertical	Horizontal	Pass
9850.599	-47.96	16.90	-13.0	-34.96	-3.00	Vertical	Horizontal	Pass


48.2 n5 BW15, PI/2 BPSK, Middle Channel

RSE-H&H n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.372	3.88	40.46	-13.0	16.88	76.00	Horizontal	Horizontal	N/A
877.004	-48.99	40.35	-13.0	-35.99	286.00	Horizontal	Horizontal	N/A
1407.000	-47.33	44.95	-13.0	-34.33	325.00	Horizontal	Horizontal	Pass
2437.800	-42.34	46.48	-13.0	-29.34	258.00	Horizontal	Horizontal	Pass
5689.600	-52.40	7.79	-13.0	-39.40	35.00	Horizontal	Horizontal	Pass
9436.750	-48.74	16.40	-13.0	-35.74	26.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.622	-3.93	40.54	-13.0	9.07	329.00	Horizontal	Vertical	N/A
875.598	-47.18	40.36	-13.0	-34.18	292.00	Horizontal	Vertical	N/A
1389.900	-47.31	44.96	-13.0	-34.31	360.00	Horizontal	Vertical	Pass
2462.300	-41.83	46.56	-13.0	-28.83	21.00	Horizontal	Vertical	Pass
5132.200	-53.99	7.79	-13.0	-40.99	241.00	Horizontal	Vertical	Pass
9839.350	-48.24	16.99	-13.0	-35.24	193.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.961	6.93	40.53	-13.0	19.93	119.00	Vertical	Vertical	N/A
1387.500	-47.67	44.86	-13.0	-34.67	0.00	Vertical	Vertical	Pass
2060.700	-44.02	45.21	-13.0	-31.02	285.00	Vertical	Vertical	Pass
3833.200	-56.72	5.44	-13.0	-43.72	288.00	Vertical	Vertical	Pass
6616.000	-49.15	12.24	-13.0	-36.15	351.00	Vertical	Vertical	Pass
9440.201	-48.64	16.47	-13.0	-35.64	193.00	Vertical	Vertical	Pass


RSE-V&H n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.737	1.13	40.51	-13.0	14.13	360.00	Vertical	Horizontal	N/A
1412.800	-47.24	44.81	-13.0	-34.24	116.00	Vertical	Horizontal	Pass
2439.900	-42.25	46.42	-13.0	-29.25	116.00	Vertical	Horizontal	Pass
3832.000	-57.75	5.45	-13.0	-44.75	361.00	Vertical	Horizontal	Pass
6973.800	-48.47	13.69	-13.0	-35.47	361.00	Vertical	Horizontal	Pass
9432.849	-48.52	16.32	-13.0	-35.52	129.00	Vertical	Horizontal	Pass


48.3 n5 BW20, PI/2 BPSK, Middle Channel

RSE-H&H n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.107	3.64	40.53	-13.0	16.64	81.00	Horizontal	Horizontal	N/A
1416.700	-47.42	44.77	-13.0	-34.42	360.00	Horizontal	Horizontal	Pass
2425.300	-42.32	46.32	-13.0	-29.32	229.00	Horizontal	Horizontal	Pass
4896.200	-53.66	7.50	-13.0	-40.66	40.00	Horizontal	Horizontal	Pass
6996.800	-48.47	13.59	-13.0	-35.47	64.00	Horizontal	Horizontal	Pass
9708.401	-48.16	16.73	-13.0	-35.16	-3.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.756	-3.59	40.51	-13.0	9.41	36.00	Horizontal	Vertical	N/A
872.348	-49.41	40.17	-13.0	-36.41	305.00	Horizontal	Vertical	N/A
1383.000	-47.23	44.79	-13.0	-34.23	361.00	Horizontal	Vertical	Pass
2311.400	-42.40	46.92	-13.0	-29.40	33.00	Horizontal	Vertical	Pass
4937.000	-53.64	7.18	-13.0	-40.64	239.00	Horizontal	Vertical	Pass
9325.150	-48.74	15.56	-13.0	-35.74	140.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW20 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.301	3.59	40.52	-13.0	16.59	363.00	Vertical	Vertical	N/A
872.348	-51.69	40.17	-13.0	-38.69	346.00	Vertical	Vertical	N/A
1398.100	-47.38	45.16	-13.0	-34.38	246.00	Vertical	Vertical	Pass
2441.100	-42.14	46.54	-13.0	-29.14	0.00	Vertical	Vertical	Pass
5029.400	-54.19	7.11	-13.0	-41.19	163.00	Vertical	Vertical	Pass
9846.850	-47.82	16.95	-13.0	-34.82	342.00	Vertical	Vertical	Pass


RSE-V&H n5 BW20 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.543	1.21	40.52	-13.0	14.21	363.00	Vertical	Horizontal	N/A
873.124	-52.64	40.14	-13.0	-39.64	363.00	Vertical	Horizontal	N/A
1411.700	-47.30	44.80	-13.0	-34.30	54.00	Vertical	Horizontal	Pass
2638.500	-42.31	45.98	-13.0	-29.31	293.00	Vertical	Horizontal	Pass
5119.200	-53.87	7.83	-13.0	-40.87	42.00	Vertical	Horizontal	Pass
9847.599	-47.95	16.95	-13.0	-34.95	-1.00	Vertical	Horizontal	Pass


48.4 n5 BW5, QPSK, Middle Channel

RSE-H&H n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.428	11.73	40.54	-13.0	24.73	85.00	Horizontal	Horizontal	N/A
880.399	-47.77	40.24	-13.0	-34.77	293.00	Horizontal	Horizontal	N/A
1403.000	-47.80	45.12	-13.0	-34.80	18.00	Horizontal	Horizontal	Pass
2237.600	-42.44	46.53	-13.0	-29.44	107.00	Horizontal	Horizontal	Pass
4891.000	-54.54	7.19	-13.0	-41.54	311.00	Horizontal	Horizontal	Pass
9210.401	-48.66	15.34	-13.0	-35.66	360.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.185	3.99	40.54	-13.0	16.99	341.00	Horizontal	Vertical	N/A
880.593	-51.70	40.25	-13.0	-38.70	108.00	Horizontal	Vertical	N/A
1357.100	-47.51	43.97	-13.0	-34.51	-1.00	Horizontal	Vertical	Pass
2678.500	-41.86	46.34	-13.0	-28.86	106.00	Horizontal	Vertical	Pass
4795.200	-54.36	7.56	-13.0	-41.36	333.00	Horizontal	Vertical	Pass
9330.850	-48.79	15.41	-13.0	-35.79	211.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.361	9.69	40.53	-13.0	22.69	45.00	Vertical	Vertical	N/A
1392.800	-46.54	45.02	-13.0	-33.54	120.00	Vertical	Vertical	Pass
2417.500	-42.24	46.56	-13.0	-29.24	358.00	Vertical	Vertical	Pass
3743.200	-57.93	3.56	-13.0	-44.93	342.00	Vertical	Vertical	Pass
6985.400	-48.29	13.70	-13.0	-35.29	152.00	Vertical	Vertical	Pass
9269.650	-48.87	15.14	-13.0	-35.87	336.00	Vertical	Vertical	Pass


RSE-V&H n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.924	7.37	40.53	-13.0	20.37	121.00	Vertical	Horizontal	N/A
1381.400	-47.68	44.83	-13.0	-34.68	179.00	Vertical	Horizontal	Pass
2789.200	-42.05	46.92	-13.0	-29.05	194.00	Vertical	Horizontal	Pass
4040.800	-56.98	5.30	-13.0	-43.98	302.00	Vertical	Horizontal	Pass
6995.200	-48.15	13.56	-13.0	-35.15	224.00	Vertical	Horizontal	Pass
9847.750	-48.03	16.95	-13.0	-35.03	121.00	Vertical	Horizontal	Pass


48.5 n5 BW15, QPSK, Middle Channel

RSE-H&H n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.924	6.47	40.53	-13.0	19.47	78.00	Horizontal	Horizontal	N/A
877.150	-47.84	40.35	-13.0	-34.84	266.00	Horizontal	Horizontal	N/A
1412.500	-47.22	44.81	-13.0	-34.22	-2.00	Horizontal	Horizontal	Pass
2786.100	-41.58	47.16	-13.0	-28.58	199.00	Horizontal	Horizontal	Pass
5147.400	-53.59	7.49	-13.0	-40.59	329.00	Horizontal	Horizontal	Pass
9317.200	-48.76	15.67	-13.0	-35.76	-3.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.820	-3.67	40.38	-13.0	9.33	363.00	Horizontal	Vertical	N/A
878.410	-49.62	40.31	-13.0	-36.62	253.00	Horizontal	Vertical	N/A
1407.800	-46.87	44.93	-13.0	-33.87	355.00	Horizontal	Vertical	Pass
2488.400	-42.39	46.39	-13.0	-29.39	79.00	Horizontal	Vertical	Pass
4790.400	-54.28	7.45	-13.0	-41.28	344.00	Horizontal	Vertical	Pass
9854.050	-47.55	16.71	-13.0	-34.55	285.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.846	6.37	40.54	-13.0	19.37	68.00	Vertical	Vertical	N/A
1409.300	-47.33	44.89	-13.0	-34.33	-2.00	Vertical	Vertical	Pass
2773.200	-41.70	47.04	-13.0	-28.70	323.00	Vertical	Vertical	Pass
3704.200	-58.04	4.86	-13.0	-45.04	253.00	Vertical	Vertical	Pass
6996.200	-48.02	13.57	-13.0	-35.02	228.00	Vertical	Vertical	Pass
9312.850	-48.97	15.63	-13.0	-35.97	161.00	Vertical	Vertical	Pass


RSE-V&H n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.185	2.17	40.54	-13.0	15.17	117.00	Vertical	Horizontal	N/A
1397.900	-47.41	45.16	-13.0	-34.41	-3.00	Vertical	Horizontal	Pass
2441.900	-42.02	46.61	-13.0	-29.02	315.00	Vertical	Horizontal	Pass
3689.800	-58.39	5.00	-13.0	-45.39	361.00	Vertical	Horizontal	Pass
6975.200	-48.58	13.72	-13.0	-35.58	197.00	Vertical	Horizontal	Pass
9041.500	-48.98	15.01	-13.0	-35.98	98.00	Vertical	Horizontal	Pass


48.6 n5 BW20, QPSK, Middle Channel

RSE-H&H n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.282	4.69	40.54	-13.0	17.69	85.00	Horizontal	Horizontal	N/A
875.889	-46.29	40.37	-13.0	-33.29	266.00	Horizontal	Horizontal	N/A
1396.700	-46.79	45.16	-13.0	-33.79	355.00	Horizontal	Horizontal	Pass
2344.400	-42.00	46.29	-13.0	-29.00	360.00	Horizontal	Horizontal	Pass
4913.400	-54.58	7.97	-13.0	-41.58	267.00	Horizontal	Horizontal	Pass
9839.651	-47.88	16.99	-13.0	-34.88	48.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.998	-3.75	40.55	-13.0	9.25	328.00	Horizontal	Vertical	N/A
874.919	-50.73	40.27	-13.0	-37.73	288.00	Horizontal	Vertical	N/A
1398.700	-47.50	45.16	-13.0	-34.50	-3.00	Horizontal	Vertical	Pass
2489.300	-42.67	46.40	-13.0	-29.67	204.00	Horizontal	Vertical	Pass
5019.200	-54.48	7.12	-13.0	-41.48	363.00	Horizontal	Vertical	Pass
9248.800	-48.81	15.21	-13.0	-35.81	42.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW20 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.791	4.03	40.42	-13.0	17.03	125.00	Vertical	Vertical	N/A
1392.500	-47.26	45.01	-13.0	-34.26	260.00	Vertical	Vertical	Pass
2968.300	-40.88	47.83	-13.0	-27.88	299.00	Vertical	Vertical	Pass
3976.600	-57.42	4.86	-13.0	-44.42	0.00	Vertical	Vertical	Pass
6987.000	-48.05	13.69	-13.0	-35.05	23.00	Vertical	Vertical	Pass
9297.549	-48.68	15.49	-13.0	-35.68	88.00	Vertical	Vertical	Pass

RSE-V&H n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.246	1.13	40.52	-13.0	14.13	29.00	Vertical	Horizontal	N/A
1399.000	-47.37	45.17	-13.0	-34.37	192.00	Vertical	Horizontal	Pass
2299.500	-42.39	46.76	-13.0	-29.39	218.00	Vertical	Horizontal	Pass
3917.000	-57.30	5.01	-13.0	-44.30	32.00	Vertical	Horizontal	Pass
6971.600	-48.75	13.59	-13.0	-35.75	6.00	Vertical	Horizontal	Pass
9432.549	-48.85	16.32	-13.0	-35.85	0.00	Vertical	Horizontal	Pass

49 n7


49.1 n7 BW5, PI/2 BPSK, Middle Channel

RSE-H&H n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
819.483	-53.69	40.06	-25.0	-28.69	226.00	Horizontal	Horizontal	Pass
1401.700	-46.78	45.14	-25.0	-21.78	283.00	Horizontal	Horizontal	Pass
2534.900	19.16	45.72	-25.0	44.16	310.00	Horizontal	Horizontal	N/A
5060.400	-54.61	7.36	-25.0	-29.61	326.00	Horizontal	Horizontal	Pass
11559.175	-47.15	17.21	-25.0	-22.15	123.00	Horizontal	Horizontal	Pass
17475.262	-40.53	21.71	-25.0	-15.53	186.00	Horizontal	Horizontal	Pass


RSE-H&V n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
831.317	-54.64	40.36	-25.0	-29.64	267.00	Horizontal	Vertical	Pass
1406.700	-46.81	44.95	-25.0	-21.81	360.00	Horizontal	Vertical	Pass
2534.400	11.10	45.74	-25.0	36.10	88.00	Horizontal	Vertical	N/A
5119.000	-54.41	7.83	-25.0	-29.41	25.00	Horizontal	Vertical	Pass
11026.437	-47.38	16.90	-25.0	-22.38	-1.00	Horizontal	Vertical	Pass
17379.187	-40.23	22.20	-25.0	-15.23	141.00	Horizontal	Vertical	Pass


RSE-V&V n7 BW5 CH531000

RSE (RF)_FCC PART22&24&27 - 5G_5G N7 & N41 30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
846.789	-53.18	40.44	-25.0	-28.18	363.00	Vertical	Vertical	Pass
1407.500	-47.20	44.94	-25.0	-22.20	60.00	Vertical	Vertical	Pass
2534.400	13.65	45.74	-25.0	38.65	223.00	Vertical	Vertical	N/A
5162.800	-53.80	7.29	-25.0	-28.80	130.00	Vertical	Vertical	Pass
11646.000	-46.71	17.02	-25.0	-21.71	308.00	Vertical	Vertical	Pass
17628.301	-40.71	21.62	-25.0	-15.71	0.00	Vertical	Vertical	Pass


RSE-V&H n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
801.393	-53.97	39.95	-25.0	-28.97	125.00	Vertical	Horizontal	Pass
1406.000	-47.46	44.95	-25.0	-22.46	-1.00	Vertical	Horizontal	Pass
2534.500	10.26	45.74	-25.0	35.26	42.00	Vertical	Horizontal	N/A
5120.200	-54.17	7.83	-25.0	-29.17	363.00	Vertical	Horizontal	Pass
10903.099	-46.94	17.70	-25.0	-21.94	83.00	Vertical	Horizontal	Pass
17467.386	-39.92	21.73	-25.0	-14.92	182.00	Vertical	Horizontal	Pass


49.2 n7 BW15, PI/2 BPSK, Middle Channel

RSE-H&H n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
922.933	-53.07	41.35	-25.0	-28.07	133.00	Horizontal	Horizontal	Pass
1402.800	-47.15	45.14	-25.0	-22.15	137.00	Horizontal	Horizontal	Pass
2532.200	13.26	45.84	-25.0	38.26	278.00	Horizontal	Horizontal	N/A
5125.600	-53.90	7.95	-25.0	-28.90	82.00	Horizontal	Horizontal	Pass
11642.263	-46.98	17.10	-25.0	-21.98	289.00	Horizontal	Horizontal	Pass
17630.136	-40.20	21.58	-25.0	-15.20	197.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
938.745	-52.18	41.49	-25.0	-27.18	361.00	Horizontal	Vertical	Pass
1411.100	-47.41	44.81	-25.0	-22.41	229.00	Horizontal	Vertical	Pass
2536.400	7.01	45.87	-25.0	32.01	98.00	Horizontal	Vertical	N/A
5117.200	-53.55	7.82	-25.0	-28.55	178.00	Horizontal	Vertical	Pass
11506.850	-46.88	17.69	-25.0	-21.88	332.00	Horizontal	Vertical	Pass
17585.512	-40.34	22.13	-25.0	-15.34	212.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
892.670	-53.48	40.90	-25.0	-28.48	256.00	Vertical	Vertical	Pass
1397.100	-47.22	45.16	-25.0	-22.22	163.00	Vertical	Vertical	Pass
2536.000	9.42	45.81	-25.0	34.42	276.00	Vertical	Vertical	N/A
4586.200	-54.79	6.52	-25.0	-29.79	118.00	Vertical	Vertical	Pass
10984.750	-46.95	17.26	-25.0	-21.95	330.00	Vertical	Vertical	Pass
17472.113	-40.01	21.72	-25.0	-15.01	360.00	Vertical	Vertical	Pass


RSE-V&H n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
809.298	-53.74	39.93	-25.0	-28.74	360.00	Vertical	Horizontal	Pass
1400.200	-47.38	45.17	-25.0	-22.38	246.00	Vertical	Horizontal	Pass
2536.300	8.38	45.85	-25.0	33.38	-1.00	Vertical	Horizontal	N/A
4917.200	-53.55	7.95	-25.0	-28.55	27.00	Vertical	Horizontal	Pass
11491.325	-47.00	17.75	-25.0	-22.00	7.00	Vertical	Horizontal	Pass
17384.962	-40.04	22.35	-25.0	-15.04	360.00	Vertical	Horizontal	Pass


49.3 n7 BW20, PI/2 BPSK, Middle Channel

RSE-H&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
848.098	-52.72	40.39	-25.0	-27.72	361.00	Horizontal	Horizontal	Pass
1418.100	-47.65	44.75	-25.0	-22.65	186.00	Horizontal	Horizontal	Pass
2530.600	14.58	45.95	-25.0	39.58	323.00	Horizontal	Horizontal	N/A
5130.800	-54.34	7.75	-25.0	-29.34	201.00	Horizontal	Horizontal	Pass
11573.262	-46.75	17.47	-25.0	-21.75	188.00	Horizontal	Horizontal	Pass
17611.237	-40.09	21.87	-25.0	-15.09	70.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
732.959	-55.07	38.65	-25.0	-30.07	175.00	Horizontal	Vertical	Pass
1399.200	-47.42	45.17	-25.0	-22.42	-1.00	Horizontal	Vertical	Pass
2533.000	5.55	45.80	-25.0	30.55	176.00	Horizontal	Vertical	N/A
4803.400	-54.86	7.51	-25.0	-29.86	183.00	Horizontal	Vertical	Pass
10984.175	-47.22	17.25	-25.0	-22.22	147.00	Horizontal	Vertical	Pass
17444.026	-40.15	22.07	-25.0	-15.15	286.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW20 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
906.153	-53.19	41.05	-25.0	-28.19	336.00	Vertical	Vertical	Pass
1399.400	-47.40	45.17	-25.0	-22.40	321.00	Vertical	Vertical	Pass
2532.300	8.67	45.84	-25.0	33.67	287.00	Vertical	Vertical	N/A
5055.600	-54.18	7.50	-25.0	-29.18	105.00	Vertical	Vertical	Pass
11362.813	-46.78	17.04	-25.0	-21.78	-1.00	Vertical	Vertical	Pass
17887.388	-40.13	22.73	-25.0	-15.13	111.00	Vertical	Vertical	Pass


RSE-V&H n7 BW20 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
856.779	-53.91	40.29	-25.0	-28.91	4.00	Vertical	Horizontal	Pass
1417.800	-47.27	44.80	-25.0	-22.27	95.00	Vertical	Horizontal	Pass
2530.900	7.23	45.92	-25.0	32.23	357.00	Vertical	Horizontal	N/A
5032.200	-54.16	7.22	-25.0	-29.16	306.00	Vertical	Horizontal	Pass
10983.599	-47.21	17.24	-25.0	-22.21	-3.00	Vertical	Horizontal	Pass
17430.901	-40.02	22.38	-25.0	-15.02	206.00	Vertical	Horizontal	Pass


49.4 n7 BW5, QPSK, Middle Channel

RSE-H&H n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
925.892	-52.94	41.43	-25.0	-27.94	83.00	Horizontal	Horizontal	Pass
1419.200	-47.00	44.56	-25.0	-22.00	-3.00	Horizontal	Horizontal	Pass
2534.500	18.21	45.74	-25.0	43.21	319.00	Horizontal	Horizontal	N/A
4986.200	-53.87	7.19	-25.0	-28.87	8.00	Horizontal	Horizontal	Pass
10906.263	-46.55	17.67	-25.0	-21.55	61.00	Horizontal	Horizontal	Pass
17593.387	-39.75	22.04	-25.0	-14.75	272.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
904.261	-53.50	40.98	-25.0	-28.50	345.00	Horizontal	Vertical	Pass
1399.900	-46.73	45.18	-25.0	-21.73	-3.00	Horizontal	Vertical	Pass
2534.500	4.35	45.74	-25.0	29.35	220.00	Horizontal	Vertical	N/A
5116.800	-53.80	7.80	-25.0	-28.80	360.00	Horizontal	Vertical	Pass
10905.400	-47.28	17.68	-25.0	-22.28	164.00	Horizontal	Vertical	Pass
17428.011	-40.29	22.45	-25.0	-15.29	363.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
816.622	-54.16	40.06	-25.0	-29.16	179.00	Vertical	Vertical	Pass
1397.600	-46.93	45.16	-25.0	-21.93	107.00	Vertical	Vertical	Pass
2534.700	12.38	45.73	-25.0	37.38	311.00	Vertical	Vertical	N/A
5156.400	-53.99	7.26	-25.0	-28.99	8.00	Vertical	Vertical	Pass
11595.688	-46.51	17.92	-25.0	-21.51	94.00	Vertical	Vertical	Pass
17470.011	-40.03	21.72	-25.0	-15.03	100.00	Vertical	Vertical	Pass


RSE-V&H n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
880.932	-52.35	40.26	-25.0	-27.35	361.00	Vertical	Horizontal	Pass
1410.800	-46.89	44.82	-25.0	-21.89	67.00	Vertical	Horizontal	Pass
2534.400	8.60	45.74	-25.0	33.60	-2.00	Vertical	Horizontal	N/A
4460.800	-55.22	6.81	-25.0	-30.22	246.00	Vertical	Horizontal	Pass
10900.799	-47.23	17.71	-25.0	-22.23	4.00	Vertical	Horizontal	Pass
17888.438	-40.10	22.74	-25.0	-15.10	361.00	Vertical	Horizontal	Pass


49.5 n7 BW15, QPSK, Middle Channel

RSE-H&H n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
800.180	-54.17	40.02	-25.0	-29.17	88.00	Horizontal	Horizontal	Pass
1406.900	-47.68	44.95	-25.0	-22.68	353.00	Horizontal	Horizontal	Pass
2535.100	14.11	45.71	-25.0	39.11	307.00	Horizontal	Horizontal	N/A
5171.800	-53.54	7.38	-25.0	-28.54	205.00	Horizontal	Horizontal	Pass
11601.150	-46.65	17.99	-25.0	-21.65	262.00	Horizontal	Horizontal	Pass
17897.626	-40.47	22.84	-25.0	-15.47	54.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW15 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
897.713	-52.73	40.97	-25.0	-27.73	15.00	Horizontal	Vertical	Pass
1246.200	-47.57	43.58	-25.0	-22.57	47.00	Horizontal	Vertical	Pass
2531.700	3.73	45.87	-25.0	28.73	179.00	Horizontal	Vertical	N/A
5130.800	-53.86	7.75	-25.0	-28.86	42.00	Horizontal	Vertical	Pass
11602.875	-46.04	17.95	-25.0	-21.04	112.00	Horizontal	Vertical	Pass
17426.698	-39.83	22.49	-25.0	-14.83	231.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
916.774	-52.74	41.32	-25.0	-27.74	184.00	Vertical	Vertical	Pass
1407.900	-47.27	44.93	-25.0	-22.27	141.00	Vertical	Vertical	Pass
2531.900	7.21	45.86	-25.0	32.21	304.00	Vertical	Vertical	N/A
5176.600	-54.18	7.38	-25.0	-29.18	345.00	Vertical	Vertical	Pass
11031.037	-46.91	16.82	-25.0	-21.91	122.00	Vertical	Vertical	Pass
17379.187	-40.18	22.20	-25.0	-15.18	11.00	Vertical	Vertical	Pass


RSE-V&H n7 BW15 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
781.993	-54.04	39.41	-25.0	-29.04	361.00	Vertical	Horizontal	Pass
1377.300	-47.25	44.51	-25.0	-22.25	307.00	Vertical	Horizontal	Pass
2532.500	4.65	45.83	-25.0	29.65	-1.00	Vertical	Horizontal	N/A
4902.000	-54.41	7.63	-25.0	-29.41	360.00	Vertical	Horizontal	Pass
11110.963	-46.86	16.26	-25.0	-21.86	-3.00	Vertical	Horizontal	Pass
17607.563	-39.87	21.90	-25.0	-14.87	12.00	Vertical	Horizontal	Pass


49.6 n7 BW20, QPSK, Middle Channel

RSE-H&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
800.519	-54.01	40.00	-25.0	-29.01	161.00	Horizontal	Horizontal	Pass
1391.400	-46.94	44.98	-25.0	-21.94	75.00	Horizontal	Horizontal	Pass
2533.500	12.66	45.78	-25.0	37.66	304.00	Horizontal	Horizontal	N/A
5141.000	-53.94	7.53	-25.0	-28.94	344.00	Horizontal	Horizontal	Pass
10867.162	-46.80	17.38	-25.0	-21.80	273.00	Horizontal	Horizontal	Pass
17382.863	-40.39	22.29	-25.0	-15.39	361.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
879.865	-53.32	40.23	-25.0	-28.32	120.00	Horizontal	Vertical	Pass
1389.300	-47.59	44.95	-25.0	-22.59	238.00	Horizontal	Vertical	Pass
2537.800	3.09	46.03	-25.0	28.09	102.00	Horizontal	Vertical	N/A
5115.200	-54.03	7.70	-25.0	-29.03	284.00	Horizontal	Vertical	Pass
11594.250	-46.48	17.89	-25.0	-21.48	121.00	Horizontal	Vertical	Pass
17412.262	-39.97	22.68	-25.0	-14.97	351.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW20 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
855.518	-51.89	40.32	-25.0	-26.89	164.00	Vertical	Vertical	Pass
1396.200	-46.91	45.16	-25.0	-21.91	335.00	Vertical	Vertical	Pass
2530.500	5.56	45.95	-25.0	30.56	327.00	Vertical	Vertical	N/A
5139.800	-54.19	7.54	-25.0	-29.19	362.00	Vertical	Vertical	Pass
10974.113	-47.20	17.04	-25.0	-22.20	192.00	Vertical	Vertical	Pass
17433.526	-40.46	22.32	-25.0	-15.46	123.00	Vertical	Vertical	Pass

RSE-V&H n7 BW20 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
912.070	-52.23	41.23	-25.0	-27.23	351.00	Vertical	Horizontal	Pass
1396.000	-47.68	45.15	-25.0	-22.68	351.00	Vertical	Horizontal	Pass
2532.300	3.50	45.84	-25.0	28.50	-3.00	Vertical	Horizontal	N/A
4931.600	-54.53	7.39	-25.0	-29.53	204.00	Vertical	Horizontal	Pass
11502.537	-46.61	17.76	-25.0	-21.61	102.00	Vertical	Horizontal	Pass
17574.224	-40.27	22.27	-25.0	-15.27	305.00	Vertical	Horizontal	Pass

50 n38


50.1 n38 BW10, PI/2 BPSK, Middle Channel

RSE-H&H n38 BW10 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.706	-54.60	40.42	-25.0	-29.60	137.00	Horizontal	Horizontal	Pass
1389.200	-47.68	44.95	-25.0	-22.68	269.00	Horizontal	Horizontal	Pass
2592.700	19.34	45.87	-25.0	44.34	309.00	Horizontal	Horizontal	N/A
6985.800	-48.51	13.70	-25.0	-23.51	93.00	Horizontal	Horizontal	Pass
10908.849	-47.25	17.65	-25.0	-22.25	325.00	Horizontal	Horizontal	Pass
17432.474	-40.15	22.34	-25.0	-15.15	221.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW10 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
917.744	-53.39	41.28	-25.0	-28.39	9.00	Horizontal	Vertical	Pass
1403.600	-47.39	45.07	-25.0	-22.39	83.00	Horizontal	Vertical	Pass
2592.800	9.05	45.88	-25.0	34.05	83.00	Horizontal	Vertical	N/A
5184.800	-50.92	7.26	-25.0	-25.92	247.00	Horizontal	Vertical	Pass
11456.538	-46.65	17.28	-25.0	-21.65	194.00	Horizontal	Vertical	Pass
17596.801	-39.52	22.01	-25.0	-14.52	91.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW10 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
791.692	-54.34	39.71	-25.0	-29.34	91.00	Vertical	Vertical	Pass
1402.200	-47.15	45.14	-25.0	-22.15	192.00	Vertical	Vertical	Pass
2592.800	11.83	45.88	-25.0	36.83	76.00	Vertical	Vertical	N/A
6983.600	-48.37	13.84	-25.0	-23.37	86.00	Vertical	Vertical	Pass
10860.550	-45.29	17.51	-25.0	-20.29	67.00	Vertical	Vertical	Pass
17598.636	-40.18	21.99	-25.0	-15.18	338.00	Vertical	Vertical	Pass


RSE-V&H n38 BW10 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
892.718	-53.28	40.90	-25.0	-28.28	363.00	Vertical	Horizontal	Pass
1400.200	-47.02	45.17	-25.0	-22.02	69.00	Vertical	Horizontal	Pass
2592.700	10.19	45.87	-25.0	35.19	29.00	Vertical	Horizontal	N/A
6607.000	-49.67	12.24	-25.0	-24.67	132.00	Vertical	Horizontal	Pass
11559.463	-46.44	17.21	-25.0	-21.44	296.00	Vertical	Horizontal	Pass
17465.813	-40.02	21.73	-25.0	-15.02	11.00	Vertical	Horizontal	Pass


50.2 n38 BW15, PI/2 BPSK, Middle Channel

RSE-H&H n38 BW15 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
846.692	-53.26	40.44	-25.0	-28.26	328.00	Horizontal	Horizontal	Pass
1393.800	-47.34	45.07	-25.0	-22.34	235.00	Horizontal	Horizontal	Pass
2593.400	14.11	45.97	-25.0	39.11	103.00	Horizontal	Horizontal	N/A
6761.400	-49.01	11.45	-25.0	-24.01	22.00	Horizontal	Horizontal	Pass
11502.250	-46.77	17.77	-25.0	-21.77	97.00	Horizontal	Horizontal	Pass
17453.474	-39.92	21.87	-25.0	-14.92	237.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW15 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.525	-54.08	40.54	-25.0	-29.08	363.00	Horizontal	Vertical	Pass
1378.600	-47.62	44.61	-25.0	-22.62	-1.00	Horizontal	Vertical	Pass
2594.400	9.16	46.12	-25.0	34.16	-1.00	Horizontal	Vertical	N/A
6972.600	-48.69	13.66	-25.0	-23.69	360.00	Horizontal	Vertical	Pass
10617.612	-46.74	15.64	-25.0	-21.74	333.00	Horizontal	Vertical	Pass
17584.988	-40.27	22.14	-25.0	-15.27	280.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW15 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
840.726	-53.49	40.64	-25.0	-28.49	0.00	Vertical	Vertical	Pass
1411.700	-47.08	44.80	-25.0	-22.08	29.00	Vertical	Vertical	Pass
2594.600	10.10	46.15	-25.0	35.10	108.00	Vertical	Vertical	N/A
6998.800	-48.47	13.64	-25.0	-23.47	100.00	Vertical	Vertical	Pass
11265.637	-46.77	16.88	-25.0	-21.77	95.00	Vertical	Vertical	Pass
17424.863	-39.77	22.53	-25.0	-14.77	171.00	Vertical	Vertical	Pass


RSE-V&H n38 BW15 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
830.735	-54.04	40.35	-25.0	-29.04	363.00	Vertical	Horizontal	Pass
1400.600	-46.80	45.15	-25.0	-21.80	119.00	Vertical	Horizontal	Pass
2594.000	3.82	46.06	-25.0	28.82	37.00	Vertical	Horizontal	N/A
6614.600	-49.16	12.34	-25.0	-24.16	159.00	Vertical	Horizontal	Pass
10991.651	-46.91	17.36	-25.0	-21.91	342.00	Vertical	Horizontal	Pass
17374.462	-40.25	22.03	-25.0	-15.25	49.00	Vertical	Horizontal	Pass


50.3 n38 BW20, PI/2 BPSK, Middle Channel

RSE-H&H n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
840.580	-53.63	40.63	-25.0	-28.63	76.00	Horizontal	Horizontal	Pass
1417.200	-47.22	44.80	-25.0	-22.22	123.00	Horizontal	Horizontal	Pass
2595.300	13.36	46.15	-25.0	38.36	313.00	Horizontal	Horizontal	N/A
6680.600	-49.38	11.78	-25.0	-24.38	247.00	Horizontal	Horizontal	Pass
11581.600	-46.95	17.64	-25.0	-21.95	208.00	Horizontal	Horizontal	Pass
17586.825	-39.96	22.11	-25.0	-14.96	127.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
937.096	-51.77	41.37	-25.0	-26.77	361.00	Horizontal	Vertical	Pass
1414.900	-47.25	44.72	-25.0	-22.25	162.00	Horizontal	Vertical	Pass
2597.200	1.56	45.99	-25.0	26.56	133.00	Horizontal	Vertical	N/A
6676.000	-49.11	11.71	-25.0	-24.11	213.00	Horizontal	Vertical	Pass
10992.513	-46.94	17.38	-25.0	-21.94	123.00	Horizontal	Vertical	Pass
17009.588	-39.84	20.84	-25.0	-14.84	109.00	Horizontal	Vertical	Pass