



RSE-V&V n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
917.404	-52.96	41.30	-25.0	-27.96	46.00	Vertical	Vertical	Pass
1414.700	-47.21	44.74	-25.0	-22.21	-3.00	Vertical	Vertical	Pass
2597.500	8.55	46.00	-25.0	33.55	239.00	Vertical	Vertical	N/A
6680.000	-49.37	11.78	-25.0	-24.37	101.00	Vertical	Vertical	Pass
10870.038	-47.09	17.33	-25.0	-22.09	91.00	Vertical	Vertical	Pass
17469.225	-40.04	21.72	-25.0	-15.04	18.00	Vertical	Vertical	Pass


RSE-V&H n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
843.782	-54.14	40.50	-25.0	-29.14	329.00	Vertical	Horizontal	Pass
1390.700	-47.39	44.97	-25.0	-22.39	87.00	Vertical	Horizontal	Pass
2592.000	4.12	45.86	-25.0	29.12	48.00	Vertical	Horizontal	N/A
6995.200	-48.44	13.56	-25.0	-23.44	297.00	Vertical	Horizontal	Pass
11523.812	-46.98	17.42	-25.0	-21.98	297.00	Vertical	Horizontal	Pass
17467.650	-39.83	21.73	-25.0	-14.83	340.00	Vertical	Horizontal	Pass


50.4 n38 BW10, QPSK, Middle Channel

RSE-H&H n38 BW10 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
846.255	-53.17	40.46	-25.0	-28.17	69.00	Horizontal	Horizontal	Pass
2592.800	17.96	45.88	-25.0	42.96	313.00	Horizontal	Horizontal	N/A
3809.600	-57.62	5.01	-25.0	-32.62	8.00	Horizontal	Horizontal	Pass
6995.000	-48.70	13.57	-25.0	-23.70	361.00	Horizontal	Horizontal	Pass
11518.063	-46.49	17.52	-25.0	-21.49	352.00	Horizontal	Horizontal	Pass
17374.724	-40.01	22.04	-25.0	-15.01	192.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW10 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
870.068	-53.74	40.17	-25.0	-28.74	0.00	Horizontal	Vertical	Pass
1402.300	-47.90	45.14	-25.0	-22.90	137.00	Horizontal	Vertical	Pass
2592.900	8.06	45.90	-25.0	33.06	92.00	Horizontal	Vertical	N/A
5184.200	-51.97	7.30	-25.0	-26.97	189.00	Horizontal	Vertical	Pass
11597.700	-46.97	17.96	-25.0	-21.97	169.00	Horizontal	Vertical	Pass
17599.949	-40.42	21.97	-25.0	-15.42	296.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW10 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.336	-53.68	40.39	-25.0	-28.68	267.00	Vertical	Vertical	Pass
2592.600	10.88	45.87	-25.0	35.88	76.00	Vertical	Vertical	N/A
3639.800	-58.10	4.06	-25.0	-33.10	327.00	Vertical	Vertical	Pass
6995.800	-48.97	13.55	-25.0	-23.97	215.00	Vertical	Vertical	Pass
11573.262	-46.49	17.47	-25.0	-21.49	0.00	Vertical	Vertical	Pass
17421.187	-40.24	22.62	-25.0	-15.24	28.00	Vertical	Vertical	Pass


RSE-V&H n38 BW10 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
892.427	-51.99	40.88	-25.0	-26.99	363.00	Vertical	Horizontal	Pass
2592.200	9.21	45.87	-25.0	34.21	47.00	Vertical	Horizontal	N/A
3653.000	-57.25	4.31	-25.0	-32.25	264.00	Vertical	Horizontal	Pass
6988.600	-48.57	13.51	-25.0	-23.57	77.00	Vertical	Horizontal	Pass
10905.400	-46.85	17.68	-25.0	-21.85	39.00	Vertical	Horizontal	Pass
17424.863	-39.99	22.53	-25.0	-14.99	251.00	Vertical	Horizontal	Pass


50.5 n38 BW15, QPSK, Middle Channel

RSE-H&H n38 BW15 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
898.683	-53.39	41.08	-25.0	-28.39	360.00	Horizontal	Horizontal	Pass
1251.500	-48.49	43.42	-25.0	-23.49	292.00	Horizontal	Horizontal	Pass
2593.300	14.69	45.96	-25.0	39.69	128.00	Horizontal	Horizontal	N/A
6999.000	-48.13	13.64	-25.0	-23.13	269.00	Horizontal	Horizontal	Pass
11473.500	-47.01	17.57	-25.0	-22.01	210.00	Horizontal	Horizontal	Pass
17425.650	-40.04	22.51	-25.0	-15.04	302.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW15 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
856.101	-54.31	40.31	-25.0	-29.31	103.00	Horizontal	Vertical	Pass
1400.600	-47.20	45.15	-25.0	-22.20	322.00	Horizontal	Vertical	Pass
2595.300	9.84	46.15	-25.0	34.84	7.00	Horizontal	Vertical	N/A
6998.800	-48.44	13.64	-25.0	-23.44	103.00	Horizontal	Vertical	Pass
11515.475	-46.94	17.56	-25.0	-21.94	321.00	Horizontal	Vertical	Pass
17599.162	-39.76	21.98	-25.0	-14.76	7.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW15 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
915.562	-52.56	41.33	-25.0	-27.56	307.00	Vertical	Vertical	Pass
1388.300	-47.48	44.93	-25.0	-22.48	-1.00	Vertical	Vertical	Pass
2595.600	11.65	46.12	-25.0	36.65	-1.00	Vertical	Vertical	N/A
6972.000	-48.38	13.63	-25.0	-23.38	130.00	Vertical	Vertical	Pass
10995.100	-47.12	17.42	-25.0	-22.12	228.00	Vertical	Vertical	Pass
17893.163	-40.14	22.79	-25.0	-15.14	135.00	Vertical	Vertical	Pass


RSE-V&H n38 BW15 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.089	-53.95	40.54	-25.0	-28.95	213.00	Vertical	Horizontal	Pass
1410.200	-47.43	44.85	-25.0	-22.43	-1.00	Vertical	Horizontal	Pass
2596.500	4.75	46.03	-25.0	29.75	122.00	Vertical	Horizontal	N/A
6998.800	-48.30	13.64	-25.0	-23.30	204.00	Vertical	Horizontal	Pass
11356.775	-47.39	17.12	-25.0	-22.39	118.00	Vertical	Horizontal	Pass
17424.337	-39.68	22.54	-25.0	-14.68	4.00	Vertical	Horizontal	Pass


50.6 n38 BW20, QPSK, Middle Channel

RSE-H&H n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
908.287	-53.22	41.18	-25.0	-28.22	248.00	Horizontal	Horizontal	Pass
1401.400	-47.60	45.14	-25.0	-22.60	171.00	Horizontal	Horizontal	Pass
2594.500	13.71	46.14	-25.0	38.71	318.00	Horizontal	Horizontal	N/A
6516.200	-49.80	10.71	-25.0	-24.80	228.00	Horizontal	Horizontal	Pass
10980.437	-47.18	17.19	-25.0	-22.18	352.00	Horizontal	Horizontal	Pass
17923.875	-40.12	22.31	-25.0	-15.12	140.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
800.471	-54.60	40.00	-25.0	-29.60	363.00	Horizontal	Vertical	Pass
1390.700	-46.78	44.97	-25.0	-21.78	157.00	Horizontal	Vertical	Pass
2598.100	2.76	46.00	-25.0	27.76	101.00	Horizontal	Vertical	N/A
6983.400	-48.25	13.86	-25.0	-23.25	230.00	Horizontal	Vertical	Pass
10862.850	-47.16	17.46	-25.0	-22.16	320.00	Horizontal	Vertical	Pass
17436.412	-39.48	22.24	-25.0	-14.48	106.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
796.154	-54.04	39.82	-25.0	-29.04	47.00	Vertical	Vertical	Pass
1402.200	-46.53	45.14	-25.0	-21.53	16.00	Vertical	Vertical	Pass
2598.500	9.94	46.00	-25.0	34.94	239.00	Vertical	Vertical	N/A
6669.400	-49.28	11.61	-25.0	-24.28	29.00	Vertical	Vertical	Pass
10980.437	-46.82	17.19	-25.0	-21.82	214.00	Vertical	Vertical	Pass
17884.500	-39.92	22.70	-25.0	-14.92	222.00	Vertical	Vertical	Pass

RSE-V&H n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
901.690	-53.43	40.96	-25.0	-28.43	333.00	Vertical	Horizontal	Pass
1382.900	-47.28	44.79	-25.0	-22.28	360.00	Vertical	Horizontal	Pass
2598.000	4.39	46.00	-25.0	29.39	55.00	Vertical	Horizontal	N/A
6980.800	-48.58	13.79	-25.0	-23.58	357.00	Vertical	Horizontal	Pass
11504.263	-46.55	17.73	-25.0	-21.55	254.00	Vertical	Horizontal	Pass
17432.738	-39.93	22.33	-25.0	-14.93	360.00	Vertical	Horizontal	Pass

51 n41


51.1 n41 BW10, PI/2 BPSK, Middle Channel

RSE-H&H n41 BW10 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
936.998	-51.80	41.36	-25.0	-26.80	215.00	Horizontal	Horizontal	Pass
2595.700	11.96	46.11	-25.0	36.96	307.00	Horizontal	Horizontal	N/A
3650.200	-57.21	4.47	-25.0	-32.21	362.00	Horizontal	Horizontal	Pass
6993.200	-48.59	13.64	-25.0	-23.59	360.00	Horizontal	Horizontal	Pass
10905.400	-47.10	17.68	-25.0	-22.10	8.00	Horizontal	Horizontal	Pass
17479.989	-40.41	21.70	-25.0	-15.41	140.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW10 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
842.326	-53.67	40.70	-25.0	-28.67	360.00	Horizontal	Vertical	Pass
2589.400	2.68	46.08	-25.0	27.68	78.00	Horizontal	Vertical	N/A
3684.400	-57.41	4.69	-25.0	-32.41	0.00	Horizontal	Vertical	Pass
6973.200	-48.35	13.67	-25.0	-23.35	240.00	Horizontal	Vertical	Pass
11021.263	-46.51	16.99	-25.0	-21.51	0.00	Horizontal	Vertical	Pass
17297.287	-40.25	21.13	-25.0	-15.25	163.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW10 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
914.058	-52.66	41.27	-25.0	-27.66	288.00	Vertical	Vertical	Pass
2593.800	6.95	46.03	-25.0	31.95	220.00	Vertical	Vertical	N/A
3648.600	-58.02	4.49	-25.0	-33.02	226.00	Vertical	Vertical	Pass
6974.400	-48.46	13.70	-25.0	-23.46	187.00	Vertical	Vertical	Pass
10900.225	-46.90	17.72	-25.0	-21.90	91.00	Vertical	Vertical	Pass
17384.438	-39.86	22.33	-25.0	-14.86	121.00	Vertical	Vertical	Pass


RSE-V&H n41 BW10 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
949.318	-52.71	41.56	-25.0	-27.71	313.00	Vertical	Horizontal	Pass
2595.400	2.95	46.14	-25.0	27.95	360.00	Vertical	Horizontal	N/A
3702.400	-57.71	4.89	-25.0	-32.71	326.00	Vertical	Horizontal	Pass
6978.400	-48.46	13.94	-25.0	-23.46	218.00	Vertical	Horizontal	Pass
11593.099	-45.83	17.87	-25.0	-20.83	156.00	Vertical	Horizontal	Pass
17874.262	-40.20	22.48	-25.0	-15.20	198.00	Vertical	Horizontal	Pass


51.2 n41 BW60, PI/2 BPSK, Middle Channel

RSE-H&H n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
812.014	-54.12	40.14	-25.0	-29.12	-3.00	Horizontal	Horizontal	Pass
2585.300	4.31	45.94	-25.0	29.31	339.00	Horizontal	Horizontal	N/A
3831.800	-57.52	5.46	-25.0	-32.52	107.00	Horizontal	Horizontal	Pass
6980.000	-48.46	13.84	-25.0	-23.46	-1.00	Horizontal	Horizontal	Pass
10887.000	-47.01	17.34	-25.0	-22.01	260.00	Horizontal	Horizontal	Pass
17383.911	-39.99	22.32	-25.0	-14.99	227.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
905.328	-53.36	40.99	-25.0	-28.36	326.00	Horizontal	Vertical	Pass
2604.900	0.96	46.00	-25.0	25.96	362.00	Horizontal	Vertical	N/A
3578.000	-58.23	3.76	-25.0	-33.23	-3.00	Horizontal	Vertical	Pass
6997.800	-48.24	13.63	-25.0	-23.24	-3.00	Horizontal	Vertical	Pass
10870.325	-47.01	17.32	-25.0	-22.01	330.00	Horizontal	Vertical	Pass
17428.275	-40.25	22.45	-25.0	-15.25	-1.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
913.039	-53.12	41.25	-25.0	-28.12	-3.00	Vertical	Vertical	Pass
2598.300	-0.81	46.00	-25.0	24.19	69.00	Vertical	Vertical	N/A
3691.000	-57.68	5.07	-25.0	-32.68	-3.00	Vertical	Vertical	Pass
6997.200	-48.42	13.61	-25.0	-23.42	-3.00	Vertical	Vertical	Pass
11430.375	-46.59	17.24	-25.0	-21.59	360.00	Vertical	Vertical	Pass
17383.125	-39.80	22.30	-25.0	-14.80	171.00	Vertical	Vertical	Pass


RSE-V&H n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
843.102	-53.85	40.59	-25.0	-28.85	111.00	Vertical	Horizontal	Pass
2580.700	-0.91	45.96	-25.0	24.09	35.00	Vertical	Horizontal	N/A
3648.400	-57.97	4.49	-25.0	-32.97	327.00	Vertical	Horizontal	Pass
6978.400	-47.99	13.94	-25.0	-22.99	196.00	Vertical	Horizontal	Pass
10869.463	-46.83	17.34	-25.0	-21.83	183.00	Vertical	Horizontal	Pass
17591.812	-40.16	22.06	-25.0	-15.16	70.00	Vertical	Horizontal	Pass


51.3 n41 BW100, PI/2 BPSK, Middle Channel

RSE-H&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
913.524	-53.15	41.26	-25.0	-28.15	149.00	Horizontal	Horizontal	Pass
2587.400	4.85	46.17	-25.0	29.85	350.00	Horizontal	Horizontal	N/A
3691.200	-57.14	5.08	-25.0	-32.14	77.00	Horizontal	Horizontal	Pass
6993.000	-48.19	13.63	-25.0	-23.19	286.00	Horizontal	Horizontal	Pass
11633.925	-46.43	17.29	-25.0	-21.43	363.00	Horizontal	Horizontal	Pass
17615.700	-40.04	21.83	-25.0	-15.04	152.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
784.223	-54.48	39.52	-25.0	-29.48	37.00	Horizontal	Vertical	Pass
2609.600	-2.59	46.10	-25.0	22.41	111.00	Horizontal	Vertical	N/A
3921.400	-57.25	4.98	-25.0	-32.25	103.00	Horizontal	Vertical	Pass
6996.800	-48.31	13.59	-25.0	-23.31	283.00	Horizontal	Vertical	Pass
10906.550	-46.93	17.67	-25.0	-21.93	363.00	Horizontal	Vertical	Pass
17601.788	-40.24	21.95	-25.0	-15.24	64.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
889.711	-53.50	40.65	-25.0	-28.50	41.00	Vertical	Vertical	Pass
2571.000	1.62	46.06	-25.0	26.62	289.00	Vertical	Vertical	N/A
3650.000	-57.11	4.47	-25.0	-32.11	-3.00	Vertical	Vertical	Pass
6999.200	-48.27	13.65	-25.0	-23.27	212.00	Vertical	Vertical	Pass
11144.887	-46.57	16.75	-25.0	-21.57	361.00	Vertical	Vertical	Pass
17471.588	-39.94	21.72	-25.0	-14.94	-1.00	Vertical	Vertical	Pass


RSE-V&H n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
897.859	-53.20	40.99	-25.0	-28.20	0.00	Vertical	Horizontal	Pass
2602.100	-0.57	45.78	-25.0	24.43	363.00	Vertical	Horizontal	N/A
3689.400	-57.62	4.98	-25.0	-32.62	0.00	Vertical	Horizontal	Pass
6998.400	-48.83	13.63	-25.0	-23.83	107.00	Vertical	Horizontal	Pass
10862.276	-47.13	17.47	-25.0	-22.13	361.00	Vertical	Horizontal	Pass
17474.738	-40.19	21.71	-25.0	-15.19	284.00	Vertical	Horizontal	Pass


51.4 n41 BW10, QPSK, Middle Channel

RSE-H&H n41 BW10 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
922.303	-51.99	41.35	-25.0	-26.99	360.00	Horizontal	Horizontal	Pass
2590.200	11.46	45.93	-25.0	36.46	306.00	Horizontal	Horizontal	N/A
3652.600	-57.86	4.34	-25.0	-32.86	0.00	Horizontal	Horizontal	Pass
6999.000	-48.47	13.64	-25.0	-23.47	132.00	Horizontal	Horizontal	Pass
11007.750	-47.02	17.30	-25.0	-22.02	-3.00	Horizontal	Horizontal	Pass
17339.288	-40.12	21.08	-25.0	-15.12	302.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW10 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
914.882	-52.97	41.31	-25.0	-27.97	360.00	Horizontal	Vertical	Pass
2589.000	0.86	46.16	-25.0	25.86	190.00	Horizontal	Vertical	N/A
3703.400	-57.60	4.88	-25.0	-32.60	197.00	Horizontal	Vertical	Pass
6924.600	-49.01	11.78	-25.0	-24.01	34.00	Horizontal	Vertical	Pass
10987.338	-47.21	17.30	-25.0	-22.21	161.00	Horizontal	Vertical	Pass
17581.312	-40.30	22.18	-25.0	-15.30	182.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW10 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
899.071	-51.46	41.12	-25.0	-26.46	234.00	Vertical	Vertical	Pass
2590.000	6.72	45.97	-25.0	31.72	340.00	Vertical	Vertical	N/A
3568.200	-58.23	4.16	-25.0	-33.23	363.00	Vertical	Vertical	Pass
6994.200	-48.73	13.62	-25.0	-23.73	125.00	Vertical	Vertical	Pass
11035.924	-46.74	16.74	-25.0	-21.74	150.00	Vertical	Vertical	Pass
17602.312	-40.11	21.95	-25.0	-15.11	273.00	Vertical	Vertical	Pass


RSE-V&H n41 BW10 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.033	-53.22	40.44	-25.0	-28.22	363.00	Vertical	Horizontal	Pass
2589.500	3.15	46.06	-25.0	28.15	360.00	Vertical	Horizontal	N/A
3662.200	-58.13	3.80	-25.0	-33.13	32.00	Vertical	Horizontal	Pass
6997.800	-48.53	13.63	-25.0	-23.53	308.00	Vertical	Horizontal	Pass
10992.513	-47.18	17.38	-25.0	-22.18	347.00	Vertical	Horizontal	Pass
17588.662	-40.23	22.09	-25.0	-15.23	181.00	Vertical	Horizontal	Pass


51.5 n41 BW60, QPSK, Middle Channel

RSE-H&H n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.821	-54.13	40.37	-25.0	-29.13	-2.00	Horizontal	Horizontal	Pass
2590.700	8.07	45.86	-25.0	33.07	133.00	Horizontal	Horizontal	N/A
3966.800	-56.32	5.48	-25.0	-31.32	255.00	Horizontal	Horizontal	Pass
6980.000	-48.45	13.84	-25.0	-23.45	361.00	Horizontal	Horizontal	Pass
10858.250	-47.07	17.54	-25.0	-22.07	129.00	Horizontal	Horizontal	Pass
17586.037	-40.26	22.12	-25.0	-15.26	-1.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
884.376	-53.93	40.59	-25.0	-28.93	308.00	Horizontal	Vertical	Pass
2585.800	4.39	46.00	-25.0	29.39	160.00	Horizontal	Vertical	N/A
3834.600	-57.64	5.53	-25.0	-32.64	123.00	Horizontal	Vertical	Pass
7000.000	-47.87	13.64	-25.0	-22.87	-1.00	Horizontal	Vertical	Pass
11519.500	-46.61	17.50	-25.0	-21.61	58.00	Horizontal	Vertical	Pass
17374.724	-40.17	22.04	-25.0	-15.17	360.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.318	-53.91	40.44	-25.0	-28.91	-3.00	Vertical	Vertical	Pass
2594.000	3.75	46.06	-25.0	28.75	360.00	Vertical	Vertical	N/A
3647.400	-58.01	4.48	-25.0	-33.01	67.00	Vertical	Vertical	Pass
6997.400	-48.61	13.61	-25.0	-23.61	40.00	Vertical	Vertical	Pass
11511.162	-47.05	17.63	-25.0	-22.05	274.00	Vertical	Vertical	Pass
17430.901	-39.59	22.38	-25.0	-14.59	336.00	Vertical	Vertical	Pass


RSE-V&H n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
916.823	-53.48	41.32	-25.0	-28.48	181.00	Vertical	Horizontal	Pass
2582.200	4.43	45.96	-25.0	29.43	363.00	Vertical	Horizontal	N/A
3650.000	-57.85	4.47	-25.0	-32.85	360.00	Vertical	Horizontal	Pass
6991.400	-48.15	13.50	-25.0	-23.15	228.00	Vertical	Horizontal	Pass
11310.775	-46.59	17.48	-25.0	-21.59	26.00	Vertical	Horizontal	Pass
17600.213	-39.85	21.97	-25.0	-14.85	-3.00	Vertical	Horizontal	Pass


51.6 n41 BW100, QPSK, Middle Channel

RSE-H&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
901.885	-53.20	40.96	-25.0	-28.20	300.00	Horizontal	Horizontal	Pass
2599.700	6.33	45.92	-25.0	31.33	327.00	Horizontal	Horizontal	N/A
3646.800	-57.75	4.47	-25.0	-32.75	115.00	Horizontal	Horizontal	Pass
6999.400	-48.19	13.65	-25.0	-23.19	-3.00	Horizontal	Horizontal	Pass
11364.250	-46.22	17.03	-25.0	-21.22	247.00	Horizontal	Horizontal	Pass
17425.388	-39.03	22.52	-25.0	-14.03	-1.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
912.360	-52.08	41.24	-25.0	-27.08	-1.00	Horizontal	Vertical	Pass
2592.400	-3.42	45.87	-25.0	21.58	142.00	Horizontal	Vertical	N/A
3667.000	-57.50	3.87	-25.0	-32.50	3.00	Horizontal	Vertical	Pass
6980.400	-48.56	13.80	-25.0	-23.56	-3.00	Horizontal	Vertical	Pass
10993.950	-47.03	17.40	-25.0	-22.03	13.00	Horizontal	Vertical	Pass
17591.288	-40.14	22.07	-25.0	-15.14	3.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
821.811	-54.32	40.14	-25.0	-29.32	345.00	Vertical	Vertical	Pass
2569.900	1.82	45.90	-25.0	26.82	342.00	Vertical	Vertical	N/A
3970.200	-56.85	5.22	-25.0	-31.85	-3.00	Vertical	Vertical	Pass
6683.400	-48.76	11.90	-25.0	-23.76	193.00	Vertical	Vertical	Pass
11033.625	-46.99	16.78	-25.0	-21.99	363.00	Vertical	Vertical	Pass
17471.062	-40.20	21.72	-25.0	-15.20	122.00	Vertical	Vertical	Pass

RSE-V&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
925.940	-52.87	41.43	-25.0	-27.87	-1.00	Vertical	Horizontal	Pass
2588.400	-0.99	46.26	-25.0	24.01	363.00	Vertical	Horizontal	N/A
3702.800	-57.94	4.89	-25.0	-32.94	-1.00	Vertical	Horizontal	Pass
6973.600	-48.44	13.68	-25.0	-23.44	21.00	Vertical	Horizontal	Pass
11321.125	-47.04	17.61	-25.0	-22.04	360.00	Vertical	Horizontal	Pass
17434.051	-40.28	22.30	-25.0	-15.28	-3.00	Vertical	Horizontal	Pass

52 n66


52.1 n66 BW5, PI/2 BPSK, Middle Channel

RSE-H&H n66 BW5 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
808.959	-53.47	39.94	-25.0	-28.47	-1.00	Horizontal	Horizontal	Pass
1744.000	11.30	43.21	-25.0	36.30	142.00	Horizontal	Horizontal	N/A
2143.100	-42.46	45.97	-25.0	-17.46	121.00	Horizontal	Horizontal	N/A
3973.200	-56.39	5.01	-25.0	-31.39	301.00	Horizontal	Horizontal	Pass
12835.313	-45.42	18.65	-25.0	-20.42	211.00	Horizontal	Horizontal	Pass
17477.364	-40.48	21.70	-25.0	-15.48	360.00	Horizontal	Horizontal	Pass

RSE-H&V n66 BW5 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
939.326	-52.97	41.52	-25.0	-27.97	315.00	Horizontal	Vertical	Pass
1744.500	11.70	43.26	-25.0	36.70	331.00	Horizontal	Vertical	N/A
3000.000	-40.99	48.13	-25.0	-15.99	74.00	Horizontal	Vertical	Pass
5494.000	-53.03	7.46	-25.0	-28.03	257.00	Horizontal	Vertical	Pass
10904.825	-47.05	17.68	-25.0	-22.05	331.00	Horizontal	Vertical	Pass
17466.075	-39.96	21.73	-25.0	-14.96	159.00	Horizontal	Vertical	Pass

RSE-V&V n66 BW5 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
921.284	-53.15	41.38	-25.0	-28.15	73.00	Vertical	Vertical	Pass
1745.600	12.15	43.28	-25.0	37.15	157.00	Vertical	Vertical	N/A
2989.600	-40.36	47.83	-25.0	-15.36	361.00	Vertical	Vertical	Pass
5746.000	-51.93	7.27	-25.0	-26.93	190.00	Vertical	Vertical	Pass
9720.901	-47.65	16.36	-25.0	-22.65	360.00	Vertical	Vertical	Pass
17301.225	-40.33	21.14	-25.0	-15.33	325.00	Vertical	Vertical	Pass


RSE-V&H n66 BW5 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
918.180	-53.31	41.26	-25.0	-28.31	216.00	Vertical	Horizontal	Pass
1744.400	7.36	43.25	-25.0	32.36	360.00	Vertical	Horizontal	N/A
2998.900	-41.10	48.09	-25.0	-16.10	112.00	Vertical	Horizontal	Pass
6681.400	-49.23	11.80	-25.0	-24.23	232.00	Vertical	Horizontal	Pass
9847.687	-47.48	16.95	-25.0	-22.48	292.00	Vertical	Horizontal	Pass
17589.713	-40.10	22.08	-25.0	-15.10	-1.00	Vertical	Horizontal	Pass


52.2 n66 BW15, PI/2 BPSK, Middle Channel

RSE-H&H n66 BW15 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
916.774	-53.31	41.32	-25.0	-28.31	297.00	Horizontal	Horizontal	Pass
1741.700	8.71	43.03	-25.0	33.71	141.00	Horizontal	Horizontal	N/A
2997.600	-41.23	48.06	-25.0	-16.23	0.00	Horizontal	Horizontal	Pass
4055.400	-56.13	5.30	-25.0	-31.13	35.00	Horizontal	Horizontal	Pass
11269.088	-46.91	16.92	-25.0	-21.91	239.00	Horizontal	Horizontal	Pass
17591.288	-40.45	22.07	-25.0	-15.45	54.00	Horizontal	Horizontal	Pass

RSE-H&V n66 BW15 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
920.848	-52.44	41.39	-25.0	-27.44	244.00	Horizontal	Vertical	Pass
1743.500	6.96	43.17	-25.0	31.96	191.00	Horizontal	Vertical	N/A
2956.900	-40.93	48.17	-25.0	-15.93	183.00	Horizontal	Vertical	Pass
3218.600	-57.79	3.94	-25.0	-32.79	227.00	Horizontal	Vertical	Pass
6689.800	-49.33	11.86	-25.0	-24.33	42.00	Horizontal	Vertical	Pass
17471.324	-40.38	21.72	-25.0	-15.38	276.00	Horizontal	Vertical	Pass

RSE-V&V n66 BW15 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
772.292	-54.74	39.20	-25.0	-29.74	-1.00	Vertical	Vertical	Pass
1744.400	2.68	43.25	-25.0	27.68	99.00	Vertical	Vertical	N/A
2139.900	-42.05	45.95	-25.0	-17.05	136.00	Vertical	Vertical	N/A
6684.200	-49.20	11.96	-25.0	-24.20	89.00	Vertical	Vertical	Pass
9451.225	-47.85	16.71	-25.0	-22.85	297.00	Vertical	Vertical	Pass
17430.637	-40.26	22.39	-25.0	-15.26	55.00	Vertical	Vertical	Pass


RSE-V&H n66 BW15 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
966.874	-52.53	42.09	-25.0	-27.53	360.00	Vertical	Horizontal	Pass
1746.000	4.51	43.27	-25.0	29.51	362.00	Vertical	Horizontal	N/A
2273.400	-42.27	46.60	-25.0	-17.27	360.00	Vertical	Horizontal	Pass
6682.400	-49.61	11.85	-25.0	-24.61	193.00	Vertical	Horizontal	Pass
10898.787	-47.23	17.68	-25.0	-22.23	109.00	Vertical	Horizontal	Pass
17914.161	-40.35	22.51	-25.0	-15.35	239.00	Vertical	Horizontal	Pass


52.3 n66 BW20, PI/2 BPSK, Middle Channel

RSE-H&H n66 BW20 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
937.969	-52.16	41.44	-25.0	-27.16	269.00	Horizontal	Horizontal	Pass
1742.400	11.16	43.07	-25.0	36.16	62.00	Horizontal	Horizontal	N/A
2143.600	-42.64	46.03	-25.0	-17.64	207.00	Horizontal	Horizontal	N/A
4010.400	-57.55	4.97	-25.0	-32.55	200.00	Horizontal	Horizontal	Pass
6978.400	-49.14	13.94	-25.0	-24.14	361.00	Horizontal	Horizontal	Pass
17474.214	-40.27	21.71	-25.0	-15.27	356.00	Horizontal	Horizontal	Pass

RSE-H&V n66 BW20 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
802.799	-54.54	39.97	-25.0	-29.54	129.00	Horizontal	Vertical	Pass
1742.600	7.62	43.08	-25.0	32.62	201.00	Horizontal	Vertical	N/A
2147.300	-41.76	46.08	-25.0	-16.76	106.00	Horizontal	Vertical	N/A
3648.200	-57.73	4.48	-25.0	-32.73	286.00	Horizontal	Vertical	Pass
6998.600	-48.32	13.64	-25.0	-23.32	108.00	Horizontal	Vertical	Pass
17472.637	-40.47	21.72	-25.0	-15.47	248.00	Horizontal	Vertical	Pass

RSE-V&V n66 BW20 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
883.649	-53.27	40.52	-25.0	-28.27	346.00	Vertical	Vertical	Pass
1744.400	5.16	43.25	-25.0	30.16	-3.00	Vertical	Vertical	N/A
2794.100	-41.84	47.10	-25.0	-16.84	-1.00	Vertical	Vertical	Pass
3977.200	-56.90	4.82	-25.0	-31.90	112.00	Vertical	Vertical	Pass
6787.600	-48.99	12.30	-25.0	-23.99	252.00	Vertical	Vertical	Pass
17587.614	-40.21	22.11	-25.0	-15.21	290.00	Vertical	Vertical	Pass


RSE-V&H n66 BW20 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
928.268	-53.08	41.53	-25.0	-28.08	272.00	Vertical	Horizontal	Pass
1740.800	5.48	42.98	-25.0	30.48	24.00	Vertical	Horizontal	N/A
2414.000	-42.52	46.45	-25.0	-17.52	69.00	Vertical	Horizontal	Pass
4059.000	-57.23	5.30	-25.0	-32.23	0.00	Vertical	Horizontal	Pass
6679.400	-48.58	11.77	-25.0	-23.58	361.00	Vertical	Horizontal	Pass
17477.886	-40.65	21.70	-25.0	-15.65	0.00	Vertical	Horizontal	Pass


52.4 n66 BW5, QPSK, Middle Channel

RSE-H&H n66 BW5 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
883.940	-53.09	40.56	-25.0	-28.09	346.00	Horizontal	Horizontal	Pass
1745.100	12.94	43.29	-25.0	37.94	108.00	Horizontal	Horizontal	N/A
2146.500	-41.08	46.08	-25.0	-16.08	88.00	Horizontal	Horizontal	N/A
4935.400	-54.58	7.23	-25.0	-29.58	231.00	Horizontal	Horizontal	Pass
10983.888	-47.22	17.25	-25.0	-22.22	45.00	Horizontal	Horizontal	Pass
17467.126	-40.20	21.73	-25.0	-15.20	320.00	Horizontal	Horizontal	Pass

RSE-H&V n66 BW5 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
846.206	-53.17	40.46	-25.0	-28.17	111.00	Horizontal	Vertical	Pass
1744.600	11.63	43.27	-25.0	36.63	153.00	Horizontal	Vertical	N/A
2143.100	-41.93	45.97	-25.0	-16.93	113.00	Horizontal	Vertical	N/A
5132.800	-53.92	7.79	-25.0	-28.92	242.00	Horizontal	Vertical	Pass
10817.713	-47.16	17.05	-25.0	-22.16	229.00	Horizontal	Vertical	Pass
17472.113	-40.65	21.72	-25.0	-15.65	254.00	Horizontal	Vertical	Pass

RSE-V&V n66 BW5 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
861.581	-53.62	40.18	-25.0	-28.62	302.00	Vertical	Vertical	Pass
1744.700	6.43	43.28	-25.0	31.43	330.00	Vertical	Vertical	N/A
2687.300	-41.76	46.31	-25.0	-16.76	0.00	Vertical	Vertical	Pass
5111.800	-54.07	7.76	-25.0	-29.07	326.00	Vertical	Vertical	Pass
11603.738	-46.66	17.94	-25.0	-21.66	287.00	Vertical	Vertical	Pass
17425.912	-40.38	22.50	-25.0	-15.38	293.00	Vertical	Vertical	Pass


RSE-V&H n66 BW5 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
855.664	-53.67	40.31	-25.0	-28.67	230.00	Vertical	Horizontal	Pass
1745.400	7.85	43.29	-25.0	32.85	4.00	Vertical	Horizontal	N/A
2497.700	-42.39	46.55	-25.0	-17.39	166.00	Vertical	Horizontal	Pass
4799.800	-54.85	7.66	-25.0	-29.85	159.00	Vertical	Horizontal	Pass
6992.400	-48.30	13.58	-25.0	-23.30	159.00	Vertical	Horizontal	Pass
17385.224	-40.35	22.35	-25.0	-15.35	248.00	Vertical	Horizontal	Pass


52.5 n66 BW15, QPSK, Middle Channel

RSE-H&H n66 BW15 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
900.526	-53.42	41.01	-25.0	-28.42	184.00	Horizontal	Horizontal	Pass
1743.600	11.01	43.17	-25.0	36.01	65.00	Horizontal	Horizontal	N/A
2141.700	-42.98	45.89	-25.0	-17.98	211.00	Horizontal	Horizontal	Pass
3702.800	-57.53	4.89	-25.0	-32.53	190.00	Horizontal	Horizontal	Pass
6975.200	-48.68	13.72	-25.0	-23.68	78.00	Horizontal	Horizontal	Pass
17427.489	-40.17	22.47	-25.0	-15.17	55.00	Horizontal	Horizontal	Pass

RSE-H&V n66 BW15 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
789.898	-53.10	39.76	-25.0	-28.10	148.00	Horizontal	Vertical	Pass
1745.900	12.96	43.28	-25.0	37.96	172.00	Horizontal	Vertical	N/A
2138.300	-42.12	45.86	-25.0	-17.12	119.00	Horizontal	Vertical	N/A
3694.000	-57.75	5.08	-25.0	-32.75	86.00	Horizontal	Vertical	Pass
6977.800	-47.98	13.88	-25.0	-22.98	363.00	Horizontal	Vertical	Pass
17596.801	-40.23	22.01	-25.0	-15.23	126.00	Horizontal	Vertical	Pass

RSE-V&V n66 BW15 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
931.809	-51.90	41.32	-25.0	-26.90	276.00	Vertical	Vertical	Pass
1744.600	5.86	43.27	-25.0	30.86	77.00	Vertical	Vertical	N/A
2980.200	-40.55	47.98	-25.0	-15.55	326.00	Vertical	Vertical	Pass
3692.000	-57.49	5.06	-25.0	-32.49	212.00	Vertical	Vertical	Pass
6972.400	-48.59	13.66	-25.0	-23.59	286.00	Vertical	Vertical	Pass
17424.337	-40.20	22.54	-25.0	-15.20	361.00	Vertical	Vertical	Pass


RSE-V&H n66 BW15 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.985	-54.32	40.43	-25.0	-29.32	342.00	Vertical	Horizontal	Pass
1747.100	6.03	43.24	-25.0	31.03	34.00	Vertical	Horizontal	N/A
2666.000	-42.00	46.18	-25.0	-17.00	293.00	Vertical	Horizontal	Pass
3827.600	-57.00	5.31	-25.0	-32.00	228.00	Vertical	Horizontal	Pass
6976.800	-48.38	13.78	-25.0	-23.38	363.00	Vertical	Horizontal	Pass
17586.301	-40.18	22.12	-25.0	-15.18	360.00	Vertical	Horizontal	Pass


52.6 n66 BW20, QPSK, Middle Channel

RSE-H&H n66 BW20 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
840.774	-54.40	40.65	-25.0	-29.40	7.00	Horizontal	Horizontal	Pass
1746.000	10.92	43.27	-25.0	35.92	69.00	Horizontal	Horizontal	N/A
2406.500	-42.06	46.46	-25.0	-17.06	53.00	Horizontal	Horizontal	Pass
3696.400	-57.92	5.24	-25.0	-32.92	156.00	Horizontal	Horizontal	Pass
6996.200	-48.40	13.57	-25.0	-23.40	363.00	Horizontal	Horizontal	Pass
17524.613	-39.80	21.62	-25.0	-14.80	269.00	Horizontal	Horizontal	Pass

RSE-H&V n66 BW20 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.313	-54.09	40.53	-25.0	-29.09	36.00	Horizontal	Vertical	Pass
1744.500	6.98	43.26	-25.0	31.98	142.00	Horizontal	Vertical	N/A
2145.200	-40.03	46.11	-25.0	-15.03	112.00	Horizontal	Vertical	N/A
3691.200	-57.78	5.08	-25.0	-32.78	144.00	Horizontal	Vertical	Pass
6979.200	-48.16	13.90	-25.0	-23.16	189.00	Horizontal	Vertical	Pass
17434.575	-40.41	22.29	-25.0	-15.41	341.00	Horizontal	Vertical	Pass

RSE-V&V n66 BW20 CH429000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
802.702	-53.64	39.97	-25.0	-28.64	280.00	Vertical	Vertical	Pass
1746.100	0.38	43.27	-25.0	25.38	-1.00	Vertical	Vertical	N/A
2271.900	-42.18	46.90	-25.0	-17.18	275.00	Vertical	Vertical	Pass
3680.800	-57.83	4.61	-25.0	-32.83	117.00	Vertical	Vertical	Pass
6996.600	-49.03	13.58	-25.0	-24.03	249.00	Vertical	Vertical	Pass
17605.462	-39.47	21.92	-25.0	-14.47	14.00	Vertical	Vertical	Pass

RSE-V&H n66 BW20 CH429000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
842.326	-53.84	40.70	-25.0	-28.84	361.00	Vertical	Horizontal	Pass
1744.500	1.98	43.26	-25.0	26.98	37.00	Vertical	Horizontal	N/A
2309.400	-42.63	46.84	-25.0	-17.63	37.00	Vertical	Horizontal	Pass
3655.600	-57.98	4.17	-25.0	-32.98	215.00	Vertical	Horizontal	Pass
6997.600	-48.58	13.62	-25.0	-23.58	198.00	Vertical	Horizontal	Pass
17615.962	-40.47	21.83	-25.0	-15.47	306.00	Vertical	Horizontal	Pass

Antenna 3

53 n38


53.1 n38 BW10, PI/2 BPSK, Middle Channel

RSE-H&H n38 BW10 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
942.964	-52.57	41.46	-25.0	-27.57	339.00	Horizontal	Horizontal	Pass
2592.900	17.19	45.90	-25.0	42.19	320.00	Horizontal	Horizontal	N/A
3648.000	-57.43	4.48	-25.0	-32.43	63.00	Horizontal	Horizontal	Pass
6978.000	-48.31	13.90	-25.0	-23.31	183.00	Horizontal	Horizontal	Pass
11437.850	-47.26	17.19	-25.0	-22.26	138.00	Horizontal	Horizontal	Pass
17419.088	-40.03	22.66	-25.0	-15.03	30.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW10 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
907.462	-53.01	41.19	-25.0	-28.01	247.00	Horizontal	Vertical	Pass
2592.800	5.95	45.88	-25.0	30.95	107.00	Horizontal	Vertical	N/A
3707.200	-57.17	4.68	-25.0	-32.17	105.00	Horizontal	Vertical	Pass
6994.200	-48.42	13.62	-25.0	-23.42	24.00	Horizontal	Vertical	Pass
10983.026	-46.57	17.23	-25.0	-21.57	228.00	Horizontal	Vertical	Pass
17477.364	-39.99	21.70	-25.0	-14.99	266.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW10 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
898.635	-53.25	41.07	-25.0	-28.25	112.00	Vertical	Vertical	Pass
2592.700	12.13	45.87	-25.0	37.13	80.00	Vertical	Vertical	N/A
3706.200	-57.73	4.73	-25.0	-32.73	361.00	Vertical	Vertical	Pass
6978.400	-48.33	13.94	-25.0	-23.33	102.00	Vertical	Vertical	Pass
10868.600	-47.01	17.35	-25.0	-22.01	168.00	Vertical	Vertical	Pass
17442.187	-39.70	22.11	-25.0	-14.70	100.00	Vertical	Vertical	Pass


RSE-V&H n38 BW10 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
843.976	-54.05	40.48	-25.0	-29.05	74.00	Vertical	Horizontal	Pass
2592.600	7.69	45.87	-25.0	32.69	-1.00	Vertical	Horizontal	N/A
3649.200	-57.77	4.48	-25.0	-32.77	363.00	Vertical	Horizontal	Pass
6630.200	-48.98	12.14	-25.0	-23.98	54.00	Vertical	Horizontal	Pass
10864.000	-47.11	17.44	-25.0	-22.11	209.00	Vertical	Horizontal	Pass
17592.074	-40.27	22.06	-25.0	-15.27	93.00	Vertical	Horizontal	Pass


53.2 n38 BW15, PI/2 BPSK, Middle Channel

RSE-H&H n38 BW15 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
850.183	-53.07	40.52	-25.0	-28.07	125.00	Horizontal	Horizontal	Pass
1412.400	-47.45	44.81	-25.0	-22.45	-2.00	Horizontal	Horizontal	Pass
2595.800	15.35	46.10	-25.0	40.35	101.00	Horizontal	Horizontal	N/A
6982.400	-48.29	13.89	-25.0	-23.29	361.00	Horizontal	Horizontal	Pass
10907.412	-46.62	17.66	-25.0	-21.62	341.00	Horizontal	Horizontal	Pass
17588.662	-39.92	22.09	-25.0	-14.92	227.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW15 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
927.492	-53.19	41.50	-25.0	-28.19	270.00	Horizontal	Vertical	Pass
1360.600	-47.65	43.92	-25.0	-22.65	29.00	Horizontal	Vertical	Pass
2595.900	9.27	46.09	-25.0	34.27	84.00	Horizontal	Vertical	N/A
6976.000	-48.69	13.74	-25.0	-23.69	309.00	Horizontal	Vertical	Pass
10987.912	-46.32	17.31	-25.0	-21.32	158.00	Horizontal	Vertical	Pass
17467.912	-39.71	21.73	-25.0	-14.71	199.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW15 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
822.636	-53.86	40.20	-25.0	-28.86	163.00	Vertical	Vertical	Pass
1410.800	-47.57	44.82	-25.0	-22.57	-3.00	Vertical	Vertical	Pass
2595.400	10.50	46.14	-25.0	35.50	333.00	Vertical	Vertical	N/A
6661.800	-49.60	11.59	-25.0	-24.60	361.00	Vertical	Vertical	Pass
11508.862	-46.50	17.66	-25.0	-21.50	269.00	Vertical	Vertical	Pass
17467.126	-39.93	21.73	-25.0	-14.93	294.00	Vertical	Vertical	Pass


RSE-V&H n38 BW15 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
840.289	-53.58	40.59	-25.0	-28.58	327.00	Vertical	Horizontal	Pass
1405.700	-47.20	44.95	-25.0	-22.20	163.00	Vertical	Horizontal	Pass
2595.500	4.66	46.13	-25.0	29.66	36.00	Vertical	Horizontal	N/A
6733.800	-49.34	11.85	-25.0	-24.34	20.00	Vertical	Horizontal	Pass
11595.400	-46.42	17.92	-25.0	-21.42	277.00	Vertical	Horizontal	Pass
17467.912	-39.93	21.73	-25.0	-14.93	360.00	Vertical	Horizontal	Pass


53.3 n38 BW20, PI/2 BPSK, Middle Channel

RSE-H&H n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
849.068	-53.33	40.45	-25.0	-28.33	29.00	Horizontal	Horizontal	Pass
1394.700	-47.64	45.11	-25.0	-22.64	153.00	Horizontal	Horizontal	Pass
2590.700	13.69	45.86	-25.0	38.69	215.00	Horizontal	Horizontal	N/A
6789.600	-48.98	12.39	-25.0	-23.98	360.00	Horizontal	Horizontal	Pass
11508.575	-46.76	17.67	-25.0	-21.76	255.00	Horizontal	Horizontal	Pass
17612.812	-40.04	21.85	-25.0	-15.04	169.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
883.067	-52.72	40.44	-25.0	-27.72	363.00	Horizontal	Vertical	Pass
1397.100	-47.58	45.16	-25.0	-22.58	241.00	Horizontal	Vertical	Pass
2595.400	3.08	46.14	-25.0	28.08	148.00	Horizontal	Vertical	N/A
6682.800	-48.64	11.87	-25.0	-23.64	67.00	Horizontal	Vertical	Pass
10986.762	-47.21	17.29	-25.0	-22.21	90.00	Horizontal	Vertical	Pass
17479.725	-39.99	21.70	-25.0	-14.99	34.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
821.035	-54.56	40.08	-25.0	-29.56	27.00	Vertical	Vertical	Pass
1400.000	-47.15	45.18	-25.0	-22.15	2.00	Vertical	Vertical	Pass
2597.700	9.60	46.00	-25.0	34.60	239.00	Vertical	Vertical	N/A
6671.800	-49.59	11.60	-25.0	-24.59	178.00	Vertical	Vertical	Pass
10983.312	-45.87	17.24	-25.0	-20.87	58.00	Vertical	Vertical	Pass
17319.074	-40.27	21.08	-25.0	-15.27	13.00	Vertical	Vertical	Pass


RSE-V&H n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
899.314	-52.57	41.11	-25.0	-27.57	12.00	Vertical	Horizontal	Pass
1406.600	-47.52	44.95	-25.0	-22.52	122.00	Vertical	Horizontal	Pass
2594.700	3.36	46.17	-25.0	28.36	40.00	Vertical	Horizontal	N/A
6999.400	-48.88	13.65	-25.0	-23.88	295.00	Vertical	Horizontal	Pass
11593.388	-46.54	17.88	-25.0	-21.54	43.00	Vertical	Horizontal	Pass
18001.699	-40.02	22.98	-25.0	-15.02	-3.00	Vertical	Horizontal	Pass


53.4 n38 BW10, QPSK, Middle Channel

RSE-H&H n38 BW10 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
854.209	-53.75	40.35	-25.0	-28.75	323.00	Horizontal	Horizontal	Pass
2592.100	17.32	45.86	-25.0	42.32	317.00	Horizontal	Horizontal	N/A
1397.800	-47.69	45.16	-25.0	-22.69	3.00	Horizontal	Horizontal	Pass
4801.400	-54.53	7.63	-25.0	-29.53	363.00	Horizontal	Horizontal	Pass
9227.550	-47.65	15.31	-25.0	-22.65	197.00	Horizontal	Horizontal	Pass
17610.449	-39.91	21.88	-25.0	-14.91	85.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW10 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
806.339	-53.44	40.03	-25.0	-28.44	92.00	Horizontal	Vertical	Pass
2592.100	8.57	45.86	-25.0	33.57	99.00	Horizontal	Vertical	N/A
3682.000	-57.06	4.58	-25.0	-32.06	221.00	Horizontal	Vertical	Pass
6993.800	-48.42	13.64	-25.0	-23.42	363.00	Horizontal	Vertical	Pass
10902.813	-47.23	17.70	-25.0	-22.23	241.00	Horizontal	Vertical	Pass
17427.225	-40.25	22.47	-25.0	-15.25	206.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW10 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
902.903	-53.08	40.98	-25.0	-28.08	174.00	Vertical	Vertical	Pass
2592.700	10.73	45.87	-25.0	35.73	350.00	Vertical	Vertical	N/A
3966.400	-56.27	5.50	-25.0	-31.27	363.00	Vertical	Vertical	Pass
6998.800	-47.62	13.64	-25.0	-22.62	79.00	Vertical	Vertical	Pass
10982.450	-46.82	17.22	-25.0	-21.82	360.00	Vertical	Vertical	Pass
17480.511	-40.15	21.68	-25.0	-15.15	14.00	Vertical	Vertical	Pass


RSE-V&H n38 BW10 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
822.538	-54.16	40.19	-25.0	-29.16	0.00	Vertical	Horizontal	Pass
2592.900	10.36	45.90	-25.0	35.36	60.00	Vertical	Horizontal	N/A
3654.000	-57.59	4.26	-25.0	-32.59	0.00	Vertical	Horizontal	Pass
6979.200	-49.00	13.90	-25.0	-24.00	360.00	Vertical	Horizontal	Pass
11556.875	-46.67	17.17	-25.0	-21.67	315.00	Vertical	Horizontal	Pass
17433.000	-40.45	22.33	-25.0	-15.45	88.00	Vertical	Horizontal	Pass


53.5 n38 BW15, QPSK, Middle Channel

RSE-H&H n38 BW15 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
926.086	-53.04	41.44	-25.0	-28.04	159.00	Horizontal	Horizontal	Pass
1384.400	-47.62	44.69	-25.0	-22.62	101.00	Horizontal	Horizontal	Pass
2596.200	14.58	46.06	-25.0	39.58	101.00	Horizontal	Horizontal	N/A
6685.000	-48.86	12.03	-25.0	-23.86	0.00	Horizontal	Horizontal	Pass
10861.412	-47.02	17.49	-25.0	-22.02	49.00	Horizontal	Horizontal	Pass
17588.926	-39.98	22.09	-25.0	-14.98	130.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW15 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
921.527	-52.71	41.37	-25.0	-27.71	363.00	Horizontal	Vertical	Pass
1401.100	-47.54	45.14	-25.0	-22.54	204.00	Horizontal	Vertical	Pass
2595.600	8.30	46.12	-25.0	33.30	-3.00	Horizontal	Vertical	N/A
6984.800	-48.07	13.72	-25.0	-23.07	253.00	Horizontal	Vertical	Pass
11597.412	-46.47	17.96	-25.0	-21.47	295.00	Horizontal	Vertical	Pass
17429.324	-39.91	22.42	-25.0	-14.91	360.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW15 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
816.719	-54.42	40.06	-25.0	-29.42	65.00	Vertical	Vertical	Pass
1426.900	-47.65	44.31	-25.0	-22.65	45.00	Vertical	Vertical	Pass
2593.700	11.93	46.02	-25.0	36.93	-1.00	Vertical	Vertical	N/A
6978.600	-48.57	13.96	-25.0	-23.57	360.00	Vertical	Vertical	Pass
11500.237	-46.37	17.80	-25.0	-21.37	57.00	Vertical	Vertical	Pass
17335.876	-39.98	21.08	-25.0	-14.98	360.00	Vertical	Vertical	Pass


RSE-V&H n38 BW15 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
927.638	-53.15	41.51	-25.0	-28.15	132.00	Vertical	Horizontal	Pass
1375.800	-47.71	44.50	-25.0	-22.71	228.00	Vertical	Horizontal	Pass
2596.100	4.77	46.07	-25.0	29.77	33.00	Vertical	Horizontal	N/A
6998.800	-48.24	13.64	-25.0	-23.24	102.00	Vertical	Horizontal	Pass
11498.512	-46.29	17.79	-25.0	-21.29	21.00	Vertical	Horizontal	Pass
17381.026	-40.12	22.25	-25.0	-15.12	179.00	Vertical	Horizontal	Pass


53.6 n38 BW20, QPSK, Middle Channel

RSE-H&H n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
889.760	-53.53	40.65	-25.0	-28.53	154.00	Horizontal	Horizontal	Pass
1407.300	-47.14	44.94	-25.0	-22.14	331.00	Horizontal	Horizontal	Pass
2597.300	14.07	45.99	-25.0	39.07	320.00	Horizontal	Horizontal	N/A
6985.200	-48.04	13.70	-25.0	-23.04	327.00	Horizontal	Horizontal	Pass
10897.925	-47.35	17.66	-25.0	-22.35	326.00	Horizontal	Horizontal	Pass
17471.062	-40.23	21.72	-25.0	-15.23	89.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
817.786	-54.19	40.08	-25.0	-29.19	360.00	Horizontal	Vertical	Pass
1401.200	-47.15	45.14	-25.0	-22.15	171.00	Horizontal	Vertical	Pass
2598.700	2.66	46.00	-25.0	27.66	104.00	Horizontal	Vertical	N/A
6982.200	-48.07	13.88	-25.0	-23.07	361.00	Horizontal	Vertical	Pass
11150.063	-47.07	16.79	-25.0	-22.07	262.00	Horizontal	Vertical	Pass
17583.411	-40.25	22.15	-25.0	-15.25	123.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
899.169	-52.46	41.12	-25.0	-27.46	68.00	Vertical	Vertical	Pass
1387.100	-47.38	44.79	-25.0	-22.38	93.00	Vertical	Vertical	Pass
2595.400	10.28	46.14	-25.0	35.28	238.00	Vertical	Vertical	N/A
6668.800	-49.47	11.58	-25.0	-24.47	80.00	Vertical	Vertical	Pass
11493.625	-46.71	17.76	-25.0	-21.71	297.00	Vertical	Vertical	Pass
17374.724	-39.83	22.04	-25.0	-14.83	363.00	Vertical	Vertical	Pass

RSE-V&H n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
883.940	-53.35	40.56	-25.0	-28.35	240.00	Vertical	Horizontal	Pass
1401.400	-47.34	45.14	-25.0	-22.34	130.00	Vertical	Horizontal	Pass
2591.000	4.58	45.86	-25.0	29.58	50.00	Vertical	Horizontal	N/A
6775.200	-49.23	11.76	-25.0	-24.23	320.00	Vertical	Horizontal	Pass
12108.013	-46.29	18.16	-25.0	-21.29	161.00	Vertical	Horizontal	Pass
17376.037	-40.22	22.08	-25.0	-15.22	315.00	Vertical	Horizontal	Pass

54 n41


54.1 n41 BW10, PI/2 BPSK, Middle Channel

RSE-H&H n41 BW10 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
843.006	-52.79	40.60	-25.0	-27.79	54.00	Horizontal	Horizontal	Pass
2591.300	14.28	45.86	-25.0	39.28	317.00	Horizontal	Horizontal	N/A
3650.000	-57.13	4.47	-25.0	-32.13	251.00	Horizontal	Horizontal	Pass
6995.600	-48.59	13.55	-25.0	-23.59	0.00	Horizontal	Horizontal	Pass
10897.637	-47.30	17.65	-25.0	-22.30	217.00	Horizontal	Horizontal	Pass
17503.349	-39.88	21.14	-25.0	-14.88	100.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW10 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
826.127	-53.25	40.16	-25.0	-28.25	7.00	Horizontal	Vertical	Pass
2596.100	1.30	46.07	-25.0	26.30	205.00	Horizontal	Vertical	N/A
3580.200	-57.78	3.51	-25.0	-32.78	219.00	Horizontal	Vertical	Pass
6686.000	-48.93	12.02	-25.0	-23.93	324.00	Horizontal	Vertical	Pass
11600.862	-46.74	17.99	-25.0	-21.74	360.00	Horizontal	Vertical	Pass
17594.700	-39.96	22.03	-25.0	-14.96	0.00	Horizontal	Vertical	Pass