



RSE-V&V DC_5A_n66A 10MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	13.47	40.37	-25.0	38.47	49.00	Vertical	Vertical	N/A
883.164	-35.89	40.45	-25.0	-10.89	14.00	Vertical	Vertical	N/A
1735.400	4.68	43.40	-25.0	29.68	237.00	Vertical	Vertical	N/A
5115.000	-54.41	7.69	-25.0	-29.41	-3.00	Vertical	Vertical	Pass
10984.750	-47.22	17.26	-25.0	-22.22	161.00	Vertical	Vertical	Pass
17602.574	-39.87	21.95	-25.0	-14.87	276.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n66A 10MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	5.29	40.37	-25.0	30.29	217.00	Vertical	Horizontal	N/A
884.570	-39.59	40.57	-25.0	-14.59	217.00	Vertical	Horizontal	N/A
1735.800	-1.59	43.38	-25.0	23.41	360.00	Vertical	Horizontal	N/A
4921.600	-54.62	7.68	-25.0	-29.62	-3.00	Vertical	Horizontal	Pass
10894.474	-46.99	17.56	-25.0	-21.99	154.00	Vertical	Horizontal	Pass
17432.214	-40.21	22.35	-25.0	-15.21	-3.00	Vertical	Horizontal	Pass


61.4 DC_5A_n66A, QPSK, 10MHz(LTE)+5MHz(NR)

RSE-H&H DC_5A_n66A 10MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.044	16.49	40.37	-25.0	41.49	253.00	Horizontal	Horizontal	N/A
884.812	-31.79	40.55	-25.0	-6.79	264.00	Horizontal	Horizontal	N/A
1742.700	11.37	43.09	-25.0	36.37	276.00	Horizontal	Horizontal	N/A
2144.600	-36.73	46.12	-25.0	-11.73	209.00	Horizontal	Horizontal	N/A
6993.400	-48.73	13.66	-25.0	-23.73	113.00	Horizontal	Horizontal	Pass
17591.288	-40.01	22.07	-25.0	-15.01	150.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A 10MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	4.46	40.37	-25.0	29.46	213.00	Horizontal	Vertical	N/A
885.928	-34.07	40.46	-25.0	-9.07	33.00	Horizontal	Vertical	N/A
1743.100	8.19	43.13	-25.0	33.19	163.00	Horizontal	Vertical	N/A
2466.800	-36.69	46.10	-25.0	-11.69	62.00	Horizontal	Vertical	N/A
6780.400	-49.41	11.91	-25.0	-24.41	7.00	Horizontal	Vertical	Pass
17591.550	-39.68	22.06	-25.0	-14.68	120.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n66A 10MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	8.08	40.37	-25.0	33.08	363.00	Vertical	Vertical	N/A
885.588	-33.73	40.49	-25.0	-8.73	320.00	Vertical	Vertical	N/A
1744.000	4.77	43.21	-25.0	29.77	119.00	Vertical	Vertical	N/A
6998.200	-48.15	13.63	-25.0	-23.15	17.00	Vertical	Vertical	Pass
12853.425	-45.29	19.46	-25.0	-20.29	48.00	Vertical	Vertical	Pass
17591.812	-39.41	22.06	-25.0	-14.41	-1.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n66A 10MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	13.40	40.37	-25.0	38.40	75.00	Vertical	Horizontal	N/A
884.570	-36.32	40.57	-25.0	-11.32	344.00	Vertical	Horizontal	N/A
1742.800	7.99	43.10	-25.0	32.99	178.00	Vertical	Horizontal	N/A
3693.400	-57.63	5.00	-25.0	-32.63	346.00	Vertical	Horizontal	Pass
6994.800	-48.62	13.59	-25.0	-23.62	19.00	Vertical	Horizontal	Pass
17596.801	-39.50	22.01	-25.0	-14.50	62.00	Vertical	Horizontal	Pass


61.5 DC_5A_n66A, QPSK, 10MHz(LTE)+15MHz(NR)

RSE-H&H DC_5A_n66A 10MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	12.92	40.37	-25.0	37.92	242.00	Horizontal	Horizontal	N/A
880.447	-30.44	40.24	-25.0	-5.44	242.00	Horizontal	Horizontal	N/A
1738.000	9.06	43.08	-25.0	34.06	28.00	Horizontal	Horizontal	N/A
2149.800	-34.60	46.15	-25.0	-9.60	229.00	Horizontal	Horizontal	N/A
5142.000	-53.67	7.51	-25.0	-28.67	188.00	Horizontal	Horizontal	Pass
17886.075	-39.95	22.72	-25.0	-14.95	151.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A 10MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.142	8.77	40.37	-25.0	33.77	184.00	Horizontal	Vertical	N/A
882.193	-30.14	40.33	-25.0	-5.14	271.00	Horizontal	Vertical	N/A
1738.000	5.24	43.08	-25.0	30.24	363.00	Horizontal	Vertical	N/A
2139.700	-36.49	45.94	-25.0	-11.49	131.00	Horizontal	Vertical	N/A
5032.000	-54.37	7.21	-25.0	-29.37	353.00	Horizontal	Vertical	Pass
17434.051	-40.15	22.30	-25.0	-15.15	359.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n66A 10MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	15.28	40.37	-25.0	40.28	75.00	Vertical	Vertical	N/A
885.394	-34.50	40.50	-25.0	-9.50	41.00	Vertical	Vertical	N/A
1738.300	5.08	43.03	-25.0	30.08	266.00	Vertical	Vertical	N/A
5125.200	-53.73	7.95	-25.0	-28.73	148.00	Vertical	Vertical	Pass
11476.375	-46.84	17.62	-25.0	-21.84	154.00	Vertical	Vertical	Pass
17470.800	-39.73	21.72	-25.0	-14.73	239.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n66A 10MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	9.79	40.37	-25.0	34.79	44.00	Vertical	Horizontal	N/A
884.327	-35.71	40.60	-25.0	-10.71	17.00	Vertical	Horizontal	N/A
1738.200	1.50	43.05	-25.0	26.50	0.00	Vertical	Horizontal	N/A
4885.400	-54.05	7.06	-25.0	-29.05	220.00	Vertical	Horizontal	Pass
10899.075	-46.59	17.69	-25.0	-21.59	357.00	Vertical	Horizontal	Pass
17425.650	-39.36	22.51	-25.0	-14.36	255.00	Vertical	Horizontal	Pass


61.6 DC_5A_n66A, QPSK, 10MHz(LTE)+20MHz(NR)

RSE-H&H DC_5A_n66A 10MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.044	9.86	40.37	-25.0	34.86	218.00	Horizontal	Horizontal	N/A
883.455	-29.52	40.49	-25.0	-4.52	252.00	Horizontal	Horizontal	N/A
1735.600	8.91	43.39	-25.0	33.91	337.00	Horizontal	Horizontal	N/A
2145.600	-37.20	46.10	-25.0	-12.20	236.00	Horizontal	Horizontal	N/A
5154.000	-54.05	7.35	-25.0	-29.05	85.00	Horizontal	Horizontal	Pass
17596.013	-39.49	22.01	-25.0	-14.49	357.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n66A 10MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	3.41	40.37	-25.0	28.41	355.00	Horizontal	Vertical	N/A
884.812	-31.39	40.55	-25.0	-6.39	85.00	Horizontal	Vertical	N/A
1735.600	4.46	43.39	-25.0	29.46	360.00	Horizontal	Vertical	N/A
2136.900	-36.76	45.93	-25.0	-11.76	277.00	Horizontal	Vertical	N/A
4917.200	-54.06	7.95	-25.0	-29.06	107.00	Horizontal	Vertical	Pass
17424.599	-39.51	22.54	-25.0	-14.51	3.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n66A 10MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.093	11.66	40.37	-25.0	36.66	54.00	Vertical	Vertical	N/A
881.903	-36.44	40.31	-25.0	-11.44	355.00	Vertical	Vertical	N/A
1735.300	1.94	43.40	-25.0	26.94	241.00	Vertical	Vertical	N/A
2152.400	-42.08	46.21	-25.0	-17.08	36.00	Vertical	Vertical	N/A
5167.400	-53.91	7.41	-25.0	-28.91	183.00	Vertical	Vertical	Pass
17378.136	-39.74	22.16	-25.0	-14.74	286.00	Vertical	Vertical	Pass

RSE-V&H DC_5A_n66A 10MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
832.190	5.55	40.37	-25.0	30.55	24.00	Vertical	Horizontal	N/A
882.097	-35.97	40.32	-25.0	-10.97	24.00	Vertical	Horizontal	N/A
1739.600	-2.77	42.99	-25.0	22.23	206.00	Vertical	Horizontal	N/A
5138.600	-53.61	7.54	-25.0	-28.61	52.00	Vertical	Horizontal	Pass
11505.700	-46.74	17.71	-25.0	-21.74	109.00	Vertical	Horizontal	Pass
17457.150	-39.12	21.80	-25.0	-14.12	253.00	Vertical	Horizontal	Pass

62 DC_7A_n66A


62.1 DC_7A_n66A, PI/2 BPSK, 20MHz(LTE)+5MHz(NR)

RSE-H&H DC_7A_n66A 20MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1743.100	11.83	43.13	-25.0	36.83	95.00	Horizontal	Horizontal	N/A
2145.200	-36.00	46.11	-25.0	-11.00	263.00	Horizontal	Horizontal	N/A
2526.100	4.31	46.11	-25.0	29.31	345.00	Horizontal	Horizontal	N/A
2649.600	-36.99	46.26	-25.0	-11.99	221.00	Horizontal	Horizontal	N/A
5175.200	-53.35	7.32	-25.0	-28.35	-1.00	Horizontal	Horizontal	Pass
17431.163	-40.24	22.37	-25.0	-15.24	68.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A 20MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1746.900	10.82	43.26	-25.0	35.82	363.00	Horizontal	Vertical	N/A
2146.600	-37.12	46.08	-25.0	-12.12	223.00	Horizontal	Vertical	N/A
2526.200	-2.76	46.11	-25.0	22.24	13.00	Horizontal	Vertical	N/A
2659.300	-36.14	46.27	-25.0	-11.14	223.00	Horizontal	Vertical	N/A
5157.400	-53.88	7.29	-25.0	-28.88	51.00	Horizontal	Vertical	Pass
17422.238	-39.96	22.60	-25.0	-14.96	130.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A 20MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
914.252	-52.61	41.28	-25.0	-27.61	136.00	Vertical	Vertical	Pass
1744.700	7.43	43.28	-25.0	32.43	10.00	Vertical	Vertical	N/A
2526.100	2.72	46.11	-25.0	27.72	218.00	Vertical	Vertical	N/A
5122.800	-54.25	7.92	-25.0	-29.25	-3.00	Vertical	Vertical	Pass
10946.224	-47.30	16.60	-25.0	-22.30	363.00	Vertical	Vertical	Pass
17588.926	-39.68	22.09	-25.0	-14.68	267.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n66A 20MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
892.815	-53.65	40.90	-25.0	-28.65	348.00	Vertical	Horizontal	Pass
1746.900	9.33	43.26	-25.0	34.33	53.00	Vertical	Horizontal	N/A
2526.100	0.10	46.11	-25.0	25.10	53.00	Vertical	Horizontal	N/A
2659.800	-41.34	46.26	-25.0	-16.34	363.00	Vertical	Horizontal	N/A
5112.400	-54.14	7.73	-25.0	-29.14	307.00	Vertical	Horizontal	Pass
17379.449	-40.09	22.20	-25.0	-15.09	-3.00	Vertical	Horizontal	Pass


62.2 DC_7A_n66A, PI/2 BPSK, 20MHz(LTE)+15MHz(NR)

RSE-H&H DC_7A_n66A 20MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1738.100	14.31	43.07	-25.0	39.31	130.00	Horizontal	Horizontal	N/A
2140.200	-38.25	45.95	-25.0	-13.25	236.00	Horizontal	Horizontal	N/A
2526.100	14.50	46.11	-25.0	39.50	342.00	Horizontal	Horizontal	N/A
2656.100	-35.90	46.10	-25.0	-10.90	236.00	Horizontal	Horizontal	N/A
5174.800	-54.09	7.30	-25.0	-29.09	339.00	Horizontal	Horizontal	Pass
17338.499	-40.00	21.08	-25.0	-15.00	286.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A 20MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1742.100	10.03	43.06	-25.0	35.03	150.00	Horizontal	Vertical	N/A
2142.700	-37.08	45.92	-25.0	-12.08	274.00	Horizontal	Vertical	N/A
2526.100	10.81	46.11	-25.0	35.81	30.00	Horizontal	Vertical	N/A
2650.500	-36.93	46.24	-25.0	-11.93	214.00	Horizontal	Vertical	N/A
4897.000	-54.35	7.50	-25.0	-29.35	208.00	Horizontal	Vertical	Pass
17593.651	-39.80	22.04	-25.0	-14.80	-1.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A 20MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
783.351	-53.87	39.47	-25.0	-28.87	328.00	Vertical	Vertical	Pass
1738.000	9.47	43.08	-25.0	34.47	360.00	Vertical	Vertical	N/A
2526.100	7.34	46.11	-25.0	32.34	210.00	Vertical	Vertical	N/A
4899.800	-54.62	7.56	-25.0	-29.62	210.00	Vertical	Vertical	Pass
11028.163	-47.20	16.87	-25.0	-22.20	360.00	Vertical	Vertical	Pass
17597.850	-39.93	21.99	-25.0	-14.93	268.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n66A 20MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
876.858	-53.67	40.35	-25.0	-28.67	-3.00	Vertical	Horizontal	Pass
1742.400	5.50	43.07	-25.0	30.50	363.00	Vertical	Horizontal	N/A
2526.000	10.48	46.10	-25.0	35.48	50.00	Vertical	Horizontal	N/A
5015.600	-54.13	7.07	-25.0	-29.13	-3.00	Vertical	Horizontal	Pass
10989.062	-46.32	17.32	-25.0	-21.32	274.00	Vertical	Horizontal	Pass
17601.262	-40.07	21.96	-25.0	-15.07	208.00	Vertical	Horizontal	Pass


62.3 DC_7A_n66A, PI/2 BPSK, 20MHz(LTE)+20MHz(NR)

RSE-H&H DC_7A_n66A 20MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1739.600	7.50	42.99	-25.0	32.50	122.00	Horizontal	Horizontal	N/A
2140.900	-36.04	45.92	-25.0	-11.04	278.00	Horizontal	Horizontal	N/A
2542.400	-6.38	45.98	-25.0	18.62	345.00	Horizontal	Horizontal	N/A
2658.700	-37.39	46.29	-25.0	-12.39	258.00	Horizontal	Horizontal	N/A
6988.200	-48.33	13.56	-25.0	-23.33	324.00	Horizontal	Horizontal	Pass
17383.387	-40.17	22.31	-25.0	-15.17	224.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A 20MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
782.429	-53.77	39.42	-25.0	-28.77	-3.00	Horizontal	Vertical	Pass
1740.000	6.73	42.98	-25.0	31.73	177.00	Horizontal	Vertical	N/A
2529.100	-12.93	46.08	-25.0	12.07	361.00	Horizontal	Vertical	N/A
6672.400	-49.74	11.57	-25.0	-24.74	360.00	Horizontal	Vertical	Pass
10901.950	-47.16	17.71	-25.0	-22.16	321.00	Horizontal	Vertical	Pass
17298.074	-40.24	21.14	-25.0	-15.24	168.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A 20MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1739.900	2.57	42.98	-25.0	27.57	165.00	Vertical	Vertical	N/A
2148.600	-32.46	46.08	-25.0	-7.46	182.00	Vertical	Vertical	N/A
2528.800	-7.66	46.09	-25.0	17.34	238.00	Vertical	Vertical	N/A
2662.000	-40.71	46.15	-25.0	-15.71	146.00	Vertical	Vertical	N/A
6984.000	-48.01	13.80	-25.0	-23.01	-1.00	Vertical	Vertical	Pass
17641.687	-40.29	21.36	-25.0	-15.29	122.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n66A 20MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
915.998	-53.74	41.35	-25.0	-28.74	232.00	Vertical	Horizontal	Pass
1739.600	1.41	42.99	-25.0	26.41	193.00	Vertical	Horizontal	N/A
2538.200	-10.99	46.02	-25.0	14.01	53.00	Vertical	Horizontal	N/A
6637.600	-49.69	12.05	-25.0	-24.69	307.00	Vertical	Horizontal	Pass
11447.625	-47.06	17.20	-25.0	-22.06	290.00	Vertical	Horizontal	Pass
17600.213	-40.12	21.97	-25.0	-15.12	8.00	Vertical	Horizontal	Pass


62.4 DC_7A_n66A, QPSK, 20MHz(LTE)+5MHz(NR)

RSE-H&H DC_7A_n66A 20MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1743.000	13.62	43.12	-25.0	38.62	120.00	Horizontal	Horizontal	N/A
2144.600	-37.38	46.12	-25.0	-12.38	278.00	Horizontal	Horizontal	N/A
2526.200	5.05	46.11	-25.0	30.05	331.00	Horizontal	Horizontal	N/A
2663.700	-36.11	46.15	-25.0	-11.11	228.00	Horizontal	Horizontal	N/A
5146.800	-54.53	7.49	-25.0	-29.53	-1.00	Horizontal	Horizontal	Pass
17437.198	-39.96	22.22	-25.0	-14.96	208.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A 20MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1747.000	14.83	43.26	-25.0	39.83	363.00	Horizontal	Vertical	N/A
2144.400	-36.66	46.13	-25.0	-11.66	151.00	Horizontal	Vertical	N/A
2526.100	-4.00	46.11	-25.0	21.00	360.00	Horizontal	Vertical	N/A
2649.300	-35.78	46.23	-25.0	-10.78	243.00	Horizontal	Vertical	N/A
5120.800	-54.38	7.83	-25.0	-29.38	250.00	Horizontal	Vertical	Pass
17587.350	-40.18	22.11	-25.0	-15.18	-1.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A 20MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
913.573	-53.28	41.26	-25.0	-28.28	-1.00	Vertical	Vertical	Pass
1745.000	7.67	43.29	-25.0	32.67	174.00	Vertical	Vertical	N/A
2526.100	3.53	46.11	-25.0	28.53	275.00	Vertical	Vertical	N/A
5116.400	-54.39	7.77	-25.0	-29.39	-3.00	Vertical	Vertical	Pass
10895.912	-47.23	17.60	-25.0	-22.23	182.00	Vertical	Vertical	Pass
17426.962	-40.20	22.48	-25.0	-15.20	220.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n66A 20MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
912.506	-53.26	41.24	-25.0	-28.26	-1.00	Vertical	Horizontal	Pass
1742.800	9.21	43.10	-25.0	34.21	196.00	Vertical	Horizontal	N/A
2526.100	1.10	46.11	-25.0	26.10	61.00	Vertical	Horizontal	N/A
5124.600	-53.83	7.96	-25.0	-28.83	194.00	Vertical	Horizontal	Pass
11520.362	-46.68	17.48	-25.0	-21.68	360.00	Vertical	Horizontal	Pass
17429.850	-39.52	22.41	-25.0	-14.52	181.00	Vertical	Horizontal	Pass


62.5 DC_7A_n66A, QPSK, 20MHz(LTE)+15MHz(NR)

RSE-H&H DC_7A_n66A 20MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1738.200	13.68	43.05	-25.0	38.68	163.00	Horizontal	Horizontal	N/A
2142.800	-38.34	45.94	-25.0	-13.34	259.00	Horizontal	Horizontal	N/A
2526.100	14.76	46.11	-25.0	39.76	363.00	Horizontal	Horizontal	N/A
2661.100	-36.56	46.21	-25.0	-11.56	210.00	Horizontal	Horizontal	N/A
4924.200	-54.58	7.63	-25.0	-29.58	275.00	Horizontal	Horizontal	Pass
17486.025	-39.87	21.51	-25.0	-14.87	234.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A 20MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1742.200	11.60	43.06	-25.0	36.60	361.00	Horizontal	Vertical	N/A
2141.700	-35.35	45.89	-25.0	-10.35	137.00	Horizontal	Vertical	N/A
2526.200	11.48	46.11	-25.0	36.48	361.00	Horizontal	Vertical	N/A
2656.100	-35.82	46.10	-25.0	-10.82	251.00	Horizontal	Vertical	N/A
5022.200	-54.08	6.99	-25.0	-29.08	100.00	Horizontal	Vertical	Pass
17381.026	-39.47	22.25	-25.0	-14.47	244.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A 20MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
904.891	-53.05	40.99	-25.0	-28.05	187.00	Vertical	Vertical	Pass
1742.400	8.96	43.07	-25.0	33.96	363.00	Vertical	Vertical	N/A
2526.100	6.99	46.11	-25.0	31.99	135.00	Vertical	Vertical	N/A
2651.600	-41.17	46.06	-25.0	-16.17	363.00	Vertical	Vertical	N/A
5119.600	-54.28	7.83	-25.0	-29.28	0.00	Vertical	Vertical	Pass
17601.262	-40.19	21.96	-25.0	-15.19	140.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n66A 20MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
926.765	-52.33	41.48	-25.0	-27.33	69.00	Vertical	Horizontal	Pass
1738.100	5.39	43.07	-25.0	30.39	81.00	Vertical	Horizontal	N/A
2526.200	10.31	46.11	-25.0	35.31	81.00	Vertical	Horizontal	N/A
4838.200	-54.38	7.06	-25.0	-29.38	104.00	Vertical	Horizontal	Pass
10901.088	-47.25	17.71	-25.0	-22.25	199.00	Vertical	Horizontal	Pass
17473.688	-39.81	21.71	-25.0	-14.81	-3.00	Vertical	Horizontal	Pass


62.6 DC_7A_n66A, QPSK, 20MHz(LTE)+20MHz(NR)

RSE-H&H DC_7A_n66A 20MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1739.900	6.14	42.98	-25.0	31.14	236.00	Horizontal	Horizontal	N/A
2147.100	-33.49	46.08	-25.0	-8.49	274.00	Horizontal	Horizontal	N/A
2530.800	4.19	45.93	-25.0	29.19	334.00	Horizontal	Horizontal	N/A
2662.400	-33.97	46.12	-25.0	-8.97	236.00	Horizontal	Horizontal	N/A
6981.400	-48.45	13.83	-25.0	-23.45	341.00	Horizontal	Horizontal	Pass
17439.562	-40.12	22.16	-25.0	-15.12	-3.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n66A 20MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
907.705	-52.43	41.20	-25.0	-27.43	117.00	Horizontal	Vertical	Pass
1739.800	7.75	42.99	-25.0	32.75	118.00	Horizontal	Vertical	N/A
2529.900	0.53	46.01	-25.0	25.53	363.00	Horizontal	Vertical	N/A
6986.800	-48.63	13.70	-25.0	-23.63	-3.00	Horizontal	Vertical	Pass
10983.312	-47.18	17.24	-25.0	-22.18	252.00	Horizontal	Vertical	Pass
17610.187	-40.11	21.88	-25.0	-15.11	214.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n66A 20MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1744.700	-2.81	43.28	-25.0	22.19	117.00	Vertical	Vertical	N/A
2146.700	-34.04	46.08	-25.0	-9.04	137.00	Vertical	Vertical	N/A
2537.400	-1.32	46.03	-25.0	23.68	166.00	Vertical	Vertical	N/A
2661.800	-40.48	46.16	-25.0	-15.48	13.00	Vertical	Vertical	N/A
6984.200	-48.11	13.78	-25.0	-23.11	327.00	Vertical	Vertical	Pass
17383.911	-40.42	22.32	-25.0	-15.42	10.00	Vertical	Vertical	Pass

RSE-V&H DC_7A_n66A 20MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
800.762	-53.17	39.99	-25.0	-28.17	-3.00	Vertical	Horizontal	Pass
1739.800	6.15	42.99	-25.0	31.15	361.00	Vertical	Horizontal	N/A
2543.400	0.54	45.94	-25.0	25.54	31.00	Vertical	Horizontal	N/A
6981.800	-48.08	13.85	-25.0	-23.08	270.00	Vertical	Horizontal	Pass
11522.375	-46.78	17.44	-25.0	-21.78	243.00	Vertical	Horizontal	Pass
17580.261	-40.13	22.19	-25.0	-15.13	200.00	Vertical	Horizontal	Pass

63 DC_12A_n66A


63.1 DC_12A_n66A, PI/2 BPSK, 10MHz(LTE)+5MHz(NR)

RSE-H&H DC_12A_n66A 10MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
708.709	0.72	38.12	-25.0	25.72	-1.00	Horizontal	Horizontal	N/A
735.918	-31.25	38.67	-25.0	-6.25	36.00	Horizontal	Horizontal	N/A
1747.100	0.01	43.24	-25.0	25.01	46.00	Horizontal	Horizontal	N/A
2143.600	-28.33	46.03	-25.0	-3.33	268.00	Horizontal	Horizontal	N/A
6979.000	-47.81	13.92	-25.0	-22.81	360.00	Horizontal	Horizontal	Pass
17424.337	-40.02	22.54	-25.0	-15.02	156.00	Horizontal	Horizontal	Pass

RSE-H&V DC_12A_n66A 10MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
711.619	1.86	38.10	-25.0	26.86	49.00	Horizontal	Vertical	N/A
734.366	-37.35	38.67	-25.0	-12.35	-3.00	Horizontal	Vertical	N/A
1747.000	0.38	43.26	-25.0	25.38	350.00	Horizontal	Vertical	N/A
2143.600	-39.71	46.03	-25.0	-14.71	58.00	Horizontal	Vertical	N/A
6972.800	-47.86	13.67	-25.0	-22.86	-3.00	Horizontal	Vertical	Pass
17894.474	-40.09	22.80	-25.0	-15.09	-1.00	Horizontal	Vertical	Pass

RSE-V&V DC_12A_n66A 10MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
711.910	6.79	38.10	-25.0	31.79	14.00	Vertical	Vertical	N/A
740.574	-33.93	38.80	-25.0	-8.93	273.00	Vertical	Vertical	N/A
1747.000	0.95	43.26	-25.0	25.95	146.00	Vertical	Vertical	N/A
2146.500	-25.30	46.08	-25.0	-0.30	173.00	Vertical	Vertical	N/A
6995.400	-48.12	13.55	-25.0	-23.12	332.00	Vertical	Vertical	Pass
17585.775	-40.01	22.13	-25.0	-15.01	269.00	Vertical	Vertical	Pass


RSE-V&H DC_12A_n66A 10MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
710.358	-5.09	38.10	-25.0	19.91	127.00	Vertical	Horizontal	N/A
741.156	-38.44	38.81	-25.0	-13.44	308.00	Vertical	Horizontal	N/A
1745.200	-8.93	43.29	-25.0	16.07	363.00	Vertical	Horizontal	N/A
2146.500	-40.32	46.08	-25.0	-15.32	177.00	Vertical	Horizontal	N/A
6974.200	-48.29	13.70	-25.0	-23.29	267.00	Vertical	Horizontal	Pass
17378.136	-40.18	22.16	-25.0	-15.18	-3.00	Vertical	Horizontal	Pass


63.2 DC_12A_n66A, PI/2 BPSK, 10MHz(LTE)+15MHz(NR)

RSE-H&H DC_12A_n66A 10MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
711.474	-0.96	38.10	-25.0	24.04	206.00	Horizontal	Horizontal	N/A
740.525	-35.16	38.80	-25.0	-10.16	28.00	Horizontal	Horizontal	N/A
1741.900	6.33	43.05	-25.0	31.33	76.00	Horizontal	Horizontal	N/A
2147.500	-32.56	46.08	-25.0	-7.56	297.00	Horizontal	Horizontal	N/A
6998.200	-48.21	13.63	-25.0	-23.21	204.00	Horizontal	Horizontal	Pass
17553.488	-39.92	22.50	-25.0	-14.92	280.00	Horizontal	Horizontal	Pass

RSE-H&V DC_12A_n66A 10MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
707.448	2.82	38.11	-25.0	27.82	33.00	Horizontal	Vertical	N/A
741.786	-37.07	38.82	-25.0	-12.07	5.00	Horizontal	Vertical	N/A
1742.400	0.31	43.07	-25.0	25.31	363.00	Horizontal	Vertical	N/A
6692.800	-49.21	11.74	-25.0	-24.21	149.00	Horizontal	Vertical	Pass
11758.701	-46.04	18.35	-25.0	-21.04	198.00	Horizontal	Vertical	Pass
17599.162	-40.19	21.98	-25.0	-15.19	73.00	Horizontal	Vertical	Pass

RSE-V&V DC_12A_n66A 10MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
709.825	7.34	38.10	-25.0	32.34	160.00	Vertical	Vertical	N/A
734.753	-35.56	38.67	-25.0	-10.56	220.00	Vertical	Vertical	N/A
1737.900	0.66	43.10	-25.0	25.66	142.00	Vertical	Vertical	N/A
2144.200	-30.11	46.11	-25.0	-5.11	200.00	Vertical	Vertical	N/A
6688.600	-49.30	11.90	-25.0	-24.30	182.00	Vertical	Vertical	Pass
17607.037	-40.10	21.91	-25.0	-15.10	296.00	Vertical	Vertical	Pass


RSE-V&H DC_12A_n66A 10MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
709.582	-5.36	38.11	-25.0	19.64	206.00	Vertical	Horizontal	N/A
740.719	-36.55	38.80	-25.0	-11.55	360.00	Vertical	Horizontal	N/A
1741.900	4.86	43.05	-25.0	29.86	363.00	Vertical	Horizontal	N/A
6719.200	-49.62	11.12	-25.0	-24.62	181.00	Vertical	Horizontal	Pass
11074.737	-46.87	15.80	-25.0	-21.87	131.00	Vertical	Horizontal	Pass
17474.474	-39.92	21.71	-25.0	-14.92	168.00	Vertical	Horizontal	Pass


63.3 DC_12A_n66A, PI/2 BPSK, 10MHz(LTE)+20MHz(NR)

RSE-H&H DC_12A_n66A 10MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
709.582	-0.95	38.11	-25.0	24.05	316.00	Horizontal	Horizontal	N/A
736.305	-40.30	38.68	-25.0	-15.30	9.00	Horizontal	Horizontal	N/A
1746.700	-5.31	43.26	-25.0	19.69	318.00	Horizontal	Horizontal	N/A
2136.800	-35.78	45.94	-25.0	-10.78	199.00	Horizontal	Horizontal	N/A
12108.013	-44.94	18.16	-25.0	-19.94	170.00	Horizontal	Horizontal	Pass
17598.636	-40.18	21.99	-25.0	-15.18	220.00	Horizontal	Horizontal	Pass

RSE-H&V DC_12A_n66A 10MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
711.910	-5.08	38.10	-25.0	19.92	115.00	Horizontal	Vertical	N/A
734.705	-39.19	38.67	-25.0	-14.19	78.00	Horizontal	Vertical	N/A
1746.500	-7.70	43.27	-25.0	17.30	363.00	Horizontal	Vertical	N/A
2136.200	-39.69	45.99	-25.0	-14.69	70.00	Horizontal	Vertical	N/A
5174.200	-53.84	7.30	-25.0	-28.84	313.00	Horizontal	Vertical	Pass
17474.474	-40.30	21.71	-25.0	-15.30	99.00	Horizontal	Vertical	Pass

RSE-V&V DC_12A_n66A 10MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
710.503	3.25	38.10	-25.0	28.25	4.00	Vertical	Vertical	N/A
734.705	-34.44	38.67	-25.0	-9.44	196.00	Vertical	Vertical	N/A
1747.200	-8.47	43.22	-25.0	16.53	285.00	Vertical	Vertical	N/A
5411.800	-53.41	7.26	-25.0	-28.41	334.00	Vertical	Vertical	Pass
11639.099	-46.73	17.17	-25.0	-21.73	68.00	Vertical	Vertical	Pass
17431.425	-40.38	22.37	-25.0	-15.38	70.00	Vertical	Vertical	Pass


RSE-V&H DC_12A_n66A 10MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
710.115	-5.09	38.10	-25.0	19.91	139.00	Vertical	Horizontal	N/A
741.156	-39.85	38.81	-25.0	-14.85	322.00	Vertical	Horizontal	N/A
1747.000	-13.24	43.26	-25.0	11.76	363.00	Vertical	Horizontal	N/A
5117.400	-53.99	7.82	-25.0	-28.99	271.00	Vertical	Horizontal	Pass
10902.525	-47.05	17.70	-25.0	-22.05	291.00	Vertical	Horizontal	Pass
17588.662	-40.22	22.09	-25.0	-15.22	-3.00	Vertical	Horizontal	Pass


63.4 DC_12A_n66A, QPSK, 10MHz(LTE)+5MHz(NR)

RSE-H&H DC_12A_n66A 10MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
709.242	1.37	38.11	-25.0	26.37	208.00	Horizontal	Horizontal	N/A
736.451	-32.70	38.68	-25.0	-7.70	-3.00	Horizontal	Horizontal	N/A
1744.800	8.98	43.29	-25.0	33.98	161.00	Horizontal	Horizontal	N/A
2144.600	-28.35	46.12	-25.0	-3.35	272.00	Horizontal	Horizontal	N/A
6975.800	-48.11	13.73	-25.0	-23.11	277.00	Horizontal	Horizontal	Pass
17911.800	-40.11	22.57	-25.0	-15.11	256.00	Horizontal	Horizontal	Pass

RSE-H&V DC_12A_n66A 10MHz(LTE)+5MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
709.922	-2.95	38.10	-25.0	22.05	251.00	Horizontal	Vertical	N/A
733.541	-35.05	38.67	-25.0	-10.05	18.00	Horizontal	Vertical	N/A
1747.200	4.92	43.22	-25.0	29.92	175.00	Horizontal	Vertical	N/A
2145.200	-41.10	46.11	-25.0	-16.10	200.00	Horizontal	Vertical	N/A
6767.600	-48.94	11.43	-25.0	-23.94	107.00	Horizontal	Vertical	Pass
17374.462	-39.90	22.03	-25.0	-14.90	340.00	Horizontal	Vertical	Pass

RSE-V&V DC_12A_n66A 10MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
710.552	0.95	38.10	-25.0	25.95	203.00	Vertical	Vertical	N/A
733.347	-37.35	38.67	-25.0	-12.35	0.00	Vertical	Vertical	N/A
1742.900	6.51	43.11	-25.0	31.51	116.00	Vertical	Vertical	N/A
2144.800	-25.29	46.12	-25.0	-0.29	177.00	Vertical	Vertical	N/A
6999.800	-48.23	13.65	-25.0	-23.23	250.00	Vertical	Vertical	Pass
18082.875	-40.01	22.48	-25.0	-15.01	363.00	Vertical	Vertical	Pass


RSE-V&H DC_12A_n66A 10MHz(LTE)+5MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
709.582	-6.46	38.11	-25.0	18.54	129.00	Vertical	Horizontal	N/A
739.555	-37.35	38.77	-25.0	-12.35	301.00	Vertical	Horizontal	N/A
1747.200	7.05	43.22	-25.0	32.05	62.00	Vertical	Horizontal	N/A
6975.800	-48.15	13.73	-25.0	-23.15	322.00	Vertical	Horizontal	Pass
11592.237	-46.75	17.85	-25.0	-21.75	331.00	Vertical	Horizontal	Pass
17476.575	-40.39	21.71	-25.0	-15.39	110.00	Vertical	Horizontal	Pass


63.5 DC_12A_n66A, QPSK, 10MHz(LTE)+15MHz(NR)

RSE-H&H DC_12A_n66A 10MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
710.455	-0.76	38.10	-25.0	24.24	91.00	Horizontal	Horizontal	N/A
733.201	-36.40	38.66	-25.0	-11.40	91.00	Horizontal	Horizontal	N/A
1738.100	-0.45	43.07	-25.0	24.55	328.00	Horizontal	Horizontal	N/A
2139.000	-30.95	45.90	-25.0	-5.95	264.00	Horizontal	Horizontal	N/A
6971.200	-48.10	13.54	-25.0	-23.10	151.00	Horizontal	Horizontal	Pass
17467.126	-39.48	21.73	-25.0	-14.48	102.00	Horizontal	Horizontal	Pass

RSE-H&V DC_12A_n66A 10MHz(LTE)+15MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
708.709	-5.38	38.12	-25.0	19.62	280.00	Horizontal	Vertical	N/A
740.816	-36.00	38.80	-25.0	-11.00	344.00	Horizontal	Vertical	N/A
1746.500	-5.89	43.27	-25.0	19.11	180.00	Horizontal	Vertical	N/A
6992.600	-48.45	13.59	-25.0	-23.45	363.00	Horizontal	Vertical	Pass
10957.150	-47.23	16.62	-25.0	-22.23	1.00	Horizontal	Vertical	Pass
17322.750	-39.98	21.08	-25.0	-14.98	331.00	Horizontal	Vertical	Pass

RSE-V&V DC_12A_n66A 10MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
708.854	1.36	38.12	-25.0	26.36	19.00	Vertical	Vertical	N/A
734.802	-34.15	38.67	-25.0	-9.15	252.00	Vertical	Vertical	N/A
1742.400	-3.93	43.07	-25.0	21.07	272.00	Vertical	Vertical	N/A
2143.700	-30.51	46.05	-25.0	-5.51	136.00	Vertical	Vertical	N/A
6672.400	-49.01	11.57	-25.0	-24.01	51.00	Vertical	Vertical	Pass
17339.288	-39.86	21.08	-25.0	-14.86	361.00	Vertical	Vertical	Pass


RSE-V&H DC_12A_n66A 10MHz(LTE)+15MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
710.601	-7.31	38.10	-25.0	17.69	139.00	Vertical	Horizontal	N/A
741.641	-39.28	38.82	-25.0	-14.28	360.00	Vertical	Horizontal	N/A
1742.300	-11.11	43.07	-25.0	13.89	247.00	Vertical	Horizontal	N/A
6975.600	-48.41	13.73	-25.0	-23.41	320.00	Vertical	Horizontal	Pass
11000.563	-46.85	17.48	-25.0	-21.85	148.00	Vertical	Horizontal	Pass
17598.376	-40.27	21.99	-25.0	-15.27	285.00	Vertical	Horizontal	Pass


63.6 DC_12A_n66A, QPSK, 10MHz(LTE)+20MHz(NR)

RSE-H&H DC_12A_n66A 10MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
710.115	-0.27	38.10	-25.0	24.73	-3.00	Horizontal	Horizontal	N/A
740.865	-41.28	38.80	-25.0	-16.28	-3.00	Horizontal	Horizontal	N/A
1748.400	-6.39	43.04	-25.0	18.61	354.00	Horizontal	Horizontal	N/A
2139.600	-34.69	45.93	-25.0	-9.69	191.00	Horizontal	Horizontal	N/A
5131.600	-54.10	7.78	-25.0	-29.10	-1.00	Horizontal	Horizontal	Pass
17421.449	-40.12	22.62	-25.0	-15.12	-2.00	Horizontal	Horizontal	Pass

RSE-H&V DC_12A_n66A 10MHz(LTE)+20MHz(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
709.630	-8.13	38.11	-25.0	16.87	221.00	Horizontal	Vertical	N/A
738.488	-42.04	38.72	-25.0	-17.04	-3.00	Horizontal	Vertical	N/A
1745.600	-8.77	43.28	-25.0	16.23	172.00	Horizontal	Vertical	N/A
2140.500	-38.51	45.94	-25.0	-13.51	115.00	Horizontal	Vertical	N/A
5121.000	-53.88	7.82	-25.0	-28.88	249.00	Horizontal	Vertical	Pass
17628.824	-39.87	21.61	-25.0	-14.87	209.00	Horizontal	Vertical	Pass

RSE-V&V DC_12A_n66A 10MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
711.813	3.13	38.10	-25.0	28.13	15.00	Vertical	Vertical	N/A
741.156	-37.02	38.81	-25.0	-12.02	360.00	Vertical	Vertical	N/A
1747.900	-11.14	43.12	-25.0	13.86	286.00	Vertical	Vertical	N/A
4803.400	-54.25	7.51	-25.0	-29.25	18.00	Vertical	Vertical	Pass
10884.412	-47.02	17.27	-25.0	-22.02	361.00	Vertical	Vertical	Pass
17343.488	-39.11	21.15	-25.0	-14.11	145.00	Vertical	Vertical	Pass

RSE-V&H DC_12A_n66A 10MHz(LTE)+20MHz(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
710.891	-3.94	38.10	-25.0	21.06	34.00	Vertical	Horizontal	N/A
738.100	-38.53	38.70	-25.0	-13.53	311.00	Vertical	Horizontal	N/A
1747.800	-13.36	43.13	-25.0	11.64	23.00	Vertical	Horizontal	N/A
5122.400	-53.92	7.89	-25.0	-28.92	215.00	Vertical	Horizontal	Pass
11531.575	-46.86	17.27	-25.0	-21.86	209.00	Vertical	Horizontal	Pass
17607.037	-40.08	21.91	-25.0	-15.08	180.00	Vertical	Horizontal	Pass