



**19.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.64	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.73	-25	Pass	2985
30	1000	0.1	RMS	843.399	-60.82	-25	Pass	9699
1000	2525	1	RMS	2525	-47.14	-25	Pass	1525
2525	2665	1	RMS	2609	8.36	60	Pass	401
2665	3000	1	RMS	2951.425	-46.46	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.99	-25	Pass	9000
12000	26500	1	RMS	25996.92	-39.42	-25	Pass	14500




**19.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.55	-25	Pass	401
0.15	30	0.01	RMS	0.28	-68.79	-25	Pass	2985
30	1000	0.1	RMS	853.005	-60.74	-25	Pass	9699
1000	2525	1	RMS	2525	-46.81	-25	Pass	1525
2525	2665	1	RMS	2588.7	7.43	60	Pass	401
2665	3000	1	RMS	2947.238	-46.47	-25	Pass	401
3000	12000	1	RMS	11789.74	-53.95	-25	Pass	9000
12000	26500	1	RMS	25998.921	-39.38	-25	Pass	14500




**19.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.58	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.36	-25	Pass	2985
30	1000	0.1	RMS	837.399	-60.78	-25	Pass	9699
1000	2525	1	RMS	2523.999	-46.32	-25	Pass	1525
2525	2665	1	RMS	2580.65	8.58	60	Pass	401
2665	3000	1	RMS	2948.075	-46.43	-25	Pass	401
3000	12000	1	RMS	11814.771	-53.95	-25	Pass	9000
12000	26500	1	RMS	26017.924	-39.4	-25	Pass	14500




**19.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.33	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.1	-25	Pass	2985
30	1000	0.1	RMS	841.799	-60.88	-25	Pass	9699
1000	2525	1	RMS	2523.999	-47.4	-25	Pass	1525
2525	2665	1	RMS	2588.35	6.23	60	Pass	401
2665	3000	1	RMS	2949.75	-46.46	-25	Pass	401
3000	12000	1	RMS	11817.774	-54.03	-25	Pass	9000
12000	26500	1	RMS	26012.923	-39.43	-25	Pass	14500




**19.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.03	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.09	-25	Pass	2985
30	1000	0.1	RMS	844.199	-60.86	-25	Pass	9699
1000	2525	1	RMS	2488.976	-47.96	-25	Pass	1525
2525	2665	1	RMS	2590.8	9.24	60	Pass	401
2665	3000	1	RMS	2949.75	-46.48	-25	Pass	401
3000	12000	1	RMS	11797.75	-53.98	-25	Pass	9000
12000	26500	1	RMS	25995.92	-39.39	-25	Pass	14500




**19.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.7	-25	Pass	2985
30	1000	0.1	RMS	856.209	-60.88	-25	Pass	9699
1000	2525	1	RMS	2521.998	-47.42	-25	Pass	1525
2525	2665	1	RMS	2608.65	7.48	60	Pass	401
2665	3000	1	RMS	2665.838	-45.31	-25	Pass	401
3000	12000	1	RMS	11824.783	-54	-25	Pass	9000
12000	26500	1	RMS	26018.924	-39.32	-25	Pass	14500




**19.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.67	-25	Pass	2985
30	1000	0.1	RMS	867.024	-60.92	-25	Pass	9699
1000	2525	1	RMS	2497.982	-48.11	-25	Pass	1525
2525	2665	1	RMS	2590.45	8.92	60	Pass	401
2665	3000	1	RMS	2675.05	-46.45	-25	Pass	401
3000	12000	1	RMS	11820.778	-54.02	-25	Pass	9000
12000	26500	1	RMS	26012.923	-39.42	-25	Pass	14500




**19.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.41	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.97	-25	Pass	2985
30	1000	0.1	RMS	851.403	-60.87	-25	Pass	9699
1000	2525	1	RMS	2519.997	-47.98	-25	Pass	1525
2525	2665	1	RMS	2598.15	6.38	60	Pass	401
2665	3000	1	RMS	2665	-46.42	-25	Pass	401
3000	12000	1	RMS	11791.742	-53.97	-25	Pass	9000
12000	26500	1	RMS	26005.922	-39.44	-25	Pass	14500




**19.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.65	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.88	-25	Pass	2985
30	1000	0.1	RMS	841.499	-60.83	-25	Pass	9699
1000	2525	1	RMS	2495.981	-47.33	-25	Pass	1525
2525	2665	1	RMS	2570.85	8.12	60	Pass	401
2665	3000	1	RMS	2948.913	-46.51	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.94	-25	Pass	9000
12000	26500	1	RMS	26004.922	-39.39	-25	Pass	14500




**19.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.43	-25	Pass	401
0.15	30	0.01	RMS	0.27	-69.57	-25	Pass	2985
30	1000	0.1	RMS	843.199	-60.75	-25	Pass	9699
1000	2525	1	RMS	2525	-43.76	-25	Pass	1525
2525	2665	1	RMS	2578.9	5.89	60	Pass	401
2665	3000	1	RMS	2665.838	-46.32	-25	Pass	401
3000	12000	1	RMS	11795.747	-53.98	-25	Pass	9000
12000	26500	1	RMS	26008.922	-39.46	-25	Pass	14500




**19.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.22	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.27	-25	Pass	2985
30	1000	0.1	RMS	844.999	-60.83	-25	Pass	9699
1000	2525	1	RMS	2495.981	-46.26	-25	Pass	1525
2525	2665	1	RMS	2571.2	8.02	60	Pass	401
2665	3000	1	RMS	2950.588	-46.54	-25	Pass	401
3000	12000	1	RMS	11815.772	-54.02	-25	Pass	9000
12000	26500	1	RMS	26001.921	-39.47	-25	Pass	14500




**19.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.22	-25	Pass	401
0.15	30	0.01	RMS	0.33	-68.85	-25	Pass	2985
30	1000	0.1	RMS	840.699	-60.88	-25	Pass	9699
1000	2525	1	RMS	2521.998	-45.15	-25	Pass	1525
2525	2665	1	RMS	2583.1	4.54	60	Pass	401
2665	3000	1	RMS	2949.75	-46.51	-25	Pass	401
3000	12000	1	RMS	11790.741	-54.03	-25	Pass	9000
12000	26500	1	RMS	26005.922	-39.4	-25	Pass	14500




**19.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.63	-25	Pass	2985
30	1000	0.1	RMS	839.199	-60.9	-25	Pass	9699
1000	2525	1	RMS	2500.984	-46.75	-25	Pass	1525
2525	2665	1	RMS	2576.1	8.56	60	Pass	401
2665	3000	1	RMS	2944.725	-46.51	-25	Pass	401
3000	12000	1	RMS	11792.743	-54.02	-25	Pass	9000
12000	26500	1	RMS	25982.918	-39.42	-25	Pass	14500




**19.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.91	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.98	-25	Pass	2985
30	1000	0.1	RMS	843.399	-60.9	-25	Pass	9699
1000	2525	1	RMS	2525	-44.63	-25	Pass	1525
2525	2665	1	RMS	2589.75	5.54	60	Pass	401
2665	3000	1	RMS	2665	-45.15	-25	Pass	401
3000	12000	1	RMS	11804.758	-54.04	-25	Pass	9000
12000	26500	1	RMS	25991.919	-39.43	-25	Pass	14500




**19.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.18	-25	Pass	2985
30	1000	0.1	RMS	858.713	-60.96	-25	Pass	9699
1000	2525	1	RMS	2500.984	-46.54	-25	Pass	1525
2525	2665	1	RMS	2613.55	8.47	60	Pass	401
2665	3000	1	RMS	2948.913	-46.48	-25	Pass	401
3000	12000	1	RMS	11807.762	-54.04	-25	Pass	9000
12000	26500	1	RMS	25989.919	-39.47	-25	Pass	14500




**19.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.17	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.4	-25	Pass	2985
30	1000	0.1	RMS	863.018	-60.86	-25	Pass	9699
1000	2525	1	RMS	2522.999	-46.11	-25	Pass	1525
2525	2665	1	RMS	2587.3	4.43	60	Pass	401
2665	3000	1	RMS	2951.425	-46.52	-25	Pass	401
3000	12000	1	RMS	11800.753	-54.05	-25	Pass	9000
12000	26500	1	RMS	26002.921	-39.44	-25	Pass	14500




**19.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.39	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.75	-25	Pass	2985
30	1000	0.1	RMS	834.098	-60.81	-25	Pass	9699
1000	2525	1	RMS	2505.988	-46.76	-25	Pass	1525
2525	2665	1	RMS	2581.35	8.36	60	Pass	401
2665	3000	1	RMS	2948.075	-46.51	-25	Pass	401
3000	12000	1	RMS	11813.77	-54.02	-25	Pass	9000
12000	26500	1	RMS	25999.921	-39.44	-25	Pass	14500




**19.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.84	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.13	-25	Pass	2985
30	1000	0.1	RMS	855.809	-60.82	-25	Pass	9699
1000	2525	1	RMS	2523.999	-45.77	-25	Pass	1525
2525	2665	1	RMS	2591.85	5.78	60	Pass	401
2665	3000	1	RMS	2665.838	-44.92	-25	Pass	401
3000	12000	1	RMS	11809.765	-54.01	-25	Pass	9000
12000	26500	1	RMS	25997.92	-39.49	-25	Pass	14500




**19.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.64	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.37	-25	Pass	2985
30	1000	0.1	RMS	868.125	-60.91	-25	Pass	9699
1000	2525	1	RMS	2505.988	-46.67	-25	Pass	1525
2525	2665	1	RMS	2581.35	8.16	60	Pass	401
2665	3000	1	RMS	2947.238	-46.52	-25	Pass	401
3000	12000	1	RMS	11823.782	-54.03	-25	Pass	9000
12000	26500	1	RMS	26018.924	-39.47	-25	Pass	14500



**19.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.05	-25	Pass	2985
30	1000	0.1	RMS	848.3	-60.85	-25	Pass	9699
1000	2525	1	RMS	2522.999	-46.61	-25	Pass	1525
2525	2665	1	RMS	2590.1	5.11	60	Pass	401
2665	3000	1	RMS	2665	-45.7	-25	Pass	401
3000	12000	1	RMS	11781.73	-54.07	-25	Pass	9000
12000	26500	1	RMS	26000.921	-39.35	-25	Pass	14500



20. CA_41C_full


**20.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.04	-25	Pass	401
0.15	30	0.01	RMS	0.32	-69.47	-25	Pass	2985
30	1000	0.1	RMS	827.197	-60.9	-25	Pass	9699
1000	2475	1	RMS	2475	-46.41	-25	Pass	1475
2475	2735	1	RMS	2519.2	8.27	60	Pass	401
2735	3000	1	RMS	2950.313	-46.47	-25	Pass	401
3000	12000	1	RMS	11822.781	-53.98	-25	Pass	9000
12000	27000	1	RMS	26004.854	-39.38	-25	Pass	15000




**20.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.25	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.88	-25	Pass	2985
30	1000	0.1	RMS	845.6	-60.84	-25	Pass	9699
1000	2475	1	RMS	2475	-45.67	-25	Pass	1475
2475	2735	1	RMS	2516.6	11.22	60	Pass	401
2735	3000	1	RMS	2947.663	-46.46	-25	Pass	401
3000	12000	1	RMS	11805.76	-54.04	-25	Pass	9000
12000	27000	1	RMS	26001.853	-39.36	-25	Pass	15000




**20.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.81	-25	Pass	2985
30	1000	0.1	RMS	866.723	-60.98	-25	Pass	9699
1000	2475	1	RMS	2473.999	-45.66	-25	Pass	1475
2475	2735	1	RMS	2519.2	8.29	60	Pass	401
2735	3000	1	RMS	2946.338	-46.48	-25	Pass	401
3000	12000	1	RMS	11810.766	-54.01	-25	Pass	9000
12000	27000	1	RMS	25992.852	-39.38	-25	Pass	15000




**20.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.14	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.7	-25	Pass	2985
30	1000	0.1	RMS	836.798	-60.89	-25	Pass	9699
1000	2475	1	RMS	2473.999	-47.42	-25	Pass	1475
2475	2735	1	RMS	2516.6	10.14	60	Pass	401
2735	3000	1	RMS	2943.688	-46.48	-25	Pass	401
3000	12000	1	RMS	11811.767	-53.98	-25	Pass	9000
12000	27000	1	RMS	26003.854	-39.31	-25	Pass	15000




**20.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.15	-25	Pass	2985
30	1000	0.1	RMS	849.2	-60.82	-25	Pass	9699
1000	2475	1	RMS	2463.993	-47.29	-25	Pass	1475
2475	2735	1	RMS	2581.6	7.94	60	Pass	401
2735	3000	1	RMS	2950.975	-46.5	-25	Pass	401
3000	12000	1	RMS	11808.763	-54.03	-25	Pass	9000
12000	27000	1	RMS	26001.853	-39.31	-25	Pass	15000




**20.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.88	-25	Pass	2985
30	1000	0.1	RMS	865.622	-60.95	-25	Pass	9699
1000	2475	1	RMS	2452.985	-48.22	-25	Pass	1475
2475	2735	1	RMS	2602.4	11.72	60	Pass	401
2735	3000	1	RMS	2948.325	-46.51	-25	Pass	401
3000	12000	1	RMS	11800.753	-53.96	-25	Pass	9000
12000	27000	1	RMS	25996.853	-39.31	-25	Pass	15000




**20.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.75	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.05	-25	Pass	2985
30	1000	0.1	RMS	847.3	-60.88	-25	Pass	9699
1000	2475	1	RMS	2456.988	-47.19	-25	Pass	1475
2475	2735	1	RMS	2581.6	7.82	60	Pass	401
2735	3000	1	RMS	2949.65	-46.51	-25	Pass	401
3000	12000	1	RMS	11824.783	-54.06	-25	Pass	9000
12000	27000	1	RMS	26002.854	-39.32	-25	Pass	15000




**20.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.09	-25	Pass	2985
30	1000	0.1	RMS	824.797	-60.92	-25	Pass	9699
1000	2475	1	RMS	2462.992	-47.34	-25	Pass	1475
2475	2735	1	RMS	2602.4	10.92	60	Pass	401
2735	3000	1	RMS	2949.65	-46.54	-25	Pass	401
3000	12000	1	RMS	11790.741	-54.01	-25	Pass	9000
12000	27000	1	RMS	25995.853	-39.34	-25	Pass	15000




**20.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69	-25	Pass	2985
30	1000	0.1	RMS	821.997	-60.98	-25	Pass	9699
1000	2475	1	RMS	2469.997	-48.33	-25	Pass	1475
2475	2735	1	RMS	2665.45	8.8	60	Pass	401
2735	3000	1	RMS	2948.325	-46.54	-25	Pass	401
3000	12000	1	RMS	11790.741	-54.05	-25	Pass	9000
12000	27000	1	RMS	26002.854	-39.4	-25	Pass	15000




**20.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.26	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.03	-25	Pass	2985
30	1000	0.1	RMS	848.7	-60.89	-25	Pass	9699
1000	2475	1	RMS	2462.992	-47.51	-25	Pass	1475
2475	2735	1	RMS	2685.6	11.78	60	Pass	401
2735	3000	1	RMS	2945.675	-46.56	-25	Pass	401
3000	12000	1	RMS	11792.743	-54.04	-25	Pass	9000
12000	27000	1	RMS	26004.854	-39.24	-25	Pass	15000




**20.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.15	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.42	-25	Pass	2985
30	1000	0.1	RMS	837.999	-60.95	-25	Pass	9699
1000	2475	1	RMS	2454.986	-48.38	-25	Pass	1475
2475	2735	1	RMS	2665.45	8.58	60	Pass	401
2735	3000	1	RMS	2946.338	-46.56	-25	Pass	401
3000	12000	1	RMS	8249.641	-54.11	-25	Pass	9000
12000	27000	1	RMS	26006.854	-39.37	-25	Pass	15000




**20.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.33	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.13	-25	Pass	2985
30	1000	0.1	RMS	836.098	-60.95	-25	Pass	9699
1000	2475	1	RMS	2472.999	-48.29	-25	Pass	1475
2475	2735	1	RMS	2686.9	11.24	60	Pass	401
2735	3000	1	RMS	2946.338	-46.55	-25	Pass	401
3000	12000	1	RMS	11820.778	-54.04	-25	Pass	9000
12000	27000	1	RMS	25999.853	-39.33	-25	Pass	15000




**20.13. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.78	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.25	-25	Pass	2985
30	1000	0.1	RMS	825.997	-60.98	-25	Pass	9699
1000	2475	1	RMS	2459.99	-48.14	-25	Pass	1475
2475	2735	1	RMS	2534.15	7.51	60	Pass	401
2735	3000	1	RMS	2948.325	-46.58	-25	Pass	401
3000	12000	1	RMS	11818.776	-54.04	-25	Pass	9000
12000	27000	1	RMS	26956.994	-39.42	-25	Pass	15000




**20.14. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.55	-25	Pass	2985
30	1000	0.1	RMS	843.599	-60.96	-25	Pass	9699
1000	2475	1	RMS	2475	-44.95	-25	Pass	1475
2475	2735	1	RMS	2506.2	5.98	60	Pass	401
2735	3000	1	RMS	2945.013	-46.56	-25	Pass	401
3000	12000	1	RMS	11811.767	-54.06	-25	Pass	9000
12000	27000	1	RMS	26020.856	-39.44	-25	Pass	15000




**20.15. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.95	-25	Pass	2985
30	1000	0.1	RMS	835.998	-60.99	-25	Pass	9699
1000	2475	1	RMS	2473.999	-48.22	-25	Pass	1475
2475	2735	1	RMS	2534.15	7.43	60	Pass	401
2735	3000	1	RMS	2946.338	-46.53	-25	Pass	401
3000	12000	1	RMS	11822.781	-54.07	-25	Pass	9000
12000	27000	1	RMS	26002.854	-39.33	-25	Pass	15000




**20.16. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.41	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.11	-25	Pass	2985
30	1000	0.1	RMS	864.42	-60.94	-25	Pass	9699
1000	2475	1	RMS	2475	-46.54	-25	Pass	1475
2475	2735	1	RMS	2511.4	4.31	60	Pass	401
2735	3000	1	RMS	2951.638	-46.58	-25	Pass	401
3000	12000	1	RMS	8246.64	-54.07	-25	Pass	9000
12000	27000	1	RMS	25995.853	-39.42	-25	Pass	15000




**20.17. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70	-25	Pass	401
0.15	30	0.01	RMS	0.38	-68.88	-25	Pass	2985
30	1000	0.1	RMS	859.814	-60.97	-25	Pass	9699
1000	2475	1	RMS	2464.993	-47.88	-25	Pass	1475
2475	2735	1	RMS	2573.8	7.77	60	Pass	401
2735	3000	1	RMS	2946.338	-46.56	-25	Pass	401
3000	12000	1	RMS	11801.755	-54.09	-25	Pass	9000
12000	27000	1	RMS	26014.855	-39.41	-25	Pass	15000




**20.18. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.38	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.87	-25	Pass	2985
30	1000	0.1	RMS	860.615	-61	-25	Pass	9699
1000	2475	1	RMS	2475	-48.36	-25	Pass	1475
2475	2735	1	RMS	2582.9	5.88	60	Pass	401
2735	3000	1	RMS	2947.663	-46.56	-25	Pass	401
3000	12000	1	RMS	11805.76	-54.05	-25	Pass	9000
12000	27000	1	RMS	25986.851	-39.43	-25	Pass	15000




**20.19. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.69	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.7	-25	Pass	2985
30	1000	0.1	RMS	856.41	-60.88	-25	Pass	9699
1000	2475	1	RMS	2473.999	-48.27	-25	Pass	1475
2475	2735	1	RMS	2573.8	8.15	60	Pass	401
2735	3000	1	RMS	2947	-46.56	-25	Pass	401
3000	12000	1	RMS	11812.768	-54.05	-25	Pass	9000
12000	27000	1	RMS	25992.852	-39.4	-25	Pass	15000




**20.20. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.19	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.66	-25	Pass	2985
30	1000	0.1	RMS	852.204	-60.96	-25	Pass	9699
1000	2475	1	RMS	2470.997	-48.36	-25	Pass	1475
2475	2735	1	RMS	2586.15	4.72	60	Pass	401
2735	3000	1	RMS	2945.675	-46.56	-25	Pass	401
3000	12000	1	RMS	11819.777	-54.01	-25	Pass	9000
12000	27000	1	RMS	25997.853	-39.46	-25	Pass	15000




**20.21. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.07	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.54	-25	Pass	2985
30	1000	0.1	RMS	830.698	-60.97	-25	Pass	9699
1000	2475	1	RMS	2473.999	-48.35	-25	Pass	1475
2475	2735	1	RMS	2651.15	8.51	60	Pass	401
2735	3000	1	RMS	2947.663	-46.54	-25	Pass	401
3000	12000	1	RMS	11805.76	-53.97	-25	Pass	9000
12000	27000	1	RMS	26018.856	-39.37	-25	Pass	15000




**20.22. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full,
RB Position:Low+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.38	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.26	-25	Pass	2985
30	1000	0.1	RMS	950.534	-60.97	-25	Pass	9699
1000	2475	1	RMS	2459.99	-48.32	-25	Pass	1475
2475	2735	1	RMS	2656.35	6.51	60	Pass	401
2735	3000	1	RMS	2944.35	-46.56	-25	Pass	401
3000	12000	1	RMS	11809.765	-54.08	-25	Pass	9000
12000	27000	1	RMS	26000.853	-39.48	-25	Pass	15000




**20.23. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:Low+High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.46	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.45	-25	Pass	2985
30	1000	0.1	RMS	848.9	-60.79	-25	Pass	9699
1000	2475	1	RMS	2475	-48.34	-25	Pass	1475
2475	2735	1	RMS	2651.15	8.17	60	Pass	401
2735	3000	1	RMS	2948.325	-46.58	-25	Pass	401
3000	12000	1	RMS	11814.771	-54.07	-25	Pass	9000
12000	27000	1	RMS	26032.858	-39.4	-25	Pass	15000



**20.24. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB
Number:Full+Full, RB Position:Low+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.31	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.53	-25	Pass	2985
30	1000	0.1	RMS	848.6	-60.84	-25	Pass	9699
1000	2475	1	RMS	2459.99	-48.1	-25	Pass	1475
2475	2735	1	RMS	2658.3	5.5	60	Pass	401
2735	3000	1	RMS	2947.663	-46.59	-25	Pass	401
3000	12000	1	RMS	11783.732	-54.07	-25	Pass	9000
12000	27000	1	RMS	26008.854	-39.5	-25	Pass	15000



21. n5 15kHz


**21.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.45	-13	Pass	2986
30	814	0.1	RMS	814	-62.81	-13	Pass	7841
814	859	0.1	RMS	826.675	11.47	60	Pass	601
859	1000	0.1	RMS	973.3	-63.37	-13	Pass	1411
1000	3000	1	RMS	2665	-48.2	-13	Pass	2001
3000	10000	1	RMS	9842	-61.63	-13	Pass	7001




**21.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.04	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.17	-13	Pass	7841
814	859	0.1	RMS	825.475	11.65	60	Pass	601
859	1000	0.1	RMS	931.3	-63.19	-13	Pass	1411
1000	3000	1	RMS	2664	-48.13	-13	Pass	2001
3000	10000	1	RMS	9832	-61.63	-13	Pass	7001




**21.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.06	-13	Pass	2986
30	814	0.1	RMS	787.4	-63.12	-13	Pass	7841
814	859	0.1	RMS	837.175	11.59	60	Pass	601
859	1000	0.1	RMS	938.8	-63.25	-13	Pass	1411
1000	3000	1	RMS	2657	-48.21	-13	Pass	2001
3000	10000	1	RMS	9845	-61.62	-13	Pass	7001




21.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.89	-13	Pass	2986
30	814	0.1	RMS	797	-63.16	-13	Pass	7841
814	859	0.1	RMS	835.525	11.61	60	Pass	601
859	1000	0.1	RMS	926.9	-63.33	-13	Pass	1411
1000	3000	1	RMS	2658	-48.19	-13	Pass	2001
3000	10000	1	RMS	9819	-61.64	-13	Pass	7001




21.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.05	-13	Pass	2986
30	814	0.1	RMS	811.2	-63.17	-13	Pass	7841
814	859	0.1	RMS	846.7	11.63	60	Pass	601
859	1000	0.1	RMS	914.8	-63.43	-13	Pass	1411
1000	3000	1	RMS	2651	-48.2	-13	Pass	2001
3000	10000	1	RMS	9821	-61.62	-13	Pass	7001




21.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.02	-13	Pass	2986
30	814	0.1	RMS	799.3	-63.13	-13	Pass	7841
814	859	0.1	RMS	845.5	11.64	60	Pass	601
859	1000	0.1	RMS	976.1	-63.2	-13	Pass	1411
1000	3000	1	RMS	2658	-48.2	-13	Pass	2001
3000	10000	1	RMS	9845	-61.61	-13	Pass	7001




**21.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.82	-13	Pass	2986
30	814	0.1	RMS	812	-48.98	-13	Pass	7841
814	859	0.1	RMS	828.025	7.05	60	Pass	601
859	1000	0.1	RMS	998.9	-63.33	-13	Pass	1411
1000	3000	1	RMS	2654	-48.18	-13	Pass	2001
3000	10000	1	RMS	9845	-61.57	-13	Pass	7001




**21.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.43	-13	Pass	2986
30	814	0.1	RMS	814	-46.48	-13	Pass	7841
814	859	0.1	RMS	828.775	6.95	60	Pass	601
859	1000	0.1	RMS	997.3	-63.31	-13	Pass	1411
1000	3000	1	RMS	2653	-48.16	-13	Pass	2001
3000	10000	1	RMS	9845	-61.59	-13	Pass	7001




**21.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.9	-13	Pass	2986
30	814	0.1	RMS	813.7	-58.51	-13	Pass	7841
814	859	0.1	RMS	835.45	6.78	60	Pass	601
859	1000	0.1	RMS	936.8	-63.22	-13	Pass	1411
1000	3000	1	RMS	2660	-48.16	-13	Pass	2001
3000	10000	1	RMS	9846	-61.65	-13	Pass	7001




**21.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.45	-13	Pass	2986
30	814	0.1	RMS	814	-56.96	-13	Pass	7841
814	859	0.1	RMS	833.8	6.84	60	Pass	601
859	1000	0.1	RMS	935.2	-63.43	-13	Pass	1411
1000	3000	1	RMS	2651	-48.18	-13	Pass	2001
3000	10000	1	RMS	9846	-61.55	-13	Pass	7001




**21.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.44	-13	Pass	601
0.15	30	0.01	RMS	0.16	-58.53	-13	Pass	2986
30	814	0.1	RMS	813.3	-61.8	-13	Pass	7841
814	859	0.1	RMS	840.475	6.74	60	Pass	601
859	1000	0.1	RMS	927	-63.43	-13	Pass	1411
1000	3000	1	RMS	2662	-48.16	-13	Pass	2001
3000	10000	1	RMS	9838	-61.53	-13	Pass	7001




**21.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.6	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.97	-13	Pass	7841
814	859	0.1	RMS	838.825	6.8	60	Pass	601
859	1000	0.1	RMS	928.1	-63.36	-13	Pass	1411
1000	3000	1	RMS	2651	-48.18	-13	Pass	2001
3000	10000	1	RMS	9828	-61.59	-13	Pass	7001




**21.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.85	-13	Pass	2986
30	814	0.1	RMS	814	-53.29	-13	Pass	7841
814	859	0.1	RMS	832.15	5.38	60	Pass	601
859	1000	0.1	RMS	902.7	-63.2	-13	Pass	1411
1000	3000	1	RMS	2661	-48.17	-13	Pass	2001
3000	10000	1	RMS	9845	-61.56	-13	Pass	7001




**21.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.48	-13	Pass	2986
30	814	0.1	RMS	814	-51.25	-13	Pass	7841
814	859	0.1	RMS	836.725	5.52	60	Pass	601
859	1000	0.1	RMS	916.6	-63.37	-13	Pass	1411
1000	3000	1	RMS	2658	-48.21	-13	Pass	2001
3000	10000	1	RMS	9831	-61.62	-13	Pass	7001




**21.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.41	-13	Pass	2986
30	814	0.1	RMS	812.9	-54.98	-13	Pass	7841
814	859	0.1	RMS	838.225	5.42	60	Pass	601
859	1000	0.1	RMS	997.7	-63.29	-13	Pass	1411
1000	3000	1	RMS	2654	-48.23	-13	Pass	2001
3000	10000	1	RMS	9846	-61.62	-13	Pass	7001




**21.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.82	-13	Pass	2986
30	814	0.1	RMS	813.6	-53.04	-13	Pass	7841
814	859	0.1	RMS	839.2	5.8	60	Pass	601
859	1000	0.1	RMS	972	-63.41	-13	Pass	1411
1000	3000	1	RMS	2663	-48.2	-13	Pass	2001
3000	10000	1	RMS	9850	-61.61	-13	Pass	7001




**21.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.14	-13	Pass	601
0.15	30	0.01	RMS	0.16	-58.47	-13	Pass	2986
30	814	0.1	RMS	813.5	-54.59	-13	Pass	7841
814	859	0.1	RMS	840.7	5.39	60	Pass	601
859	1000	0.1	RMS	942.1	-63.32	-13	Pass	1411
1000	3000	1	RMS	2664	-48.22	-13	Pass	2001
3000	10000	1	RMS	9842	-61.62	-13	Pass	7001



**21.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-56.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.86	-13	Pass	2986
30	814	0.1	RMS	813.5	-53.3	-13	Pass	7841
814	859	0.1	RMS	841.675	5.72	60	Pass	601
859	1000	0.1	RMS	963.3	-63.14	-13	Pass	1411
1000	3000	1	RMS	2660	-48.17	-13	Pass	2001
3000	10000	1	RMS	9835	-61.66	-13	Pass	7001



22. n7 15kHz


22.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.95	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.56	-25	Pass	2986
30	1000	0.1	RMS	938.9	-63.25	-25	Pass	9701
1000	2490	1	RMS	2490	-49.47	-25	Pass	1491
2490	2580	1	RMS	2502.45	20.07	60	Pass	601
2580	3000	1	RMS	2678	-47.98	-25	Pass	601
3000	6500	1	RMS	5004	-61.1	-25	Pass	3501
6500	26000	1	RMS	24467	-48.57	-25	Pass	19501




22.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.75	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.86	-25	Pass	2986
30	1000	0.1	RMS	793.8	-62.82	-25	Pass	9701
1000	2490	1	RMS	2490	-49.39	-25	Pass	1491
2490	2580	1	RMS	2502.3	19.98	60	Pass	601
2580	3000	1	RMS	2666.1	-48.24	-25	Pass	601
3000	6500	1	RMS	5005	-60.88	-25	Pass	3501
6500	26000	1	RMS	24467	-48.54	-25	Pass	19501




22.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.48	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.42	-25	Pass	2986
30	1000	0.1	RMS	936.2	-63.25	-25	Pass	9701
1000	2490	1	RMS	2488	-49.51	-25	Pass	1491
2490	2580	1	RMS	2535	19.78	60	Pass	601
2580	3000	1	RMS	2665.4	-48.25	-25	Pass	601
3000	6500	1	RMS	5069	-63.29	-25	Pass	3501
6500	26000	1	RMS	24471	-48.54	-25	Pass	19501




22.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.65	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.24	-25	Pass	2986
30	1000	0.1	RMS	920.1	-63.12	-25	Pass	9701
1000	2490	1	RMS	2490	-49.51	-25	Pass	1491
2490	2580	1	RMS	2534.7	19.75	60	Pass	601
2580	3000	1	RMS	2661.2	-48.24	-25	Pass	601
3000	6500	1	RMS	5070	-62.74	-25	Pass	3501
6500	26000	1	RMS	24476	-48.53	-25	Pass	19501




22.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.82	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.57	-25	Pass	2986
30	1000	0.1	RMS	927.3	-63.21	-25	Pass	9701
1000	2490	1	RMS	2489	-49.52	-25	Pass	1491
2490	2580	1	RMS	2567.55	20.3	60	Pass	601
2580	3000	1	RMS	2664	-48.25	-25	Pass	601
3000	6500	1	RMS	5136	-62.33	-25	Pass	3501
6500	26000	1	RMS	24463	-48.62	-25	Pass	19501




**22.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.85	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.61	-25	Pass	2986
30	1000	0.1	RMS	916.3	-63.18	-25	Pass	9701
1000	2490	1	RMS	2487	-49.47	-25	Pass	1491
2490	2580	1	RMS	2567.1	20.22	60	Pass	601
2580	3000	1	RMS	2644.4	-48.24	-25	Pass	601
3000	6500	1	RMS	5135	-61.67	-25	Pass	3501
6500	26000	1	RMS	24501	-48.53	-25	Pass	19501




**22.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.63	-25	Pass	601
0.15	30	0.01	RMS	0.16	-58.94	-25	Pass	2986
30	1000	0.1	RMS	929.9	-63.16	-25	Pass	9701
1000	2490	1	RMS	2490	-44.7	-25	Pass	1491
2490	2580	1	RMS	2513.7	12.87	60	Pass	601
2580	3000	1	RMS	2665.4	-48.26	-25	Pass	601
3000	6500	1	RMS	5030	-63.46	-25	Pass	3501
6500	26000	1	RMS	24480	-48.51	-25	Pass	19501




**22.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.22	-25	Pass	601
0.15	30	0.01	RMS	0.15	-59.13	-25	Pass	2986
30	1000	0.1	RMS	911.1	-63.16	-25	Pass	9701
1000	2490	1	RMS	2487	-42.96	-25	Pass	1491
2490	2580	1	RMS	2514.6	12.95	60	Pass	601
2580	3000	1	RMS	2661.9	-48.25	-25	Pass	601
3000	6500	1	RMS	5880	-64.72	-25	Pass	3501
6500	26000	1	RMS	24472	-48.48	-25	Pass	19501




**22.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:507000, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.65	-25	Pass	601
0.15	30	0.01	RMS	0.15	-59.01	-25	Pass	2986
30	1000	0.1	RMS	986.5	-63.21	-25	Pass	9701
1000	2490	1	RMS	2490	-47.76	-25	Pass	1491
2490	2580	1	RMS	2531.4	12.9	60	Pass	601
2580	3000	1	RMS	2580	-45.13	-25	Pass	601
3000	6500	1	RMS	5063	-64.59	-25	Pass	3501
6500	26000	1	RMS	24473	-48.45	-25	Pass	19501




**22.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:507000, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.6	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.94	-25	Pass	2986
30	1000	0.1	RMS	821.2	-63.25	-25	Pass	9701
1000	2490	1	RMS	2490	-48.05	-25	Pass	1491
2490	2580	1	RMS	2536.35	12.74	60	Pass	601
2580	3000	1	RMS	2580	-44.89	-25	Pass	601
3000	6500	1	RMS	5861	-64.72	-25	Pass	3501
6500	26000	1	RMS	24498	-48.47	-25	Pass	19501




**22.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.57	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.25	-25	Pass	2986
30	1000	0.1	RMS	986.2	-63.22	-25	Pass	9701
1000	2490	1	RMS	2488	-49.52	-25	Pass	1491
2490	2580	1	RMS	2554.2	13.26	60	Pass	601
2580	3000	1	RMS	2580	-42.94	-25	Pass	601
3000	6500	1	RMS	5120	-63.72	-25	Pass	3501
6500	26000	1	RMS	24475	-48.47	-25	Pass	19501




**22.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.39	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.22	-25	Pass	2986
30	1000	0.1	RMS	949.8	-63.24	-25	Pass	9701
1000	2490	1	RMS	2489	-49.51	-25	Pass	1491
2490	2580	1	RMS	2554.95	13.06	60	Pass	601
2580	3000	1	RMS	2580	-41.13	-25	Pass	601
3000	6500	1	RMS	5890	-64.72	-25	Pass	3501
6500	26000	1	RMS	24474	-48.5	-25	Pass	19501




**22.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:505000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.21	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.31	-25	Pass	2986
30	1000	0.1	RMS	870.3	-63.08	-25	Pass	9701
1000	2490	1	RMS	2490	-43.14	-25	Pass	1491
2490	2580	1	RMS	2516.55	9.86	60	Pass	601
2580	3000	1	RMS	2582.1	-47.29	-25	Pass	601
3000	6500	1	RMS	5038	-64.07	-25	Pass	3501
6500	26000	1	RMS	24472	-48.53	-25	Pass	19501




**22.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:505000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.33	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.26	-25	Pass	2986
30	1000	0.1	RMS	805.8	-63.18	-25	Pass	9701
1000	2490	1	RMS	2490	-39.98	-25	Pass	1491
2490	2580	1	RMS	2517.9	9.84	60	Pass	601
2580	3000	1	RMS	2580	-45.67	-25	Pass	601
3000	6500	1	RMS	5871	-64.71	-25	Pass	3501
6500	26000	1	RMS	24465	-48.61	-25	Pass	19501




**22.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:507000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.22	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.68	-25	Pass	2986
30	1000	0.1	RMS	915.4	-63.14	-25	Pass	9701
1000	2490	1	RMS	2490	-47.15	-25	Pass	1491
2490	2580	1	RMS	2524.95	9.86	60	Pass	601
2580	3000	1	RMS	2580	-43.85	-25	Pass	601
3000	6500	1	RMS	5873	-64.71	-25	Pass	3501
6500	26000	1	RMS	24479	-48.59	-25	Pass	19501




**22.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:507000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.34	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.56	-25	Pass	2986
30	1000	0.1	RMS	837.5	-63.19	-25	Pass	9701
1000	2490	1	RMS	2490	-45.27	-25	Pass	1491
2490	2580	1	RMS	2525.55	9.83	60	Pass	601
2580	3000	1	RMS	2580	-41.49	-25	Pass	601
3000	6500	1	RMS	5892	-64.76	-25	Pass	3501
6500	26000	1	RMS	24474	-48.53	-25	Pass	19501




**22.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:509000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.77	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.06	-25	Pass	2986
30	1000	0.1	RMS	900.5	-63.21	-25	Pass	9701
1000	2490	1	RMS	2490	-48.67	-25	Pass	1491
2490	2580	1	RMS	2547.6	9.77	60	Pass	601
2580	3000	1	RMS	2580	-38.98	-25	Pass	601
3000	6500	1	RMS	5881	-64.76	-25	Pass	3501
6500	26000	1	RMS	24492	-48.62	-25	Pass	19501



**22.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:509000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.45	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.96	-25	Pass	2986
30	1000	0.1	RMS	946.9	-63.22	-25	Pass	9701
1000	2490	1	RMS	2490	-47.29	-25	Pass	1491
2490	2580	1	RMS	2549.4	9.92	60	Pass	601
2580	3000	1	RMS	2580	-35.35	-25	Pass	601
3000	6500	1	RMS	5880	-64.76	-25	Pass	3501
6500	26000	1	RMS	24475	-48.62	-25	Pass	19501



23. n38 30kHz_PC3


**23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.03	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.49	-25	Pass	2986
30	1000	0.1	RMS	784	-59.94	-25	Pass	9701
1000	2560	1	RMS	2559	-39.58	-25	Pass	1561
2560	2630	1	RMS	2582.167	14.68	60	Pass	601
2630	3000	1	RMS	2641.717	-48.05	-25	Pass	601
3000	6500	1	RMS	5879	-64.03	-25	Pass	3501
6500	27000	1	RMS	24566	-47.32	-25	Pass	20501




**23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.66	-25	Pass	601
0.15	30	0.01	RMS	0.16	-59.24	-25	Pass	2986
30	1000	0.1	RMS	992.1	-60.38	-25	Pass	9701
1000	2560	1	RMS	2560	-36.5	-25	Pass	1561
2560	2630	1	RMS	2578.2	14.48	60	Pass	601
2630	3000	1	RMS	2655.9	-48.17	-25	Pass	601
3000	6500	1	RMS	5877	-64.28	-25	Pass	3501
6500	27000	1	RMS	26120	-47.2	-25	Pass	20501




**23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.29	-25	Pass	601
0.15	30	0.01	RMS	0.15	-59.4	-25	Pass	2986
30	1000	0.1	RMS	910	-60.79	-25	Pass	9701
1000	2560	1	RMS	2549	-48.7	-25	Pass	1561
2560	2630	1	RMS	2597.217	14.47	60	Pass	601
2630	3000	1	RMS	2656.517	-48.04	-25	Pass	601
3000	6500	1	RMS	5867	-64.23	-25	Pass	3501
6500	27000	1	RMS	24552	-47.34	-25	Pass	20501




23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-54.58	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.37	-25	Pass	2986
30	1000	0.1	RMS	792.6	-60.38	-25	Pass	9701
1000	2560	1	RMS	2560	-48.19	-25	Pass	1561
2560	2630	1	RMS	2591.15	14.31	60	Pass	601
2630	3000	1	RMS	2630	-47.57	-25	Pass	601
3000	6500	1	RMS	5890	-64.36	-25	Pass	3501
6500	27000	1	RMS	24505	-47.34	-25	Pass	20501




**23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.22	-25	Pass	601
0.15	30	0.01	RMS	0.17	-57.69	-25	Pass	2986
30	1000	0.1	RMS	934.3	-60.63	-25	Pass	9701
1000	2560	1	RMS	2557	-48.5	-25	Pass	1561
2560	2630	1	RMS	2612.85	14.39	60	Pass	601
2630	3000	1	RMS	2630	-37.99	-25	Pass	601
3000	6500	1	RMS	5873	-64.34	-25	Pass	3501
6500	27000	1	RMS	26164	-47.07	-25	Pass	20501




**23.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.69	-25	Pass	601
0.15	30	0.01	RMS	0.16	-58.42	-25	Pass	2986
30	1000	0.1	RMS	912.9	-60.93	-25	Pass	9701
1000	2560	1	RMS	2551	-48.69	-25	Pass	1561
2560	2630	1	RMS	2611.217	14.37	60	Pass	601
2630	3000	1	RMS	2630	-36.69	-25	Pass	601
3000	6500	1	RMS	5910	-64.33	-25	Pass	3501
6500	27000	1	RMS	25666	-47.27	-25	Pass	20501




**23.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.76	-25	Pass	601
0.15	30	0.01	RMS	0.15	-59.12	-25	Pass	2986
30	1000	0.1	RMS	891.7	-60.55	-25	Pass	9701
1000	2560	1	RMS	2559	-38.57	-25	Pass	1561
2560	2630	1	RMS	2583.1	12.9	60	Pass	601
2630	3000	1	RMS	2630.617	-44.92	-25	Pass	601
3000	6500	1	RMS	5741	-64.33	-25	Pass	3501
6500	27000	1	RMS	24497	-47.41	-25	Pass	20501




**23.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.52	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.92	-25	Pass	2986
30	1000	0.1	RMS	956.1	-60.56	-25	Pass	9701
1000	2560	1	RMS	2560	-37.31	-25	Pass	1561
2560	2630	1	RMS	2584.733	12.84	60	Pass	601
2630	3000	1	RMS	2633.083	-43.74	-25	Pass	601
3000	6500	1	RMS	5872	-64.18	-25	Pass	3501
6500	27000	1	RMS	24588	-47.13	-25	Pass	20501




**23.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.16	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.3	-25	Pass	2986
30	1000	0.1	RMS	907.2	-60.24	-25	Pass	9701
1000	2560	1	RMS	2558	-43.07	-25	Pass	1561
2560	2630	1	RMS	2593.017	12.81	60	Pass	601
2630	3000	1	RMS	2630	-42.21	-25	Pass	601
3000	6500	1	RMS	5874	-64.25	-25	Pass	3501
6500	27000	1	RMS	24483	-47.13	-25	Pass	20501




**23.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.51	-25	Pass	601
0.15	30	0.01	RMS	0.16	-58.76	-25	Pass	2986
30	1000	0.1	RMS	783.5	-60.49	-25	Pass	9701
1000	2560	1	RMS	2560	-41.66	-25	Pass	1561
2560	2630	1	RMS	2594.883	12.75	60	Pass	601
2630	3000	1	RMS	2631.85	-41.11	-25	Pass	601
3000	6500	1	RMS	5871	-64.15	-25	Pass	3501
6500	27000	1	RMS	24470	-46.76	-25	Pass	20501




**23.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.36	-25	Pass	601
0.15	30	0.01	RMS	0.16	-59.48	-25	Pass	2986
30	1000	0.1	RMS	932.2	-60.51	-25	Pass	9701
1000	2560	1	RMS	2560	-43.85	-25	Pass	1561
2560	2630	1	RMS	2603.167	12.79	60	Pass	601
2630	3000	1	RMS	2630	-38.25	-25	Pass	601
3000	6500	1	RMS	5880	-64.2	-25	Pass	3501
6500	27000	1	RMS	25800	-47.08	-25	Pass	20501




**23.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.37	-25	Pass	601
0.15	30	0.01	RMS	0.18	-59.93	-25	Pass	2986
30	1000	0.1	RMS	807.1	-60.65	-25	Pass	9701
1000	2560	1	RMS	2560	-42.81	-25	Pass	1561
2560	2630	1	RMS	2604.8	12.77	60	Pass	601
2630	3000	1	RMS	2631.233	-37.19	-25	Pass	601
3000	6500	1	RMS	5900	-64.27	-25	Pass	3501
6500	27000	1	RMS	25655	-47.16	-25	Pass	20501




**23.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	RMS	927.8	-60.63	-25	Pass	9701
1000	2560	1	RMS	2560	-39.3	-25	Pass	1561
2560	2630	1	RMS	2581.583	11.48	60	Pass	601
2630	3000	1	RMS	2630	-41.42	-25	Pass	601
3000	6500	1	RMS	5874	-64.37	-25	Pass	3501
6500	27000	1	RMS	24570	-46.96	-25	Pass	20501




23.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.81	-25	Pass	601
0.15	30	0.01	RMS	0.16	-59.84	-25	Pass	2986
30	1000	0.1	RMS	937.6	-60.55	-25	Pass	9701
1000	2560	1	RMS	2559	-37.37	-25	Pass	1561
2560	2630	1	RMS	2582.4	11.39	60	Pass	601
2630	3000	1	RMS	2631.85	-40.32	-25	Pass	601
3000	6500	1	RMS	5890	-64.22	-25	Pass	3501
6500	27000	1	RMS	26149	-46.95	-25	Pass	20501




**23.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.05	-25	Pass	601
0.15	30	0.01	RMS	0.16	-58.63	-25	Pass	2986
30	1000	0.1	RMS	874.5	-60.62	-25	Pass	9701
1000	2560	1	RMS	2559	-39.81	-25	Pass	1561
2560	2630	1	RMS	2586.483	11.47	60	Pass	601
2630	3000	1	RMS	2630	-40.15	-25	Pass	601
3000	6500	1	RMS	5871	-64.37	-25	Pass	3501
6500	27000	1	RMS	24476	-47.2	-25	Pass	20501




23.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.89	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.55	-25	Pass	2986
30	1000	0.1	RMS	748.8	-60.57	-25	Pass	9701
1000	2560	1	RMS	2560	-38.73	-25	Pass	1561
2560	2630	1	RMS	2588.35	11.31	60	Pass	601
2630	3000	1	RMS	2630	-38.78	-25	Pass	601
3000	6500	1	RMS	5882	-64.15	-25	Pass	3501
6500	27000	1	RMS	24461	-47.29	-25	Pass	20501




**23.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.47	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.87	-25	Pass	2986
30	1000	0.1	RMS	990.1	-61.12	-25	Pass	9701
1000	2560	1	RMS	2560	-40.88	-25	Pass	1561
2560	2630	1	RMS	2591.267	11.46	60	Pass	601
2630	3000	1	RMS	2634.933	-39.06	-25	Pass	601
3000	6500	1	RMS	5862	-64.11	-25	Pass	3501
6500	27000	1	RMS	24538	-47.29	-25	Pass	20501



**23.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.25	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.6	-25	Pass	2986
30	1000	0.1	RMS	969.9	-60.73	-25	Pass	9701
1000	2560	1	RMS	2560	-40.13	-25	Pass	1561
2560	2630	1	RMS	2593.833	11.39	60	Pass	601
2630	3000	1	RMS	2630.617	-37.27	-25	Pass	601
3000	6500	1	RMS	5889	-64.31	-25	Pass	3501
6500	27000	1	RMS	26189	-47.37	-25	Pass	20501



24. n41 30kHz


**24.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.17	-25	Pass	601
0.15	30	0.01	RMS	0.16	-59.05	-25	Pass	2986
30	1000	0.1	RMS	801.2	-60.86	-25	Pass	9701
1000	2486	1	RMS	2486	-44.97	-25	Pass	1487
2486	2700	1	RMS	2508.827	14.17	60	Pass	601
2700	3000	1	RMS	2780.5	-48.38	-25	Pass	601
3000	6500	1	RMS	5861	-64.34	-25	Pass	3501
6500	27000	1	RMS	24463	-47.13	-25	Pass	20501




**24.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.35	-25	Pass	601
0.15	30	0.01	RMS	0.15	-59.92	-25	Pass	2986
30	1000	0.1	RMS	934.9	-59.59	-25	Pass	9701
1000	2486	1	RMS	2486	-42.93	-25	Pass	1487
2486	2700	1	RMS	2508.827	14.14	60	Pass	601
2700	3000	1	RMS	2772	-48.32	-25	Pass	601
3000	6500	1	RMS	5895	-64.2	-25	Pass	3501
6500	27000	1	RMS	24473	-47.13	-25	Pass	20501




**24.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.21	-25	Pass	601
0.15	30	0.01	RMS	0.16	-59.32	-25	Pass	2986
30	1000	0.1	RMS	910	-60.65	-25	Pass	9701
1000	2486	1	RMS	2482	-49.3	-25	Pass	1487
2486	2700	1	RMS	2595.14	14.28	60	Pass	601
2700	3000	1	RMS	2782	-48.44	-25	Pass	601
3000	6500	1	RMS	5880	-64.21	-25	Pass	3501
6500	27000	1	RMS	26151	-46.98	-25	Pass	20501




**24.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.05	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.72	-25	Pass	2986
30	1000	0.1	RMS	920.9	-60.44	-25	Pass	9701
1000	2486	1	RMS	2480	-49.33	-25	Pass	1487
2486	2700	1	RMS	2591.217	14.11	60	Pass	601
2700	3000	1	RMS	2793	-48.38	-25	Pass	601
3000	6500	1	RMS	5868	-64.09	-25	Pass	3501
6500	27000	1	RMS	25821	-47.01	-25	Pass	20501




**24.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.19	-25	Pass	601
0.15	30	0.01	RMS	0.18	-59.55	-25	Pass	2986
30	1000	0.1	RMS	908.6	-60.59	-25	Pass	9701
1000	2486	1	RMS	2482	-49.54	-25	Pass	1487
2486	2700	1	RMS	2682.167	14.49	60	Pass	601
2700	3000	1	RMS	2700	-36.09	-25	Pass	601
3000	6500	1	RMS	5883	-64.32	-25	Pass	3501
6500	27000	1	RMS	24495	-46.66	-25	Pass	20501




**24.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.64	-25	Pass	601
0.15	30	0.01	RMS	0.17	-55.69	-25	Pass	2986
30	1000	0.1	RMS	964.4	-59.9	-25	Pass	9701
1000	2486	1	RMS	2481	-49.38	-25	Pass	1487
2486	2700	1	RMS	2677.887	14.38	60	Pass	601
2700	3000	1	RMS	2700	-35.61	-25	Pass	601
3000	6500	1	RMS	5882	-64.29	-25	Pass	3501
6500	27000	1	RMS	24562	-47.36	-25	Pass	20501




**24.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.41	-25	Pass	601
0.15	30	0.01	RMS	0.15	-59.01	-25	Pass	2986
30	1000	0.1	RMS	968.1	-60.63	-25	Pass	9701
1000	2486	1	RMS	2483	-41.5	-25	Pass	1487
2486	2700	1	RMS	2524.163	8.93	60	Pass	601
2700	3000	1	RMS	2792.5	-48.45	-25	Pass	601
3000	6500	1	RMS	5764	-64.22	-25	Pass	3501
6500	27000	1	RMS	26179	-47.08	-25	Pass	20501




**24.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.09	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.02	-25	Pass	2986
30	1000	0.1	RMS	926.9	-61.04	-25	Pass	9701
1000	2486	1	RMS	2484	-36.68	-25	Pass	1487
2486	2700	1	RMS	2518.1	8.98	60	Pass	601
2700	3000	1	RMS	2774.5	-48.46	-25	Pass	601
3000	6500	1	RMS	5897	-64.31	-25	Pass	3501
6500	27000	1	RMS	24459	-47.28	-25	Pass	20501




**24.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.22	-25	Pass	601
0.15	30	0.01	RMS	0.16	-58.64	-25	Pass	2986
30	1000	0.1	RMS	849.3	-60.08	-25	Pass	9701
1000	2486	1	RMS	2484	-49.3	-25	Pass	1487
2486	2700	1	RMS	2582.3	9.37	60	Pass	601
2700	3000	1	RMS	2774	-48.46	-25	Pass	601
3000	6500	1	RMS	5878	-64.35	-25	Pass	3501
6500	27000	1	RMS	24454	-47.13	-25	Pass	20501




24.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.53	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.34	-25	Pass	2986
30	1000	0.1	RMS	767.5	-60.71	-25	Pass	9701
1000	2486	1	RMS	2484	-49.26	-25	Pass	1487
2486	2700	1	RMS	2581.23	9.38	60	Pass	601
2700	3000	1	RMS	2700.5	-48.38	-25	Pass	601
3000	6500	1	RMS	5879	-64.23	-25	Pass	3501
6500	27000	1	RMS	25706	-46.99	-25	Pass	20501




**24.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.85	-25	Pass	601
0.15	30	0.01	RMS	0.19	-59.03	-25	Pass	2986
30	1000	0.1	RMS	988.8	-60.07	-25	Pass	9701
1000	2486	1	RMS	2484	-49.5	-25	Pass	1487
2486	2700	1	RMS	2649.353	9.62	60	Pass	601
2700	3000	1	RMS	2702	-35.93	-25	Pass	601
3000	6500	1	RMS	5889	-64.2	-25	Pass	3501
6500	27000	1	RMS	26141	-47.03	-25	Pass	20501




**24.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.7	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.78	-25	Pass	2986
30	1000	0.1	RMS	854	-61.15	-25	Pass	9701
1000	2486	1	RMS	2484	-49.47	-25	Pass	1487
2486	2700	1	RMS	2647.57	9.6	60	Pass	601
2700	3000	1	RMS	2702	-33.53	-25	Pass	601
3000	6500	1	RMS	5871	-64.23	-25	Pass	3501
6500	27000	1	RMS	24114	-47.16	-25	Pass	20501




**24.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.47	-25	Pass	601
0.15	30	0.01	RMS	0.17	-59.87	-25	Pass	2986
30	1000	0.1	RMS	909.5	-59.87	-25	Pass	9701
1000	2486	1	RMS	2485	-41.21	-25	Pass	1487
2486	2700	1	RMS	2567.32	7.24	60	Pass	601
2700	3000	1	RMS	2777.5	-48.42	-25	Pass	601
3000	6500	1	RMS	5872	-64.28	-25	Pass	3501
6500	27000	1	RMS	24567	-47.11	-25	Pass	20501




24.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.78	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.46	-25	Pass	2986
30	1000	0.1	RMS	771.1	-60.55	-25	Pass	9701
1000	2486	1	RMS	2485	-38.82	-25	Pass	1487
2486	2700	1	RMS	2562.327	7.01	60	Pass	601
2700	3000	1	RMS	2700	-48.35	-25	Pass	601
3000	6500	1	RMS	5897	-64.38	-25	Pass	3501
6500	27000	1	RMS	24469	-46.9	-25	Pass	20501




**24.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.12	-25	Pass	601
0.15	30	0.01	RMS	0.15	-59.07	-25	Pass	2986
30	1000	0.1	RMS	907	-60.52	-25	Pass	9701
1000	2486	1	RMS	2486	-49.06	-25	Pass	1487
2486	2700	1	RMS	2575.167	7.05	60	Pass	601
2700	3000	1	RMS	2702	-48.22	-25	Pass	601
3000	6500	1	RMS	5889	-64.15	-25	Pass	3501
6500	27000	1	RMS	24490	-47.03	-25	Pass	20501




**24.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.51	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.79	-25	Pass	2986
30	1000	0.1	RMS	905.6	-60.92	-25	Pass	9701
1000	2486	1	RMS	2486	-48.55	-25	Pass	1487
2486	2700	1	RMS	2582.3	7.06	60	Pass	601
2700	3000	1	RMS	2700	-47.81	-25	Pass	601
3000	6500	1	RMS	5895	-64.25	-25	Pass	3501
6500	27000	1	RMS	24515	-47.29	-25	Pass	20501




**24.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.47	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.43	-25	Pass	2986
30	1000	0.1	RMS	882.8	-60.73	-25	Pass	9701
1000	2486	1	RMS	2484	-49.35	-25	Pass	1487
2486	2700	1	RMS	2647.927	7.05	60	Pass	601
2700	3000	1	RMS	2700.5	-37.94	-25	Pass	601
3000	6500	1	RMS	5866	-64.28	-25	Pass	3501
6500	27000	1	RMS	26123	-47.31	-25	Pass	20501



**24.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.98	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.06	-25	Pass	2986
30	1000	0.1	RMS	968.6	-60.39	-25	Pass	9701
1000	2486	1	RMS	2486	-49.27	-25	Pass	1487
2486	2700	1	RMS	2648.283	7.17	60	Pass	601
2700	3000	1	RMS	2700.5	-35.33	-25	Pass	601
3000	6500	1	RMS	5863	-64.09	-25	Pass	3501
6500	27000	1	RMS	24538	-47.06	-25	Pass	20501



25. DC_5A_n7A_SCS15


25.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-54.77	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.86	-25	Pass	2986
30	1000	0.1	RMS	793.2	-63.05	-25	Pass	9701
1000	2490	1	RMS	2490	-48.96	-25	Pass	1491
2490	2580	1	RMS	2502.45	21.04	60	Pass	601
2580	3000	1	RMS	2659.8	-47.8	-25	Pass	601
3000	6500	1	RMS	5886	-64.18	-25	Pass	3501
6500	26000	1	RMS	24501	-47.91	-25	Pass	19501




25.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.51	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.14	-25	Pass	2986
30	1000	0.1	RMS	960.6	-62.98	-25	Pass	9701
1000	2490	1	RMS	2490	-48.49	-25	Pass	1491
2490	2580	1	RMS	2502.15	20.96	60	Pass	601
2580	3000	1	RMS	2656.3	-47.85	-25	Pass	601
3000	6500	1	RMS	5879	-64.25	-25	Pass	3501
6500	26000	1	RMS	24469	-47.89	-25	Pass	19501




25.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.73	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.57	-25	Pass	2986
30	1000	0.1	RMS	940.3	-63.12	-25	Pass	9701
1000	2490	1	RMS	2490	-49.11	-25	Pass	1491
2490	2580	1	RMS	2535.15	20.52	60	Pass	601
2580	3000	1	RMS	2656.3	-47.83	-25	Pass	601
3000	6500	1	RMS	5881	-64.17	-25	Pass	3501
6500	26000	1	RMS	24459	-47.94	-25	Pass	19501



25.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.27	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.81	-25	Pass	2986
30	1000	0.1	RMS	796	-63.04	-25	Pass	9701
1000	2490	1	RMS	2489	-49.06	-25	Pass	1491
2490	2580	1	RMS	2534.7	20.46	60	Pass	601
2580	3000	1	RMS	2655.6	-47.8	-25	Pass	601
3000	6500	1	RMS	5875	-64.2	-25	Pass	3501
6500	26000	1	RMS	24483	-47.83	-25	Pass	19501




25.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.28	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.74	-25	Pass	2986
30	1000	0.1	RMS	787.2	-62.92	-25	Pass	9701
1000	2490	1	RMS	2489	-49.17	-25	Pass	1491
2490	2580	1	RMS	2567.55	21.51	60	Pass	601
2580	3000	1	RMS	2660.5	-47.83	-25	Pass	601
3000	6500	1	RMS	5881	-64.23	-25	Pass	3501
6500	26000	1	RMS	24500	-47.89	-25	Pass	19501




25.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.44	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.29	-25	Pass	2986
30	1000	0.1	RMS	909.2	-62.96	-25	Pass	9701
1000	2490	1	RMS	2488	-49.13	-25	Pass	1491
2490	2580	1	RMS	2567.1	21.39	60	Pass	601
2580	3000	1	RMS	2658.4	-47.83	-25	Pass	601
3000	6500	1	RMS	5888	-64.18	-25	Pass	3501
6500	26000	1	RMS	24474	-47.97	-25	Pass	19501




25.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:502500, NR BW:25, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:64@32, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.67	-25	Pass	601
0.15	30	0.01	RMS	0.16	-58.38	-25	Pass	2986
30	1000	0.1	RMS	813.1	-63	-25	Pass	9701
1000	2490	1	RMS	2490	-40.29	-25	Pass	1491
2490	2580	1	RMS	2509.2	13.91	60	Pass	601
2580	3000	1	RMS	2658.4	-47.8	-25	Pass	601
3000	6500	1	RMS	5867	-64.21	-25	Pass	3501
6500	26000	1	RMS	24483	-47.97	-25	Pass	19501




25.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:502500, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:64@32, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.38	-25	Pass	601
0.15	30	0.01	RMS	0.16	-59.46	-25	Pass	2986
30	1000	0.1	RMS	914	-62.94	-25	Pass	9701
1000	2490	1	RMS	2490	-38.3	-25	Pass	1491
2490	2580	1	RMS	2512.95	13.76	60	Pass	601
2580	3000	1	RMS	2660.5	-47.82	-25	Pass	601
3000	6500	1	RMS	5887	-64.17	-25	Pass	3501
6500	26000	1	RMS	24506	-47.88	-25	Pass	19501




25.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:25, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:64@32, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.86	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.77	-25	Pass	2986
30	1000	0.1	RMS	899.5	-62.99	-25	Pass	9701
1000	2490	1	RMS	2490	-47.48	-25	Pass	1491
2490	2580	1	RMS	2531.7	13.51	60	Pass	601
2580	3000	1	RMS	2580	-46.66	-25	Pass	601
3000	6500	1	RMS	5880	-64.24	-25	Pass	3501
6500	26000	1	RMS	24465	-47.9	-25	Pass	19501




25.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:64@32, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.9	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.69	-25	Pass	2986
30	1000	0.1	RMS	793	-62.93	-25	Pass	9701
1000	2490	1	RMS	2490	-46.03	-25	Pass	1491
2490	2580	1	RMS	2535.3	13.38	60	Pass	601
2580	3000	1	RMS	2580	-46.41	-25	Pass	601
3000	6500	1	RMS	5876	-64.16	-25	Pass	3501
6500	26000	1	RMS	24478	-47.93	-25	Pass	19501




25.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:511500, NR BW:25, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:64@32, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.19	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.41	-25	Pass	2986
30	1000	0.1	RMS	910.8	-62.94	-25	Pass	9701
1000	2490	1	RMS	2490	-49.05	-25	Pass	1491
2490	2580	1	RMS	2554.05	13.92	60	Pass	601
2580	3000	1	RMS	2580	-43.52	-25	Pass	601
3000	6500	1	RMS	5120	-64.07	-25	Pass	3501
6500	26000	1	RMS	24506	-47.91	-25	Pass	19501




25.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:511500, NR BW:25, SCS:15, DFT-s-OFDM, QPSK, NR RB:64@32, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.62	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.69	-25	Pass	2986
30	1000	0.1	RMS	944.4	-62.88	-25	Pass	9701
1000	2490	1	RMS	2488	-49.04	-25	Pass	1491
2490	2580	1	RMS	2557.35	13.9	60	Pass	601
2580	3000	1	RMS	2580.7	-40.97	-25	Pass	601
3000	6500	1	RMS	5886	-64.21	-25	Pass	3501
6500	26000	1	RMS	24497	-47.93	-25	Pass	19501




25.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:505000, NR BW:50, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:135@67, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.93	-25	Pass	601
0.15	30	0.01	RMS	0.16	-59.07	-25	Pass	2986
30	1000	0.1	RMS	910.8	-62.97	-25	Pass	9701
1000	2490	1	RMS	2490	-43.65	-25	Pass	1491
2490	2580	1	RMS	2527.35	10.22	60	Pass	601
2580	3000	1	RMS	2582.8	-46.61	-25	Pass	601
3000	6500	1	RMS	5871	-64.16	-25	Pass	3501
6500	26000	1	RMS	24556	-47.85	-25	Pass	19501




25.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:505000, NR BW:50, SCS:15, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.15	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.69	-25	Pass	2986
30	1000	0.1	RMS	905.7	-62.77	-25	Pass	9701
1000	2490	1	RMS	2490	-40.96	-25	Pass	1491
2490	2580	1	RMS	2529.6	10.26	60	Pass	601
2580	3000	1	RMS	2580	-44.63	-25	Pass	601
3000	6500	1	RMS	5871	-64.22	-25	Pass	3501
6500	26000	1	RMS	24492	-47.79	-25	Pass	19501




25.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:507000, NR BW:50, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:135@67, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.26	-25	Pass	2986
30	1000	0.1	RMS	906.2	-62.92	-25	Pass	9701
1000	2490	1	RMS	2490	-45.85	-25	Pass	1491
2490	2580	1	RMS	2537.25	10.21	60	Pass	601
2580	3000	1	RMS	2580	-45.23	-25	Pass	601
3000	6500	1	RMS	5876	-64.17	-25	Pass	3501
6500	26000	1	RMS	24497	-47.78	-25	Pass	19501




25.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:507000, NR BW:50, SCS:15, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:20525, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.98	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.98	-25	Pass	2986
30	1000	0.1	RMS	922.2	-63.01	-25	Pass	9701
1000	2490	1	RMS	2490	-44.47	-25	Pass	1491
2490	2580	1	RMS	2526.9	10.19	60	Pass	601
2580	3000	1	RMS	2580	-43.43	-25	Pass	601
3000	6500	1	RMS	5874	-64.19	-25	Pass	3501
6500	26000	1	RMS	24476	-47.84	-25	Pass	19501




25.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:509000, NR BW:50, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:135@67, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.23	-25	Pass	601
0.15	30	0.01	RMS	0.17	-59.19	-25	Pass	2986
30	1000	0.1	RMS	928	-62.97	-25	Pass	9701
1000	2490	1	RMS	2490	-47.69	-25	Pass	1491
2490	2580	1	RMS	2536.65	10.38	60	Pass	601
2580	3000	1	RMS	2580	-40.33	-25	Pass	601
3000	6500	1	RMS	5881	-64.27	-25	Pass	3501
6500	26000	1	RMS	24481	-47.98	-25	Pass	19501



25.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:509000, NR BW:50, SCS:15, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.74	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.09	-25	Pass	2986
30	1000	0.1	RMS	940.6	-63.04	-25	Pass	9701
1000	2490	1	RMS	2490	-46	-25	Pass	1491
2490	2580	1	RMS	2536.95	10.3	60	Pass	601
2580	3000	1	RMS	2580	-38.03	-25	Pass	601
3000	6500	1	RMS	5889	-64.28	-25	Pass	3501
6500	26000	1	RMS	24476	-48	-25	Pass	19501



26. DC_7A_n5A_SCS15


26.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.19	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.87	-13	Pass	7841
814	859	0.1	RMS	827.2	11.41	60	Pass	601
859	1000	0.1	RMS	984.4	-63.33	-13	Pass	1411
1000	3000	1	RMS	2664	-48.23	-13	Pass	2001
3000	10000	1	RMS	9844	-61.74	-13	Pass	7001




26.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.41	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.22	-13	Pass	7841
814	859	0.1	RMS	826.3	11.41	60	Pass	601
859	1000	0.1	RMS	927.1	-63.44	-13	Pass	1411
1000	3000	1	RMS	2657	-48.23	-13	Pass	2001
3000	10000	1	RMS	9842	-61.76	-13	Pass	7001




26.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.72	-13	Pass	2986
30	814	0.1	RMS	796.3	-63.01	-13	Pass	7841
814	859	0.1	RMS	837.175	11.47	60	Pass	601
859	1000	0.1	RMS	976.7	-63.34	-13	Pass	1411
1000	3000	1	RMS	2659	-48.22	-13	Pass	2001
3000	10000	1	RMS	9833	-61.63	-13	Pass	7001




26.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.17	-13	Pass	2986
30	814	0.1	RMS	802.2	-63.1	-13	Pass	7841
814	859	0.1	RMS	835.525	11.47	60	Pass	601
859	1000	0.1	RMS	991	-63.3	-13	Pass	1411
1000	3000	1	RMS	2661	-48.21	-13	Pass	2001
3000	10000	1	RMS	9831	-61.58	-13	Pass	7001




26.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.07	-13	Pass	2986
30	814	0.1	RMS	795.3	-63.07	-13	Pass	7841
814	859	0.1	RMS	846.7	11.5	60	Pass	601
859	1000	0.1	RMS	944.6	-63.35	-13	Pass	1411
1000	3000	1	RMS	2660	-48.2	-13	Pass	2001
3000	10000	1	RMS	9837	-61.65	-13	Pass	7001




26.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:12@6, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.97	-13	Pass	2986
30	814	0.1	RMS	813	-63.14	-13	Pass	7841
814	859	0.1	RMS	845.5	11.41	60	Pass	601
859	1000	0.1	RMS	925.2	-63.37	-13	Pass	1411
1000	3000	1	RMS	2662	-48.27	-13	Pass	2001
3000	10000	1	RMS	9841	-61.62	-13	Pass	7001




26.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.43	-13	Pass	2986
30	814	0.1	RMS	811.9	-48.13	-13	Pass	7841
814	859	0.1	RMS	828.025	6.85	60	Pass	601
859	1000	0.1	RMS	914	-63.35	-13	Pass	1411
1000	3000	1	RMS	2643	-46.88	-13	Pass	2001
3000	10000	1	RMS	9837	-61.64	-13	Pass	7001




26.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.59	-13	Pass	2986
30	814	0.1	RMS	812.5	-49.05	-13	Pass	7841
814	859	0.1	RMS	828.775	6.79	60	Pass	601
859	1000	0.1	RMS	974.4	-63.27	-13	Pass	1411
1000	3000	1	RMS	2660	-48.21	-13	Pass	2001
3000	10000	1	RMS	9850	-61.68	-13	Pass	7001




26.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.6	-13	Pass	2986
30	814	0.1	RMS	813.7	-58.67	-13	Pass	7841
814	859	0.1	RMS	835.45	6.62	60	Pass	601
859	1000	0.1	RMS	933.6	-63.28	-13	Pass	1411
1000	3000	1	RMS	2652	-48.22	-13	Pass	2001
3000	10000	1	RMS	9848	-61.67	-13	Pass	7001




26.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.18	-13	Pass	2986
30	814	0.1	RMS	814	-56.91	-13	Pass	7841
814	859	0.1	RMS	833.8	6.76	60	Pass	601
859	1000	0.1	RMS	992.1	-63.33	-13	Pass	1411
1000	3000	1	RMS	2659	-48.18	-13	Pass	2001
3000	10000	1	RMS	9838	-61.65	-13	Pass	7001




26.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.18	-13	Pass	2986
30	814	0.1	RMS	813.3	-61.98	-13	Pass	7841
814	859	0.1	RMS	840.475	6.64	60	Pass	601
859	1000	0.1	RMS	920.7	-63.3	-13	Pass	1411
1000	3000	1	RMS	2665	-48.19	-13	Pass	2001
3000	10000	1	RMS	9848	-61.6	-13	Pass	7001




26.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:36@18, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.45	-13	Pass	601
0.15	30	0.01	RMS	0.16	-58.96	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.93	-13	Pass	7841
814	859	0.1	RMS	838.825	6.91	60	Pass	601
859	1000	0.1	RMS	937.7	-63.27	-13	Pass	1411
1000	3000	1	RMS	2663	-48.21	-13	Pass	2001
3000	10000	1	RMS	9824	-61.66	-13	Pass	7001




26.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.19	-13	Pass	2986
30	814	0.1	RMS	813.9	-53.36	-13	Pass	7841
814	859	0.1	RMS	835.675	5.24	60	Pass	601
859	1000	0.1	RMS	887.9	-63.25	-13	Pass	1411
1000	3000	1	RMS	2662	-48.23	-13	Pass	2001
3000	10000	1	RMS	9839	-61.59	-13	Pass	7001




26.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.35	-13	Pass	2986
30	814	0.1	RMS	813.9	-51.49	-13	Pass	7841
814	859	0.1	RMS	836.725	5.32	60	Pass	601
859	1000	0.1	RMS	995	-63.24	-13	Pass	1411
1000	3000	1	RMS	2654	-48.19	-13	Pass	2001
3000	10000	1	RMS	9834	-61.63	-13	Pass	7001




26.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.56	-13	Pass	2986
30	814	0.1	RMS	812.9	-54.86	-13	Pass	7841
814	859	0.1	RMS	838.225	5.36	60	Pass	601
859	1000	0.1	RMS	968.2	-63.34	-13	Pass	1411
1000	3000	1	RMS	2658	-48.17	-13	Pass	2001
3000	10000	1	RMS	9840	-61.63	-13	Pass	7001




26.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:167300, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.34	-13	Pass	2986
30	814	0.1	RMS	812.9	-53.1	-13	Pass	7841
814	859	0.1	RMS	839.2	5.71	60	Pass	601
859	1000	0.1	RMS	996	-63.19	-13	Pass	1411
1000	3000	1	RMS	2653	-48.17	-13	Pass	2001
3000	10000	1	RMS	9835	-61.63	-13	Pass	7001




26.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, PI2-BPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.3	-13	Pass	2986
30	814	0.1	RMS	813.5	-55.03	-13	Pass	7841
814	859	0.1	RMS	840.7	5.44	60	Pass	601
859	1000	0.1	RMS	940	-63.35	-13	Pass	1411
1000	3000	1	RMS	2665	-48.15	-13	Pass	2001
3000	10000	1	RMS	9841	-61.5	-13	Pass	7001



26.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:50@25, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.74	-13	Pass	2986
30	814	0.1	RMS	813.5	-53.38	-13	Pass	7841
814	859	0.1	RMS	841.675	5.56	60	Pass	601
859	1000	0.1	RMS	921.6	-63.35	-13	Pass	1411
1000	3000	1	RMS	2655	-48.13	-13	Pass	2001
3000	10000	1	RMS	9832	-61.6	-13	Pass	7001



END