



19.3 CA_38C 15MHz+15MHz, QPSK, High Channel

RSE-H&H PCC CH38025 BW15 RB1 LOW QPSK SCC CH38175 BW15 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
188.934	-65.66	-16.42	-25.0	-40.66	329.00	Horizontal	Horizontal	Pass
2557.100	-37.60	7.53	-25.0	-12.60	294.00	Horizontal	Horizontal	N/A
2632.800	-36.62	8.14	-25.0	-11.62	139.00	Horizontal	Horizontal	N/A
6827.750	-38.78	14.30	-25.0	-13.78	184.00	Horizontal	Horizontal	Pass
13337.737	-37.52	16.06	-25.0	-12.52	171.00	Horizontal	Horizontal	Pass
19781.100	-40.54	12.94	-25.0	-15.54	56.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH38025 BW15 RB1 LOW QPSK SCC CH38175 BW15 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
186.898	-70.25	-16.61	-25.0	-45.25	338.00	Horizontal	Vertical	Pass
2562.200	-38.04	8.85	-25.0	-13.04	134.00	Horizontal	Vertical	Pass
2648.200	-38.77	9.36	-25.0	-13.77	163.00	Horizontal	Vertical	N/A
6640.250	-39.07	15.06	-25.0	-14.07	106.00	Horizontal	Vertical	Pass
13366.350	-38.17	16.69	-25.0	-13.17	335.00	Horizontal	Vertical	Pass
19759.051	-40.29	12.94	-25.0	-15.29	1.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH38025 BW15 RB1 LOW QPSK SCC CH38175 BW15 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.125	-59.91	-18.43	-25.0	-34.91	282.00	Vertical	Vertical	Pass
2552.700	-37.77	7.16	-25.0	-12.77	332.00	Vertical	Vertical	Pass
2625.800	-36.14	10.02	-25.0	-11.14	343.00	Vertical	Vertical	N/A
6851.250	-38.86	14.19	-25.0	-13.86	226.00	Vertical	Vertical	Pass
13386.299	-37.49	16.88	-25.0	-12.49	119.00	Vertical	Vertical	Pass
20173.050	-40.09	12.96	-25.0	-15.09	328.00	Vertical	Vertical	Pass


RSE-V&H PCC CH38025 BW15 RB1 LOW QPSK SCC CH38175 BW15 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.367	-58.28	-18.35	-25.0	-33.28	131.00	Vertical	Horizontal	Pass
2097.100	-47.93	4.60	-25.0	-22.93	10.00	Vertical	Horizontal	Pass
2581.800	-43.92	9.32	-25.0	-18.92	296.00	Vertical	Horizontal	N/A
6651.000	-38.82	15.07	-25.0	-13.82	58.00	Vertical	Horizontal	Pass
13387.612	-37.33	16.89	-25.0	-12.33	307.00	Vertical	Horizontal	Pass
19756.800	-40.64	12.94	-25.0	-15.64	325.00	Vertical	Horizontal	Pass


19.4 CA_38C 20MHz+20MHz, QPSK, Low Channel

RSE-H&H PCC CH37850 BW20 RB1 LOW QPSK SCC CH38048 BW20 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.003	-67.56	-0.28	-25.0	-42.56	80.00	Horizontal	Horizontal	Pass
2560.300	-26.56	8.64	-25.0	-1.56	288.00	Horizontal	Horizontal	N/A
2646.500	-39.84	9.63	-25.0	-14.84	134.00	Horizontal	Horizontal	Pass
7270.750	-38.26	14.45	-25.0	-13.26	169.00	Horizontal	Horizontal	Pass
13380.000	-37.25	16.82	-25.0	-12.25	114.00	Horizontal	Horizontal	Pass
19753.650	-40.59	12.94	-25.0	-15.59	160.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH37850 BW20 RB1 LOW QPSK SCC CH38048 BW20 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
186.704	-71.08	-16.68	-25.0	-46.08	354.00	Horizontal	Vertical	Pass
2563.100	-33.29	8.87	-25.0	-8.29	1.00	Horizontal	Vertical	N/A
2976.800	-43.43	11.65	-25.0	-18.43	217.00	Horizontal	Vertical	Pass
6662.000	-38.67	14.81	-25.0	-13.67	79.00	Horizontal	Vertical	Pass
13361.887	-38.17	16.65	-25.0	-13.17	51.00	Horizontal	Vertical	Pass
19766.700	-40.50	12.94	-25.0	-15.50	14.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH37850 BW20 RB1 LOW QPSK SCC CH38048 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.834	-61.78	-18.52	-25.0	-36.78	275.00	Vertical	Vertical	Pass
2559.900	-32.96	8.59	-25.0	-7.96	1.00	Vertical	Vertical	N/A
2628.000	-38.54	8.63	-25.0	-13.54	157.00	Vertical	Vertical	N/A
6702.750	-38.54	15.54	-25.0	-13.54	180.00	Vertical	Vertical	Pass
13367.137	-38.32	16.70	-25.0	-13.32	92.00	Vertical	Vertical	Pass
19733.850	-40.41	12.94	-25.0	-15.41	146.00	Vertical	Vertical	Pass


RSE-V&H PCC CH37850 BW20 RB1 LOW QPSK SCC CH38048 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.834	-62.68	-18.52	-25.0	-37.68	298.00	Vertical	Horizontal	Pass
2559.700	-36.19	8.57	-25.0	-11.19	305.00	Vertical	Horizontal	N/A
2967.900	-43.30	11.68	-25.0	-18.30	171.00	Vertical	Horizontal	Pass
6669.250	-38.24	14.66	-25.0	-13.24	80.00	Vertical	Horizontal	Pass
13391.549	-36.97	16.93	-25.0	-11.97	200.00	Vertical	Horizontal	Pass
19678.949	-40.41	12.94	-25.0	-15.41	329.00	Vertical	Horizontal	Pass


19.5 CA_38C 20MHz+20MHz, QPSK, Middle Channel

RSE-H&H PCC CH37901 BW20 RB1 LOW QPSK SCC CH38099 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
189.371	-67.90	-16.36	-25.0	-42.90	151.00	Horizontal	Horizontal	Pass
2559.900	-28.14	8.59	-25.0	-3.14	328.00	Horizontal	Horizontal	N/A
2641.300	-38.58	8.53	-25.0	-13.58	173.00	Horizontal	Horizontal	N/A
7815.250	-38.70	16.33	-25.0	-13.70	44.00	Horizontal	Horizontal	Pass
13367.137	-38.24	16.70	-25.0	-13.24	71.00	Horizontal	Horizontal	Pass
19754.551	-40.49	12.94	-25.0	-15.49	167.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH37901 BW20 RB1 LOW QPSK SCC CH38099 BW20 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
192.669	-67.88	-16.10	-25.0	-42.88	294.00	Horizontal	Vertical	Pass
2563.400	-33.24	8.88	-25.0	-8.24	1.00	Horizontal	Vertical	N/A
2634.300	-39.40	8.01	-25.0	-14.40	157.00	Horizontal	Vertical	N/A
6702.250	-38.37	15.53	-25.0	-13.37	148.00	Horizontal	Vertical	Pass
13355.325	-37.95	16.59	-25.0	-12.95	360.00	Horizontal	Vertical	Pass
19721.251	-40.67	12.94	-25.0	-15.67	274.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH37901 BW20 RB1 LOW QPSK SCC CH38099 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.980	-61.29	-18.48	-25.0	-36.29	279.00	Vertical	Vertical	Pass
2552.100	-34.61	7.02	-25.0	-9.61	330.00	Vertical	Vertical	N/A
2668.300	-40.62	8.04	-25.0	-15.62	337.00	Vertical	Vertical	Pass
6802.750	-38.86	14.46	-25.0	-13.86	109.00	Vertical	Vertical	Pass
13345.875	-38.11	16.38	-25.0	-13.11	276.00	Vertical	Vertical	Pass
19744.199	-40.61	12.94	-25.0	-15.61	360.00	Vertical	Vertical	Pass


RSE-V&H PCC CH37901 BW20 RB1 LOW QPSK SCC CH38099 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.688	-61.70	-18.55	-25.0	-36.70	338.00	Vertical	Horizontal	Pass
2556.200	-34.71	7.34	-25.0	-9.71	320.00	Vertical	Horizontal	N/A
2914.800	-43.16	11.06	-25.0	-18.16	82.00	Vertical	Horizontal	Pass
6787.500	-38.86	14.31	-25.0	-13.86	75.00	Vertical	Horizontal	Pass
13380.000	-37.89	16.82	-25.0	-12.89	272.00	Vertical	Horizontal	Pass
20076.300	-40.85	12.96	-25.0	-15.85	85.00	Vertical	Horizontal	Pass


19.6 CA_38C 20MHz+20MHz, QPSK, High Channel

RSE-H&H PCC CH37952 BW20 RB1 LOW QPSK SCC CH38150 BW20 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
190.778	-67.10	-16.31	-25.0	-42.10	103.00	Horizontal	Horizontal	Pass
2559.500	-30.47	8.54	-25.0	-5.47	305.00	Horizontal	Horizontal	N/A
2635.100	-37.98	8.33	-25.0	-12.98	298.00	Horizontal	Horizontal	N/A
6703.250	-38.69	15.53	-25.0	-13.69	91.00	Horizontal	Horizontal	Pass
13400.475	-37.95	17.00	-25.0	-12.95	20.00	Horizontal	Horizontal	Pass
19754.099	-40.56	12.94	-25.0	-15.56	258.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH37952 BW20 RB1 LOW QPSK SCC CH38150 BW20 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
187.334	-67.61	-16.56	-25.0	-42.61	93.00	Horizontal	Vertical	Pass
2562.100	-28.25	8.85	-25.0	-3.25	170.00	Horizontal	Vertical	N/A
2635.500	-39.60	8.25	-25.0	-14.60	191.00	Horizontal	Vertical	N/A
6656.750	-38.69	15.00	-25.0	-13.69	116.00	Horizontal	Vertical	Pass
13392.862	-38.12	16.94	-25.0	-13.12	13.00	Horizontal	Vertical	Pass
20354.849	-40.35	12.97	-25.0	-15.35	249.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH37952 BW20 RB1 LOW QPSK SCC CH38150 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.106	-59.53	-18.67	-25.0	-34.53	245.00	Vertical	Vertical	Pass
2561.400	-33.05	8.83	-25.0	-8.05	139.00	Vertical	Vertical	N/A
2637.400	-37.80	8.31	-25.0	-12.80	319.00	Vertical	Vertical	N/A
6723.500	-38.32	15.61	-25.0	-13.32	121.00	Vertical	Vertical	Pass
13373.963	-38.48	16.77	-25.0	-13.48	344.00	Vertical	Vertical	Pass
19750.050	-40.23	12.94	-25.0	-15.23	219.00	Vertical	Vertical	Pass

RSE-V&H PCC CH37952 BW20 RB1 LOW QPSK SCC CH38150 BW20 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.446	-59.61	-18.60	-25.0	-34.61	249.00	Vertical	Horizontal	Pass
2564.600	-41.69	8.91	-25.0	-16.69	133.00	Vertical	Horizontal	N/A
2887.000	-42.84	10.97	-25.0	-17.84	360.00	Vertical	Horizontal	Pass
6647.000	-38.24	15.27	-25.0	-13.24	239.00	Vertical	Horizontal	Pass
13790.287	-37.83	16.36	-25.0	-12.83	162.00	Vertical	Horizontal	Pass
20432.699	-40.35	12.97	-25.0	-15.35	107.00	Vertical	Horizontal	Pass

20 CA_41C


20.1 CA_41C 20MHz+5MHz, QPSK, Low Channel

RSE-H&H PCC CH39750 BW20 RB1 LOW QPSK SCC CH39867 BW5 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
841.599	-67.91	-0.09	-25.0	-42.91	143.00	Horizontal	Horizontal	Pass
2482.200	-28.02	7.33	-25.0	-3.02	183.00	Horizontal	Horizontal	N/A
2595.200	-36.06	7.47	-25.0	-11.06	126.00	Horizontal	Horizontal	N/A
3734.250	-47.47	7.51	-25.0	-22.47	340.00	Horizontal	Horizontal	Pass
6646.500	-38.98	15.26	-25.0	-13.98	81.00	Horizontal	Horizontal	Pass
11937.037	-37.62	13.99	-25.0	-12.62	26.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH39750 BW20 RB1 LOW QPSK SCC CH39867 BW5 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
191.844	-68.59	-16.21	-25.0	-43.59	0.00	Horizontal	Vertical	Pass
2104.700	-48.06	4.69	-25.0	-23.06	327.00	Horizontal	Vertical	Pass
2485.800	-28.31	7.78	-25.0	-3.31	208.00	Horizontal	Vertical	N/A
2611.800	-36.67	6.91	-25.0	-11.67	189.00	Horizontal	Vertical	N/A
6649.750	-39.60	15.14	-25.0	-14.60	200.00	Horizontal	Vertical	Pass
13388.662	-38.38	16.90	-25.0	-13.38	360.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH39750 BW20 RB1 LOW QPSK SCC CH39867 BW5 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.319	-61.32	-18.37	-25.0	-36.32	143.00	Vertical	Vertical	Pass
2491.500	-27.52	8.21	-25.0	-2.52	155.00	Vertical	Vertical	N/A
2586.600	-38.92	7.90	-25.0	-13.92	326.00	Vertical	Vertical	N/A
3432.250	-49.50	6.26	-25.0	-24.50	64.00	Vertical	Vertical	Pass
6642.250	-38.54	15.08	-25.0	-13.54	201.00	Vertical	Vertical	Pass
13378.688	-37.82	16.81	-25.0	-12.82	209.00	Vertical	Vertical	Pass


RSE-V&H PCC CH39750 BW20 RB1 LOW QPSK SCC CH39867 BW5 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
785.969	-68.42	-1.32	-25.0	-43.42	233.00	Vertical	Horizontal	Pass
2107.000	-48.21	4.67	-25.0	-23.21	121.00	Vertical	Horizontal	Pass
2486.600	-29.93	8.16	-25.0	-4.93	321.00	Vertical	Horizontal	N/A
3334.500	-48.44	6.23	-25.0	-23.44	310.00	Vertical	Horizontal	Pass
6699.750	-39.47	15.36	-25.0	-14.47	28.00	Vertical	Horizontal	Pass
13412.025	-37.65	16.75	-25.0	-12.65	194.00	Vertical	Horizontal	Pass


20.2 CA_41C 20MHz+5MHz, QPSK, Middle Channel

RSE-H&H PCC CH40595 BW20 RB1 LOW QPSK SCC CH40712 BW5 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.998	-67.66	-0.10	-25.0	-42.66	360.00	Horizontal	Horizontal	Pass
2558.600	-19.57	8.25	-25.0	5.43	132.00	Horizontal	Horizontal	N/A
2660.600	-29.23	8.06	-25.0	-4.23	189.00	Horizontal	Horizontal	N/A
4136.500	-46.42	8.19	-25.0	-21.42	189.00	Horizontal	Horizontal	Pass
6677.750	-38.77	14.53	-25.0	-13.77	211.00	Horizontal	Horizontal	Pass
11988.338	-39.61	13.86	-25.0	-14.61	247.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH40595 BW20 RB1 LOW QPSK SCC CH40712 BW5 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
970.706	-66.48	1.81	-25.0	-41.48	352.00	Horizontal	Vertical	Pass
2559.700	-26.73	8.57	-25.0	-1.73	139.00	Horizontal	Vertical	N/A
2632.600	-33.74	8.13	-25.0	-8.74	183.00	Horizontal	Vertical	N/A
4021.500	-46.93	9.11	-25.0	-21.93	302.00	Horizontal	Vertical	Pass
6789.750	-38.99	14.39	-25.0	-13.99	313.00	Horizontal	Vertical	Pass
13376.588	-38.71	16.79	-25.0	-13.71	2.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH40595 BW20 RB1 LOW QPSK SCC CH40712 BW5 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.543	-59.08	-18.58	-25.0	-34.08	268.00	Vertical	Vertical	Pass
2561.600	-19.68	8.84	-25.0	5.32	333.00	Vertical	Vertical	N/A
2631.400	-29.62	8.17	-25.0	-4.62	333.00	Vertical	Vertical	N/A
4061.000	-46.38	9.14	-25.0	-21.38	109.00	Vertical	Vertical	Pass
6636.750	-39.52	14.89	-25.0	-14.52	333.00	Vertical	Vertical	Pass
13354.013	-39.15	16.58	-25.0	-14.15	355.00	Vertical	Vertical	Pass


RSE-V&H PCC CH40595 BW20 RB1 LOW QPSK SCC CH40712 BW5 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.785	-62.92	-18.53	-25.0	-37.92	242.00	Vertical	Horizontal	Pass
2558.200	-31.06	8.12	-25.0	-6.06	340.00	Vertical	Horizontal	N/A
2626.900	-36.68	8.99	-25.0	-11.68	240.00	Vertical	Horizontal	N/A
3860.000	-46.64	8.82	-25.0	-21.64	109.00	Vertical	Horizontal	Pass
6586.500	-39.11	14.20	-25.0	-14.11	312.00	Vertical	Horizontal	Pass
13373.963	-38.41	16.77	-25.0	-13.41	2.00	Vertical	Horizontal	Pass


20.3 CA_41C 20MHz+5MHz, QPSK, High Channel

RSE-H&H PCC CH41440 BW20 RB1 LOW QPSK SCC CH41557 BW5 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
745.860	-69.79	-2.47	-25.0	-44.79	181.00	Horizontal	Horizontal	Pass
2608.400	-26.15	7.76	-25.0	-1.15	181.00	Horizontal	Horizontal	N/A
2698.900	-29.39	8.67	-25.0	-4.39	149.00	Horizontal	Horizontal	N/A
3486.000	-48.49	6.70	-25.0	-23.49	120.00	Horizontal	Horizontal	Pass
6663.250	-39.02	14.64	-25.0	-14.02	176.00	Horizontal	Horizontal	Pass
11965.776	-39.81	13.95	-25.0	-14.81	133.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH41440 BW20 RB1 LOW QPSK SCC CH41557 BW5 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
946.165	-66.56	1.51	-25.0	-41.56	215.00	Horizontal	Vertical	Pass
2595.500	-29.16	8.07	-25.0	-4.16	164.00	Horizontal	Vertical	N/A
2701.400	-31.90	8.13	-25.0	-6.90	119.00	Horizontal	Vertical	N/A
3514.750	-48.65	6.76	-25.0	-23.65	313.00	Horizontal	Vertical	Pass
6704.250	-38.78	15.51	-25.0	-13.78	237.00	Horizontal	Vertical	Pass
13373.175	-38.41	16.76	-25.0	-13.41	270.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH41440 BW20 RB1 LOW QPSK SCC CH41557 BW5 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.282	-62.11	-19.23	-25.0	-37.11	298.00	Vertical	Vertical	Pass
2594.500	-29.79	7.90	-25.0	-4.79	190.00	Vertical	Vertical	N/A
2699.900	-25.97	8.20	-25.0	-0.97	308.00	Vertical	Vertical	N/A
3879.750	-46.76	9.04	-25.0	-21.76	1.00	Vertical	Vertical	Pass
6702.000	-39.17	15.50	-25.0	-14.17	215.00	Vertical	Vertical	Pass
13357.950	-38.71	16.61	-25.0	-13.71	292.00	Vertical	Vertical	Pass


RSE-V&H PCC CH41440 BW20 RB1 LOW QPSK SCC CH41557 BW5 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.816	-62.36	-18.83	-25.0	-37.36	343.00	Vertical	Horizontal	Pass
2607.400	-41.43	7.61	-25.0	-16.43	360.00	Vertical	Horizontal	N/A
2705.100	-34.71	7.88	-25.0	-9.71	237.00	Vertical	Horizontal	N/A
3763.750	-47.18	8.91	-25.0	-22.18	314.00	Vertical	Horizontal	Pass
6710.750	-39.01	15.70	-25.0	-14.01	75.00	Vertical	Horizontal	Pass
11999.500	-39.33	13.82	-25.0	-14.33	360.00	Vertical	Horizontal	Pass


20.4 CA_41C 20MHz+20MHz, QPSK, Low Channel

RSE-H&H PCC CH39750 BW20 RB1 LOW QPSK SCC CH39948 BW20 RB1 HIGH




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
955.671	-66.32	1.77	-25.0	-41.32	232.00	Horizontal	Horizontal	Pass
2480.500	-28.40	7.71	-25.0	-3.40	184.00	Horizontal	Horizontal	N/A
2583.700	-37.94	8.11	-25.0	-12.94	196.00	Horizontal	Horizontal	N/A
3246.750	-49.69	5.76	-25.0	-24.69	297.00	Horizontal	Horizontal	Pass
6653.750	-38.74	15.02	-25.0	-13.74	320.00	Horizontal	Horizontal	Pass
13385.250	-38.58	16.87	-25.0	-13.58	251.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH39750 BW20 RB1 LOW QPSK SCC CH39948 BW20 RB1 HIGH




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
859.641	-66.69	-0.30	-25.0	-41.69	124.00	Horizontal	Vertical	Pass
2485.900	-28.61	7.85	-25.0	-3.61	145.00	Horizontal	Vertical	N/A
2584.700	-38.62	8.04	-25.0	-13.62	158.00	Horizontal	Vertical	N/A
3357.750	-49.16	6.73	-25.0	-24.16	31.00	Horizontal	Vertical	Pass
6702.500	-39.21	15.54	-25.0	-14.21	310.00	Horizontal	Vertical	Pass
13371.600	-39.05	16.74	-25.0	-14.05	39.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH39750 BW20 RB1 LOW QPSK SCC CH39948 BW20 RB1 HIGH



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.883	-61.59	-18.50	-25.0	-36.59	170.00	Vertical	Vertical	Pass
2485.000	-29.81	7.24	-25.0	-4.81	209.00	Vertical	Vertical	N/A
2584.200	-38.30	8.04	-25.0	-13.30	309.00	Vertical	Vertical	N/A
3993.500	-46.25	9.20	-25.0	-21.25	110.00	Vertical	Vertical	Pass
6694.500	-38.78	14.98	-25.0	-13.78	222.00	Vertical	Vertical	Pass
13399.950	-36.95	17.01	-25.0	-11.95	15.00	Vertical	Vertical	Pass


RSE-V&H PCC CH39750 BW20 RB1 LOW QPSK SCC CH39948 BW20 RB1 HIGH



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.543	-57.32	-18.58	-25.0	-32.32	241.00	Vertical	Horizontal	Pass
1751.000	-52.21	-0.04	-25.0	-27.21	360.00	Vertical	Horizontal	Pass
2490.800	-35.71	8.20	-25.0	-10.71	255.00	Vertical	Horizontal	N/A
3750.500	-46.69	7.96	-25.0	-21.69	59.00	Vertical	Horizontal	Pass
6735.750	-38.50	15.19	-25.0	-13.50	275.00	Vertical	Horizontal	Pass
13390.763	-38.17	16.92	-25.0	-13.17	322.00	Vertical	Horizontal	Pass


20.5 CA_41C 20MHz+20MHz, QPSK, Middle Channel

RSE-H&H PCC CH40521 BW20 RB1 LOW QPSK SCC CH40719 BW20 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
872.639	-66.97	-0.21	-25.0	-41.97	109.00	Horizontal	Horizontal	Pass
2561.100	-24.40	8.82	-25.0	0.60	197.00	Horizontal	Horizontal	N/A
2649.900	-40.89	8.99	-25.0	-15.89	197.00	Horizontal	Horizontal	N/A
3643.000	-48.74	6.77	-25.0	-23.74	60.00	Horizontal	Horizontal	Pass
7824.750	-38.16	15.98	-25.0	-13.16	276.00	Horizontal	Horizontal	Pass
13366.875	-37.62	16.70	-25.0	-12.62	91.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH40521 BW20 RB1 LOW QPSK SCC CH40719 BW20 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
765.454	-67.92	-1.76	-25.0	-42.92	304.00	Horizontal	Vertical	Pass
2562.700	-25.66	8.86	-25.0	-0.66	152.00	Horizontal	Vertical	N/A
3583.750	-48.74	7.29	-25.0	-23.74	297.00	Horizontal	Vertical	Pass
5876.750	-41.23	12.53	-25.0	-16.23	286.00	Horizontal	Vertical	Pass
7948.000	-37.84	14.77	-25.0	-12.84	132.00	Horizontal	Vertical	Pass
13396.275	-38.39	16.97	-25.0	-13.39	62.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH40521 BW20 RB1 LOW QPSK SCC CH40719 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.416	-62.21	-18.33	-25.0	-37.21	247.00	Vertical	Vertical	Pass
1376.200	-53.40	-0.36	-25.0	-28.40	360.00	Vertical	Vertical	Pass
2557.800	-25.97	7.99	-25.0	-0.97	314.00	Vertical	Vertical	N/A
4262.500	-45.28	8.86	-25.0	-20.28	210.00	Vertical	Vertical	Pass
6634.250	-39.07	14.83	-25.0	-14.07	265.00	Vertical	Vertical	Pass
13404.675	-38.65	16.91	-25.0	-13.65	360.00	Vertical	Vertical	Pass


RSE-V&H PCC CH40521 BW20 RB1 LOW QPSK SCC CH40719 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
631.400	-71.17	-4.58	-25.0	-46.17	166.00	Vertical	Horizontal	Pass
1569.900	-52.27	0.68	-25.0	-27.27	64.00	Vertical	Horizontal	Pass
2562.900	-34.75	8.87	-25.0	-9.75	121.00	Vertical	Horizontal	N/A
3750.500	-46.59	7.96	-25.0	-21.59	265.00	Vertical	Horizontal	Pass
6708.500	-38.85	15.70	-25.0	-13.85	265.00	Vertical	Horizontal	Pass
13360.050	-37.77	16.63	-25.0	-12.77	252.00	Vertical	Horizontal	Pass


20.6 CA_41C 20MHz+20MHz, QPSK, High Channel

RSE-H&H PCC CH41292 BW20 RB1 LOW QPSK SCC CH41490 BW20 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
792.905	-68.66	-1.29	-25.0	-43.66	109.00	Horizontal	Horizontal	Pass
2600.400	-34.00	7.82	-25.0	-9.00	183.00	Horizontal	Horizontal	N/A
2958.400	-43.39	11.34	-25.0	-18.39	202.00	Horizontal	Horizontal	Pass
3752.750	-46.74	8.08	-25.0	-21.74	131.00	Horizontal	Horizontal	Pass
7815.000	-37.94	16.37	-25.0	-12.94	352.00	Horizontal	Horizontal	Pass
13381.313	-38.32	16.83	-25.0	-13.32	344.00	Horizontal	Horizontal	Pass

RSE-H&V PCC CH41292 BW20 RB1 LOW QPSK SCC CH41490 BW20 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
758.906	-67.44	3.00	-25.0	-42.44	295.00	Horizontal	Vertical	Pass
2011.700	-48.27	3.57	-25.0	-23.27	67.00	Horizontal	Vertical	Pass
2609.700	-41.46	7.90	-25.0	-16.46	199.00	Horizontal	Vertical	N/A
3914.500	-47.34	9.29	-25.0	-22.34	330.00	Horizontal	Vertical	Pass
6644.750	-39.05	15.12	-25.0	-14.05	352.00	Horizontal	Vertical	Pass
13385.775	-38.62	16.88	-25.0	-13.62	277.00	Horizontal	Vertical	Pass

RSE-V&V PCC CH41292 BW20 RB1 LOW QPSK SCC CH41490 BW20 RB1 HIGH QPSK



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.028	-61.27	-18.46	-25.0	-36.27	182.00	Vertical	Vertical	Pass
2605.300	-38.26	7.52	-25.0	-13.26	197.00	Vertical	Vertical	N/A
2652.000	-38.91	9.73	-25.0	-13.91	185.00	Vertical	Vertical	N/A
4381.250	-44.96	9.11	-25.0	-19.96	287.00	Vertical	Vertical	Pass
7304.500	-39.02	14.35	-25.0	-14.02	320.00	Vertical	Vertical	Pass
13353.750	-38.42	16.58	-25.0	-13.42	178.00	Vertical	Vertical	Pass

RSE-V&H PCC CH41292 BW20 RB1 LOW QPSK SCC CH41490 BW20 RB1 HIGH QPSK




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.058	-61.31	-18.68	-25.0	-36.31	306.00	Vertical	Horizontal	Pass
1879.500	-51.82	1.13	-25.0	-26.82	228.00	Vertical	Horizontal	Pass
2625.900	-43.81	9.69	-25.0	-18.81	91.00	Vertical	Horizontal	N/A
3759.500	-46.78	8.70	-25.0	-21.78	101.00	Vertical	Horizontal	Pass
6708.250	-37.96	15.73	-25.0	-12.96	189.00	Vertical	Horizontal	Pass
13356.375	-38.34	16.60	-25.0	-13.34	3.00	Vertical	Horizontal	Pass

NR

21 n5


21.1 n5 BW5, PI/2 BPSK, Middle Channel

RSE-H&H n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.137	-46.66	4.80	-13.0	-33.66	137.00	Horizontal	Horizontal	N/A
880.836	-26.93	4.17	-13.0	-13.93	346.00	Horizontal	Horizontal	N/A
1763.200	-52.88	-4.58	-13.0	-39.88	41.00	Horizontal	Horizontal	Pass
2978.500	-49.42	4.28	-13.0	-36.42	236.00	Horizontal	Horizontal	Pass
7806.500	-37.90	16.02	-13.0	-24.90	316.00	Horizontal	Horizontal	Pass
8944.099	-40.08	13.61	-13.0	-27.08	300.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
883.067	-18.74	4.16	-13.0	-5.74	109.00	Horizontal	Vertical	N/A
1764.100	-52.18	-4.54	-13.0	-39.18	296.00	Horizontal	Vertical	Pass
2749.000	-53.27	1.21	-13.0	-40.27	225.00	Horizontal	Vertical	Pass
4404.750	-44.97	9.15	-13.0	-31.97	360.00	Horizontal	Vertical	Pass
6633.250	-39.26	14.93	-13.0	-26.26	1.00	Horizontal	Vertical	Pass
9338.900	-39.83	14.92	-13.0	-26.83	360.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.749	-49.20	4.78	-13.0	-36.20	319.00	Vertical	Vertical	N/A
882.679	-30.89	4.16	-13.0	-17.89	58.00	Vertical	Vertical	N/A
1762.400	-55.18	-4.62	-13.0	-42.18	190.00	Vertical	Vertical	Pass
3001.750	-50.13	4.75	-13.0	-37.13	338.00	Vertical	Vertical	Pass
6730.250	-39.04	15.35	-13.0	-26.04	148.00	Vertical	Vertical	Pass
9349.000	-39.53	14.81	-13.0	-26.53	64.00	Vertical	Vertical	Pass


RSE-V&H n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.380	-51.83	4.81	-13.0	-38.83	358.00	Vertical	Horizontal	N/A
879.429	-32.26	4.22	-13.0	-19.26	217.00	Vertical	Horizontal	N/A
1590.900	-56.40	-4.25	-13.0	-43.40	172.00	Vertical	Horizontal	Pass
3074.000	-48.58	5.46	-13.0	-35.58	98.00	Vertical	Horizontal	Pass
4033.000	-46.59	9.33	-13.0	-33.59	200.00	Vertical	Horizontal	Pass
7825.500	-37.85	15.93	-13.0	-24.85	46.00	Vertical	Horizontal	Pass


21.2 n5 BW15, PI/2 BPSK, Middle Channel

RSE-H&H n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.380	-53.81	4.81	-13.0	-40.81	258.00	Horizontal	Horizontal	N/A
874.870	-26.54	4.39	-13.0	-13.54	168.00	Horizontal	Horizontal	N/A
1760.300	-55.12	-4.56	-13.0	-42.12	324.00	Horizontal	Horizontal	Pass
2891.000	-50.36	3.48	-13.0	-37.36	264.00	Horizontal	Horizontal	Pass
5153.750	-43.22	11.18	-13.0	-30.22	223.00	Horizontal	Horizontal	Pass
7870.000	-38.65	14.83	-13.0	-25.65	71.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.574	-57.00	4.82	-13.0	-44.00	254.00	Horizontal	Vertical	N/A
882.775	-21.14	4.16	-13.0	-8.14	202.00	Horizontal	Vertical	N/A
1761.000	-56.18	-4.63	-13.0	-43.18	1.00	Horizontal	Vertical	Pass
2649.600	-51.99	1.54	-13.0	-38.99	46.00	Horizontal	Vertical	Pass
6653.750	-38.30	15.02	-13.0	-25.30	136.00	Horizontal	Vertical	Pass
8981.599	-39.40	13.58	-13.0	-26.40	360.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.428	-48.49	4.81	-13.0	-35.49	312.00	Vertical	Vertical	N/A
876.810	-33.50	4.01	-13.0	-20.50	148.00	Vertical	Vertical	N/A
1552.300	-55.74	-3.83	-13.0	-42.74	148.00	Vertical	Vertical	Pass
2531.700	-52.31	0.49	-13.0	-39.31	221.00	Vertical	Vertical	Pass
6839.000	-38.56	13.98	-13.0	-25.56	150.00	Vertical	Vertical	Pass
7877.000	-38.03	15.15	-13.0	-25.03	304.00	Vertical	Vertical	Pass


RSE-V&H n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.537	-60.10	4.73	-13.0	-47.10	331.00	Vertical	Horizontal	N/A
875.306	-34.17	4.25	-13.0	-21.17	99.00	Vertical	Horizontal	N/A
1846.300	-55.81	-4.22	-13.0	-42.81	113.00	Vertical	Horizontal	Pass
2966.100	-50.54	4.56	-13.0	-37.54	1.00	Vertical	Horizontal	Pass
6660.250	-38.60	14.79	-13.0	-25.60	340.00	Vertical	Horizontal	Pass
9347.599	-38.73	14.83	-13.0	-25.73	141.00	Vertical	Horizontal	Pass


21.3 n5 BW20, PI/2 BPSK, Middle Channel

RSE-H&H n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.040	-53.98	4.79	-13.0	-40.98	137.00	Horizontal	Horizontal	N/A
882.097	-20.13	4.17	-13.0	-7.13	122.00	Horizontal	Horizontal	N/A
2063.600	-53.07	-1.12	-13.0	-40.07	15.00	Horizontal	Horizontal	Pass
4031.750	-46.22	9.30	-13.0	-33.22	22.00	Horizontal	Horizontal	Pass
7846.500	-39.13	14.43	-13.0	-26.13	341.00	Horizontal	Horizontal	Pass
9441.599	-39.89	14.09	-13.0	-26.89	263.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.876	-60.38	4.75	-13.0	-47.38	345.00	Horizontal	Vertical	N/A
886.946	-21.85	4.36	-13.0	-8.85	139.00	Horizontal	Vertical	N/A
1757.400	-55.07	-4.76	-13.0	-42.07	167.00	Horizontal	Vertical	Pass
3340.000	-48.73	5.85	-13.0	-35.73	265.00	Horizontal	Vertical	Pass
7812.000	-38.20	16.35	-13.0	-25.20	58.00	Horizontal	Vertical	Pass
9361.100	-39.58	14.50	-13.0	-26.58	71.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW20 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
827.049	-52.14	4.39	-13.0	-39.14	190.00	Vertical	Vertical	N/A
889.905	-36.59	4.59	-13.0	-23.59	105.00	Vertical	Vertical	N/A
2025.300	-53.78	-1.68	-13.0	-40.78	286.00	Vertical	Vertical	Pass
4056.500	-46.54	9.21	-13.0	-33.54	243.00	Vertical	Vertical	Pass
6710.750	-38.59	15.70	-13.0	-25.59	166.00	Vertical	Vertical	Pass
9322.500	-39.99	15.10	-13.0	-26.99	248.00	Vertical	Vertical	Pass


RSE-V&H n5 BW20 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.902	-56.76	4.91	-13.0	-43.76	359.00	Vertical	Horizontal	N/A
876.131	-32.54	4.04	-13.0	-19.54	289.00	Vertical	Horizontal	N/A
2048.800	-53.62	-1.31	-13.0	-40.62	111.00	Vertical	Horizontal	Pass
4086.250	-46.08	8.63	-13.0	-33.08	244.00	Vertical	Horizontal	Pass
7805.500	-38.78	15.99	-13.0	-25.78	298.00	Vertical	Horizontal	Pass
9330.099	-38.89	15.01	-13.0	-25.89	72.00	Vertical	Horizontal	Pass


21.4 n5 BW5, QPSK, Middle Channel

RSE-H&H n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.700	-39.01	4.78	-13.0	-26.01	246.00	Horizontal	Horizontal	N/A
853.918	-49.48	4.85	-13.0	-36.48	145.00	Horizontal	Horizontal	N/A
1433.500	-58.24	-5.17	-13.0	-45.24	149.00	Horizontal	Horizontal	Pass
2632.000	-52.17	1.50	-13.0	-39.17	47.00	Horizontal	Horizontal	Pass
5149.500	-42.92	11.00	-13.0	-29.92	265.00	Horizontal	Horizontal	Pass
6689.000	-38.83	14.70	-13.0	-25.83	317.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW5 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.446	-41.47	4.85	-13.0	-28.47	251.00	Horizontal	Vertical	N/A
880.981	-30.65	4.17	-13.0	-17.65	151.00	Horizontal	Vertical	N/A
1765.500	-51.61	-4.76	-13.0	-38.61	1.00	Horizontal	Vertical	Pass
3224.250	-48.71	6.57	-13.0	-35.71	2.00	Horizontal	Vertical	Pass
6627.750	-39.61	14.80	-13.0	-26.61	50.00	Horizontal	Vertical	Pass
9305.800	-40.15	15.28	-13.0	-27.15	134.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.506	-52.04	4.77	-13.0	-39.04	246.00	Vertical	Vertical	N/A
879.914	-17.09	4.20	-13.0	-4.09	194.00	Vertical	Vertical	N/A
1761.000	-55.10	-4.63	-13.0	-42.10	263.00	Vertical	Vertical	Pass
3105.750	-49.02	5.32	-13.0	-36.02	2.00	Vertical	Vertical	Pass
6687.750	-38.81	14.63	-13.0	-25.81	19.00	Vertical	Vertical	Pass
9331.900	-40.19	15.00	-13.0	-27.19	40.00	Vertical	Vertical	Pass


RSE-V&H n5 BW5 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.700	-54.31	4.78	-13.0	-41.31	221.00	Vertical	Horizontal	N/A
879.817	-28.94	4.20	-13.0	-15.94	177.00	Vertical	Horizontal	N/A
1764.700	-49.51	-4.69	-13.0	-36.51	187.00	Vertical	Horizontal	Pass
3895.250	-45.76	9.10	-13.0	-32.76	33.00	Vertical	Horizontal	Pass
6577.750	-39.43	14.30	-13.0	-26.43	307.00	Vertical	Horizontal	Pass
9348.300	-39.41	14.82	-13.0	-26.41	64.00	Vertical	Horizontal	Pass


21.5 n5 BW15, QPSK, Middle Channel

RSE-H&H n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.694	-51.92	4.66	-13.0	-38.92	247.00	Horizontal	Horizontal	N/A
880.836	-20.59	4.17	-13.0	-7.59	171.00	Horizontal	Horizontal	N/A
1758.900	-55.17	-4.67	-13.0	-42.17	176.00	Horizontal	Horizontal	Pass
3039.000	-48.83	5.41	-13.0	-35.83	140.00	Horizontal	Horizontal	Pass
5899.000	-40.80	12.69	-13.0	-27.80	0.00	Horizontal	Horizontal	Pass
9352.100	-39.18	14.74	-13.0	-26.18	285.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW15 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.476	-56.64	4.81	-13.0	-43.64	210.00	Horizontal	Vertical	N/A
880.205	-25.27	4.19	-13.0	-12.27	198.00	Horizontal	Vertical	N/A
1763.000	-54.14	-4.62	-13.0	-41.14	355.00	Horizontal	Vertical	Pass
3461.000	-48.45	6.91	-13.0	-35.45	115.00	Horizontal	Vertical	Pass
6715.500	-38.46	15.72	-13.0	-25.46	80.00	Horizontal	Vertical	Pass
9315.800	-39.83	15.17	-13.0	-26.83	19.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.700	-49.53	4.78	-13.0	-36.53	268.00	Vertical	Vertical	N/A
885.686	-30.49	4.38	-13.0	-17.49	98.00	Vertical	Vertical	N/A
1289.600	-56.38	-4.30	-13.0	-43.38	299.00	Vertical	Vertical	Pass
2111.400	-53.32	-0.41	-13.0	-40.32	360.00	Vertical	Vertical	Pass
3755.750	-46.94	8.34	-13.0	-33.94	163.00	Vertical	Vertical	Pass
6679.250	-38.11	14.60	-13.0	-25.11	175.00	Vertical	Vertical	Pass


RSE-V&H n5 BW15 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.596	-57.25	4.66	-13.0	-44.25	210.00	Vertical	Horizontal	N/A
886.801	-30.35	4.34	-13.0	-17.35	183.00	Vertical	Horizontal	N/A
1551.100	-56.28	-3.92	-13.0	-43.28	313.00	Vertical	Horizontal	Pass
3075.500	-49.24	5.47	-13.0	-36.24	103.00	Vertical	Horizontal	Pass
6720.750	-38.33	15.71	-13.0	-25.33	126.00	Vertical	Horizontal	Pass
8987.400	-40.10	13.58	-13.0	-27.10	121.00	Vertical	Horizontal	Pass


21.6 n5 BW20, QPSK, Middle Channel

RSE-H&H n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.804	-56.48	4.91	-13.0	-43.48	250.00	Horizontal	Horizontal	N/A
879.429	-21.52	4.22	-13.0	-8.52	115.00	Horizontal	Horizontal	N/A
1764.100	-55.61	-4.54	-13.0	-42.61	92.00	Horizontal	Horizontal	Pass
3910.500	-46.40	9.30	-13.0	-33.40	276.00	Horizontal	Horizontal	Pass
6638.250	-38.85	15.01	-13.0	-25.85	14.00	Horizontal	Horizontal	Pass
8988.200	-39.44	13.58	-13.0	-26.44	116.00	Horizontal	Horizontal	Pass

RSE-H&V n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.991	-23.96	4.17	-13.0	-10.96	316.00	Horizontal	Vertical	N/A
873.706	-60.69	4.79	-13.0	-47.69	327.00	Horizontal	Vertical	N/A
2099.500	-53.60	-0.05	-13.0	-40.60	311.00	Horizontal	Vertical	Pass
4887.250	-42.46	10.73	-13.0	-29.46	20.00	Horizontal	Vertical	Pass
7809.750	-38.45	16.25	-13.0	-25.45	102.00	Horizontal	Vertical	Pass
9289.201	-39.48	15.14	-13.0	-26.48	360.00	Horizontal	Vertical	Pass

RSE-V&V n5 BW20 CH176300



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.506	-54.98	4.77	-13.0	-41.98	201.00	Vertical	Vertical	N/A
872.542	-35.81	4.26	-13.0	-22.81	56.00	Vertical	Vertical	N/A
2104.200	-53.25	-0.13	-13.0	-40.25	295.00	Vertical	Vertical	Pass
3900.750	-45.72	9.23	-13.0	-32.72	360.00	Vertical	Vertical	Pass
6645.250	-37.11	15.15	-13.0	-24.11	230.00	Vertical	Vertical	Pass
9307.099	-39.79	15.26	-13.0	-26.79	330.00	Vertical	Vertical	Pass

RSE-V&H n5 BW20 CH176300




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.428	-57.72	4.81	-13.0	-44.72	203.00	Vertical	Horizontal	N/A
876.810	-34.80	4.01	-13.0	-21.80	188.00	Vertical	Horizontal	N/A
2101.100	-53.87	-0.13	-13.0	-40.87	205.00	Vertical	Horizontal	Pass
4038.500	-46.20	9.16	-13.0	-33.20	129.00	Vertical	Horizontal	Pass
6650.250	-38.33	15.11	-13.0	-25.33	322.00	Vertical	Horizontal	Pass
9332.000	-39.11	14.99	-13.0	-26.11	191.00	Vertical	Horizontal	Pass

22 n7


22.1 n7 BW5, PI/2 BPSk, Middle Channel

RSE-H&H n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
188.983	-67.57	-16.41	-25.0	-42.57	78.00	Horizontal	Horizontal	Pass
2536.200	-39.60	8.16	-25.0	-14.60	283.00	Horizontal	Horizontal	N/A
2656.300	-18.78	8.17	-25.0	6.22	145.00	Horizontal	Horizontal	N/A
3910.500	-47.02	9.30	-25.0	-22.02	360.00	Horizontal	Horizontal	Pass
6708.500	-39.02	15.70	-25.0	-14.02	360.00	Horizontal	Horizontal	Pass
13380.787	-38.23	16.83	-25.0	-13.23	296.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
188.934	-71.17	-16.42	-25.0	-46.17	76.00	Horizontal	Vertical	Pass
2582.300	-37.26	8.31	-25.0	-12.26	160.00	Horizontal	Vertical	N/A
2654.800	-18.36	8.28	-25.0	6.64	302.00	Horizontal	Vertical	N/A
4046.250	-46.51	9.26	-25.0	-21.51	73.00	Horizontal	Vertical	Pass
6702.750	-38.39	15.54	-25.0	-13.39	360.00	Horizontal	Vertical	Pass
13373.963	-38.36	16.77	-25.0	-13.36	15.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.980	-60.02	-18.48	-25.0	-35.02	10.00	Vertical	Vertical	Pass
2585.000	-35.60	8.04	-25.0	-10.60	295.00	Vertical	Vertical	N/A
2655.300	-26.65	8.22	-25.0	-1.65	246.00	Vertical	Vertical	N/A
3741.500	-46.96	7.37	-25.0	-21.96	293.00	Vertical	Vertical	Pass
6690.500	-38.41	14.81	-25.0	-13.41	63.00	Vertical	Vertical	Pass
13382.887	-38.78	16.85	-25.0	-13.78	107.00	Vertical	Vertical	Pass


RSE-V&H n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.543	-59.52	-18.58	-25.0	-34.52	250.00	Vertical	Horizontal	Pass
2071.700	-47.03	3.98	-25.0	-22.03	278.00	Vertical	Horizontal	Pass
2657.000	-32.26	8.07	-25.0	-7.26	190.00	Vertical	Horizontal	N/A
3636.750	-48.11	6.95	-25.0	-23.11	200.00	Vertical	Horizontal	Pass
6605.250	-38.48	14.39	-25.0	-13.48	189.00	Vertical	Horizontal	Pass
13352.175	-38.68	16.56	-25.0	-13.68	84.00	Vertical	Horizontal	Pass


22.2 n7 BW25, PI/2 BPSk, Middle Channel

RSE-H&H n7 BW25 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1630.700	-52.59	0.35	-25.0	-27.59	360.00	Horizontal	Horizontal	Pass
2584.300	-34.60	8.04	-25.0	-9.60	183.00	Horizontal	Horizontal	N/A
2666.300	-26.04	7.87	-25.0	-1.04	120.00	Horizontal	Horizontal	N/A
3750.500	-46.64	7.96	-25.0	-21.64	78.00	Horizontal	Horizontal	Pass
6700.750	-38.55	15.31	-25.0	-13.55	337.00	Horizontal	Horizontal	Pass
13385.775	-38.05	16.88	-25.0	-13.05	284.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW25 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
877.732	-67.45	-0.15	-25.0	-42.45	76.00	Horizontal	Vertical	Pass
2580.600	-36.99	8.60	-25.0	-11.99	347.00	Horizontal	Vertical	N/A
2645.600	-25.10	8.53	-25.0	-0.10	105.00	Horizontal	Vertical	N/A
3729.750	-47.30	7.47	-25.0	-22.30	54.00	Horizontal	Vertical	Pass
6770.250	-38.33	14.28	-25.0	-13.33	122.00	Horizontal	Vertical	Pass
13361.100	-38.76	16.64	-25.0	-13.76	360.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW25 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.658	-61.33	-18.27	-25.0	-36.33	85.00	Vertical	Vertical	Pass
1755.800	-52.71	0.02	-25.0	-27.71	45.00	Vertical	Vertical	Pass
2579.200	-35.03	8.58	-25.0	-10.03	171.00	Vertical	Vertical	N/A
3888.750	-46.01	9.04	-25.0	-21.01	213.00	Vertical	Vertical	Pass
6661.750	-38.93	14.78	-25.0	-13.93	350.00	Vertical	Vertical	Pass
12697.037	-38.87	14.76	-25.0	-13.87	360.00	Vertical	Vertical	Pass


RSE-V&H n7 BW25 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
958.387	-66.10	1.75	-25.0	-41.10	64.00	Vertical	Horizontal	Pass
2580.800	-35.32	8.57	-25.0	-10.32	169.00	Vertical	Horizontal	N/A
2654.800	-31.23	8.28	-25.0	-6.23	113.00	Vertical	Horizontal	N/A
4012.250	-45.97	9.14	-25.0	-20.97	360.00	Vertical	Horizontal	Pass
6651.250	-37.96	15.06	-25.0	-12.96	188.00	Vertical	Horizontal	Pass
13414.125	-37.91	16.70	-25.0	-12.91	332.00	Vertical	Horizontal	Pass


22.3 n7 BW50, PI/2 BPSk, Middle Channel

RSE-H&H n7 BW50 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
850.086	-67.72	-0.21	-25.0	-42.72	290.00	Horizontal	Horizontal	Pass
2490.800	-42.61	8.20	-25.0	-17.61	141.00	Horizontal	Horizontal	N/A
2636.400	-26.58	7.94	-25.0	-1.58	135.00	Horizontal	Horizontal	N/A
3721.750	-46.61	7.84	-25.0	-21.61	106.00	Horizontal	Horizontal	Pass
6574.000	-38.55	14.17	-25.0	-13.55	40.00	Horizontal	Horizontal	Pass
12000.687	-38.74	13.80	-25.0	-13.74	3.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW50 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
590.806	-60.90	-5.19	-25.0	-35.90	38.00	Horizontal	Vertical	Pass
2582.500	-30.24	8.29	-25.0	-5.24	116.00	Horizontal	Vertical	N/A
2646.200	-22.01	8.61	-25.0	2.99	186.00	Horizontal	Vertical	N/A
3531.500	-48.51	6.59	-25.0	-23.51	179.00	Horizontal	Vertical	Pass
6694.750	-38.87	15.03	-25.0	-13.87	326.00	Horizontal	Vertical	Pass
13363.200	-38.61	16.66	-25.0	-13.61	15.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW50 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
590.806	-61.37	-5.19	-25.0	-36.37	99.00	Vertical	Vertical	Pass
1544.000	-53.11	0.12	-25.0	-28.11	234.00	Vertical	Vertical	Pass
2674.700	-36.64	7.83	-25.0	-11.64	22.00	Vertical	Vertical	N/A
3199.000	-47.87	6.19	-25.0	-22.87	328.00	Vertical	Vertical	Pass
6711.500	-39.03	15.57	-25.0	-14.03	213.00	Vertical	Vertical	Pass
13379.213	-38.63	16.81	-25.0	-13.63	263.00	Vertical	Vertical	Pass


RSE-V&H n7 BW50 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
37.760	-64.12	-21.49	-25.0	-39.12	31.00	Vertical	Horizontal	Pass
2579.500	-38.13	8.58	-25.0	-13.13	315.00	Vertical	Horizontal	N/A
2647.000	-33.85	8.51	-25.0	-8.85	129.00	Vertical	Horizontal	N/A
4266.750	-45.55	8.73	-25.0	-20.55	160.00	Vertical	Horizontal	Pass
6620.750	-38.81	14.71	-25.0	-13.81	83.00	Vertical	Horizontal	Pass
13798.950	-37.84	16.94	-25.0	-12.84	110.00	Vertical	Horizontal	Pass


22.4 n7 BW5, QPSK, Middle Channel

RSE-H&H n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
318.624	-68.68	-15.03	-25.0	-43.68	104.00	Horizontal	Horizontal	Pass
2537.600	-41.05	8.16	-25.0	-16.05	130.00	Horizontal	Horizontal	N/A
2657.000	-13.61	8.07	-25.0	11.39	130.00	Horizontal	Horizontal	N/A
7808.250	-38.76	16.05	-25.0	-13.76	264.00	Horizontal	Horizontal	Pass
13377.637	-38.03	16.80	-25.0	-13.03	272.00	Horizontal	Horizontal	Pass
19788.300	-40.40	12.94	-25.0	-15.40	181.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW5 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
812.305	-67.63	-1.17	-25.0	-42.63	312.00	Horizontal	Vertical	Pass
2536.100	-44.10	8.16	-25.0	-19.10	152.00	Horizontal	Vertical	N/A
2580.600	-37.71	8.60	-25.0	-12.71	113.00	Horizontal	Vertical	Pass
2655.300	-16.31	8.22	-25.0	8.69	223.00	Horizontal	Vertical	N/A
7813.500	-38.77	16.25	-25.0	-13.77	14.00	Horizontal	Vertical	Pass
19917.001	-40.80	12.95	-25.0	-15.80	212.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.476	-61.18	-19.09	-25.0	-36.18	0.00	Vertical	Vertical	Pass
2487.900	-40.74	8.17	-25.0	-15.74	337.00	Vertical	Vertical	Pass
2578.100	-31.73	8.56	-25.0	-6.73	167.00	Vertical	Vertical	Pass
2656.300	-31.70	8.17	-25.0	-6.70	312.00	Vertical	Vertical	N/A
7352.250	-37.94	14.93	-25.0	-12.94	133.00	Vertical	Vertical	Pass
13357.425	-38.15	16.61	-25.0	-13.15	207.00	Vertical	Vertical	Pass


RSE-V&H n7 BW5 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.816	-61.84	-18.83	-25.0	-36.84	228.00	Vertical	Horizontal	Pass
2585.400	-38.43	8.02	-25.0	-13.43	326.00	Vertical	Horizontal	Pass
2655.400	-32.56	8.21	-25.0	-7.56	256.00	Vertical	Horizontal	N/A
6683.750	-38.59	14.62	-25.0	-13.59	0.00	Vertical	Horizontal	Pass
13801.838	-37.46	16.97	-25.0	-12.46	150.00	Vertical	Horizontal	Pass
19755.901	-39.60	12.94	-25.0	-14.60	337.00	Vertical	Horizontal	Pass


22.5 n7 BW25, QPSK, Middle Channel

RSE-H&H n7 BW25 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
322.794	-69.56	-14.89	-25.0	-44.56	265.00	Horizontal	Horizontal	Pass
2582.500	-34.79	8.29	-25.0	-9.79	167.00	Horizontal	Horizontal	N/A
2663.900	-20.41	7.91	-25.0	4.59	124.00	Horizontal	Horizontal	N/A
7836.250	-39.39	15.35	-25.0	-14.39	226.00	Horizontal	Horizontal	Pass
13347.450	-37.74	16.44	-25.0	-12.74	228.00	Horizontal	Horizontal	Pass
20339.550	-40.40	12.97	-25.0	-15.40	99.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW25 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.670	-73.81	-18.94	-25.0	-48.81	225.00	Horizontal	Vertical	Pass
2580.900	-35.38	8.55	-25.0	-10.38	125.00	Horizontal	Vertical	N/A
2667.100	-20.11	7.89	-25.0	4.89	152.00	Horizontal	Vertical	N/A
7815.500	-38.73	16.29	-25.0	-13.73	229.00	Horizontal	Vertical	Pass
13433.287	-38.73	16.28	-25.0	-13.73	360.00	Horizontal	Vertical	Pass
19764.001	-40.62	12.94	-25.0	-15.62	286.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW25 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.428	-60.88	-19.12	-25.0	-35.88	157.00	Vertical	Vertical	Pass
2582.900	-33.60	8.24	-25.0	-8.60	147.00	Vertical	Vertical	N/A
2666.700	-33.58	7.86	-25.0	-8.58	217.00	Vertical	Vertical	N/A
7801.000	-38.59	15.81	-25.0	-13.59	90.00	Vertical	Vertical	Pass
13388.925	-37.45	16.91	-25.0	-12.45	88.00	Vertical	Vertical	Pass
19720.350	-40.10	12.94	-25.0	-15.10	0.00	Vertical	Vertical	Pass


RSE-V&H n7 BW25 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.621	-60.84	-18.98	-25.0	-35.84	56.00	Vertical	Horizontal	Pass
2581.500	-41.93	8.44	-25.0	-16.93	257.00	Vertical	Horizontal	N/A
2663.400	-36.61	7.98	-25.0	-11.61	207.00	Vertical	Horizontal	N/A
7196.750	-38.88	14.70	-25.0	-13.88	194.00	Vertical	Horizontal	Pass
13413.862	-37.98	16.71	-25.0	-12.98	42.00	Vertical	Horizontal	Pass
20248.650	-39.48	12.96	-25.0	-14.48	0.00	Vertical	Horizontal	Pass


22.6 n7 BW50, QPSK, Middle Channel

RSE-H&H n7 BW50 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
319.302	-70.30	-15.01	-25.0	-45.30	116.00	Horizontal	Horizontal	Pass
2586.300	-34.88	7.94	-25.0	-9.88	287.00	Horizontal	Horizontal	N/A
2672.100	-23.19	7.96	-25.0	1.81	141.00	Horizontal	Horizontal	N/A
6870.500	-38.54	14.11	-25.0	-13.54	313.00	Horizontal	Horizontal	Pass
13357.162	-38.86	16.61	-25.0	-13.86	105.00	Horizontal	Horizontal	Pass
20335.499	-40.23	12.97	-25.0	-15.23	0.00	Horizontal	Horizontal	Pass

RSE-H&V n7 BW50 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.525	-74.15	-19.05	-25.0	-49.15	214.00	Horizontal	Vertical	Pass
2585.500	-39.58	8.02	-25.0	-14.58	157.00	Horizontal	Vertical	N/A
2675.900	-23.03	7.87	-25.0	1.97	151.00	Horizontal	Vertical	N/A
7791.500	-38.65	15.68	-25.0	-13.65	52.00	Horizontal	Vertical	Pass
13391.549	-37.97	16.93	-25.0	-12.97	224.00	Horizontal	Vertical	Pass
20163.600	-39.93	12.96	-25.0	-14.93	240.00	Horizontal	Vertical	Pass

RSE-V&V n7 BW50 CH531000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.767	-61.04	-18.87	-25.0	-36.04	39.00	Vertical	Vertical	Pass
2581.600	-38.89	8.42	-25.0	-13.89	0.00	Vertical	Vertical	N/A
2665.900	-33.12	7.90	-25.0	-8.12	212.00	Vertical	Vertical	N/A
7818.750	-37.99	16.27	-25.0	-12.99	328.00	Vertical	Vertical	Pass
12877.312	-37.72	14.99	-25.0	-12.72	331.00	Vertical	Vertical	Pass
19630.801	-40.28	12.93	-25.0	-15.28	147.00	Vertical	Vertical	Pass

RSE-V&H n7 BW50 CH531000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.688	-60.88	-18.55	-25.0	-35.88	136.00	Vertical	Horizontal	Pass
2503.600	-43.92	8.28	-25.0	-18.92	212.00	Vertical	Horizontal	N/A
2676.100	-36.21	7.88	-25.0	-11.21	212.00	Vertical	Horizontal	N/A
7883.250	-38.47	15.09	-25.0	-13.47	8.00	Vertical	Horizontal	Pass
13397.850	-38.09	16.99	-25.0	-13.09	1.00	Vertical	Horizontal	Pass
20103.750	-39.80	12.96	-25.0	-14.80	118.00	Vertical	Horizontal	Pass

23 n38


23.1 n38 BW20, PI/2 BPSK, Middle Channel

RSE-H&H n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
322.794	-69.75	-14.89	-25.0	-44.75	271.00	Horizontal	Horizontal	Pass
2591.300	-39.46	9.55	-25.0	-14.46	309.00	Horizontal	Horizontal	N/A
2973.100	-43.07	12.08	-25.0	-18.07	360.00	Horizontal	Horizontal	Pass
7812.750	-38.98	16.30	-25.0	-13.98	360.00	Horizontal	Horizontal	Pass
13393.651	-37.26	16.95	-25.0	-12.26	210.00	Horizontal	Horizontal	Pass
19498.949	-40.35	12.93	-25.0	-15.35	193.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
88.830	-74.42	-20.13	-25.0	-49.42	32.00	Horizontal	Vertical	Pass
2591.300	-41.30	9.55	-25.0	-16.30	150.00	Horizontal	Vertical	N/A
2963.300	-43.09	11.34	-25.0	-18.09	67.00	Horizontal	Vertical	Pass
6699.000	-38.42	15.30	-25.0	-13.42	1.00	Horizontal	Vertical	Pass
13380.787	-38.13	16.83	-25.0	-13.13	256.00	Horizontal	Vertical	Pass
19686.599	-40.26	12.94	-25.0	-15.26	224.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.864	-61.26	-18.80	-25.0	-36.26	245.00	Vertical	Vertical	Pass
2592.400	-41.66	9.57	-25.0	-16.66	170.00	Vertical	Vertical	N/A
2960.100	-43.06	11.23	-25.0	-18.06	360.00	Vertical	Vertical	Pass
6697.500	-38.54	15.21	-25.0	-13.54	226.00	Vertical	Vertical	Pass
13367.663	-38.14	16.71	-25.0	-13.14	289.00	Vertical	Vertical	Pass
19753.650	-40.36	12.94	-25.0	-15.36	294.00	Vertical	Vertical	Pass


RSE-V&H n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.300	-61.10	-18.63	-25.0	-36.10	227.00	Vertical	Horizontal	Pass
2624.400	-43.96	10.09	-25.0	-18.96	214.00	Vertical	Horizontal	Pass
2966.500	-42.64	11.56	-25.0	-17.64	239.00	Vertical	Horizontal	Pass
7784.250	-38.78	15.62	-25.0	-13.78	323.00	Vertical	Horizontal	Pass
13381.313	-37.32	16.83	-25.0	-12.32	271.00	Vertical	Horizontal	Pass
19475.100	-39.88	12.93	-25.0	-14.88	360.00	Vertical	Horizontal	Pass


23.2 n38 BW30, PI/2 BPSK, Middle Channel

RSE-H&H n38 BW30 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
316.829	-70.22	-14.97	-25.0	-45.22	109.00	Horizontal	Horizontal	Pass
2560.700	-38.62	8.73	-25.0	-13.62	290.00	Horizontal	Horizontal	N/A
2626.100	-29.42	9.68	-25.0	-4.42	176.00	Horizontal	Horizontal	N/A
6647.250	-38.07	15.22	-25.0	-13.07	357.00	Horizontal	Horizontal	Pass
13385.250	-37.95	16.87	-25.0	-12.95	27.00	Horizontal	Horizontal	Pass
19767.599	-40.62	12.94	-25.0	-15.62	192.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW30 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.900	-74.26	-15.84	-25.0	-49.26	0.00	Horizontal	Vertical	Pass
2558.200	-33.83	8.12	-25.0	-8.83	170.00	Horizontal	Vertical	N/A
2633.400	-32.28	8.18	-25.0	-7.28	170.00	Horizontal	Vertical	N/A
7284.250	-38.52	14.53	-25.0	-13.52	127.00	Horizontal	Vertical	Pass
13373.700	-38.03	16.76	-25.0	-13.03	164.00	Horizontal	Vertical	Pass
20199.600	-40.45	12.96	-25.0	-15.45	103.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW30 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.573	-61.36	-19.02	-25.0	-36.36	2.00	Vertical	Vertical	Pass
2561.900	-32.34	8.84	-25.0	-7.34	341.00	Vertical	Vertical	N/A
2631.500	-32.23	8.16	-25.0	-7.23	143.00	Vertical	Vertical	N/A
7888.500	-38.49	14.97	-25.0	-13.49	355.00	Vertical	Vertical	Pass
13353.224	-38.08	16.57	-25.0	-13.08	272.00	Vertical	Vertical	Pass
19752.301	-40.07	12.94	-25.0	-15.07	12.00	Vertical	Vertical	Pass


RSE-V&H n38 BW30 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.718	-61.86	-18.91	-25.0	-36.86	284.00	Vertical	Horizontal	Pass
2633.400	-41.01	8.18	-25.0	-16.01	213.00	Vertical	Horizontal	N/A
2969.700	-43.47	11.90	-25.0	-18.47	11.00	Vertical	Horizontal	Pass
7825.500	-38.61	15.93	-25.0	-13.61	238.00	Vertical	Horizontal	Pass
13384.200	-37.90	16.86	-25.0	-12.90	164.00	Vertical	Horizontal	Pass
19280.251	-40.70	12.92	-25.0	-15.70	347.00	Vertical	Horizontal	Pass


23.3 n38 BW40, PI/2 BPSK, Middle Channel

RSE-H&H n38 BW40 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
315.374	-69.81	-15.08	-25.0	-44.81	83.00	Horizontal	Horizontal	Pass
2554.500	-33.59	7.24	-25.0	-8.59	118.00	Horizontal	Horizontal	N/A
2642.800	-32.08	8.94	-25.0	-7.08	131.00	Horizontal	Horizontal	N/A
7831.000	-39.13	15.72	-25.0	-14.13	194.00	Horizontal	Horizontal	Pass
13396.013	-37.78	16.97	-25.0	-12.78	213.00	Horizontal	Horizontal	Pass
20088.449	-40.62	12.96	-25.0	-15.62	0.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW40 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
85.242	-74.24	-20.76	-25.0	-49.24	32.00	Horizontal	Vertical	Pass
2554.700	-34.06	7.24	-25.0	-9.06	151.00	Horizontal	Vertical	N/A
2627.800	-37.88	8.66	-25.0	-12.88	151.00	Horizontal	Vertical	N/A
7880.500	-39.42	15.09	-25.0	-14.42	302.00	Horizontal	Vertical	Pass
13388.662	-37.68	16.90	-25.0	-12.68	287.00	Horizontal	Vertical	Pass
17968.761	-40.18	13.62	-25.0	-15.18	303.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW40 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.670	-60.80	-18.94	-25.0	-35.80	309.00	Vertical	Vertical	Pass
2563.900	-28.61	8.89	-25.0	-3.61	195.00	Vertical	Vertical	N/A
2640.500	-33.09	8.43	-25.0	-8.09	177.00	Vertical	Vertical	N/A
7799.000	-37.88	15.84	-25.0	-12.88	40.00	Vertical	Vertical	Pass
13396.799	-37.50	16.98	-25.0	-12.50	164.00	Vertical	Vertical	Pass
20336.400	-39.70	12.97	-25.0	-14.70	255.00	Vertical	Vertical	Pass


RSE-V&H n38 BW40 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.155	-61.20	-18.66	-25.0	-36.20	254.00	Vertical	Horizontal	Pass
2557.600	-39.90	7.88	-25.0	-14.90	316.00	Vertical	Horizontal	N/A
2628.800	-37.96	8.50	-25.0	-12.96	35.00	Vertical	Horizontal	N/A
7952.500	-38.54	14.78	-25.0	-13.54	216.00	Vertical	Horizontal	Pass
13385.775	-38.27	16.88	-25.0	-13.27	212.00	Vertical	Horizontal	Pass
17954.324	-40.37	13.98	-25.0	-15.37	58.00	Vertical	Horizontal	Pass


23.4 n38 BW20, QPSK, Middle Channel

RSE-H&H n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
324.832	-69.02	-14.75	-25.0	-44.02	266.00	Horizontal	Horizontal	Pass
2591.400	-39.60	9.55	-25.0	-14.60	144.00	Horizontal	Horizontal	N/A
2627.500	-38.06	8.70	-25.0	-13.06	327.00	Horizontal	Horizontal	N/A
6712.750	-38.64	15.67	-25.0	-13.64	0.00	Horizontal	Horizontal	Pass
13799.999	-37.96	17.01	-25.0	-12.96	12.00	Horizontal	Horizontal	Pass
19629.449	-40.34	12.93	-25.0	-15.34	192.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW20 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.864	-74.25	-18.80	-25.0	-49.25	193.00	Horizontal	Vertical	Pass
2596.300	-43.09	9.67	-25.0	-18.09	172.00	Horizontal	Vertical	Pass
2888.200	-42.02	10.84	-25.0	-17.02	79.00	Horizontal	Vertical	Pass
6643.250	-38.37	15.14	-25.0	-13.37	360.00	Horizontal	Vertical	Pass
13371.862	-38.05	16.75	-25.0	-13.05	27.00	Horizontal	Vertical	Pass
19791.000	-39.59	12.94	-25.0	-14.59	27.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.651	-61.08	-19.70	-25.0	-36.08	271.00	Vertical	Vertical	Pass
2591.200	-41.41	9.54	-25.0	-16.41	194.00	Vertical	Vertical	N/A
2624.700	-40.83	10.09	-25.0	-15.83	180.00	Vertical	Vertical	N/A
6724.250	-38.56	15.59	-25.0	-13.56	196.00	Vertical	Vertical	Pass
13352.175	-37.84	16.56	-25.0	-12.84	360.00	Vertical	Vertical	Pass
19742.849	-40.16	12.94	-25.0	-15.16	0.00	Vertical	Vertical	Pass


RSE-V&H n38 BW20 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.010	-61.15	-18.69	-25.0	-36.15	57.00	Vertical	Horizontal	Pass
2598.600	-43.44	9.72	-25.0	-18.44	14.00	Vertical	Horizontal	Pass
2970.900	-43.03	12.03	-25.0	-18.03	211.00	Vertical	Horizontal	Pass
7794.000	-38.41	15.65	-25.0	-13.41	205.00	Vertical	Horizontal	Pass
11990.475	-38.51	13.86	-25.0	-13.51	213.00	Vertical	Horizontal	Pass
19771.650	-39.36	12.94	-25.0	-14.36	272.00	Vertical	Horizontal	Pass


23.5 n38 BW30, QPSK, Middle Channel

RSE-H&H n38 BW30 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
328.614	-69.61	-14.77	-25.0	-44.61	296.00	Horizontal	Horizontal	Pass
2560.900	-28.27	8.78	-25.0	-3.27	183.00	Horizontal	Horizontal	N/A
2629.100	-35.04	8.45	-25.0	-10.04	183.00	Horizontal	Horizontal	N/A
6814.000	-38.25	14.35	-25.0	-13.25	51.00	Horizontal	Horizontal	Pass
13384.200	-37.57	16.86	-25.0	-12.57	105.00	Horizontal	Horizontal	Pass
18261.449	-39.45	12.86	-25.0	-14.45	302.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW30 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
589.496	-70.22	-5.23	-25.0	-45.22	32.00	Horizontal	Vertical	Pass
2563.300	-37.47	8.88	-25.0	-12.47	221.00	Horizontal	Vertical	N/A
2629.500	-40.30	8.37	-25.0	-15.30	170.00	Horizontal	Vertical	N/A
6663.750	-38.65	14.67	-25.0	-13.65	314.00	Horizontal	Vertical	Pass
12003.063	-38.53	13.72	-25.0	-13.53	65.00	Horizontal	Vertical	Pass
17953.800	-40.59	14.00	-25.0	-15.59	149.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW30 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.991	-60.91	-19.44	-25.0	-35.91	268.00	Vertical	Vertical	Pass
2560.600	-39.09	8.71	-25.0	-14.09	341.00	Vertical	Vertical	N/A
2630.600	-39.59	8.22	-25.0	-14.59	3.00	Vertical	Vertical	N/A
6672.000	-38.43	14.60	-25.0	-13.43	360.00	Vertical	Vertical	Pass
13404.937	-38.03	16.90	-25.0	-13.03	211.00	Vertical	Vertical	Pass
19770.300	-40.54	12.94	-25.0	-15.54	8.00	Vertical	Vertical	Pass


RSE-V&H n38 BW30 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.961	-61.07	-18.72	-25.0	-36.07	216.00	Vertical	Horizontal	Pass
2552.400	-41.73	7.09	-25.0	-16.73	346.00	Vertical	Horizontal	N/A
2920.100	-42.09	11.45	-25.0	-17.09	251.00	Vertical	Horizontal	Pass
7759.000	-38.78	14.24	-25.0	-13.78	227.00	Vertical	Horizontal	Pass
13390.500	-37.90	16.92	-25.0	-12.90	360.00	Vertical	Horizontal	Pass
19771.650	-40.27	12.94	-25.0	-15.27	103.00	Vertical	Horizontal	Pass


23.6 n38 BW40, QPSK, Middle Channel

RSE-H&H n38 BW40 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
325.317	-69.99	-14.81	-25.0	-44.99	272.00	Horizontal	Horizontal	Pass
2556.800	-35.08	7.36	-25.0	-10.08	123.00	Horizontal	Horizontal	N/A
2634.000	-22.15	8.03	-25.0	2.85	225.00	Horizontal	Horizontal	N/A
6627.750	-38.44	14.80	-25.0	-13.44	193.00	Horizontal	Horizontal	Pass
13389.450	-37.54	16.91	-25.0	-12.54	333.00	Horizontal	Horizontal	Pass
18239.850	-40.12	12.86	-25.0	-15.12	40.00	Horizontal	Horizontal	Pass

RSE-H&V n38 BW40 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
315.907	-73.43	-15.00	-25.0	-48.43	140.00	Horizontal	Vertical	Pass
2557.900	-36.82	8.03	-25.0	-11.82	156.00	Horizontal	Vertical	N/A
2626.300	-32.58	9.46	-25.0	-7.58	137.00	Horizontal	Vertical	N/A
6704.750	-38.87	15.53	-25.0	-13.87	183.00	Horizontal	Vertical	Pass
13431.975	-37.95	16.31	-25.0	-12.95	28.00	Horizontal	Vertical	Pass
19566.000	-40.49	12.93	-25.0	-15.49	0.00	Horizontal	Vertical	Pass

RSE-V&V n38 BW40 CH519000



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.379	-60.64	-19.16	-25.0	-35.64	325.00	Vertical	Vertical	Pass
2560.700	-34.52	8.73	-25.0	-9.52	359.00	Vertical	Vertical	N/A
2632.700	-30.39	8.14	-25.0	-5.39	177.00	Vertical	Vertical	N/A
7825.750	-38.98	15.93	-25.0	-13.98	162.00	Vertical	Vertical	Pass
13371.338	-38.26	16.74	-25.0	-13.26	224.00	Vertical	Vertical	Pass
19625.849	-40.56	12.93	-25.0	-15.56	225.00	Vertical	Vertical	Pass

RSE-V&H n38 BW40 CH519000




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.428	-61.35	-19.12	-25.0	-36.35	294.00	Vertical	Horizontal	Pass
2563.700	-43.18	8.89	-25.0	-18.18	340.00	Vertical	Horizontal	Pass
2974.500	-43.36	12.04	-25.0	-18.36	277.00	Vertical	Horizontal	Pass
6772.500	-38.50	14.26	-25.0	-13.50	313.00	Vertical	Horizontal	Pass
12508.463	-38.28	14.58	-25.0	-13.28	199.00	Vertical	Horizontal	Pass
18191.249	-40.19	12.86	-25.0	-15.19	178.00	Vertical	Horizontal	Pass

24 n41


24.1 n41 BW20, PI/2 BPSK, Middle Channel

RSE-H&H n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.997	-64.48	-15.83	-25.0	-39.48	0.00	Horizontal	Horizontal	Pass
2117.000	-48.03	4.65	-25.0	-23.03	341.00	Horizontal	Horizontal	Pass
2591.700	-40.93	9.56	-25.0	-15.93	136.00	Horizontal	Horizontal	Pass
6700.250	-38.57	15.32	-25.0	-13.57	339.00	Horizontal	Horizontal	Pass
13531.463	-38.55	15.66	-25.0	-13.55	1.00	Horizontal	Horizontal	Pass
20340.900	-40.29	12.97	-25.0	-15.29	346.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
328.129	-72.17	-14.76	-25.0	-47.17	1.00	Horizontal	Vertical	Pass
2014.900	-48.48	3.70	-25.0	-23.48	12.00	Horizontal	Vertical	Pass
2596.500	-41.22	9.67	-25.0	-16.22	122.00	Horizontal	Vertical	Pass
7810.000	-37.39	16.27	-25.0	-12.39	237.00	Horizontal	Vertical	Pass
13399.687	-38.15	17.01	-25.0	-13.15	0.00	Horizontal	Vertical	Pass
19919.249	-40.30	12.95	-25.0	-15.30	198.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.300	-62.35	-18.63	-25.0	-37.35	169.00	Vertical	Vertical	Pass
2091.200	-47.78	4.49	-25.0	-22.78	359.00	Vertical	Vertical	Pass
2591.200	-42.09	9.54	-25.0	-17.09	124.00	Vertical	Vertical	Pass
6656.250	-38.71	15.05	-25.0	-13.71	309.00	Vertical	Vertical	Pass
13346.138	-38.27	16.39	-25.0	-13.27	14.00	Vertical	Vertical	Pass
17957.474	-39.34	13.90	-25.0	-14.34	339.00	Vertical	Vertical	Pass


RSE-V&H n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.173	-57.93	-18.41	-25.0	-32.93	131.00	Vertical	Horizontal	Pass
2096.000	-48.23	4.55	-25.0	-23.23	360.00	Vertical	Horizontal	Pass
2611.500	-43.69	9.91	-25.0	-18.69	282.00	Vertical	Horizontal	Pass
6707.750	-38.70	15.69	-25.0	-13.70	359.00	Vertical	Horizontal	Pass
13397.325	-38.36	16.98	-25.0	-13.36	15.00	Vertical	Horizontal	Pass
19473.900	-40.62	12.93	-25.0	-15.62	81.00	Vertical	Horizontal	Pass


24.2 n41 BW60, PI/2 BPSK, Middle Channel

RSE-H&H n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.609	-70.58	-15.89	-25.0	-45.58	346.00	Horizontal	Horizontal	Pass
2564.800	11.89	8.91	-25.0	36.89	286.00	Horizontal	Horizontal	N/A
2628.400	-23.62	8.57	-25.0	1.38	190.00	Horizontal	Horizontal	N/A
7762.750	-38.61	14.38	-25.0	-13.61	119.00	Horizontal	Horizontal	Pass
13372.387	-37.64	16.75	-25.0	-12.64	272.00	Horizontal	Horizontal	Pass
20358.900	-39.31	12.97	-25.0	-14.31	64.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
328.954	-72.08	-14.78	-25.0	-47.08	190.00	Horizontal	Vertical	Pass
2564.700	8.44	8.91	-25.0	33.44	145.00	Horizontal	Vertical	N/A
2632.600	-27.65	8.13	-25.0	-2.65	145.00	Horizontal	Vertical	N/A
7820.750	-38.43	16.09	-25.0	-13.43	138.00	Horizontal	Vertical	Pass
13353.487	-38.43	16.57	-25.0	-13.43	1.00	Horizontal	Vertical	Pass
19642.051	-39.99	12.93	-25.0	-14.99	2.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.428	-61.68	-19.12	-25.0	-36.68	209.00	Vertical	Vertical	Pass
2564.700	9.39	8.91	-25.0	34.39	0.00	Vertical	Vertical	N/A
2628.100	-26.78	8.61	-25.0	-1.78	130.00	Vertical	Vertical	N/A
6727.750	-38.80	15.49	-25.0	-13.80	178.00	Vertical	Vertical	Pass
13414.912	-37.66	16.68	-25.0	-12.66	141.00	Vertical	Vertical	Pass
19913.849	-39.50	12.95	-25.0	-14.50	40.00	Vertical	Vertical	Pass


RSE-V&H n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.543	-61.40	-18.58	-25.0	-36.40	316.00	Vertical	Horizontal	Pass
2564.800	-3.66	8.91	-25.0	21.34	132.00	Vertical	Horizontal	N/A
2632.800	-39.90	8.14	-25.0	-14.90	209.00	Vertical	Horizontal	N/A
6661.000	-38.36	14.74	-25.0	-13.36	217.00	Vertical	Horizontal	Pass
13418.849	-39.01	16.60	-25.0	-14.01	1.00	Vertical	Horizontal	Pass
19624.499	-40.59	12.93	-25.0	-15.59	281.00	Vertical	Horizontal	Pass


24.3 n41 BW100, PI/2 BPSK, Middle Channel

RSE-H&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.658	-72.29	-15.88	-25.0	-47.29	171.00	Horizontal	Horizontal	Pass
2553.000	13.38	7.23	-25.0	38.38	138.00	Horizontal	Horizontal	N/A
2629.400	-25.48	8.39	-25.0	-0.48	190.00	Horizontal	Horizontal	N/A
6640.250	-38.55	15.06	-25.0	-13.55	142.00	Horizontal	Horizontal	Pass
13376.588	-38.70	16.79	-25.0	-13.70	223.00	Horizontal	Horizontal	Pass
19497.599	-39.96	12.93	-25.0	-14.96	40.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
89.170	-71.60	-20.16	-25.0	-46.60	166.00	Horizontal	Vertical	Pass
2553.000	13.21	7.23	-25.0	38.21	164.00	Horizontal	Vertical	N/A
2627.600	-28.27	8.69	-25.0	-3.27	181.00	Horizontal	Vertical	N/A
6653.000	-39.31	15.01	-25.0	-14.31	16.00	Horizontal	Vertical	Pass
13405.200	-38.60	16.90	-25.0	-13.60	296.00	Horizontal	Vertical	Pass
19629.900	-40.02	12.93	-25.0	-15.02	218.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.640	-61.27	-18.56	-25.0	-36.27	309.00	Vertical	Vertical	Pass
2553.100	13.37	7.25	-25.0	38.37	140.00	Vertical	Vertical	N/A
2632.700	-28.80	8.14	-25.0	-3.80	132.00	Vertical	Vertical	N/A
6635.750	-38.64	14.86	-25.0	-13.64	275.00	Vertical	Vertical	Pass
13376.850	-37.92	16.79	-25.0	-12.92	5.00	Vertical	Vertical	Pass
20340.900	-39.93	12.97	-25.0	-14.93	163.00	Vertical	Vertical	Pass


RSE-V&H n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.834	-61.55	-18.52	-25.0	-36.55	271.00	Vertical	Horizontal	Pass
2553.000	7.49	7.23	-25.0	32.49	333.00	Vertical	Horizontal	N/A
2631.900	-38.61	8.14	-25.0	-13.61	191.00	Vertical	Horizontal	N/A
6844.750	-38.57	14.10	-25.0	-13.57	129.00	Vertical	Horizontal	Pass
13342.200	-38.03	16.23	-25.0	-13.03	22.00	Vertical	Horizontal	Pass
19700.099	-40.43	12.94	-25.0	-15.43	190.00	Vertical	Horizontal	Pass


24.4 n41 BW20, QPSK, Middle Channel

RSE-H&H n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
192.766	-69.15	-16.10	-25.0	-44.15	0.00	Horizontal	Horizontal	Pass
2045.000	-48.25	3.72	-25.0	-23.25	118.00	Horizontal	Horizontal	Pass
2559.700	-42.57	8.57	-25.0	-17.57	195.00	Horizontal	Horizontal	Pass
6656.000	-39.19	15.05	-25.0	-14.19	1.00	Horizontal	Horizontal	Pass
13390.763	-37.42	16.92	-25.0	-12.42	325.00	Horizontal	Horizontal	Pass
19896.750	-40.20	12.95	-25.0	-15.20	249.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW20 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
88.733	-70.80	-20.12	-25.0	-45.80	36.00	Horizontal	Vertical	Pass
2005.200	-49.05	3.87	-25.0	-24.05	45.00	Horizontal	Vertical	Pass
2590.600	-40.11	9.53	-25.0	-15.11	121.00	Horizontal	Vertical	Pass
6706.250	-38.21	15.54	-25.0	-13.21	130.00	Horizontal	Vertical	Pass
13384.724	-38.70	16.87	-25.0	-13.70	36.00	Horizontal	Vertical	Pass
19896.750	-40.22	12.95	-25.0	-15.22	344.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.592	-61.98	-18.57	-25.0	-36.98	39.00	Vertical	Vertical	Pass
1719.000	-51.76	-0.19	-25.0	-26.76	203.00	Vertical	Vertical	Pass
2591.900	-42.31	9.56	-25.0	-17.31	109.00	Vertical	Vertical	Pass
6664.500	-38.11	14.69	-25.0	-13.11	354.00	Vertical	Vertical	Pass
13347.188	-38.41	16.43	-25.0	-13.41	276.00	Vertical	Vertical	Pass
19672.199	-40.11	12.94	-25.0	-15.11	58.00	Vertical	Vertical	Pass


RSE-V&H n41 BW20 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.222	-59.28	-18.40	-25.0	-34.28	260.00	Vertical	Horizontal	Pass
2010.300	-48.41	3.76	-25.0	-23.41	359.00	Vertical	Horizontal	Pass
2584.400	-43.45	9.38	-25.0	-18.45	32.00	Vertical	Horizontal	Pass
6665.500	-38.70	14.69	-25.0	-13.70	360.00	Vertical	Horizontal	Pass
13365.562	-38.50	16.69	-25.0	-13.50	39.00	Vertical	Horizontal	Pass
19834.651	-40.58	12.94	-25.0	-15.58	82.00	Vertical	Horizontal	Pass


24.5 n41 BW60, QPSK, Middle Channel

RSE-H&H n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.560	-71.86	-15.89	-25.0	-46.86	328.00	Horizontal	Horizontal	Pass
2564.400	6.50	8.90	-25.0	31.50	184.00	Horizontal	Horizontal	N/A
2628.200	-23.48	8.60	-25.0	1.52	192.00	Horizontal	Horizontal	N/A
6662.500	-39.02	14.80	-25.0	-14.02	332.00	Horizontal	Horizontal	Pass
12503.474	-38.60	14.66	-25.0	-13.60	165.00	Horizontal	Horizontal	Pass
19763.550	-40.65	12.94	-25.0	-15.65	334.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW60 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
88.782	-72.05	-20.12	-25.0	-47.05	3.00	Horizontal	Vertical	Pass
2564.900	8.60	8.92	-25.0	33.60	139.00	Horizontal	Vertical	N/A
2628.600	-28.02	8.53	-25.0	-3.02	148.00	Horizontal	Vertical	N/A
7823.500	-38.28	16.14	-25.0	-13.28	297.00	Horizontal	Vertical	Pass
13793.175	-38.80	16.55	-25.0	-13.80	146.00	Horizontal	Vertical	Pass
17943.562	-40.48	13.94	-25.0	-15.48	294.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.398	-61.71	-18.61	-25.0	-36.71	215.00	Vertical	Vertical	Pass
2564.700	6.34	8.91	-25.0	31.34	326.00	Vertical	Vertical	N/A
2628.800	-28.38	8.50	-25.0	-3.38	130.00	Vertical	Vertical	N/A
6644.750	-39.02	15.12	-25.0	-14.02	66.00	Vertical	Vertical	Pass
13383.937	-38.09	16.86	-25.0	-13.09	203.00	Vertical	Vertical	Pass
19838.700	-40.76	12.94	-25.0	-15.76	159.00	Vertical	Vertical	Pass


RSE-V&H n41 BW60 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.398	-61.23	-18.61	-25.0	-36.23	112.00	Vertical	Horizontal	Pass
2564.400	2.55	8.90	-25.0	27.55	207.00	Vertical	Horizontal	N/A
2636.600	-29.12	8.27	-25.0	-4.12	146.00	Vertical	Horizontal	N/A
7817.250	-38.09	16.32	-25.0	-13.09	262.00	Vertical	Horizontal	Pass
13371.338	-37.66	16.74	-25.0	-12.66	342.00	Vertical	Horizontal	Pass
19884.151	-40.28	12.95	-25.0	-15.28	194.00	Vertical	Horizontal	Pass


24.6 n41 BW100, QPSK, Middle Channel

RSE-H&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
194.706	-71.26	-15.87	-25.0	-46.26	335.00	Horizontal	Horizontal	Pass
2553.200	13.40	7.27	-25.0	38.40	191.00	Horizontal	Horizontal	N/A
2643.600	-25.18	9.09	-25.0	-0.18	200.00	Horizontal	Horizontal	N/A
6651.750	-38.57	15.07	-25.0	-13.57	254.00	Horizontal	Horizontal	Pass
13372.125	-37.64	16.75	-25.0	-12.64	296.00	Horizontal	Horizontal	Pass
19622.699	-39.92	12.93	-25.0	-14.92	1.00	Horizontal	Horizontal	Pass

RSE-H&V n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
89.315	-71.90	-20.17	-25.0	-46.90	10.00	Horizontal	Vertical	Pass
2552.900	12.26	7.21	-25.0	37.26	269.00	Horizontal	Vertical	N/A
2626.300	-27.11	9.46	-25.0	-2.11	106.00	Horizontal	Vertical	N/A
6645.500	-38.85	15.17	-25.0	-13.85	308.00	Horizontal	Vertical	Pass
13336.688	-38.05	16.02	-25.0	-13.05	79.00	Horizontal	Vertical	Pass
20328.749	-40.49	12.97	-25.0	-15.49	2.00	Horizontal	Vertical	Pass

RSE-V&V n41 BW100 CH518598



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.834	-61.45	-18.52	-25.0	-36.45	321.00	Vertical	Vertical	Pass
2544.600	12.45	6.39	-25.0	37.45	36.00	Vertical	Vertical	N/A
2640.600	-27.06	8.45	-25.0	-2.06	140.00	Vertical	Vertical	N/A
6668.000	-38.77	14.60	-25.0	-13.77	127.00	Vertical	Vertical	Pass
13342.200	-38.58	16.23	-25.0	-13.58	345.00	Vertical	Vertical	Pass
17819.136	-40.82	12.68	-25.0	-15.82	273.00	Vertical	Vertical	Pass

RSE-V&H n41 BW100 CH518598




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.785	-61.44	-18.53	-25.0	-36.44	259.00	Vertical	Horizontal	Pass
2544.500	3.92	6.42	-25.0	28.92	318.00	Vertical	Horizontal	N/A
2630.700	-38.55	8.22	-25.0	-13.55	310.00	Vertical	Horizontal	N/A
6681.000	-39.03	14.57	-25.0	-14.03	29.00	Vertical	Horizontal	Pass
12708.675	-37.54	14.78	-25.0	-12.54	295.00	Vertical	Horizontal	Pass
19718.552	-40.26	12.94	-25.0	-15.26	16.00	Vertical	Horizontal	Pass

25 DC_5A_n7A


25.1 DC_5A_n7A BW10(LTE)+BW5(NR), PI/2 BPSK, Middle Chanel

RSE-H&H DC_5A_n7A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.899	-46.17	9.13	-25.0	-21.17	211.00	Horizontal	Horizontal	N/A
877.247	-23.67	8.35	-25.0	1.33	360.00	Horizontal	Horizontal	N/A
2536.500	-38.71	11.87	-25.0	-13.71	0.00	Horizontal	Horizontal	N/A
2655.300	-22.95	9.62	-25.0	2.05	19.00	Horizontal	Horizontal	N/A
7999.500	-36.91	19.00	-25.0	-11.91	13.00	Horizontal	Horizontal	Pass
13433.287	-39.47	16.28	-25.0	-14.47	1.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n7A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.505	-59.96	-7.75	-25.0	-34.96	360.00	Horizontal	Vertical	Pass
885.879	-25.07	9.07	-25.0	-0.07	235.00	Horizontal	Vertical	N/A
2536.200	-37.52	11.87	-25.0	-12.52	77.00	Horizontal	Vertical	N/A
2654.100	-20.34	9.66	-25.0	4.66	168.00	Horizontal	Vertical	N/A
7921.750	-35.87	18.29	-25.0	-10.87	191.00	Horizontal	Vertical	Pass
13410.713	-39.06	16.77	-25.0	-14.06	205.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.578	-50.38	9.15	-25.0	-25.38	181.00	Vertical	Vertical	N/A
884.134	-25.84	8.73	-25.0	-0.84	274.00	Vertical	Vertical	N/A
2439.200	-39.28	8.22	-25.0	-14.28	360.00	Vertical	Vertical	N/A
2654.400	-33.67	9.65	-25.0	-8.67	135.00	Vertical	Vertical	N/A
13402.050	-39.05	16.96	-25.0	-14.05	104.00	Vertical	Vertical	Pass
17913.901	-41.36	13.22	-25.0	-16.36	104.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
61.477	-56.01	-4.60	-25.0	-31.01	360.00	Vertical	Horizontal	Pass
879.041	-29.33	8.52	-25.0	-4.33	286.00	Vertical	Horizontal	N/A
2536.100	-40.61	11.87	-25.0	-15.61	67.00	Vertical	Horizontal	N/A
2654.600	-32.77	9.64	-25.0	-7.77	180.00	Vertical	Horizontal	N/A
7782.500	-36.60	18.20	-25.0	-11.60	312.00	Vertical	Horizontal	Pass
13389.187	-39.74	16.91	-25.0	-14.74	321.00	Vertical	Horizontal	Pass


25.2 DC_5A_n7A BW10(LTE)+BW25(NR), PI/2 BPSK, Middle Chanel

RSE-H&H DC_5A_n7A BW10(LTE)+BW25(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.948	-46.60	9.13	-25.0	-21.60	215.00	Horizontal	Horizontal	N/A
884.812	-21.74	8.94	-25.0	3.26	227.00	Horizontal	Horizontal	N/A
2580.600	-38.05	9.88	-25.0	-13.05	1.00	Horizontal	Horizontal	N/A
2647.500	-25.30	9.74	-25.0	-0.30	241.00	Horizontal	Horizontal	N/A
6699.250	-37.28	16.89	-25.0	-12.28	219.00	Horizontal	Horizontal	Pass
13365.826	-39.70	16.69	-25.0	-14.70	129.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n7A BW10(LTE)+BW25(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
882.484	-25.69	8.62	-25.0	-0.69	51.00	Horizontal	Vertical	N/A
1332.400	-49.74	2.33	-25.0	-24.74	200.00	Horizontal	Vertical	Pass
2529.800	-39.91	11.92	-25.0	-14.91	66.00	Horizontal	Vertical	N/A
2646.500	-26.26	9.55	-25.0	-1.26	183.00	Horizontal	Vertical	N/A
7915.750	-36.20	18.15	-25.0	-11.20	354.00	Horizontal	Vertical	Pass
13393.912	-39.02	16.95	-25.0	-14.02	129.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n7A BW10(LTE)+BW25(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.081	-51.40	8.74	-25.0	-26.40	327.00	Vertical	Vertical	N/A
884.667	-26.07	8.89	-25.0	-1.07	277.00	Vertical	Vertical	N/A
2644.500	-40.27	9.53	-25.0	-15.27	285.00	Vertical	Vertical	N/A
7416.500	-36.65	18.15	-25.0	-11.65	233.00	Vertical	Vertical	Pass
13812.076	-40.16	16.73	-25.0	-15.16	82.00	Vertical	Vertical	Pass
19510.651	-42.00	12.93	-25.0	-17.00	64.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n7A BW10(LTE)+BW25(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.045	-55.97	9.14	-25.0	-30.97	332.00	Vertical	Horizontal	N/A
883.067	-27.85	8.63	-25.0	-2.85	281.00	Vertical	Horizontal	N/A
2498.800	-39.80	12.15	-25.0	-14.80	35.00	Vertical	Horizontal	N/A
2645.900	-40.08	9.50	-25.0	-15.08	180.00	Vertical	Horizontal	N/A
7798.750	-36.25	18.13	-25.0	-11.25	172.00	Vertical	Horizontal	Pass
12912.487	-39.31	15.28	-25.0	-14.31	244.00	Vertical	Horizontal	Pass


25.3 DC_5A_n7A BW10(LTE)+BW50(NR), PI/2 BPSK, Middle Chanel

RSE-H&H DC_5A_n7A BW10(LTE)+BW50(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.899	-46.89	9.13	-25.0	-21.89	210.00	Horizontal	Horizontal	N/A
883.212	-22.84	8.64	-25.0	2.16	236.00	Horizontal	Horizontal	N/A
2529.500	-40.65	11.92	-25.0	-15.65	362.00	Horizontal	Horizontal	N/A
2632.100	-31.78	9.13	-25.0	-6.78	175.00	Horizontal	Horizontal	N/A
7411.750	-36.17	18.12	-25.0	-11.17	51.00	Horizontal	Horizontal	Pass
13379.738	-39.71	16.82	-25.0	-14.71	1.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n7A BW10(LTE)+BW50(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
884.812	-22.90	8.94	-25.0	2.10	76.00	Horizontal	Vertical	N/A
2544.800	-40.43	11.80	-25.0	-15.43	165.00	Horizontal	Vertical	N/A
2634.100	-28.56	9.33	-25.0	-3.56	182.00	Horizontal	Vertical	N/A
7090.500	-36.57	16.29	-25.0	-11.57	344.00	Horizontal	Vertical	Pass
13363.724	-39.42	16.67	-25.0	-14.42	1.00	Horizontal	Vertical	Pass
19367.100	-42.05	12.92	-25.0	-17.05	360.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n7A BW10(LTE)+BW50(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.851	-50.88	9.13	-25.0	-25.88	336.00	Vertical	Vertical	N/A
883.260	-26.30	8.64	-25.0	-1.30	269.00	Vertical	Vertical	N/A
2523.500	-41.04	11.97	-25.0	-16.04	284.00	Vertical	Vertical	Pass
7920.250	-36.67	18.21	-25.0	-11.67	300.00	Vertical	Vertical	Pass
13397.588	-39.75	16.99	-25.0	-14.75	344.00	Vertical	Vertical	Pass
18136.801	-41.82	12.86	-25.0	-16.82	360.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n7A BW10(LTE)+BW50(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.282	-59.49	-8.44	-25.0	-34.49	269.00	Vertical	Horizontal	Pass
882.242	-29.01	8.62	-25.0	-4.01	275.00	Vertical	Horizontal	N/A
2574.400	-40.62	11.83	-25.0	-15.62	93.00	Vertical	Horizontal	Pass
7929.000	-35.75	18.59	-25.0	-10.75	55.00	Vertical	Horizontal	Pass
13371.076	-38.94	16.74	-25.0	-13.94	110.00	Vertical	Horizontal	Pass
19118.250	-41.43	12.91	-25.0	-16.43	111.00	Vertical	Horizontal	Pass


25.4 DC_5A_n7A BW10(LTE)+BW5(NR), QPSK, Middle Chanel

RSE-H&H DC_5A_n7A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
853.870	-46.86	9.15	-25.0	-21.86	232.00	Horizontal	Horizontal	N/A
884.619	-22.00	8.88	-25.0	3.00	238.00	Horizontal	Horizontal	N/A
2536.300	-35.82	11.87	-25.0	-10.82	360.00	Horizontal	Horizontal	N/A
2656.100	-19.58	9.59	-25.0	5.42	234.00	Horizontal	Horizontal	N/A
7894.500	-36.36	17.69	-25.0	-11.36	323.00	Horizontal	Horizontal	Pass
12852.112	-40.26	14.45	-25.0	-15.26	159.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n7A BW10(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
94.553	-60.03	-7.75	-25.0	-35.03	360.00	Horizontal	Vertical	Pass
884.619	-23.97	8.88	-25.0	1.03	239.00	Horizontal	Vertical	N/A
2418.600	-35.63	7.64	-25.0	-10.63	258.00	Horizontal	Vertical	N/A
2654.600	-19.24	9.64	-25.0	5.76	233.00	Horizontal	Vertical	N/A
7968.250	-35.97	18.08	-25.0	-10.97	192.00	Horizontal	Vertical	Pass
13392.600	-39.25	16.94	-25.0	-14.25	273.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.899	-49.77	9.13	-25.0	-24.77	294.00	Vertical	Vertical	N/A
881.903	-25.66	8.61	-25.0	-0.66	279.00	Vertical	Vertical	N/A
2436.600	-39.47	7.97	-25.0	-14.47	300.00	Vertical	Vertical	N/A
2656.500	-33.89	9.58	-25.0	-8.89	292.00	Vertical	Vertical	N/A
7991.750	-35.68	18.51	-25.0	-10.68	168.00	Vertical	Vertical	Pass
13368.450	-38.47	16.71	-25.0	-13.47	227.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n7A BW10(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.985	-56.34	8.74	-25.0	-31.34	333.00	Vertical	Horizontal	N/A
879.332	-27.20	8.53	-25.0	-2.20	283.00	Vertical	Horizontal	N/A
2435.600	-40.33	7.83	-25.0	-15.33	43.00	Vertical	Horizontal	N/A
2655.000	-32.37	9.63	-25.0	-7.37	175.00	Vertical	Horizontal	N/A
7796.000	-35.93	18.12	-25.0	-10.93	289.00	Vertical	Horizontal	Pass
13395.488	-39.58	16.97	-25.0	-14.58	59.00	Vertical	Horizontal	Pass


25.5 DC_5A_n7A BW10(LTE)+BW25(NR), QPSK, Middle Chanel

RSE-H&H DC_5A_n7A BW10(LTE)+BW25(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.899	-46.78	9.13	-25.0	-21.78	226.00	Horizontal	Horizontal	N/A
885.201	-21.12	9.00	-25.0	3.88	232.00	Horizontal	Horizontal	N/A
2579.200	-38.36	9.90	-25.0	-13.36	9.00	Horizontal	Horizontal	N/A
2647.900	-26.89	9.81	-25.0	-1.89	241.00	Horizontal	Horizontal	N/A
4698.750	-42.30	11.06	-25.0	-17.30	224.00	Horizontal	Horizontal	Pass
13367.663	-40.02	16.71	-25.0	-15.02	1.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n7A BW10(LTE)+BW25(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
317.120	-66.02	-2.36	-25.0	-41.02	275.00	Horizontal	Vertical	Pass
882.969	-22.77	8.63	-25.0	2.23	90.00	Horizontal	Vertical	N/A
2529.400	-40.39	11.92	-25.0	-15.39	175.00	Horizontal	Vertical	N/A
2646.400	-28.18	9.53	-25.0	-3.18	167.00	Horizontal	Vertical	N/A
7969.500	-36.14	18.07	-25.0	-11.14	322.00	Horizontal	Vertical	Pass
13360.575	-40.23	16.64	-25.0	-15.23	1.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n7A BW10(LTE)+BW25(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.081	-51.33	8.74	-25.0	-26.33	359.00	Vertical	Vertical	N/A
880.932	-25.60	8.62	-25.0	-0.60	282.00	Vertical	Vertical	N/A
2530.200	-39.89	11.92	-25.0	-14.89	84.00	Vertical	Vertical	N/A
2646.600	-39.59	9.56	-25.0	-14.59	203.00	Vertical	Vertical	N/A
9324.063	-42.59	13.10	-25.0	-17.59	27.00	Vertical	Vertical	Pass
13382.625	-39.37	16.85	-25.0	-14.37	129.00	Vertical	Vertical	Pass


RSE-V&H DC_5A_n7A BW10(LTE)+BW25(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.887	-55.33	8.74	-25.0	-30.33	321.00	Vertical	Horizontal	N/A
884.812	-27.82	8.94	-25.0	-2.82	288.00	Vertical	Horizontal	N/A
2646.700	-40.24	9.57	-25.0	-15.24	18.00	Vertical	Horizontal	N/A
6686.750	-37.10	17.06	-25.0	-12.10	354.00	Vertical	Horizontal	Pass
13355.588	-39.03	16.59	-25.0	-14.03	55.00	Vertical	Horizontal	Pass
17974.276	-41.23	13.49	-25.0	-16.23	1.00	Vertical	Horizontal	Pass


25.6 DC_5A_n7A BW10(LTE)+BW50(NR), QPSK, Middle Chanel

RSE-H&H DC_5A_n7A BW10(LTE)+BW50(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.851	-47.29	9.13	-25.0	-22.29	198.00	Horizontal	Horizontal	N/A
885.201	-22.97	9.00	-25.0	2.03	238.00	Horizontal	Horizontal	N/A
2530.100	-40.28	11.92	-25.0	-15.28	190.00	Horizontal	Horizontal	N/A
2635.300	-30.26	9.44	-25.0	-5.26	174.00	Horizontal	Horizontal	N/A
7798.250	-36.58	18.12	-25.0	-11.58	137.00	Horizontal	Horizontal	Pass
12899.100	-39.41	15.46	-25.0	-14.41	1.00	Horizontal	Horizontal	Pass

RSE-H&V DC_5A_n7A BW10(LTE)+BW50(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.620	-65.51	-7.61	-25.0	-40.51	360.00	Horizontal	Vertical	Pass
881.806	-23.41	8.61	-25.0	1.59	81.00	Horizontal	Vertical	N/A
2529.800	-39.60	11.92	-25.0	-14.60	84.00	Horizontal	Vertical	N/A
2633.400	-29.22	9.28	-25.0	-4.22	241.00	Horizontal	Vertical	N/A
7931.000	-36.48	18.76	-25.0	-11.48	212.00	Horizontal	Vertical	Pass
13371.338	-39.65	16.74	-25.0	-14.65	248.00	Horizontal	Vertical	Pass

RSE-V&V DC_5A_n7A BW10(LTE)+BW50(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
852.997	-50.35	9.13	-25.0	-25.35	178.00	Vertical	Vertical	N/A
879.429	-26.34	8.53	-25.0	-1.34	281.00	Vertical	Vertical	N/A
2541.400	-41.67	11.83	-25.0	-16.67	1.00	Vertical	Vertical	Pass
7801.250	-34.72	18.18	-25.0	-9.72	268.00	Vertical	Vertical	Pass
13380.000	-40.24	16.82	-25.0	-15.24	1.00	Vertical	Vertical	Pass
19268.551	-41.35	12.91	-25.0	-16.35	204.00	Vertical	Vertical	Pass

RSE-V&H DC_5A_n7A BW10(LTE)+BW50(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
834.227	-56.02	8.75	-25.0	-31.02	327.00	Vertical	Horizontal	N/A
883.260	-28.66	8.64	-25.0	-3.66	288.00	Vertical	Horizontal	N/A
2544.700	-40.35	11.80	-25.0	-15.35	102.00	Vertical	Horizontal	Pass
7408.000	-35.19	17.97	-25.0	-10.19	156.00	Vertical	Horizontal	Pass
13400.475	-39.53	17.00	-25.0	-14.53	45.00	Vertical	Horizontal	Pass
19825.199	-41.66	12.94	-25.0	-16.66	184.00	Vertical	Horizontal	Pass

26 DC_7A_n5A


26.1 DC_7A_n5A BW20(LTE)+BW5(NR), PI2 BPSK, Middle Chanel

RSE-H&H DC_7A_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.700	-49.18	8.81	-25.0	-24.18	202.00	Horizontal	Horizontal	N/A
882.727	-32.86	8.63	-25.0	-7.86	259.00	Horizontal	Horizontal	N/A
2138.500	-43.56	6.29	-25.0	-18.56	235.00	Horizontal	Horizontal	Pass
2529.000	-36.58	11.93	-25.0	-11.58	360.00	Horizontal	Horizontal	N/A
7945.750	-36.55	18.76	-25.0	-11.55	332.00	Horizontal	Horizontal	Pass
13402.050	-39.34	16.96	-25.0	-14.34	3.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.488	-58.03	8.78	-25.0	-33.03	72.00	Horizontal	Vertical	N/A
881.030	-55.20	8.61	-25.0	-30.20	247.00	Horizontal	Vertical	N/A
2530.300	-40.23	11.92	-25.0	-15.23	325.00	Horizontal	Vertical	N/A
2650.100	-42.52	9.86	-25.0	-17.52	154.00	Horizontal	Vertical	N/A
7940.250	-36.32	18.98	-25.0	-11.32	201.00	Horizontal	Vertical	Pass
13395.488	-39.79	16.97	-25.0	-14.79	203.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.619	-52.79	-11.05	-25.0	-27.79	78.00	Vertical	Vertical	Pass
835.828	-52.58	8.78	-25.0	-27.58	256.00	Vertical	Vertical	N/A
2529.600	-39.38	11.92	-25.0	-14.38	101.00	Vertical	Vertical	N/A
2959.400	-40.64	12.17	-25.0	-15.64	132.00	Vertical	Vertical	Pass
7954.750	-36.51	18.47	-25.0	-11.51	28.00	Vertical	Vertical	Pass
13372.912	-39.11	16.76	-25.0	-14.11	1.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.104	-53.43	-11.21	-25.0	-28.43	266.00	Vertical	Horizontal	Pass
835.828	-55.17	8.78	-25.0	-30.17	49.00	Vertical	Horizontal	N/A
2529.300	-39.70	11.92	-25.0	-14.70	169.00	Vertical	Horizontal	N/A
2920.000	-40.86	12.10	-25.0	-15.86	303.00	Vertical	Horizontal	Pass
7905.500	-36.62	17.93	-25.0	-11.62	265.00	Vertical	Horizontal	Pass
12895.950	-39.50	15.39	-25.0	-14.50	320.00	Vertical	Horizontal	Pass


26.2 DC_7A_n5A BW20(LTE)+BW15(NR), PI2 BPSK, Middle Channel

RSE-H&H DC_7A_n5A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
319.545	-61.47	-2.69	-25.0	-36.47	248.00	Horizontal	Horizontal	Pass
833.645	-53.40	8.73	-25.0	-28.40	221.00	Horizontal	Horizontal	N/A
2530.300	-36.87	11.92	-25.0	-11.87	9.00	Horizontal	Horizontal	N/A
2651.700	-43.02	9.74	-25.0	-18.02	175.00	Horizontal	Horizontal	N/A
7263.250	-36.15	17.50	-25.0	-11.15	0.00	Horizontal	Horizontal	Pass
13819.162	-39.48	16.56	-25.0	-14.48	1.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n5A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
91.644	-62.65	-8.05	-25.0	-37.65	173.00	Horizontal	Vertical	Pass
835.148	-59.13	8.77	-25.0	-34.13	360.00	Horizontal	Vertical	N/A
2530.500	-39.79	11.91	-25.0	-14.79	316.00	Horizontal	Vertical	N/A
2650.500	-41.23	9.85	-25.0	-16.23	48.00	Horizontal	Vertical	N/A
7982.250	-36.21	18.17	-25.0	-11.21	292.00	Horizontal	Vertical	Pass
13365.037	-39.44	16.68	-25.0	-14.44	1.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
33.104	-52.90	-11.21	-25.0	-27.90	129.00	Vertical	Vertical	Pass
833.742	-56.75	8.74	-25.0	-31.75	297.00	Vertical	Vertical	N/A
2504.900	-40.02	12.11	-25.0	-15.02	337.00	Vertical	Vertical	N/A
2654.900	-43.15	9.63	-25.0	-18.15	147.00	Vertical	Vertical	N/A
7991.000	-36.23	18.45	-25.0	-11.23	175.00	Vertical	Vertical	Pass
13336.688	-39.98	16.02	-25.0	-14.98	75.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.619	-52.59	-11.05	-25.0	-27.59	124.00	Vertical	Horizontal	Pass
838.980	-59.43	8.86	-25.0	-34.43	105.00	Vertical	Horizontal	Pass
2529.500	-40.30	11.92	-25.0	-15.30	360.00	Vertical	Horizontal	N/A
2660.200	-43.58	9.73	-25.0	-18.58	34.00	Vertical	Horizontal	N/A
7943.000	-35.99	18.89	-25.0	-10.99	214.00	Vertical	Horizontal	Pass
13396.013	-39.96	16.97	-25.0	-14.96	198.00	Vertical	Horizontal	Pass


26.3 DC_7A_n5A BW20(LTE)+BW20(NR), PI2 BPSK, Middle Chanel

RSE-H&H DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.936	-52.30	8.74	-25.0	-27.30	206.00	Horizontal	Horizontal	N/A
878.799	-40.57	8.48	-25.0	-15.57	263.00	Horizontal	Horizontal	N/A
2530.000	-36.17	11.92	-25.0	-11.17	3.00	Horizontal	Horizontal	N/A
2652.900	-42.12	9.76	-25.0	-17.12	175.00	Horizontal	Horizontal	N/A
7315.750	-36.53	17.11	-25.0	-11.53	207.00	Horizontal	Horizontal	Pass
13375.013	-39.58	16.78	-25.0	-14.58	268.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.887	-58.73	8.74	-25.0	-33.73	272.00	Horizontal	Vertical	N/A
876.082	-48.33	8.11	-25.0	-23.33	136.00	Horizontal	Vertical	N/A
2529.600	-40.55	11.92	-25.0	-15.55	50.00	Horizontal	Vertical	N/A
2653.600	-42.40	9.69	-25.0	-17.40	155.00	Horizontal	Vertical	N/A
7993.500	-35.78	18.59	-25.0	-10.78	185.00	Horizontal	Vertical	Pass
13410.187	-39.29	16.79	-25.0	-14.29	79.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
38.536	-57.56	-8.91	-25.0	-32.56	302.00	Vertical	Vertical	Pass
833.402	-57.65	8.73	-25.0	-32.65	232.00	Vertical	Vertical	N/A
2529.800	-40.72	11.92	-25.0	-15.72	76.00	Vertical	Vertical	N/A
2962.100	-41.50	12.18	-25.0	-16.50	360.00	Vertical	Vertical	Pass
7906.250	-35.90	17.95	-25.0	-10.90	310.00	Vertical	Vertical	Pass
13381.576	-39.37	16.84	-25.0	-14.37	141.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
32.425	-53.51	-10.97	-25.0	-28.51	144.00	Vertical	Horizontal	Pass
833.985	-59.05	8.74	-25.0	-34.05	344.00	Vertical	Horizontal	N/A
2529.400	-40.67	11.92	-25.0	-15.67	46.00	Vertical	Horizontal	N/A
2968.100	-41.65	12.70	-25.0	-16.65	192.00	Vertical	Horizontal	Pass
7934.250	-36.17	18.84	-25.0	-11.17	228.00	Vertical	Horizontal	Pass
13403.099	-38.78	16.94	-25.0	-13.78	31.00	Vertical	Horizontal	Pass


26.4 DC_7A_n5A BW20(LTE)+BW5(NR), QPSK, Middle Chanel

RSE-H&H DC_7A_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.924	-56.18	4.90	-25.0	-31.18	118.00	Horizontal	Horizontal	N/A
882.630	-22.74	4.99	-25.0	2.26	95.00	Horizontal	Horizontal	N/A
2537.500	-41.01	10.23	-25.0	-16.01	330.00	Horizontal	Horizontal	N/A
2655.800	-19.61	9.53	-25.0	5.39	127.00	Horizontal	Horizontal	N/A
7776.500	-39.21	15.11	-25.0	-14.21	233.00	Horizontal	Horizontal	Pass
13382.887	-37.17	16.85	-25.0	-12.17	360.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n5A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.458	-56.85	8.80	-25.0	-31.85	32.00	Horizontal	Vertical	N/A
882.582	-24.19	8.62	-25.0	0.81	51.00	Horizontal	Vertical	N/A
2529.900	-40.36	11.92	-25.0	-15.36	69.00	Horizontal	Vertical	N/A
2662.000	-21.41	9.95	-25.0	3.59	161.00	Horizontal	Vertical	N/A
7801.500	-36.97	18.17	-25.0	-11.97	25.00	Horizontal	Vertical	Pass
13572.412	-39.33	15.45	-25.0	-14.33	67.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.391	-53.71	8.77	-25.0	-28.71	170.00	Vertical	Vertical	N/A
882.048	-34.70	8.61	-25.0	-9.70	302.00	Vertical	Vertical	N/A
2529.800	-39.87	11.92	-25.0	-14.87	91.00	Vertical	Vertical	N/A
2656.800	-35.24	9.57	-25.0	-10.24	342.00	Vertical	Vertical	N/A
7938.500	-36.39	18.94	-25.0	-11.39	360.00	Vertical	Vertical	Pass
13803.675	-39.54	16.92	-25.0	-14.54	360.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.089	-58.75	4.95	-25.0	-33.75	15.00	Vertical	Horizontal	N/A
880.011	-43.74	4.80	-25.0	-18.74	150.00	Vertical	Horizontal	N/A
2504.100	-42.62	10.41	-25.0	-17.62	146.00	Vertical	Horizontal	Pass
2651.600	-38.50	9.88	-25.0	-13.50	208.00	Vertical	Horizontal	N/A
7812.750	-39.07	16.30	-25.0	-14.07	100.00	Vertical	Horizontal	Pass
13381.313	-37.62	16.83	-25.0	-12.62	75.00	Vertical	Horizontal	Pass


26.5 DC_7A_n5A BW20(LTE)+BW15(NR), QPSK, Middle Chanel

RSE-H&H DC_7A_n5A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.839	-51.64	8.74	-25.0	-26.64	202.00	Horizontal	Horizontal	N/A
875.452	-23.59	8.11	-25.0	1.41	252.00	Horizontal	Horizontal	N/A
2529.200	-36.94	11.92	-25.0	-11.94	360.00	Horizontal	Horizontal	N/A
2658.700	-41.67	9.65	-25.0	-16.67	228.00	Horizontal	Horizontal	N/A
7938.750	-36.19	18.94	-25.0	-11.19	15.00	Horizontal	Horizontal	Pass
13371.600	-39.93	16.74	-25.0	-14.93	110.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n5A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.313	-59.66	8.80	-25.0	-34.66	165.00	Horizontal	Vertical	N/A
877.101	-35.77	8.31	-25.0	-10.77	185.00	Horizontal	Vertical	N/A
2530.200	-39.85	11.92	-25.0	-14.85	86.00	Horizontal	Vertical	N/A
2662.100	-38.45	9.96	-25.0	-13.45	360.00	Horizontal	Vertical	N/A
7009.250	-36.93	16.04	-25.0	-11.93	222.00	Horizontal	Vertical	Pass
13389.712	-38.76	16.91	-25.0	-13.76	319.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.887	-54.23	8.74	-25.0	-29.23	162.00	Vertical	Vertical	N/A
877.441	-36.85	8.36	-25.0	-11.85	143.00	Vertical	Vertical	N/A
2530.100	-39.59	11.92	-25.0	-14.59	89.00	Vertical	Vertical	N/A
2657.200	-37.53	9.57	-25.0	-12.53	360.00	Vertical	Vertical	N/A
7267.750	-35.90	17.34	-25.0	-10.90	102.00	Vertical	Vertical	Pass
13411.237	-39.45	16.76	-25.0	-14.45	250.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.887	-59.76	8.74	-25.0	-34.76	2.00	Vertical	Horizontal	N/A
875.064	-37.23	8.11	-25.0	-12.23	183.00	Vertical	Horizontal	N/A
2529.900	-40.74	11.92	-25.0	-15.74	142.00	Vertical	Horizontal	N/A
2656.900	-44.19	9.57	-25.0	-19.19	252.00	Vertical	Horizontal	N/A
7992.250	-36.40	18.51	-25.0	-11.40	48.00	Vertical	Horizontal	Pass
13341.412	-39.55	16.20	-25.0	-14.55	1.00	Vertical	Horizontal	Pass


26.6 DC_7A_n5A BW20(LTE)+BW20(NR), QPSK, Middle Chanel

RSE-H&H DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.936	-53.17	8.74	-25.0	-28.17	228.00	Horizontal	Horizontal	N/A
874.094	-42.84	7.99	-25.0	-17.84	215.00	Horizontal	Horizontal	N/A
2536.900	-37.63	11.86	-25.0	-12.63	2.00	Horizontal	Horizontal	N/A
2658.700	-41.84	9.65	-25.0	-16.84	238.00	Horizontal	Horizontal	N/A
7997.000	-36.16	18.84	-25.0	-11.16	258.00	Horizontal	Horizontal	Pass
13431.713	-39.57	16.31	-25.0	-14.57	287.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
90.722	-62.40	-7.97	-25.0	-37.40	154.00	Horizontal	Vertical	Pass
949.172	-57.82	11.09	-25.0	-32.82	171.00	Horizontal	Vertical	Pass
2530.200	-39.27	11.92	-25.0	-14.27	329.00	Horizontal	Vertical	N/A
2649.400	-41.63	9.86	-25.0	-16.63	153.00	Horizontal	Vertical	N/A
7983.000	-36.11	18.17	-25.0	-11.11	150.00	Horizontal	Vertical	Pass
13379.738	-39.79	16.82	-25.0	-14.79	288.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.839	-54.66	8.74	-25.0	-29.66	155.00	Vertical	Vertical	N/A
873.415	-40.91	7.94	-25.0	-15.91	118.00	Vertical	Vertical	N/A
2530.500	-38.84	11.91	-25.0	-13.84	86.00	Vertical	Vertical	N/A
2658.400	-43.18	9.64	-25.0	-18.18	28.00	Vertical	Vertical	N/A
7788.250	-36.27	18.27	-25.0	-11.27	237.00	Vertical	Vertical	Pass
13355.325	-39.58	16.59	-25.0	-14.58	207.00	Vertical	Vertical	Pass

RSE-V&H DC_7A_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
36.935	-53.12	-8.93	-25.0	-28.12	100.00	Vertical	Horizontal	Pass
1412.300	-49.67	1.61	-25.0	-24.67	132.00	Vertical	Horizontal	Pass
2530.800	-40.55	11.91	-25.0	-15.55	224.00	Vertical	Horizontal	N/A
2652.900	-43.98	9.76	-25.0	-18.98	64.00	Vertical	Horizontal	N/A
7771.500	-35.82	18.00	-25.0	-10.82	277.00	Vertical	Horizontal	Pass
13339.050	-39.87	16.11	-25.0	-14.87	2.00	Vertical	Horizontal	Pass