

1.0m EIRPsd Data Table
Co Pol Elevation, 0 to +30 Degrees @ 0.1 / 0.5 deg (B)

Co Pol Elevation, 0 to +30 Degrees @ 0.1 / 0.5 deg (B)

Angle Degrees	EIRPsd dBW/4kHz	Mask dBW/4kHz
0.0	24.5	
0.1	24.5	
0.2	24.4	
0.3	24.2	
0.4	23.9	
0.5	23.5	
0.6	23.1	
0.7	22.5	
0.8	21.8	
0.9	21.1	
1.0	20.2	
1.1	19.0	
1.2	18.0	
1.3	16.5	
1.4	15.1	
1.5	13.4	
1.6	11.5	
1.7	9.3	
1.8	6.1	
1.9	2.8	
2.0	-2.1	
2.1	-12.7	
2.2	-11.9	
2.3	-5.1	
2.4	-1.9	
2.5	-0.6	
2.6	0.1	
2.7	0.3	
2.8	0.1	
2.9	-0.2	
3.0	-0.5	6.1
3.1	-0.9	5.7
3.2	-1.3	5.4
3.3	-1.8	5.0
3.4	-2.5	4.7
3.5	-3.2	4.4
3.6	-4.1	4.1
3.7	-5.1	3.8
3.8	-5.9	3.5
3.9	-6.7	3.2
4.0	-7.4	2.9
4.1	-7.8	2.7
4.2	-8.3	2.4
4.3	-8.6	2.2
4.4	-8.7	1.9
4.5	-8.6	1.7
4.6	-8.3	1.4
4.7	-7.7	1.2
4.8	-7.3	1.0
4.9	-6.9	0.7
5.0	-6.9	0.5
5.1	-7.3	0.3
5.2	-8.1	0.1
5.3	-9.8	-0.1
5.4	-11.8	-0.3
5.5	-14.3	-0.5
5.6	-16.6	-0.7


[illegible]

1.0m EIRPsd Data Table
Co Pol Elevation, 0 to +30 Degrees @ 0.1 / 0.5 deg (B)

Co Pol Elevation, 0 to +30 Degrees @ 0.1 / 0.5 deg (B)

[illegible]

Cobham SATCOM, Sea Tel Products
1.0 meter EIRPs, HH Co-Pol, Elevation, H-Plane (B)



File
D:\SEATEL\ACQUIREDATA\AZ1425_40_E_V.MDB

Plot Parameters		
Input sd	Gain	Cal Factor
-16.3	40.88	56.36

Peak Excursions dB	
-	3° to 30°
-	-6.59

% Over
0%