

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for

**SES Americom, Inc.
Somis, California
(Call Sign: KA272)**

Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, Virginia 20147
May 18, 2015

TABLE OF CONTENTS

1. CONCLUSIONS	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA.....	7
5. CERTIFICATION.....	11

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

The following companies reported potential great circle interference conflicts that did not meet the objectives on a line-of-sight basis. When over-the-horizon losses are considered on the interfering paths, sufficient blockage exists to negate harmful interference from occurring with the proposed transmit-receive earth station.

Company

New Cingular Wireless PCS – Los Angeles
Los Angeles SMSA Ltd. Partnership
Southern California Edison Company
Southern California Gas Company
Southern California Regional Rail Authority
Verizon California Inc.

No other carriers reported potential interference cases.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated April 14, 2015.

Company

ABC Holding Company Inc.
AirSites2000, LLC
American Tower, LLC
BNS Electronics, Inc.
California, State of
City of Los Angeles Dept Water & Power
Communication Services, Inc.
Conterra Ultra Broadband, LLC
Exxon Communications Company
Frazier Mountain Internet Service, Inc.
Fresno MSA Limited Partnership
GTE Mobilnet of Santa Barbara LTD Ptnsh
Glendale, City of
ION Media Los Angeles License, Inc.
KTLA, LLC
Kern, County of
LDM Engineering
LOS ANGELES UNIFIED SCHOOL DISTRICT
Los Angeles City Info Technology Agency
Los Angeles County Dept of Public Works
Los Angeles County FCC Licensing Section
Los Angeles County Metro Transit Auth
Los Angeles SMSA Ltd. Partnership
MHO Networks
MONTEBELLO CITY CALIFORNIA
Metropolitan Water Dist of So California
NRJ TV LA License Co, LLC
New Cingular Wireless PCS - Los Angeles
New Cingular Wireless PCS LLC - N CAL
Nextel of California Inc.
Nextweb Inc
Northrop Grumman Systems Corp.
Pacific Bell Tel Com dba AT&T California
Regents of the University of California

Company (Continued)

Santa Barbara Cellular Systems, Ltd.
Santa Barbara, County of
Skyriver Communications
Southern California Edison Company
Southern California Gas Company
Southern California Regional Rail Auth.
TV MICROWAVES CO
Turn Wireless, LLC
Union Pacific Railroad Company
Ventura, County of
Verizon California Inc.
Verizon Wireless (VAW) LLC (Southern CA)
Verizon Wireless (VAW) LLC-N CA/NV
Vintage Production California LLC
Western Technical Services

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 05/18/2015
Job Number: 150414COMSJC03

Administrative Information

Status: ENGINEER PROPOSAL
Call Sign: KA272
Licensee Code: P3210
Licensee Name: SES Americom, Inc.

Site Information

SOMIS, CALIFORNIA

Venue Name
Latitude (NAD 83): 34° 19' 31.0" N
Longitude (NAD 83): 118° 59' 44.4" W
Climate Zone: A
Rain Zone: 4
Ground Elevation (AMSL): 311.5 m / 1022.0 ft

Link Information

Satellite Type: Geostationary
Mode: TR - Transmit-Receive
Modulation: Analog and Digital
Satellite Arc: 107° W to 188° West Longitude
Azimuth Range: 159.4° to 257.8°
Corresponding Elevation Angles: 48.1° / 8.6°
Antenna Centerline (AGL): 13.72 m / 45.0 ft

Antenna Information

Receive

Manufacturer: Vertex
Model: 21.0 Meter
Gain / Diameter: 57.5 dBi / 21.0 m
3-dB / 15-dB Beamwidth: 0.23° / 0.42°

Transmit

Vertex
21.0 Meter
60.8 dBi / 21.0 m
0.16° / 0.29°

Max Available RF Power (dBW/4 kHz): 0.5
(dBW/MHz): 24.5

Maximum EIRP (dBW/4 kHz): 61.3
(dBW/MHz): 85.3

Interference Objectives:	Long Term	-156.0 dBW/MHz	20%	-154.0 dBW/4 kHz	20%
	Short Term	-146.0 dBW/MHz	0.01%	-131.0 dBW/4 kHz	0.0025%

Frequency Information

Receive 4.0 GHz

Emission / Frequency Range (MHz):
N0N / 3700.0 - 4200.0
500KG9D / 3700.0 - 4200.0
100KD7W - 30M0D7W / 3700.0 - 4200.0
100KG7W - 30M0G7W / 3700.0 - 4200.0

Transmit 6.1 GHz

N0N / 5925.0 - 6424.0
1M00F9D / 5925.0 - 6425.0
100KD7W - 30M0D7W / 5925.0 - 6425.0
100KG7W - 30M0G7W / 5925.0 - 6425.0

Max Great Circle Coordination Distance	505.8 km / 314.2 mi	295.5 km / 183.6 mi
Precipitation Scatter Contour Radius	398.2 km / 247.4 mi	124.6 km / 77.4 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

SOMIS, CA

Licensee Name SES Americom, Inc.
Latitude (NAD 83) 34° 19' 31.0" N
Longitude (NAD 83) 118° 59' 44.4" W
Ground Elevation (AMSL) 311.5 m / 1022.0 ft
Antenna Centerline (AGL) 13.72 m / 45.0 ft
Antenna Model Vertex 21.0 Meter

Antenna Mode Receive 4.0 GHz

Interference Objectives: Long Term -156.0 dBW/MHz 20% Transmit 6.1 GHz -154.0 dBW/4 kHz 20%
Short Term -146.0 dBW/MHz 0.01% -131.0 dBW/4 kHz 0.0025%

Max Available RF Power 0.5 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz		Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
0	14.35	102.15	-10.00	100.00	-10.00	100.00
5	14.11	107.13	-10.00	100.00	-10.00	100.00
10	12.90	112.15	-10.00	100.00	-10.00	100.00
15	9.64	117.21	-10.00	100.00	-10.00	100.00
20	11.76	122.16	-10.00	100.00	-10.00	100.00
25	13.12	124.96	-10.00	100.00	-10.00	100.00
30	11.85	120.76	-10.00	100.00	-10.00	100.00
35	10.87	116.70	-10.00	100.00	-10.00	100.00
40	9.19	112.43	-10.00	100.00	-10.00	100.00
45	9.23	108.73	-10.00	100.00	-10.00	100.00
50	9.53	105.02	-10.00	100.00	-10.00	100.00
55	10.62	101.35	-10.00	100.00	-10.00	100.00
60	11.56	97.51	-10.00	100.00	-10.00	100.00
65	11.91	93.51	-10.00	100.00	-10.00	100.00
70	11.59	89.48	-10.00	100.00	-10.00	100.00
75	10.76	85.51	-10.00	100.00	-10.00	100.00
80	9.66	81.68	-10.00	100.00	-10.00	100.00
85	8.37	78.03	-10.00	100.55	-10.00	100.00
90	7.14	74.55	-10.00	112.80	-10.00	100.00
95	8.35	70.56	-10.00	100.68	-10.00	100.00
100	8.37	66.92	-10.00	100.54	-10.00	100.00
105	7.12	63.90	-10.00	113.08	-10.00	100.00
110	6.05	61.07	-10.00	124.70	-10.00	100.00
115	4.90	58.58	-10.00	134.84	-10.00	100.00
120	4.61	55.87	-10.00	138.84	-10.00	100.00
125	5.51	52.56	-10.00	129.86	-10.00	100.00
130	5.65	49.97	-10.00	128.58	-10.00	100.00
135	6.72	46.87	-9.77	118.26	-9.77	100.00
140	6.06	45.50	-9.45	126.71	-9.45	100.00
145	5.49	44.50	-9.21	133.17	-9.21	100.00
150	5.63	43.28	-8.91	133.05	-8.91	100.00
155	5.57	42.70	-8.76	134.27	-8.76	100.00
160	5.76	42.33	-8.67	132.75	-8.67	100.00
165	5.52	42.87	-8.80	134.57	-8.80	100.00
170	2.66	46.39	-9.66	181.12	-9.66	100.00
175	0.00	49.80	-10.00	285.28	-10.00	183.06
180	0.00	50.11	-10.00	285.28	-10.00	183.06

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

SOMIS, CA

Licensee Name	SES Americom, Inc.				
Latitude (NAD 83)	34° 19' 31.0" N				
Longitude (NAD 83)	118° 59' 44.4" W				
Ground Elevation (AMSL)	311.5 m / 1022.0 ft				
Antenna Centerline (AGL)	13.72 m / 45.0 ft				
Antenna Model	Vertex 21.0 Meter				
Antenna Mode	Receive 4.0 GHz				
Interference Objectives: Long Term	-156.0 dBW/MHz	20%	Transmit 6.1 GHz	-154.0 dBW/4 kHz	20%
Short Term	-146.0 dBW/MHz	0.01%		-131.0 dBW/4 kHz	0.0025%
Max Available RF Power	0.5 (dBW/4 kHz)				

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz		Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
185	0.33	49.48	-10.00	269.30	-10.00	169.22
190	0.00	48.89	-10.00	285.28	-10.00	183.06
195	0.00	47.41	-9.90	285.94	-9.90	183.46
200	1.27	44.39	-9.18	215.93	-9.18	122.71
205	3.06	40.63	-8.22	179.04	-8.22	100.00
210	3.79	37.46	-7.34	165.49	-7.34	100.00
215	4.55	33.99	-6.28	156.98	-6.28	100.00
220	3.50	31.58	-5.49	183.40	-5.49	100.00
225	0.99	29.86	-4.88	249.43	-4.88	144.09
230	1.00	26.24	-3.47	257.91	-3.47	149.32
235	1.75	22.04	-1.58	243.56	-1.58	136.42
240	2.88	17.52	0.91	228.20	0.91	124.29
245	4.33	12.74	4.37	218.28	4.37	112.63
250	6.04	7.76	9.75	229.07	9.75	114.62
255	6.75	3.35	18.86	294.01	18.86	146.57
260	7.72	2.38	22.57	505.77	22.57	295.50
265	7.53	7.29	10.43	212.86	10.43	101.34
270	5.10	12.70	4.40	206.65	4.40	102.82
275	6.72	17.31	1.04	169.51	1.04	100.00
280	8.82	22.21	-1.67	131.16	-1.67	100.00
285	10.85	27.30	-3.90	105.54	-3.90	100.00
290	9.94	32.24	-5.71	104.32	-5.71	100.00
295	9.78	37.23	-7.27	100.00	-7.27	100.00
300	10.64	42.25	-8.65	100.00	-8.65	100.00
305	10.54	47.24	-9.86	100.00	-9.86	100.00
310	12.30	52.31	-10.00	100.00	-10.00	100.00
315	12.27	57.29	-10.00	100.00	-10.00	100.00
320	13.05	62.30	-10.00	100.00	-10.00	100.00
325	13.44	67.30	-10.00	100.00	-10.00	100.00
330	14.29	72.30	-10.00	100.00	-10.00	100.00
335	14.06	77.27	-10.00	100.00	-10.00	100.00
340	13.16	82.24	-10.00	100.00	-10.00	100.00
345	13.29	87.22	-10.00	100.00	-10.00	100.00
350	14.02	92.20	-10.00	100.00	-10.00	100.00
355	15.62	97.16	-10.00	100.00	-10.00	100.00

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



Jeffrey E. Cowles
Engineer III, Telecommunications
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, Va. 20147

DATED: May 18, 2015