

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 - Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	1	E5: Call Sign:	
E2: Contact Name:	Steven Charles Hemple	E6: Phone Number:	7604764812
E3: Street:		E7: City:	
E4: State:		E8: County:	
		E9: Zip Code:	
E10: Area of Operation:	Global		
E11: Latitude:	0° 0' 0"		
E12: Longitude:	0° 0' 0"		
E13: Lat/Lon Coordinates are:			
E14: Site Elevation (AMSL):	0		

If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide a technical analysis showing compliance with two-degree spacing policy.	N/A
If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS) or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement?	N/A
Is Frequency Coordination required?	No
Is coordination with another country required?	No
Is FAA notification required?	No
Is facility operated by remote control?	Yes

POINTS OF COMMUNICATION

Satellite Name: INMARSAT Ltd-3

E21. Common Name: INMARSAT Ltd-3	E22. ITU Name: INMARSAT Ltd-3
E23. Orbit Location: 15.5 W.L.	E24. Country:

Satellite Name: ISAT List	
E21. Common Name: ISAT List	E22. ITU Name: ISAT List
E23. Orbit Location: SYSTEM	E24. Country: USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size (meters)	E41/42. Antenna Gain Transmit and/or Recieve (dBi at GHz)
1	1	999999999	NERA (0.26m(w & h))	WORLDPONE	0.26	undefined at 0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at Antenna Flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for all carriers (dBW)
1	0.26/0.26	0	0	0	3.16	0	17

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size (meters)	E41/42. Antenna Gain Transmit and/or Recieve (dBi at GHz)
1	2	999999999	THRANE & THRANE (0.27m(w)x0.20m(h))	TT3060A	0.27	undefined at 0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at Antenna Flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for all carriers (dBW)
2	0.27/0.2	0	0	0	3.16	0	17

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization (H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
1	1626.5 1660.5	T	null	5K00G1E	17	16
E50. Modulation and Services						
MINI-M VOICE, DATA AND FAX O-QPSK						

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization (H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
1	1525 1559	R	null	20K0G1X	0	0
E50. Modulation and Services						
SIGNALLING BPSK						

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization (H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
2	1626.5 1660.5	T	null	20K0G1X	17	10
E50. Modulation and Services						
SIGNALLING BPSK						

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization (H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
2	1525	R	null	5K00G1E	0	0

	1559					
--	------	--	--	--	--	--

E50. Modulation and Services

MINI-M VOICE, DATA AND FAX O-QPSK

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern/Western Limit	E57. Antenna Elevation Angle Eastern/Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
1	Geostationary	1626.5 1660.5	180 / 180	0 / 360	5 / 90	17

1Geostationary1525
 1559180 / 1800 / 3605 / 90-9992Geostationary1626.5
 1660.5180 / 1800 / 3605 / 90172Geostationary1525
 1559180 / 1800 / 3605 / 90-999

REMOTE CONTROL POINT LOCATION

E61. Call Sign:		E65. Phone Number: 321-308-0112	
E62. Street Address:			
E63. City:	E67. County:	E64/68. State/Country: undefined / undefined	E66. Zip Code:

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 0.25 - 24 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD-PER, Paperwork Reduction Project (3060-0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember - You are not required to respond to a collection of information sponsored by the Federal government, and the government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060-0678.

**THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995,
PUBLIC LAW 104-13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.**