

A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-54.65	-13	Pass	401
0.15	30	0.01	Peak	0.16	-52.88	-13	Pass	2985
30	500	0.1	Peak	492.098	-43.41	-13	Pass	4700
500	1000	0.1	Peak	824.165	32.91	-13	N/A	5000
1000	10000	1	Peak	7269.765	-22.1	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-53.52	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.07	-13	Pass	2985
30	500	0.1	Peak	484.497	-44.06	-13	Pass	4700
500	1000	0.1	Peak	836.567	32.57	-13	N/A	5000
1000	10000	1	Peak	7058.74	-22.58	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.74	-13	Pass	401
0.15	30	0.01	Peak	0.3	-52.24	-13	Pass	2985
30	500	0.1	Peak	476.995	-43.36	-13	Pass	4700
500	1000	0.1	Peak	848.77	32.75	-13	N/A	5000
1000	10000	1	Peak	7085.743	-22.23	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.23	-13	Pass	401
0.15	30	0.01	Peak	0.18	-61	-13	Pass	2985
30	1000	0.1	Peak	878.839	-49.55	-13	Pass	9699
1000	3000	1	Peak	1850.425	29.69	-13	N/A	2000
3000	20000	1	Peak	7400.537	-43.71	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.76	-13	Pass	401
0.15	30	0.01	Peak	0.48	-60.79	-13	Pass	2985
30	1000	0.1	Peak	908.178	-49.78	-13	Pass	9699
1000	3000	1	Peak	1880.44	28.75	-13	N/A	2000
3000	20000	1	Peak	7520.552	-43.31	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.07	-13	Pass	401
0.15	30	0.01	Peak	0.39	-60.95	-13	Pass	2985
30	1000	0.1	Peak	807.395	-49.51	-13	Pass	9699
1000	3000	1	Peak	1910.455	29.15	-13	N/A	2000
3000	20000	1	Peak	7639.566	-44.65	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.07	-42.94	-13	Pass	401
0.15	30	0.01	Peak	0.22	-31.64	-13	Pass	2985
30	500	0.1	Peak	32.3	-41.73	-13	Pass	4700
500	1000	0.1	Peak	824.165	28.62	-13	N/A	5000
1000	10000	1	Peak	7052.739	-22.5	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.071	-44.36	-13	Pass	401
0.15	30	0.01	Peak	0.22	-31.12	-13	Pass	2985
30	500	0.1	Peak	34.901	-42.5	-13	Pass	4700
500	1000	0.1	Peak	836.667	27.6	-13	N/A	5000
1000	10000	1	Peak	7087.743	-22.53	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.071	-38.04	-13	Pass	401
0.15	30	0.01	Peak	0.65	-34.4	-13	Pass	2985
30	500	0.1	Peak	59.806	-42.66	-13	Pass	4700
500	1000	0.1	Peak	848.77	29.36	-13	N/A	5000
1000	10000	1	Peak	7210.758	-22.52	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65	-13	Pass	401
0.15	30	0.01	Peak	0.16	-60.43	-13	Pass	2985
30	1000	0.1	Peak	978.772	-49.53	-13	Pass	9699
1000	3000	1	Peak	1850.425	28.91	-13	N/A	2000
3000	20000	1	Peak	19748.592	-44.83	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.34	-13	Pass	401
0.15	30	0.01	Peak	0.17	-60.6	-13	Pass	2985
30	1000	0.1	Peak	999.9	-49.53	-13	Pass	9699
1000	3000	1	Peak	1879.44	28.8	-13	N/A	2000
3000	20000	1	Peak	19736.572	-44.94	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-62.76	-13	Pass	401
0.15	30	0.01	Peak	0.29	-60.81	-13	Pass	2985
30	1000	0.1	Peak	861.717	-49.74	-13	Pass	9699
1000	3000	1	Peak	1909.455	28.61	-13	N/A	2000
3000	20000	1	Peak	19727.558	-44.69	-13	Pass	17000



5. WCDMA_Band5


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-30.59	-13	Pass	401
0.15	30	0.01	Peak	0.5	-32.42	-13	Pass	2985
30	500	0.1	Peak	37.702	-43.76	-13	Pass	4700
500	1000	0.1	Peak	825.165	18.48	-13	N/A	5000
1000	10000	1	Peak	6878.718	-32.28	-13	Pass	9000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-30.65	-13	Pass	401
0.15	30	0.01	Peak	0.64	-33.67	-13	Pass	2985
30	500	0.1	Peak	37.001	-43.42	-13	Pass	4700
500	1000	0.1	Peak	835.467	19.65	-13	N/A	5000
1000	10000	1	Peak	7090.743	-32.07	-13	Pass	9000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-30.54	-13	Pass	401
0.15	30	0.01	Peak	0.22	-31.38	-13	Pass	2985
30	500	0.1	Peak	32.401	-43.94	-13	Pass	4700
500	1000	0.1	Peak	847.169	19.78	-13	N/A	5000
1000	10000	1	Peak	6782.706	-32.61	-13	Pass	9000



6. LTE_Band5


**6.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.63	-13	Pass	2985
30	814	0.1	RMS	731.489	-64.07	-13	Pass	7840
814	860	0.1	RMS	824.222	21.53	60	Pass	460
860	1000	0.1	RMS	900.029	-62.02	-13	Pass	1400
1000	3000	1	RMS	1648.324	-43.58	-13	Pass	2000
3000	10000	1	RMS	7107.587	-43.95	-13	Pass	7000




6.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.57	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.82	-13	Pass	2985
30	814	0.1	RMS	739.791	-64.06	-13	Pass	7840
814	860	0.1	RMS	824.222	20.48	60	Pass	460
860	1000	0.1	RMS	900.029	-61.95	-13	Pass	1400
1000	3000	1	RMS	1648.324	-44.61	-13	Pass	2000
3000	10000	1	RMS	7103.586	-43.89	-13	Pass	7000




6.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.44	-13	Pass	2985
30	814	0.1	RMS	729.589	-63.99	-13	Pass	7840
814	860	0.1	RMS	836.048	21.75	60	Pass	460
860	1000	0.1	RMS	900.029	-61.96	-13	Pass	1400
1000	3000	1	RMS	1671.336	-46.85	-13	Pass	2000
3000	10000	1	RMS	7093.585	-43.92	-13	Pass	7000




6.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.7	-13	Pass	2985
30	814	0.1	RMS	738.89	-64.03	-13	Pass	7840
814	860	0.1	RMS	836.048	20.58	60	Pass	460
860	1000	0.1	RMS	900.029	-62.11	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.01	-13	Pass	2000
3000	10000	1	RMS	7097.585	-43.99	-13	Pass	7000




**6.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.26	-13	Pass	2985
30	814	0.1	RMS	728.689	-64.09	-13	Pass	7840
814	860	0.1	RMS	847.874	21.5	60	Pass	460
860	1000	0.1	RMS	900.029	-62.06	-13	Pass	1400
1000	3000	1	RMS	1695.348	-43.81	-13	Pass	2000
3000	10000	1	RMS	7098.586	-43.87	-13	Pass	7000




6.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.94	-13	Pass	2985
30	814	0.1	RMS	732.99	-64.13	-13	Pass	7840
814	860	0.1	RMS	847.874	20.52	60	Pass	460
860	1000	0.1	RMS	900.029	-62.4	-13	Pass	1400
1000	3000	1	RMS	1695.348	-44.8	-13	Pass	2000
3000	10000	1	RMS	7103.586	-43.93	-13	Pass	7000




6.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.05	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.11	-13	Pass	2985
30	814	0.1	RMS	744.291	-63.95	-13	Pass	7840
814	860	0.1	RMS	824.222	21.66	60	Pass	460
860	1000	0.1	RMS	900.029	-62.04	-13	Pass	1400
1000	3000	1	RMS	1648.324	-43.69	-13	Pass	2000
3000	10000	1	RMS	7098.586	-43.92	-13	Pass	7000




6.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.43	-13	Pass	2985
30	814	0.1	RMS	734.29	-64.2	-13	Pass	7840
814	860	0.1	RMS	824.222	20.77	60	Pass	460
860	1000	0.1	RMS	900.029	-61.76	-13	Pass	1400
1000	3000	1	RMS	1648.324	-44.62	-13	Pass	2000
3000	10000	1	RMS	7106.587	-43.93	-13	Pass	7000




6.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.35	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.57	-13	Pass	2985
30	814	0.1	RMS	721.688	-64.11	-13	Pass	7840
814	860	0.1	RMS	835.246	21.74	60	Pass	460
860	1000	0.1	RMS	900.029	-62	-13	Pass	1400
1000	3000	1	RMS	1670.335	-47.21	-13	Pass	2000
3000	10000	1	RMS	7110.587	-43.87	-13	Pass	7000




6.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.64	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.58	-13	Pass	2985
30	814	0.1	RMS	726.489	-64.18	-13	Pass	7840
814	860	0.1	RMS	835.246	20.72	60	Pass	460
860	1000	0.1	RMS	900.029	-62.05	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.31	-13	Pass	2000
3000	10000	1	RMS	7107.587	-43.91	-13	Pass	7000




6.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.82	-13	Pass	2985
30	814	0.1	RMS	735.09	-64.04	-13	Pass	7840
814	860	0.1	RMS	846.27	21.41	60	Pass	460
860	1000	0.1	RMS	900.029	-62.13	-13	Pass	1400
1000	3000	1	RMS	1692.346	-44.13	-13	Pass	2000
3000	10000	1	RMS	7101.586	-43.97	-13	Pass	7000




6.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.75	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.97	-13	Pass	2985
30	814	0.1	RMS	728.389	-64.1	-13	Pass	7840
814	860	0.1	RMS	846.27	20.49	60	Pass	460
860	1000	0.1	RMS	900.029	-61.85	-13	Pass	1400
1000	3000	1	RMS	1692.346	-45.08	-13	Pass	2000
3000	10000	1	RMS	7102.586	-43.93	-13	Pass	7000




6.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.62	-13	Pass	2985
30	814	0.1	RMS	729.689	-64.07	-13	Pass	7840
814	860	0.1	RMS	824.322	21.52	60	Pass	460
860	1000	0.1	RMS	900.029	-61.99	-13	Pass	1400
1000	3000	1	RMS	1648.324	-43.14	-13	Pass	2000
3000	10000	1	RMS	7112.588	-43.93	-13	Pass	7000




6.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.59	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.75	-13	Pass	2985
30	814	0.1	RMS	741.091	-63.99	-13	Pass	7840
814	860	0.1	RMS	824.322	20.61	60	Pass	460
860	1000	0.1	RMS	900.029	-62.19	-13	Pass	1400
1000	3000	1	RMS	1648.324	-44.25	-13	Pass	2000
3000	10000	1	RMS	7101.586	-43.96	-13	Pass	7000




6.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.34	-13	Pass	2985
30	814	0.1	RMS	732.59	-63.99	-13	Pass	7840
814	860	0.1	RMS	834.344	21.53	60	Pass	460
860	1000	0.1	RMS	900.029	-62.17	-13	Pass	1400
1000	3000	1	RMS	1668.334	-47.04	-13	Pass	2000
3000	10000	1	RMS	7106.587	-43.92	-13	Pass	7000




6.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.85	-13	Pass	2985
30	814	0.1	RMS	729.489	-64.02	-13	Pass	7840
814	860	0.1	RMS	834.344	20.78	60	Pass	460
860	1000	0.1	RMS	900.029	-62.34	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48	-13	Pass	2000
3000	10000	1	RMS	7100.586	-43.97	-13	Pass	7000




6.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.76	-13	Pass	2985
30	814	0.1	RMS	735.29	-64.13	-13	Pass	7840
814	860	0.1	RMS	844.366	21.2	60	Pass	460
860	1000	0.1	RMS	900.029	-61.81	-13	Pass	1400
1000	3000	1	RMS	1688.344	-43.32	-13	Pass	2000
3000	10000	1	RMS	7104.586	-43.89	-13	Pass	7000




6.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.53	-13	Pass	401
0.15	30	0.01	RMS	0.32	-71.01	-13	Pass	2985
30	814	0.1	RMS	735.99	-64.16	-13	Pass	7840
814	860	0.1	RMS	844.366	20.53	60	Pass	460
860	1000	0.1	RMS	900.029	-61.72	-13	Pass	1400
1000	3000	1	RMS	1688.344	-44.24	-13	Pass	2000
3000	10000	1	RMS	7084.584	-43.97	-13	Pass	7000




**6.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.88	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.11	-13	Pass	2985
30	814	0.1	RMS	736.09	-64.06	-13	Pass	7840
814	860	0.1	RMS	824.623	21.42	60	Pass	460
860	1000	0.1	RMS	900.029	-61.83	-13	Pass	1400
1000	3000	1	RMS	1648.324	-43.96	-13	Pass	2000
3000	10000	1	RMS	7097.585	-43.92	-13	Pass	7000




6.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71	-13	Pass	2985
30	814	0.1	RMS	728.289	-64.01	-13	Pass	7840
814	860	0.1	RMS	824.623	20.54	60	Pass	460
860	1000	0.1	RMS	900.029	-62.35	-13	Pass	1400
1000	3000	1	RMS	1648.324	-44.92	-13	Pass	2000
3000	10000	1	RMS	7110.587	-43.87	-13	Pass	7000




**6.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.65	-13	Pass	2985
30	814	0.1	RMS	734.59	-64.1	-13	Pass	7840
814	860	0.1	RMS	832.039	20.94	60	Pass	460
860	1000	0.1	RMS	900.029	-62.08	-13	Pass	1400
1000	3000	1	RMS	1663.332	-47	-13	Pass	2000
3000	10000	1	RMS	7113.588	-43.96	-13	Pass	7000




6.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.4	-13	Pass	2985
30	814	0.1	RMS	736.39	-64.08	-13	Pass	7840
814	860	0.1	RMS	832.139	19.94	60	Pass	460
860	1000	0.1	RMS	900.029	-62	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.08	-13	Pass	2000
3000	10000	1	RMS	7113.588	-43.87	-13	Pass	7000




**6.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.7	-13	Pass	401
0.15	30	0.01	RMS	0.37	-71.03	-13	Pass	2985
30	814	0.1	RMS	736.19	-64.02	-13	Pass	7840
814	860	0.1	RMS	839.556	21.41	60	Pass	460
860	1000	0.1	RMS	900.029	-61.99	-13	Pass	1400
1000	3000	1	RMS	1678.339	-45.53	-13	Pass	2000
3000	10000	1	RMS	7101.586	-43.9	-13	Pass	7000



6.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.22	-13	Pass	2985
30	814	0.1	RMS	743.391	-63.86	-13	Pass	7840
814	860	0.1	RMS	839.556	20.34	60	Pass	460
860	1000	0.1	RMS	900.029	-61.86	-13	Pass	1400
1000	3000	1	RMS	1678.339	-46.61	-13	Pass	2000
3000	10000	1	RMS	7100.586	-43.9	-13	Pass	7000



7. LTE_Band7


7.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.34	-25	Pass	401
0.15	30	0.01	RMS	0.2	-73.33	-25	Pass	2985
30	1000	0.1	RMS	845.2	-64.84	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.02	-25	Pass	1480
2480	2590	1	RMS	2500.075	22.26	60	Pass	401
2590	3000	1	RMS	2949.878	-50.34	-25	Pass	410
3000	12000	1	RMS	10001.855	-53.42	-25	Pass	9000
12000	26000	1	RMS	26000	-39.15	-25	Pass	14000




7.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.99	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.22	-25	Pass	2985
30	1000	0.1	RMS	836.498	-64.88	-25	Pass	9699
1000	2480	1	RMS	2480	-52.06	-25	Pass	1480
2480	2590	1	RMS	2500.35	21.46	60	Pass	401
2590	3000	1	RMS	2946.87	-50.33	-25	Pass	410
3000	12000	1	RMS	10000.855	-53.66	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.27	-25	Pass	14000




7.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.38	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.47	-25	Pass	2985
30	1000	0.1	RMS	572.166	-64.18	-25	Pass	9699
1000	2480	1	RMS	2480	-52.05	-25	Pass	1480
2480	2590	1	RMS	2532.8	22.22	60	Pass	401
2590	3000	1	RMS	2949.878	-50.33	-25	Pass	410
3000	12000	1	RMS	10130.87	-53.27	-25	Pass	9000
12000	26000	1	RMS	26000	-39.27	-25	Pass	14000




7.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.44	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.38	-25	Pass	2985
30	1000	0.1	RMS	572.166	-64.39	-25	Pass	9699
1000	2480	1	RMS	2477.999	-52.11	-25	Pass	1480
2480	2590	1	RMS	2532.8	21.38	60	Pass	401
2590	3000	1	RMS	2946.87	-50.33	-25	Pass	410
3000	12000	1	RMS	10131.871	-53.49	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.29	-25	Pass	14000




7.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-25	Pass	2985
30	1000	0.1	RMS	604.67	-62.6	-25	Pass	9699
1000	2480	1	RMS	2480	-52.06	-25	Pass	1480
2480	2590	1	RMS	2565.25	21.96	60	Pass	401
2590	3000	1	RMS	2947.873	-50.33	-25	Pass	410
3000	12000	1	RMS	10261.886	-52.85	-25	Pass	9000
12000	26000	1	RMS	25998	-39.26	-25	Pass	14000




7.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.57	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.42	-25	Pass	2985
30	1000	0.1	RMS	604.67	-63.55	-25	Pass	9699
1000	2480	1	RMS	2480	-52.03	-25	Pass	1480
2480	2590	1	RMS	2565.25	21.18	60	Pass	401
2590	3000	1	RMS	2944.866	-50.27	-25	Pass	410
3000	12000	1	RMS	10260.886	-52.88	-25	Pass	9000
12000	26000	1	RMS	25989.998	-39.12	-25	Pass	14000




7.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-25	Pass	2985
30	1000	0.1	RMS	844.299	-64.91	-25	Pass	9699
1000	2480	1	RMS	2477.999	-52.06	-25	Pass	1480
2480	2590	1	RMS	2500.35	21.94	60	Pass	401
2590	3000	1	RMS	2948.875	-50.32	-25	Pass	410
3000	12000	1	RMS	10001.855	-53.44	-25	Pass	9000
12000	26000	1	RMS	25991.999	-39.26	-25	Pass	14000




7.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.89	-25	Pass	401
0.15	30	0.01	RMS	0.2	-73.25	-25	Pass	2985
30	1000	0.1	RMS	856.41	-64.8	-25	Pass	9699
1000	2480	1	RMS	2480	-52.09	-25	Pass	1480
2480	2590	1	RMS	2500.35	21.16	60	Pass	401
2590	3000	1	RMS	2950.88	-50.32	-25	Pass	410
3000	12000	1	RMS	10001.855	-53.53	-25	Pass	9000
12000	26000	1	RMS	25999	-39.23	-25	Pass	14000




7.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.9	-25	Pass	401
0.15	30	0.01	RMS	0.17	-73.39	-25	Pass	2985
30	1000	0.1	RMS	569.866	-64.62	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.03	-25	Pass	1480
2480	2590	1	RMS	2530.325	21.77	60	Pass	401
2590	3000	1	RMS	2949.878	-50.33	-25	Pass	410
3000	12000	1	RMS	10122.869	-52.92	-25	Pass	9000
12000	26000	1	RMS	25990.998	-39.3	-25	Pass	14000




7.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.84	-25	Pass	2985
30	1000	0.1	RMS	837.599	-64.91	-25	Pass	9699
1000	2480	1	RMS	2477.999	-52.1	-25	Pass	1480
2480	2590	1	RMS	2530.325	20.82	60	Pass	401
2590	3000	1	RMS	2947.873	-50.3	-25	Pass	410
3000	12000	1	RMS	10121.869	-53.24	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.23	-25	Pass	14000




**7.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.74	-25	Pass	2985
30	1000	0.1	RMS	599.87	-62.48	-25	Pass	9699
1000	2480	1	RMS	2477.999	-52.07	-25	Pass	1480
2480	2590	1	RMS	2560.575	21.88	60	Pass	401
2590	3000	1	RMS	2944.866	-50.31	-25	Pass	410
3000	12000	1	RMS	10241.884	-51.93	-25	Pass	9000
12000	26000	1	RMS	25991.999	-39.15	-25	Pass	14000




7.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.06	-25	Pass	401
0.15	30	0.01	RMS	0.18	-73.04	-25	Pass	2985
30	1000	0.1	RMS	599.87	-63.3	-25	Pass	9699
1000	2480	1	RMS	2480	-52.04	-25	Pass	1480
2480	2590	1	RMS	2560.575	20.96	60	Pass	401
2590	3000	1	RMS	2951.883	-50.34	-25	Pass	410
3000	12000	1	RMS	10241.884	-52.21	-25	Pass	9000
12000	26000	1	RMS	26000	-39.18	-25	Pass	14000




**7.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.72	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.78	-25	Pass	2985
30	1000	0.1	RMS	853.606	-64.87	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52	-25	Pass	1480
2480	2590	1	RMS	2500.625	21.99	60	Pass	401
2590	3000	1	RMS	2947.873	-50.33	-25	Pass	410
3000	12000	1	RMS	10002.855	-53.08	-25	Pass	9000
12000	26000	1	RMS	25988.998	-39.19	-25	Pass	14000




7.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.99	-25	Pass	401
0.15	30	0.01	RMS	0.2	-73.04	-25	Pass	2985
30	1000	0.1	RMS	847.8	-64.86	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.03	-25	Pass	1480
2480	2590	1	RMS	2500.625	21.16	60	Pass	401
2590	3000	1	RMS	2947.873	-50.3	-25	Pass	410
3000	12000	1	RMS	10003.855	-53.33	-25	Pass	9000
12000	26000	1	RMS	25985.998	-39.27	-25	Pass	14000




**7.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.73	-25	Pass	2985
30	1000	0.1	RMS	852.304	-64.76	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.09	-25	Pass	1480
2480	2590	1	RMS	2528.125	21.9	60	Pass	401
2590	3000	1	RMS	2950.88	-50.32	-25	Pass	410
3000	12000	1	RMS	10113.868	-52.96	-25	Pass	9000
12000	26000	1	RMS	25991.999	-39.15	-25	Pass	14000




7.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.15	-25	Pass	401
0.15	30	0.01	RMS	0.18	-73.02	-25	Pass	2985
30	1000	0.1	RMS	567.666	-64.8	-25	Pass	9699
1000	2480	1	RMS	2476.998	-52.07	-25	Pass	1480
2480	2590	1	RMS	2528.125	20.9	60	Pass	401
2590	3000	1	RMS	2947.873	-50.32	-25	Pass	410
3000	12000	1	RMS	10112.868	-53.29	-25	Pass	9000
12000	26000	1	RMS	26000	-39.17	-25	Pass	14000




**7.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.11	-25	Pass	2985
30	1000	0.1	RMS	595.169	-62.54	-25	Pass	9699
1000	2480	1	RMS	2480	-52.08	-25	Pass	1480
2480	2590	1	RMS	2555.625	21.93	60	Pass	401
2590	3000	1	RMS	2944.866	-50.32	-25	Pass	410
3000	12000	1	RMS	10223.882	-52.23	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.1	-25	Pass	14000




7.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.08	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.94	-25	Pass	2985
30	1000	0.1	RMS	595.169	-62.95	-25	Pass	9699
1000	2480	1	RMS	2480	-52.05	-25	Pass	1480
2480	2590	1	RMS	2555.625	21.14	60	Pass	401
2590	3000	1	RMS	2947.873	-50.32	-25	Pass	410
3000	12000	1	RMS	10222.882	-52.56	-25	Pass	9000
12000	26000	1	RMS	25992.999	-39.28	-25	Pass	14000




**7.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.8	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-25	Pass	2985
30	1000	0.1	RMS	808.795	-64.93	-25	Pass	9699
1000	2480	1	RMS	2478.999	-52.04	-25	Pass	1480
2480	2590	1	RMS	2500.9	21.94	60	Pass	401
2590	3000	1	RMS	2950.88	-50.3	-25	Pass	410
3000	12000	1	RMS	10004.855	-53.27	-25	Pass	9000
12000	26000	1	RMS	25981.997	-39.24	-25	Pass	14000




7.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.89	-25	Pass	2985
30	1000	0.1	RMS	830.598	-64.92	-25	Pass	9699
1000	2480	1	RMS	2480	-52.03	-25	Pass	1480
2480	2590	1	RMS	2500.9	21.09	60	Pass	401
2590	3000	1	RMS	2949.878	-50.3	-25	Pass	410
3000	12000	1	RMS	10004.855	-53.54	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.29	-25	Pass	14000




**7.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-25	Pass	2985
30	1000	0.1	RMS	843.899	-64.76	-25	Pass	9699
1000	2480	1	RMS	2480	-52.03	-25	Pass	1480
2480	2590	1	RMS	2525.925	21.81	60	Pass	401
2590	3000	1	RMS	2949.878	-50.32	-25	Pass	410
3000	12000	1	RMS	10103.867	-53.01	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.19	-25	Pass	14000




7.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.52	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.5	-25	Pass	2985
30	1000	0.1	RMS	846.4	-64.88	-25	Pass	9699
1000	2480	1	RMS	2478.999	-51.98	-25	Pass	1480
2480	2590	1	RMS	2525.925	20.9	60	Pass	401
2590	3000	1	RMS	2947.873	-50.33	-25	Pass	410
3000	12000	1	RMS	10103.867	-53.39	-25	Pass	9000
12000	26000	1	RMS	25996.999	-39.27	-25	Pass	14000




**7.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.63	-25	Pass	2985
30	1000	0.1	RMS	590.368	-62.38	-25	Pass	9699
1000	2480	1	RMS	2477.999	-52.04	-25	Pass	1480
2480	2590	1	RMS	2550.95	21.9	60	Pass	401
2590	3000	1	RMS	2945.868	-50.3	-25	Pass	410
3000	12000	1	RMS	10203.879	-52.26	-25	Pass	9000
12000	26000	1	RMS	25993.999	-39.29	-25	Pass	14000



7.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.33	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.65	-25	Pass	2985
30	1000	0.1	RMS	590.368	-63.13	-25	Pass	9699
1000	2480	1	RMS	2475.997	-52.09	-25	Pass	1480
2480	2590	1	RMS	2550.95	20.98	60	Pass	401
2590	3000	1	RMS	2947.873	-50.31	-25	Pass	410
3000	12000	1	RMS	10203.879	-52.82	-25	Pass	9000
12000	26000	1	RMS	25995.999	-39.11	-25	Pass	14000



8. LTE_Band38


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.61	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.06	-25	Pass	2985
30	1000	0.1	RMS	609.671	-61.49	-25	Pass	9699
1000	2550	1	RMS	2548.999	-47.34	-25	Pass	1550
2550	2640	1	RMS	2570.25	21.33	60	Pass	401
2640	3000	1	RMS	2949.6	-47.37	-25	Pass	401
3000	12000	1	RMS	10281.889	-48.45	-25	Pass	9000
12000	26500	1	RMS	25998.921	-36.22	-25	Pass	14500




8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.22	-25	Pass	2985
30	1000	0.1	RMS	609.571	-61.77	-25	Pass	9699
1000	2550	1	RMS	2550	-47.31	-25	Pass	1550
2550	2640	1	RMS	2570.25	20.71	60	Pass	401
2640	3000	1	RMS	2949.6	-47.38	-25	Pass	401
3000	12000	1	RMS	10280.889	-49.22	-25	Pass	9000
12000	26500	1	RMS	25998.921	-36.21	-25	Pass	14500




8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.61	-25	Pass	2985
30	1000	0.1	RMS	853.606	-61.86	-25	Pass	9699
1000	2550	1	RMS	2541.995	-48.6	-25	Pass	1550
2550	2640	1	RMS	2592.75	21.56	60	Pass	401
2640	3000	1	RMS	2950.5	-47.35	-25	Pass	401
3000	12000	1	RMS	10370.9	-43.75	-25	Pass	9000
12000	26500	1	RMS	25999.921	-36.19	-25	Pass	14500




8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.57	-25	Pass	401
0.15	30	0.01	RMS	0.32	-69.79	-25	Pass	2985
30	1000	0.1	RMS	870.729	-61.76	-25	Pass	9699
1000	2550	1	RMS	2537.992	-48.66	-25	Pass	1550
2550	2640	1	RMS	2592.525	21.03	60	Pass	401
2640	3000	1	RMS	2947.8	-47.37	-25	Pass	401
3000	12000	1	RMS	10370.9	-45.28	-25	Pass	9000
12000	26500	1	RMS	25994.92	-36.17	-25	Pass	14500




8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.33	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.98	-25	Pass	2985
30	1000	0.1	RMS	833.498	-61.77	-25	Pass	9699
1000	2550	1	RMS	2488.961	-48.78	-25	Pass	1550
2550	2640	1	RMS	2615.025	21.76	60	Pass	401
2640	3000	1	RMS	2946	-47.37	-25	Pass	401
3000	12000	1	RMS	10460.911	-45.15	-25	Pass	9000
12000	26500	1	RMS	26006.922	-36.27	-25	Pass	14500




8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.28	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.16	-25	Pass	2985
30	1000	0.1	RMS	849.1	-61.75	-25	Pass	9699
1000	2550	1	RMS	2489.961	-48.81	-25	Pass	1550
2550	2640	1	RMS	2615.25	21.34	60	Pass	401
2640	3000	1	RMS	2949.6	-47.35	-25	Pass	401
3000	12000	1	RMS	10461.911	-47.23	-25	Pass	9000
12000	26500	1	RMS	25999.921	-36.2	-25	Pass	14500




8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.55	-25	Pass	2985
30	1000	0.1	RMS	609.871	-60.35	-25	Pass	9699
1000	2550	1	RMS	2536.992	-48.3	-25	Pass	1550
2550	2640	1	RMS	2570.475	22.44	60	Pass	401
2640	3000	1	RMS	2952.3	-47.38	-25	Pass	401
3000	12000	1	RMS	10282.889	-48.14	-25	Pass	9000
12000	26500	1	RMS	25988.919	-36.2	-25	Pass	14500




8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.63	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.59	-25	Pass	2985
30	1000	0.1	RMS	850.001	-61.88	-25	Pass	9699
1000	2550	1	RMS	2548.999	-47.8	-25	Pass	1550
2550	2640	1	RMS	2570.475	21.18	60	Pass	401
2640	3000	1	RMS	2947.8	-47.36	-25	Pass	401
3000	12000	1	RMS	10281.889	-48.19	-25	Pass	9000
12000	26500	1	RMS	26001.921	-36.15	-25	Pass	14500




8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.76	-25	Pass	2985
30	1000	0.1	RMS	834.898	-61.76	-25	Pass	9699
1000	2550	1	RMS	2504.971	-48.91	-25	Pass	1550
2550	2640	1	RMS	2590.275	21.64	60	Pass	401
2640	3000	1	RMS	2948.7	-47.38	-25	Pass	401
3000	12000	1	RMS	10362.899	-46.54	-25	Pass	9000
12000	26500	1	RMS	25972.916	-36.23	-25	Pass	14500




8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.79	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.32	-25	Pass	2985
30	1000	0.1	RMS	837.699	-61.6	-25	Pass	9699
1000	2550	1	RMS	2489.961	-48.89	-25	Pass	1550
2550	2640	1	RMS	2590.275	21.03	60	Pass	401
2640	3000	1	RMS	2941.5	-47.38	-25	Pass	401
3000	12000	1	RMS	10362.899	-48.26	-25	Pass	9000
12000	26500	1	RMS	26030.926	-36.26	-25	Pass	14500




8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.09	-25	Pass	2985
30	1000	0.1	RMS	838.799	-61.76	-25	Pass	9699
1000	2550	1	RMS	2489.961	-48.83	-25	Pass	1550
2550	2640	1	RMS	2610.525	22.44	60	Pass	401
2640	3000	1	RMS	2945.1	-47.36	-25	Pass	401
3000	12000	1	RMS	10441.908	-42.91	-25	Pass	9000
12000	26500	1	RMS	26005.922	-36.18	-25	Pass	14500




8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.18	-25	Pass	2985
30	1000	0.1	RMS	835.498	-61.81	-25	Pass	9699
1000	2550	1	RMS	2527.986	-48.92	-25	Pass	1550
2550	2640	1	RMS	2610.525	21	60	Pass	401
2640	3000	1	RMS	2946	-47.36	-25	Pass	401
3000	12000	1	RMS	10441.908	-47.59	-25	Pass	9000
12000	26500	1	RMS	26005.922	-36.17	-25	Pass	14500




8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.39	-25	Pass	2985
30	1000	0.1	RMS	610.171	-61.08	-25	Pass	9699
1000	2550	1	RMS	2543.996	-46.16	-25	Pass	1550
2550	2640	1	RMS	2570.925	21.75	60	Pass	401
2640	3000	1	RMS	2944.2	-47.38	-25	Pass	401
3000	12000	1	RMS	10282.889	-47.55	-25	Pass	9000
12000	26500	1	RMS	25996.92	-36.25	-25	Pass	14500




8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.25	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.76	-25	Pass	2985
30	1000	0.1	RMS	610.071	-61.44	-25	Pass	9699
1000	2550	1	RMS	2543.996	-46.77	-25	Pass	1550
2550	2640	1	RMS	2570.925	20.79	60	Pass	401
2640	3000	1	RMS	2948.7	-47.39	-25	Pass	401
3000	12000	1	RMS	10282.889	-49.24	-25	Pass	9000
12000	26500	1	RMS	26011.923	-36.17	-25	Pass	14500




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.48	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.82	-25	Pass	2985
30	1000	0.1	RMS	841.499	-61.87	-25	Pass	9699
1000	2550	1	RMS	2484.958	-48.89	-25	Pass	1550
2550	2640	1	RMS	2588.25	22.51	60	Pass	401
2640	3000	1	RMS	2951.4	-47.39	-25	Pass	401
3000	12000	1	RMS	10352.898	-45.72	-25	Pass	9000
12000	26500	1	RMS	26000.921	-36.18	-25	Pass	14500




8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.65	-25	Pass	2985
30	1000	0.1	RMS	852.304	-61.81	-25	Pass	9699
1000	2550	1	RMS	2491.963	-48.88	-25	Pass	1550
2550	2640	1	RMS	2588.25	21.45	60	Pass	401
2640	3000	1	RMS	2947.8	-47.4	-25	Pass	401
3000	12000	1	RMS	10352.898	-45.61	-25	Pass	9000
12000	26500	1	RMS	26006.922	-36.23	-25	Pass	14500




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.64	-25	Pass	2985
30	1000	0.1	RMS	836.898	-61.84	-25	Pass	9699
1000	2550	1	RMS	2491.963	-48.87	-25	Pass	1550
2550	2640	1	RMS	2605.575	22.01	60	Pass	401
2640	3000	1	RMS	2949.6	-47.38	-25	Pass	401
3000	12000	1	RMS	10422.906	-43.41	-25	Pass	9000
12000	26500	1	RMS	26004.922	-36.21	-25	Pass	14500




8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.13	-25	Pass	2985
30	1000	0.1	RMS	847.2	-61.8	-25	Pass	9699
1000	2550	1	RMS	2488.961	-48.88	-25	Pass	1550
2550	2640	1	RMS	2605.8	21.51	60	Pass	401
2640	3000	1	RMS	2950.5	-47.37	-25	Pass	401
3000	12000	1	RMS	10423.906	-44.53	-25	Pass	9000
12000	26500	1	RMS	26020.924	-36.22	-25	Pass	14500




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.63	-25	Pass	2985
30	1000	0.1	RMS	610.371	-61.37	-25	Pass	9699
1000	2550	1	RMS	2534.99	-47.73	-25	Pass	1550
2550	2640	1	RMS	2570.925	21.34	60	Pass	401
2640	3000	1	RMS	2946	-47.38	-25	Pass	401
3000	12000	1	RMS	10283.889	-47.93	-25	Pass	9000
12000	26500	1	RMS	26000.921	-36.15	-25	Pass	14500




8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.26	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.98	-25	Pass	2985
30	1000	0.1	RMS	610.371	-61.48	-25	Pass	9699
1000	2550	1	RMS	2534.99	-47.66	-25	Pass	1550
2550	2640	1	RMS	2570.925	20.59	60	Pass	401
2640	3000	1	RMS	2950.5	-47.39	-25	Pass	401
3000	12000	1	RMS	10284.889	-48.73	-25	Pass	9000
12000	26500	1	RMS	26008.922	-36.05	-25	Pass	14500




8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.75	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.73	-25	Pass	2985
30	1000	0.1	RMS	825.597	-61.89	-25	Pass	9699
1000	2550	1	RMS	2550	-48.81	-25	Pass	1550
2550	2640	1	RMS	2586	22.13	60	Pass	401
2640	3000	1	RMS	2949.6	-47.38	-25	Pass	401
3000	12000	1	RMS	10344.897	-46.8	-25	Pass	9000
12000	26500	1	RMS	26001.921	-36.2	-25	Pass	14500




8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.42	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.91	-25	Pass	2985
30	1000	0.1	RMS	847.9	-61.8	-25	Pass	9699
1000	2550	1	RMS	2550	-48.79	-25	Pass	1550
2550	2640	1	RMS	2585.775	20.76	60	Pass	401
2640	3000	1	RMS	2952.3	-47.38	-25	Pass	401
3000	12000	1	RMS	10344.897	-46.69	-25	Pass	9000
12000	26500	1	RMS	26007.922	-36.22	-25	Pass	14500




8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.92	-25	Pass	2985
30	1000	0.1	RMS	849.601	-61.82	-25	Pass	9699
1000	2550	1	RMS	2488.961	-48.93	-25	Pass	1550
2550	2640	1	RMS	2601.075	21.7	60	Pass	401
2640	3000	1	RMS	2947.8	-47.38	-25	Pass	401
3000	12000	1	RMS	10404.904	-43.63	-25	Pass	9000
12000	26500	1	RMS	26009.922	-36.17	-25	Pass	14500



8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.39	-25	Pass	2985
30	1000	0.1	RMS	841.899	-61.77	-25	Pass	9699
1000	2550	1	RMS	2488.961	-48.92	-25	Pass	1550
2550	2640	1	RMS	2600.85	21.15	60	Pass	401
2640	3000	1	RMS	2949.6	-47.38	-25	Pass	401
3000	12000	1	RMS	10403.904	-44.18	-25	Pass	9000
12000	26500	1	RMS	26005.922	-36.17	-25	Pass	14500



9. LTE_Band41 full


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.22	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.88	-25	Pass	2985
30	1000	0.1	RMS	851.503	-61.65	-25	Pass	9699
1000	2476	1	RMS	2468.995	-49.1	-25	Pass	1476
2476	2710	1	RMS	2495.89	20.5	60	Pass	401
2710	3000	1	RMS	2949.25	-47.37	-25	Pass	401
3000	12000	1	RMS	9985.853	-50.5	-25	Pass	9000
12000	27000	1	RMS	25992.852	-36.27	-25	Pass	15000




9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.61	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.34	-25	Pass	2985
30	1000	0.1	RMS	851.303	-61.64	-25	Pass	9699
1000	2476	1	RMS	2458.988	-49.08	-25	Pass	1476
2476	2710	1	RMS	2495.89	20.17	60	Pass	401
2710	3000	1	RMS	2949.975	-47.36	-25	Pass	401
3000	12000	1	RMS	11818.776	-50.7	-25	Pass	9000
12000	27000	1	RMS	26001.853	-36	-25	Pass	15000




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.99	-25	Pass	2985
30	1000	0.1	RMS	847.5	-61.67	-25	Pass	9699
1000	2476	1	RMS	2471.997	-49.14	-25	Pass	1476
2476	2710	1	RMS	2590.66	20.63	60	Pass	401
2710	3000	1	RMS	2949.25	-47.37	-25	Pass	401
3000	12000	1	RMS	10363.899	-47.92	-25	Pass	9000
12000	27000	1	RMS	25978.85	-36.17	-25	Pass	15000




9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.25	-25	Pass	2985
30	1000	0.1	RMS	850.001	-61.89	-25	Pass	9699
1000	2476	1	RMS	2473.999	-49.04	-25	Pass	1476
2476	2710	1	RMS	2590.66	21	60	Pass	401
2710	3000	1	RMS	2949.975	-47.31	-25	Pass	401
3000	12000	1	RMS	10362.899	-45.39	-25	Pass	9000
12000	27000	1	RMS	26000.853	-36.13	-25	Pass	15000




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.57	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.04	-25	Pass	2985
30	1000	0.1	RMS	724.685	-60.63	-25	Pass	9699
1000	2476	1	RMS	2472.998	-49.12	-25	Pass	1476
2476	2710	1	RMS	2684.845	20.92	60	Pass	401
2710	3000	1	RMS	2947.8	-47.38	-25	Pass	401
3000	12000	1	RMS	10741.945	-50.59	-25	Pass	9000
12000	27000	1	RMS	26003.854	-36.19	-25	Pass	15000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.16	-25	Pass	2985
30	1000	0.1	RMS	724.585	-61.44	-25	Pass	9699
1000	2476	1	RMS	2468.995	-49.11	-25	Pass	1476
2476	2710	1	RMS	2684.845	20.11	60	Pass	401
2710	3000	1	RMS	2947.8	-47.4	-25	Pass	401
3000	12000	1	RMS	10740.945	-49.52	-25	Pass	9000
12000	27000	1	RMS	25998.853	-36.19	-25	Pass	15000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.95	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.02	-25	Pass	2985
30	1000	0.1	RMS	827.097	-61.8	-25	Pass	9699
1000	2476	1	RMS	2476	-49.13	-25	Pass	1476
2476	2710	1	RMS	2496.475	20.5	60	Pass	401
2710	3000	1	RMS	2949.25	-47.39	-25	Pass	401
3000	12000	1	RMS	9985.853	-50.51	-25	Pass	9000
12000	27000	1	RMS	26019.856	-36.18	-25	Pass	15000




9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.05	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.04	-25	Pass	2985
30	1000	0.1	RMS	853.906	-61.64	-25	Pass	9699
1000	2476	1	RMS	2455.986	-48.7	-25	Pass	1476
2476	2710	1	RMS	2496.475	19.65	60	Pass	401
2710	3000	1	RMS	2947.075	-47.36	-25	Pass	401
3000	12000	1	RMS	9985.853	-50.57	-25	Pass	9000
12000	27000	1	RMS	25995.853	-36.22	-25	Pass	15000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.21	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.11	-25	Pass	2985
30	1000	0.1	RMS	847.1	-61.83	-25	Pass	9699
1000	2476	1	RMS	2457.988	-48.8	-25	Pass	1476
2476	2710	1	RMS	2588.32	20.91	60	Pass	401
2710	3000	1	RMS	2945.625	-47.32	-25	Pass	401
3000	12000	1	RMS	10353.898	-45.82	-25	Pass	9000
12000	27000	1	RMS	26014.855	-36.15	-25	Pass	15000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.4	-25	Pass	401
0.15	30	0.01	RMS	0.22	-70.43	-25	Pass	2985
30	1000	0.1	RMS	849.4	-61.94	-25	Pass	9699
1000	2476	1	RMS	2459.989	-48.79	-25	Pass	1476
2476	2710	1	RMS	2588.32	20.26	60	Pass	401
2710	3000	1	RMS	2949.25	-47.39	-25	Pass	401
3000	12000	1	RMS	10353.898	-49.01	-25	Pass	9000
12000	27000	1	RMS	25976.85	-36.11	-25	Pass	15000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.26	-25	Pass	2985
30	1000	0.1	RMS	719.884	-61.39	-25	Pass	9699
1000	2476	1	RMS	2473.999	-49.02	-25	Pass	1476
2476	2710	1	RMS	2680.165	22.12	60	Pass	401
2710	3000	1	RMS	2951.425	-47.39	-25	Pass	401
3000	12000	1	RMS	10721.943	-48.75	-25	Pass	9000
12000	27000	1	RMS	26001.853	-36.21	-25	Pass	15000




9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.43	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.52	-25	Pass	2985
30	1000	0.1	RMS	719.884	-60.56	-25	Pass	9699
1000	2476	1	RMS	2476	-49.12	-25	Pass	1476
2476	2710	1	RMS	2680.165	20.16	60	Pass	401
2710	3000	1	RMS	2949.975	-47.38	-25	Pass	401
3000	12000	1	RMS	10721.943	-49.12	-25	Pass	9000
12000	27000	1	RMS	25983.851	-36.12	-25	Pass	15000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.42	-25	Pass	2985
30	1000	0.1	RMS	819.396	-61.84	-25	Pass	9699
1000	2476	1	RMS	2454.986	-48.95	-25	Pass	1476
2476	2710	1	RMS	2496.475	21.32	60	Pass	401
2710	3000	1	RMS	2950.7	-47.38	-25	Pass	401
3000	12000	1	RMS	11814.771	-50.69	-25	Pass	9000
12000	27000	1	RMS	26036.859	-36.15	-25	Pass	15000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.21	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.34	-25	Pass	2985
30	1000	0.1	RMS	814.496	-61.63	-25	Pass	9699
1000	2476	1	RMS	2455.986	-48.79	-25	Pass	1476
2476	2710	1	RMS	2496.475	20.18	60	Pass	401
2710	3000	1	RMS	2946.35	-47.4	-25	Pass	401
3000	12000	1	RMS	11811.767	-50.8	-25	Pass	9000
12000	27000	1	RMS	25993.852	-36.26	-25	Pass	15000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.27	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.12	-25	Pass	2985
30	1000	0.1	RMS	841.599	-61.84	-25	Pass	9699
1000	2476	1	RMS	2471.997	-49.1	-25	Pass	1476
2476	2710	1	RMS	2585.98	21.97	60	Pass	401
2710	3000	1	RMS	2947.075	-47.37	-25	Pass	401
3000	12000	1	RMS	10345.897	-45.53	-25	Pass	9000
12000	27000	1	RMS	25996.853	-36.2	-25	Pass	15000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.66	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.93	-25	Pass	2985
30	1000	0.1	RMS	990.588	-61.86	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.06	-25	Pass	1476
2476	2710	1	RMS	2585.98	21.06	60	Pass	401
2710	3000	1	RMS	2949.25	-47.43	-25	Pass	401
3000	12000	1	RMS	10345.897	-47.35	-25	Pass	9000
12000	27000	1	RMS	25997.853	-36.21	-25	Pass	15000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.8	-25	Pass	2985
30	1000	0.1	RMS	715.184	-61.41	-25	Pass	9699
1000	2476	1	RMS	2458.988	-48.98	-25	Pass	1476
2476	2710	1	RMS	2675.485	21.38	60	Pass	401
2710	3000	1	RMS	2949.975	-47.38	-25	Pass	401
3000	12000	1	RMS	11803.757	-50.77	-25	Pass	9000
12000	27000	1	RMS	26012.855	-36.25	-25	Pass	15000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.41	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.85	-25	Pass	2985
30	1000	0.1	RMS	841.699	-61.75	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.08	-25	Pass	1476
2476	2710	1	RMS	2675.485	20.64	60	Pass	401
2710	3000	1	RMS	2944.9	-47.38	-25	Pass	401
3000	12000	1	RMS	10703.94	-49.37	-25	Pass	9000
12000	27000	1	RMS	26985.998	-36.22	-25	Pass	15000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.46	-25	Pass	2985
30	1000	0.1	RMS	842.099	-61.73	-25	Pass	9699
1000	2476	1	RMS	2476	-48.66	-25	Pass	1476
2476	2710	1	RMS	2497.06	21	60	Pass	401
2710	3000	1	RMS	2946.35	-47.41	-25	Pass	401
3000	12000	1	RMS	9988.853	-50.5	-25	Pass	9000
12000	27000	1	RMS	26002.854	-36.19	-25	Pass	15000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.21	-25	Pass	2985
30	1000	0.1	RMS	838.099	-61.85	-25	Pass	9699
1000	2476	1	RMS	2454.986	-48.42	-25	Pass	1476
2476	2710	1	RMS	2496.475	20.09	60	Pass	401
2710	3000	1	RMS	2951.425	-47.4	-25	Pass	401
3000	12000	1	RMS	9987.853	-50.67	-25	Pass	9000
12000	27000	1	RMS	26001.853	-36.29	-25	Pass	15000




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.2	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.52	-25	Pass	2985
30	1000	0.1	RMS	855.809	-61.74	-25	Pass	9699
1000	2476	1	RMS	2453.985	-48.77	-25	Pass	1476
2476	2710	1	RMS	2583.64	20.79	60	Pass	401
2710	3000	1	RMS	2950.7	-47.43	-25	Pass	401
3000	12000	1	RMS	10335.895	-45.38	-25	Pass	9000
12000	27000	1	RMS	26043.86	-36.27	-25	Pass	15000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.17	-25	Pass	2985
30	1000	0.1	RMS	866.223	-61.88	-25	Pass	9699
1000	2476	1	RMS	2457.988	-48.7	-25	Pass	1476
2476	2710	1	RMS	2583.64	20.59	60	Pass	401
2710	3000	1	RMS	2947.075	-47.41	-25	Pass	401
3000	12000	1	RMS	10336.896	-47.71	-25	Pass	9000
12000	27000	1	RMS	25991.852	-36.22	-25	Pass	15000




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.45	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.07	-25	Pass	2985
30	1000	0.1	RMS	835.498	-61.85	-25	Pass	9699
1000	2476	1	RMS	2456.987	-48.72	-25	Pass	1476
2476	2710	1	RMS	2670.805	21.6	60	Pass	401
2710	3000	1	RMS	2948.525	-47.43	-25	Pass	401
3000	12000	1	RMS	10684.938	-50.42	-25	Pass	9000
12000	27000	1	RMS	26004.854	-36.21	-25	Pass	15000



**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.22	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.96	-25	Pass	2985
30	1000	0.1	RMS	904.373	-61.9	-25	Pass	9699
1000	2476	1	RMS	2470.997	-49.08	-25	Pass	1476
2476	2710	1	RMS	2670.805	19.81	60	Pass	401
2710	3000	1	RMS	2950.7	-47.44	-25	Pass	401
3000	12000	1	RMS	10683.938	-50.31	-25	Pass	9000
12000	27000	1	RMS	26017.856	-36.22	-25	Pass	15000



END